

# High-Grade Auger Sampling Results Extend Surface Gold Zones at 1.67 Moz<sup>1</sup> Woodlark Gold Project

## Trenching underway ahead of major drilling program

### Highlights

- **Surface auger sampling returns multiple zones grading more than 1.0 g/t Au, with several individual high-grade assays up to 20.0 g/t Au, and a peak assay of 63.6 g/t Au at the northernmost auger line at Little MacKenzie**
- **Results extend surface mineralisation at Wayai Creek SSW and Little MacKenzie gold prospects, each with a strike extent of over 1 km**
- **Trenching underway to refine drilling targets, which is scheduled to commence in June 2025 with equipment currently being mobilised to site. First assays from trenching expected from late June.**
- **A major RC and diamond drilling program, of 30,000 metres planned to extend known gold mineralisation and test multiple new targets to increase Mineral Resources**

Geopacific Resources Limited (ASX.GPR) ('GPR' or the 'Company') is pleased to announce significant gold results from surface auger sampling at the Wayai Creek SSW and Little MacKenzie prospects within its 100% owned 1.67 Moz Woodlark Gold Project in Papua New Guinea ('Woodlark', the 'Project').

The auger sampling is part of an ongoing program of field mapping and sampling activities focussed on the under-explored southwest corner of the Project, part of the Woodlark King Mining Centre (Figures 1 and 2). The area is highly prospective and is supported by favourable host lithology, complex magnetic responses, favourable structures, and anomalous geochemistry, indicating significant potential to host economic gold mineralisation.

Analysis of the results has highlighted several large coherent >0.1 g/t gold anomalies with peak result to 63.6 g/t Au at the northernmost sample line at Little MacKenzie where it remains open to the north, and numerous adjacent samples of over 1.0 g/t Au in both locations (refer Table 1, Figures 3 and 5, and JORC Table 1 at the end of this release for further information on the sampling and assaying methodology).

These prospects will be progressively advanced through further surface sampling and trenching prior to drilling later in 2025 as part of the current exploration drill program. A total of 30,000 metres of RC and diamond drilling is scheduled to commence in June 2025 to extend known gold mineralisation and test new targets to increase mineral resources.

**Geopacific CEO James Fox said:** "These results confirm the strong prospectivity of the Woodlark King area, with high-grade auger results and extensive surface anomalies extending known mineralisation. The Little MacKenzie and Wayai Creek targets are shaping up as compelling additions to our pipeline and with a major 30,000 metre drill program set to commence this month, we are excited by the potential to build on our 1.67 Moz resource base."

### Discussion

Using a conventional hand auger to a depth of less than one metre, 635 samples were collected in two locations, at Little MacKenzie and Wayai Creek, along 100 m (approximate N-S to NE-SW) spaced lines at 10-20 m approximate (E-W to NE-SW) spacing, and then assayed for gold and multi-elements (refer JORC Table 1 at the end of this release for further information on the sampling and assaying methodology).


<sup>1</sup> Refer ASX announcement on 13 August 2024 for full details including JORC tables "Mineral Resource increased to 1.67 Moz as growth strategy delivers early results".

The new, undrilled surface gold anomaly at Little MacKenzie has been traced over a >0.5 km strike extent and appears to follow a key WNW trending structure to the west of the main >1.0 km surface mineralised zone (Figure 3). Trenching is underway and will be extended into this location to determine the orientation of mineralisation prior to drill-testing.

Surface mineralisation has also been extended by >0.5 km immediately along strike to the southeast of the Wayai Creek gold deposit (1.97 Mt @ 1.04 g/t Au for 66 koz Inferred), with two new sub-parallel zones >1.2 km total strike extent defined immediately to the west of the NE zone which contains the Wayai Creek gold deposit (Figure 5). The area is now host to an extensive mineralised surface footprint that warrants further assessment and drill testing.


Drill planning continues to be refined, taking into consideration these auger sampling results. In total, 174 drill collars for approximately 30,000 m of RC and diamond drilling have been planned in a staged approach.

The exploration drill program is broadly split into three categories; exploration targets, targets with potential for new Mineral Resources, and resource development drilling<sup>2</sup>. The sequence of drilling will prioritise those areas such as Little MacKenzie where the targets are well-defined, have good access and a high degree of confidence in potential for mineralisation relative to more regional exploration prospects.



**Figure 1:** Project Trench & Drill Targets 2025 highlighting current active exploration locations

<sup>2</sup> Refer ASX announcement 11 March 2025 "Woodlark Gold Project Update"



**Figure 2:** Little MacKenzie & Wayai Creek (& S/SW) with anomalous footprints of mineralisation >1 km hosted in Okiduse Volcanics.


### Little Mckenzie Results

Several coherent >0.1 g/t Au in soil anomalies have been delineated within a larger mineralised footprint over the north-south striking mineralised ridge that define the prospect.

A new western anomaly appears to trace a key structure trending WNW that remains untested by drilling. There is a clear demarcation along the eastern side of the surface mineralisation defining a sharp tapering off in gold grades and inferred to be associated with NNW striking intermediate intrusives.

The auger results have significantly improved confidence in the definition of surface mineralisation and has allowed for improved siting of trenching over the >1 km strike in surface mineralised zones (Figure 3).

Excavation and sampling of the southern trenches has commenced, Brecciated zones >60 m wide (Figure 4) have been mapped with some free gold identified in brecciated volcanics. Trenching will continue northwards with assay results anticipated throughout the program until completion in Q3 2025. Final drill collar planning will follow the review of the trench results with 23 reverse circulation and diamond drillholes currently planned as part of the Phase 1 program.




**Figure 3:** Little MacKenzie surface geochem auger results footprint and >0.1 g/t outline of anomalous mineralisation >1 km hosted in Okiduse Volcanics. Active & planned trenching shown below auger results.



Little MacKenzie southern trench, with 2m sampling flagged ready for sampling.



Little MacKenzie southern trench, Geological team preparing the base of the trench for channel sampling, collecting 2m wide channel samples (0.1 x 0.1 x 2 m) over the length of the trench



Hydrothermal brecciation noted in trench LMTR25001 continuous north along a NW-SE trend, dips steeply to the NE.



Generally, highly weathered with strong pervasive argillic alteration, characterised by strong pervasive hematite-limonite-clays. No primary sulphides are noted due to weathering.


**Figure 4:** Trenching and brecciation at Little MacKenzie

For personal use only

### Wayai Creek S/SW Results

The surface auger sampling to the south and southwest of the Wayai Creek gold deposit<sup>3</sup>, identified three new >0.1 g/t gold in soil anomalies (Figure 5) that are significant in size with a combined strike extent of >2 km and a geochemical signature indicative of Low Sulphidation Epithermal (LSE) style mineralisation.

The inferred control on the Wayai Creek gold deposit is due to splays of a regional NNW structure that strikes through the target and contains the host rocks of the Talpos Creek Formation, that also hosts the main Woodlark King deposit. The new anomalies have also been suggested to be of a possible LSE mineralisation style (based on their multi-element signature) and therefore could be of a higher grade.



**Figure 5:** Wayai Creek S/SW >0.1g/t Au surface geochemical auger results and planned trenching

<sup>3</sup> Refer to GPR's ASX Announcement dated 13 August 2024 titled "Mineral Resource increased to 1.67 Moz" for further details of the mineral resource at Wayai Creek, including JORC Tables.

**Table 1: Auger Results at Little MacKenzie and Wayai Creek with grades >1.0 ppm Au (1.0 g/t Au) highlighted**

Project	Prospect	SiteID	Depth From (m)	Depth To (m)	Interval (m)	Easting UTM	Northing UTM	RLUTM	AuPPM	AuMethod
WOODLARK	Little MacKenzie	LTMK001	0.2	1.0	0.8	470900	8989700	45.61	0.045	FA25/MS
WOODLARK	Little MacKenzie	LTMK002	0.2	1.0	0.8	470920	8989700	43.42	0.077	FA25/MS
WOODLARK	Little MacKenzie	LTMK003	0.2	1.0	0.8	470930	8989700	44.67	0.104	FA25/MS
WOODLARK	Little MacKenzie	LTMK004	0.4	1.0	0.6	470940	8989700	37.00	0.027	FA25/MS
WOODLARK	Little MacKenzie	LTMK005	0.2	1.0	0.8	470950	8989700	38.14	0.379	FA25/MS
WOODLARK	Little MacKenzie	LTMK006	0.3	1.0	0.7	470960	8989700	36.37	0.166	FA25/MS
WOODLARK	Little MacKenzie	LTMK007	0.4	1.0	0.6	470970	8989700	36.61	0.495	FA25/MS
WOODLARK	Little MacKenzie	LTMK008	0.3	1.0	0.7	470980	8989700	37.23	0.479	FA25/MS
WOODLARK	Little MacKenzie	LTMK009	0.3	1.0	0.7	471001	8989700	30.05	0.336	FA25/MS
WOODLARK	Little MacKenzie	LTMK010	0.3	1.0	0.7	471020	8989700	24.65	0.330	FA25/MS
WOODLARK	Little MacKenzie	LTMK011	0.2	1.0	0.8	471040	8989700	28.55	<b>63.595</b>	FA25/MS
WOODLARK	Little MacKenzie	LTMK012	0.3	1.0	0.7	471060	8989700	28.59	0.031	FA25/MS
WOODLARK	Little MacKenzie	LTMK013	0.2	1.0	0.8	471080	8989701	19.19	<b>3.505</b>	FA25/MS
WOODLARK	Little MacKenzie	LTMK014	0.3	1.0	0.7	471101	8989700	21.57	<b>1.644</b>	FA25/MS
WOODLARK	Little MacKenzie	LTMK015	0.2	0.9	0.7	470797	8989598	63.02	0.022	FA25/MS
WOODLARK	Little MacKenzie	LTMK016	0.2	0.7	0.5	470840	8989600	61.45	0.004	FA25/MS
WOODLARK	Little MacKenzie	LTMK017	0.2	0.9	0.7	470880	8989597	61.76	0.003	FA25/MS
WOODLARK	Little MacKenzie	LTMK018	0.2	0.7	0.5	470920	8989600	64.79	0.133	FA25/MS
WOODLARK	Little MacKenzie	LTMK019	0.2	0.7	0.5	470929	8989600	62.29	0.140	FA25/MS
WOODLARK	Little MacKenzie	LTMK020	0.4	1.0	0.6	470940	8989600	56.71	0.203	FA25/MS
WOODLARK	Little MacKenzie	LTMK021	0.2	0.9	0.7	470949	8989600	50.38	0.581	FA25/MS
WOODLARK	Little MacKenzie	LTMK022	0.4	1.0	0.6	470959	8989600	44.58	<b>2.464</b>	FA25/MS
WOODLARK	Little MacKenzie	LTMK023	0.2	1.0	0.8	470971	8989600	55.73	0.107	FA25/MS
WOODLARK	Little MacKenzie	LTMK024	0.3	1.0	0.7	470979	8989600	53.20	0.269	FA25/MS
WOODLARK	Little MacKenzie	LTMK025	0.3	0.9	0.6	470990	8989600	65.04	0.219	FA25/MS
WOODLARK	Little MacKenzie	LTMK026	0.3	1.0	0.7	471001	8989601	62.87	0.225	FA25/MS
WOODLARK	Little MacKenzie	LTMK027	0.3	1.0	0.7	471010	8989600	69.39	<b>1.653</b>	FA25/MS
WOODLARK	Little MacKenzie	LTMK028	0.3	0.9	0.6	471020	8989600	41.17	0.036	FA25/MS
WOODLARK	Little MacKenzie	LTMK029	0.4	1.0	0.6	471040	8989601	60.51	0.147	FA25/MS
WOODLARK	Little MacKenzie	LTMK030	0.3	1.0	0.7	471061	8989600	71.44	0.011	FA25/MS
WOODLARK	Little MacKenzie	LTMK031	0.4	1.0	0.6	471078	8989600	64.93	0.007	FA25/MS
WOODLARK	Little MacKenzie	LTMK032	0.3	0.9	0.6	471100	8989600	59.74	0.008	FA25/MS
WOODLARK	Little MacKenzie	LTMK033	0.1	0.9	0.8	470920	8989500	59.35	0.002	FA25/MS
WOODLARK	Little MacKenzie	LTMK034	0.3	1.0	0.7	470941	8989500	59.86	0.020	FA25/MS
WOODLARK	Little MacKenzie	LTMK035	0.2	1.0	0.8	470960	8989501	63.81	0.518	FA25/MS
WOODLARK	Little MacKenzie	LTMK036	0.3	1.0	0.7	470971	8989500	67.21	0.026	FA25/MS
WOODLARK	Little MacKenzie	LTMK037	0.3	1.0	0.7	470980	8989500	71.02	0.045	FA25/MS
WOODLARK	Little MacKenzie	LTMK038	0.2	1.0	0.8	470990	8989500	72.74	0.043	FA25/MS
WOODLARK	Little MacKenzie	LTMK039	0.2	1.0	0.8	470999	8989500	70.38	0.022	FA25/MS
WOODLARK	Little MacKenzie	LTMK040	0.2	1.0	0.8	471010	8989500	59.90	0.067	FA25/MS
WOODLARK	Little MacKenzie	LTMK041	0.3	1.0	0.7	471021	8989500	72.25	0.041	FA25/MS
WOODLARK	Little MacKenzie	LTMK042	0.2	1.0	0.8	471028	8989500	76.25	0.051	FA25/MS
WOODLARK	Little MacKenzie	LTMK043	0.4	1.0	0.6	471040	8989500	76.03	0.019	FA25/MS
WOODLARK	Little MacKenzie	LTMK044	0.4	1.0	0.6	471051	8989502	75.64	0.005	FA25/MS
WOODLARK	Little MacKenzie	LTMK045	0.4	1.0	0.6	471060	8989502	65.86	0.004	FA25/MS
WOODLARK	Little MacKenzie	LTMK046	0.3	1.0	0.7	471079	8989500	75.28	0.001	FA25/MS
WOODLARK	Little MacKenzie	LTMK047	0.4	1.0	0.6	471100	8989500	74.67	0.003	FA25/MS
WOODLARK	Little MacKenzie	LTMK048	0.3	0.9	0.6	470879	8989400	57.64	0.314	FA25/MS

Project	Prospect	SiteID	Depth From (m)	Depth To (m)	Interval (m)	EastingU TM	Northing UTM	RLUTM	AuPPM	AuMethod
WOODLARK	Little MacKenzie	LTMK049	0.3	0.9	0.6	470900	8989400	63.43	0.106	FA25/MS
WOODLARK	Little MacKenzie	LTMK050	0.4	1.0	0.6	470920	8989400	55.88	0.277	FA25/MS
WOODLARK	Little MacKenzie	LTMK051	0.3	0.9	0.6	470939	8989400	61.19	0.050	FA25/MS
WOODLARK	Little MacKenzie	LTMK052	0.3	1.0	0.7	470960	8989400	61.92	0.698	FA25/MS
WOODLARK	Little MacKenzie	LTMK053	0.3	1.0	0.7	470980	8989400	60.32	0.277	FA25/MS
WOODLARK	Little MacKenzie	LTMK054	0.3	0.9	0.6	470999	8989400	72.00	0.082	FA25/MS
WOODLARK	Little MacKenzie	LTMK055	0.3	0.9	0.6	471010	8989400	72.55	0.007	FA25/MS
WOODLARK	Little MacKenzie	LTMK056	0.3	0.9	0.6	471020	8989400	74.78	0.004	FA25/MS
WOODLARK	Little MacKenzie	LTMK057	0.2	1.0	0.8	471029	8989400	78.99	0.008	FA25/MS
WOODLARK	Little MacKenzie	LTMK058	0.3	0.9	0.6	471040	8989400	73.89	0.002	FA25/MS
WOODLARK	Little MacKenzie	LTMK059	0.3	1.0	0.7	471050	8989400	76.39	0.004	FA25/MS
WOODLARK	Little MacKenzie	LTMK060	0.4	0.9	0.5	471060	8989400	77.14	0.004	FA25/MS
WOODLARK	Little MacKenzie	LTMK061	0.3	1.0	0.7	471070	8989400	71.07	0.002	FA25/MS
WOODLARK	Little MacKenzie	LTMK062	0.4	1.0	0.6	471079	8989400	77.38	0.004	FA25/MS
WOODLARK	Little MacKenzie	LTMK063	0.4	1.0	0.6	471102	8989402	81.45	0.002	FA25/MS
WOODLARK	Little MacKenzie	LTMK064	0.4	1.0	0.6	471119	8989400	84.56	0.001	FA25/MS
WOODLARK	Little MacKenzie	LTMK065	0.4	1.0	0.6	471079	8989300	81.43	0.007	FA25/MS
WOODLARK	Little MacKenzie	LTMK066	0.3	0.9	0.6	471101	8989300	71.33	0.007	FA25/MS
WOODLARK	Little MacKenzie	LTMK067	0.3	1.0	0.7	471119	8989300	84.60	0.002	FA25/MS
WOODLARK	Little MacKenzie	LTMK068	0.3	1.0	0.7	471140	8989300	88.05	0.004	FA25/MS
WOODLARK	Little MacKenzie	LTMK069	0.3	1.0	0.7	471160	8989300	91.41	0.009	FA25/MS
WOODLARK	Little MacKenzie	LTMK070	0.3	0.9	0.6	471180	8989300	97.32	0.001	FA25/MS
WOODLARK	Little MacKenzie	LTMK071	0.3	0.9	0.6	471200	8989300	92.13	0.001	FA25/MS
WOODLARK	Little MacKenzie	LTMK072	0.3	1.0	0.7	471220	8989300	90.90	0.001	FA25/MS
WOODLARK	Little MacKenzie	LTMK073	0.3	1.0	0.7	470700	8989200	43.57	0.115	FA25/MS
WOODLARK	Little MacKenzie	LTMK074	0.3	1.0	0.7	470718	8989200	44.72	0.134	FA25/MS
WOODLARK	Little MacKenzie	LTMK075	0.4	1.0	0.6	470730	8989202	43.13	<b>12.799</b>	FA25/MS
WOODLARK	Little MacKenzie	LTMK076	0.4	1.0	0.6	470740	8989201	44.62	0.015	FA25/MS
WOODLARK	Little MacKenzie	LTMK077	0.3	1.0	0.7	470752	8989200	44.70	0.011	FA25/MS
WOODLARK	Little MacKenzie	LTMK078	0.3	1.0	0.7	470759	8989201	42.36	0.116	FA25/MS
WOODLARK	Little MacKenzie	LTMK079	0.2	0.9	0.7	470770	8989200	42.55	0.425	FA25/MS
WOODLARK	Little MacKenzie	LTMK080	0.4	1.0	0.6	470780	8989200	42.78	0.077	FA25/MS
WOODLARK	Little MacKenzie	LTMK081	0.4	1.0	0.6	470789	8989200	42.03	0.070	FA25/MS
WOODLARK	Little MacKenzie	LTMK082	0.4	1.0	0.6	470800	8989200	38.98	0.103	FA25/MS
WOODLARK	Little MacKenzie	LTMK083	0.3	1.0	0.7	470820	8989200	36.55	0.176	FA25/MS
WOODLARK	Little MacKenzie	LTMK084	0.3	1.0	0.7	470841	8989200	39.95	0.034	FA25/MS
WOODLARK	Little MacKenzie	LTMK085	0.3	1.0	0.7	470861	8989200	42.27	0.048	FA25/MS
WOODLARK	Little MacKenzie	LTMK086	0.4	1.0	0.6	470879	8989200	42.54	0.333	FA25/MS
WOODLARK	Little MacKenzie	LTMK087	0.4	1.0	0.6	470890	8989200	43.98	0.773	FA25/MS
WOODLARK	Little MacKenzie	LTMK088	0.3	1.0	0.7	470901	8989200	43.10	0.340	FA25/MS
WOODLARK	Little MacKenzie	LTMK089	0.3	1.0	0.7	470910	8989200	42.19	<b>1.046</b>	FA25/MS
WOODLARK	Little MacKenzie	LTMK090	0.4	1.0	0.6	470920	8989200	57.98	0.038	FA25/MS
WOODLARK	Little MacKenzie	LTMK091	0.4	1.0	0.6	470929	8989200	55.86	0.061	FA25/MS
WOODLARK	Little MacKenzie	LTMK092	0.3	0.9	0.6	470938	8989200	58.61	0.028	FA25/MS
WOODLARK	Little MacKenzie	LTMK093	0.3	0.9	0.6	470950	8989200	74.10	0.034	FA25/MS
WOODLARK	Little MacKenzie	LTMK094	0.3	1.0	0.7	470959	8989200	69.70	0.010	FA25/MS
WOODLARK	Little MacKenzie	LTMK095	0.3	1.0	0.7	470969	8989200	71.54	0.066	FA25/MS
WOODLARK	Little MacKenzie	LTMK096	0.3	1.0	0.7	470981	8989200	71.74	<b>7.470</b>	FA25/MS
WOODLARK	Little MacKenzie	LTMK097	0.4	0.9	0.5	470990	8989200	88.86	0.142	FA25/MS

Project	Prospect	SiteID	Depth From (m)	Depth To (m)	Interval (m)	Easting UTM	Northing UTM	RLUTM	AuPPM	AuMethod
WOODLARK	Little MacKenzie	LTMK098	0.4	1.0	0.6	470999	8989200	88.11	0.206	FA25/MS
WOODLARK	Little MacKenzie	LTMK099	0.3	1.0	0.7	471010	8989199	93.89	0.100	FA25/MS
WOODLARK	Little MacKenzie	LTMK100	0.4	1.0	0.6	471020	8989200	96.46	0.155	FA25/MS
WOODLARK	Little MacKenzie	LTMK101	0.3	1.0	0.7	471031	8989200	99.29	0.135	FA25/MS
WOODLARK	Little MacKenzie	LTMK102	0.3	1.0	0.7	471040	8989200	101.89	0.026	FA25/MS
WOODLARK	Little MacKenzie	LTMK103	0.3	1.0	0.7	471051	8989200	111.60	0.173	FA25/MS
WOODLARK	Little MacKenzie	LTMK104	0.3	1.0	0.7	471060	8989200	65.33	0.038	FA25/MS
WOODLARK	Little MacKenzie	LTMK105	0.3	1.0	0.7	471070	8989200	66.06	0.026	FA25/MS
WOODLARK	Little MacKenzie	LTMK106	0.4	1.0	0.6	471081	8989200	64.66	0.005	FA25/MS
WOODLARK	Little MacKenzie	LTMK107	0.4	1.0	0.6	471090	8989200	62.86	0.015	FA25/MS
WOODLARK	Little MacKenzie	LTMK108	0.4	1.0	0.6	471100	8989200	65.74	0.168	FA25/MS
WOODLARK	Little MacKenzie	LTMK109	0.2	0.8	0.6	471110	8989200	66.18	0.013	FA25/MS
WOODLARK	Little MacKenzie	LTMK110	0.3	0.9	0.6	471120	8989200	70.38	0.018	FA25/MS
WOODLARK	Little MacKenzie	LTMK111	0.3	1.0	0.7	471130	8989200	71.13	0.001	FA25/MS
WOODLARK	Little MacKenzie	LTMK112	0.3	1.0	0.7	471141	8989200	68.37	0.003	FA25/MS
WOODLARK	Little MacKenzie	LTMK113	0.3	1.0	0.7	471160	8989200	75.01	0.003	FA25/MS
WOODLARK	Little MacKenzie	LTMK114	0.3	0.9	0.6	471180	8989200	77.82	0.004	FA25/MS
WOODLARK	Little MacKenzie	LTMK115	0.3	1.0	0.7	471200	8989200	77.64	0.010	FA25/MS
WOODLARK	Little MacKenzie	LTMK116	0.3	1.0	0.7	471220	8989200	68.99	0.003	FA25/MS
WOODLARK	Little MacKenzie	LTMK117	0.2	1.0	0.8	470740	8989100	39.61	<b>1.799</b>	FA25/MS
WOODLARK	Little MacKenzie	LTMK118	0.4	1.0	0.6	470759	8989100	39.57	0.003	FA25/MS
WOODLARK	Little MacKenzie	LTMK119	0.2	1.0	0.8	470779	8989100	48.27	0.003	FA25/MS
WOODLARK	Little MacKenzie	LTMK120	0.2	0.7	0.5	470800	8989100	54.80	0.014	FA25/MS
WOODLARK	Little MacKenzie	LTMK121	0.2	0.7	0.5	470819	8989100	52.56	0.022	FA25/MS
WOODLARK	Little MacKenzie	LTMK122	0.2	0.9	0.7	470840	8989100	43.18	0.118	FA25/MS
WOODLARK	Little MacKenzie	LTMK123	0.4	1.0	0.6	470860	8989100	48.60	0.193	FA25/MS
WOODLARK	Little MacKenzie	LTMK124	0.4	1.0	0.6	470879	8989100	51.59	0.041	FA25/MS
WOODLARK	Little MacKenzie	LTMK125	0.4	1.0	0.6	470899	8989100	56.11	0.026	FA25/MS
WOODLARK	Little MacKenzie	LTMK126	0.4	1.0	0.6	470920	8989100	50.91	0.644	FA25/MS
WOODLARK	Little MacKenzie	LTMK127	0.4	1.0	0.6	470940	8989101	60.90	0.495	FA25/MS
WOODLARK	Little MacKenzie	LTMK128	0.2	1.0	0.8	470961	8989100	50.59	0.081	FA25/MS
WOODLARK	Little MacKenzie	LTMK129	0.2	1.0	0.8	470970	8989100	66.61	<b>1.062</b>	FA25/MS
WOODLARK	Little MacKenzie	LTMK130	0.2	0.9	0.7	470981	8989100	65.84	0.050	FA25/MS
WOODLARK	Little MacKenzie	LTMK131	0.4	1.0	0.6	470991	8989100	61.58	0.051	FA25/MS
WOODLARK	Little MacKenzie	LTMK132	0.3	0.9	0.6	471000	8989100	68.86	0.123	FA25/MS
WOODLARK	Little MacKenzie	LTMK133	0.4	1.0	0.6	471010	8989100	54.41	<b>1.694</b>	FA25/MS
WOODLARK	Little MacKenzie	LTMK134	0.3	1.0	0.7	471020	8989100	64.20	0.131	FA25/MS
WOODLARK	Little MacKenzie	LTMK135	0.3	0.9	0.6	471030	8989100	65.47	0.113	FA25/MS
WOODLARK	Little MacKenzie	LTMK136	0.2	0.8	0.6	471040	8989100	64.60	0.184	FA25/MS
WOODLARK	Little MacKenzie	LTMK137	0.2	1.0	0.8	471051	8989100	60.17	0.203	FA25/MS
WOODLARK	Little MacKenzie	LTMK138	0.3	0.9	0.6	471060	8989100	57.51	0.224	FA25/MS
WOODLARK	Little MacKenzie	LTMK139	0.2	0.7	0.5	471070	8989100	63.37	<b>5.990</b>	FA25/MS
WOODLARK	Little MacKenzie	LTMK140	0.4	1.0	0.6	471081	8989100	62.88	0.054	FA25/MS
WOODLARK	Little MacKenzie	LTMK141	0.2	0.6	0.4	471090	8989100	63.68	0.032	FA25/MS
WOODLARK	Little MacKenzie	LTMK142	0.2	1.0	0.8	471100	8989100	66.63	0.041	FA25/MS
WOODLARK	Little MacKenzie	LTMK143	0.4	0.9	0.5	471111	8989100	72.26	0.007	FA25/MS
WOODLARK	Little MacKenzie	LTMK144	0.4	0.7	0.3	471120	8989100	62.06	0.019	FA25/MS
WOODLARK	Little MacKenzie	LTMK145	0.2	1.0	0.8	471130	8989100	63.72	0.012	FA25/MS
WOODLARK	Little MacKenzie	LTMK146	0.2	0.8	0.6	471141	8989100	64.46	0.005	FA25/MS

Project	Prospect	SiteID	Depth From (m)	Depth To (m)	Interval (m)	Easting UTM	Northing UTM	RLUTM	AuPPM	AuMethod
WOODLARK	Little MacKenzie	LTMK147	0.3	0.7	0.4	471160	8989100	65.40	0.008	FA25/MS
WOODLARK	Little MacKenzie	LTMK148	0.4	0.7	0.3	471180	8989100	73.43	0.004	FA25/MS
WOODLARK	Little MacKenzie	LTMK149	0.4	0.9	0.5	471201	8989100	70.20	0.004	FA25/MS
WOODLARK	Little MacKenzie	LTMK150	0.4	1.0	0.6	471220	8989100	70.05	0.003	FA25/MS
WOODLARK	Little MacKenzie	LTMK151	0.2	1.0	0.8	471240	8989100	65.56	0.005	FA25/MS
WOODLARK	Little MacKenzie	LTMK152	0.3	1.0	0.7	471260	8989100	62.59	0.078	FA25/MS
WOODLARK	Little MacKenzie	LTMK153	0.3	1.0	0.7	471280	8989100	59.62	0.004	FA25/MS
WOODLARK	Little MacKenzie	LTMK154	0.3	0.9	0.6	471300	8989101	56.32	0.004	FA25/MS
WOODLARK	Little MacKenzie	LTMK155	0.2	0.7	0.5	471321	8989100	44.95	0.004	FA25/MS
WOODLARK	Little MacKenzie	LTMK156	0.4	0.7	0.3	471340	8989100	41.75	0.017	FA25/MS
WOODLARK	Little MacKenzie	LTMK157	0.2	0.9	0.7	470841	8989000	63.27	<b>1.478</b>	FA25/MS
WOODLARK	Little MacKenzie	LTMK158	0.3	1.0	0.7	470860	8989000	60.66	0.573	FA25/MS
WOODLARK	Little MacKenzie	LTMK159	0.3	0.9	0.6	470871	8989000	73.62	0.475	FA25/MS
WOODLARK	Little MacKenzie	LTMK160	0.3	1.0	0.7	470880	8989000	69.27	0.631	FA25/MS
WOODLARK	Little MacKenzie	LTMK161	0.3	0.9	0.6	470901	8989000	64.66	<b>3.201</b>	FA25/MS
WOODLARK	Little MacKenzie	LTMK162	0.3	1.0	0.7	470920	8989000	58.59	0.625	FA25/MS
WOODLARK	Little MacKenzie	LTMK163	0.3	1.0	0.7	470940	8989000	62.74	0.461	FA25/MS
WOODLARK	Little MacKenzie	LTMK164	0.3	1.0	0.7	470961	8989000	58.77	0.079	FA25/MS
WOODLARK	Little MacKenzie	LTMK165	0.3	1.0	0.7	470980	8989000	57.71	0.330	FA25/MS
WOODLARK	Little MacKenzie	LTMK166	0.3	1.0	0.7	470991	8989000	47.38	0.094	FA25/MS
WOODLARK	Little MacKenzie	LTMK167	0.3	1.0	0.7	471000	8989000	62.54	0.036	FA25/MS
WOODLARK	Little MacKenzie	LTMK168	0.3	0.9	0.6	471010	8989000	49.64	<b>1.107</b>	FA25/MS
WOODLARK	Little MacKenzie	LTMK169	0.2	0.9	0.7	471019	8989000	61.14	0.155	FA25/MS
WOODLARK	Little MacKenzie	LTMK170	0.3	0.9	0.6	471030	8989000	73.52	0.480	FA25/MS
WOODLARK	Little MacKenzie	LTMK171	0.3	1.0	0.7	471040	8989000	64.08	0.285	FA25/MS
WOODLARK	Little MacKenzie	LTMK172	0.3	0.9	0.6	471051	8989000	76.19	0.850	FA25/MS
WOODLARK	Little MacKenzie	LTMK173	0.4	1.0	0.6	471060	8989000	76.29	<b>8.547</b>	FA25/MS
WOODLARK	Little MacKenzie	LTMK174	0.3	1.0	0.7	471070	8989000	68.22	0.169	FA25/MS
WOODLARK	Little MacKenzie	LTMK175	0.3	0.9	0.6	471081	8989000	83.40	0.299	FA25/MS
WOODLARK	Little MacKenzie	LTMK176	0.2	0.9	0.7	471090	8989000	90.34	0.741	FA25/MS
WOODLARK	Little MacKenzie	LTMK177	0.4	0.9	0.5	471100	8989000	95.14	0.846	FA25/MS
WOODLARK	Little MacKenzie	LTMK178	0.2	1.0	0.8	471111	8989000	76.33	0.074	FA25/MS
WOODLARK	Little MacKenzie	LTMK179	0.2	0.8	0.6	471120	8989001	81.21	0.039	FA25/MS
WOODLARK	Little MacKenzie	LTMK180	0.4	0.7	0.3	471130	8989001	77.54	0.017	FA25/MS
WOODLARK	Little MacKenzie	LTMK181	0.3	0.9	0.6	471139	8989000	74.72	0.024	FA25/MS
WOODLARK	Little MacKenzie	LTMK182	0.2	0.8	0.6	471159	8989000	68.35	0.076	FA25/MS
WOODLARK	Little MacKenzie	LTMK183	0.2	0.7	0.5	471180	8989000	77.32	0.010	FA25/MS
WOODLARK	Little MacKenzie	LTMK184	0.3	0.9	0.6	471201	8989000	81.61	0.007	FA25/MS
WOODLARK	Little MacKenzie	LTMK185	0.2	0.9	0.7	471220	8989000	63.28	0.031	FA25/MS
WOODLARK	Little MacKenzie	LTMK186	0.4	1.0	0.6	471241	8989000	57.23	0.005	FA25/MS
WOODLARK	Little MacKenzie	LTMK187	0.2	1.0	0.8	471259	8989001	63.75	0.012	FA25/MS
WOODLARK	Little MacKenzie	LTMK188	0.4	1.0	0.6	471280	8989000	73.59	0.039	FA25/MS
WOODLARK	Little MacKenzie	LTMK189	0.4	1.0	0.6	471300	8989001	69.69	0.818	FA25/MS
WOODLARK	Little MacKenzie	LTMK190	0.4	1.0	0.6	471319	8989000	70.43	0.037	FA25/MS
WOODLARK	Little MacKenzie	LTMK191	0.3	1.0	0.7	471340	8989000	60.03	0.018	FA25/MS
WOODLARK	Little MacKenzie	LTMK192	0.4	1.0	0.6	471360	8989000	52.80	0.010	FA25/MS
WOODLARK	Little MacKenzie	LTMK193	0.4	1.0	0.6	471379	8989000	73.00	0.004	FA25/MS
WOODLARK	Little MacKenzie	LTMK194	0.2	1.0	0.8	471160	8988900	73.37	<b>1.136</b>	FA25/MS
WOODLARK	Little MacKenzie	LTMK195	0.3	0.9	0.6	471169	8988900	73.09	0.101	FA25/MS

Project	Prospect	SiteID	Depth From (m)	Depth To (m)	Interval (m)	EastingU TM	Northing UTM	RLUTM	AuPPM	AuMethod
WOODLARK	Little MacKenzie	LTMK196	0.2	1.0	0.8	471180	8988900	57.17	0.034	FA25/MS
WOODLARK	Little MacKenzie	LTMK197	0.3	0.9	0.6	471190	8988900	73.86	0.043	FA25/MS
WOODLARK	Little MacKenzie	LTMK198	0.3	1.0	0.7	471199	8988900	70.50	0.005	FA25/MS
WOODLARK	Little MacKenzie	LTMK199	0.3	1.0	0.7	471210	8988900	75.77	0.005	FA25/MS
WOODLARK	Little MacKenzie	LTMK200	0.3	0.9	0.6	471220	8988900	73.69	0.022	FA25/MS
WOODLARK	Little MacKenzie	LTMK201	0.4	0.8	0.4	471230	8988898	71.95	0.075	FA25/MS
WOODLARK	Little MacKenzie	LTMK202	0.2	0.7	0.5	471240	8988900	69.42	0.033	FA25/MS
WOODLARK	Little MacKenzie	LTMK203	0.3	0.7	0.4	471250	8988900	87.77	0.440	FA25/MS
WOODLARK	Little MacKenzie	LTMK204	0.3	0.8	0.5	471261	8988901	84.41	0.050	FA25/MS
WOODLARK	Little MacKenzie	LTMK205	0.1	0.7	0.6	471270	8988901	76.70	0.116	FA25/MS
WOODLARK	Little MacKenzie	LTMK206	0.4	0.8	0.4	471280	8988902	78.08	0.020	FA25/MS
WOODLARK	Little MacKenzie	LTMK207	0.2	0.9	0.7	471160	8988800	77.68	0.110	FA25/MS
WOODLARK	Little MacKenzie	LTMK208	0.3	1.0	0.7	471169	8988800	77.12	0.095	FA25/MS
WOODLARK	Little MacKenzie	LTMK209	0.3	0.9	0.6	471180	8988800	80.44	0.142	FA25/MS
WOODLARK	Little MacKenzie	LTMK210	0.2	1.0	0.8	471192	8988801	77.00	0.231	FA25/MS
WOODLARK	Little MacKenzie	LTMK211	0.2	0.5	0.3	471199	8988800	64.33	0.857	FA25/MS
WOODLARK	Little MacKenzie	LTMK212	0.4	0.9	0.5	471210	8988800	66.18	0.043	FA25/MS
WOODLARK	Little MacKenzie	LTMK213	0.2	0.8	0.6	471220	8988800	76.93	0.031	FA25/MS
WOODLARK	Little MacKenzie	LTMK214	0.1	0.7	0.6	471240	8988801	89.16	0.040	FA25/MS
WOODLARK	Little MacKenzie	LTMK215	0.4	0.9	0.5	471261	8988800	72.52	0.021	FA25/MS
WOODLARK	Little MacKenzie	LTMK216	0.1	0.9	0.8	471019	8988700	93.56	0.002	FA25/MS
WOODLARK	Little MacKenzie	LTMK217	0.2	1.0	0.8	471040	8988700	90.47	0.081	FA25/MS
WOODLARK	Little MacKenzie	LTMK218	0.3	1.0	0.7	471049	8988700	80.29	0.020	FA25/MS
WOODLARK	Little MacKenzie	LTMK219	0.2	0.9	0.7	471060	8988700	92.00	0.089	FA25/MS
WOODLARK	Little MacKenzie	LTMK220	0.1	0.8	0.7	471069	8988700	97.50	0.540	FA25/MS
WOODLARK	Little MacKenzie	LTMK221	0.1	0.8	0.7	471077	8988702	97.17	0.107	FA25/MS
WOODLARK	Little MacKenzie	LTMK222	0.3	0.9	0.6	471090	8988701	107.38	0.177	FA25/MS
WOODLARK	Little MacKenzie	LTMK223	0.2	1.0	0.8	471100	8988701	91.18	0.038	FA25/MS
WOODLARK	Little MacKenzie	LTMK224	0.2	1.0	0.8	471118	8988702	85.78	0.134	FA25/MS
WOODLARK	Little MacKenzie	LTMK225	0.1	1.0	0.9	471139	8988701	84.35	0.083	FA25/MS
WOODLARK	Little MacKenzie	LTMK226	0.3	1.0	0.7	471160	8988701	84.37	0.033	FA25/MS
WOODLARK	Little MacKenzie	LTMK227	0.1	0.8	0.7	471180	8988701	81.51	0.414	FA25/MS
WOODLARK	Little MacKenzie	LTMK228	0.1	0.7	0.6	471200	8988701	83.02	0.275	FA25/MS
WOODLARK	Little MacKenzie	LTMK229	0.2	0.9	0.7	471219	8988700	72.31	0.057	FA25/MS
WOODLARK	Little MacKenzie	LTMK230	0.1	0.9	0.8	471241	8988700	72.30	0.212	FA25/MS
WOODLARK	Little MacKenzie	LTMK231	0.1	0.8	0.7	471240	8988599	71.00	0.008	FA25/MS
WOODLARK	Little MacKenzie	LTMK232	0.2	0.9	0.7	471257	8988598	68.00	0.031	FA25/MS
WOODLARK	Little MacKenzie	LTMK233	0.2	1.0	0.8	471282	8988602	70.00	0.355	FA25/MS
WOODLARK	Little MacKenzie	LTMK234	0.3	1.0	0.7	471302	8988604	70.00	0.020	FA25/MS
WOODLARK	Little MacKenzie	LTMK235	0.2	1.0	0.8	471320	8988602	65.00	0.066	FA25/MS
WOODLARK	Little MacKenzie	LTMK236	0.1	0.8	0.7	471341	8988600	70.00	0.007	FA25/MS
WOODLARK	Little MacKenzie	LTMK237	0.3	0.8	0.5	471360	8988600	70.00	0.010	FA25/MS
WOODLARK	Little MacKenzie	LTMK238	0.1	0.8	0.7	471377	8988602	70.00	0.016	FA25/MS
WOODLARK	Little MacKenzie	LTMK239	0.3	1.0	0.7	471407	8988599	73.00	0.020	FA25/MS
WOODLARK	Little MacKenzie	LTMK240	0.3	1.0	0.7	470641	8989400	47.70	0.015	FA25/MS
WOODLARK	Little MacKenzie	LTMK241	0.3	1.0	0.7	470660	8989400	50.35	0.095	FA25/MS
WOODLARK	Little MacKenzie	LTMK242	0.3	1.0	0.7	470680	8989400	0.00	0.587	FA25/MS
WOODLARK	Little MacKenzie	LTMK243	0.3	1.0	0.7	470701	8989400	47.83	0.100	FA25/MS
WOODLARK	Little MacKenzie	LTMK244	0.3	1.0	0.7	470721	8989400	41.55	0.004	FA25/MS

Project	Prospect	SiteID	Depth From (m)	Depth To (m)	Interval (m)	Easting UTM	Northing UTM	RLUTM	AuPPM	AuMethod
WOODLARK	Little MacKenzie	LTMK245	0.3	1.0	0.7	470740	8989400	37.87	0.006	FA25/MS
WOODLARK	Little MacKenzie	LTMK246	0.3	1.0	0.7	470761	8989400	32.20	0.002	FA25/MS
WOODLARK	Little MacKenzie	LTMK247	0.3	1.0	0.7	470780	8989400	31.01	0.003	FA25/MS
WOODLARK	Little MacKenzie	LTMK248	0.3	1.0	0.7	470800	8989400	27.99	0.009	FA25/MS
WOODLARK	Little MacKenzie	LTMK249	0.3	1.0	0.7	470820	8989400	24.89	0.007	FA25/MS
WOODLARK	Little MacKenzie	LTMK250	0.3	1.0	0.7	470840	8989400	21.51	0.131	FA25/MS
WOODLARK	Little MacKenzie	LTMK251	0.3	1.0	0.7	470860	8989400	24.69	0.007	FA25/MS
WOODLARK	Little MacKenzie	LTMK252	0.3	1.0	0.7	470480	8989300	35.70	0.197	FA25/MS
WOODLARK	Little MacKenzie	LTMK253	0.3	1.0	0.7	470500	8989300	32.01	0.006	FA25/MS
WOODLARK	Little MacKenzie	LTMK254	0.3	1.0	0.7	470520	8989300	24.89	0.006	FA25/MS
WOODLARK	Little MacKenzie	LTMK255	0.3	1.0	0.7	470541	8989300	20.06	0.002	FA25/MS
WOODLARK	Little MacKenzie	LTMK256	0.3	1.0	0.7	470560	8989300	17.76	0.001	FA25/MS
WOODLARK	Little MacKenzie	LTMK257	0.3	1.0	0.7	470581	8989300	13.57	0.009	FA25/MS
WOODLARK	Little MacKenzie	LTMK258	0.3	1.0	0.7	470600	8989300	11.73	0.002	FA25/MS
WOODLARK	Little MacKenzie	LTMK259	0.3	1.0	0.7	470620	8989300	17.45	<b>8.290</b>	FA25/MS
WOODLARK	Little MacKenzie	LTMK260	0.3	1.0	0.7	470641	8989300	19.18	0.214	FA25/MS
WOODLARK	Little MacKenzie	LTMK261	0.3	1.0	0.7	470660	8989300	14.44	0.214	FA25/MS
WOODLARK	Little MacKenzie	LTMK262	0.3	1.0	0.7	470671	8989300	13.35	0.184	FA25/MS
WOODLARK	Little MacKenzie	LTMK263	0.3	1.0	0.7	470680	8989300	13.90	0.226	FA25/MS
WOODLARK	Little MacKenzie	LTMK264	0.3	1.0	0.7	470690	8989300	11.58	0.235	FA25/MS
WOODLARK	Little MacKenzie	LTMK265	0.3	1.0	0.7	470699	8989300	9.73	<b>1.017</b>	FA25/MS
WOODLARK	Little MacKenzie	LTMK266	0.3	1.0	0.7	470710	8989300	12.97	0.326	FA25/MS
WOODLARK	Little MacKenzie	LTMK267	0.3	1.0	0.7	470720	8989300	15.62	0.634	FA25/MS
WOODLARK	Little MacKenzie	LTMK268	0.3	1.0	0.7	470729	8989300	16.81	0.044	FA25/MS
WOODLARK	Little MacKenzie	LTMK269	0.3	1.0	0.7	470740	8989300	13.26	0.242	FA25/MS
WOODLARK	Little MacKenzie	LTMK270	0.3	1.0	0.7	470750	8989300	17.83	0.689	FA25/MS
WOODLARK	Little MacKenzie	LTMK271	0.3	1.0	0.7	470759	8989300	21.43	0.004	FA25/MS
WOODLARK	Little MacKenzie	LTMK272	0.3	1.0	0.7	470770	8989300	44.31	0.007	FA25/MS
WOODLARK	Little MacKenzie	LTMK273	0.3	1.0	0.7	470781	8989300	39.66	0.007	FA25/MS
WOODLARK	Little MacKenzie	LTMK274	0.3	1.0	0.7	470790	8989300	39.66	0.009	FA25/MS
WOODLARK	Little MacKenzie	LTMK275	0.3	1.0	0.7	470800	8989300	40.25	0.010	FA25/MS
WOODLARK	Little MacKenzie	LTMK276	0.3	1.0	0.7	470500	8989200	36.21	0.132	FA25/MS
WOODLARK	Little MacKenzie	LTMK277	0.3	1.0	0.7	470521	8989200	32.98	0.107	FA25/MS
WOODLARK	Little MacKenzie	LTMK278	0.3	1.0	0.7	470540	8989200	35.43	0.003	FA25/MS
WOODLARK	Little MacKenzie	LTMK279	0.3	1.0	0.7	470560	8989200	29.10	0.194	FA25/MS
WOODLARK	Little MacKenzie	LTMK280	0.3	1.0	0.7	470579	8989200	29.45	0.383	FA25/MS
WOODLARK	Little MacKenzie	LTMK281	0.3	1.0	0.7	470600	8989200	28.03	0.173	FA25/MS
WOODLARK	Little MacKenzie	LTMK282	0.3	1.0	0.7	470620	8989200	28.03	0.203	FA25/MS
WOODLARK	Little MacKenzie	LTMK283	0.3	1.0	0.7	470640	8989200	29.46	0.086	FA25/MS
WOODLARK	Little MacKenzie	LTMK284	0.3	1.0	0.7	470660	8989201	27.83	0.006	FA25/MS
WOODLARK	Little MacKenzie	LTMK285	0.3	1.0	0.7	470680	8989200	26.25	0.208	FA25/MS
WOODLARK	Little MacKenzie	LTMK286	0.3	1.0	0.7	470620	8989100	20.68	0.099	FA25/MS
WOODLARK	Little MacKenzie	LTMK287	0.3	1.0	0.7	470639	8989100	19.07	0.486	FA25/MS
WOODLARK	Little MacKenzie	LTMK288	0.3	1.0	0.7	470660	8989100	20.31	0.749	FA25/MS
WOODLARK	Little MacKenzie	LTMK289	0.3	1.0	0.7	470680	8989100	21.18	<b>1.316</b>	FA25/MS
WOODLARK	Little MacKenzie	LTMK290	0.3	1.0	0.7	470699	8989100	14.80	0.148	FA25/MS
WOODLARK	Little MacKenzie	LTMK291	0.3	1.0	0.7	470720	8989100	12.31	<b>1.038</b>	FA25/MS
WOODLARK	Little MacKenzie	LTMK292	0.3	1.0	0.7	470700	8989000	26.69	0.246	FA25/MS
WOODLARK	Little MacKenzie	LTMK293	0.3	1.0	0.7	470721	8989000	30.39	0.237	FA25/MS

Project	Prospect	SiteID	Depth From (m)	Depth To (m)	Interval (m)	EastingU TM	Northing UTM	RLUTM	AuPPM	AuMethod
WOODLARK	Little MacKenzie	LTMK294	0.3	1.0	0.7	470740	8989000	28.31	0.101	FA25/MS
WOODLARK	Little MacKenzie	LTMK295	0.3	1.0	0.7	470759	8989000	31.86	0.070	FA25/MS
WOODLARK	Little MacKenzie	LTMK296	0.3	1.0	0.7	470781	8989000	25.05	0.059	FA25/MS
WOODLARK	Little MacKenzie	LTMK297	0.3	1.0	0.7	470800	8989000	25.89	0.094	FA25/MS
WOODLARK	Little MacKenzie	LTMK298	0.3	1.0	0.7	470820	8989000	24.00	0.047	FA25/MS
WOODLARK	Little MacKenzie	LTMK299	0.3	1.0	0.7	470699	8988900	12.68	0.028	FA25/MS
WOODLARK	Little MacKenzie	LTMK300	0.3	1.0	0.7	470720	8988900	11.19	0.135	FA25/MS
WOODLARK	Little MacKenzie	LTMK301	0.3	1.0	0.7	470740	8988900	13.27	0.090	FA25/MS
WOODLARK	Little MacKenzie	LTMK302	0.3	1.0	0.7	470760	8988902	6.11	0.005	FA25/MS
WOODLARK	Little MacKenzie	LTMK303	0.3	1.0	0.7	470781	8988900	5.47	0.030	FA25/MS
WOODLARK	Little MacKenzie	LTMK304	0.3	1.0	0.7	470800	8988900	5.48	0.005	FA25/MS
WOODLARK	Little MacKenzie	LTMK305	0.3	1.0	0.7	470820	8988900	7.31	0.014	FA25/MS
WOODLARK	Little MacKenzie	LTMK306	0.3	1.0	0.7	470841	8988900	0.79	0.030	FA25/MS
WOODLARK	Little MacKenzie	LTMK307	0.3	1.0	0.7	470859	8988900	2.23	0.015	FA25/MS
WOODLARK	Little MacKenzie	LTMK308	0.3	1.0	0.7	470881	8988900	3.94	0.000	FA25/MS
WOODLARK	Little MacKenzie	LTMK309	0.3	1.0	0.7	470900	8988900	6.09	0.002	FA25/MS
WOODLARK	Little MacKenzie	LTMK310	0.3	1.0	0.7	470920	8988900	58.00	0.013	FA25/MS
WOODLARK	Wayai CK SSW	WCK001	0.4	1.0	0.6	471445	8986618	2.41	0.542	FA25/MS
WOODLARK	Wayai CK SSW	WCK002	0.4	1.0	0.6	471460	8986632	6.95	0.021	FA25/MS
WOODLARK	Wayai CK SSW	WCK003	0.4	0.9	0.5	471473	8986646	12.09	0.028	FA25/MS
WOODLARK	Wayai CK SSW	WCK004	0.4	1.0	0.6	471486	8986661	21.66	0.060	FA25/MS
WOODLARK	Wayai CK SSW	WCK005	0.4	1.0	0.6	471501	8986675	26.18	0.267	FA25/MS
WOODLARK	Wayai CK SSW	WCK006	0.4	1.0	0.6	471515	8986689	28.15	0.018	FA25/MS
WOODLARK	Wayai CK SSW	WCK007	0.4	0.9	0.5	471529	8986703	32.21	0.003	FA25/MS
WOODLARK	Wayai CK SSW	WCK008	0.4	1.0	0.6	471479	8986512	1.78	0.017	FA25/MS
WOODLARK	Wayai CK SSW	WCK009	0.4	1.0	0.6	471493	8986526	2.23	0.670	FA25/MS
WOODLARK	Wayai CK SSW	WCK010	0.4	1.0	0.6	471507	8986540	5.11	0.177	FA25/MS
WOODLARK	Wayai CK SSW	WCK011	0.4	0.9	0.5	471522	8986554	7.39	0.309	FA25/MS
WOODLARK	Wayai CK SSW	WCK012	0.4	1.0	0.6	471536	8986569	6.70	0.132	FA25/MS
WOODLARK	Wayai CK SSW	WCK013	0.4	1.0	0.6	471551	8986583	9.56	0.046	FA25/MS
WOODLARK	Wayai CK SSW	WCK014	0.4	1.0	0.6	471564	8986597	15.06	0.046	FA25/MS
WOODLARK	Wayai CK SSW	WCK015	0.5	1.0	0.5	471579	8986611	15.62	0.046	FA25/MS
WOODLARK	Wayai CK SSW	WCK016	0.4	0.9	0.5	471593	8986625	20.11	0.003	FA25/MS
WOODLARK	Wayai CK SSW	WCK017	0.4	1.0	0.6	471606	8986639	23.59	0.017	FA25/MS
WOODLARK	Wayai CK SSW	WCK018	0.4	1.0	0.6	471621	8986653	27.68	0.002	FA25/MS
WOODLARK	Wayai CK SSW	WCK019	0.4	1.0	0.6	471635	8986668	33.52	0.003	FA25/MS
WOODLARK	Wayai CK SSW	WCK020	0.4	0.9	0.5	471650	8986682	42.26	0.004	FA25/MS
WOODLARK	Wayai CK SSW	WCK021	0.4	1.0	0.6	471663	8986696	44.97	0.056	FA25/MS
WOODLARK	Wayai CK SSW	WCK025	0.4	1.0	0.6	471593	8986484	4.06	<b>1.107</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK026	0.3	0.9	0.6	471606	8986498	7.59	0.435	FA25/MS
WOODLARK	Wayai CK SSW	WCK027	0.4	1.0	0.6	471621	8986512	13.84	0.093	FA25/MS
WOODLARK	Wayai CK SSW	WCK028	0.4	1.0	0.6	471635	8986526	20.76	<b>8.099</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK029	0.4	0.9	0.5	471650	8986540	27.64	0.234	FA25/MS
WOODLARK	Wayai CK SSW	WCK030	0.4	1.0	0.6	471663	8986554	28.91	0.148	FA25/MS
WOODLARK	Wayai CK SSW	WCK031	0.4	1.0	0.6	471678	8986568	25.31	0.537	FA25/MS
WOODLARK	Wayai CK SSW	WCK032	0.4	1.0	0.6	471692	8986583	25.62	0.115	FA25/MS
WOODLARK	Wayai CK SSW	WCK033	0.4	1.0	0.6	471705	8986597	26.35	<b>2.352</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK034	0.4	1.0	0.6	471720	8986611	26.77	0.008	FA25/MS
WOODLARK	Wayai CK SSW	WCK035	0.4	1.0	0.6	471734	8986625	24.62	0.023	FA25/MS

Project	Prospect	SiteID	Depth From (m)	Depth To (m)	Interval (m)	Easting UTM	Northing UTM	RLUTM	AuPPM	AuMethod
WOODLARK	Wayai CK SSW	WCK036	0.4	0.9	0.5	471748	8986639	22.39	0.259	FA25/MS
WOODLARK	Wayai CK SSW	WCK037	0.4	1.0	0.6	471762	8986653	30.58	0.145	FA25/MS
WOODLARK	Wayai CK SSW	WCK038	0.4	0.9	0.5	471777	8986667	35.63	0.099	FA25/MS
WOODLARK	Wayai CK SSW	WCK039	0.4	0.8	0.4	471791	8986682	40.16	0.005	FA25/MS
WOODLARK	Wayai CK SSW	WCK041	0.4	1.0	0.6	471600	8986349	7.66	0.149	FA25/MS
WOODLARK	Wayai CK SSW	WCK042	0.4	1.0	0.6	471614	8986364	13.14	0.286	FA25/MS
WOODLARK	Wayai CK SSW	WCK043	0.4	1.0	0.6	471628	8986378	18.41	0.433	FA25/MS
WOODLARK	Wayai CK SSW	WCK044	0.5	1.0	0.5	471642	8986392	21.21	<b>20.714</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK045	0.4	0.9	0.5	471656	8986406	23.59	0.135	FA25/MS
WOODLARK	Wayai CK SSW	WCK046	0.4	1.0	0.6	471671	8986420	26.30	0.203	FA25/MS
WOODLARK	Wayai CK SSW	WCK047	0.4	0.8	0.4	471684	8986434	24.98	0.008	FA25/MS
WOODLARK	Wayai CK SSW	WCK048	0.4	1.0	0.6	471699	8986448	24.19	0.009	FA25/MS
WOODLARK	Wayai CK SSW	WCK049	0.4	1.0	0.6	471711	8986461	26.85	0.011	FA25/MS
WOODLARK	Wayai CK SSW	WCK050	0.4	1.0	0.6	471726	8986477	27.02	0.079	FA25/MS
WOODLARK	Wayai CK SSW	WCK051	0.4	1.0	0.6	471741	8986491	26.65	0.012	FA25/MS
WOODLARK	Wayai CK SSW	WCK052	0.4	1.0	0.6	471755	8986505	20.20	0.018	FA25/MS
WOODLARK	Wayai CK SSW	WCK053	0.4	0.9	0.5	471770	8986519	19.86	<b>3.718</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK054	0.4	1.0	0.6	471783	8986533	24.87	0.404	FA25/MS
WOODLARK	Wayai CK SSW	WCK055	0.5	1.0	0.5	471798	8986547	27.76	0.756	FA25/MS
WOODLARK	Wayai CK SSW	WCK056	0.4	1.0	0.6	471812	8986561	29.81	0.608	FA25/MS
WOODLARK	Wayai CK SSW	WCK057	0.4	0.9	0.5	471826	8986576	30.95	0.116	FA25/MS
WOODLARK	Wayai CK SSW	WCK058	0.4	1.0	0.6	471840	8986590	31.13	0.101	FA25/MS
WOODLARK	Wayai CK SSW	WCK059	0.4	0.9	0.5	471854	8986604	32.57	0.490	FA25/MS
WOODLARK	Wayai CK SSW	WCK060	0.4	1.0	0.6	471868	8986618	33.28	0.013	FA25/MS
WOODLARK	Wayai CK SSW	WCK061	0.4	1.0	0.6	471883	8986632	38.17	0.155	FA25/MS
WOODLARK	Wayai CK SSW	WCK062	0.4	1.0	0.6	471621	8986229	6.95	0.592	FA25/MS
WOODLARK	Wayai CK SSW	WCK063	0.4	1.0	0.6	471635	8986243	11.83	0.084	FA25/MS
WOODLARK	Wayai CK SSW	WCK064	0.4	1.0	0.6	471649	8986258	17.23	0.056	FA25/MS
WOODLARK	Wayai CK SSW	WCK065	0.4	1.0	0.6	471664	8986272	20.03	0.067	FA25/MS
WOODLARK	Wayai CK SSW	WCK066	0.4	1.0	0.6	471677	8986286	18.36	0.198	FA25/MS
WOODLARK	Wayai CK SSW	WCK067	0.4	1.0	0.6	471692	8986300	13.95	0.004	FA25/MS
WOODLARK	Wayai CK SSW	WCK068	0.4	1.0	0.6	471706	8986314	16.77	0.002	FA25/MS
WOODLARK	Wayai CK SSW	WCK069	0.4	1.0	0.6	471720	8986328	23.64	0.001	FA25/MS
WOODLARK	Wayai CK SSW	WCK070	0.4	1.0	0.6	471734	8986342	29.46	0.001	FA25/MS
WOODLARK	Wayai CK SSW	WCK071	0.4	1.0	0.6	471749	8986356	34.71	0.011	FA25/MS
WOODLARK	Wayai CK SSW	WCK072	0.4	1.0	0.6	471762	8986371	38.45	0.067	FA25/MS
WOODLARK	Wayai CK SSW	WCK073	0.4	1.0	0.6	471777	8986385	40.02	0.003	FA25/MS
WOODLARK	Wayai CK SSW	WCK074	0.4	1.0	0.6	471791	8986399	41.46	0.020	FA25/MS
WOODLARK	Wayai CK SSW	WCK076	0.4	1.0	0.6	471804	8986413	42.68	0.008	FA25/MS
WOODLARK	Wayai CK SSW	WCK078	0.4	1.0	0.6	471819	8986427	38.37	0.004	FA25/MS
WOODLARK	Wayai CK SSW	WCK079	0.5	1.0	0.5	471643	8986109	7.76	0.067	FA25/MS
WOODLARK	Wayai CK SSW	WCK080	0.5	1.0	0.5	471658	8986123	9.95	0.361	FA25/MS
WOODLARK	Wayai CK SSW	WCK081	0.5	1.0	0.5	471671	8986137	11.65	0.277	FA25/MS
WOODLARK	Wayai CK SSW	WCK082	0.5	0.9	0.4	471684	8986152	15.00	0.046	FA25/MS
WOODLARK	Wayai CK SSW	WCK083	0.5	0.9	0.4	471698	8986166	20.26	0.217	FA25/MS
WOODLARK	Wayai CK SSW	WCK084	0.4	0.9	0.5	471713	8986180	21.91	0.139	FA25/MS
WOODLARK	Wayai CK SSW	WCK085	0.4	0.9	0.5	471727	8986194	20.51	0.013	FA25/MS
WOODLARK	Wayai CK SSW	WCK086	0.5	1.0	0.5	471742	8986208	22.00	0.006	FA25/MS
WOODLARK	Wayai CK SSW	WCK087	0.5	1.0	0.5	471755	8986222	27.74	0.010	FA25/MS

Project	Prospect	SiteID	Depth From (m)	Depth To (m)	Interval (m)	Easting UTM	Northing UTM	RLUTM	AuPPM	AuMethod
WOODLARK	Wayai CK SSW	WCK088	0.5	0.9	0.4	471770	8986236	31.61	0.009	FA25/MS
WOODLARK	Wayai CK SSW	WCK089	0.5	0.9	0.4	471783	8986251	33.27	0.019	FA25/MS
WOODLARK	Wayai CK SSW	WCK090	0.5	0.9	0.4	471797	8986265	34.52	0.016	FA25/MS
WOODLARK	Wayai CK SSW	WCK091	0.5	1.0	0.5	471812	8986279	38.06	0.005	FA25/MS
WOODLARK	Wayai CK SSW	WCK092	0.5	1.0	0.5	471826	8986293	41.41	0.004	FA25/MS
WOODLARK	Wayai CK SSW	WCK093	0.4	0.9	0.5	471840	8986307	44.72	0.005	FA25/MS
WOODLARK	Wayai CK SSW	WCK094	0.4	1.0	0.6	472060	8986526	62.24	<b>1.935</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK095	0.4	1.0	0.6	472074	8986540	59.83	0.795	FA25/MS
WOODLARK	Wayai CK SSW	WCK096	0.4	1.0	0.6	472088	8986554	61.18	0.417	FA25/MS
WOODLARK	Wayai CK SSW	WCK097	0.4	1.0	0.6	472101	8986568	58.87	<b>10.141</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK098	0.4	1.0	0.6	472116	8986582	49.46	0.897	FA25/MS
WOODLARK	Wayai CK SSW	WCK099	0.4	1.0	0.6	472130	8986597	55.43	0.615	FA25/MS
WOODLARK	Wayai CK SSW	WCK100	0.4	1.0	0.6	472137	8986604	59.81	0.890	FA25/MS
WOODLARK	Wayai CK SSW	WCK101	0.4	1.0	0.6	472145	8986611	57.58	0.043	FA25/MS
WOODLARK	Wayai CK SSW	WCK102	0.4	1.0	0.6	472151	8986618	55.61	0.485	FA25/MS
WOODLARK	Wayai CK SSW	WCK103	0.4	1.0	0.6	472158	8986625	60.34	0.023	FA25/MS
WOODLARK	Wayai CK SSW	WCK104	0.4	1.0	0.6	472166	8986632	65.87	0.042	FA25/MS
WOODLARK	Wayai CK SSW	WCK105	0.4	1.0	0.6	472174	8986639	68.94	0.048	FA25/MS
WOODLARK	Wayai CK SSW	WCK106	0.4	1.0	0.6	472179	8986646	68.21	0.062	FA25/MS
WOODLARK	Wayai CK SSW	WCK107	0.4	1.0	0.6	472194	8986660	63.99	0.189	FA25/MS
WOODLARK	Wayai CK SSW	WCK108	0.4	1.0	0.6	472208	8986674	70.89	0.121	FA25/MS
WOODLARK	Wayai CK SSW	WCK109	0.4	1.0	0.6	471677	8986003	6.55	0.111	FA25/MS
WOODLARK	Wayai CK SSW	WCK110	0.4	1.0	0.6	471692	8986017	9.95	<b>2.040</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK111	0.4	1.0	0.6	471706	8986031	8.09	0.603	FA25/MS
WOODLARK	Wayai CK SSW	WCK112	0.4	1.0	0.6	471719	8986045	7.34	0.249	FA25/MS
WOODLARK	Wayai CK SSW	WCK113	0.4	1.0	0.6	471734	8986060	2.72	0.794	FA25/MS
WOODLARK	Wayai CK SSW	WCK114	0.4	1.0	0.6	471748	8986074	6.58	0.092	FA25/MS
WOODLARK	Wayai CK SSW	WCK115	0.4	1.0	0.6	471763	8986088	16.26	0.111	FA25/MS
WOODLARK	Wayai CK SSW	WCK116	0.4	1.0	0.6	471776	8986102	15.96	0.281	FA25/MS
WOODLARK	Wayai CK SSW	WCK117	0.4	1.0	0.6	471791	8986116	18.55	<b>1.394</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK118	0.4	1.0	0.6	471805	8986130	21.47	0.147	FA25/MS
WOODLARK	Wayai CK SSW	WCK119	0.4	1.0	0.6	471819	8986144	23.15	0.430	FA25/MS
WOODLARK	Wayai CK SSW	WCK120	0.4	1.0	0.6	471833	8986159	22.26	0.004	FA25/MS
WOODLARK	Wayai CK SSW	WCK121	0.4	1.0	0.6	471847	8986173	27.53	0.016	FA25/MS
WOODLARK	Wayai CK SSW	WCK122	0.4	1.0	0.6	471862	8986187	35.20	0.002	FA25/MS
WOODLARK	Wayai CK SSW	WCK123	0.4	1.0	0.6	471875	8986201	42.22	0.005	FA25/MS
WOODLARK	Wayai CK SSW	WCK124	0.4	1.0	0.6	471891	8986215	46.16	0.004	FA25/MS
WOODLARK	Wayai CK SSW	WCK125	0.4	1.0	0.6	471904	8986229	48.98	0.004	FA25/MS
WOODLARK	Wayai CK SSW	WCK126	0.4	1.0	0.6	472073	8986399	47.68	0.143	FA25/MS
WOODLARK	Wayai CK SSW	WCK127	0.4	1.0	0.6	472088	8986413	47.50	0.280	FA25/MS
WOODLARK	Wayai CK SSW	WCK128	0.4	1.0	0.6	472102	8986427	45.63	0.144	FA25/MS
WOODLARK	Wayai CK SSW	WCK129	0.4	1.0	0.6	472117	8986441	41.93	0.011	FA25/MS
WOODLARK	Wayai CK SSW	WCK130	0.4	1.0	0.6	472130	8986455	45.98	0.197	FA25/MS
WOODLARK	Wayai CK SSW	WCK131	0.4	1.0	0.6	472145	8986469	49.40	0.039	FA25/MS
WOODLARK	Wayai CK SSW	WCK132	0.4	1.0	0.6	472159	8986483	45.43	0.045	FA25/MS
WOODLARK	Wayai CK SSW	WCK133	0.3	0.8	0.5	472172	8986498	43.50	0.003	FA25/MS
WOODLARK	Wayai CK SSW	WCK134	0.4	1.0	0.6	472187	8986512	37.34	0.004	FA25/MS
WOODLARK	Wayai CK SSW	WCK135	0.4	0.9	0.5	472201	8986526	35.90	0.004	FA25/MS
WOODLARK	Wayai CK SSW	WCK136	0.4	1.0	0.6	472216	8986540	42.82	0.002	FA25/MS

Project	Prospect	SiteID	Depth From (m)	Depth To (m)	Interval (m)	Easting UTM	Northing UTM	RLUTM	AuPPM	AuMethod
WOODLARK	Wayai CK SSW	WCK137	0.4	1.0	0.6	472229	8986554	53.68	0.005	FA25/MS
WOODLARK	Wayai CK SSW	WCK138	0.4	0.8	0.4	472244	8986568	60.10	0.002	FA25/MS
WOODLARK	Wayai CK SSW	WCK139	0.4	0.9	0.5	472258	8986583	63.79	0.005	FA25/MS
WOODLARK	Wayai CK SSW	WCK140	0.4	1.0	0.6	472273	8986597	66.75	0.005	FA25/MS
WOODLARK	Wayai CK SSW	WCK141	0.4	0.9	0.5	472286	8986611	69.51	0.105	FA25/MS
WOODLARK	Wayai CK SSW	WCK142	0.4	1.0	0.6	472300	8986625	72.34	0.005	FA25/MS
WOODLARK	Wayai CK SSW	WCK144	0.8	1.0	0.2	471748	8985932	1.05	0.049	FA25/MS
WOODLARK	Wayai CK SSW	WCK145	0.8	1.0	0.2	471763	8985947	1.07	0.060	FA25/MS
WOODLARK	Wayai CK SSW	WCK146	0.7	1.0	0.3	471776	8985961	1.42	<b>1.087</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK147	0.6	1.0	0.4	471791	8985975	1.90	0.228	FA25/MS
WOODLARK	Wayai CK SSW	WCK148	0.6	1.0	0.4	471805	8985989	3.20	1.045	FA25/MS
WOODLARK	Wayai CK SSW	WCK149	0.5	1.0	0.5	471818	8986003	5.40	0.144	FA25/MS
WOODLARK	Wayai CK SSW	WCK150	0.5	1.0	0.5	471833	8986017	9.08	0.774	FA25/MS
WOODLARK	Wayai CK SSW	WCK151	0.4	0.9	0.5	471847	8986031	11.33	0.228	FA25/MS
WOODLARK	Wayai CK SSW	WCK152	0.4	0.9	0.5	471862	8986045	14.31	0.006	FA25/MS
WOODLARK	Wayai CK SSW	WCK153	0.4	0.9	0.5	471875	8986060	20.80	0.158	FA25/MS
WOODLARK	Wayai CK SSW	WCK154	0.4	0.8	0.4	471890	8986074	20.22	<b>1.492</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK155	0.4	0.8	0.4	471904	8986088	19.93	0.004	FA25/MS
WOODLARK	Wayai CK SSW	WCK156	0.3	0.9	0.6	471919	8986102	22.19	0.004	FA25/MS
WOODLARK	Wayai CK SSW	WCK157	0.3	0.9	0.6	471932	8986116	26.29	0.017	FA25/MS
WOODLARK	Wayai CK SSW	WCK158	0.3	0.9	0.6	471946	8986130	30.20	0.044	FA25/MS
WOODLARK	Wayai CK SSW	WCK159	0.4	1.0	0.6	471961	8986144	31.20	0.002	FA25/MS
WOODLARK	Wayai CK SSW	WCK160	0.4	1.0	0.6	471974	8986158	33.56	0.023	FA25/MS
WOODLARK	Wayai CK SSW	WCK161	0.4	1.0	0.6	471989	8986173	33.14	0.004	FA25/MS
WOODLARK	Wayai CK SSW	WCK162	0.4	1.0	0.6	472123	8986307	25.89	0.011	FA25/MS
WOODLARK	Wayai CK SSW	WCK163	0.4	0.9	0.5	472137	8986321	26.69	0.025	FA25/MS
WOODLARK	Wayai CK SSW	WCK164	0.4	1.0	0.6	472151	8986335	23.48	0.162	FA25/MS
WOODLARK	Wayai CK SSW	WCK165	0.4	1.0	0.6	472165	8986349	28.78	0.494	FA25/MS
WOODLARK	Wayai CK SSW	WCK166	0.4	0.9	0.5	472180	8986363	31.56	0.050	FA25/MS
WOODLARK	Wayai CK SSW	WCK167	0.4	1.0	0.6	472195	8986377	34.27	0.058	FA25/MS
WOODLARK	Wayai CK SSW	WCK168	0.4	1.0	0.6	472208	8986392	35.52	0.008	FA25/MS
WOODLARK	Wayai CK SSW	WCK169	0.4	0.9	0.5	472222	8986406	37.31	<b>1.211</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK170	0.4	0.9	0.5	472237	8986420	33.36	<b>1.920</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK171	0.4	1.0	0.6	472250	8986434	32.04	0.053	FA25/MS
WOODLARK	Wayai CK SSW	WCK172	0.4	1.0	0.6	472265	8986448	30.66	0.713	FA25/MS
WOODLARK	Wayai CK SSW	WCK173	0.4	1.0	0.6	472279	8986462	35.67	0.004	FA25/MS
WOODLARK	Wayai CK SSW	WCK174	0.4	1.0	0.6	472294	8986476	41.86	0.040	FA25/MS
WOODLARK	Wayai CK SSW	WCK175	0.4	0.8	0.4	472307	8986491	46.19	0.007	FA25/MS
WOODLARK	Wayai CK SSW	WCK176	0.4	0.7	0.3	472321	8986505	48.80	0.007	FA25/MS
WOODLARK	Wayai CK SSW	WCK177	0.4	1.0	0.6	472336	8986519	52.04	0.060	FA25/MS
WOODLARK	Wayai CK SSW	WCK178	0.4	0.9	0.5	472350	8986533	56.05	0.013	FA25/MS
WOODLARK	Wayai CK SSW	WCK179	0.4	1.0	0.6	472364	8986547	57.46	0.027	FA25/MS
WOODLARK	Wayai CK SSW	WCK180	0.4	0.9	0.5	472378	8986561	55.18	0.018	FA25/MS
WOODLARK	Wayai CK SSW	WCK181	0.4	0.9	0.5	472393	8986575	54.68	0.010	FA25/MS
WOODLARK	Wayai CK SSW	WCK182	0.4	0.9	0.5	472406	8986589	59.95	0.011	FA25/MS
WOODLARK	Wayai CK SSW	WCK183	0.4	1.0	0.6	472420	8986604	65.06	0.013	FA25/MS
WOODLARK	Wayai CK SSW	WCK184	0.4	1.0	0.6	471734	8985777	0.91	0.040	FA25/MS
WOODLARK	Wayai CK SSW	WCK185	0.4	0.9	0.5	471748	8985791	0.73	0.048	FA25/MS
WOODLARK	Wayai CK SSW	WCK186	0.4	1.0	0.6	471762	8985805	0.82	0.039	FA25/MS

Project	Prospect	SiteID	Depth From (m)	Depth To (m)	Interval (m)	EastingU TM	Northing UTM	RLUTM	AuPPM	AuMethod
WOODLARK	Wayai CK SSW	WCK187	0.3	0.9	0.6	471775	8985819	1.00	0.056	FA25/MS
WOODLARK	Wayai CK SSW	WCK188	0.4	1.0	0.6	471790	8985833	1.13	0.053	FA25/MS
WOODLARK	Wayai CK SSW	WCK189	0.4	0.9	0.5	471805	8985848	1.37	0.059	FA25/MS
WOODLARK	Wayai CK SSW	WCK190	0.3	1.0	0.7	471818	8985862	1.27	0.099	FA25/MS
WOODLARK	Wayai CK SSW	WCK191	0.4	0.9	0.5	471833	8985876	1.51	0.122	FA25/MS
WOODLARK	Wayai CK SSW	WCK192	0.4	0.9	0.5	471847	8985890	1.79	0.053	FA25/MS
WOODLARK	Wayai CK SSW	WCK193	0.4	0.8	0.4	471862	8985904	1.86	0.078	FA25/MS
WOODLARK	Wayai CK SSW	WCK194	0.4	0.9	0.5	471875	8985918	2.05	0.920	FA25/MS
WOODLARK	Wayai CK SSW	WCK195	0.4	0.9	0.5	471889	8985932	2.30	0.171	FA25/MS
WOODLARK	Wayai CK SSW	WCK196	0.5	1.0	0.5	471904	8985946	2.40	0.171	FA25/MS
WOODLARK	Wayai CK SSW	WCK197	0.4	1.0	0.6	471917	8985961	2.67	0.723	FA25/MS
WOODLARK	Wayai CK SSW	WCK198	0.3	1.0	0.7	471932	8985975	3.10	0.297	FA25/MS
WOODLARK	Wayai CK SSW	WCK199	0.4	0.7	0.3	471946	8985989	4.93	<b>5.944</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK200	0.4	0.9	0.5	471961	8986003	6.17	<b>1.624</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK201	0.4	1.0	0.6	471975	8986017	6.34	0.104	FA25/MS
WOODLARK	Wayai CK SSW	WCK202	0.4	0.8	0.4	471989	8986032	4.46	0.171	FA25/MS
WOODLARK	Wayai CK SSW	WCK203	0.4	0.9	0.5	472003	8986046	7.12	0.088	FA25/MS
WOODLARK	Wayai CK SSW	WCK204	0.4	1.0	0.6	472017	8986060	7.48	<b>1.079</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK205	0.4	0.7	0.3	472031	8986074	9.94	0.191	FA25/MS
WOODLARK	Wayai CK SSW	WCK206	0.4	0.9	0.5	472045	8986088	14.09	0.013	FA25/MS
WOODLARK	Wayai CK SSW	WCK207	0.4	1.0	0.6	472060	8986102	21.47	0.568	FA25/MS
WOODLARK	Wayai CK SSW	WCK208	0.4	1.0	0.6	472074	8986116	20.00	0.125	FA25/MS
WOODLARK	Wayai CK SSW	WCK209	0.3	0.6	0.3	472088	8986130	23.18	<b>1.899</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK210	0.4	0.8	0.4	472102	8986144	28.09	0.336	FA25/MS
WOODLARK	Wayai CK SSW	WCK211	0.4	1.0	0.6	472116	8986158	18.43	0.063	FA25/MS
WOODLARK	Wayai CK SSW	WCK212	0.4	0.9	0.5	472130	8986173	18.04	0.064	FA25/MS
WOODLARK	Wayai CK SSW	WCK213	0.4	1.0	0.6	472144	8986187	18.33	0.134	FA25/MS
WOODLARK	Wayai CK SSW	WCK214	0.4	1.0	0.6	472208	8986250	27.12	0.083	FA25/MS
WOODLARK	Wayai CK SSW	WCK215	0.4	0.9	0.5	472222	8986264	34.22	0.060	FA25/MS
WOODLARK	Wayai CK SSW	WCK216	0.4	0.9	0.5	472236	8986278	40.15	0.341	FA25/MS
WOODLARK	Wayai CK SSW	WCK217	0.4	1.0	0.6	472250	8986293	43.64	0.658	FA25/MS
WOODLARK	Wayai CK SSW	WCK218	0.4	1.0	0.6	472265	8986307	45.69	0.043	FA25/MS
WOODLARK	Wayai CK SSW	WCK219	0.4	1.0	0.6	472279	8986321	48.19	0.063	FA25/MS
WOODLARK	Wayai CK SSW	WCK220	0.4	1.0	0.6	472292	8986335	50.97	0.070	FA25/MS
WOODLARK	Wayai CK SSW	WCK221	0.4	1.0	0.6	472307	8986349	53.79	0.321	FA25/MS
WOODLARK	Wayai CK SSW	WCK222	0.4	1.0	0.6	472321	8986363	55.37	0.096	FA25/MS
WOODLARK	Wayai CK SSW	WCK223	0.4	1.0	0.6	472336	8986377	55.96	0.028	FA25/MS
WOODLARK	Wayai CK SSW	WCK224	0.4	1.0	0.6	472349	8986392	51.01	<b>19.954</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK225	0.4	1.0	0.6	472364	8986406	52.96	0.016	FA25/MS
WOODLARK	Wayai CK SSW	WCK226	0.4	1.0	0.6	472378	8986420	55.10	0.038	FA25/MS
WOODLARK	Wayai CK SSW	WCK227	0.4	1.0	0.6	472392	8986434	52.29	0.004	FA25/MS
WOODLARK	Wayai CK SSW	WCK228	0.4	1.0	0.6	472406	8986448	51.96	0.004	FA25/MS
WOODLARK	Wayai CK SSW	WCK229	0.4	1.0	0.6	472420	8986462	49.00	0.091	FA25/MS
WOODLARK	Wayai CK SSW	WCK230	0.4	1.0	0.6	472435	8986476	50.60	0.006	FA25/MS
WOODLARK	Wayai CK SSW	WCK231	0.4	1.0	0.6	472448	8986490	52.36	0.081	FA25/MS
WOODLARK	Wayai CK SSW	WCK232	0.4	1.0	0.6	472463	8986505	58.60	0.137	FA25/MS
WOODLARK	Wayai CK SSW	WCK233	0.4	1.0	0.6	472477	8986519	53.11	0.008	FA25/MS
WOODLARK	Wayai CK SSW	WCK234	0.3	1.0	0.7	471741	8985643	1.19	0.641	FA25/MS
WOODLARK	Wayai CK SSW	WCK235	0.4	1.0	0.6	471755	8985657	3.17	0.019	FA25/MS

Project	Prospect	SiteID	Depth From (m)	Depth To (m)	Interval (m)	Easting UTM	Northing UTM	RLUTM	AuPPM	AuMethod
WOODLARK	Wayai CK SSW	WCK236	0.4	0.9	0.5	471769	8985671	10.01	0.046	FA25/MS
WOODLARK	Wayai CK SSW	WCK237	0.4	0.9	0.5	471784	8985685	6.73	0.355	FA25/MS
WOODLARK	Wayai CK SSW	WCK238	0.4	1.0	0.6	471797	8985699	3.76	0.310	FA25/MS
WOODLARK	Wayai CK SSW	WCK239	0.4	0.9	0.5	471811	8985713	10.69	0.076	FA25/MS
WOODLARK	Wayai CK SSW	WCK240	0.4	1.0	0.6	471826	8985727	15.26	0.737	FA25/MS
WOODLARK	Wayai CK SSW	WCK241	0.4	1.0	0.6	471840	8985741	17.22	0.366	FA25/MS
WOODLARK	Wayai CK SSW	WCK242	0.4	0.9	0.5	471855	8985756	18.06	0.207	FA25/MS
WOODLARK	Wayai CK SSW	WCK243	0.4	0.8	0.4	471868	8985770	18.39	0.230	FA25/MS
WOODLARK	Wayai CK SSW	WCK244	0.3	0.9	0.6	471882	8985784	17.88	0.267	FA25/MS
WOODLARK	Wayai CK SSW	WCK245	0.4	0.8	0.4	471896	8985798	17.78	<b>1.503</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK246	0.4	1.0	0.6	471911	8985812	12.15	0.172	FA25/MS
WOODLARK	Wayai CK SSW	WCK247	0.4	0.9	0.5	471925	8985826	9.33	0.237	FA25/MS
WOODLARK	Wayai CK SSW	WCK248	0.4	0.8	0.4	471938	8985840	9.28	<b>1.199</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK249	0.4	1.0	0.6	471953	8985855	12.31	0.505	FA25/MS
WOODLARK	Wayai CK SSW	WCK250	0.4	0.9	0.5	471967	8985869	21.39	0.562	FA25/MS
WOODLARK	Wayai CK SSW	WCK251	0.4	1.0	0.6	471982	8985883	23.51	0.293	FA25/MS
WOODLARK	Wayai CK SSW	WCK252	0.4	0.9	0.5	471995	8985897	24.04	0.544	FA25/MS
WOODLARK	Wayai CK SSW	WCK253	0.3	0.8	0.5	472010	8985911	23.45	<b>1.316</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK254	0.4	0.9	0.5	472024	8985925	23.16	<b>1.910</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK255	0.4	0.9	0.5	472039	8985939	21.71	<b>1.097</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK256	0.4	0.7	0.3	472052	8985953	11.46	0.096	FA25/MS
WOODLARK	Wayai CK SSW	WCK257	0.3	0.9	0.6	472066	8985968	18.36	0.482	FA25/MS
WOODLARK	Wayai CK SSW	WCK258	0.4	1.0	0.6	472081	8985982	25.03	0.072	FA25/MS
WOODLARK	Wayai CK SSW	WCK259	0.4	0.9	0.5	472094	8985996	29.97	<b>1.166</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK260	0.4	1.0	0.6	472109	8986010	31.44	0.399	FA25/MS
WOODLARK	Wayai CK SSW	WCK261	0.3	0.8	0.5	472123	8986024	32.19	0.151	FA25/MS
WOODLARK	Wayai CK SSW	WCK262	0.4	1.0	0.6	472138	8986038	33.39	0.588	FA25/MS
WOODLARK	Wayai CK SSW	WCK263	0.3	1.0	0.7	472151	8986052	34.74	0.012	FA25/MS
WOODLARK	Wayai CK SSW	WCK264	0.4	0.9	0.5	472165	8986066	29.55	0.026	FA25/MS
WOODLARK	Wayai CK SSW	WCK265	0.4	0.8	0.4	472180	8986081	33.83	<b>4.811</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK266	0.4	1.0	0.6	472193	8986095	36.96	0.047	FA25/MS
WOODLARK	Wayai CK SSW	WCK267	0.4	1.0	0.6	472307	8986208	51.57	0.010	FA25/MS
WOODLARK	Wayai CK SSW	WCK268	0.4	0.9	0.5	472321	8986222	52.02	0.014	FA25/MS
WOODLARK	Wayai CK SSW	WCK269	0.4	0.9	0.5	472335	8986236	52.83	0.057	FA25/MS
WOODLARK	Wayai CK SSW	WCK270	0.3	1.0	0.7	472349	8986250	52.79	0.108	FA25/MS
WOODLARK	Wayai CK SSW	WCK271	0.3	1.0	0.7	472364	8986264	54.08	0.009	FA25/MS
WOODLARK	Wayai CK SSW	WCK272	0.4	0.8	0.4	472378	8986280	57.99	0.068	FA25/MS
WOODLARK	Wayai CK SSW	WCK273	0.4	0.9	0.5	472393	8986293	59.61	0.331	FA25/MS
WOODLARK	Wayai CK SSW	WCK274	0.4	0.9	0.5	472407	8986307	60.41	0.397	FA25/MS
WOODLARK	Wayai CK SSW	WCK275	0.4	1.0	0.6	472420	8986321	62.79	0.255	FA25/MS
WOODLARK	Wayai CK SSW	WCK276	0.4	1.0	0.6	472435	8986335	64.16	0.105	FA25/MS
WOODLARK	Wayai CK SSW	WCK277	0.4	1.0	0.6	472448	8986349	64.38	<b>1.090</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK278	0.4	1.0	0.6	472462	8986364	65.66	<b>2.620</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK279	0.4	1.0	0.6	472477	8986377	66.37	0.546	FA25/MS
WOODLARK	Wayai CK SSW	WCK280	0.4	0.8	0.4	472492	8986391	63.03	0.498	FA25/MS
WOODLARK	Wayai CK SSW	WCK281	0.4	1.0	0.6	472505	8986406	61.39	0.015	FA25/MS
WOODLARK	Wayai CK SSW	WCK282	0.4	0.7	0.3	472519	8986420	63.71	0.005	FA25/MS
WOODLARK	Wayai CK SSW	WCK283	0.4	1.0	0.6	472534	8986434	66.30	0.032	FA25/MS
WOODLARK	Wayai CK SSW	WCK284	0.4	1.0	0.6	472547	8986448	68.33	0.025	FA25/MS

Project	Prospect	SiteID	Depth From (m)	Depth To (m)	Interval (m)	EastingU TM	Northing UTM	RLUTM	AuPPM	AuMethod
WOODLARK	Wayai CK SSW	WCK286	0.4	0.8	0.4	471798	8985558	3.70	<b>1.847</b>	FA25/MS
WOODLARK	Wayai CK SSW	WCK287	0.4	0.9	0.5	471811	8985572	5.20	0.059	FA25/MS
WOODLARK	Wayai CK SSW	WCK288	0.4	1.0	0.6	471827	8985586	8.43	0.059	FA25/MS
WOODLARK	Wayai CK SSW	WCK289	0.4	0.7	0.3	471840	8985600	7.20	0.577	FA25/MS
WOODLARK	Wayai CK SSW	WCK290	0.3	0.9	0.6	471855	8985614	9.04	0.185	FA25/MS
WOODLARK	Wayai CK SSW	WCK291	0.4	1.0	0.6	471869	8985628	10.63	0.545	FA25/MS
WOODLARK	Wayai CK SSW	WCK292	0.4	1.0	0.6	471884	8985643	13.24	0.050	FA25/MS
WOODLARK	Wayai CK SSW	WCK293	0.4	0.8	0.4	471897	8985657	12.42	0.028	FA25/MS
WOODLARK	Wayai CK SSW	WCK294	0.3	0.9	0.6	471910	8985671	10.06	0.135	FA25/MS
WOODLARK	Wayai CK SSW	WCK295	0.4	1.0	0.6	471925	8985685	10.80	0.330	FA25/MS
WOODLARK	Wayai CK SSW	WCK296	0.4	1.0	0.6	471939	8985699	13.19	0.049	FA25/MS
WOODLARK	Wayai CK SSW	WCK297	0.4	0.9	0.5	471953	8985713	17.34	0.141	FA25/MS
WOODLARK	Wayai CK SSW	WCK298	0.4	1.0	0.6	471967	8985727	19.73	0.450	FA25/MS
WOODLARK	Wayai CK SSW	WCK299	0.4	0.9	0.5	471982	8985741	20.24	0.037	FA25/MS
WOODLARK	Wayai CK SSW	WCK300	0.4	0.9	0.5	471995	8985756	17.82	0.017	FA25/MS
WOODLARK	Wayai CK SSW	WCK301	0.5	1.0	0.5	472009	8985770	20.52	0.157	FA25/MS
WOODLARK	Wayai CK SSW	WCK302	0.2	0.9	0.7	472024	8985784	25.03	0.254	FA25/MS
WOODLARK	Wayai CK SSW	WCK303	0.4	1.0	0.6	472037	8985798	26.77	0.186	FA25/MS
WOODLARK	Wayai CK SSW	WCK304	0.4	1.0	0.6	472406	8986165	43.51	0.039	FA25/MS
WOODLARK	Wayai CK SSW	WCK305	0.4	0.9	0.5	472420	8986179	43.77	0.039	FA25/MS
WOODLARK	Wayai CK SSW	WCK306	0.4	0.8	0.4	472434	8986194	44.38	0.025	FA25/MS
WOODLARK	Wayai CK SSW	WCK307	0.4	0.9	0.5	472448	8986208	46.57	0.011	FA25/MS
WOODLARK	Wayai CK SSW	WCK308	0.4	1.0	0.6	472463	8986222	44.15	0.010	FA25/MS
WOODLARK	Wayai CK SSW	WCK309	0.3	0.8	0.5	472477	8986236	49.78	0.049	FA25/MS
WOODLARK	Wayai CK SSW	WCK310	0.4	1.0	0.6	472490	8986250	49.58	0.300	FA25/MS
WOODLARK	Wayai CK SSW	WCK311	0.4	0.9	0.5	472505	8986264	51.53	0.083	FA25/MS
WOODLARK	Wayai CK SSW	WCK312	0.3	0.9	0.6	472519	8986278	49.52	0.010	FA25/MS
WOODLARK	Wayai CK SSW	WCK313	0.4	0.9	0.5	472534	8986292	47.33	0.046	FA25/MS
WOODLARK	Wayai CK SSW	WCK314	0.4	1.0	0.6	472548	8986307	48.78	0.003	FA25/MS
WOODLARK	Wayai CK SSW	WCK315	0.4	1.0	0.6	472563	8986321	52.94	0.003	FA25/MS
WOODLARK	Wayai CK SSW	WCK316	0.4	1.0	0.6	472576	8986335	58.99	0.002	FA25/MS
WOODLARK	Wayai CK SSW	WCK317	0.4	1.0	0.6	472591	8986349	58.41	0.005	FA25/MS
WOODLARK	Wayai CK SSW	WCK318	0.4	1.0	0.6	472604	8986364	57.19	0.023	FA25/MS
WOODLARK	Wayai CK SSW	WCK319	0.4	0.9	0.5	471896	8985515	8.90	0.014	FA25/MS
WOODLARK	Wayai CK SSW	WCK320	0.4	0.8	0.4	471910	8985529	13.57	0.006	FA25/MS
WOODLARK	Wayai CK SSW	WCK321	0.3	1.0	0.7	471925	8985544	14.97	0.002	FA25/MS
WOODLARK	Wayai CK SSW	WCK322	0.4	0.9	0.5	471939	8985558	16.86	0.003	FA25/MS
WOODLARK	Wayai CK SSW	WCK323	0.3	0.8	0.5	471954	8985572	16.62	0.013	FA25/MS
WOODLARK	Wayai CK SSW	WCK324	0.4	1.0	0.6	471967	8985586	19.00	0.004	FA25/MS
WOODLARK	Wayai CK SSW	WCK325	0.4	1.0	0.6	471983	8985600	24.95	0.006	FA25/MS
WOODLARK	Wayai CK SSW	WCK326	0.4	0.8	0.4	472519	8986137	50.04	0.006	FA25/MS
WOODLARK	Wayai CK SSW	WCK327	0.4	1.0	0.6	472534	8986151	47.63	0.002	FA25/MS
WOODLARK	Wayai CK SSW	WCK328	0.4	1.0	0.6	472547	8986165	49.41	0.003	FA25/MS
WOODLARK	Wayai CK SSW	WCK329	0.4	0.9	0.5	472561	8986179	48.83	0.005	FA25/MS
WOODLARK	Wayai CK SSW	WCK330	0.4	0.9	0.5	472576	8986194	57.00	0.002	FA25/MS
WOODLARK	Wayai CK SSW	WCK331	0.4	1.0	0.6	472589	8986208	52.62	0.002	FA25/MS
WOODLARK	Wayai CK SSW	WCK332	0.4	1.0	0.6	472604	8986222	50.26	0.003	FA25/MS
WOODLARK	Wayai CK SSW	WCK333	0.4	1.0	0.6	472618	8986236	52.73	0.003	FA25/MS

This ASX announcement was approved and authorised for release by the Board of Geopacific Resources Limited.

Company details	Board & Management	Projects
Geopacific Resources Limited	Graham Ascough Non-Executive Chairman	PAPUA NEW GUINEA
ACN 003 208 393	Hansjoerg Plaggemars Non-Executive Director	Woodlark Island Gold
ASX Code: GPR	Michael Brook Non-Executive Director	
<a href="mailto:info@geopacific.com.au">info@geopacific.com.au</a>	Hamish Bohannan Non-Executive Director	
<a href="http://www.geopacific.com.au">http://www.geopacific.com.au</a>	Rowan Johnston Non-Executive Director	
T +61 8 6143 1820	James Fox CEO	
HEAD OFFICE	Matthew Smith CFO and Company Secretary	
Level 1, 278 Stirling Highway		
Claremont WA 6010.		
PO Box 439, Claremont WA 6910.		

For personal use only

## Additional Information

### Woodlark Mineral Resource Estimate

Refer to GPR's ASX Announcement dated 13 August 2024 titled "[Mineral Resource increased to 1.67 Moz](#)" for further details, including JORC<sup>4</sup> Tables.

The total Woodlark Mineral Resource hosts **48.3 Mt at 1.07 g/t Au for 1.67 Moz Au**. A breakdown of the Woodlark Mineral Resource by JORC classification is outlined in the table below and estimated using a cut-off grade of 0.4 g/t Au which is consistent with the assumed open-cut mining method.

Category (>0.4g/t lower cut)	2024 Woodlark Mineral Resource		
	Tonnes* (Million)	Grade (g/t Au)	Ounces (Thousand)
Measured	2.25	3.00	217
Indicated	39.44	0.98	1,241
Inferred	6.49	0.98	205
<b>Total</b>	<b>48.28</b>	<b>1.07</b>	<b>1,663</b>

\*Tonnes are dry metric tonnes. Minor discrepancies may occur due to rounding

The Company confirms that it is not aware of any new information, or data, that materially affects the information included, and that all material assumptions and technical parameters underpinning the estimate continue to apply and have not changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcements.

### Competent Persons Statement

The information in this announcement that relates to exploration results is based on information compiled by or under the supervision of Michael Woodbury, a Competent Person who is a Fellow, and Chartered Professional (CP) of The Australasian Institute of Mining and Metallurgy, and Member of Australian Institute of Geoscientists. Mr Woodbury has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and the activity he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Woodbury consents to the inclusion in the announcement of the matters based on his information in the form and context in which it appears.

The information in this report that relates to Woodlark Mineral Resources is based on information compiled and reviewed by Mr Chris De-Vitry, a Competent Person who is a Member of the Australian Institute of Geoscientists and a full-time employee of Manna Hill Geoconsulting Pty Ltd. Mr De-Vitry has sufficient experience which is relevant to the style of mineralization and type of deposits under consideration and to the activity which he has undertaken to qualify as a Competent Person as defined in the JORC Code 2012 and is a qualified person for the purposes of NI43-101. Mr De-Vitry has no economic, financial, or pecuniary interest in GPR and consents to the inclusion in this report of the matters based on his information in the form and context in which it appears.

<sup>4</sup> Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. The JORC Code, 2012 Edition. Prepared by: The Joint Ore Reserves Committee of The Australasian Institute of Mining and Metallurgy, Australian Institute of Geoscientists and Minerals Council of Australia (JORC)