



ASX ANNOUNCEMENT

18 June 2025

Extensive Mineralisation Confirmed in First Pass Drill Program at Iguana

Results have confirmed extensive zones of mineralisation within Iguana Stage 1 Pit

HIGHLIGHTS

- Beacon has received results from a 201 reverse circulation drill program (10,854 metres) targeting grade control infill drilling at the Iguana deposit located within the Lady Ida Project
- Results confirm the presence of high-grade mineralisation both In-situ and in “lateritic” material throughout the program which aims to increase the geological confidence of the Iguana Stage 1 Pit mining inventory
- **Significant high-grade mineralisation intersections include:**
 - 11 metres @ 9.57 g/t gold from 15 metres (IGGC104)
 - 2 metres @ 42.65 g/t gold from 25 metres (IGGC100)
 - 6 metres @ 14.15 g/t gold from 28 metres (IGGC157)
 - 3 metres @ 27.00 g/t gold from 13 metres (IGGC053)
 - 3 metres @ 20.56 g/t gold from 15 metres (IGGC066)
 - 10 metres @ 5.24 g/t gold from 44 metres (IGGC134)
 - 4 metres @ 12.90 g/t gold from 48 metres (IGGC168)
 - 15 metres @ 3.36 g/t gold from 37 metres (IGGC140)
- **Significant ‘Laterite’ mineralisation intersections include:**
 - 1 metres @ 5.32 g/t gold from 0 metre (IGGC039)
 - 1 metres @ 5.29 g/t gold from 0 metre (IGGC196)
 - 2 metres @ 5.19 g/t gold from 1 metre (IGGC135)
 - 1 metres @ 4.27 g/t gold from 1 metre (IGGC187)
 - 1 metres @ 4.06 g/t gold from 0 metre (IGGC149)
 - 1 metres @ 3.71 g/t gold from 0 metre (IGGC192)
 - 2 metres @ 2.62 g/t gold from 0 metre (IGGC195)
 - 1 metres @ 2.60 g/t gold from 3 metres (IGGC032)
- **Second phase of the grade control drill program is set to commence in July, targeting the remainder of the Iguana Stage 1 Pit mining inventory**

Beacon Minerals Executive Chairman and Managing Director Graham McGarry commented:

“We are very pleased to share the Iguana grade control drill results. This program is another significant milestone for the Lady Ida Project and Beacon is excited with the potential of the tenement package.

“The recent drilling has further demonstrated the extensive nature of gold mineralisation present at Iguana. Understanding the full size and scope of the deposit is an ongoing effort with very encouraging results.”

For personal use only

Beacon Minerals Limited (**ASX: BCN**) (“Beacon” or “the Company”) is pleased to announce the grade control drill program results at the Lady Ida – Iguana Deposit.

Iguana Deposit Overview

The Iguana deposit is a part of the Lady Ida Project, which sits on the inferred extension of the Ida Fault and is a part of the north-south striking Mount Ida Greenstone Belt, comprising predominantly metamorphosed (upper greenschist-amphibolite facies) mafic and ultramafic rocks. The complex structural history provides the space for mineralisation deposition. The mineralisation is controlled by structural and hydrothermal alteration.

On the deposit scale, the depth of weathering increases significantly within shear zones and reaches depths of 90 m in the centre of the deposit. Supergene gold enrichment is apparent from grade control drilling in the upper portion of the existing Jamaican Rock pit (mined by Delta Gold in 2000), where significantly higher grades were mined compared to the current resource model.




Figure 1: Iguana Local Geology and Tenements

For personal use only

Iguana Mineralisation Styles

Mineralisation at Iguana is defined by two distinct types, being In-situ and Lateritic mineralisation.

In-situ Mineralisation

The In-situ mineralisation occurs within a highly deformed mafic unit, currently characterised as an Amphibolite Facies. Results from phase 1 have confirmed the presence of significant gold mineralisation. The drilling intersected zones of altered sediments on the contact of a mafic amphibolite unit. The altered zone was associated with significant quartz veining and sulphide mineralisation.

Assay results produced several zones of wide, high grades including:

- 15 metres @ 3.36 g/t gold from 37 metres (IGGC140)
- 11 metres @ 9.57 g/t gold from 15 metres (IGGC104)
- 10 metres @ 5.24 g/t gold from 44 metres (IGGC134)

Mineralisation appears to be varied in distribution and orientation which is typical for the Lady Ida deposits. Further drilling is required, and is planned for in stage 2, to target the remainder of the Iguana Stage 1 Pit mining inventory. Additional significant results from the current drilling program included:

- 2 metres @ 42.65 g/t gold from 25 metres (IGGC100)
- 6 metres @ 14.15 g/t gold from 28 metres (IGGC157)
- 4 metres @ 12.90 g/t gold from 48 metres (IGGC168)
- 3 metres @ 27.00 g/t gold from 13 metres (IGGC053)
- 3 metres @ 20.56 g/t gold from 15 metres (IGGC066)

Lateritic Mineralisation

The Lateritic material occurs in bands of Iron Pisolites located near surface in the heavily oxidised unit. This mineralisation style provides relatively distinct beds of gold mineralisation which has been weathered from the primary in-situ material. Successful mining of Laterite material at Iguana is well recorded by prior owners.

This Grade control program primarily targeted the In-Situ material which makes up the majority of the mineralisation present at Iguana however a number of holes intersected near surface lateritic gold near surface. The Laterite mineralisation is being defined by its own dedicated drill programs with results of these efforts ongoing.

Assay results produced several zones of shallow, high grades including:

- 1 metres @ 5.32 g/t gold from 0 metre (IGGC039)
- 1 metres @ 5.29 g/t gold from 0 metre (IGGC196)
- 2 metres @ 5.19 g/t gold from 1 metre (IGGC135)
- 1 metres @ 4.27 g/t gold from 1 metre (IGGC187)
- 1 metres @ 4.06 g/t gold from 0 metre (IGGC149)
- 1 metres @ 3.71 g/t gold from 0 metre (IGGC192)
- 2 metres @ 2.62 g/t gold from 0 metre (IGGC195)
- 1 metres @ 2.60 g/t gold from 3 metres (IGGC032)




Figure 2: Iguana Grade Control Stage 1 Collar Positions




Figure 3: Long Section of the Iguana Drilling +-100m of main Strike length

For personal use only




Figure 4: Section at 6623825 Northing showing a selection of the significant intercepts




Figure 5: Section at 6623855 Northing showing a selection of the significant intercepts

For personal use only

About the Lady Ida Project

The Lady Ida Project consist of M16/262 (the Iguana Deposit is located on M16/262), M16/263, M16/264, L15/224, L16/58, L16/62, L16/103 and applications L16/138 and L16/142 which is the ground the subject of the Earn-In, JV and Tenement Transfer Agreement between the Company, Beacon Mining Pty Ltd, Lamerton Pty Ltd and Geoda Pty Ltd.

For further details in relation to the Earn-In, JV and Tenement Transfer Agreement for the Lady Ida Project refer to ASX releases dated 6 December 2023 entitled “Beacon to Acquire an interest in the Lady Ida Gold Project” and 4 September 2024 “Lady Ida Completes and Appointment of New Director”.




Figure 6: Location of the Lady Ida Project (Iguana Deposit)

Authorised for release by the Board of Beacon Minerals Limited.

For more information contact:

Graham McGarry
Managing Director/Chairman
Beacon Minerals Ltd
M: 0459 240 379

Geoffrey Greenhill
Non-Executive Director
Beacon Minerals Ltd
M: 0419 991 713

For personal use only

JORC Compliance Statement

The information in the report relating to the exploration results and targets have been compiled by Lachlan Kenna BSc (Hons) MAusIMM. Mr. Kenna has sufficient experience which is relevant to the style of mineralisation and types of deposits under consideration and to the activities being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr. Kenna is a full-time employee of Beacon Minerals Limited.

Mr Kenna consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

Disclaimer

This ASX announcement (Announcement) has been prepared by Beacon Minerals Limited ("Beacon" or "the Company"). It should not be considered as an offer or invitation to subscribe for or purchase any securities in the Company or as an inducement to make an offer or invitation with respect to those securities. No agreement to subscribe for securities in the Company will be entered into on the basis of this Announcement.

This Announcement contains summary information about Beacon, its subsidiaries and their activities which is current as at the date of this Announcement. The information in this Announcement is of a general nature and does not purport to be complete nor does it contain all the information which a prospective investor may require in evaluating a possible investment in Beacon.

By its very nature exploration for minerals is a high risk business and is not suitable for certain investors. Beacon's securities are speculative. Potential investors should consult their stockbroker or financial advisor. There are a number of risks, both specific to Beacon and of a general nature which may affect the future operating and financial performance of Beacon and the value of an investment in Beacon including but not limited to economic conditions, stock market fluctuations, gold price movements, regional infrastructure constraints, timing of approvals from relevant authorities, regulatory risks, operational risks and reliance on key personnel.

Certain statements contained in this announcement, including information as to the future financial or operating performance of Beacon and its projects, are forward-looking statements that:

- may include, among other things, statements regarding targets, estimates and assumptions in respect of mineral reserves and mineral resources and anticipated grades and recovery rates, production and prices, recovery costs and results, capital expenditures, and are or may be based on assumptions and estimates related to future technical, economic, market, political, social and other conditions;
- are necessarily based upon a number of estimates and assumptions that, while considered reasonable by Beacon, are inherently subject to significant technical, business, economic, competitive, political and social uncertainties and contingencies; and,
- involve known and unknown risks and uncertainties that could cause actual events or results to differ materially from estimated or anticipated events or results reflected in such forward-looking statements.

Beacon disclaims any intent or obligation to update publicly any forward-looking statements, whether as a result of new information, future events or results or otherwise. The words 'believe', 'expect', 'anticipate', 'indicate', 'contemplate', 'target', 'plan', 'intends', 'continue', 'budget', 'estimate', 'may', 'will', 'schedule' and similar expressions identify forward-looking statements.

All forward looking statements made in this announcement are qualified by the foregoing cautionary statements. Investors are cautioned that forward-looking statements are not guarantees of future performance and accordingly investors are cautioned not to put undue reliance on forward-looking statements due to the inherent uncertainty therein. No verification: Although all reasonable care has been undertaken to ensure that the facts and opinions given in this Announcement are accurate, the information provided in this Announcement has not been independently verified.

Appendix 1: Significant Intercepts Table for the Iguana Stage 1 Grade Control program

All intercepts of greater than 1g/t, with maximum internal dilution of 1m. True Width unable to be calculated due to the evolving nature of the mineralisation model.

Hole ID	Depth From	Depth To	True Depth From	True Depth To	Interval Width	Au (g/t)	Intercept Description	Gram Metres
IGGC001	51	52	33.66	34.32	1	1.09	1.00m @ 1.09 g/t	1.09
IGGC003	40	41	26.4	27.06	1	3.16	1.00m @ 3.16 g/t	3.16
IGGC004	46	47	30.36	31.02	1	1.09	1.00m @ 1.09 g/t	1.09
IGGC007	43	44	28.38	29.04	1	4.41	1.00m @ 4.41 g/t	4.41
IGGC008	47	48	31.02	31.68	1	3.32	1.00m @ 3.32 g/t	3.32
IGGC008	33	34	21.78	22.44	1	1.22	1.00m @ 1.22 g/t	1.22
IGGC010	33	34	21.78	22.44	1	5.63	1.00m @ 5.63 g/t	5.63
IGGC011	47	48	31.02	31.68	1	1.13	1.00m @ 1.13 g/t	1.13
IGGC011	50	51	33	33.66	1	1.02	1.00m @ 1.02 g/t	1.02
IGGC017	21	22	13.86	14.52	1	9.67	1.00m @ 9.67 g/t	9.67
IGGC018	23	24	15.18	15.84	1	1.41	1.00m @ 1.41 g/t	1.41
IGGC018	52	53	34.32	34.98	1	1.1	1.00m @ 1.10 g/t	1.1
IGGC019	15	22	9.9	14.52	7	5.93	7.00m @ 5.93 g/t	41.51
IGGC019	51	54	33.66	35.64	3	7.76	3.00m @ 7.76 g/t	23.28
IGGC020	40	42	26.4	27.72	2	5.05	2.00m @ 5.05 g/t	10.1
IGGC020	44	48	29.04	31.68	4	2.25	4.00m @ 2.25 g/t	9
IGGC020	50	51	33	33.66	1	1.39	1.00m @ 1.39 g/t	1.39
IGGC027	2	3	1.32	1.98	1	1.24	1.00m @ 1.24 g/t	1.24
IGGC029	4	5	2.64	3.3	1	1.45	1.00m @ 1.45 g/t	1.45
IGGC032	15	17	9.9	11.22	2	3.75	2.00m @ 3.75 g/t	7.5
IGGC032	3	4	1.98	2.64	1	2.6	1.00m @ 2.60 g/t	2.6
IGGC032	19	21	12.54	13.86	2	1.11	2.00m @ 1.11 g/t	2.22
IGGC032	9	10	5.94	6.6	1	1.25	1.00m @ 1.25 g/t	1.25
IGGC033	28	30	18.48	19.8	2	6.46	2.00m @ 6.46 g/t	12.92
IGGC033	43	46	28.38	30.36	3	3.98	3.00m @ 3.98 g/t	11.94
IGGC033	37	40	24.42	26.4	3	1.05	3.00m @ 1.05 g/t	3.15
IGGC033	48	49	31.68	32.34	1	1.55	1.00m @ 1.55 g/t	1.55
IGGC033	14	15	9.24	9.9	1	1.25	1.00m @ 1.25 g/t	1.25
IGGC034	36	37	23.76	24.42	1	5.84	1.00m @ 5.84 g/t	5.84
IGGC034	46	47	30.36	31.02	1	3.31	1.00m @ 3.31 g/t	3.31
IGGC034	43	44	28.38	29.04	1	1.27	1.00m @ 1.27 g/t	1.27
IGGC035	37	38	24.42	25.08	1	1.91	1.00m @ 1.91 g/t	1.91
IGGC035	13	14	8.58	9.24	1	1.64	1.00m @ 1.64 g/t	1.64
IGGC035	43	44	28.38	29.04	1	1.46	1.00m @ 1.46 g/t	1.46
IGGC035	8	9	5.28	5.94	1	1.18	1.00m @ 1.18 g/t	1.18

For personal use only

For personal use only

IGGC036	24	27	15.84	17.82	3	9.78	3.00m @ 9.78 g/t	29.34
IGGC036	33	34	21.78	22.44	1	7.91	1.00m @ 7.91 g/t	7.91
IGGC036	36	39	23.76	25.74	3	2.12	3.00m @ 2.12 g/t	6.36
IGGC036	30	31	19.8	20.46	1	1.43	1.00m @ 1.43 g/t	1.43
IGGC036	44	45	29.04	29.7	1	1.07	1.00m @ 1.07 g/t	1.07
IGGC037	31	35	20.46	23.1	4	1.44	4.00m @ 1.44 g/t	5.76
IGGC037	40	42	26.4	27.72	2	1.91	2.00m @ 1.91 g/t	3.82
IGGC037	52	54	34.32	35.64	2	1.66	2.00m @ 1.66 g/t	3.32
IGGC037	46	47	30.36	31.02	1	1.22	1.00m @ 1.22 g/t	1.22
IGGC038	47	48	31.02	31.68	1	1.11	1.00m @ 1.11 g/t	1.11
IGGC039	0	1	0	0.66	1	5.32	1.00m @ 5.32 g/t	5.32
IGGC039	48	49	31.68	32.34	1	1.26	1.00m @ 1.26 g/t	1.26
IGGC040	0	1	0	0.66	1	1.1	1.00m @ 1.10 g/t	1.1
IGGC043	1	2	0.66	1.32	1	1.39	1.00m @ 1.39 g/t	1.39
IGGC045	30	32	19.8	21.12	2	2.36	2.00m @ 2.36 g/t	4.72
IGGC046	46	47	30.36	31.02	1	1.08	1.00m @ 1.08 g/t	1.08
IGGC047	1	2	0.66	1.32	1	1.12	1.00m @ 1.12 g/t	1.12
IGGC048	2	3	1.32	1.98	1	2.12	1.00m @ 2.12 g/t	2.12
IGGC049	25	29	16.5	19.14	4	10.76	4.00m @ 10.76 g/t	43.04
IGGC049	36	38	23.76	25.08	2	6.05	2.00m @ 6.05 g/t	12.1
IGGC049	43	45	28.38	29.7	2	4.22	2.00m @ 4.22 g/t	8.44
IGGC050	32	40	21.12	26.4	8	2.81	8.00m @ 2.81 g/t	22.48
IGGC050	42	43	27.72	28.38	1	1.24	1.00m @ 1.24 g/t	1.24
IGGC050	52	53	34.32	34.98	1	1.11	1.00m @ 1.11 g/t	1.11
IGGC050	49	50	32.34	33	1	1.07	1.00m @ 1.07 g/t	1.07
IGGC052	34	39	22.44	25.74	5	1.01	5.00m @ 1.01 g/t	5.05
IGGC052	22	25	14.52	16.5	3	1.29	3.00m @ 1.29 g/t	3.87
IGGC052	31	32	20.46	21.12	1	2.21	1.00m @ 2.21 g/t	2.21
IGGC052	53	54	34.98	35.64	1	1.84	1.00m @ 1.84 g/t	1.84
IGGC053	13	16	8.58	10.56	3	27	3.00m @ 27.00 g/t	81
IGGC053	22	47	14.52	31.02	25	1.42	25.00m @ 1.42 g/t	35.5
IGGC053	52	53	34.32	34.98	1	1.8	1.00m @ 1.80 g/t	1.8
IGGC054	38	45	25.08	29.7	7	4.75	7.00m @ 4.75 g/t	33.25
IGGC054	30	32	19.8	21.12	2	2.54	2.00m @ 2.54 g/t	5.08
IGGC054	51	52	33.66	34.32	1	2.27	1.00m @ 2.27 g/t	2.27
IGGC054	35	36	23.1	23.76	1	1.21	1.00m @ 1.21 g/t	1.21
IGGC055	51	53	33.66	34.98	2	4.02	2.00m @ 4.02 g/t	8.04
IGGC055	14	15	9.24	9.9	1	2.09	1.00m @ 2.09 g/t	2.09
IGGC056	29	30	19.14	19.8	1	6.58	1.00m @ 6.58 g/t	6.58
IGGC056	20	21	13.2	13.86	1	1.98	1.00m @ 1.98 g/t	1.98
IGGC056	23	24	15.18	15.84	1	1.42	1.00m @ 1.42 g/t	1.42

IGGC057	12	15	7.92	9.9	3	1.66	3.00m @ 1.66 g/t	4.98
IGGC057	20	22	13.2	14.52	2	2.43	2.00m @ 2.43 g/t	4.86
IGGC057	36	37	23.76	24.42	1	1.65	1.00m @ 1.65 g/t	1.65
IGGC057	3	4	1.98	2.64	1	1.16	1.00m @ 1.16 g/t	1.16
IGGC058	43	44	28.38	29.04	1	1.52	1.00m @ 1.52 g/t	1.52
IGGC058	22	23	14.52	15.18	1	1.51	1.00m @ 1.51 g/t	1.51
IGGC062	13	16	8.58	10.56	3	1.44	3.00m @ 1.44 g/t	4.32
IGGC062	39	40	25.74	26.4	1	3.43	1.00m @ 3.43 g/t	3.43
IGGC062	51	52	33.66	34.32	1	2.18	1.00m @ 2.18 g/t	2.18
IGGC063	47	50	31.02	33	3	1.29	3.00m @ 1.29 g/t	3.87
IGGC064	53	54	34.98	35.64	1	1.45	1.00m @ 1.45 g/t	1.45
IGGC065	27	32	17.82	21.12	5	1.66	5.00m @ 1.66 g/t	8.3
IGGC065	13	15	8.58	9.9	2	1.43	2.00m @ 1.43 g/t	2.86
IGGC065	42	43	27.72	28.38	1	1.99	1.00m @ 1.99 g/t	1.99
IGGC065	24	25	15.84	16.5	1	1	1.00m @ 1.00 g/t	1
IGGC066	15	18	9.9	11.88	3	20.56	3.00m @ 20.56 g/t	61.68
IGGC066	34	36	22.44	23.76	2	3.5	2.00m @ 3.50 g/t	7
IGGC066	43	44	28.38	29.04	1	2.6	1.00m @ 2.60 g/t	2.6
IGGC066	38	39	25.08	25.74	1	2.54	1.00m @ 2.54 g/t	2.54
IGGC066	53	54	34.98	35.64	1	1.06	1.00m @ 1.06 g/t	1.06
IGGC067	29	35	19.14	23.1	6	2.5	6.00m @ 2.50 g/t	15
IGGC067	19	21	12.54	13.86	2	1.89	2.00m @ 1.89 g/t	3.78
IGGC067	49	51	32.34	33.66	2	1.89	2.00m @ 1.89 g/t	3.78
IGGC067	43	44	28.38	29.04	1	1.66	1.00m @ 1.66 g/t	1.66
IGGC067	37	38	24.42	25.08	1	1.51	1.00m @ 1.51 g/t	1.51
IGGC067	40	41	26.4	27.06	1	1.2	1.00m @ 1.20 g/t	1.2
IGGC068	14	15	9.24	9.9	1	1.54	1.00m @ 1.54 g/t	1.54
IGGC068	37	38	24.42	25.08	1	1.24	1.00m @ 1.24 g/t	1.24
IGGC069	28	39	18.48	25.74	11	3.59	11.00m @ 3.59 g/t	39.49
IGGC069	14	15	9.24	9.9	1	17.4	1.00m @ 17.40 g/t	17.4
IGGC069	18	19	11.88	12.54	1	3.87	1.00m @ 3.87 g/t	3.87
IGGC069	24	26	15.84	17.16	2	1.85	2.00m @ 1.85 g/t	3.7
IGGC070	34	37	22.44	24.42	3	2.34	3.00m @ 2.34 g/t	7.02
IGGC070	42	44	27.72	29.04	2	1.36	2.00m @ 1.36 g/t	2.72
IGGC070	23	24	15.18	15.84	1	1.83	1.00m @ 1.83 g/t	1.83
IGGC070	48	49	31.68	32.34	1	1.59	1.00m @ 1.59 g/t	1.59
IGGC072	34	35	22.44	23.1	1	1.83	1.00m @ 1.83 g/t	1.83
IGGC072	45	46	29.7	30.36	1	1.01	1.00m @ 1.01 g/t	1.01
IGGC073	36	40	23.76	26.4	4	1.2	4.00m @ 1.20 g/t	4.8
IGGC074	37	38	24.42	25.08	1	3.44	1.00m @ 3.44 g/t	3.44
IGGC075	52	54	34.32	35.64	2	24.08	2.00m @ 24.08 g/t	48.16

For personal use only

For personal use only

IGGC075	1	2	0.66	1.32	1	1.08	1.00m @ 1.08 g/t	1.08
IGGC076	28	30	18.48	19.8	2	1.6	2.00m @ 1.60 g/t	3.2
IGGC076	41	42	27.06	27.72	1	2.04	1.00m @ 2.04 g/t	2.04
IGGC078	33	34	21.78	22.44	1	5.94	1.00m @ 5.94 g/t	5.94
IGGC079	42	43	27.72	28.38	1	1.07	1.00m @ 1.07 g/t	1.07
IGGC080	13	16	8.58	10.56	3	1.35	3.00m @ 1.35 g/t	4.05
IGGC080	1	2	0.66	1.32	1	2.06	1.00m @ 2.06 g/t	2.06
IGGC080	4	5	2.64	3.3	1	1.87	1.00m @ 1.87 g/t	1.87
IGGC081	14	17	9.24	11.22	3	6.02	3.00m @ 6.02 g/t	18.06
IGGC081	37	38	24.42	25.08	1	1.09	1.00m @ 1.09 g/t	1.09
IGGC081	43	44	28.38	29.04	1	1.08	1.00m @ 1.08 g/t	1.08
IGGC082	47	52	31.02	34.32	5	3.39	5.00m @ 3.39 g/t	16.95
IGGC082	29	33	19.14	21.78	4	1.34	4.00m @ 1.34 g/t	5.36
IGGC083	1	2	0.66	1.32	1	2.59	1.00m @ 2.59 g/t	2.59
IGGC083	5	6	3.3	3.96	1	1.47	1.00m @ 1.47 g/t	1.47
IGGC087	47	49	31.02	32.34	2	8.96	2.00m @ 8.96 g/t	17.92
IGGC087	51	54	33.66	35.64	3	4.39	3.00m @ 4.39 g/t	13.17
IGGC087	36	38	23.76	25.08	2	5.33	2.00m @ 5.33 g/t	10.66
IGGC087	40	43	26.4	28.38	3	0.85	3.00m @ 0.85 g/t	2.55
IGGC088	34	41	22.44	27.06	7	3.99	7.00m @ 3.99 g/t	27.93
IGGC088	45	46	29.7	30.36	1	7.36	1.00m @ 7.36 g/t	7.36
IGGC089	41	42	27.06	27.72	1	1.13	1.00m @ 1.13 g/t	1.13
IGGC090	25	27	16.5	17.82	2	1.35	2.00m @ 1.35 g/t	2.7
IGGC091	33	34	21.78	22.44	1	1.29	1.00m @ 1.29 g/t	1.29
IGGC093	47	48	31.02	31.68	1	1.86	1.00m @ 1.86 g/t	1.86
IGGC093	20	21	13.2	13.86	1	1.06	1.00m @ 1.06 g/t	1.06
IGGC094	51	52	33.66	34.32	1	5.74	1.00m @ 5.74 g/t	5.74
IGGC094	42	43	27.72	28.38	1	1.48	1.00m @ 1.48 g/t	1.48
IGGC095	38	40	25.08	26.4	2	1.33	2.00m @ 1.33 g/t	2.66
IGGC095	51	52	33.66	34.32	1	2.27	1.00m @ 2.27 g/t	2.27
IGGC095	34	35	22.44	23.1	1	1.99	1.00m @ 1.99 g/t	1.99
IGGC095	17	18	11.22	11.88	1	1.01	1.00m @ 1.01 g/t	1.01
IGGC096	41	42	27.06	27.72	1	7.44	1.00m @ 7.44 g/t	7.44
IGGC096	22	23	14.52	15.18	1	1.91	1.00m @ 1.91 g/t	1.91
IGGC097	2	3	1.32	1.98	1	1.12	1.00m @ 1.12 g/t	1.12
IGGC098	37	38	24.42	25.08	1	7.12	1.00m @ 7.12 g/t	7.12
IGGC098	24	28	15.84	18.48	4	1.3	4.00m @ 1.30 g/t	5.2
IGGC098	49	50	32.34	33	1	3.58	1.00m @ 3.58 g/t	3.58
IGGC099	1	2	0.66	1.32	1	2.26	1.00m @ 2.26 g/t	2.26
IGGC099	9	10	5.94	6.6	1	1.39	1.00m @ 1.39 g/t	1.39
IGGC099	50	51	33	33.66	1	1.05	1.00m @ 1.05 g/t	1.05

For personal use only

IGGC100	25	27	16.5	17.82	2	42.65	2.00m @ 42.65 g/t	85.3
IGGC100	36	37	23.76	24.42	1	2.78	1.00m @ 2.78 g/t	2.78
IGGC100	53	54	34.98	35.64	1	1.84	1.00m @ 1.84 g/t	1.84
IGGC100	22	23	14.52	15.18	1	1.01	1.00m @ 1.01 g/t	1.01
IGGC101	16	17	10.56	11.22	1	1.18	1.00m @ 1.18 g/t	1.18
IGGC102	38	43	25.08	28.38	5	2.85	5.00m @ 2.85 g/t	14.25
IGGC102	45	47	29.7	31.02	2	2.31	2.00m @ 2.31 g/t	4.62
IGGC102	14	17	9.24	11.22	3	1.15	3.00m @ 1.15 g/t	3.45
IGGC102	33	34	21.78	22.44	1	1.44	1.00m @ 1.44 g/t	1.44
IGGC102	3	4	1.98	2.64	1	1.4	1.00m @ 1.40 g/t	1.4
IGGC103	45	47	29.7	31.02	2	3.82	2.00m @ 3.82 g/t	7.64
IGGC103	39	43	25.74	28.38	4	1.4	4.00m @ 1.40 g/t	5.6
IGGC104	15	26	9.9	17.16	11	9.57	11.00m @ 9.57 g/t	105.27
IGGC104	47	50	31.02	33	3	2.24	3.00m @ 2.24 g/t	6.72
IGGC104	38	42	25.08	27.72	4	1.54	4.00m @ 1.54 g/t	6.16
IGGC104	32	33	21.12	21.78	1	2.92	1.00m @ 2.92 g/t	2.92
IGGC104	35	36	23.1	23.76	1	1.02	1.00m @ 1.02 g/t	1.02
IGGC105	45	52	29.7	34.32	7	3.15	7.00m @ 3.15 g/t	22.05
IGGC105	32	37	21.12	24.42	5	1.7	5.00m @ 1.70 g/t	8.5
IGGC105	39	43	25.74	28.38	4	1.19	4.00m @ 1.19 g/t	4.76
IGGC106	40	41	26.4	27.06	1	48	1.00m @ 48.00 g/t	48
IGGC106	48	54	31.68	35.64	6	4.4	6.00m @ 4.40 g/t	26.4
IGGC106	23	24	15.18	15.84	1	5.23	1.00m @ 5.23 g/t	5.23
IGGC106	37	38	24.42	25.08	1	1.57	1.00m @ 1.57 g/t	1.57
IGGC107	46	49	30.36	32.34	3	3.43	3.00m @ 3.43 g/t	10.29
IGGC107	42	43	27.72	28.38	1	4.03	1.00m @ 4.03 g/t	4.03
IGGC107	53	54	34.98	35.64	1	2.41	1.00m @ 2.41 g/t	2.41
IGGC112	46	48	30.36	31.68	2	6.35	2.00m @ 6.35 g/t	12.7
IGGC113	50	51	33	33.66	1	2.97	1.00m @ 2.97 g/t	2.97
IGGC114	2	3	1.32	1.98	1	2.2	1.00m @ 2.20 g/t	2.2
IGGC114	43	44	28.38	29.04	1	1.29	1.00m @ 1.29 g/t	1.29
IGGC115	16	26	10.56	17.16	10	4.97	10.00m @ 4.97 g/t	49.7
IGGC115	1	3	0.66	1.98	2	2.21	2.00m @ 2.21 g/t	4.42
IGGC115	30	32	19.8	21.12	2	1.29	2.00m @ 1.29 g/t	2.58
IGGC116	37	42	24.42	27.72	5	7.03	5.00m @ 7.03 g/t	35.15
IGGC116	51	54	33.66	35.64	3	4.98	3.00m @ 4.98 g/t	14.94
IGGC117	28	29	18.48	19.14	1	2.91	1.00m @ 2.91 g/t	2.91
IGGC117	36	37	23.76	24.42	1	1.88	1.00m @ 1.88 g/t	1.88
IGGC117	48	49	31.68	32.34	1	1.28	1.00m @ 1.28 g/t	1.28
IGGC117	23	24	15.18	15.84	1	1.02	1.00m @ 1.02 g/t	1.02
IGGC118	27	36	17.82	23.76	9	5.34	9.00m @ 5.34 g/t	48.06

IGGC118	38	42	25.08	27.72	4	2.81	4.00m @ 2.81 g/t	11.24
IGGC119	13	15	8.58	9.9	2	3.34	2.00m @ 3.34 g/t	6.68
IGGC120	39	40	25.74	26.4	1	1.22	1.00m @ 1.22 g/t	1.22
IGGC121	50	52	33	34.32	2	3.68	2.00m @ 3.68 g/t	7.36
IGGC121	33	36	21.78	23.76	3	1.27	3.00m @ 1.27 g/t	3.81
IGGC121	26	27	17.16	17.82	1	3.5	1.00m @ 3.50 g/t	3.5
IGGC121	47	48	31.02	31.68	1	1.26	1.00m @ 1.26 g/t	1.26
IGGC121	3	4	1.98	2.64	1	1.16	1.00m @ 1.16 g/t	1.16
IGGC122	31	41	20.46	27.06	10	1.17	10.00m @ 1.17 g/t	11.7
IGGC122	3	4	1.98	2.64	1	1.06	1.00m @ 1.06 g/t	1.06
IGGC123	48	50	31.68	33	2	23.92	2.00m @ 23.92 g/t	47.84
IGGC123	41	42	27.06	27.72	1	1.66	1.00m @ 1.66 g/t	1.66
IGGC123	27	28	17.82	18.48	1	1.18	1.00m @ 1.18 g/t	1.18
IGGC124	43	47	28.38	31.02	4	6.51	4.00m @ 6.51 g/t	26.04
IGGC124	36	40	23.76	26.4	4	2.2	4.00m @ 2.20 g/t	8.8
IGGC124	49	50	32.34	33	1	1.7	1.00m @ 1.70 g/t	1.7
IGGC125	48	50	31.68	33	2	12.61	2.00m @ 12.61 g/t	25.22
IGGC125	37	43	24.42	28.38	6	1.44	6.00m @ 1.44 g/t	8.64
IGGC125	53	54	34.98	35.64	1	2.64	1.00m @ 2.64 g/t	2.64
IGGC128	42	43	27.72	28.38	1	4.7	1.00m @ 4.70 g/t	4.7
IGGC128	47	48	31.02	31.68	1	1.63	1.00m @ 1.63 g/t	1.63
IGGC129	27	28	17.82	18.48	1	9.74	1.00m @ 9.74 g/t	9.74
IGGC129	33	36	21.78	23.76	3	1.9	3.00m @ 1.90 g/t	5.7
IGGC130	45	47	29.7	31.02	2	13.58	2.00m @ 13.58 g/t	27.16
IGGC131	25	32	16.5	21.12	7	4.57	7.00m @ 4.57 g/t	31.99
IGGC131	15	16	9.9	10.56	1	2.34	1.00m @ 2.34 g/t	2.34
IGGC132	7	15	4.62	9.9	8	5.36	8.00m @ 5.36 g/t	42.88
IGGC132	38	41	25.08	27.06	3	6.53	3.00m @ 6.53 g/t	19.59
IGGC132	43	45	28.38	29.7	2	2.24	2.00m @ 2.24 g/t	4.48
IGGC132	49	51	32.34	33.66	2	2.12	2.00m @ 2.12 g/t	4.24
IGGC132	53	54	34.98	35.64	1	2.12	1.00m @ 2.12 g/t	2.12
IGGC132	20	21	13.2	13.86	1	1.38	1.00m @ 1.38 g/t	1.38
IGGC133	17	21	11.22	13.86	4	1.63	4.00m @ 1.63 g/t	6.52
IGGC133	52	53	34.32	34.98	1	4.69	1.00m @ 4.69 g/t	4.69
IGGC133	9	12	5.94	7.92	3	1.32	3.00m @ 1.32 g/t	3.96
IGGC133	42	43	27.72	28.38	1	1.7	1.00m @ 1.70 g/t	1.7
IGGC134	44	54	29.04	35.64	10	5.24	10.00m @ 5.24 g/t	52.4
IGGC134	25	31	16.5	20.46	6	2.75	6.00m @ 2.75 g/t	16.5
IGGC134	33	34	21.78	22.44	1	2.14	1.00m @ 2.14 g/t	2.14
IGGC134	1	2	0.66	1.32	1	1.79	1.00m @ 1.79 g/t	1.79
IGGC135	1	3	0.66	1.98	2	5.19	2.00m @ 5.19 g/t	10.38

For personal use only

For personal use only

IGGC135	47	48	31.02	31.68	1	2.57	1.00m @ 2.57 g/t	2.57
IGGC136	39	40	25.74	26.4	1	1.63	1.00m @ 1.63 g/t	1.63
IGGC137	2	3	1.32	1.98	1	2.27	1.00m @ 2.27 g/t	2.27
IGGC138	37	39	24.42	25.74	2	2.23	2.00m @ 2.23 g/t	4.46
IGGC138	47	48	31.02	31.68	1	2.34	1.00m @ 2.34 g/t	2.34
IGGC138	32	33	21.12	21.78	1	1.88	1.00m @ 1.88 g/t	1.88
IGGC138	41	42	27.06	27.72	1	1.19	1.00m @ 1.19 g/t	1.19
IGGC138	2	3	1.32	1.98	1	1.15	1.00m @ 1.15 g/t	1.15
IGGC139	9	10	5.94	6.6	1	4.54	1.00m @ 4.54 g/t	4.54
IGGC139	38	40	25.08	26.4	2	1.84	2.00m @ 1.84 g/t	3.68
IGGC139	31	32	20.46	21.12	1	1.49	1.00m @ 1.49 g/t	1.49
IGGC139	2	3	1.32	1.98	1	1.26	1.00m @ 1.26 g/t	1.26
IGGC140	37	52	24.42	34.32	15	3.36	15.00m @ 3.36 g/t	50.4
IGGC140	26	31	17.16	20.46	5	1.28	5.00m @ 1.28 g/t	6.4
IGGC140	34	35	22.44	23.1	1	2.73	1.00m @ 2.73 g/t	2.73
IGGC141	34	36	22.44	23.76	2	1.29	2.00m @ 1.29 g/t	2.58
IGGC141	41	43	27.06	28.38	2	1.24	2.00m @ 1.24 g/t	2.48
IGGC141	50	51	33	33.66	1	1.28	1.00m @ 1.28 g/t	1.28
IGGC143	44	45	29.04	29.7	1	5.24	1.00m @ 5.24 g/t	5.24
IGGC144	50	53	33	34.98	3	2.32	3.00m @ 2.32 g/t	6.96
IGGC147	1	2	0.66	1.32	1	1.44	1.00m @ 1.44 g/t	1.44
IGGC149	36	41	23.76	27.06	5	2.92	5.00m @ 2.92 g/t	14.6
IGGC149	30	33	19.8	21.78	3	2.85	3.00m @ 2.85 g/t	8.55
IGGC149	6	7	3.96	4.62	1	5.85	1.00m @ 5.85 g/t	5.85
IGGC149	0	1	0	0.66	1	4.06	1.00m @ 4.06 g/t	4.06
IGGC150	50	54	33	35.64	4	1.02	4.00m @ 1.02 g/t	4.08
IGGC150	32	33	21.12	21.78	1	1.8	1.00m @ 1.80 g/t	1.8
IGGC151	44	45	29.04	29.7	1	1.74	1.00m @ 1.74 g/t	1.74
IGGC153	29	31	19.14	20.46	2	3.81	2.00m @ 3.81 g/t	7.62
IGGC153	16	17	10.56	11.22	1	1.32	1.00m @ 1.32 g/t	1.32
IGGC153	45	46	29.7	30.36	1	1.29	1.00m @ 1.29 g/t	1.29
IGGC155	38	42	25.08	27.72	4	2.92	4.00m @ 2.92 g/t	11.68
IGGC155	34	35	22.44	23.1	1	1.28	1.00m @ 1.28 g/t	1.28
IGGC156	5	6	3.3	3.96	1	17.6	1.00m @ 17.60 g/t	17.6
IGGC156	8	11	5.28	7.26	3	3.58	3.00m @ 3.58 g/t	10.74
IGGC156	40	42	26.4	27.72	2	4.73	2.00m @ 4.73 g/t	9.46
IGGC156	32	33	21.12	21.78	1	8.55	1.00m @ 8.55 g/t	8.55
IGGC156	27	29	17.82	19.14	2	3.2	2.00m @ 3.20 g/t	6.4
IGGC156	16	17	10.56	11.22	1	1.48	1.00m @ 1.48 g/t	1.48
IGGC156	21	22	13.86	14.52	1	1.29	1.00m @ 1.29 g/t	1.29
IGGC157	28	34	18.48	22.44	6	14.15	6.00m @ 14.15 g/t	84.9

IGGC157	44	47	29.04	31.02	3	5.93	3.00m @ 5.93 g/t	17.79
IGGC157	9	10	5.94	6.6	1	3.88	1.00m @ 3.88 g/t	3.88
IGGC157	24	25	15.84	16.5	1	3.37	1.00m @ 3.37 g/t	3.37
IGGC157	21	22	13.86	14.52	1	3.22	1.00m @ 3.22 g/t	3.22
IGGC157	50	51	33	33.66	1	1.06	1.00m @ 1.06 g/t	1.06
IGGC157	18	19	11.88	12.54	1	1.03	1.00m @ 1.03 g/t	1.03
IGGC158	42	47	27.72	31.02	5	2.63	5.00m @ 2.63 g/t	13.15
IGGC158	35	36	23.1	23.76	1	4.19	1.00m @ 4.19 g/t	4.19
IGGC158	49	50	32.34	33	1	1.49	1.00m @ 1.49 g/t	1.49
IGGC158	5	6	3.3	3.96	1	1.05	1.00m @ 1.05 g/t	1.05
IGGC159	40	46	26.4	30.36	6	1.5	6.00m @ 1.50 g/t	9
IGGC159	48	49	31.68	32.34	1	2.91	1.00m @ 2.91 g/t	2.91
IGGC159	5	6	3.3	3.96	1	1.12	1.00m @ 1.12 g/t	1.12
IGGC161	37	39	24.42	25.74	2	2.53	2.00m @ 2.53 g/t	5.06
IGGC167	21	29	13.86	19.14	8	2.9	8.00m @ 2.90 g/t	23.2
IGGC167	10	14	6.6	9.24	4	2.74	4.00m @ 2.74 g/t	10.96
IGGC167	32	34	21.12	22.44	2	2.4	2.00m @ 2.40 g/t	4.8
IGGC167	4	7	2.64	4.62	3	1.39	3.00m @ 1.39 g/t	4.17
IGGC167	39	40	25.74	26.4	1	2.5	1.00m @ 2.50 g/t	2.5
IGGC167	47	48	31.02	31.68	1	2.5	1.00m @ 2.50 g/t	2.5
IGGC167	16	17	10.56	11.22	1	2.01	1.00m @ 2.01 g/t	2.01
IGGC168	48	52	31.68	34.32	4	12.9	4.00m @ 12.90 g/t	51.6
IGGC168	34	36	22.44	23.76	2	3.38	2.00m @ 3.38 g/t	6.76
IGGC168	29	30	19.14	19.8	1	1.99	1.00m @ 1.99 g/t	1.99
IGGC169	46	48	30.36	31.68	2	1.58	2.00m @ 1.58 g/t	3.16
IGGC169	37	38	24.42	25.08	1	1.83	1.00m @ 1.83 g/t	1.83
IGGC170	38	39	25.08	25.74	1	2.99	1.00m @ 2.99 g/t	2.99
IGGC182	11	12	7.26	7.92	1	1.89	1.00m @ 1.89 g/t	1.89
IGGC183	45	46	29.7	30.36	1	2.35	1.00m @ 2.35 g/t	2.35
IGGC184	32	36	21.12	23.76	4	1.07	4.00m @ 1.07 g/t	4.28
IGGC184	39	40	25.74	26.4	1	1.01	1.00m @ 1.01 g/t	1.01
IGGC185	13	16	8.58	10.56	3	1.74	3.00m @ 1.74 g/t	5.22
IGGC185	19	20	12.54	13.2	1	1.83	1.00m @ 1.83 g/t	1.83
IGGC186	47	49	31.02	32.34	2	2.8	2.00m @ 2.80 g/t	5.6
IGGC186	37	39	24.42	25.74	2	2.13	2.00m @ 2.13 g/t	4.26
IGGC186	0	1	0	0.66	1	2.38	1.00m @ 2.38 g/t	2.38
IGGC186	42	43	27.72	28.38	1	1.41	1.00m @ 1.41 g/t	1.41
IGGC187	1	2	0.66	1.32	1	4.27	1.00m @ 4.27 g/t	4.27
IGGC187	28	29	18.48	19.14	1	1.77	1.00m @ 1.77 g/t	1.77
IGGC188	16	17	10.56	11.22	1	4.53	1.00m @ 4.53 g/t	4.53
IGGC189	11	13	7.26	8.58	2	2.59	2.00m @ 2.59 g/t	5.18

For personal use only

For personal use only

IGGC189	0	1	0	0.66	1	1.69	1.00m @ 1.69 g/t	1.69
IGGC190	4	5	2.64	3.3	1	1.22	1.00m @ 1.22 g/t	1.22
IGGC191	33	39	21.78	25.74	6	1.7	6.00m @ 1.70 g/t	10.2
IGGC191	15	18	9.9	11.88	3	2.74	3.00m @ 2.74 g/t	8.22
IGGC191	25	27	16.5	17.82	2	4.09	2.00m @ 4.09 g/t	8.18
IGGC191	0	1	0	0.66	1	1.37	1.00m @ 1.37 g/t	1.37
IGGC191	22	23	14.52	15.18	1	1.26	1.00m @ 1.26 g/t	1.26
IGGC192	0	1	0	0.66	1	3.71	1.00m @ 3.71 g/t	3.71
IGGC193	41	43	27.06	28.38	2	2.31	2.00m @ 2.31 g/t	4.62
IGGC193	0	1	0	0.66	1	1.74	1.00m @ 1.74 g/t	1.74
IGGC194	28	34	18.48	22.44	6	1.45	6.00m @ 1.45 g/t	8.7
IGGC194	48	50	31.68	33	2	2.51	2.00m @ 2.51 g/t	5.02
IGGC194	41	42	27.06	27.72	1	2.19	1.00m @ 2.19 g/t	2.19
IGGC194	36	37	23.76	24.42	1	1.31	1.00m @ 1.31 g/t	1.31
IGGC194	25	26	16.5	17.16	1	1.1	1.00m @ 1.10 g/t	1.1
IGGC195	0	2	0	1.32	2	2.62	2.00m @ 2.62 g/t	5.24
IGGC195	26	27	17.16	17.82	1	3.16	1.00m @ 3.16 g/t	3.16
IGGC196	0	1	0	0.66	1	5.29	1.00m @ 5.29 g/t	5.29
IGGC196	34	35	22.44	23.1	1	1.42	1.00m @ 1.42 g/t	1.42
IGGC196	43	44	28.38	29.04	1	1.06	1.00m @ 1.06 g/t	1.06
IGGC196	40	41	26.4	27.06	1	1.02	1.00m @ 1.02 g/t	1.02
IGGC197	37	38	24.42	25.08	1	1.83	1.00m @ 1.83 g/t	1.83
IGGC197	33	34	21.78	22.44	1	1.4	1.00m @ 1.40 g/t	1.4
IGGC199	28	30	18.48	19.8	2	3.59	2.00m @ 3.59 g/t	7.18
IGGC199	22	26	14.52	17.16	4	1.74	4.00m @ 1.74 g/t	6.96
IGGC200	35	36	23.1	23.76	1	4.11	1.00m @ 4.11 g/t	4.11
IGGC200	48	50	31.68	33	2	1.67	2.00m @ 1.67 g/t	3.34
IGGC200	31	32	20.46	21.12	1	2.04	1.00m @ 2.04 g/t	2.04
IGGC201	53	54	34.98	35.64	1	3.14	1.00m @ 3.14 g/t	3.14

Appendix 2: Collar Data for Drillholes Included in this ASX Release

All Holes located on Tenement M 16/262

Hole ID	Hole Type	Max Depth	Grid ID	Easting	Northing	RL	Azimuth	Dip
IGGC001	RC	54	MGA94_51	275895.4	6623715	515.74	90.55	-60.49
IGGC002	RC	54	MGA94_51	275875.1	6623715	516.09	88.91	-59.8
IGGC003	RC	54	MGA94_51	275855.3	6623715	516.47	90.13	-60.13
IGGC004	RC	54	MGA94_51	275834.5	6623715	517.04	91.27	-60.84
IGGC005	RC	54	MGA94_51	275815.6	6623715	517.46	90.35	-60.59
IGGC006	RC	51	MGA94_51	275795.2	6623715	517.83	90	-60
IGGC007	RC	54	MGA94_51	275775.2	6623715	518.11	88.21	-59.41
IGGC008	RC	54	MGA94_51	275755.4	6623715	518.46	91.4	-60.39
IGGC009	RC	54	MGA94_51	275735.2	6623715	518.68	90.55	-60.38
IGGC010	RC	54	MGA94_51	275715.3	6623715	519.05	89.67	-60.42
IGGC011	RC	54	MGA94_51	275695.6	6623715	519.17	90	-59.93
IGGC012	RC	54	MGA94_51	275974.9	6623735	513.61	89.19	-60.19
IGGC013	RC	54	MGA94_51	275955.3	6623735	514.22	92.05	-59.86
IGGC014	RC	54	MGA94_51	275935	6623735	514.71	88.56	-60.54
IGGC015	RC	54	MGA94_51	275915.2	6623735	515.2	90.32	-60.23
IGGC016	RC	54	MGA94_51	275894.9	6623735	515.6	89.67	-60.63
IGGC017	RC	54	MGA94_51	275875	6623735	515.92	91.73	-60.51
IGGC018	RC	54	MGA94_51	275855.3	6623735	516.47	90.71	-60.19
IGGC019	RC	54	MGA94_51	275835.4	6623735	516.82	91.15	-59.94
IGGC020	RC	54	MGA94_51	275815.2	6623735	517.19	89.41	-60.02
IGGC021	RC	54	MGA94_51	275795	6623735	517.42	89.65	-62.17
IGGC022	RC	54	MGA94_51	275775.2	6623735	517.85	91.63	-60.84
IGGC023	RC	54	MGA94_51	275755.1	6623735	518.06	89.29	-61.91
IGGC024	RC	54	MGA94_51	275735.5	6623735	518.36	89.49	-59.91
IGGC025	RC	54	MGA94_51	275715.2	6623735	518.73	90.82	-60.38
IGGC026	RC	54	MGA94_51	275694.8	6623735	519.05	88.37	-60.1
IGGC027	RC	54	MGA94_51	275935.3	6623775	513.71	92.62	-60.12
IGGC028	RC	54	MGA94_51	275915	6623775	514.71	89.44	-60.73
IGGC029	RC	54	MGA94_51	275895.8	6623775	515.47	92.27	-59.82

For personal use only

IGGC030	RC	54	MGA94_51	275875.4	6623775	515.82	92.94	-60.8
IGGC031	RC	54	MGA94_51	275855.3	6623775	516.14	91.82	-60.76
IGGC032	RC	54	MGA94_51	275835.4	6623775	516.44	91.33	-59.91
IGGC033	RC	54	MGA94_51	275814.7	6623775	516.95	92.19	-60.28
IGGC034	RC	54	MGA94_51	275794.9	6623775	515.87	90.17	-60.04
IGGC035	RC	54	MGA94_51	275774.9	6623775	515.63	89.73	-59.6
IGGC036	RC	54	MGA94_51	275754.7	6623775	516.16	89.46	-59.83
IGGC037	RC	54	MGA94_51	275735	6623776	516.59	90.27	-60.01
IGGC038	RC	54	MGA94_51	275715.6	6623775	517.97	89.43	-59.13
IGGC039	RC	54	MGA94_51	275695.3	6623775	518.71	89.93	-60.18
IGGC040	RC	54	MGA94_51	275675.2	6623775	519.34	88.03	-61.53
IGGC041	RC	54	MGA94_51	275655.4	6623775	519.62	91.63	-60.3
IGGC042	RC	54	MGA94_51	275635.3	6623775	520	91.37	-60.31
IGGC043	RC	54	MGA94_51	275934.8	6623805	511.6	90.16	-59.8
IGGC044	RC	54	MGA94_51	275915.3	6623805	513.79	90.04	-59.95
IGGC045	RC	54	MGA94_51	275895	6623805	514.22	89.2	-60.11
IGGC046	RC	54	MGA94_51	275875.3	6623805	513.51	88.85	-57.19
IGGC047	RC	54	MGA94_51	275855.1	6623805	514.67	90.45	-60.18
IGGC048	RC	54	MGA94_51	275835	6623805	515.87	91.42	-59.77
IGGC049	RC	54	MGA94_51	275815.3	6623805	516.94	89.73	-60.28
IGGC050	RC	54	MGA94_51	275795.2	6623805	517.48	90.42	-60.44
IGGC051	RC	54	MGA94_51	275775.2	6623805	516.8	91.6	-60.25
IGGC052	RC	54	MGA94_51	275746.3	6623810	516.45	91.13	-60.28
IGGC053	RC	54	MGA94_51	275735.2	6623805	516.46	91.28	-59.82
IGGC054	RC	54	MGA94_51	275715.2	6623805	517	90.5	-59.93
IGGC055	RC	54	MGA94_51	275695.3	6623805	517.72	91.95	-59.9
IGGC056	RC	54	MGA94_51	275675.2	6623805	519.31	91.74	-60.86
IGGC057	RC	54	MGA94_51	275655.4	6623805	519.75	90.85	-60.14
IGGC058	RC	54	MGA94_51	275635.3	6623805	519.99	89.72	-59.58
IGGC059	RC	54	MGA94_51	275615	6623805	520.31	93.69	-57.69
IGGC060	RC	54	MGA94_51	275915.5	6623825	511.77	91.73	-59.82
IGGC061	RC	54	MGA94_51	275895.7	6623825	513.2	94.2	-60.66
IGGC062	RC	54	MGA94_51	275875.2	6623825	512.63	93.36	-60.1
IGGC063	RC	54	MGA94_51	275855.2	6623825	513.01	91.02	-61.2

For personal use only

IGGC064	RC	54	MGA94_51	275835.3	6623825	514.22	89.58	-61.11
IGGC065	RC	54	MGA94_51	275814.7	6623825	515.44	91.66	-60.79
IGGC066	RC	54	MGA94_51	275795.3	6623825	516.82	92.3	-60.19
IGGC067	RC	54	MGA94_51	275775.4	6623825	518.13	93.38	-60.57
IGGC068	RC	54	MGA94_51	275754.4	6623825	517.5	86	-61.45
IGGC069	RC	54	MGA94_51	275735.4	6623825	517.84	90.23	-60
IGGC070	RC	54	MGA94_51	275715.2	6623825	518.32	91.81	-59.81
IGGC071	RC	54	MGA94_51	275695.3	6623825	519.35	89.46	-59.86
IGGC072	RC	54	MGA94_51	275676.1	6623825	519.86	89.21	-59.57
IGGC073	RC	54	MGA94_51	275655.6	6623825	519.89	91.43	-60.11
IGGC074	RC	50	MGA94_51	275635.3	6623825	520	89.96	-60.17
IGGC075	RC	54	MGA94_51	275615.6	6623825	520.47	91.38	-60.27
IGGC076	RC	54	MGA94_51	275595.8	6623825	520.83	93.24	-59.17
IGGC077	RC	54	MGA94_51	275575.3	6623825	521.2	93.21	-60.44
IGGC078	RC	54	MGA94_51	275914.2	6623857	512.14	92	-60.09
IGGC079	RC	54	MGA94_51	275894.7	6623855	513.22	90.5	-60.29
IGGC080	RC	54	MGA94_51	275874.6	6623855	513.79	89.96	-60.37
IGGC081	RC	54	MGA94_51	275854.8	6623855	514	90.89	-60.65
IGGC082	RC	54	MGA94_51	275835.3	6623855	513.95	90.04	-59.99
IGGC083	RC	54	MGA94_51	275814.8	6623855	514.87	89.6	-61.08
IGGC084	RC	54	MGA94_51	275795.1	6623855	515.8	90	-60
IGGC085	RC	54	MGA94_51	275775.2	6623855	517.8	90.9	-60.42
IGGC086	RC	54	MGA94_51	275755.3	6623855	518.88	89.91	-59.31
IGGC087	RC	54	MGA94_51	275735	6623855	519.14	89.94	-59.67
IGGC088	RC	54	MGA94_51	275718.6	6623854	519.5	88.73	-60.22
IGGC089	RC	54	MGA94_51	275695	6623855	519.82	88.58	-60.15
IGGC090	RC	54	MGA94_51	275675.5	6623855	520.09	90.73	-60.38
IGGC091	RC	54	MGA94_51	275655	6623855	519.99	89.69	-59.61
IGGC092	RC	54	MGA94_51	275635.6	6623855	520.32	90.95	-59.95
IGGC093	RC	54	MGA94_51	275615.6	6623855	520.63	89.57	-59.38
IGGC094	RC	54	MGA94_51	275595.9	6623855	520.66	91.7	-59.86
IGGC095	RC	54	MGA94_51	275575.6	6623855	521.09	94.63	-61.39
IGGC096	RC	54	MGA94_51	275555.4	6623855	521.48	90.19	-60.38
IGGC097	RC	54	MGA94_51	275870.4	6623880	513.81	90.69	-59.51

For personal use only

For personal use only

IGGC098	RC	54	MGA94_51	275850	6623880	514.05	90.73	-59.48
IGGC099	RC	54	MGA94_51	275830.3	6623880	514.19	90.55	-60.38
IGGC100	RC	54	MGA94_51	275810.1	6623880	514.5	91.16	-60.92
IGGC101	RC	54	MGA94_51	275790.5	6623880	516.16	90.06	-60.63
IGGC102	RC	54	MGA94_51	275770.9	6623880	517.66	90.2	-59.75
IGGC103	RC	54	MGA94_51	275750.8	6623880	518.36	90.19	-59.96
IGGC104	RC	54	MGA94_51	275730.3	6623880	519.11	90.51	-59.54
IGGC105	RC	54	MGA94_51	275710	6623880	519.48	92.66	-60.43
IGGC106	RC	54	MGA94_51	275693.9	6623880	519.76	89.02	-60.11
IGGC107	RC	54	MGA94_51	275670.4	6623880	520.24	90.05	-60.48
IGGC108	RC	54	MGA94_51	275650.1	6623880	520.31	90.13	-60.29
IGGC109	RC	54	MGA94_51	275630.1	6623880	520.56	90.05	-60.55
IGGC110	RC	54	MGA94_51	275610.2	6623880	520.63	90.01	-60.4
IGGC111	RC	54	MGA94_51	275590.4	6623880	520.85	89.96	-59.5
IGGC112	RC	54	MGA94_51	275570.2	6623880	521.22	90.53	-59.45
IGGC113	RC	54	MGA94_51	275549.5	6623880	521.9	91.38	-60.07
IGGC114	RC	54	MGA94_51	275865	6623905	513.84	89.95	-59.01
IGGC115	RC	54	MGA94_51	275845.1	6623905	513.98	89.77	-60.04
IGGC116	RC	54	MGA94_51	275824.9	6623905	513.33	90.43	-60.66
IGGC117	RC	54	MGA94_51	275805.4	6623905	513.91	91.37	-60.29
IGGC118	RC	54	MGA94_51	275784.9	6623905	515.72	90.85	-60.36
IGGC119	RC	54	MGA94_51	275765.5	6623905	517.27	88.78	-60.35
IGGC120	RC	54	MGA94_51	275745	6623905	518.48	89.96	-59.71
IGGC121	RC	54	MGA94_51	275725.1	6623905	519.05	89.97	-61.04
IGGC122	RC	54	MGA94_51	275705.2	6623905	519.41	89.91	-60.03
IGGC123	RC	54	MGA94_51	275685	6623905	519.82	90.08	-60.22
IGGC124	RC	54	MGA94_51	275664.7	6623905	520	89.98	-60.73
IGGC125	RC	54	MGA94_51	275645.3	6623905	520.34	92.8	-59.72
IGGC126	RC	54	MGA94_51	275625.5	6623905	520.61	90.26	-60.57
IGGC127	RC	54	MGA94_51	275605.5	6623907	520.93	91.58	-60.03
IGGC128	RC	54	MGA94_51	275585.5	6623908	521.62	90.95	-60.98
IGGC129	RC	54	MGA94_51	275565.9	6623905	522.12	90.95	-60.61
IGGC130	RC	54	MGA94_51	275545.9	6623905	522.75	93.7	-60.36
IGGC131	RC	54	MGA94_51	275829.9	6623930	513.93	90.32	-60.12

For personal use only

IGGC132	RC	54	MGA94_51	275810.1	6623930	513.92	92.16	-60.52
IGGC133	RC	54	MGA94_51	275789.8	6623930	514.05	91.72	-59.97
IGGC134	RC	54	MGA94_51	275770	6623930	515.47	89.26	-60.16
IGGC135	RC	54	MGA94_51	275750.1	6623930	517.18	88.87	-59.85
IGGC136	RC	54	MGA94_51	275730.2	6623930	517.98	90.61	-60.31
IGGC137	RC	54	MGA94_51	275710.3	6623930	518.6	95.2	-59.53
IGGC138	RC	54	MGA94_51	275690.1	6623930	518.82	90	-60
IGGC139	RC	54	MGA94_51	275670.1	6623930	518.89	90.12	-60.1
IGGC140	RC	54	MGA94_51	275650.1	6623930	519.52	90.02	-59.67
IGGC141	RC	54	MGA94_51	275630.3	6623930	520.45	89.77	-59.82
IGGC142	RC	54	MGA94_51	275609.7	6623930	521.36	90.02	-60.05
IGGC143	RC	54	MGA94_51	275590.1	6623930	522.27	89.85	-60.27
IGGC144	RC	54	MGA94_51	275570	6623930	522.98	89.56	-59.6
IGGC145	RC	42	MGA94_51	275550.8	6623930	523.33	91.63	-58.47
IGGC146	RC	54	MGA94_51	275530.1	6623930	524.18	89.79	-60.42
IGGC147	RC	54	MGA94_51	275829.8	6623955	514.34	89.95	-60.04
IGGC148	RC	54	MGA94_51	275809.3	6623955	513.93	90.16	-60.57
IGGC149	RC	54	MGA94_51	275789.7	6623955	514.17	90.06	-59.45
IGGC150	RC	54	MGA94_51	275769.9	6623955	514.6	89.98	-59.41
IGGC151	RC	54	MGA94_51	275749.9	6623955	515.35	90.07	-60.48
IGGC152	RC	54	MGA94_51	275730	6623955	515.8	90.32	-60.36
IGGC153	RC	54	MGA94_51	275710	6623955	516.34	89.24	-60.49
IGGC154	RC	54	MGA94_51	275690.2	6623955	516.8	91.07	-59.87
IGGC155	RC	54	MGA94_51	275669.8	6623955	517.83	90.47	-60.42
IGGC156	RC	54	MGA94_51	275650.2	6623955	518.92	89.82	-60.01
IGGC157	RC	54	MGA94_51	275629.9	6623955	520.42	90.97	-58.29
IGGC158	RC	54	MGA94_51	275610.1	6623955	522.3	90.61	-58.76
IGGC159	RC	54	MGA94_51	275590.3	6623955	523.28	90.34	-59.36
IGGC160	RC	54	MGA94_51	275570.4	6623955	523.91	90.3	-59.78
IGGC161	RC	54	MGA94_51	275550.6	6623955	524.63	90.32	-60.48
IGGC162	RC	54	MGA94_51	275530.4	6623955	525.07	90.24	-59.79
IGGC163	RC	54	MGA94_51	275814.4	6623980	514.25	89.9	-60
IGGC164	RC	54	MGA94_51	275794.7	6623980	514.01	89.93	-60.38
IGGC165	RC	54	MGA94_51	275775.1	6623980	514.24	90.07	-59.76

IGGC166	RC	54	MGA94_51	275755.2	6623980	514.42	89.89	-59.42
IGGC167	RC	54	MGA94_51	275735.2	6623980	514.86	90.01	-59.37
IGGC168	RC	54	MGA94_51	275715	6623980	515.56	88.23	-59.71
IGGC169	RC	54	MGA94_51	275694.7	6623980	516.38	91.52	-60.15
IGGC170	RC	54	MGA94_51	275675.2	6623981	517	89.7	-59.13
IGGC177	RC	54	MGA94_51	275535.3	6623980	524.99	89.71	-59.22
IGGC178	RC	54	MGA94_51	275515.1	6623980	524.8	89.9	-59.56
IGGC179	RC	54	MGA94_51	275494.9	6623980	524.63	89.91	-59.12
IGGC180	RC	54	MGA94_51	275814.8	6624005	516.64	91.17	-60.48
IGGC181	RC	54	MGA94_51	275795	6624005	514.59	89.37	-60.7
IGGC182	RC	54	MGA94_51	275775.1	6624005	514.18	89.98	-60.43
IGGC183	RC	54	MGA94_51	275755	6624005	514.53	95.38	-59.11
IGGC184	RC	54	MGA94_51	275734.9	6624005	514.59	90.01	-57.79
IGGC185	RC	54	MGA94_51	275715	6624005	515.46	90.01	-59.14
IGGC186	RC	54	MGA94_51	275695.2	6624005	516.11	90.07	-58.42
IGGC187	RC	54	MGA94_51	275780	6624030	514.86	89.92	-59.2
IGGC188	RC	54	MGA94_51	275759.9	6624030	514.58	89.95	-59.75
IGGC189	RC	54	MGA94_51	275743.7	6624029	515.03	89.82	-59.74
IGGC190	RC	54	MGA94_51	275720.1	6624030	515.24	90.08	-60.22
IGGC191	RC	54	MGA94_51	275700.1	6624030	516.4	90.13	-60.44
IGGC192	RC	54	MGA94_51	275740.1	6624055	515.15	90.43	-60.41
IGGC193	RC	54	MGA94_51	275720.3	6624055	515.46	89.24	-60.59
IGGC194	RC	54	MGA94_51	275700.1	6624055	515.56	88.65	-59.8
IGGC195	RC	54	MGA94_51	275715.6	6624080	515.6	89.97	-58.76
IGGC196	RC	54	MGA94_51	275695.1	6624080	516.12	90.01	-60.27
IGGC197	RC	54	MGA94_51	275674.8	6624080	516.41	89.34	-61.1
IGGC198	RC	54	MGA94_51	275710.1	6624105	514.96	90.47	-59.65
IGGC199	RC	54	MGA94_51	275690.3	6624105	515.58	90.15	-58.95
IGGC200	RC	54	MGA94_51	275670.2	6624105	516.42	90.05	-59.21
IGGC201	RC	54	MGA94_51	275650	6624105	516.59	90.11	-59.29

For personal use only

Appendix 3: JORC Tables

Section 1: Sampling Techniques and Data

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
<p>Sampling techniques</p>	<p><i>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling.</i></p> <p><i>Include reference to measures taken to ensure sample representativity and the appropriate calibration of any measurement tools or systems used.</i></p> <p><i>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where ‘industry standard’ work has been done this would be relatively simple (e.g. ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.</i></p>	<p>Aberfoyle:</p> <ul style="list-style-type: none"> Reverse circulation (RC), rotary air blast (RAB) and aircore (AC) drilling with 1 m sampling from cyclone (BDRB prefix holes RAB drilling with 2 m sampling). Samples sent to accredited laboratories for drying, crushing and pulverising. Composite samples assayed by aqua regia/atomic absorption spectroscopy (AAS) (except in areas of elevated graphite – fire assay (FA)) and those returning greater than 0.2–0.3 g/t were re-assayed as individual metres by FA to ALS Kalgoorlie for 50 g charge FA with 0.01 ppm detection limit. HQ triple diamond (DD) drilling was halved, 50 g charge FA with 0.01 ppm detection limit. <p>EGL:</p> <ul style="list-style-type: none"> RC samples collected from the riffle or cone splitter directly off rig into calico bags. Splitter maintained on level site to ensure sample representativity. 1 m samples are dried, crushed, pulverised and a 40 g charge is analysed by FA. <p>Roper River Resources:</p> <ul style="list-style-type: none"> RAB 1 m sampling with blade or hammer. Dried, crushed and pulverised samples analysed by aqua regia/AAS finish with 25 g charge. <p>Monarch:</p> <ul style="list-style-type: none"> AC, RAB and RC drilling on 1 m sampling basis with RAB samples being composited to 4 m for initial analysis by aqua regia/AAS. Individual AC and RC metres collected from cyclone, riffle split and dispatched for aqua regia/AAS and FA/AAS respectively.

BEACON MINERALS LIMITED ACN 119 611 559

Registered Address 144 Vivian Street, Boulder, WA 6432

Website www.beaconminerals.com Phone 08 9093 2477

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<p>Siberia Mining Corporation (SMC):</p> <ul style="list-style-type: none"> • 1 m sampling of AC, RAB and RC drilling composites and individual re-assays dispatched for FA. <p>Perilya:</p> <ul style="list-style-type: none"> • 5 m composite RAB and AC assayed at Analabs Perth by method P649, 50 g aqua regia, DIBK, Carbon Rod. <p>Croesus:</p> <ul style="list-style-type: none"> • RC 1 m samples collected under cyclone. RAB drilling on a 1 m basis. 3.5 kg samples were pulverised to make 50 g charge for analysis by FA/inductively coupled plasma-optical spectrometry (ICP-OS). <p>Delta:</p> <ul style="list-style-type: none"> • 1 m sampling of AC, RAB and RC. 5 m composites dispatched to Genalysis and/or ALS laboratories Kalgoorlie for preparation, followed by aqua regia with 50 g charge with 0.01 ppm detection limit. Composite assays returning values ≥ 0.1 ppm Au, corresponding single metre samples were collected and despatched. <p>Ora Banda Mining Ltd (OBM):</p> <ul style="list-style-type: none"> • 1 m RC samples using face sampling hammer with samples collected under cone splitter.

for personal use only

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> • 4 m composite RC samples collected using a PVC spear from the sample piles at the drill site. For drilling up to April 2020, RC samples were dispatched for pulverising and 50 g charge FA. 4 m composite samples with gold values greater than 0.2 g/t Au were re-sampled as 1 m split samples and submitted to the lab for further analysis. Half-core samples, cut by automated core saw. Core sample intervals selected by geologist and defined by geological boundaries. Samples are crushed, pulverised and a 40 g charge is analysed by FA. • A total of 56 holes were drilled by OBM, including three RCDD holes and 53 RC holes. <p>The information presented above has been derived from OBM’s JORC Table 1 for its 2022 Iguana Mineral Resource estimate (MRE). Snowden Optiro acknowledges that it cannot independently validate the provided information and relies on it for decision-making during the 2024 MRE update.</p> <p>Beacon Minerals</p> <ul style="list-style-type: none"> • 1m RC Samples using face hammer with samples collected under Cone Splitter • 4m Composite AC samples collected via scoop on sample piles. 4 m composite samples with gold values greater than 0.2 g/t Au were re-sampled as 1 m split samples and submitted to the lab for further analysis • Diamond Core logged and full hole sampled utilising geology defined sample intervals. Core was halved or quartered depending on use and dispatched to the BV Cunningham facility

for personal use only

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
<p>Drilling techniques</p>	<p><i>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i></p>	<ul style="list-style-type: none"> All Assays submitted by Beacon Minerals were analysed by BV Cunninham. Samples are crushed, pulverised and a 40 g charge is analysed by FA. <p>Aberfoyle:</p> <ul style="list-style-type: none"> No details for early RAB drilling. Later drilling involved RAB drilling using 4–4.25-inch blade or hammer to blade refusal. AC using 3.5-inch blade. RC 5.25–5.5-inch diameter face sampling hammer. <p>Croesus:</p> <ul style="list-style-type: none"> Undocumented details. Presumably industry standard at the time being 5.5-inch face sampling hammers for RC and 4-inch diameter RAB holes. <p>Delta:</p> <ul style="list-style-type: none"> RC 5.5-inch face sampling hammers. At times, a stepped AC bit was used to drill through sand at beginning of hole which changed to face-sampling hammer when laterite encountered. HQ triple twin DD holes at Lizard. LZD1-3 was oriented. <p>EGL:</p> <ul style="list-style-type: none"> RC 5.25-inch diameter. <p>Roper River Resources:</p> <ul style="list-style-type: none"> RAB with blade and/or hammer bit. RC drilling with 5.25-inch diameter face sampling hammer. <p>Monarch:</p> <ul style="list-style-type: none"> RC drilling 5.5-inch diameter with face sampling hammer.

for personal use only

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> • RAB 4-inch diameter blade with occasional hammer bit usage. • AC details undocumented. <p>SMC:</p> <ul style="list-style-type: none"> • AC, RAB, RC details undocumented. Presumably industry standard at the time being 5.5-inch face sampling hammers for RC and 4-inch diameter RAB holes. <p>OBM:</p> <ul style="list-style-type: none"> • 5.25–5.5-inch diameter RC holes using face sampling hammer with samples collected under cone splitter. HQ and HQ3 coring to approx. 40 m, then NQ2 to bottom of hole. • Metallurgical and geotechnical core holes drilled using HQ3 exclusively. • All core oriented by reflex instrument. <p>The information presented above is derived from OBM's JORC table for its 2022 Iguana MRE. Snowden Optiro acknowledges that it cannot independently validate the provided information and relies on it for decision-making during the 2024 MRE update.</p> <p>Beacon Minerals:</p> <ul style="list-style-type: none"> • RC drilling conducted by 115mm Hammer face bit. • AC Drilling conducted utilising both Blade and Hammer methods, varying in bit size due to ground conditions • Diamond Coring conducted in PQ3 or HQ3. Two holes were collared in PQ3 before casing off at approx. 70m depth to HQ3. Remaining holes were drilled HQ3 from collar.

for personal use only

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
<p>Drill sample recovery</p>	<p><i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></p> <p><i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></p> <p><i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i></p>	<p>Delta:</p> <ul style="list-style-type: none"> Recoveries for resource RC drilling made as a subjective estimate. Recoveries in resource drilling were generally in excess of 70% (Iguana laterite), 60% (Lizard). Poor recoveries occurred outside mineralised zones. <p>OBM:</p> <ul style="list-style-type: none"> DD drill recoveries are recorded as a percentage calculated from measured core against downhole drilled intervals (core blocks). RC samples are weighed at the laboratory to monitor recoveries. <p>Other operators have not captured recovery data.</p> <p>There is no known relationship between sample recovery and grade.</p> <p>The information presented above is derived from OBM's JORC table for its 2022 Iguana MRE. Snowden Optiro acknowledges that it cannot independently validate the provided information and relies on it for decision-making during the 2024 MRE update</p> <p>Beacon Minerals:</p> <ul style="list-style-type: none"> Diamond Drilling Recoveries were recorded in logging and sampling processes, with noted core loss existing in upper weathering profiles RC Drilling had recoveries recorded by percentage of material, significant material loss was present near surface due to unconsolidated sands

For personal use only

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
<p>Logging</p>	<p><i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i></p> <p><i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography.</i></p> <p><i>The total length and percentage of the relevant intersections logged.</i></p>	<p>Aberfoyle:</p> <ul style="list-style-type: none"> • Logging on 1 m basis. • Qualitative – lithology, oxidation, grain size. • Quantitative – quartz. <p>Croesus:</p> <ul style="list-style-type: none"> • Qualitative – lithology, colour, grain size, alteration, oxidation, texture, structures, regolith. • Quantitative – estimates are made of quartz veining. <p>Delta:</p> <ul style="list-style-type: none"> • Qualitative – lithology, colour, oxidation, structure, texture, alteration. • Quantitative – estimates are made of quartz veining and minerals. <p>EGL:</p> <ul style="list-style-type: none"> • Qualitative – alteration, colour, grain size, lithology, oxidation, mineralogy, structure, texture, vein style, vein assemblage, remarks. • Quantitative – mineralisation intensity, vein percent. <p>Roper River Resources:</p> <ul style="list-style-type: none"> • Qualitative – colour, lithology, oxidation, BOCO, texture, alteration, minerals, sulphides. • Quantitative – quartz. <p>Monarch:</p> <ul style="list-style-type: none"> • Qualitative – lithology, colour, oxidation, grain size, texture, structure, hardness, regolith. • Quantitative – estimates are made of quartz veining, sulphide percentages. <p>SMC:</p> <ul style="list-style-type: none"> • Qualitative – lithology, colour, oxidation, alteration.

BEACON MINERALS LIMITED ACN 119 611 559

Registered Address 144 Vivian Street, Boulder, WA 6432

Website www.beaconminerals.com Phone 08 9093 2477

For personal use only

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> Quantitative – estimates are made of quartz veining. <p>OBM:</p> <ul style="list-style-type: none"> Field logging was conducted using Geobank Mobile™ software on Panasonic Toughbook CF-31 ruggedised laptop computers. Qualitative logging – lithology, colour, oxidation, grain size, texture, structure, hardness, regolith. Quantitative – estimates are made of quartz veining, sulphide and alteration percentages. Core photographed both wet and dry. Magnetic susceptibility and rock quality designation (RQD) were also recorded for core holes. <p>All holes were geologically logged in their entirety to a level of detail to support Mineral Resource estimation.</p>
<p>Subsampling techniques and sample preparation</p>	<p><i>If core, whether cut or sawn and whether quarter, half or all core taken.</i></p> <p><i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i></p> <p><i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i></p> <p><i>Quality control procedures adopted for all subsampling stages to maximise representativity of samples.</i></p> <p><i>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</i></p> <p><i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i></p>	<p>Aberfoyle:</p> <ul style="list-style-type: none"> Early (~1990) drilling – 2 m samples composited to 6m by undocumented method. Results returning >0.2 g/t re-sampled on a 2 m basis. Subsequent drilling – RAB/AC 2 m surface composites and 4 m composites thereafter. RC 1 m samples riffle split and composited to 4 m samples. Composites assays returning greater than 0.2 g/t re-sampled on a metre basis. <p>Croesus:</p> <ul style="list-style-type: none"> RAB drill samples were collected in buckets below a freestanding cyclone and laid out at 1 m intervals in rows of tens adjacent to the drill collar.

For personal use only

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> • Composite analytical samples (~3.5 kg) were initially collected over 5 m intervals for each hole and a 1 m bottom of hole analytical sample. Analytical composite samples were formed by taking a representative scoop through each 1 m drill sample. Composite assays returning greater than 100 ppb Au were resampled on an individual basis by an undocumented method. • RC drill samples were riffle split at 1 m intervals off the rig into calico bags whilst excess material was placed on the ground in 1 m piles for logging. The analytical samples were dried, crushed and split to obtain a sample less than 3.5 kg, and then fine pulverised prior to a 50 g sample being taken for analysis. <p>Delta:</p> <ul style="list-style-type: none"> • RC: Samples collected on 1 m intervals via a cyclone into green plastic bags. Each bag was riffle split if dry to a 2–3 kg sample and retained on site. A PVC spear sample was taken from residues to create a 5 m composite. If composites returned values ≥ 0.1 g/t, geologically interesting or had elevated arsenic levels, the original 1 m splits were collected and submitted. Original wet samples were split at this stage using wet triple riffle splitter, washed between samples. Wet samples were rare and usually outside of main mineralisation. • RAB: Typically 1 m samples were composited to 5 m (occasionally 10 m) by PVC spear. Significant assay results were re-submitted on a single metre basis. • DD: Core was halved. Sample length typically 1 m. <p>EGL:</p>

For personal use only

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> • RC samples riffle split into calico bags. Wet or moist samples are noted during sampling. Core was cut with diamond saw and half core sampled. All mineralised zones are sampled, including portions of visibly unmineralised hangingwall and footwall zones. Sample weights range from >1.0 kg to 3.5 kg. Samples weighed by laboratory, dried and split to <3 kg if necessary and pulverised by LM-5. Field duplicates, blanks and standards were submitted for QAQC analysis. <p>Roper River Resources:</p> <ul style="list-style-type: none"> • RAB and RC holes were composited to 6 m and 4 m respectively with anomalous zones of nickel or gold being resubmitted on a metre basis. <p>Monarch:</p> <ul style="list-style-type: none"> • RAB: 2 – 4 m composites scoop sampled. • AC and RC 1 m splits via riffle splitter. • RAB samples were composited to 4 m by scoop for initial analysis. Samples were riffle split and prepared with single stage mix and grinding. <p>SMC:</p> <ul style="list-style-type: none"> • RAB samples were collected at 1 m intervals from the drillhole collar using a plastic bucket and laid on the ground. A scoop sample was taken from each sample to form 4 m or 5 m composite. • AC: Predominantly 4 m composite samples. Methods unknown. • RAB samples were collected at 1 m intervals from the drillhole collar using a plastic bucket and laid on the ground. A scoop sample was taken from each sample to form a 5 m composite. • AC: Predominantly 4 m composite samples. • RAB: Predominantly 5 m composite samples.

for personal use only

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<p>OBM:</p> <ul style="list-style-type: none"> • RC samples were submitted either as individual 1 m samples taken onsite from cone splitter or as 4 m composite samples speared from the onsite drill sample piles. Half-core samples, cut by saw. Core sample intervals selected by geologist and defined by geological boundaries. • For drilling up to April 2020, RC samples were dried, crushed, split, pulverised and a 50 g charge taken. 4 m composite samples with gold values greater than 0.2 g/t Au were re-sampled as 1 m split samples and submitted to the lab for further analysis. • Field duplicates, blanks and standards were submitted for quality assurance and quality control (QAQC) analysis. Repeat assays were undertaken on pulp samples at the discretion of the laboratory. <p>The information presented above is derived from OBM's JORC table for its 2022 Iguana MRE. Snowden Optiro acknowledges that it cannot independently validate the provided information and relies on it for decision-making during the 2024 MRE update</p> <p>Beacon Minerals:</p> <ul style="list-style-type: none"> • RC samples were submitted either as individual 1 m samples taken onsite from cone splitter or as 4 m composite samples scooped from the onsite drill sample piles. Half-core samples, cut by saw. Core sample intervals selected by geologist and defined by geological boundaries. • Field duplicates, blanks and standards were submitted for quality assurance and quality control (QAQC) analysis. Repeat assays were undertaken on pulp samples at the discretion of the laboratory.

For personal use only

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
<p>Quality of assay data and laboratory tests</p>	<p><i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i></p> <p><i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i></p> <p><i>Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</i></p>	<p>Aberfoyle:</p> <ul style="list-style-type: none"> • RC/RAB: composites assayed by aqua regia AAS. Composites returning >0.2–0.3g/t Au re-submitted as 1 m samples by 50 g charge FA. • AC: Composites by 50 g charge FA. Composites returning >0.2–0.3g/t Au re-submitted as 1 m samples for FA again. • In areas of elevated graphite (Burke Dam), RC composites were assayed by 50 g FA. Assayed at Genalysis. <p>Croesus:</p> <ul style="list-style-type: none"> • 50 g charge analysed for gold (FA/ICP-Os) by Analabs Kalgoorlie for RC and Ultratrace Perth for RAB. Lab repeats at discretion of laboratory. <p>Delta:</p> <ul style="list-style-type: none"> • RC and RAB: 5 m composites dispatched to Genalysis and/or ALS laboratories Kalgoorlie for aqua regia with 50 g charge with 0.01 ppm detection limit. Composite assays returning values >= 0.1 ppm Au, corresponding single metre samples were collected and despatched to ALS Kalgoorlie for 50 g charge FA with 0.01 ppm detection limit. Core despatched to Genalysis Kalgoorlie for 50 g charge FA with 0.01ppm detection limit. Standards of an undocumented provenance and locally (uncertified) sourced blanks inserted but frequency undocumented. One in 20 pulp duplicate frequency. Blind pulp re-assays performed. <p>EGL:</p>

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> • Samples were sent to Kalgoorlie Assay Laboratories to be analysed for gold by 40 g FA. Samples were also analysed at Genalysis. Certified reference material (CRM) standards were submitted. Field duplicate samples taken at rate of 1:40. <p>Roper River Resources:</p> <ul style="list-style-type: none"> • 25 g sample by aqua regia/AAS finish at MiniLab Kalgoorlie. Lab repeats at discretion of laboratory. <p>Monarch:</p> <ul style="list-style-type: none"> • RAB and AC: Assayed by aqua regia/AAS with 10 ppb detection limit. • RC: 50 g charge FA/AAS at SGS Kalgoorlie. <p>SMC:</p> <ul style="list-style-type: none"> • FA, undocumented charge and laboratory. <p>OBM:</p> <ul style="list-style-type: none"> • Up to April 2020, all samples were sent to an accredited laboratory (Nagrom Laboratories in Perth, Intertek-Genalysis in Kalgoorlie or SGS in Kalgoorlie). The samples have been analysed by firing a 50 g portion of the sample. This is the classical fire assay process and will give total separation of gold. An ICP-OES finish is used. Commercially prepared standard samples and blanks are inserted in the sample stream at a rate of 1:12. Sizing results (percentage of pulverised sample passing a 75 µm mesh) are undertaken on approximately 1 in 40 samples. The accuracy (standards) and precision (repeats) of assaying are acceptable. Standards and blanks were inserted into the sample stream at a rate of approximately 1:12. Duplicates were submitted at a rate of approximately 1:30.

for personal use only

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<p>FA is considered a total technique, aqua regia is considered partial.</p> <p>This is sourced from the OBM JORC table. Snowden Optiro cannot validate the above information except for the Nagrom laboratory. Snowden Optiro carried out a lab audit at Nagrom laboratory in May 2024. The audit shows no hygiene issue or fatal flaw for the gold FA procedure. Snowden Optiro has the access to the field duplicate data for most drilling campaigns, CRMs and blank data for OBM drilling campaign. Snowden Optiro conducted the independent checks for the available QC data. No material issue was identified, and Snowden Optiro considers that the data is of sufficient quality for the MRE work.</p> <p>Beacon Minerals:</p> <ul style="list-style-type: none"> All assay work was conducted by BV Cunningham utilising FA/AAS analysis with 40g charge. Beacon Minerals submitted QA/QC samples every 20 samples utilising multiple different CRM providers.
<p>Verification of sampling and assaying</p>	<p><i>The verification of significant intersections by either independent or alternative company personnel.</i></p> <p><i>The use of twinned holes.</i></p> <p><i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></p> <p><i>Discuss any adjustment to assay data.</i></p>	<p>Holes are not deliberately twinned in Iguana area.</p> <p>Monarch:</p> <ul style="list-style-type: none"> Geological and sample data was logged digitally and .csv or .xls files imported into Datashed SQL database with in-built validation. Samples bags were put into numbered plastic bags and then cable tied. Samples collected daily from site by laboratory. <p>EGL:</p>

for personal use only

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> Geological and sample data logged directly into field computer at the core yard using Field Marshall. Data is transferred to Perth via email and imported into Geobank SQL database by the database administrator (DBA). Assay files are received in .csv format and loaded directly into the database by the DBA. Hardcopy and/or digital copies of data are kept for reference if necessary. <p>OBM:</p> <ul style="list-style-type: none"> Geological and sample data logged directly into field computer at the drill rig or core yard using Field Marshall or Geobank Mobile. Data is transferred to Perth via email and imported into Geobank SQL database by the DBA. Assay files are received in .csv format and loaded directly into the database by the DBA. Hardcopy and/or digital copies of data are kept for reference if necessary. <p>Data entry, verification and storage protocols for remaining operators is unknown.</p> <p>This is sourced from OBM JORC table. Snowden Optiro cannot validate the above information.</p> <p>Beacon Minerals:</p> <p>Geological and Sampling data was entered directly into a formatted excel file in the field which was then verified. Data was then formatted and imported into Datashed 5 passing through further validation before acceptance into the database.</p>

for personal use only

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
<p>Location of data points</p>	<p><i>Accuracy and quality of surveys used to locate drillholes (collar and downhole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></p> <p><i>Specification of the grid system used.</i></p> <p><i>Quality and adequacy of topographic control.</i></p>	<p>Aberfoyle:</p> <ul style="list-style-type: none"> All drilling is un-surveyed. Collars located on AMG Zone 51 Grid utilised. <p>Croesus:</p> <ul style="list-style-type: none"> TGRC holes were collar surveyed in AMG Zone 51 Grid. No downhole surveys. <p>Delta:</p> <ul style="list-style-type: none"> All drillholes used for resource definition were surveyed by Minecomp. All post-1993 RC and DD holes downhole surveyed using EMS or Eastman single shot where possible. Where not possible, data from proximal holes was used. LAD and LZC, LZD, LAC, and selected G prefixed holes downhole surveyed by undocumented method approximately every 10 m. Many RAB holes appear to be collar surveyed. AMG Zone 51 Grid utilised except for holes in the Nyborgs region where a local grid (Lady Ida) was utilised. <p>EGL:</p> <ul style="list-style-type: none"> Collars were surveyed by differential global positioning system (GPS) in MGA Zone 51. No downhole surveying performed. <p>Roper River Resources:</p> <ul style="list-style-type: none"> No surveys post drilling. AMG Zone 51 Grid utilised. <p>Monarch:</p> <ul style="list-style-type: none"> RC and some AC collars surveyed by differential GPS. All remaining holes surveyed by GPS. MGA Zone 51 Grid utilised. IGRC holes were downhole surveyed by EMS every 5 m. RC drilling was surveyed by Electronic Multi-shot on selected holes.

BEACON MINERALS LIMITED ACN 119 611 559

Registered Address 144 Vivian Street, Boulder, WA 6432

Website www.beaconminerals.com **Phone** 08 9093 2477

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<p>SMC:</p> <ul style="list-style-type: none"> No evidence of post drilling surveys, MGA Zone 51 Grid utilised. <p>OBM:</p> <ul style="list-style-type: none"> (RC, DD) MGA94, Zone 51. Drillhole collar positions were picked up by a contract surveyor using RTK GPS subsequent to drilling. Drillhole, downhole surveys are recorded every 30 m using a reflex digital downhole camera. Some RC holes not surveyed if holes short and/or drilling an early-stage exploration project. DD drillholes completed in 2019 and 2020 by OBM were surveyed using a Gyro tool. <p>This is sourced from OBM JORC table. Snowden Optiro cannot validate the above information.</p> <p>Beacon Minerals:</p> <ul style="list-style-type: none"> Collars were picked up by a qualified surveyor in MGA94 Z 51 format utilising a RTK GPS and appropriately set control. Locations were also cross checked with hand held GPS Diamond Holes were surveyed using a Reflex Continuous Gyro system RC Holes were surveyed at EOH depth only, with a partial portion of the program surveyed 6m (1 rod) from EOH to avoid loss of instrument or hole collapse
<p>Data spacing and distribution</p>	<p><i>Data spacing for reporting of Exploration Results.</i></p> <p><i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></p>	<p>Exploration results are reported for single holes only.</p> <p>Data spacing highly variable from wide spaced ~800 m x ~80 m regional RAB to close spaced resource drilling ~10 m x ~10 m and grade control drilling at ~5 m x ~5 m.</p> <p>Drillhole spacing is adequate to establish geological and grade continuity for the Iguana deposit.</p>

For personal use only

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
	<i>Whether sample compositing has been applied.</i>	Drill composites have been length weighted, 0.5 g/t lower cut-off, not top cut, maximum 2 m internal dilution.
Orientation of data in relation to geological structure	<p><i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i></p> <p><i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></p>	<p>Deposits in the Lady Ida zone are generally oriented on north-northwest to northwest trends. Once the orientation of mineralisation was established, drilling was mostly oriented towards 90° with Iguana grade control oriented towards 45°.</p> <p>Drilling of laterite mineralisation is almost exclusively vertical in nature.</p> <p>The Iguana Deposit presents multiple orientations of mineralisation which include both near vertical sets and shallowly dipping mineralisation zones. Drilling in the Iguana region has primarily been focused on -60° dipping holes, either East or West orientated. Recent drilling by Beacon Minerals replicated prior RC drilling orientations in the region. The selection of eastern orientated drilling is primarily driven by the shallow westerly plunge of the vertical structures present in the region.</p>
Sample security	<i>The measures taken to ensure sample security.</i>	<p>Unknown for all drilling except for the following:</p> <ul style="list-style-type: none"> • Monarch: Sample calicos were put into numbered plastic bags and cable tied. Any samples going to SGS were collected daily by the lab. Samples sent to ALS were placed into sample crates and sent via courier on a weekly basis. • EGL: Samples were bagged, tied and in a secure yard. Once submitted to the laboratories they are stored in cages within a secure fenced compound. Samples are tracked through the laboratory via their LIMS.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> • OBM: Samples were bagged, tied and stored in a secure yard on site. Once submitted to the laboratories they were stored in cages within a secure fenced compound. Samples are tracked through the laboratory via their LIMS. <p>Snowden Optiro does not have access to the information related to the above comments from OBM. Therefore, Snowden Optiro cannot verify these comments from OBM.</p> <ul style="list-style-type: none"> • Beacon Minerals: Samples were collected from the field and immediately recorded, and dispatched to BV Cunningham utilising Beacon Employees or appropriately qualified contractors
<p>Audits or reviews</p>	<p><i>The results of any audits or reviews of sampling techniques and data.</i></p>	<p>OBM has reviewed historical digital data, particularly from the Iguana deposit, and compared it to hardcopy and digital (including WAMEX) records.</p> <p>Snowden Optiro does not have access to the historical digital data, except for the OBM drilling. Therefore, Snowden Optiro cannot verify this comment from OBM.</p>

for personal use only

Section 2: Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<p><i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i></p> <p><i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i></p>	Iguana deposit is on a single mining tenement, M16/262.
Exploration done by other parties	<i>Acknowledgment and appraisal of exploration by other parties.</i>	Drilling, sampling and assay procedures and methods as stated in the database and confirmed from WAMEX reports and hardcopy records are considered acceptable and to industry standards of the time. There is sufficient understanding of drilling, sampling and assay methodologies for the majority of drilling in the Lady Ida area. BCN is confident that previous operators completed work to standards considered acceptable for the time.
Geology	<i>Deposit type, geological setting and style of mineralisation.</i>	<p>The project is located along the inferred trace of the Ida Fault, a north-south trending deep-seated crustal structure juxtaposing batholithic granites and subordinate basalt and banded iron formation of the Southern Cross Province against greenstones of the Eastern Goldfields Province.</p> <p>The Eastern Goldfields Province sequences are metamorphosed to amphibolite facies and dominated by tholeiitic to komatiitic basalts, tremolite-chlorite rich ultramafics and psammitic to pelitic sediments. The regional stratigraphy trends north-northwest, sub-parallel to the Ida Fault, and the regional dip is sub-vertical. The structural complexity of the area, including inferred thrusts, fault splays and crosscutting shears, presents good potential for additional trap sites.</p>

Criteria	JORC Code explanation	Commentary
		The resource at Iguana is dominantly hosted in a highly sheared, silica-muscovite-carbonate altered, tholeiitic metabasalt and sediments of lower to mid amphibolite facies. It is interpreted as being controlled by imbricate thrusts contained between two north-south trending faults. Ultramafic units lie to the west and the mafic-sedimentary package lies to the east. Post-mineralisation pegmatite dykes attain considerable thickness in places and stope out mineralisation.
Drillhole information	<p><i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drillholes:</i></p> <ul style="list-style-type: none"> • <i>easting and northing of the drillhole collar</i> • <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drillhole collar</i> • <i>dip and azimuth of the hole</i> • <i>downhole length and interception depth</i> • <i>hole length.</i> 	<p>Refer to the collar information provided in this report for all new Grade Control holes conducted at Iguana.</p> <p>Beacon Minerals has previously declared a MRE on the Iguana deposit which contains all drillhole data utilised for the current resource estimate.</p>
Data aggregation methods	<p><i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</i></p> <p><i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i></p> <p><i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i></p>	<p>Mineralised intercepts have not been reported in this release as a Mineral Resource is being declared.</p> <p>Metal equivalent calculations are not required as the Iguana project is gold only.</p>
Relationship between mineralisation widths and intercept lengths	<p><i>These relationships are particularly important in the reporting of Exploration Results.</i></p> <p><i>If the geometry of the mineralisation with respect to the drillhole angle is known, its nature should be reported.</i></p>	<p>Mineral intercepts have been recorded as downhole widths. True widths were not able to be calculated at the Iguana Deposit due to the evolving nature of the mineralisation model.</p>

Criteria	JORC Code explanation	Commentary
	<i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'downhole length, true width not known').</i>	
Diagrams	<i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drillhole collar locations and appropriate sectional views.</i>	See plan and cross-section views in the associated Market Release.
Balanced reporting	<i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i>	Beacon Minerals is reporting only significant intercepts as prior outlined (greater than 1g/t zone, with less than 1m of internal dilution). All drillhole zones not tabularised in this report can be interpreted as being insignificant in relation to Au grades.
Other substantive exploration data	<i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i>	Iguana has no known reported metallurgical issues. Primary ore was previously mined by Delta in the early 2000s with ore treated at the Greenfields processing plant in Coolgardie. Recovery and reconciliation figures are unknown.
Further work	<i>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i>	Further resource definition drilling and metallurgical drilling by BCN are planned for second half of 2025. This will confirm the mineralisation orientation uncertainty and also provide metallurgical samples.