

27 October 2025

Aurum hits 0.8m @ 350 g/t gold from 277m at Boundiali Gold Project, Côte d'Ivoire

Aurum Resources (ASX: AUE, "Aurum" or "the Company") is pleased to announce exceptional high-grade gold results from its ongoing 100,000m infill drilling program at the 2.41Moz Boundiali Gold Project¹ in Côte d'Ivoire. The drilling was designed to grow Mineral Resources at Boundiali's BMT3 and BST1 deposits and has successfully confirmed high-grade, continuous gold mineralisation.

Encouraging new drill intercepts include²:

- **BMT3 Deposit:**
 - **0.80m @ 350 g/t Au** from 277m (MBDD277)
 - **1m @ 274.89 g/t Au** from 380m (MBDD274)
 - **11m @ 3.20 g/t Au** from 336m inc. **9m @ 3.85 g/t Au** (MBDD275)
 - **15m @ 1.92 g/t Au** from 175m inc. **7m @ 3.42 g/t Au** (MBDD265)
 - **13.33m @ 1.78 g/t Au** from 128.57m inc. **2m @ 9.67 g/t Au** (MBDD277)
- **BST1 Deposit:**
 - **3m @ 10.61 g/t Au** from 118m inc. **1m @ 30.68 g/t Au** (BSDD0016A)
 - **23m @ 1.34 g/t Au** from 218m inc. **5.80m @ 2.34 g/t Au** (BSDD0032)
 - **21.33m @ 1.14 g/t Au** from 351m inc. **5m @ 2.38 g/t Au** (BSDD0034)
 - **4m @ 4.59 g/t Au** from 89m inc. **2m @ 8.47 g/t Au** (BSDD0033)
 - **11m @ 1.55 g/t Au** from 331m inc. **4m @ 3.70 g/t Au** (BSDD0034)

Project Growth & Development:

- **Mineralisation remains open:** Gold mineralisation at both deposits remains open along strike and at depth, indicating significant potential for resource growth.
- **Drilling fleet expanded:** Two new rigs have been added, expanding Aurum's owned fleet to 12. This expansion will accelerate the program, targeting more than **130,000m** of drilling at Boundiali and Napié in CY2025.
- **Major Resource updates pending:** Two major MRE updates (Boundiali and Napié) are scheduled for early Q1 CY2026, aimed at growing the Company's current 3.28Moz resource base.
- **Boundiali PFS commenced:** A Boundiali Project Pre-Feasibility Study is underway, due in Q1 CY2026.
- **Well-funded for growth:** Aurum maintains a strong balance sheet with **\$40M** cash (inclusive of Montage shares, unaudited)³ to fully fund its exploration and development programs.

Aurum's Managing Director Dr. Caigen Wang said: *"We have hit more bonanza grade mineralisation with **0.8m @ 350g/t gold** from 277m in MBDD277 at Boundiali's BMT3 deposit. This new intercept is located around 100m NE along strike of our previous intersection of **1.43m at 234.35 g/t gold** from 107m⁴ and confirms the system at BMT3 hosts multiple high-grade shoots.*

*As we have stated, this success is not isolated to our Boundiali gold project. At our Napié Project, recent drilling has also returned a fantastic result of **17m @ 9.38 g/t gold**⁵ from 236m, significantly extending mineralisation at depth. This demonstrates our ability to deliver potential high-grade ounces across multiple assets.*

¹ "Boundiali indicated gold resources grows by 53% in two months" released to the Australian Securities Exchange on 6 October 2025 and available to view on www.asx.com.au

² Refer to tables accompanying this report for collar location information and assay results for the new drilling

³ ASX release dated 23/07/2025 June Quarterly Report

⁴ ASX release dated 25/07/2025 Aurum hits 1.43m at 234.35 g/t gold from 107m at BMT3

⁵ ASX release dated 10 Sep 2025 Aurum hits 17m @ 9.38 g/t gold from 236m at Napié

Our unique advantage is our owned and operated fleet of 12 diamond drill rigs, which allows us to aggressively and cost-effectively test these systems.

With a strong cash balance of over \$40 million at the end of September, a clear development pathway with the Boundiali PFS underway, and major resource updates at both gold projects pending, we are in an excellent position to deliver substantial shareholder value through 2025 and into 2026."

New Drilling – Boundiali Gold Project⁶

Aurum is reporting new assay results from infill and step-back diamond drilling (24 holes for 6,423.35m). These results are from the **BMT3** deposit (9 holes for 2,732.45m) located on the **BM** tenement (80% interest) and the **BST1** deposit (15 holes for 3,690.90m) located on the **BST** tenement (100% interest).

BMT3 - Latest Drill Results

Better intercepts from the 9 holes (for 2,732.45m) at the BMT3 deposit including⁷:

- **3.80m @ 73.82 g/t Au** from 274m inc. **0.80m @ 350 g/t Au** (MBDD277)
- **1m @ 274.89 g/t Au** from 380m (MBDD274)
- **11m @ 3.20 g/t Au** from 336m inc. **9m @ 3.85 g/t Au** (MBDD275)
- **15m @ 1.92 g/t Au** from 175m inc. **7m @ 3.42 g/t Au** (MBDD265)
- **13.33m @ 1.78 g/t Au** from 128.57m inc. **2m @ 9.67 g/t Au** (MBDD277)
- **10.63m @ 1.48 g/t Au** from 163.37m inc. **6m @ 2.27 g/t Au** (MBDD269)
- **4m @ 3.93 g/t Au** from 141m inc. **1m @ 15 g/t Au** (MBDD269)
- **4.48m @ 3.24 g/t Au** from 30.52m (MBDD269)
- **2.98m @ 4.13 g/t Au** from 41.14m (MBDD256)
- **10.83m @ 1.05 g/t Au** from 117.17m inc. **4m @ 2.22 g/t Au** (MBDD259)
- **3m @ 3.71 g/t Au** from 425.50m (MBDD275)
- **3m @ 3.69 g/t Au** from 322m inc. **2m @ 5.37 g/t Au** (MBDD269)
- **4m @ 2.66 g/t Au** from 50m inc. **2m @ 5.03 g/t Au** (MBDD256).

These new results are in addition to diamond holes drilled and reported⁸ by Aurum at **BM**, which included:

- **4.20m @ 80.64 g/t Au** from 107m inc. **1.43m @ 234.35 g/t Au** & **5.66 m @ 6.99 g/t Au** from 121m (MBDD214B)
- **1.19m @ 277.54 g/t Au** from 31m (MBDD118)
- **9m @ 24.61 g/t Au** from 221m inc. **4m @ 54.64 g/t Au** from 222m (MBDD174)
- **1m @ 150.50 g/t Au** within **3m @ 50.56 g/t Au** from 124m (MBDD130)
- **1m @ 152.35 g/t Au** from 96m (MBDD260)
- **2m @ 63.55 g/t Au** from 111m inc. **1m @ 110.95 g/t Au** & **23m @ 2.04 g/t Au** from 118m (MBDD123)
- **4m @ 9.56 g/t Au** from 130m inc. **3m @ 12.65 g/t Au** (MBDD133)
- **1m @ 73.77 g/t Au** from 38m; **12m @ 2.14 g/t Au** from 43m; **6m @ 4.46 g/t Au** from 56m & **15m @ 1.17 g/t Au** from 132m (MBDD112)
- **11.46m @ 6.67 g/t Au** from 162.54m incl. **1.46m @ 45.04 g/t Au** (MBDD049).

⁶ Refer to About Aurum's Boundiali Gold Project

⁷ Refer to Table 1 for collar information and Table 2 for assay results for the new drilling

⁸ Refer to Compliance Statement for details on previous reporting on ASX

Gold mineralisation at BMT3 is hosted in a diorite emplaced between volcanic and sedimentary rocks and is characterised by disseminated pyrite with quartz veinlets and quartz veins, occasional visible gold and associated with silica, carbonate and chlorite alteration. True widths for these shallow gold intercepts are estimated at about 60% - 80% of reported downhole lengths.

Details of drill collar location and assay results and intercepts for the new drilling at **BMT3** can be found in Table 1 and Table 2 respectively. Plans showing location of the Boundiali Gold Project and the assay results are presented in the following figures. General locations in Figure 1, Figure 2, and project details in Figure 3. Detailed plan showing results in Figure 4 and a cross section showing the latest drill results is presented in

Figure 5.

BST1 - Latest Drill Results

Better results from the 15 holes (for 3,690.90m) from infill and step-back diamond drilling at the BST1 deposit including⁹:

- **3m @ 10.61 g/t Au** from 118m inc. **1m @ 30.68 g/t Au** (BSDD0016A)
- **23m @ 1.34 g/t Au** from 218m inc. **5.80m @ 2.34 g/t Au** (BSDD0032)
- **21.33m @ 1.14 g/t Au** from 351m inc. **5m @ 2.38 g/t Au** (BSDD0034)
- **4m @ 4.59 g/t Au** from 89m inc. **2m @ 8.47 g/t Au** (BSDD0033)
- **11m @ 1.55 g/t Au** from 331m inc. **4m @ 3.70 g/t Au** (BSDD0034)
- **10.60m @ 1.20 g/t Au** from 100m inc. **6m @ 1.62 g/t Au** (BSDD0033)
- **5m @ 2.48 g/t Au** from 22m inc. **3m @ 3.97 g/t Au** (BSDD0032)
- **9.20m @ 1.34 g/t Au** from 163m inc. **5m @ 2.04 g/t Au** (BSDD0020)
- **2.40m @ 5.03 g/t Au** from 276.30m inc. **1m @ 11.70 g/t Au** (BSDD0034)
- **1m @ 10.21 g/t Au** from 313m (BSDD0034)
- **8m @ 1.26 g/t Au** from 180m inc. **1m @ 6.11 g/t Au** (BSDD0033).

These new results are in addition to previous exploration drilling at **BST1** that returned impressive results¹⁰:

- **20m @ 10.45g/t Au** from 38m (BRC0004S BIS)
- **30m @ 8.30g/t Au** from 39m (NDC007)
- **28m @ 4.04g/t Au** from 3m and **6m @ 3.29g/t Au** from 47m (BRC003)
- **9m @ 7.90g/t Au** from 99m (BRC006)
- **27m @ 2.42g/t Au** from 27m (BRC175)
- **20m @ 1.29g/t Au** from 211m (NDC016)
- **2m @ 13.57g/t Au** from 130m (NDC017).

The **BST1** gold deposit, located 19km to the south of **BDT1** on the Nyangboue shear zone, is hosted in a sedimentary package comprising alternating sandstones and shales with minor intraformational conglomerates. Broad zones of lower grade disseminated mineralisation envelope higher grade zones which are in some instances associated with quartz veining with visible gold. Gold mineralisation encountered occurs as discrete higher-grade zones within a broad low-grade envelope within a folded sedimentary package. Extensive sulphide and carbonate alteration occurs with

⁹ Refer to Table 3 for collar information and Table 4 for assay results for the new drilling

¹⁰ Predictive Discovery ASX announcements dated 23 June 2016, 25 July 2016, 8 August 2016, 17 May 2017, 29 May 2017, 27 May 2019 and Turaco Gold's ASX Announcements dated 12 November 2021, 17 June 2022

higher grade zones being associated with structurally controlled zones of quartz veining. Oxidation extends to approximately 50m vertical depth and being a sedimentary protolith is soft and friable. True widths for these shallow, wide gold intercepts are estimated at about 65% - 80% of reported downhole lengths.

Details of drill collar location and assay results and intercepts for the new drilling at **BST1** can be found in Table 3 and Table 4 respectively. Plans showing location of the Boundiali Gold Project and the assay results are presented in the following figures. General locations in Figure 1, Figure 2, and project details in Figure 3. A plan showing location of these results is presented in Figure 6 and a cross section showing the latest drill results is presented in Figure 7.

Gold mineralisation remains open along strike and at depth on all deposits with drilling ongoing and Aurum planning further work.

Next Steps:

- **Aggressive cost-effective exploration at Boundiali:** Aurum is committed to a large-scale exploration program at Boundiali. This includes:
 - **100,000m diamond drilling¹¹:** Up to 10 diamond drill rigs will complete 100,000m of drilling at Boundiali in CY2025. The program aims to:
 - Increase the size and confidence of current resources
 - Advance known prospects for incorporation into the next MRE update
 - Target new prospects identified through soil anomalies and geological mapping to drive resource growth into 2026.
 - **Resource expansion:** Drilling aims to expand the known resources at the **BD**, **BM**, and **BST** deposits.
 - **New discoveries:** Exploration and scout drilling is planned on **BD**, **BM**, and **BST** tenements to test new targets and create a pipeline of new discoveries to flow into resource growth.
 - **Resource updates:** Aurum plans to deliver a major **MRE update** for Boundiali early in Q1 CY2026.
- **Boundiali Pre-Feasibility Study:** Aurum is working towards completing an open pit PFS for the Boundiali Gold Project with results expected in Q1 CY2026. This will provide an evaluation of the project's economics and technical feasibility.
- **Napié exploration drilling:** A 30,000m diamond drilling program (CY2025) is continuing at the Napié Gold Project, designed to expand the existing 0.87Moz resource with an updated MRE for Napié expected early Q1 CY2026.
- **Continued growth:** With a strong financial position, Aurum is well-funded to execute these exploration and development plans. The Company remains focused on delivering value for shareholders through resource growth and project advancement.

This update has been authorised by the Board of Aurum Resources Limited.

ENDS

¹¹ This program is indicative only and subject to change based on operational requirements and exploration results. Meterage allocations may be adjusted as new information becomes available. Investors should refer to company announcements for updates on the drilling program and be aware of the inherent risks associated with mineral exploration.

FORWARD-LOOKING STATEMENTS

This ASX release contains forward-looking statements about Aurum Resources Limited's exploration activities, drilling programs, and potential Mineral Resource Estimate at the Boundiali and Napié Gold Projects. These statements are based on current expectations and are subject to risks and uncertainties inherent in mineral exploration and mining. Factors that could cause actual results to differ materially include exploration risks, drilling results, resource estimation, gold prices, operational risks, regulatory changes, and broader economic conditions. Investors should not place undue reliance on these forward-looking statements.

COMPETENT PERSON'S STATEMENT

The information in this release that relates to Exploration Targets and Exploration Results is based on information compiled by Mr Mark Strizek, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Strizek has been a non-executive Director of the Company since 1 February 2024 and joined as an executive Director on 1 June 2024. Mr Strizek has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaking to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Strizek consents to the inclusion in the announcement of the matters based on his information in the form and context in which it appears. Additionally, Mr Strizek confirms that the entity is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this presentation.

COMPLIANCE STATEMENT

The information in this presentation that relates to Boundiali Mineral Resources is extracted from the announcement "Boundiali indicated gold resources grows by 53% in two months" released to the Australian Securities Exchange on 6 October 2025 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

The information in this report that relates to Napié Mineral Resources is extracted from the announcement "Napié Project Listing Rule 5.6 disclosure" released to the Australian Securities Exchange on 4 February 2025 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

This report contains information extracted from ASX market announcements reported in accordance with the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" ("2012 JORC Code") and available for viewing at www.asx.com.au and includes results reported previously and published on ASX platform:

6 Oct 2025, Boundiali indicated gold resources grows by 53% in two months (ASX:AUE)
 29 Sep 2025, Aurum hits 1m @ 152.35 g/t gold from 96m at Boundiali (ASX:AUE)
 10 Sep 2025, Aurum hits 17m @ 9.38 g/t gold from 236m at Napié (ASX:AUE)
 01 Sep 2025, Aurum expands footprint of Boundiali and Napié Gold Projects (ASX:AUE)
 05 Aug 2025, Boundiali Gold Project Resource grows ~50% to 2.41Moz (ASX: AUE)
 29 Jul 2025, Encouraging Drilling Results at BD & B5T (ASX:AUE)
 25 Jul 2025, Aurum hits 1.43m at 234.35 g/t gold from 107m at BMT3 (ASX:AUE)
 23 Jul 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 15 Jul 2025, 100 million share placement to strategic investors completed (ASX:AUE)
 27 Jun 2025, Aurum commenced 30,000m diamond drilling at Napié (ASX:AUE)
 17 Jun 2025, AUE hits 66m @ 1.07g/t gold from 33m @ Boundiali BD tenement (ASX:AUE)
 27 May 25, AUE expands Boundiali Gold Project exploration ground (ASX:AUE)
 21 May 25, AUE hits 34m @ 2.32g/t gold from 56m @ Boundiali BD tenement (ASX:AUE)
 13 May 25, Assay Results at Boundiali BM Tenement (Amended) (ASX:AUE)
 13 May 25, Aurum hits 73.10 g/t gold at Boundiali BM tenement (ASX:AUE)
 07 May 2025, Aurum to raise \$35.6 million from strategic investment (ASX:AUE)
 16 Apr 2025, AUE hits 89m @ 2.42 g/t gold at 1.59Moz Boundiali Project (ASX:AUE)
 08 Apr 2025, AUE to start diamond drilling at Boundiali South tenement (ASX:AUE)
 31 Mar 2025, AUE to commence environmental study - Boundiali Gold Project (ASX:AUE)
 27 Mar 2025, Aurum hits 83m@4.87 g/t Au at 1.59Moz Boundiali Project (ASX:AUE)
 19 Mar 2025, Hits 4m at 54.64 g/t Au outside 1.59Moz Boundiali MRE area (ASX:AUE)
 14 Mar 2025, Half Yearly Report and Accounts (ASX:AUE)
 7 Mar 25, Investor Presentation March 2025 (ASX:AUE)
 6 Mar 25, AUE Completes Acquisition of Mako Gold Limited (ASX:AUE)
 27 Feb 25, 12m at 22.02g/t from 145m outside 1.59Moz Boundiali MRE area (ASX:AUE)
 21 Feb 2025, 8m at 8.23g/t from 65m outside 1.59Moz Boundiali MRE area (ASX:AUE)
 4 Feb 2025, Napié Project Listing Rule 5.6 Disclosure (Amended) (ASX:AUE)
 3 Feb 2025, Mako Takeover Offer Closes (ASX:AUE)
 31 Jan 2025, Drill Collar Table Addendum (ASX:AUE)
 31 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
 31 Jan 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 30 Jan 2025, Aurum hits 150 g/t gold at Boundiali, Côte d'Ivoire (ASX:AUE)
 29 Jan 2025, MKG - Suspension of Trading and Delisting From ASX (ASX:AUE)
 24 Jan 2025, Compulsory Acquisition Notice Mako Takeover (ASX:AUE)
 24 Jan 2025, Non-Binding MoU with SANY Heavy Equipment Co (ASX:AUE)
 23 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
 9 Jan 2025, Best and Final offer for Mako Gold Limited (ASX:AUE)
 31 Dec 2024, Boundiali Project Maiden Resource delivers 1.6 Moz (amended) (ASX:AUE)
 30 Dec 2024, Boundiali Gold Project Maiden Resource delivers 1.6 Moz (ASX:AUE)

24 Dec 2024, Change in substantial holding for MKG (ASX:AUE)
 23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali (ASX:AUE)
 18 Dec 2024, Aurum hits 277 g/t gold at Boundiali BM Target 3
 13 Dec 2024, Change of Directors and Addition of Joint Company Secretary (ASX:AUE & ASX:MKG)
 6 Dec 2024, AUE receives firm commitments for A\$10 million placement (ASX:AUE)
 29 Nov 2024, Aurum earns 80% interest in Boundiali BM tenement (ASX:AUE)
 28 Nov 2024, AUE appoints Mr. Steve Zaninovich as Non-Executive Director (ASX:AUE)
 22 Nov 2024, AUE Declares Takeover Offer for all MKG Shares Unconditional (ASX:AUE)
 15 Nov 2024, Supplementary Bidders Statement (ASX:AUE)
 11 Nov 2024, Aurum hits 36 g/t gold at BM T1 of 2.5km strike (ASX:AUE)
 30 Oct 2024, Bidders Statement (ASX:AUE)
 16 Oct 2024, Recommended Takeover of Mako Gold By Aurum Resources (ASX:AUE)
 09 Sep 2024, Aurum earns 51% interest in Boundiali BM tenement (ASX:AUE)
 05 Sep 2024, AUE hits 40m at 1.03 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 03 Sep 2024, Boundiali South Exploration Licence Renewed (ASX:AUE)
 07 Aug 2024, Aurum to advance met studies for Boundiali Gold Project (ASX:AUE)
 22 July 2024, Prelim metallurgical tests deliver up to 99% gold recovery (ASX:AUE)
 17 June 2024, Aurum hits 69m at 1.05 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 28 May 2024, AUE hits 163 g/t gold in 12m @ 14.56 g/t gold at BD Target 1 (ASX:AUE)
 24 May 2024, Aurum hits 74m @ 1.0 g/t gold at Boundiali BD Target 2 (ASX:AUE)
 15 May 2024, Aurum expands Boundiali Gold Project footprint (ASX:AUE)
 10 May 2024, AUE hits 90m @ 1.16 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 01 May 2024, Aurum Appoints Country Manager in Côte d'Ivoire (ASX:AUE)
 23 April 2024, AUE drilling hits up to 45 g/t gold at Boundiali BD Target 2 (ASX:AUE)
 19 March 2024, AUE signs binding term sheet for 100% of Boundiali South (ASX:AUE)
 12 March 2024, AUE hits 73m at 2.15g/t Inc. 1m at 72g/t gold at Boundiali (ASX:AUE)
 01 March 2024, Aurum hits 4m at 22 g/t gold in Boundiali diamond drilling (ASX:AUE)
 22 January 2024, Aurum hits shallow, wide gold intercepts at Boundiali, Côte d'Ivoire (ASX: AUE)
 21 December 2023, Rapid Drilling at Boundiali Gold Project (ASX:AUE)
 21 November 2023, AUE Acquisition Presentation (ASX:AUE)
 21 June 2021, Notice of General Meeting/Proxy Form (MSR:ASX)
 21 May 2021, PlusOr to Acquire 6194 sq kms Ground Position in Côte d'Ivoire (MSR:ASX)
 22 August 2019, Boundiali RC Drill Results Continue to Impress (PDI:ASX)
 15 July 2019, RC, Trench Results Grow Boundiali Potential In Côte D'Ivoire (PDI:ASX)
 27 May 2019, New Drill Results Strengthen Boundiali Project Côte D'Ivoire (PDI:ASX)
 16 January 2019, PDI-Toro JV Sharpens Focus with Major Drilling Program (PDI:ASX)
 26 November 2018, Boundiali North - Large Coherent Gold Anomalies in 14km Zone (PDI:ASX)

The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcements.

For personal use only




Figure 1: Location of Aurum's projects in Côte d'Ivoire




Figure 2: Location of Aurum's Boundiali and Napié gold projects in Côte d'Ivoire

For personal use only




Figure 3: Aurum's Boundiali Gold Project




Figure 4: Plan view showing new drill results (yellow) for BMT3¹²

¹² Only showing holes with intercepts greater than 5 gold gram metres, full list of intercepts included in table.

For personal use only




Figure 5: Oblique Cross Section looking northeast (+/-25m) showing new drill results (yellow) for BMT3

For personal use only




Figure 6: Plan view showing new drill results (yellow) for BST1¹³

¹³ Only showing holes with intercepts greater than 5 gold gram metres, full list of intercepts included in table.

For personal use only




Figure 7: Cross Section looking north (+/-25m) showing new drill results (yellow) for BST1

Table 1: Drill collar information for holes drilled at BMT3

Hole ID	UTM East Zone 29N	UTM North Zone 29N	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
MBDD256	795,153	1,078,187	383	218.55	105	-50	BMT3	DD
MBDD259	795,179	1,078,899	388	230.50	105	-52	BMT3	DD
MBDD265	795,137	1,078,912	389	206.40	105	-50	BMT3	DD
MBDD267	795,065	1,078,257	386	204.30	105	-50	BMT3	DD
MBDD268A	795,024	1,078,269	387	255.00	105	-50	BMT3	DD
MBDD269	795,166	1,079,420	375	360.30	105	-50	BMT3	DD
MBDD274	794,935	1,078,343	388	425.00	105	-55	BMT3	DD
MBDD275	795,078	1,079,396	375	521.50	105	-60	BMT3	DD
MBDD277	795,049	1,078,356	389	310.90	105	-50	BMT3	DD
9 holes				2,732.45m			TOTAL	DD

Table 2: Significant assay results for holes drilled at BMT3¹⁴

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
MBDD277	127.00	128.00	1.00	0.148				
MBDD277	128.57	130.07	1.50	0.321	13.33 m @ 1.78 g/t Au	23.7	2.00 m @ 9.67 g/t Au	
MBDD277	130.07	131.00	0.93	0.299				
MBDD277	131.00	132.00	1.00	0.032				
MBDD277	132.00	133.20	1.20	6.127				
MBDD277	133.20	134.00	0.80	14.975				
MBDD277	134.00	135.00	1.00	0.130			1.18 m @ 1.27 g/t Au	
MBDD277	135.00	135.60	0.60	0.124				
MBDD277	135.60	137.10	1.50	0.534				
MBDD277	137.10	138.60	1.50	0.296				
MBDD277	138.60	139.55	0.95	0.244				
MBDD277	139.55	140.72	1.17	0.359				
MBDD277	140.72	141.90	1.18	1.269				
MBDD277	158.00	159.00	1.00	0.345				4.50 m @ 0.55 g/t Au
MBDD277	159.00	160.00	1.00	0.153				
MBDD277	160.00	161.00	1.00	0.784				
MBDD277	161.00	162.00	1.00	0.458				
MBDD277	162.00	162.50	0.50	1.434				
MBDD277	164.00	164.80	0.80	0.106	0.85 m @ 0.60 g/t Au	0.5		
MBDD277	166.15	167.00	0.85	0.597				
MBDD277	167.00	168.40	1.40	0.120				
MBDD277	169.30	170.54	1.24	0.720				
MBDD277	214.00	215.00	1.00	0.154			1.24 m @ 0.72 g/t Au	0.9
MBDD277	216.00	217.00	1.00	0.281				
MBDD277	217.00	218.00	1.00	1.506				
MBDD277	218.00	219.00	1.00	0.231				
MBDD277	219.00	220.00	1.00	2.946				
MBDD277	220.00	220.70	0.70	0.130			4.00 m @ 1.24 g/t Au	5.0
MBDD277	232.00	233.30	1.30	0.123				
MBDD277	241.00	242.00	1.00	0.536				
MBDD277	269.00	270.00	1.00	0.152				
MBDD277	273.27	274.00	0.73	0.107				
MBDD277	274.00	275.00	1.00	0.343				
MBDD277	275.00	276.00	1.00	0.051	3.80 m @ 73.82 g/t Au	280.5		
MBDD277	276.00	277.00	1.00	0.135				
MBDD277	277.00	277.80	0.80	350.000				
MBDD277	276.00	277.00	1.00	0.135				
MBDD277	282.00	283.00	1.00	0.410	1.00 m @ 0.41 g/t Au	0.4	0.80 m @ 350.00 g/t Au	
MBDD277	286.00	287.00	1.00	0.147				
MBDD275	188.70	190.00	1.30	0.480	1.30 m @ 0.48 g/t Au	0.6	3.50 m @ 0.66 g/t Au	
MBDD275	203.00	204.00	1.00	0.117				
MBDD275	211.00	212.00	1.00	0.403				
MBDD275	212.00	213.00	1.00	0.008				
MBDD275	213.00	213.66	0.66	0.080				
MBDD275	213.66	214.50	0.84	2.179				
MBDD275	214.50	215.30	0.80	0.145				
MBDD275	216.00	217.00	1.00	0.143				
MBDD275	239.90	241.00	1.10	0.303	6.10 m @ 0.40 g/t Au	2.5		

¹⁴ 0.2 g/t Au cut off used with 3m internal dilution and no top cut applied

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
MBDD275	241.00	242.00	1.00	0.222			
MBDD275	242.00	243.00	1.00	0.028			
MBDD275	243.00	244.00	1.00	0.076			
MBDD275	244.00	245.00	1.00	0.828			
MBDD275	245.00	246.00	1.00	0.969			
MBDD275	247.00	248.00	1.00	0.172			
MBDD275	250.00	251.00	1.00	0.936			
MBDD275	251.00	252.00	1.00	0.992	4.30 m @ 0.70 g/t Au	3.0	
MBDD275	252.00	253.00	1.00	0.241			
MBDD275	253.00	254.30	1.30	0.645			
MBDD275	257.00	258.00	1.00	0.334	1.00 m @ 0.33 g/t Au	0.3	
MBDD275	310.00	311.00	1.00	0.219	1.00 m @ 0.22 g/t Au	0.2	
MBDD275	330.00	331.00	1.00	0.122			
MBDD275	336.00	337.00	1.00	1.338			
MBDD275	337.00	338.00	1.00	7.701			
MBDD275	338.00	339.00	1.00	7.056			
MBDD275	339.00	340.00	1.00	5.080			
MBDD275	340.00	341.00	1.00	2.048			
MBDD275	341.00	342.00	1.00	2.347	11.00 m @ 3.20 g/t Au	35.2	9.00 m @ 3.85 g/t Au
MBDD275	342.00	343.00	1.00	3.111			
MBDD275	343.00	344.00	1.00	3.680			
MBDD275	344.00	345.00	1.00	2.297			
MBDD275	345.00	346.00	1.00	0.103			
MBDD275	346.00	347.00	1.00	0.458			
MBDD275	347.00	348.00	1.00	0.113			
MBDD275	363.25	364.00	0.75	1.334			
MBDD275	364.00	364.65	0.65	3.084	1.40 m @ 2.15 g/t Au	3.0	1.40 m @ 2.15 g/t Au
MBDD275	400.84	401.50	0.66	1.161	0.66 m @ 1.16 g/t Au	0.8	0.66 m @ 1.16 g/t Au
MBDD275	402.81	403.50	0.69	0.101			
MBDD275	425.50	426.75	1.25	3.554			
MBDD275	426.75	427.25	0.50	7.208	3.00 m @ 3.71 g/t Au	11.1	3.00 m @ 3.71 g/t Au
MBDD275	427.25	428.50	1.25	2.463			
MBDD275	434.00	434.85	0.85	0.280	0.85 m @ 0.28 g/t Au	0.2	
MBDD275	473.46	474.00	0.54	2.125			
MBDD275	474.00	475.13	1.13	0.008			
MBDD275	475.13	476.00	0.87	1.977	4.36 m @ 1.24 g/t Au	5.4	3.54 m @ 1.42 g/t Au
MBDD275	476.00	477.00	1.00	2.151			
MBDD275	477.00	477.82	0.82	0.448			
MBDD275	482.00	482.50	0.50	0.248			
MBDD275	482.50	483.61	1.11	0.397	1.61 m @ 0.35 g/t Au	0.6	
MBDD275	487.00	488.00	1.00	1.753	1.00 m @ 1.75 g/t Au	1.8	1.00 m @ 1.75 g/t Au
MBDD275	492.00	493.00	1.00	1.460	1.00 m @ 1.46 g/t Au	1.5	1.00 m @ 1.46 g/t Au
MBDD275	499.70	501.00	1.30	1.393			
MBDD275	501.00	502.00	1.00	0.858			
MBDD275	502.00	503.00	1.00	2.690	4.30 m @ 1.69 g/t Au	7.3	4.30 m @ 1.69 g/t Au
MBDD275	503.00	504.00	1.00	1.914			
MBDD275	507.77	508.50	0.73	4.819			
MBDD275	508.50	509.15	0.65	0.556	1.38 m @ 2.81 g/t Au	3.9	0.73 m @ 4.82 g/t Au
MBDD274	241.00	242.00	1.00	0.243			
MBDD274	242.00	242.60	0.60	0.606	1.60 m @ 0.38 g/t Au	0.6	
MBDD274	245.00	246.36	1.36	0.373			
MBDD274	246.36	247.00	0.64	0.328	3.00 m @ 0.80 g/t Au	2.4	
MBDD274	247.00	248.00	1.00	1.685			1.00 m @ 1.69 g/t Au

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
MBDD274	264.00	265.00	1.00	0.127			
MBDD274	272.00	273.00	1.00	7.364	1.00 m @ 7.36 g/t Au	7.4	1.00 m @ 7.36 g/t Au
MBDD274	308.00	309.00	1.00	0.101			
MBDD274	309.00	310.00	1.00	0.849			
MBDD274	310.00	310.65	0.65	0.702	1.65 m @ 0.79 g/t Au	1.3	
MBDD274	320.00	321.00	1.00	1.654			1.00 m @ 1.65 g/t Au
MBDD274	321.00	322.00	1.00	0.008	3.00 m @ 0.63 g/t Au	1.9	
MBDD274	322.00	323.00	1.00	0.214			
MBDD274	336.20	337.00	0.80	0.160			
MBDD274	359.77	360.50	0.73	0.193			
MBDD274	365.45	366.00	0.55	1.028	0.55 m @ 1.03 g/t Au	0.6	0.55 m @ 1.03 g/t Au
MBDD274	368.00	369.00	1.00	0.199			
MBDD274	369.00	370.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
MBDD274	374.00	375.00	1.00	0.172			
MBDD274	375.00	376.00	1.00	0.177			
MBDD274	380.00	381.00	1.00	274.893	1.00 m @ 274.89 g/t Au	274.9	1.00 m @ 274.89 g/t Au
MBDD274	388.00	389.00	1.00	0.154			
MBDD274	389.00	390.00	1.00	0.263	1.00 m @ 0.26 g/t Au	0.3	
MBDD274	390.00	391.00	1.00	0.127			
MBDD274	403.00	404.00	1.00	0.174			
MBDD269	1.50	2.45	0.95	0.147			
MBDD269	7.00	8.50	1.50	0.817	1.50 m @ 0.82 g/t Au	1.2	
MBDD269	30.52	32.00	1.48	5.305			
MBDD269	32.00	33.00	1.00	3.201	4.48 m @ 3.24 g/t Au	14.5	4.48 m @ 3.24 g/t Au
MBDD269	33.00	34.00	1.00	0.535			
MBDD269	34.00	35.00	1.00	2.926			
MBDD269	36.00	37.00	1.00	0.156			
MBDD269	101.24	102.50	1.26	0.638	1.26 m @ 0.64 g/t Au	0.8	
MBDD269	111.00	112.00	1.00	0.153			
MBDD269	141.00	142.00	1.00	0.422			
MBDD269	142.00	143.00	1.00	0.008			
MBDD269	143.00	144.00	1.00	0.291	4.00 m @ 3.93 g/t Au	15.7	
MBDD269	144.00	145.00	1.00	15.004			1.00 m @ 15.00 g/t Au
MBDD269	145.00	146.20	1.20	0.110			
MBDD269	156.00	157.00	1.00	0.706			
MBDD269	157.00	158.00	1.00	0.793	2.00 m @ 0.75 g/t Au	1.5	
MBDD269	163.37	164.00	0.63	0.644			
MBDD269	164.00	165.00	1.00	0.008			
MBDD269	165.00	166.00	1.00	1.484			
MBDD269	166.00	167.00	1.00	3.178			
MBDD269	167.00	168.00	1.00	0.242			
MBDD269	168.00	169.00	1.00	2.485	10.63 m @ 1.48 g/t Au	15.8	6.00 m @ 2.27 g/t Au
MBDD269	169.00	170.00	1.00	2.847			
MBDD269	170.00	171.00	1.00	3.387			
MBDD269	171.00	172.00	1.00	0.530			
MBDD269	172.00	173.00	1.00	0.446			
MBDD269	173.00	174.00	1.00	0.738			
MBDD269	216.00	217.00	1.00	0.146			
MBDD269	227.50	229.00	1.50	0.349	1.50 m @ 0.35 g/t Au	0.5	
MBDD269	238.00	239.00	1.00	1.197			
MBDD269	239.00	239.70	0.70	3.172	1.70 m @ 2.01 g/t Au	3.4	1.70 m @ 2.01 g/t Au
MBDD269	244.00	245.00	1.00	0.718			
MBDD269	245.00	245.92	0.92	0.341	1.92 m @ 0.54 g/t Au	1.0	

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
MBDD269	252.00	253.00	1.00	0.105			
MBDD269	279.00	280.00	1.00	0.286	1.00 m @ 0.29 g/t Au	0.3	
MBDD269	285.00	286.00	1.00	0.266	1.00 m @ 0.27 g/t Au	0.3	
MBDD269	286.00	287.00	1.00	0.100			
MBDD269	322.00	323.00	1.00	1.940	3.00 m @ 3.69 g/t Au	11.1	2.00 m @ 5.37 g/t Au
MBDD269	323.00	324.00	1.00	8.800			
MBDD269	324.00	325.00	1.00	0.325			
MBDD268A	137.00	138.10	1.10	0.161			
MBDD268A	139.60	141.05	1.45	4.995	2.95 m @ 2.71 g/t Au	8.0	1.45 m @ 5.00 g/t Au
MBDD268A	141.05	142.55	1.50	0.508			
MBDD268A	150.00	151.00	1.00	0.834	2.00 m @ 0.61 g/t Au	1.2	
MBDD268A	151.00	152.00	1.00	0.380			
MBDD268A	154.80	156.00	1.20	0.924	1.20 m @ 0.92 g/t Au	1.1	
MBDD268A	156.00	157.00	1.00	0.165			
MBDD268A	165.87	166.81	0.94	0.268	0.94 m @ 0.27 g/t Au	0.3	
MBDD268A	173.00	174.00	1.00	0.150			
MBDD268A	175.50	176.70	1.20	0.394	1.20 m @ 0.39 g/t Au	0.5	
MBDD268A	182.54	184.00	1.46	1.052	3.46 m @ 2.49 g/t Au	8.6	2.46 m @ 3.37 g/t Au
MBDD268A	184.00	185.00	1.00	6.764			
MBDD268A	185.00	186.00	1.00	0.331			
MBDD268A	187.00	188.38	1.38	0.138			
MBDD268A	188.38	189.00	0.62	0.306	3.82 m @ 0.47 g/t Au	1.8	
MBDD268A	189.00	190.00	1.00	0.230			
MBDD268A	190.00	191.00	1.00	0.679			
MBDD268A	191.00	192.20	1.20	0.569			
MBDD268A	224.00	225.50	1.50	0.103			
MBDD268A	226.80	228.00	1.20	0.290	2.20 m @ 0.28 g/t Au	0.6	
MBDD268A	228.00	229.00	1.00	0.279			
MBDD268A	230.00	231.09	1.09	0.156			
MBDD268A	234.00	235.00	1.00	0.116			
MBDD268A	238.00	239.24	1.24	0.133			
MBDD268A	240.90	242.00	1.10	0.155			
MBDD268A	242.00	243.00	1.00	0.237	1.00 m @ 0.24 g/t Au	0.2	
MBDD267	105.00	106.00	1.00	0.478	1.00 m @ 0.48 g/t Au	0.5	
MBDD267	111.00	112.00	1.00	0.173			
MBDD267	112.00	113.00	1.00	0.459	2.00 m @ 0.52 g/t Au	1.0	
MBDD267	113.00	114.00	1.00	0.583			
MBDD267	131.00	132.00	1.00	1.274	7.34 m @ 0.89 g/t Au	6.5	4.00 m @ 1.02 g/t Au
MBDD267	132.00	133.00	1.00	1.471			
MBDD267	133.00	134.00	1.00	0.127			
MBDD267	134.00	135.00	1.00	1.193			
MBDD267	135.00	136.00	1.00	0.750			
MBDD267	136.00	137.00	1.00	0.072			
MBDD267	137.00	138.34	1.34	1.204			1.34 m @ 1.20 g/t Au
MBDD267	144.00	145.00	1.00	0.173			
MBDD267	145.00	146.00	1.00	0.541	1.00 m @ 0.54 g/t Au	0.5	
MBDD267	146.00	147.00	1.00	0.171			
MBDD267	169.50	170.00	0.50	0.523	2.50 m @ 0.77 g/t Au	1.9	
MBDD267	170.00	171.25	1.25	0.250			
MBDD267	171.25	172.00	0.75	1.800			0.75 m @ 1.80 g/t Au
MBDD267	193.30	194.80	1.50	0.118			
MBDD267	196.00	197.00	1.00	0.330	3.00 m @ 0.37 g/t Au	1.1	
MBDD267	197.00	198.00	1.00	0.008			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
MBDD267	198.00	199.00	1.00	0.774			
MBDD265	0.00	1.00	1.00	0.349	2.17 m @ 0.28 g/t Au	0.6	
MBDD265	1.00	2.17	1.17	0.214			
MBDD265	66.00	67.00	1.00	0.123			
MBDD265	79.00	80.00	1.00	0.186			
MBDD265	80.00	81.00	1.00	0.266	1.00 m @ 0.27 g/t Au	0.3	
MBDD265	89.00	90.00	1.00	0.314	1.00 m @ 0.31 g/t Au	0.3	
MBDD265	93.00	94.00	1.00	0.567	9.00 m @ 0.38 g/t Au	3.4	
MBDD265	94.00	95.00	1.00	0.967			
MBDD265	95.00	96.00	1.00	0.511			
MBDD265	96.00	97.00	1.00	0.483			
MBDD265	97.00	98.00	1.00	0.217			
MBDD265	98.00	99.00	1.00	0.276			
MBDD265	99.00	100.00	1.00	0.008			
MBDD265	100.00	101.00	1.00	0.099			
MBDD265	101.00	102.00	1.00	0.280			
MBDD265	103.00	104.50	1.50	0.104			
MBDD265	104.50	106.00	1.50	0.119			
MBDD265	106.00	107.00	1.00	0.100			
MBDD265	116.00	117.00	1.00	5.162	1.00 m @ 5.16 g/t Au	5.2	1.00 m @ 5.16 g/t Au
MBDD265	120.50	121.57	1.07	0.553	5.50 m @ 0.86 g/t Au	4.7	
MBDD265	121.57	123.00	1.43	0.640			
MBDD265	123.00	124.00	1.00	0.160			
MBDD265	124.00	125.00	1.00	0.018			
MBDD265	125.00	126.00	1.00	3.019			1.00 m @ 3.02 g/t Au
MBDD265	147.50	149.00	1.50	1.468	1.50 m @ 1.47 g/t Au	2.2	1.50 m @ 1.47 g/t Au
MBDD265	153.00	154.00	1.00	2.062	5.30 m @ 0.93 g/t Au	4.9	
MBDD265	154.00	155.00	1.00	0.187			
MBDD265	155.00	156.00	1.00	0.294			
MBDD265	156.00	157.00	1.00	2.087			
MBDD265	157.00	158.30	1.30	0.246			
MBDD265	164.00	165.00	1.00	0.320	1.00 m @ 0.32 g/t Au	0.3	
MBDD265	175.00	175.70	0.70	1.219	15.00 m @ 1.92 g/t Au	28.7	
MBDD265	175.70	177.00	1.30	0.436			
MBDD265	177.00	178.00	1.00	1.816			
MBDD265	178.00	179.00	1.00	0.411			
MBDD265	179.00	180.00	1.00	0.039			
MBDD265	180.00	181.00	1.00	0.725			
MBDD265	181.00	182.00	1.00	0.022			
MBDD265	182.00	183.00	1.00	3.395			
MBDD265	183.00	184.00	1.00	0.576			
MBDD265	184.00	185.00	1.00	0.813			
MBDD265	185.00	186.00	1.00	9.042			
MBDD265	186.00	187.00	1.00	1.856			
MBDD265	187.00	188.00	1.00	5.383			
MBDD265	188.00	189.00	1.00	2.874			
MBDD265	189.00	190.00	1.00	0.376			
MBDD265	196.00	197.00	1.00	0.100			
MBDD259	6.00	7.01	1.01	2.241	1.01 m @ 2.24 g/t Au	2.3	1.01 m @ 2.24 g/t Au
MBDD259	12.78	13.78	1.00	0.134			
MBDD259	13.78	14.78	1.00	0.222	1.00 m @ 0.22 g/t Au	0.2	
MBDD259	27.80	29.00	1.20	3.828	2.20 m @ 2.42 g/t Au	5.3	1.20 m @ 3.83 g/t Au
MBDD259	29.00	30.00	1.00	0.723			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
MBDD259	33.00	34.00	1.00	0.999	3.00 m @ 0.78 g/t Au	2.3	1.00 m @ 1.12 g/t Au
MBDD259	34.00	35.00	1.00	1.121			
MBDD259	35.00	36.00	1.00	0.205			
MBDD259	37.00	38.00	1.00	0.190	10.83 m @ 1.05 g/t Au	11.4	4.00 m @ 2.22 g/t Au
MBDD259	39.00	39.91	0.91	0.190			
MBDD259	53.00	54.00	1.00	0.107			
MBDD259	58.00	59.00	1.00	0.109			
MBDD259	59.00	60.00	1.00	0.308			
MBDD259	64.00	65.00	1.00	0.113			
MBDD259	83.20	84.00	0.80	0.151			
MBDD259	89.00	90.00	1.00	0.286			
MBDD259	90.00	91.00	1.00	0.305			
MBDD259	111.00	112.00	1.00	0.145			
MBDD259	117.17	118.00	0.83	0.547	10.83 m @ 1.05 g/t Au	11.4	4.00 m @ 2.22 g/t Au
MBDD259	118.00	119.00	1.00	2.750			
MBDD259	119.00	120.00	1.00	0.951			
MBDD259	120.00	121.00	1.00	0.801			
MBDD259	121.00	122.00	1.00	4.371			
MBDD259	122.00	123.00	1.00	0.187			
MBDD259	123.00	124.00	1.00	0.008			
MBDD259	124.00	125.00	1.00	0.535			
MBDD259	125.00	126.00	1.00	0.360			
MBDD259	126.00	127.00	1.00	0.454			
MBDD259	127.00	128.00	1.00	0.494	10.83 m @ 1.05 g/t Au	11.4	4.00 m @ 2.22 g/t Au
MBDD259	150.00	151.00	1.00	0.779			
MBDD259	154.29	155.50	1.21	0.373			
MBDD259	166.00	167.40	1.40	3.356			
MBDD259	176.00	177.00	1.00	0.619			
MBDD259	181.00	182.00	1.00	1.391			
MBDD259	182.00	183.04	1.04	0.392			
MBDD259	187.00	187.95	0.95	0.147			
MBDD259	208.00	209.00	1.00	0.187			
MBDD259	209.00	210.00	1.00	0.181			
MBDD259	210.00	211.00	1.00	0.140	10.83 m @ 1.05 g/t Au	11.4	4.00 m @ 2.22 g/t Au
MBDD259	211.00	212.00	1.00	0.470			
MBDD259	212.00	212.90	0.90	0.186			
MBDD256	0.64	1.96	1.32	0.190			
MBDD256	24.00	25.00	1.00	0.620			
MBDD256	25.00	26.00	1.00	0.770			
MBDD256	26.00	27.20	1.20	0.630			
MBDD256	27.20	28.00	0.80	0.500			
MBDD256	28.00	29.00	1.00	2.320			
MBDD256	29.00	30.30	1.30	2.190			
MBDD256	30.30	30.84	0.54	0.290	10.83 m @ 1.05 g/t Au	11.4	4.00 m @ 2.22 g/t Au
MBDD256	31.50	32.50	1.00	1.290			
MBDD256	32.50	33.90	1.40	0.300			
MBDD256	33.90	34.40	0.50	9.900			
MBDD256	34.40	35.00	0.60	0.570			
MBDD256	35.00	36.00	1.00	0.220			
MBDD256	36.00	37.00	1.00	0.170			
MBDD256	39.00	39.90	0.90	0.420			
MBDD256	41.14	42.00	0.86	2.710			
MBDD256	42.00	43.00	1.00	6.100			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
MBDD256	43.00	44.12	1.12	3.470			
MBDD256	50.00	51.00	1.00	8.700	4.00 m @ 2.66 g/t Au	10.6	2.00 m @ 5.03 g/t Au
MBDD256	51.00	52.00	1.00	1.360			
MBDD256	52.00	53.00	1.00	0.310			
MBDD256	53.00	54.00	1.00	0.270			
MBDD256	69.00	70.00	1.00	0.130			
MBDD256	70.68	72.00	1.32	0.140			
MBDD256	72.00	73.00	1.00	0.180			
MBDD256	73.00	74.00	1.00	0.380	2.00 m @ 0.29 g/t Au	0.6	
MBDD256	74.00	75.00	1.00	0.200	1.00 m @ 0.22 g/t Au	0.2	
MBDD256	77.00	78.00	1.00	0.220	1.00 m @ 0.46 g/t Au	0.5	
MBDD256	85.00	86.00	1.00	0.460			
MBDD256	100.00	101.00	1.00	0.220	3.00 m @ 0.44 g/t Au	1.3	
MBDD256	101.00	102.00	1.00	0.890			
MBDD256	102.00	103.00	1.00	0.200			
MBDD256	112.00	113.00	1.00	0.520	1.00 m @ 0.52 g/t Au	0.5	
MBDD256	197.50	198.50	1.00	0.370	1.00 m @ 0.37 g/t Au	0.4	
MBDD256	203.70	204.47	0.77	0.670	2.30 m @ 0.88 g/t Au	2.0	
MBDD256	204.47	205.50	1.03	0.010			
MBDD256	205.50	206.00	0.50	3.000			
MBDD256	206.00	207.15	1.15	0.190			0.50 m @ 3.00 g/t Au

Table 3: Drill collar information for holes drilled at BST1

Hole ID	UTM East Zone 29N	UTM North Zone 29N	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
BSDD0015	784,620	1,035,604	410	161.30	90	-55	BST1	DD
BSDD0016A	784,591	1,035,796	410	238.60	90	-55	BST1	DD
BSDD0017	784,558	1,035,294	412	250.20	90	-55	BST1	DD
BSDD0018	784,560	1,035,400	410	230.40	90	-55	BST1	DD
BSDD0019	784,559	1,035,499	409	234.90	90	-55	BST1	DD
BSDD0020	784,559	1,035,600	409	232.50	90	-55	BST1	DD
BSDD0022	784,835	1,036,695	413	150.00	90	-55	BST1	DD
BSDD0023	784,160	1,037,092	399	167.20	90	-55	BST1	DD
BSDD0026	784,357	1,037,291	403	172.25	90	-55	BST1	DD
BSDD0028	784,276	1,037,291	406	206.40	90	-55	BST1	DD
BSDD0030	784,550	1,035,249	413	413.60	90	-60	BST1	DD
BSDD0031	784,820	1,035,300	414	156.00	90	-60	BST1	DD
BSDD0032	784,698	1,035,300	415	323.30	90	-60	BST1	DD
BSDD0033	784,642	1,035,200	416	320.10	90	-60	BST1	DD
BSDD0034	784,528	1,035,200	416	434.15	90	-60	BST1	DD
15 holes				3,690.90m			TOTAL	DD

Table 4: Significant assay results for holes drilled at BST1¹⁵

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BSDD0015	0.00	1.50	1.50	1.389	1.50 m @ 1.39 g/t Au	2.1	1.50 m @ 1.39 g/t Au
BSDD0015	1.50	3.00	1.50	0.100			
BSDD0015	6.00	7.00	1.00	0.238	2.36 m @ 0.31 g/t Au	0.7	
BSDD0015	7.00	8.36	1.36	0.365			
BSDD0016A	78.00	79.00	1.00	0.130			
BSDD0016A	85.00	86.00	1.00	0.300	1.00 m @ 0.30 g/t Au	0.3	
BSDD0016A	97.00	98.40	1.40	0.500	1.40 m @ 0.50 g/t Au	0.7	
BSDD0016A	106.00	107.00	1.00	0.150			
BSDD0016A	118.00	119.00	1.00	30.680	3.00 m @ 10.61 g/t Au	31.8	1.00 m @ 30.68 g/t Au
BSDD0016A	119.00	120.00	1.00	0.210			
BSDD0016A	120.00	121.00	1.00	0.940			
BSDD0016A	148.00	149.00	1.00	0.540	1.00 m @ 0.54 g/t Au	0.5	
BSDD0016A	162.00	163.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.2	
BSDD0016A	179.00	180.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.3	
BSDD0016A	181.00	182.00	1.00	0.200	3.00 m @ 0.32 g/t Au	1.0	
BSDD0016A	182.00	183.00	1.00	0.010			
BSDD0016A	183.00	184.00	1.00	0.760			
BSDD0016A	190.00	191.00	1.00	2.730	9.00 m @ 0.72 g/t Au	6.5	1.00 m @ 2.73 g/t Au
BSDD0016A	191.00	192.00	1.00	0.350			
BSDD0016A	192.00	193.00	1.00	0.010			
BSDD0016A	193.00	194.00	1.00	0.530			
BSDD0016A	194.00	195.00	1.00	0.160			
BSDD0016A	195.00	196.00	1.00	1.800			
BSDD0016A	196.00	196.65	0.65	0.510			
BSDD0016A	196.65	198.00	1.35	0.010			
BSDD0016A	198.00	199.00	1.00	0.550			
BSDD0016A	199.00	200.00	1.00	0.160			
BSDD0016A	204.00	205.00	1.00	0.690	4.00 m @ 0.27 g/t Au	1.1	
BSDD0016A	205.00	206.00	1.00	0.070			
BSDD0016A	206.00	207.00	1.00	0.010			
BSDD0016A	207.00	208.00	1.00	0.300			
BSDD0016A	211.30	212.00	0.70	1.120	3.70 m @ 0.82 g/t Au	3.0	1.25 m @ 1.59 g/t Au
BSDD0016A	212.00	212.55	0.55	2.180			
BSDD0016A	212.55	214.00	1.45	0.260			
BSDD0016A	214.00	215.00	1.00	0.670			
BSDD0016A	219.00	220.00	1.00	0.520	2.00 m @ 1.10 g/t Au	2.2	
BSDD0016A	220.00	221.00	1.00	1.680			
BSDD0016A	222.20	223.00	0.80	0.120			
BSDD0016A	226.47	227.00	0.53	0.140			
BSDD0016A	227.00	227.50	0.50	0.540	0.50 m @ 0.54 g/t Au	0.3	

¹⁵ 0.2 g/t Au cut off used with 3m internal dilution and no top cut applied

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BSDD0016A	232.00	233.00	1.00	1.470	1.00 m @ 1.47 g/t Au	1.5	1.00 m @ 1.47 g/t Au
BSDD0017	0.00	1.50	1.50	0.329	1.50 m @ 0.33 g/t Au	0.5	
BSDD0017	1.50	3.00	1.50	0.107			
BSDD0017	19.00	20.30	1.30	2.355	1.30 m @ 2.35 g/t Au	3.1	1.30 m @ 2.35 g/t Au
BSDD0017	28.03	29.01	0.98	1.592	0.98 m @ 1.59 g/t Au	1.6	0.98 m @ 1.59 g/t Au
BSDD0017	33.00	34.50	1.50	0.148			
BSDD0017	42.00	43.50	1.50	1.521	1.50 m @ 1.52 g/t Au	2.3	1.50 m @ 1.52 g/t Au
BSDD0017	83.00	84.00	1.00	1.619	2.00 m @ 2.06 g/t Au	4.1	2.00 m @ 2.06 g/t Au
BSDD0017	84.00	85.00	1.00	2.511			
BSDD0017	226.50	228.00	1.50	0.134			
BSDD0017	249.50	250.20	0.70	0.250	0.70 m @ 0.25 g/t Au	0.2	
BSDD0018	0.00	0.63	0.63	0.350	0.63 m @ 0.35 g/t Au	0.2	
BSDD0018	2.35	3.00	0.65	0.150			
BSDD0018	3.00	4.00	1.00	0.100			
BSDD0018	22.80	23.30	0.50	0.110			
BSDD0018	38.00	39.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.2	
BSDD0018	52.00	53.00	1.00	0.150			
BSDD0018	55.00	56.00	1.00	0.130			
BSDD0018	58.00	59.00	1.00	4.070	8.64 m @ 0.91 g/t Au	7.8	1.00 m @ 4.07 g/t Au
BSDD0018	59.00	60.00	1.00	0.280			
BSDD0018	60.00	60.75	0.75	0.300			
BSDD0018	60.75	61.75	1.00	0.480			
BSDD0018	61.75	62.60	0.85	0.150			
BSDD0018	62.60	63.60	1.00	0.010			
BSDD0018	63.60	64.42	0.82	0.590			
BSDD0018	64.42	65.42	1.00	0.380			
BSDD0018	65.42	66.64	1.22	1.470			1.22 m @ 1.47 g/t Au
BSDD0018	71.20	71.70	0.50	1.090	0.50 m @ 1.09 g/t Au	0.5	0.50 m @ 1.09 g/t Au
BSDD0018	75.00	76.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.3	
BSDD0018	76.00	77.00	1.00	0.180			
BSDD0018	79.00	79.54	0.54	1.000	0.54 m @ 1.00 g/t Au	0.5	0.54 m @ 1.00 g/t Au
BSDD0018	83.10	84.60	1.50	1.430	3.90 m @ 0.79 g/t Au	3.1	1.50 m @ 1.43 g/t Au
BSDD0018	84.60	86.00	1.40	0.060			
BSDD0018	86.00	87.00	1.00	0.860			
BSDD0018	90.46	91.40	0.94	0.260	0.94 m @ 0.26 g/t Au	0.2	
BSDD0018	101.00	102.00	1.00	0.140			
BSDD0018	104.00	105.00	1.00	0.570			
BSDD0018	105.00	106.00	1.00	0.050	5.00 m @ 0.38 g/t Au	1.9	
BSDD0018	106.00	107.00	1.00	0.270			
BSDD0018	107.00	108.00	1.00	0.740			
BSDD0018	108.00	109.00	1.00	0.290			
BSDD0018	111.00	112.00	1.00	0.130			
BSDD0018	112.00	113.00	1.00	1.240	1.00 m @ 1.24 g/t Au	1.2	1.00 m @ 1.24 g/t Au
BSDD0018	117.00	118.00	1.00	0.140			
BSDD0018	118.00	119.00	1.00	0.540	6.00 m @ 0.45 g/t Au	2.7	
BSDD0018	119.00	120.00	1.00	0.060			
BSDD0018	120.00	121.00	1.00	0.020			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BSDD0018	121.00	122.00	1.00	0.210			
BSDD0018	122.00	123.00	1.00	1.340			1.00 m @ 1.34 g/t Au
BSDD0018	123.00	124.00	1.00	0.500			
BSDD0018	127.00	128.00	1.00	0.980			
BSDD0018	128.00	129.00	1.00	0.710			
BSDD0018	129.00	130.00	1.00	1.640	4.00 m @ 0.95 g/t Au	3.8	1.00 m @ 1.64 g/t Au
BSDD0018	130.00	131.00	1.00	0.460			
BSDD0018	135.00	136.00	1.00	0.530			
BSDD0018	136.00	137.00	1.00	0.010			
BSDD0018	137.00	138.00	1.00	0.030	4.00 m @ 0.22 g/t Au	0.9	
BSDD0018	138.00	139.00	1.00	0.310			
BSDD0018	158.00	159.00	1.00	0.730	1.00 m @ 0.73 g/t Au	0.7	
BSDD0018	167.00	168.00	1.00	0.110			
BSDD0018	168.00	169.00	1.00	4.860			1.00 m @ 4.86 g/t Au
BSDD0018	169.00	170.00	1.00	0.700			
BSDD0018	170.00	171.18	1.18	0.070			
BSDD0018	171.18	172.00	0.82	0.230	6.00 m @ 1.11 g/t Au	6.7	
BSDD0018	172.00	173.00	1.00	0.250			
BSDD0018	173.00	174.00	1.00	0.580			
BSDD0018	179.00	180.28	1.28	0.320			
BSDD0018	180.28	181.00	0.72	1.040	3.00 m @ 0.47 g/t Au	1.4	0.72 m @ 1.04 g/t Au
BSDD0018	181.00	182.00	1.00	0.260			
BSDD0018	183.00	184.00	1.00	0.180			
BSDD0018	184.00	185.00	1.00	0.110			
BSDD0018	185.00	186.00	1.00	0.680			
BSDD0018	186.00	186.90	0.90	1.100	1.90 m @ 0.88 g/t Au	1.7	0.90 m @ 1.10 g/t Au
BSDD0018	190.00	191.00	1.00	0.110			
BSDD0018	195.00	196.00	1.00	0.520			
BSDD0018	196.00	197.00	1.00	0.050	3.00 m @ 0.31 g/t Au	0.9	
BSDD0018	197.00	198.00	1.00	0.370			
BSDD0018	198.00	199.00	1.00	0.100			
BSDD0018	203.50	204.00	0.50	0.190			
BSDD0018	205.00	205.50	0.50	0.290	0.50 m @ 0.29 g/t Au	0.1	
BSDD0018	206.00	206.50	0.50	0.100			
BSDD0018	206.50	207.00	0.50	0.130			
BSDD0018	216.00	217.00	1.00	0.120			
BSDD0019	4.00	5.00	1.00	0.100			
BSDD0019	6.00	7.00	1.00	0.100			
BSDD0019	9.00	10.00	1.00	0.380			
BSDD0019	10.00	11.05	1.05	0.360	2.05 m @ 0.37 g/t Au	0.8	
BSDD0019	31.00	32.00	1.00	0.840			
BSDD0019	32.00	33.00	1.00	0.170			
BSDD0019	33.00	34.00	1.00	0.080	3.94 m @ 0.60 g/t Au	2.4	
BSDD0019	34.00	34.94	0.94	1.350			0.94 m @ 1.35 g/t Au
BSDD0019	36.97	38.00	1.03	0.110			
BSDD0019	50.00	51.00	1.00	1.120	1.00 m @ 1.12 g/t Au	1.1	1.00 m @ 1.12 g/t Au
BSDD0019	64.00	65.00	1.00	0.190			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BSDD0019	70.00	71.00	1.00	0.560	1.00 m @ 0.56 g/t Au	0.6	
BSDD0019	83.00	84.00	1.00	0.110			
BSDD0019	84.00	85.00	1.00	0.110			
BSDD0019	86.00	87.00	1.00	1.770			
BSDD0019	87.00	88.00	1.00	0.050	4.00 m @ 1.11 g/t Au	4.4	4.00 m @ 1.11 g/t Au
BSDD0019	88.00	89.00	1.00	0.030			
BSDD0019	89.00	90.00	1.00	2.580			
BSDD0019	93.00	94.00	1.00	0.500			
BSDD0019	94.00	95.00	1.00	1.110	3.15 m @ 0.65 g/t Au	2.0	1.00 m @ 1.11 g/t Au
BSDD0019	95.00	96.15	1.15	0.380			
BSDD0019	99.00	100.40	1.40	1.000			1.40 m @ 1.00 g/t Au
BSDD0019	100.40	101.00	0.60	0.020			
BSDD0019	101.00	102.00	1.00	0.010	6.00 m @ 0.53 g/t Au	3.2	
BSDD0019	102.00	103.00	1.00	0.990			
BSDD0019	103.00	104.00	1.00	0.540			
BSDD0019	104.00	105.00	1.00	0.200			
BSDD0019	108.00	109.00	1.00	0.320	1.00 m @ 0.32 g/t Au	0.3	
BSDD0019	114.00	115.00	1.00	1.390	1.00 m @ 1.39 g/t Au	1.4	1.00 m @ 1.39 g/t Au
BSDD0019	116.00	117.20	1.20	0.130			
BSDD0019	117.20	118.00	0.80	4.620			
BSDD0019	118.00	119.00	1.00	1.660	2.80 m @ 2.16 g/t Au	6.0	1.80 m @ 2.98 g/t Au
BSDD0019	119.00	120.00	1.00	0.680			
BSDD0019	129.00	130.00	1.00	0.340	1.00 m @ 0.34 g/t Au	0.3	
BSDD0019	134.00	135.00	1.00	0.430	1.00 m @ 0.43 g/t Au	0.4	
BSDD0019	138.00	138.86	0.86	0.390	0.86 m @ 0.39 g/t Au	0.3	
BSDD0019	141.00	142.00	1.00	0.170			
BSDD0019	146.00	147.00	1.00	0.530	1.00 m @ 0.53 g/t Au	0.5	
BSDD0019	194.00	194.90	0.90	0.910			
BSDD0019	194.90	196.00	1.10	1.580	5.20 m @ 1.08 g/t Au	5.6	1.10 m @ 1.58 g/t Au
BSDD0019	196.00	197.14	1.14	0.620			
BSDD0019	197.14	198.50	1.36	0.630			
BSDD0019	198.50	199.20	0.70	2.110			0.70 m @ 2.11 g/t Au
BSDD0019	199.20	200.00	0.80	0.170			
BSDD0020	81.90	83.40	1.50	0.380	1.50 m @ 0.38 g/t Au	0.6	
BSDD0020	90.00	91.00	1.00	1.330	1.00 m @ 1.33 g/t Au	1.3	1.00 m @ 1.33 g/t Au
BSDD0020	103.00	104.00	1.00	0.140			
BSDD0020	105.00	106.00	1.00	0.290	1.00 m @ 0.29 g/t Au	0.3	
BSDD0020	113.00	114.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.3	
BSDD0020	115.00	116.00	1.00	0.150			
BSDD0020	118.00	119.00	1.00	0.100			
BSDD0020	120.00	121.00	1.00	0.150			
BSDD0020	129.00	130.00	1.00	3.640			
BSDD0020	130.00	131.00	1.00	0.030			
BSDD0020	131.00	132.00	1.00	0.010			
BSDD0020	132.00	133.00	1.00	1.830	7.10 m @ 1.05 g/t Au	7.5	4.00 m @ 1.38 g/t Au
BSDD0020	133.00	134.00	1.00	0.300			
BSDD0020	134.00	135.00	1.00	0.500			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BSDD0020	135.00	136.10	1.10	1.060			1.10 m @ 1.06 g/t Au
BSDD0020	139.00	140.00	1.00	0.250	3.00 m @ 0.89 g/t Au	2.7	
BSDD0020	140.00	141.00	1.00	0.800			
BSDD0020	141.00	142.00	1.00	1.620			1.00 m @ 1.62 g/t Au
BSDD0020	145.00	145.50	0.50	0.260	4.00 m @ 0.78 g/t Au	3.1	
BSDD0020	145.50	146.00	0.50	1.410			0.50 m @ 1.41 g/t Au
BSDD0020	146.00	147.00	1.00	0.030			
BSDD0020	147.00	148.00	1.00	0.010			
BSDD0020	148.00	149.00	1.00	2.240			1.00 m @ 2.24 g/t Au
BSDD0020	152.00	153.00	1.00	0.570	1.00 m @ 0.57 g/t Au	0.6	
BSDD0020	163.00	164.00	1.00	0.720	9.20 m @ 1.34 g/t Au	12.3	
BSDD0020	164.00	165.00	1.00	0.010			
BSDD0020	165.00	166.00	1.00	0.510			
BSDD0020	166.00	167.30	1.30	1.520			
BSDD0020	167.30	168.00	0.70	7.390			
BSDD0020	168.00	169.00	1.00	1.160			
BSDD0020	169.00	170.00	1.00	0.690			
BSDD0020	170.00	171.00	1.00	1.190			
BSDD0020	171.00	172.20	1.20	0.750			
BSDD0020	183.00	184.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.2	
BSDD0020	194.00	195.00	1.00	0.130			
BSDD0020	208.00	209.00	1.00	0.110			
BSDD0020	213.00	214.00	1.00	0.130			
BSDD0020	214.00	215.00	1.00	0.330	1.00 m @ 0.33 g/t Au	0.3	
BSDD0022	70.00	71.00	1.00	0.100			
BSDD0022	72.00	73.00	1.00	0.100			
BSDD0022	99.00	100.00	1.00	1.610	2.00 m @ 1.81 g/t Au	3.6	2.00 m @ 1.81 g/t Au
BSDD0022	100.00	101.00	1.00	2.010			
BSDD0022	101.00	102.00	1.00	0.100			
BSDD0022	108.00	109.00	1.00	0.100			
BSDD0022	110.00	111.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.2	
BSDD0022	111.00	112.00	1.00	0.120			
BSDD0022	112.00	113.00	1.00	0.100			
BSDD0023	3.00	4.00	1.00	0.100			
BSDD0023	14.50	15.00	0.50	0.330	0.50 m @ 0.33 g/t Au	0.2	
BSDD0023	33.00	34.00	1.00	0.130			
BSDD0023	102.00	103.00	1.00	0.110			
BSDD0023	156.00	157.25	1.25	0.230	1.25 m @ 0.23 g/t Au	0.3	
BSDD0023	160.00	161.00	1.00	0.190			
BSDD0023	161.00	162.00	1.00	0.170			
BSDD0023	162.00	163.45	1.45	0.100			
BSDD0026	3.00	4.50	1.50	0.110			
BSDD0026	51.00	52.00	1.00	0.100			
BSDD0026	74.00	75.00	1.00	9.430	1.00 m @ 9.43 g/t Au	9.4	1.00 m @ 9.43 g/t Au
BSDD0026	85.00	86.00	1.00	0.480	1.00 m @ 0.48 g/t Au	0.5	
BSDD0026	93.20	94.00	0.80	0.220	0.80 m @ 0.22 g/t Au	0.2	
BSDD0026	101.00	102.00	1.00	0.480	4.00 m @ 0.30 g/t Au	1.2	

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BSDD0026	102.00	103.00	1.00	0.030			
BSDD0026	103.00	104.00	1.00	0.140			
BSDD0026	104.00	105.00	1.00	0.560			
BSDD0026	115.40	116.00	0.60	0.700	0.60 m @ 0.70 g/t Au	0.4	
BSDD0026	144.00	145.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.2	
BSDD0028	1.00	2.08	1.08	0.136			
BSDD0028	127.00	128.00	1.00	0.288	1.00 m @ 0.29 g/t Au	0.3	
BSDD0028	131.00	132.00	1.00	0.199			
BSDD0028	149.00	150.00	1.00	0.512	2.00 m @ 0.98 g/t Au	2.0	
BSDD0028	150.00	151.00	1.00	1.456			1.00 m @ 1.46 g/t Au
BSDD0028	177.00	178.00	1.00	0.257	2.00 m @ 0.55 g/t Au	1.1	
BSDD0028	178.00	179.00	1.00	0.835			
BSDD0028	179.00	180.00	1.00	0.150			
BSDD0028	183.00	184.00	1.00	0.194			
BSDD0028	186.00	187.00	1.00	0.184			
BSDD0028	187.00	188.00	1.00	0.272			
BSDD0028	188.00	189.00	1.00	1.423	3.00 m @ 0.74 g/t Au	2.2	1.00 m @ 1.42 g/t Au
BSDD0028	189.00	190.00	1.00	0.515			
BSDD0028	198.00	199.00	1.00	0.129			
BSDD0028	199.00	200.00	1.00	0.568	1.00 m @ 0.57 g/t Au	0.6	
BSDD0028	205.00	206.40	1.40	0.360	1.40 m @ 0.36 g/t Au	0.5	
BSDD0030	0.00	1.00	1.00	0.327	2.42 m @ 0.45 g/t Au	1.1	
BSDD0030	1.00	2.42	1.42	0.531			
BSDD0030	3.00	4.00	1.00	0.113			
BSDD0030	12.88	13.50	0.62	3.792	2.76 m @ 1.69 g/t Au	4.7	2.76 m @ 1.69 g/t Au
BSDD0030	13.50	15.00	1.50	0.962			
BSDD0030	15.00	15.64	0.64	1.365			
BSDD0030	17.25	18.00	0.75	1.104	0.75 m @ 1.10 g/t Au	0.8	0.75 m @ 1.10 g/t Au
BSDD0030	22.00	23.00	1.00	1.789	1.00 m @ 1.79 g/t Au	1.8	1.00 m @ 1.79 g/t Au
BSDD0030	23.00	24.00	1.00	0.143			
BSDD0030	25.00	26.00	1.00	0.150			
BSDD0030	26.00	27.00	1.00	0.843	2.50 m @ 0.63 g/t Au	1.6	
BSDD0030	27.00	28.50	1.50	0.496			
BSDD0030	29.32	30.00	0.68	1.382	0.68 m @ 1.38 g/t Au	0.9	0.68 m @ 1.38 g/t Au
BSDD0030	31.05	31.95	0.90	0.184			
BSDD0030	40.50	42.00	1.50	0.152			
BSDD0030	45.00	45.84	0.84	0.181			
BSDD0030	46.50	48.00	1.50	0.753	4.50 m @ 0.88 g/t Au	4.0	
BSDD0030	48.00	49.00	1.00	1.201			1.00 m @ 1.20 g/t Au
BSDD0030	49.00	50.00	1.00	0.026			
BSDD0030	50.00	51.00	1.00	1.624			1.00 m @ 1.62 g/t Au
BSDD0030	56.00	57.00	1.00	0.871	2.00 m @ 0.64 g/t Au	1.3	
BSDD0030	57.00	58.00	1.00	0.403			
BSDD0030	79.00	80.00	1.00	1.285	2.00 m @ 1.44 g/t Au	2.9	2.00 m @ 1.44 g/t Au
BSDD0030	80.00	81.00	1.00	1.593			
BSDD0030	129.00	130.00	1.00	0.145			
BSDD0030	133.00	134.00	1.00	0.157			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BSDD0030	146.00	147.00	1.00	1.563	1.00 m @ 1.56 g/t Au	1.6	1.00 m @ 1.56 g/t Au
BSDD0030	171.00	172.00	1.00	0.532	1.00 m @ 0.53 g/t Au	0.5	
BSDD0030	190.00	191.00	1.00	0.157			
BSDD0030	193.00	194.00	1.00	0.182			
BSDD0030	214.00	215.00	1.00	0.160			
BSDD0030	246.00	247.00	1.00	0.592	1.00 m @ 0.59 g/t Au	0.6	
BSDD0030	247.00	248.00	1.00	0.133			
BSDD0030	256.00	257.00	1.00	1.080	1.00 m @ 1.08 g/t Au	1.1	1.00 m @ 1.08 g/t Au
BSDD0030	260.00	261.00	1.00	0.868			
BSDD0030	261.00	262.00	1.00	0.468	2.00 m @ 0.67 g/t Au	1.3	
BSDD0030	265.00	265.50	0.50	8.202	0.50 m @ 8.20 g/t Au	4.1	0.50 m @ 8.20 g/t Au
BSDD0030	288.00	289.00	1.00	0.104			
BSDD0030	296.00	297.00	1.00	0.102			
BSDD0030	299.00	300.00	1.00	0.254	1.00 m @ 0.25 g/t Au	0.3	
BSDD0030	301.00	302.00	1.00	0.246			
BSDD0030	302.00	303.00	1.00	0.104			
BSDD0030	303.00	304.00	1.00	0.646			
BSDD0030	304.00	305.00	1.00	0.008	7.00 m @ 0.23 g/t Au	1.6	
BSDD0030	305.00	306.00	1.00	0.283			
BSDD0030	306.00	307.00	1.00	0.060			
BSDD0030	307.00	308.00	1.00	0.273			
BSDD0030	310.00	311.00	1.00	0.214	1.00 m @ 0.21 g/t Au	0.2	
BSDD0030	316.00	317.00	1.00	0.468			
BSDD0030	317.00	318.00	1.00	1.169	3.00 m @ 1.41 g/t Au	4.2	2.00 m @ 1.88 g/t Au
BSDD0030	318.00	319.00	1.00	2.599			
BSDD0030	319.00	320.00	1.00	0.115			
BSDD0030	320.00	321.00	1.00	0.135			
BSDD0030	325.00	326.00	1.00	0.362			
BSDD0030	326.00	327.00	1.00	2.067			1.00 m @ 2.07 g/t Au
BSDD0030	327.00	328.00	1.00	0.023	5.00 m @ 0.64 g/t Au	3.2	
BSDD0030	328.00	329.00	1.00	0.092			
BSDD0030	329.00	330.00	1.00	0.671			
BSDD0030	330.00	331.00	1.00	0.106			
BSDD0030	331.00	332.00	1.00	0.105			
BSDD0030	338.00	339.00	1.00	0.187			
BSDD0030	340.00	341.00	1.00	0.231			
BSDD0030	341.00	342.00	1.00	0.573			
BSDD0030	342.00	343.00	1.00	0.008	4.80 m @ 0.21 g/t Au	1.0	
BSDD0030	343.00	344.00	1.00	0.016			
BSDD0030	344.00	344.80	0.80	0.203			
BSDD0030	346.00	347.00	1.00	0.118			
BSDD0030	347.00	348.00	1.00	0.293	1.00 m @ 0.29 g/t Au	0.3	
BSDD0030	353.00	354.00	1.00	1.578			1.00 m @ 1.58 g/t Au
BSDD0030	354.00	355.00	1.00	0.167	4.00 m @ 0.70 g/t Au	2.8	
BSDD0030	355.00	356.00	1.00	0.266			
BSDD0030	356.00	357.00	1.00	0.808			
BSDD0030	360.00	361.00	1.00	0.439	1.00 m @ 0.44 g/t Au	0.4	

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BSDD0030	365.00	366.00	1.00	0.263	1.00 m @ 0.26 g/t Au	0.3	
BSDD0030	368.00	369.00	1.00	0.183			
BSDD0030	370.00	371.00	1.00	0.119			
BSDD0030	371.00	372.00	1.00	0.516	1.00 m @ 0.52 g/t Au	0.5	
BSDD0030	376.00	377.00	1.00	0.620			
BSDD0030	377.00	378.00	1.00	0.052	3.00 m @ 0.36 g/t Au	1.1	
BSDD0030	378.00	379.00	1.00	0.402			
BSDD0030	382.00	383.00	1.00	6.700	1.00 m @ 6.70 g/t Au	6.7	1.00 m @ 6.70 g/t Au
BSDD0030	389.00	390.00	1.00	0.614			
BSDD0030	390.00	390.80	0.80	0.044			
BSDD0030	390.80	392.00	1.20	0.192			
BSDD0030	392.00	393.00	1.00	1.057			1.00 m @ 1.06 g/t Au
BSDD0030	393.00	394.00	1.00	0.133			
BSDD0030	394.00	395.00	1.00	1.054			1.00 m @ 1.05 g/t Au
BSDD0030	395.00	396.00	1.00	0.860			
BSDD0030	396.00	397.00	1.00	0.383			
BSDD0030	397.00	397.50	0.50	1.260			0.50 m @ 1.26 g/t Au
BSDD0030	397.50	399.00	1.50	0.008			
BSDD0030	399.00	400.00	1.00	0.282			
BSDD0030	400.00	401.00	1.00	0.046			
BSDD0030	401.00	402.00	1.00	0.416			
BSDD0030	402.00	403.00	1.00	0.008			
BSDD0030	403.00	404.00	1.00	0.222			
BSDD0030	404.00	405.00	1.00	0.754			
BSDD0030	410.00	411.00	1.00	0.219	1.00 m @ 0.22 g/t Au	0.2	
BSDD0031	1.23	1.90	0.67	0.220	0.67 m @ 0.22 g/t Au	0.1	
BSDD0031	1.90	3.00	1.10	0.110			
BSDD0031	3.00	3.68	0.68	0.100			
BSDD0031	5.16	6.54	1.38	0.130			
BSDD0031	7.50	8.50	1.00	0.160			
BSDD0031	9.50	10.03	0.53	0.260	0.53 m @ 0.26 g/t Au	0.1	
BSDD0031	13.00	14.00	1.00	0.120			
BSDD0031	21.00	22.00	1.00	0.160			
BSDD0031	22.00	23.00	1.00	1.180	1.00 m @ 1.18 g/t Au	1.2	1.00 m @ 1.18 g/t Au
BSDD0031	60.00	61.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.2	
BSDD0031	78.00	79.00	1.00	0.140			
BSDD0031	80.00	81.00	1.00	3.760	1.00 m @ 3.76 g/t Au	3.8	1.00 m @ 3.76 g/t Au
BSDD0031	86.00	87.00	1.00	0.100			
BSDD0031	87.00	88.00	1.00	0.620	1.00 m @ 0.62 g/t Au	0.6	
BSDD0031	108.00	109.00	1.00	0.140			
BSDD0031	121.00	122.00	1.00	0.140			
BSDD0031	132.00	133.00	1.00	0.340	1.00 m @ 0.34 g/t Au	0.3	
BSDD0031	134.00	135.00	1.00	0.100			
BSDD0031	145.00	146.00	1.00	0.630	1.00 m @ 0.63 g/t Au	0.6	
BSDD0031	154.00	155.00	1.00	0.470	1.00 m @ 0.47 g/t Au	0.5	
BSDD0032	0.00	0.68	0.68	0.180			
BSDD0032	4.50	5.50	1.00	0.250	1.00 m @ 0.25 g/t Au	0.3	

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BSDD0032	9.50	10.10	0.60	2.240	0.60 m @ 2.24 g/t Au	1.3	0.60 m @ 2.24 g/t Au
BSDD0032	15.00	16.05	1.05	0.350	1.05 m @ 0.35 g/t Au	0.4	
BSDD0032	22.00	23.00	1.00	0.380	5.00 m @ 2.48 g/t Au	12.4	3.00 m @ 3.97 g/t Au
BSDD0032	23.00	24.00	1.00	0.140			
BSDD0032	24.00	25.00	1.00	6.530			
BSDD0032	25.00	26.00	1.00	2.240			
BSDD0032	26.00	27.00	1.00	3.130			
BSDD0032	27.00	28.00	1.00	0.140			
BSDD0032	59.00	60.00	1.00	0.160			
BSDD0032	60.00	60.82	0.82	1.310	0.82 m @ 1.31 g/t Au	1.1	0.82 m @ 1.31 g/t Au
BSDD0032	72.00	73.00	1.00	0.630	1.00 m @ 0.63 g/t Au	0.6	
BSDD0032	84.00	85.00	1.00	0.110			
BSDD0032	85.00	86.00	1.00	0.150			
BSDD0032	89.00	90.00	1.00	0.220	4.00 m @ 0.27 g/t Au	1.1	
BSDD0032	90.00	90.50	0.50	0.040			
BSDD0032	90.50	91.00	0.50	0.030			
BSDD0032	91.00	92.00	1.00	0.005			
BSDD0032	92.00	93.00	1.00	0.800			
BSDD0032	95.00	96.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.3	
BSDD0032	132.00	133.00	1.00	0.570	2.00 m @ 1.03 g/t Au	2.1	1.00 m @ 1.50 g/t Au
BSDD0032	133.00	134.00	1.00	1.500			
BSDD0032	147.00	148.00	1.00	0.150			
BSDD0032	148.00	149.00	1.00	0.100			
BSDD0032	149.00	150.00	1.00	0.120			
BSDD0032	158.00	158.80	0.80	0.100			
BSDD0032	158.80	160.00	1.20	0.120			
BSDD0032	166.00	167.00	1.00	0.890	1.00 m @ 0.89 g/t Au	0.9	
BSDD0032	170.00	171.00	1.00	0.140			
BSDD0032	171.00	172.00	1.00	0.110			
BSDD0032	175.00	175.53	0.53	0.110			
BSDD0032	175.53	176.25	0.72	0.270	0.72 m @ 0.27 g/t Au	0.2	
BSDD0032	178.00	179.00	1.00	0.100			
BSDD0032	181.00	182.00	1.00	0.140			
BSDD0032	185.00	186.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.2	
BSDD0032	192.00	193.00	1.00	0.150			
BSDD0032	194.00	195.00	1.00	0.110			
BSDD0032	195.00	196.00	1.00	0.700	2.00 m @ 0.51 g/t Au	1.0	
BSDD0032	196.00	197.00	1.00	0.310			
BSDD0032	197.00	198.00	1.00	0.170			
BSDD0032	198.00	199.00	1.00	0.150			
BSDD0032	204.00	205.00	1.00	0.220			
BSDD0032	205.00	206.00	1.00	4.260	4.00 m @ 1.32 g/t Au	5.3	1.00 m @ 4.26 g/t Au
BSDD0032	206.00	207.00	1.00	0.450			
BSDD0032	207.00	208.00	1.00	0.370			
BSDD0032	212.00	213.00	1.00	1.500	3.00 m @ 0.99 g/t Au	3.0	1.00 m @ 1.50 g/t Au
BSDD0032	213.00	214.00	1.00	0.580			
BSDD0032	214.00	215.00	1.00	0.900			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BSDD0032	215.00	216.00	1.00	0.110			
BSDD0032	216.00	217.00	1.00	0.160			
BSDD0032	217.00	218.00	1.00	0.130			
BSDD0032	218.00	219.00	1.00	2.140			1.00 m @ 2.14 g/t Au
BSDD0032	219.00	220.00	1.00	0.070			
BSDD0032	220.00	221.00	1.00	0.700			
BSDD0032	221.00	222.00	1.00	0.190			
BSDD0032	222.00	223.00	1.00	0.510			
BSDD0032	223.00	224.00	1.00	0.300			
BSDD0032	224.00	225.00	1.00	1.450			2.00 m @ 2.53 g/t Au
BSDD0032	225.00	226.00	1.00	3.610			
BSDD0032	226.00	227.00	1.00	0.290			
BSDD0032	227.00	228.00	1.00	0.270			
BSDD0032	228.00	229.00	1.00	0.380			
BSDD0032	229.00	230.15	1.15	1.350	23.00 m @ 1.34 g/t Au	30.8	
BSDD0032	230.15	231.00	0.85	1.700			
BSDD0032	231.00	232.00	1.00	4.370			5.80 m @ 2.34 g/t Au
BSDD0032	232.00	233.00	1.00	0.110			
BSDD0032	233.00	233.80	0.80	0.380			
BSDD0032	233.80	234.80	1.00	5.800			
BSDD0032	234.80	236.00	1.20	0.080			
BSDD0032	236.00	237.00	1.00	0.390			
BSDD0032	237.00	238.00	1.00	0.220			
BSDD0032	238.00	239.00	1.00	0.730			
BSDD0032	239.00	240.00	1.00	3.290			
BSDD0032	240.00	241.00	1.00	2.580			2.00 m @ 2.94 g/t Au
BSDD0032	241.00	242.00	1.00	0.160			
BSDD0032	242.00	243.00	1.00	0.100			
BSDD0032	283.00	284.00	1.00	0.120			
BSDD0033	0.00	1.00	1.00	0.510	1.00 m @ 0.51 g/t Au	0.5	
BSDD0033	1.00	2.16	1.16	0.157			
BSDD0033	3.00	4.50	1.50	0.127			
BSDD0033	18.43	19.50	1.07	0.120			
BSDD0033	43.50	45.00	1.50	0.319	1.50 m @ 0.32 g/t Au	0.5	
BSDD0033	50.68	51.50	0.82	0.141			
BSDD0033	89.00	90.00	1.00	0.855			
BSDD0033	90.00	91.00	1.00	1.620	4.00 m @ 4.59 g/t Au	18.4	2.00 m @ 8.47 g/t Au
BSDD0033	91.00	92.00	1.00	15.314			
BSDD0033	92.00	93.00	1.00	0.582			
BSDD0033	93.00	94.00	1.00	0.121			
BSDD0033	99.42	100.00	0.58	0.135			
BSDD0033	100.00	101.00	1.00	3.562			
BSDD0033	101.00	102.00	1.00	3.491			
BSDD0033	102.00	103.00	1.00	1.089	10.60 m @ 1.20 g/t Au	12.8	6.00 m @ 1.62 g/t Au
BSDD0033	103.00	104.00	1.00	0.240			
BSDD0033	104.00	105.00	1.00	0.130			
BSDD0033	105.00	106.00	1.00	1.220			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BSDD0033	106.00	107.00	1.00	0.113			
BSDD0033	107.00	108.00	1.00	0.816			
BSDD0033	108.00	109.50	1.50	0.661			
BSDD0033	109.50	110.60	1.10	1.010			1.10 m @ 1.01 g/t Au
BSDD0033	114.00	115.00	1.00	0.151			
BSDD0033	120.00	121.00	1.00	1.491			3.00 m @ 1.24 g/t Au
BSDD0033	121.00	122.00	1.00	0.019			
BSDD0033	122.00	123.00	1.00	2.203			
BSDD0033	123.00	124.00	1.00	0.053	6.00 m @ 0.80 g/t Au	4.8	
BSDD0033	124.00	125.00	1.00	0.714			
BSDD0033	125.00	126.00	1.00	0.290			
BSDD0033	153.00	154.00	1.00	0.267	1.00 m @ 0.27 g/t Au	0.3	
BSDD0033	159.00	160.00	1.00	0.442			
BSDD0033	160.00	161.00	1.00	1.008	2.00 m @ 0.72 g/t Au	1.5	1.00 m @ 1.01 g/t Au
BSDD0033	165.00	166.00	1.00	0.141			
BSDD0033	176.00	177.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.3	
BSDD0033	179.00	180.00	1.00	0.193			
BSDD0033	180.00	181.00	1.00	0.908			
BSDD0033	181.00	182.00	1.00	0.895			
BSDD0033	182.00	183.00	1.00	0.743			
BSDD0033	183.00	184.00	1.00	0.192			
BSDD0033	184.00	185.00	1.00	6.106	8.00 m @ 1.26 g/t Au	10.1	1.00 m @ 6.11 g/t Au
BSDD0033	185.00	186.00	1.00	0.667			
BSDD0033	186.00	187.00	1.00	0.152			
BSDD0033	187.00	188.00	1.00	0.418			
BSDD0033	190.70	192.00	1.30	0.485			
BSDD0033	192.00	193.00	1.00	0.094	3.30 m @ 0.48 g/t Au	1.6	
BSDD0033	193.00	194.00	1.00	0.868			
BSDD0033	194.00	195.00	1.00	0.139			
BSDD0033	197.00	198.00	1.00	0.844			
BSDD0033	198.00	199.00	1.00	0.217			
BSDD0033	199.00	200.00	1.00	0.018			
BSDD0033	200.00	201.00	1.00	0.030	6.00 m @ 0.36 g/t Au	2.2	
BSDD0033	201.00	202.00	1.00	0.372			
BSDD0033	202.00	203.00	1.00	0.677			
BSDD0033	203.00	204.00	1.00	0.181			
BSDD0033	208.00	209.00	1.00	0.344	1.00 m @ 0.34 g/t Au	0.3	
BSDD0033	212.00	213.00	1.00	0.563			
BSDD0033	213.00	214.00	1.00	0.446	3.00 m @ 0.73 g/t Au	2.2	
BSDD0033	214.00	215.00	1.00	1.172			1.00 m @ 1.17 g/t Au
BSDD0033	218.00	219.00	1.00	1.112			
BSDD0033	219.00	220.00	1.00	3.999	2.00 m @ 2.56 g/t Au	5.1	2.00 m @ 2.56 g/t Au
BSDD0033	223.00	224.00	1.00	0.197			
BSDD0033	227.00	228.00	1.00	0.130			
BSDD0033	229.00	230.00	1.00	0.167			
BSDD0033	230.00	231.00	1.00	0.384			
BSDD0033	231.00	232.00	1.00	0.470	2.00 m @ 0.43 g/t Au	0.9	

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
BSDD0033	240.00	241.00	1.00	0.218	13.52 m @ 0.53 g/t Au	7.2		
BSDD0033	241.00	242.00	1.00	0.395				
BSDD0033	242.00	243.00	1.00	0.215				
BSDD0033	243.00	244.00	1.00	0.319				
BSDD0033	244.00	245.00	1.00	0.373				
BSDD0033	245.00	246.00	1.00	0.465				
BSDD0033	246.00	247.00	1.00	0.567				
BSDD0033	247.00	248.00	1.00	0.222				
BSDD0033	248.00	249.00	1.00	0.382				
BSDD0033	249.00	250.00	1.00	0.638				
BSDD0033	250.00	251.00	1.00	2.768				
BSDD0033	251.00	252.50	1.50	0.020				
BSDD0033	252.50	253.52	1.02	0.604				
BSDD0033	258.00	259.00	1.00	1.292	8.00 m @ 0.57 g/t Au	4.5	1.00 m @ 1.29 g/t Au	
BSDD0033	259.00	260.00	1.00	0.381				
BSDD0033	260.00	261.00	1.00	0.922				
BSDD0033	261.00	262.00	1.00	0.279				
BSDD0033	262.00	263.00	1.00	0.228				
BSDD0033	263.00	264.00	1.00	0.722				
BSDD0033	264.00	265.00	1.00	0.181				
BSDD0033	265.00	266.00	1.00	0.529				
BSDD0033	267.00	268.00	1.00	0.187				
BSDD0033	269.00	270.00	1.00	0.477			1.00 m @ 0.48 g/t Au	0.5
BSDD0033	282.00	283.00	1.00	0.702	6.00 m @ 0.80 g/t Au	4.8		
BSDD0033	283.00	284.40	1.40	0.839				
BSDD0033	284.40	285.35	0.95	0.042				
BSDD0033	285.35	286.50	1.15	0.936				
BSDD0033	286.50	288.00	1.50	1.216			1.50 m @ 1.22 g/t Au	
BSDD0033	288.00	289.00	1.00	0.189				
BSDD0033	290.30	291.30	1.00	0.120				
BSDD0033	291.30	292.31	1.01	1.003	3.70 m @ 0.40 g/t Au	1.5	1.01 m @ 1.00 g/t Au	
BSDD0033	292.31	293.70	1.39	0.046				
BSDD0033	293.70	295.00	1.30	0.319				
BSDD0033	298.00	299.00	1.00	0.157				
BSDD0033	300.00	301.00	1.00	0.205	1.00 m @ 0.20 g/t Au	0.2		
BSDD0033	307.00	308.00	1.00	0.276	1.00 m @ 0.28 g/t Au	0.3		
BSDD0033	310.00	311.00	1.00	0.401	4.00 m @ 0.43 g/t Au	1.7		
BSDD0033	311.00	312.00	1.00	0.042				
BSDD0033	312.00	313.00	1.00	0.028				
BSDD0033	313.00	314.00	1.00	1.265			1.00 m @ 1.26 g/t Au	
BSDD0034	0.00	1.20	1.20	0.146				
BSDD0034	14.67	16.00	1.33	0.261	4.36 m @ 0.32 g/t Au	1.4		
BSDD0034	16.00	17.00	1.00	0.048				
BSDD0034	17.00	18.00	1.00	0.020				
BSDD0034	18.00	19.03	1.03	0.970				
BSDD0034	21.00	22.00	1.00	0.132				
BSDD0034	22.00	23.00	1.00	0.103				

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BSDD0034	23.00	24.00	1.00	0.684	6.00 m @ 0.41 g/t Au	2.5	1.00 m @ 1.39 g/t Au
BSDD0034	24.00	25.00	1.00	0.081			
BSDD0034	25.00	26.00	1.00	0.008			
BSDD0034	26.00	27.00	1.00	1.392			
BSDD0034	27.00	28.00	1.00	0.016			
BSDD0034	28.00	29.00	1.00	0.283			
BSDD0034	33.00	34.00	1.00	0.603	1.00 m @ 0.60 g/t Au	0.6	
BSDD0034	37.00	38.00	1.00	0.436	4.00 m @ 0.61 g/t Au	2.4	1.00 m @ 1.64 g/t Au
BSDD0034	38.00	39.00	1.00	0.017			
BSDD0034	39.00	40.00	1.00	0.349			
BSDD0034	40.00	41.00	1.00	1.642			
BSDD0034	47.00	48.00	1.00	2.173	4.00 m @ 0.79 g/t Au	3.2	1.00 m @ 2.17 g/t Au
BSDD0034	48.00	49.00	1.00	0.030			
BSDD0034	49.00	50.00	1.00	0.713			
BSDD0034	50.00	51.00	1.00	0.248			
BSDD0034	57.00	58.00	1.00	0.107			
BSDD0034	66.00	67.00	1.00	0.395	1.00 m @ 0.40 g/t Au	0.4	
BSDD0034	80.26	81.40	1.14	0.684	2.56 m @ 1.42 g/t Au	3.6	1.42 m @ 2.02 g/t Au
BSDD0034	81.40	82.82	1.42	2.016			
BSDD0034	101.68	102.70	1.02	1.119	1.90 m @ 0.74 g/t Au	1.4	1.02 m @ 1.12 g/t Au
BSDD0034	102.70	103.58	0.88	0.311			
BSDD0034	125.00	126.00	1.00	0.506	1.00 m @ 0.51 g/t Au	0.5	
BSDD0034	136.00	137.00	1.00	0.131			
BSDD0034	137.00	138.00	1.00	1.951	3.00 m @ 0.84 g/t Au	2.5	1.00 m @ 1.95 g/t Au
BSDD0034	138.00	139.00	1.00	0.008			
BSDD0034	139.00	140.00	1.00	0.551			
BSDD0034	144.00	145.00	1.00	1.230			
BSDD0034	145.00	146.00	1.00	0.015	8.00 m @ 0.39 g/t Au	3.1	1.00 m @ 1.23 g/t Au
BSDD0034	146.00	147.00	1.00	0.033			
BSDD0034	147.00	148.10	1.10	0.625			
BSDD0034	148.10	149.10	1.00	0.342			
BSDD0034	149.10	150.00	0.90	0.038			
BSDD0034	150.00	151.00	1.00	0.024			
BSDD0034	151.00	152.00	1.00	0.765			
BSDD0034	156.00	157.00	1.00	1.517	1.00 m @ 1.52 g/t Au	1.5	1.00 m @ 1.52 g/t Au
BSDD0034	162.00	163.00	1.00	0.242	1.00 m @ 0.24 g/t Au	0.2	
BSDD0034	191.00	192.00	1.00	2.904	1.00 m @ 2.90 g/t Au	2.9	1.00 m @ 2.90 g/t Au
BSDD0034	197.00	198.00	1.00	0.122			
BSDD0034	198.00	199.00	1.00	0.158			
BSDD0034	208.00	209.00	1.00	0.584	1.00 m @ 0.58 g/t Au	0.6	
BSDD0034	216.00	217.00	1.00	0.116			
BSDD0034	226.00	227.00	1.00	0.106			
BSDD0034	246.00	247.00	1.00	0.150			
BSDD0034	254.00	255.00	1.00	0.149			
BSDD0034	255.00	256.00	1.00	0.227	1.00 m @ 0.23 g/t Au	0.2	
BSDD0034	257.00	258.00	1.00	0.128			
BSDD0034	262.00	263.00	1.00	0.125			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BSDD0034	263.00	264.00	1.00	0.283	3.00 m @ 0.28 g/t Au	0.8	
BSDD0034	264.00	265.00	1.00	0.078			
BSDD0034	265.00	266.00	1.00	0.468			
BSDD0034	273.00	274.00	1.00	0.440	1.00 m @ 0.44 g/t Au	0.4	
BSDD0034	276.30	277.30	1.00	11.700	2.40 m @ 5.03 g/t Au	12.1	1.00 m @ 11.70 g/t Au
BSDD0034	277.30	278.70	1.40	0.268			
BSDD0034	283.00	284.00	1.00	0.135			
BSDD0034	284.00	285.00	1.00	0.105			
BSDD0034	285.00	286.00	1.00	0.347	2.00 m @ 0.28 g/t Au	0.6	
BSDD0034	286.00	287.00	1.00	0.209			
BSDD0034	290.00	291.00	1.00	0.247	2.00 m @ 0.61 g/t Au	1.2	
BSDD0034	291.00	292.00	1.00	0.979			
BSDD0034	295.00	296.00	1.00	0.907	1.00 m @ 0.91 g/t Au	0.9	
BSDD0034	300.00	301.00	1.00	0.437	1.00 m @ 0.44 g/t Au	0.4	
BSDD0034	313.00	314.00	1.00	10.212	1.00 m @ 10.21 g/t Au	10.2	1.00 m @ 10.21 g/t Au
BSDD0034	315.00	316.00	1.00	0.129			
BSDD0034	321.00	322.00	1.00	0.240	4.00 m @ 0.46 g/t Au	1.8	1.00 m @ 1.25 g/t Au
BSDD0034	322.00	323.00	1.00	1.245			
BSDD0034	323.00	324.00	1.00	0.072			
BSDD0034	324.00	325.00	1.00	0.292			
BSDD0034	327.00	328.40	1.40	0.113			
BSDD0034	328.40	329.75	1.35	0.145			
BSDD0034	331.00	332.00	1.00	0.435	11.00 m @ 1.55 g/t Au	17.1	4.00 m @ 3.70 g/t Au
BSDD0034	332.00	333.00	1.00	0.312			
BSDD0034	333.00	334.00	1.00	0.592			
BSDD0034	334.00	335.00	1.00	0.019			
BSDD0034	335.00	336.00	1.00	0.027			
BSDD0034	336.00	337.00	1.00	1.558			
BSDD0034	337.00	338.00	1.00	12.125			
BSDD0034	338.00	339.00	1.00	0.025			
BSDD0034	339.00	340.00	1.00	1.092			
BSDD0034	340.00	341.00	1.00	0.133			
BSDD0034	341.00	342.00	1.00	0.780			
BSDD0034	351.00	351.87	0.87	0.310	21.33 m @ 1.14 g/t Au	24.3	5.00 m @ 2.38 g/t Au
BSDD0034	351.87	353.00	1.13	5.886			
BSDD0034	353.00	354.00	1.00	0.350			
BSDD0034	354.00	355.00	1.00	0.008			
BSDD0034	355.00	356.00	1.00	0.048			
BSDD0034	356.00	357.00	1.00	0.239			
BSDD0034	357.00	358.00	1.00	0.008			
BSDD0034	358.00	359.00	1.00	1.077			
BSDD0034	359.00	360.00	1.00	8.141			
BSDD0034	360.00	361.00	1.00	0.008			
BSDD0034	361.00	362.00	1.00	0.177			
BSDD0034	362.00	363.00	1.00	2.497			
BSDD0034	363.00	364.00	1.00	0.070			
BSDD0034	364.00	365.00	1.00	0.008			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BSDD0034	365.00	366.00	1.00	0.352			
BSDD0034	366.00	367.08	1.08	2.016			1.08 m @ 2.02 g/t Au
BSDD0034	367.08	368.00	0.92	0.008			
BSDD0034	368.00	369.00	1.00	0.388			
BSDD0034	369.00	370.00	1.00	0.100			
BSDD0034	370.00	370.98	0.98	0.642			
BSDD0034	370.98	372.33	1.35	0.830			
BSDD0034	377.00	378.00	1.00	0.315	1.00 m @ 0.32 g/t Au	0.3	
BSDD0034	382.00	383.00	1.00	0.356			
BSDD0034	383.00	384.00	1.00	0.392	2.00 m @ 0.37 g/t Au	0.7	
BSDD0034	387.00	388.00	1.00	0.766			
BSDD0034	388.00	389.00	1.00	0.441	2.00 m @ 0.60 g/t Au	1.2	
BSDD0034	390.10	391.10	1.00	0.199			
BSDD0034	391.10	392.10	1.00	3.407	1.00 m @ 3.41 g/t Au	3.4	1.00 m @ 3.41 g/t Au
BSDD0034	397.00	398.00	1.00	0.144			
BSDD0034	399.00	400.00	1.00	0.286			
BSDD0034	400.00	401.00	1.00	0.291			
BSDD0034	401.00	402.41	1.41	0.008			
BSDD0034	402.41	403.72	1.31	2.555			1.31 m @ 2.56 g/t Au
BSDD0034	403.72	405.00	1.28	0.025			
BSDD0034	405.00	406.00	1.00	0.270	11.00 m @ 0.57 g/t Au	6.2	
BSDD0034	406.00	407.00	1.00	1.545			1.00 m @ 1.54 g/t Au
BSDD0034	407.00	408.00	1.00	0.008			
BSDD0034	408.00	409.00	1.00	0.008			
BSDD0034	409.00	410.00	1.00	0.419			
BSDD0034	413.64	415.00	1.36	0.310	1.36 m @ 0.31 g/t Au	0.4	
BSDD0034	423.00	424.00	1.00	5.426			1.00 m @ 5.43 g/t Au
BSDD0034	424.00	425.00	1.00	0.039	3.00 m @ 2.08 g/t Au	6.2	
BSDD0034	425.00	426.00	1.00	0.760			
BSDD0034	426.00	427.00	1.00	0.116			

About Aurum

Aurum Resources (ASX:AUE) is an Australian based gold exploration company focused on discovery and development of major gold projects in Côte d'Ivoire, West Africa. Aurum has 3.28Moz gold resources coming from two gold projects, the 2.41Moz Boundiali Gold Project and the 0.87Moz Napié Gold Project. Aurum owns and runs ten (10) diamond drill rigs allowing it to explore faster and more cost effectively than its peers.

Statement of Mineral Resources by Deposit as at 30 September 2025, for BST1, BDT1, BDT2, BDT3, BMT1 and BMT3 deposits with 0.4 g/t Au cut off above 300m depth, and 1 g/t below 300m depth¹⁶

Area	Class	Oxide			Transition			Fresh			Total		
		Quantity (Mt)	Au (g/t)	Au (MOz)	Quantity (Mt)	Au (g/t)	Au (MOz)	Quantity (Mt)	Au (g/t)	Au (MOz)	Quantity (Mt)	Au (g/t)	Au (MOz)
BST1	Indicated	0.8	1	0.03	0.9	1.1	0.03	3.2	0.9	0.09	4.9	0.9	0.15
	Inferred	0.6	0.9	0.02	0.9	0.9	0.03	6.1	0.9	0.17	7.6	0.9	0.21
	Sub Total	1.5	0.9	0.04	1.7	1	0.05	9.3	0.9	0.26	12.5	0.9	0.36
BDT1	Indicated	0.6	0.9	0.02	0.5	0.9	0.02	10.8	1.1	0.38	12	1.1	0.41
	Inferred	0.2	0.9	0.01	0.2	0.9	0.01	2.2	1	0.07	2.6	1	0.08
	Sub Total	0.8	0.9	0.02	0.7	0.9	0.02	13	1.1	0.45	14.6	1.1	0.49
BDT2	Indicated	0.1	0.9	0.003	0.1	0.8	0.002	1.3	0.7	0.03	1.5	0.8	0.04
	Inferred	0.7	0.8	0.018	1.2	0.7	0.03	17.9	0.7	0.43	19.9	0.7	0.48
	Sub Total	0.8	0.8	0.021	1.3	0.7	0.03	19.3	0.7	0.46	21.4	0.7	0.51
BDT3	Indicated												
	Inferred	0.2	0.9	0.004	0.2	1	0.01	3.2	1.2	0.12	3.5	1.2	0.13
	Sub Total	0.2	0.9	0.004	0.2	1	0.01	3.2	1.2	0.12	3.5	1.2	0.13
BMT1	Indicated												
	Inferred	0.5	0.8	0.01	0.2	0.8	0.004	8.2	1.2	0.3	8.8	1.1	0.32
	Sub Total	0.5	0.8	0.01	0.2	0.8	0.004	8.2	1.2	0.3	8.8	1.1	0.32
BMT3	Indicated	0.4	1.4	0.02	0.5	1.4	0.02	6.6	1.3	0.28	7.6	1.3	0.32
	Inferred	0.1	0.9	0.01	0.1	0.9	0.01	8.4	1	0.26	8.6	1	0.27
	Sub Total	0.5	1.3	0.03	0.6	1.3	0.03	15	1.1	0.54	16.2	1.1	0.59
All	Indicated	1.9	1.0	0.07	2	1.1	0.07	21.9	1.1	0.78	26	1.1	0.92
	Inferred	2.3	0.8	0.07	2.8	0.8	0.09	46	0.9	1.35	51	0.9	1.49
	Total	4.3	0.9	0.13	4.7	0.9	0.14	68	1.0	2.13	77	1.0	2.41

Napié Mineral Resource Estimate; On 14 June 2022, a maiden Mineral Resource Estimate was reported in accordance with JORC (2012) comprising two deposits, Tchaga and Gogbala.¹⁷

Deposit	Category	Tonnes (Mt)	Grade (g/t Au)	Au (koz)
Tchaga	Inferred	14.6	1.16	545
Gogbala	Inferred	7.8	1.29	323
Global Resource	Total	22.5	1.20	868

Resources reported at a cut-off grade of 0.6g/t gold. Differences may occur in totals due to rounding.

¹⁶ "Boundiali indicated gold resources grows by 53% in two month" released to the Australian Securities Exchange on 6 October 2025 and available to view on www.asx.com.au

¹⁷ "Napié Project Listing Rule 5.6 Disclosure (Amended)" released to the Australian Securities Exchange on 4 February 2025 and available to view on www.asx.com.au.

Boundiali Gold Project (2.41Moz)

The flagship 2.41Moz Boundiali Gold Project is comprised of four neighbouring exploration tenements and is located within the same greenstone belt as Resolute's large Syama (11.5Moz) gold mine and Perseus' Sissingué (1.4 Moz) gold mine to the north and Montage Gold's 5.5Moz Koné project located to the south. Barrick's Tongon mine (5.0Moz) is located to the northeast (Figure 1 and Figure 2):

BM gold project JV 80% interest - PR0893 ("BM"), 400km²

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry

BD gold project JV 80% interest - PR808 ("BD"), 260km²

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry

BST gold project 100% interest – Application No. 0781 ("BST") 100%, 167.34km²

- *Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025.*
- 90% interest in future gold production company (Government get 10% free carry from Aurum interest)

BN gold project JV - PR283 ("BN"), 208.87km²

Aurum is earning interest through carrying out exploration to earn 70% interest in three stages:

- Stage 1: Aurum earns 35% interest by spending USD 1.2 million within 36 months of license grant
- Stage 2: Aurum earns 51% interest by spending USD 2.5 million within 60 months of license grant
- Stage 3: Aurum earns 70% interest upon completion of a pre-feasibility study on the tenement.
- Diamond drilling conducted by Aurum will be valued at US\$140 per meter for expenditure calculations
- Upon grant of a mining exploitation license, the ownership structure will be: Aurum (70%), GNRR (20%), Ivorian Government (10%)

Encore JV Project

- Applications (No. 1740 and No. 1745) totalling nearly 320km² are strategically located between Aurum's existing **BD** and **BST** tenements and south of **BM**, offering growth potential for its 1.6Moz Boundiali Gold Project.

- Staged earn-in agreement aligns expenditure with milestones for each permit area:
 - Path to 51% interest: 4,000m diamond drilling.
 - Path to 80% interest: Additional 8,000m diamond drilling (total 12,000m) OR US\$2.5 million nominal expenditure.

Major Star Plus Partnership Projects

- Applications (No. 0791), 114.53km², is strategically located on the immediate south and west of **BST** tenement, offering growth potential for its 2.41Moz Boundiali Gold Project.
- Applications (No. 0793), 99.12km², are structurally located on the immediate west of the Napié gold project, offering growth potential for its 0.87Moz Napié Project.
- Applications (No. 0804), 254.97km², is a separate gold exploration project located in central Côte D'Ivoire.
- 35% project interest from the Company's ownership of 35% registered share capital of Major Star Plus Sarl.
 - Path to 51% interest in a exploration permit: Either USD1.5 million normal expenditure or 7,000m diamond drilling.
 - Path to 80% interest in a exploration permit: Either USD3.0 million normal expenditure or 15,000m diamond drilling
 - Path to 95% interest in a exploration permit: Completion of Pre-Feasibility Study
 - 85.5~87% interest in a future production mine

Mako Gold Pty Ltd (0.87Moz)

Wholly owned subsidiary of Aurum and holds the following projects:

- 0.87Moz Napié Gold Project. 90% Mako and African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study.
- Korhogo Project (100%), significant manganese discovery
- Brobo Project (100%), prospective for lithium/rare earths

Section 1 of the JORC Code, 2012 Edition – Table 1

Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> Samples were collected using diamond drilling techniques generally angled at 50° towards north-northwest to optimally intersect the mineralised zones. Diamond core was logged both for geological and mineralised structures as noted above. The core was then cut in half using a diamond brick cutting saw on 1m intervals. Typically the core was sampled to geological intervals as defined by the geologist within the even two metre sample intervals utilised. The right-hand side of the core was always submitted for analysis with the left side being stored in trays on site. Sampling and QAQC procedures were carried out to industry standards. Sample preparation and assay was completed by independent international accredited laboratory MSALABS. Following cutting or splitting, the samples were bagged by the Client employees and then sent to the laboratory for preparation. These samples were subsequently sent to MSALABS at Yamousoukro for analysis via 500g Photon Assay.
Drilling techniques	<ul style="list-style-type: none"> Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<ul style="list-style-type: none"> Diamond drilling carried out with mostly NTW and some HQ sized equipment. PQ-size rods and casing were used at the top the holes to stabilise the collars although no samples were taken from the PQ size core.
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> Diamond drilling core recoveries ranged between 85% and 100% for all holes with no significant issues noted.
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining 	<ul style="list-style-type: none"> All holes were field logged by company geologists. Lithological, alteration and mineralogical nomenclature of the deposit as well as sulphide content were recorded.

For personal use only

For personal use only

Criteria	JORC Code explanation	Commentary
	<p><i>studies and metallurgical studies.</i></p> <ul style="list-style-type: none"> • <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i> • <i>The total length and percentage of the relevant intersections logged.</i> 	<p><i>Metallurgical, Geotechnical and structural data has been recorded</i></p> <ul style="list-style-type: none"> • <i>Photography and recovery measurements were carried out by assistants under a geologist's supervision.</i> • <i>All drill holes were logged in full.</i> • <i>Logging was qualitative and quantitative in nature.</i>
<ul style="list-style-type: none"> • Sub-sampling techniques and sample preparation 	<ul style="list-style-type: none"> • <i>If core, whether cut or sawn and whether quarter, half or all core taken.</i> • <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i> • <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i> • <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i> • <i>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</i> • <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i> 	<ul style="list-style-type: none"> • <i>NTW core cut in half using a core saw. Typically, the core was sampled to major geological intervals as defined by the geologist within the even two metre sample intervals utilised. All samples were collected from the same side of the core.</i> • <i>Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for Au.</i> • <i>The entire sample was crushed to 70% passing 2mm.</i> • <i>Crushed sample was split to produce 500g sample for analysis and the remaining reject kept for checks.</i> • <i>Field QC procedures involved the use of 2 types of certified reference materials (1 in 20) which is certified by Geostats Ltd,</i> • <i>Primary DD duplicate: Generated by cutting the remaining half core into a ¼ and sampled.</i> • <i>Coarse blank samples: Inserted 1 in every 20 samples</i> • <i>Laboratory Internal Duplicates and Standards</i> • <i>Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for gold</i>
<ul style="list-style-type: none"> • Quality of assay data and laboratory tests 	<ul style="list-style-type: none"> • <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> • <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and</i> 	<ul style="list-style-type: none"> • <i>The analytical technique used is ChrysoTM PhotonAssay methodology. This uses a high-energy X-ray source that is used to irradiate large mineral samples, typically about 500g compared to the 50g of the fire assay. The X-rays induce short-lived changes in the structure of any gold nuclei present. As the excited gold nuclei return to</i>

For personal use only

Criteria	JORC Code explanation	Commentary
	<p><i>model, reading times, calibrations factors applied and their derivation, etc.</i></p> <ul style="list-style-type: none"> • <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</i> 	<p><i>their ground state, they emit a characteristic gamma-ray signature, the intensity of which is directly proportional to the concentration of gold. The penetrating nature of Chrysos™ PhotonAssay provides much higher energy than those used in conventional X-ray fluorescence (XRF), which provides a true bulk analysis of the entire sample. Samples are presented into a fully automatic process where samples are irradiated, measured, data collection and reporting.</i></p> <ul style="list-style-type: none"> • <i>No geophysical tools were used to determine any element concentrations used for this report.</i> • <i>Sample preparation checks for fineness were carried out by the laboratory as part of internal procedures to ensure the grind size was being attained. Laboratory QAQC includes the use of internal standards using certified reference material, and pulp replicates. No anomalous assays were noted in information provided to the Client.</i> • <i>The QAQC results confirm that acceptable levels of accuracy and precision have been established for the Classifications applied (exploration results only).</i>
<ul style="list-style-type: none"> • Verification of sampling and assaying 	<ul style="list-style-type: none"> • <i>The verification of significant intersections by either independent or alternative company personnel.</i> • <i>The use of twinned holes.</i> • <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> • <i>Discuss any adjustment to assay data.</i> 	<ul style="list-style-type: none"> • <i>NA</i> • <i>No holes have been twinned</i> • <i>No adjustment to assay data</i> • <i>Logging records were mostly registered in physical format and were input into a digital format. The core photographs, collar coordinates and down the hole surveys were received in digital format.</i> • <i>Assay values that were below detection limit were adjusted to equal half of the detection limit value. Un-sampled intervals were assumed to have no mineralisation and they were therefore set to blank in the database, however these are minimal.</i>
<ul style="list-style-type: none"> • Location of data points 	<ul style="list-style-type: none"> • <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> • <i>Specification of the grid system used.</i> • <i>Quality and adequacy of topographic control.</i> 	<ul style="list-style-type: none"> • <i>DD collar positions were initially located using a handheld GPS with a location error of +/-3m.</i> • <i>The datum employed is WGS84, Zone 29</i> • <i>All drill hole locations are then surveyed utilising the differential GPS methods by both company and third party surveyors.</i> • <i>DGPS system utilised is typically within a 10 cm accuracy range which is suitable for the classification applied.</i>

Criteria	JORC Code explanation	Commentary
<ul style="list-style-type: none"> Data spacing and distribution 	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<ul style="list-style-type: none"> Drillholes were completed on variable line spacings (from 100m to 50m) and orientations. The drill hole spacing and distribution is considered sufficient to establish the degree of continuity appropriate for the Inferred Mineral Resource estimation procedures. The samples were not composited prior to assay.
<ul style="list-style-type: none"> Orientation of data in relation to geological structure 	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> Drill holes were drilled approximately at right angles to the anticipated strike of the target geochemical anomaly and orthogonal to the interpreted mineralisation orientation.
<ul style="list-style-type: none"> Sample security 	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<ul style="list-style-type: none"> Chain of custody is managed by the Client's senior site geologists and geotechnicians. Samples are stored in a core shed at site and samples were delivered to the laboratory by client geologists. Client employees have no further involvement in the preparation or analysis of the samples.
<ul style="list-style-type: none"> Audits or reviews 	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> Detailed reviews of sampling techniques were carried out on the site visit by RPM in October 2024 and follow up visit in March 2025.

For personal use only

• Section 2 of the JORC Code, 2012 Edition – Table 1

• Criteria	• JORC Code explanation	• Commentary
<ul style="list-style-type: none"> • Mineral tenement and land tenure status 	<ul style="list-style-type: none"> • Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. • The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area. 	<ul style="list-style-type: none"> • Exploration results are from the Boundiali project area • PR893 (BM), 400km², holder Minex West Africa, of which Aurum has earned 80% interest and can earn up to 88% in a mining licence through its fully owned subsidiary Plusor Global Pty Ltd (“Plusor”). Boundiali DS tenement PR808 (“BD”), 260km², holder DS Resources Joint Venture Company, of which Aurum is 80% share capital owner through its fully owned subsidiary Plusor. BST mining licence application of which Aurum is 100% owner. • There are no impediments to working in the area.
<ul style="list-style-type: none"> • Exploration done by other parties 	<ul style="list-style-type: none"> • Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> • The exploration results reported in this announcement are from work undertaken by PlusOr a wholly owned subsidiary of Aurum Resources Limited • The license area is known as a prospective region for gold and recent artisanal workings revealed the presence of primary gold mineralisation in artisanal pits and small-scale underground mining.
<ul style="list-style-type: none"> • Geology 	<ul style="list-style-type: none"> • Deposit type, geological setting and style of mineralisation. 	<ul style="list-style-type: none"> • The Boundiali Deposits are located within the Proterozoic Birimian rocks of the Man shield. It is situated on, 100km west of from the Korhogo in the northern part of the Côte d'Ivoire. They are located in the Bagoué- Syama shear zone within the sedimentary rock with minor associated intrusions of mafic dykes and late-stage granitoids. The various rock units trend NS to NNE similar to the regional metamorphic grade. The regional trend is NE to N. • The Boundiali deposits resemble typical shear zone deposits of the West African granite-greenstone terrane. The deposits themselves are associated with a major regional shear zone and are developed in a sandstone. Mineralisation may be spatially related to the emplacement of intrusives. The gold mineralisation is mesothermal in origin and occurs as free gold in quartz vein stockworks and zones of silicification, associated with pyrite and chalcopyrite. The gold mineralisation is found in linear zones with the contacts

For personal use only

For personal use only

• Criteria	• JORC Code explanation	• Commentary
		<p>showing evidence of shearing. Free gold is frequently observed. Alteration is weak to strong depending on the development of the system typically being sericite.</p> <ul style="list-style-type: none"> Two types of deformation are present in the drill cores: ductile deformation and brittle deformation. The gold mineralisation is related to deformed sandstone and graywacke, in shear zones, with sulphides (mainly pyrite and minor chalcopyrite) associated with visible gold. Alteration is characterized by chlorite, sericite, calcite, secondary quartz and disseminated pyrite. This assemblage is well developed in schistose, foliated rocks with presence of quartz veins or veinlets.
<ul style="list-style-type: none"> Drill hole information 	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<ul style="list-style-type: none"> Complete drill hole data has been provided. Drill hole collar locations are shown in figures in main body of announcement.
<ul style="list-style-type: none"> Data aggregation methods 	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> Assay Intervals are shown in detail. Drilling intervals are predominantly 1m. Metal equivalent values are not being reported.
<ul style="list-style-type: none"> Relationship between 	<ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration 	<ul style="list-style-type: none"> True widths have not been estimated as the geological controls on mineralisation

• Criteria	• JORC Code explanation	• Commentary
<p>mineralisation widths and intercept lengths</p>	<p>Results.</p> <ul style="list-style-type: none"> • If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. • If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known'). 	<p>in these initial drill holes into the prospect are not yet well understood.</p> <ul style="list-style-type: none"> • The holes were drilled to test a steeply east dipping foliation in the limited rock exposures seen in the area. The mineralisation lies within what has been interpreted to be a ductile shear zone which would suggest that mineralisation should lie parallel to foliation.
<p>Diagrams</p>	<ul style="list-style-type: none"> • Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> • Appropriate diagrams relevant to material results are shown in the body of this announcement.
<p>Balanced Reporting</p>	<ul style="list-style-type: none"> • Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. • Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> • All drill hole and trench collar locations were surveyed utilising handheld GPS methods. Exploration results only being reported. • Drilling teams utilised the Reflex EZ-shot instrument to measure deviations in azimuth and inclination angles for all holes; however, vertical holes were not surveyed. The first measurement is taken at 6 m depth, and then at approximately every 30m depth interval and at the end of the hole. being reported
<p>Other substantive exploration data</p>	<ul style="list-style-type: none"> • Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> • All relevant exploration data is either reported in this announcement or has been reported previously by Aurum, Randgold or Predictive Discovery and is referred to in the announcement.
<p>Further work</p>	<ul style="list-style-type: none"> • The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling). • Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> • The Company intends to continue exploration on the project and this work will include auger, aircore, RC and diamond core drilling, along with further geophysical surveys and geochemical sampling programs. • Diagrams included in body of report as deemed appropriate by competent person