

20 November 2025

## ASX RELEASE

### Yukon Project: Myschka Au-Ag-Sb prospect emerges as compelling Reduced Intrusion-Related Gold System drill target.

#### Highlights

- Rock chip sampling, mapping and a heli-magnetic survey confirm the Yukon Project's Myschka prospect shares the same geochemical signatures as other large Reduced Intrusion Related Gold System (RIRGS) gold deposits within the Tintina Gold Province's Tombstone Gold Belt.
- Maiden drill program planning is now underway at Myschka, which lies 80km south of Snowline Gold Corp's (TSXV: SGD) 7.9Moz Au Valley RIRGS deposit<sup>1</sup> and 120km south-east of Banyan Gold's (TSXV: BYN) 7.7Moz Au AurMac deposit<sup>2</sup> (Figure 1).
- High-grade rock sample results from the 2025 sampling include:
  - 1,525 g/t Ag, 0.826 g/t Au, 0.22% Sb (Sample:G792121)
  - 1,975 g/t Ag, 0.063 g/t Au, 0.18% Sb (Sample: E812131)
  - 130 g/t Ag, 0.701 g/t Au, 0.455% Sb (Sample: E812120)

Renegade Exploration Limited (ASX:RNX) has confirmed its Myschka gold prospect at its Yukon Project in Canada shares similar geochemical, geophysical and geological characteristics as other major RIRGS gold deposits within the Tintina Gold Province's Tombstone Gold Belt after completing a rock chip sampling, field mapping, and a helicopter-magnetics survey.

#### Renegade Exploration Chairman, Mr Robert Kirtlan said:

*"Planning is now underway to drill our Myschka prospect in 2026 after recent fieldwork confirmed it has all the hallmarks of being another RIRGS deposit in the Tombstone Gold Belt. Myschka's rock geochemistry is dominated by Au-Ag-Sb-As association as is recorded for many RIRGS deposits in the region. Snowline's (TSXV:SGD) Rogue Project with almost 8Mozs gold is only 80km away and we are excited to be planning a drill program at Myschka in 2026.*

*"The pathway for the funding and development of our Yukon Project is looking robust. The Tombstone Gold Belt is an exploration hotspot. The Yukon is an investment destination and Canada is emerging as one of the most supportive jurisdictions in the world given its growing financial and regulatory support for explorers."*

<sup>1</sup> Independent Preliminary Economic Assessment for the Rogue Project Yukon. 27 August 2025. 7.94Moz Measured and Indicated Resource

<sup>2</sup> Refer <https://banyangold.com/>



**Figure 1:** Location of Myschka and the larger RIRGS deposits in Yukon.

### Myschka Exploration Summary


A total of 63 rock chips were collected and analysed by ALS These rock chips were combined with rock chips and a grid of soil samples from a 2002 program and Renegade’s field mapping, and a heli-mag survey to confirm that RIRGS is a compelling and valid model for exploration at Myschka.

- A Tombstone Suite Biotite Granodiorite intrusion appears to have controlled the fluid and metal distribution.
- Rock geochemistry is dominated by Ag-Sb-As-Au association as is recorded for many RIRGS deposits in Yukon<sup>3</sup>.

<sup>3</sup> Hart, C.J.R., 2007 Reduced intrusion-related gold systems pp106 Geological Association of Canada Special Publication No 5 pp 95-112



- The mapped hornfels zone around the intrusion hosts the majority of the metal zones and inferred pyrrhotite alteration.
- The heli-mag survey identified a large 3km x 2km zone of magnetism which is similar to other RIRGS deposits due to the pyrrhotite alteration halo within the hornfels zone of the stock.
- A low angle thrust fault (Roberts Service Thrust) is proximal (500m) to the Myschka mineralisation as found at the major RIRGS gold deposits in the Yukon.
- Sheeted vein systems are a feature of most of the RIRGS deposits of the Yukon. Field mapping at Myschka has identified sheeted veins with attendant As-Sb-Au mineralisation in the hornfels zone (for example Sample: G792106 in Figure 7 and veins shown in Figure 8).
- The Yukon Geological Survey has mapped the Myschka intrusion as part of the Tombstone Granodiorite Suite (host or control for most of the gold deposits in the Tombstone Gold Belt).




**Figure 2:** The location of all rock chips with gold values highlighted which show a “donut” pattern around the Tombstone Suite stock. The pattern clearly shows the gold is associated with hornfels and sericite alteration zones around the intrusive.



Overall, the Myschka mineralisation, and control on the mineralisation, appears very similar to the suite of RIRGS deposits in Yukon including

- Rogue Project 8 Moz's Au Measured + Indicated, 0.89 Moz's Inferred<sup>4</sup>
- AurMac Project 2.3 Moz's Ind 5.5 Moz Inferred<sup>5</sup>
- RC Gold Project 1.29 Moz's Ind, 1.45 Moz's Inferred<sup>6</sup>
- Eagle Project 4.7 Moz's Measured + Indicated<sup>7</sup>
- Florin Project 2.47 Moz's Inferred<sup>8</sup>



**Figure 3:** Correlation of Au-As-Bi-Sb-Ag rock geochemistry. The historic soil samples were also contoured and show a similar pattern to the rock chip geochemistry, a halo of anomalous mineralisation around and within the Tombstone Intrusion.


<sup>4</sup> Independent Preliminary Economic Assessment for the Rogue Project Yukon. 27 August 2025. 7.94Moz Measured and Indicated Resource

<sup>5</sup> AurMac Project: A geochemical success story. Banyan Gold. CEO Presentation October 2021 TSXV:BYN


<sup>6</sup> Focused on Discovery. Sitka Gold Corp TSXV:SIG October 2025

<sup>7</sup> Technical Report Eagle Gold Mine. Victoria Gold Corp. April 2023 TSXV:GCX


<sup>8</sup> St James Gold Corp TSXV:LORD October 2021



**Figure 4:** Gridded soil antimony (Sb) results also show a “donut” pattern around the Tombstone Suite stock.



**Figure 5:** At the conclusion of the field work a heli-mag and radiometric survey was undertaken on 100 metre spaced north-south lines at 40 metre height. A heli-mag TMI image shows the surface extent of the pyrrhotite alteration zone as a “halo” around the Tombstone stock.



**Figure 6:** Helimags Analytic Signal on geology. This image is used to enhance the deeper effects of the magnetic signal. It clearly shows that the magnetic anomaly within the hornfels zone around the stock is extensive over an area of 3 km x 2 kms and is suggesting that there is a large alteration target in the sediments above and around the Tombstone stock.



**Figure 7:** Field photo for sample G792106 of sheeted veins through sediments assaying 1.07 g/t Ag, 978 ppm As



**Figure 8:** Field photo of rock float from 642885e 6986642n that is not in situ with 1-2cm quartz veins with visible arsenopyrite and stibnite mineralisation to demonstrate the style of veining present in the hornfels zone around the Tombstone stock (this rock float has not, and will not, be assayed).

### Yukon Base Metal Project Overview

Renegade acquired a 90% interest in the Yukon Base Metals Project in 2007. The original project comprised 493 Mineral Claims covering 95km<sup>2</sup> over and around the Andrew Zinc Deposit. The Company has since expanded its land position, so the project now comprises 1,554 Mineral Claims covering approximately 305km<sup>2</sup>. The mineral claims are in good standing and extend to around 2030.

Since 2007 the Company has completed 350 diamond drill holes at the Yukon Base Metal Project for over 40,000 metres; discovered three separate zinc deposits; and defined a 2012 JORC Code compliant Measured, Indicated and Inferred Mineral Resource of 12.56 million tonnes at 5.3% Zn and 0.9% Pb<sup>9</sup>.

<sup>9</sup> For exploration results, refer ASX Release dated 31 March 2014: Quarterly Activities report. For information regarding the Mineral Resource estimate for the Yukon Base Metal Project, refer to ASX Release dated 2 March 2018.




**Table 1.** JORC Code 2012 compliant mineral resource estimate for the Yukon Base Metal Project

Deposit	Measured			Indicated			Inferred			Total		
	Tonnes	Zinc (%)	Lead (%)	Tonnes	Zinc (%)	Lead (%)	Tonnes	Zinc (%)	Lead (%)	Tonnes	Zinc (%)	Lead (%)
Andrew	1,730,000	5.3	1.7	4,730,000	6.0	1.6	190,000	4.9	1.6	6,650,000	5.8	1.6
Darcy				1,670,000	4.8	0.0	3,880,000	4.7	0.0	5,550,000	4.7	0.0
Darin							360,000	4.0	0.2	360,000	4.0	0.2
<b>Total</b>	<b>1,730,000</b>	<b>5.3</b>	<b>1.7</b>	<b>6,400,000</b>	<b>5.8</b>	<b>1.1</b>	<b>4,430,000</b>	<b>4.6</b>	<b>0.1</b>	<b>12,560,000</b>	<b>5.3</b>	<b>0.9</b>

**Note:** Cut off of 2% zinc and 1000mRL applied based on pit optimisations.

Renegade believes there is potential to increase the resource base at the Yukon Base Metal Project. Mineralisation remains open at depth and along strike at the Andrew, Darcy and Darin Deposits. Numerous, sizeable, undrilled, coherent soil geochemistry anomalies are evident elsewhere at the Project, including at the Junction Project area where extensive soil anomalies have been delineated (see Figure 9).



**Figure 9.** Yukon Base Metal Project land position, comprising the Junction tenement (100%), the Selous tenements (90%) and the Riddell tenement (100%). The Myschka prospect lies 10km north of Renegade's Andrew Zn-Pb-Ag-Ge-Ga deposit but is not geologically related. Myschka (Figure 9).



This announcement has been approved by the Board of Renegade Exploration Limited.

**For more information, please contact:**

Robert Kirtlan  
Director  
Contact 1 300 525 118  
info@renegadeexploration.com

Gareth Quinn  
Investor Relations  
Mobile + 61 417 711 108  
gareth@republicpr.com.au

---

## About Renegade Exploration Limited

Renegade Exploration Limited (ASX:RNX) is an Australian based minerals exploration and development company with assets in Australia and North America.

Renegade owns 100% of five projects across Nevada and California in the USA which occupy a sizeable land holding footprint in the Walker Lane trend, a world class minerals province for gold-silver plus base metals and has numerous operating gold, silver and copper mines.

In Canada, Renegade's Yukon Base Metal Project hosts the Andrew Group Zinc Lead Deposit with a 2012 JORC Code compliant Measured, Indicated and Inferred Mineral Resource Estimate. A 2025 historical data review across the project uncovered significant concentrations of the critical defence metals germanium and gallium within the Andrew Group Deposit plus high-grade gold and silver and antimony mineralisation at the Myschka Prospect.

In Australia, the Company's Cloncurry Copper Project is located within Queensland's prolific North West Minerals Province, one of the world's richest mineral-producing regions. This project has been excised from the Carpentaria Joint Venture and is advanced in terms of a recently defined resource, highly prospective targets and significant previous exploration activity. Renegade funds and operates this project.

[www.renegadeexploration.com](http://www.renegadeexploration.com)





## Competent Person Statement and Geological Information Sources

The information in this announcement that relates to geological information for the Myszka Project is based on information compiled by Mr Peter Rolley, who is a consultant to the Company. Mr Rolley is a Member of the Australian Institute of Geoscientists. Mr Rolley has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and the activity he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the Australasian Code for Reporting of Exploration Results (JORC Code). Mr Rolley consents to the inclusion in the report of the matters based on the information in the form and context in which it appears.

The information in this report that relates to Mineral Resources at the Yukon Base Metal Project is based on information compiled by Mr Peter Ball who is a Member of the Australasian Institute of Mining and Metallurgy. Mr Ball is the Manager of Data Geo. Mr Ball has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Ball consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

The references in this announcement to Exploration Results were reported in accordance with Listing Rule 5.7 in the following announcements:

ASX Release Title	Date
ASX Release High-grade critical defence metals identified at Yukon Andrew Deposit	5 February 2025
ASX Release High-grade antimony-gold-silver prospect identified at Yukon Project, Canada.	11 February 2025
Quarterly Activities report	31 March 2014
Yukon Base Metal Project – Resource Estimation	2 March 2018

The company confirms it is not aware of any new information or data that materially affects the information included in the previous market announcements noted above.

The references in this announcement to Mineral Resource Estimates were reported in accordance with Listing Rule 5.8 in the following announcement:

ASX Release Title	Date
Yukon Base Metal Project – Resource Estimation	2 March 2018

In accordance with ASX Listing Rule 5.23, the Company confirms that it is not aware of any new information or data that materially affects the information included in the previous market announcement noted above and that all material assumptions and technical parameters underpinning the Mineral Resource estimates in the previous market announcement continue to apply.

**Table 2. Myschka 2025 rock chip sample information – Zone 11 NAD83**

SampleID	Easting	Northing	Elevation	Ag_ppm	Al_pct	As_ppm	Au_ppm	B_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm	Cu_ppm
E812110	642818	6986187	1636.193	0.2	0.64	8.8	0.005	5	1970	0.08	0.13	0.02	0.03	16.55	1.2	27	0.29	43.3
E812111	642966	6986093	1664.097	0.22	0.76	1.7	0.014	5	1210	0.13	0.09	0.03	0.23	14.55	2.1	22	1.23	41.4
E812112	643016	6985974	1631.997	0.23	0.61	4.3	0.0005	5	880	0.025	0.04	0.01	0.04	4.72	0.8	26	0.16	19.1
E812113	642806	6986357	1656.295	0.06	0.06	2	0.001	30	1510	0.025	0.03	0.005	0.02	11.6	0.1	18	0.18	4.2
E812114	642877	6986128	1634.494	0.06	0.75	1.2	0.01	5	2240	0.15	0.12	0.01	0.14	18.4	2	17	0.96	30.4
E812115	642877	6986135	1638.795	0.13	0.56	1.8	0.007	5	2850	0.14	0.1	0.01	0.07	12.35	1.9	17	0.59	62
E812116	642877	6986135	1638.795	0.04	0.41	1.2	0.004	5	1850	0.12	0.08	0.01	0.02	9.82	1.2	11	0.56	28.9
E812117	643175	6986379	1683.809	0.13	4.75	30.7	0.008	10	180	1.9	0.68	2.27	0.05	31.4	22	81	10.7	91.7
E812118	643766	6986710	1423.035	0.37	1.56	12.6	0.0005	5	3360	0.24	0.21	0.01	0.58	38.8	4.4	43	2.56	94.7
E812119	643802	6986674	1424.336	24	0.12	2690	0.17	70	560	0.17	18.65	0.01	6.47	25.1	0.4	17	0.18	149
E812120	643871	6986657	1403.538	130	0.05	4280	0.701	10	370	0.025	4.49	0.01	7.47	3.09	0.1	14	0.07	139.5
E812121	643374	6986695	1642.82	0.3	4.2	30.6	0.003	5	200	0.5	0.67	2.38	0.64	48.9	10.8	12	3.39	12.3
E812122	643410	6986750	1603.122	6.55	0.14	1205	0.012	30	250	0.06	52.9	0.01	0.62	27.8	0.2	10	0.31	9
E812123	643562	6987144	1390.032	0.18	0.86	514	0.001	10	1720	0.14	1.73	0.12	0.05	24.3	4.5	35	1.96	73
E812124	643649	6987189	1338.436	0.64	0.06	1700	0.008	20	830	0.025	11.35	0.005	0.07	8.13	0.1	12	0.11	5.8
E812125	643625	6987375	1336.637	0.32	0.67	16.8	0.005	5	680	0.11	0.39	0.005	0.5	9.38	3.5	17	0.84	50.9
E812126	643632	6987376	1334.537	0.34	0.61	17	0.044	5	800	0.17	0.14	0.01	0.57	19.8	4.4	18	1.72	29.6
E812127	643373	6987408	1521.328	1.54	0.09	1375	0.096	20	1730	0.025	10.3	0.005	0.08	24.6	8.1	13	0.08	16.2
E812128	643858	6987389	1204.546	0.11	4.89	4.5	0.002	5	160	1.71	3.14	2.59	0.12	20.6	10.3	66	10.75	105
E812129	643628	6987568	1361.939	2.83	0.34	338	0.003	10	240	0.17	21.4	2.55	0.91	14.25	0.3	15	0.78	21.9
E812130	642787	6986698	1608.698	1.4	1.3	133	0.003	10	230	0.32	1.2	6.51	3.38	28.4	11	29	2.76	50.3
E812131	642834	6986691	1635.7	1975	1.28	37.6	0.063	5	50	0.24	2.83	0.38	293	30.9	7.7	47	0.85	169
E812132	642882	6986665	1664.401	129	2.75	65.6	0.007	5	60	0.24	7.74	0.95	255	17.9	8.2	60	1.08	86.5
E812133	642695	6986850	1572.097	4.18	1	14.9	0.001	5	80	0.19	0.27	0.3	1.08	16.75	4.7	62	0.76	54.3
E812134	642759	6987033	1574.801	1.98	0.44	136.5	0.005	20	50	0.15	1.35	0.03	0.98	16.75	5.5	5	1.09	11.6
E812135	642841	6986690	0	52.6	0.15	10000.5	0.281	20	5	0.05	54.1	0.05	289	9.11	53.9	5	0.36	256
E812136	642841	6986690	0	11.1	0.41	4320	0.012	10	220	0.21	11.45	3.62	125.5	22.3	16.2	13	2.03	51.9
G792106	642626	6986130	1609.7	1.07	0.14	978	0.004	5	250	0.07	0.86	0.02	5.62	14.7	0.9	10	1.03	15.2
G792107	643011	6986553	1739.9	0.29	1.26	1010	0.007	5	110	0.43	0.14	0.98	0.55	33.9	8.3	31	1.01	66.3
G792108	643007	6987075	1660.9	0.25	0.15	23	0.0005	50	120	0.07	1.84	0.01	0.08	11.85	1.7	10	0.25	21.2

SampleID	Fe_pct	Ga_ppm	Ge_ppm	Hf_ppm	Hg_ppm	In_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm
E812110	1.01	2.87	0.025	0.05	0.01	0.025	0.07	7.3	12.9	0.3	38	0.39	0.02	0.025	11	140	7.1
E812111	1.36	2.08	0.025	0.07	0.01	0.014	0.08	7.7	17.7	0.38	203	0.29	0.005	0.025	14.5	140	3.2
E812112	1.2	1.58	0.025	0.03	0.005	0.008	0.02	2.4	13.4	0.27	87	0.28	0.005	0.025	7.1	110	2.9
E812113	0.34	0.15	0.025	0.02	0.01	0.011	0.02	3.6	0.4	0.005	26	0.23	0.005	0.025	1	60	1.3
E812114	1.26	2.7	0.025	0.05	0.01	0.021	0.11	7.8	13.9	0.29	31	0.12	0.005	0.025	12.6	90	6.8
E812115	0.78	1.94	0.025	0.08	0.01	0.014	0.1	6	7.8	0.15	28	0.26	0.005	0.025	12.1	90	2.8
E812116	0.54	1.4	0.025	0.06	0.005	0.013	0.09	4.4	6.1	0.1	24	0.16	0.005	0.025	8.4	70	3.6
E812117	3.61	17.4	0.15	0.3	0.005	0.012	1.18	15.9	39	1.82	126	8.4	0.55	0.22	52.5	1790	7.5
E812118	1.96	6.25	0.05	0.02	0.005	0.055	0.21	14.7	33.9	0.8	820	0.38	0.01	0.16	20.3	120	4.2
E812119	4.94	3.92	0.1	0.16	0.45	2.46	0.15	13	0.4	0.02	33	37	0.005	0.025	1.2	720	393
E812120	4.56	1.73	0.07	0.13	0.25	0.542	0.17	1.9	0.2	0.005	31	13.75	0.01	0.025	1.3	930	17650
E812121	3.49	10.9	0.14	0.12	0.01	0.042	0.45	24.3	31.6	0.99	412	0.4	0.33	0.34	2	460	29.6
E812122	1.1	0.6	0.025	0.01	0.01	0.091	0.06	11.6	0.9	0.02	31	0.32	0.01	0.025	0.8	60	311
E812123	2.59	3.41	0.05	0.01	0.005	0.024	0.18	11.3	13	0.48	155	0.25	0.01	0.06	27.1	830	4.4
E812124	0.45	0.19	0.025	0.04	0.005	0.02	0.05	4.1	0.2	0.01	25	0.48	0.01	0.025	0.8	50	76.6
E812125	0.91	1.82	0.025	0.25	0.005	0.013	0.1	4.6	10.8	0.24	27	0.48	0.02	0.025	19.6	40	3.1
E812126	0.98	1.66	0.025	0.14	0.005	0.007	0.09	9.7	15.6	0.39	40	0.2	0.02	0.025	26.6	70	5.4
E812127	0.73	0.37	0.025	0.04	0.01	0.025	0.05	9.3	0.4	0.01	30	0.24	0.01	0.025	3.6	120	88
E812128	2.94	11.4	0.1	0.26	0.01	0.0025	0.77	11.1	30.8	1.02	91	6.86	0.41	0.06	79.1	1480	5.9
E812129	0.57	1.03	0.06	0.09	0.01	0.048	0.17	10.9	2	0.04	38	5.83	0.01	0.06	7.5	10000.5	228
E812130	2.31	4.6	0.07	0.19	0.005	0.067	0.14	15.3	21	1.5	4100	6.4	0.01	0.025	29.8	2210	121.5
E812131	8.81	4.71	0.26	0.12	0.33	16	0.11	16.7	26.8	0.82	553	11.2	0.01	0.05	80.3	1020	205000
E812132	8.67	9.72	0.18	0.19	0.34	17.6	0.11	10.2	63.7	1.83	1570	55.4	0.01	0.025	45.9	470	18800
E812133	4.14	3.21	0.11	0.16	0.01	0.129	0.07	8.1	23.3	1.07	218	1	0.01	0.07	12.5	1950	454
E812134	2.81	1.1	0.025	0.34	0.13	1.39	0.26	8.1	2.8	0.08	28	20	0.01	0.025	9.2	260	196
E812135	19.8	1.78	0.2	0.08	1.04	56.3	0.02	5	1.4	0.04	99	8.85	0.01	0.05	34.3	910	2830
E812136	2.77	1.54	0.05	0.28	0.2	3.12	0.19	11.7	7.7	0.91	3170	11.55	0.01	0.025	39.7	1880	1565
G792106	0.74	0.52	0.025	0.05	0.03	0.978	0.09	7.2	1.6	0.01	35	0.41	0.01	0.025	2.3	110	67
G792107	1.18	4.1	0.13	0.16	0.005	0.031	0.12	18.8	16.4	0.32	110	0.55	0.2	0.76	21.2	1230	14.8
G792108	2.36	0.41	0.025	0.03	0.005	0.022	0.06	5.7	1.1	0.02	59	0.36	0.01	0.025	10.8	180	15

SampleID	Rb_ppm	Re_ppm	S_pct	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Te_ppm	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
E812110	2.8	0.0005	0.09	1.42	2.2	0.5	0.1	47.7	0.09	1.2	25	0.03	0.11	39	0.025	1.3	16	2.3
E812111	4.1	0.001	0.1	0.49	1.8	0.6	0.1	51	0.03	1.3	25	0.05	0.27	24	0.025	2.73	67	3.1
E812112	0.8	0.0005	0.17	0.49	1.4	2	0.1	14.1	0.02	0.4	25	0.02	0.14	17	0.025	0.55	20	1.8
E812113	0.8	0.0005	0.05	1.12	0.4	0.2	0.1	11.1	0.01	0.5	25	0.03	0.08	2	0.025	0.67	5	0.6
E812114	6.3	0.0005	0.09	0.27	2.1	0.3	0.2	34.2	0.12	1.3	25	0.04	0.18	26	0.025	1.8	40	2
E812115	4.8	0.001	0.08	0.37	1.5	0.7	0.1	29.5	0.06	1.1	25	0.04	0.21	22	0.025	1.68	21	3.4
E812116	5.8	0.001	0.06	0.5	1.2	0.1	0.1	39.4	0.06	0.9	25	0.03	0.19	12	0.025	1.34	15	2.9
E812117	104.5	0.006	1.36	7.69	9.8	2.5	1.4	113.5	0.04	8.7	1960	1.16	1.38	175	0.23	16.5	25	12.2
E812118	16.7	0.0005	0.08	6.67	4.7	0.2	0.7	57.3	0.09	4	460	0.13	0.49	69	0.06	2.15	69	1
E812119	3.3	0.001	0.28	462	2.9	19.5	172	79.1	0.27	7.7	25	0.12	2.3	30	0.52	2.36	21	11.5
E812120	2.7	0.001	0.72	4550	0.6	13.3	66	12.8	0.05	11.7	25	0.68	12.2	21	0.025	0.44	18	7.9
E812121	38.4	0.0005	0.34	4.15	7.8	0.9	3.4	153	0.01	13.6	2060	0.31	1.77	57	0.41	10.9	81	2.3
E812122	3.9	0.0005	0.04	39.1	1.3	6	32.8	8.8	0.15	2	25	0.09	0.33	4	0.08	1.61	46	0.25
E812123	10.3	0.0005	0.13	1.29	2.8	0.4	0.9	20.3	0.02	3.3	90	0.12	1.01	36	5.72	9.19	44	0.25
E812124	2.6	0.0005	0.06	35.7	0.2	1.4	5.5	7.9	0.04	0.6	25	0.04	0.09	3	0.06	0.52	4	1.5
E812125	6.6	0.003	0.2	1.29	1.2	2	0.1	37.5	0.04	1.5	25	0.07	1.77	21	0.025	1.88	59	13.2
E812126	7.7	0.001	0.34	1.05	0.9	1.7	0.1	15.7	0.06	2.2	25	0.06	0.91	11	0.025	2.2	110	6.4
E812127	1.6	0.0005	0.13	6.07	0.4	1.7	5.1	37.4	0.22	1.8	25	0.03	0.1	1	0.025	1.3	8	1.6
E812128	101	0.014	1.08	0.7	7.3	3.5	0.7	197	0.1	8	600	0.82	1.18	84	0.22	10.2	22	10.5
E812129	15.6	0.001	0.01	16.8	1.6	2.1	5.2	52.7	0.36	0.7	60	0.13	8.26	368	0.36	38.1	41	3.6
E812130	9.9	0.005	0.71	14.6	5.7	2	22.6	152.5	0.03	6.6	25	0.24	1.66	75	0.06	16.3	369	8.3
E812131	9.9	0.017	8.03	1805	2.2	74.2	179.5	25.1	1.85	3.2	25	0.61	3.82	101	0.09	20.5	23600	4.7
E812132	10.5	0.048	3.1	81.1	4.8	12.8	39.5	12.1	0.28	6.1	80	0.26	2.26	227	0.1	8.23	21300	6.8
E812133	4	0.001	0.79	4.27	3.7	23	1	7.7	0.05	5	90	0.07	0.86	48	0.025	11.9	120	7
E812134	15.2	0.016	2.6	103	1	2.4	16.7	3.1	0.04	5	25	0.34	1.65	14	0.15	2.99	102	16
E812135	1.2	0.005	10.5	339	0.9	40.2	60.5	12	4.59	1.8	25	0.11	2.86	10	0.1	3.94	15100	3.2
E812136	14	0.007	1.14	93.4	3.9	3.5	10.7	71.3	0.3	6.7	25	0.46	1.8	39	0.13	15.15	9770	14.1
G792106	3.9	0.0005	0.21	6.19	0.5	0.9	1.3	30.3	0.08	1	25	0.06	0.22	5	0.025	1.04	293	2.1
G792107	11.2	0.0005	0.15	4.75	2.5	3	1.1	57.7	0.18	7.7	1390	0.06	0.73	27	0.38	10.2	45	3.4
G792108	3.7	0.003	1.1	5.45	0.5	2.9	4	6	0.01	3.3	25	0.07	0.47	4	0.07	1.66	23	1.1

SampleID	Easting	Northing	Elevation	Ag_ppm	Al_pct	As_ppm	Au_ppm	B_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm	Cu_ppm
G792109	643375	6987048	0	0.25	3.97	101	0.001	5	260	0.6	0.33	2.48	0.18	58.4	14.6	12	4.85	60.2
G792110	643058	6987072	1673.6	0.29	1.58	8	0.002	5	2380	0.21	1.82	0.005	0.96	26.1	6.2	82	2.11	92.6
G792111	642973	6987201	1586.9	0.62	0.17	66	0.001	10	600	0.07	1.38	0.01	0.11	10.35	0.4	9	0.65	39.6
G792112	643012	6987089	1559	0.92	0.41	10000.5	0.162	5	80	0.08	26.9	0.005	0.34	3.61	2.3	21	0.81	115
G792113	642983	6987320	0	1.79	0.07	662	0.499	20	110	0.025	1.32	0.005	0.39	1.22	0.1	10	0.05	79.4
G792114	642979	6987393	0	0.27	0.29	134	0.004	5	1570	0.05	0.32	0.01	0.14	7.31	0.1	17	0.19	20.9
G792115	643300	6987340	0	0.8	0.07	214	0.007	50	160	0.025	0.39	0.005	0.03	7.25	0.5	12	0.13	4.7
G792116	642708	6987193	1575.2	2.77	1.26	31.3	0.005	5	100	0.21	7.09	0.11	1.47	11.25	2.4	28	0.99	59.9
G792117	642695	6987246	1578.6	0.79	3.66	27.4	0.004	5	120	1.21	0.21	1.86	0.54	22.1	13.6	68	5.33	69.9
G792118	642409	6987470	1402.3	0.07	1.25	29.5	0.0005	5	1690	0.28	0.32	0.01	0.05	27.5	2.3	19	0.38	49.3
G792119	642196	6987532	1282.1	0.06	1.18	0.7	0.0005	5	5380	0.17	0.15	0.02	0.16	17.7	17.9	24	1.53	46.8
G792120	642175	6987535	1279.3	0.05	0.31	8.7	0.0005	5	1980	0.09	0.09	0.01	0.06	14.65	1.2	15	0.75	39
G792121	642769	6986697	1593.9	1525	0.03	10000.5	0.826	5	20	0.025	1920	0.005	38.8	7.89	60.5	0.5	0.16	139.5
G792123	642778	6986652	1618.9	61.3	1.02	10000.5	0.293	5	60	0.15	0.7	0.16	141.5	18.25	143.5	19	1.09	76.4
G792124	642764	6987027	1593.3	3.27	0.17	232	0.003	40	130	0.08	2.12	0.23	15.3	17.05	3.6	12	0.42	53.8
G792125	642781	6986679	1616	17.25	0.04	26.8	0.0005	5	40	0.09	0.25	25.5	77.8	22	1.8	0.5	0.24	16.8
K665319	642792	6986407	0	0.51	1.15	62.6	0.0005	10	70	0.13	0.32	0.1	0.33	23.5	2.5	29	2.17	48
K665320	642804	6986575	0	462	0.13	1675	0.039	20	80	0.06	61.4	0.07	12.6	3.18	1.4	8	0.44	74.6
K665321	642803	6986584	0	106	0.69	549	0.03	20	60	0.53	85.8	4.75	20.7	24.9	6.8	14	14.15	9.3
K665322	642752	6986591	1603.2	1.89	0.42	178.5	0.008	740	10	0.14	1.22	0.97	0.33	16.75	35.2	17	0.18	204
K665323	642788	6986857	0	0.73	4.57	52.2	0.004	10	100	0.68	0.84	1.33	0.95	28.1	15.7	59	6.7	45.1
K665324	642729	6987258	1583.8	0.38	2.01	38.9	0.003	10	180	0.29	0.41	0.05	0.2	25.2	17.7	36	2.13	39.7
K665325	642178	6986684	0	0.17	0.21	8.1	0.0005	5	330	0.16	0.13	0.01	0.08	15.15	0.3	12	3.59	10.6
K665326	642482	6986328	1637.5	0.35	0.31	17	0.004	10	310	0.34	0.27	0.01	0.16	19.4	0.7	11	1.65	21.8
K665327	643149	6984776	1417.1	0.06	0.04	2.6	0.0005	5	40	0.025	0.04	3.58	0.03	4.9	2.3	11	0.11	2.5
K665328	643499	6984790	1545.1	0.13	1.6	8	0.0005	5	80	0.32	0.22	0.04	0.02	26.4	11.2	20	0.98	16.4
K665329	644252	6986458	1434.6	0.07	1.4	8.1	0.0005	5	360	0.37	0.09	1.99	1.12	51	8.5	10	2.92	2.4
K665330	644294	6986800	1410.9	0.08	0.72	2.9	0.0005	5	3630	0.14	0.2	0.02	0.01	23.2	5.1	18	0.66	27.3
K665331	644333	6987021	1331.5	0.21	2.08	857	0.001	5	80	0.51	0.65	0.98	0.06	22.9	6.7	30	0.78	19.2
K665332	642907	6987393	0	6.85	0.24	55.8	0.016	20	570	0.14	4.01	0.01	0.64	27.9	0.2	13	1.08	21.5
K665333	642870	6987572	0	0.43	0.37	80.2	0.0005	5	930	0.17	0.31	0.05	0.11	7.99	0.2	21	1.46	16.3
K665334	642982	6987831	0	0.15	0.87	6.8	0.0005	5	600	0.21	0.18	0.05	0.15	19.65	6.9	29	2.35	84
K665335	643456	6986481	0	0.19	3.03	9	0.0005	5	270	0.8	0.33	0.94	0.09	38.1	11	44	5.88	23.1

SampleID	Fe_pct	Ga_ppm	Ge_ppm	Hf_ppm	Hg_ppm	In_ppm	K_pct	La_ppm	Li_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm
G792109	3.99	12.65	0.18	0.09	0.005	0.067	0.54	28.2	34.3	1.15	584	0.51	0.28	0.29	2.2	530	11.2
G792110	2.25	6.66	0.06	0.01	0.005	0.053	0.19	12.9	29.7	0.73	357	0.26	0.01	0.07	18.5	60	5.9
G792111	2.47	0.83	0.025	0.09	0.005	0.065	0.11	4.8	0.9	0.01	39	6.19	0.01	0.025	2.2	160	16
G792112	2.92	1.28	0.22	0.06	0.005	0.023	0.08	1.9	2.6	0.06	40	1.27	0.01	0.025	7.4	140	5.9
G792113	4.67	0.47	0.07	0.05	0.02	0.429	0.01	0.6	0.1	0.005	18	8.46	0.01	0.025	0.7	860	55.5
G792114	0.83	1.3	0.025	0.05	0.005	0.045	0.08	2.9	2.9	0.13	30	0.35	0.01	0.025	3.2	310	5.9
G792115	0.51	0.23	0.025	0.22	0.01	0.016	0.04	3.5	0.2	0.01	20	0.37	0.01	0.025	0.7	90	25
G792116	4.2	5.61	0.025	0.18	0.01	0.256	0.23	5.4	20.1	0.91	418	10.95	0.01	0.025	5	800	344
G792117	3.24	11.9	0.14	0.29	0.005	0.023	0.71	10.3	29.5	1.57	652	8.18	0.44	0.16	44.7	1410	15.2
G792118	1.56	6.89	0.07	0.02	0.005	0.029	0.29	9.5	5.8	0.33	486	0.32	0.04	0.025	12.2	200	12.2
G792119	2.1	3.76	0.025	0.13	0.01	0.014	0.13	8.1	22.3	0.66	3340	0.19	0.005	0.025	40.1	170	48.3
G792120	0.89	1.53	0.025	0.02	0.005	0.01	0.05	4.9	4.3	0.12	218	1.4	0.01	0.025	7.1	110	5.7
G792121	18.7	0.46	0.76	0.09	0.54	19.15	0.02	5.5	0.4	0.005	160	0.98	0.01	0.05	4.9	410	149000
G792123	8.48	3.55	0.08	0.13	0.14	16.6	0.11	8.3	19.2	0.6	277	1.07	0.01	0.025	16	940	12900
G792124	3	0.43	0.025	0.21	0.15	3.13	0.07	9.4	0.7	0.02	41	8.77	0.01	0.025	12.2	1590	851
G792125	1.78	0.54	0.06	0.02	0.1	2.05	0.02	8	1.1	1.51	18200	0.38	0.01	0.025	2.9	60	2600
K665319	2.92	3.95	0.06	0.14	0.005	0.045	0.14	11.1	14.7	0.53	212	0.21	0.01	0.025	9.7	120	21.1
K665320	4.29	0.68	0.08	0.1	2.15	8.5	0.08	1.9	0.5	0.02	89	0.95	0.005	0.025	2.6	720	67000
K665321	5.01	2.13	0.09	0.18	0.05	0.266	0.13	12.5	11.9	1.02	2110	1.22	0.05	0.4	19	1700	11500
K665322	7.51	2.05	0.15	0.29	0.01	0.037	0.01	6	11.4	0.43	285	3.61	0.04	0.89	28	1260	179
K665323	7.97	11.75	0.12	0.03	0.005	0.052	0.44	12	88.7	1.85	474	1.52	0.19	0.3	35	2130	37.2
K665324	2.09	7.98	0.07	0.02	0.005	0.019	0.23	7.2	25.4	0.8	1660	0.65	0.05	0.025	73.1	260	33.1
K665325	0.97	0.85	0.025	0.07	0.01	0.012	0.12	6	0.9	0.02	33	0.92	0.01	0.025	1.9	250	10.8
K665326	1.31	0.83	0.025	0.1	0.01	0.018	0.14	10	1.5	0.02	44	1.12	0.005	0.025	6.8	240	24.5
K665327	0.45	0.1	0.025	0.01	0.005	0.006	0.02	1.4	0.5	0.02	351	0.16	0.005	0.025	4.3	140	5.6
K665328	4.26	4.24	0.05	0.18	0.005	0.016	0.1	12.4	49.7	0.54	921	0.24	0.01	0.025	29	160	37.2
K665329	3.1	4.96	0.07	0.58	0.005	0.033	0.31	26.6	30.3	0.63	1515	0.4	0.02	0.025	5	550	7.3
K665330	1.41	2.94	0.025	0.06	0.005	0.01	0.12	7.4	15.3	0.47	101	0.18	0.01	0.07	25.7	120	9.6
K665331	2.51	6.2	0.06	0.19	0.005	0.009	0.12	12	35	0.61	220	0.16	0.23	0.23	15.7	150	14.4
K665332	1.12	1	0.1	0.12	0.07	0.239	0.19	18.8	1.1	0.01	38	38	0.01	0.025	2	960	104.5
K665333	1.19	2.22	0.025	0.11	0.01	0.028	0.2	4.9	3.1	0.07	66	9	0.01	0.41	2	820	89.2
K665334	1.93	3.64	0.05	0.04	0.005	0.013	0.14	6.4	14	0.5	519	0.79	0.01	0.18	29	150	7.3
K665335	3.46	8.52	0.11	0.1	0.005	0.034	0.8	17.4	53.3	1.45	343	1.12	0.23	0.53	21.8	1040	9

SampleID	Rb_ppm	Re_ppm	S_pct	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Te_ppm	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
G792109	42.3	0.0005	0.22	1.01	10.5	0.3	4.9	118.5	0.01	11.8	2320	0.32	1.31	67	1	10	60	1.7
G792110	15.6	0.0005	0.09	4.22	7.1	0.3	0.3	16.7	0.13	3	250	0.18	1.37	61	0.06	2.75	55	0.25
G792111	5.4	0.007	0.27	16	1.5	3.9	2.5	20.4	0.08	1.5	25	0.13	0.42	19	0.1	1.28	72	4.6
G792112	4.3	0.002	1.19	14.9	1.9	86.3	0.1	37.6	21.5	0.8	25	0.09	1.41	15	0.06	1.32	52	2.9
G792113	0.2	0.0005	0.06	30	1.3	22.1	9.9	2.5	0.24	0.7	25	0.01	0.66	134	0.12	0.37	16	2.2
G792114	2.6	0.0005	0.15	3.19	0.8	1.9	0.5	63.7	0.09	0.8	25	0.06	0.21	14	0.025	1.14	11	2.2
G792115	2.4	0.003	0.05	22.7	0.4	1.6	3.1	7.4	0.03	1.8	25	0.04	0.4	3	0.05	0.85	4	9.6
G792116	17.3	0.006	1.75	6.73	1.6	2.4	22	4.6	0.04	3.6	25	0.3	0.71	42	0.21	2.7	69	9.1
G792117	61.6	0.013	1.61	4.22	8.6	5.2	1.1	189.5	0.1	6.9	1420	0.86	1.74	109	0.16	14.05	82	11.3
G792118	12.8	0.0005	0.12	3.78	2.8	0.2	0.8	113	0.05	1.4	25	0.13	0.09	16	0.025	1.41	19	0.9
G792119	6.1	0.0005	0.05	0.12	2.5	0.1	0.1	94	0.03	1.9	25	0.06	0.4	26	0.025	3.34	148	6.9
G792120	2.7	0.003	0.08	1.53	1.6	0.2	0.1	45	0.04	0.8	25	0.03	0.21	6	0.025	1.15	22	0.9
G792121	0.7	0.002	10.5	2180	1.4	300	430	43.7	57.4	2.7	25	1.36	0.86	2	0.71	0.5	1575	2.9
G792123	7.7	0.0005	5.31	193	1.9	5.6	38.5	10.4	0.98	6.1	25	0.22	0.73	18	0.025	4.96	4770	4.5
G792124	3.8	0.004	1.6	384	0.5	2.7	35.7	7.6	0.06	5.3	25	0.1	3.1	4	0.19	6.25	1560	10.6
G792125	1.6	0.002	0.45	13.85	2.2	1.6	3.5	347	0.01	0.3	25	0.03	0.27	1	0.025	103.5	5450	0.25
K665319	6.9	0.001	1.12	15.7	2.2	3.5	2.3	23.5	0.05	2.3	25	0.11	0.4	32	0.025	2.91	34	6
K665320	4.6	0.001	2.19	1045	0.5	26	90.8	20	0.55	3.4	25	0.31	0.36	2	0.1	1.08	1350	3.4
K665321	7.5	0.001	4.05	231	3.2	10.1	14.5	91.7	0.24	4.6	400	0.33	1.08	14	0.38	16.7	1465	5.5
K665322	0.3	0.004	4.82	11.55	1.2	8	1.1	10.8	0.2	4.7	1120	0.01	0.91	18	0.23	11.75	62	7.6
K665323	36.5	0.002	2.19	3.31	10.2	5.3	0.7	158	0.11	8.2	680	0.46	0.61	87	0.13	17.9	123	1
K665324	11.8	0.0005	0.47	2.36	4.1	0.2	0.2	57.3	0.07	2.3	110	0.15	0.14	34	0.05	3.35	233	0.9
K665325	6.2	0.002	0.06	1.6	1	0.5	0.2	29.8	0.04	1.3	25	0.1	0.27	11	0.025	0.99	18	2.3
K665326	5.4	0.001	0.04	1.85	1.6	0.6	0.2	34.9	0.04	2.1	25	0.1	1.1	11	0.025	2.22	28	3.4
K665327	0.8	0.0005	0.01	0.46	1.6	0.1	0.1	111	0.005	0.6	25	0.01	0.11	1	0.025	2.23	14	0.6
K665328	3.8	0.0005	0.01	0.27	1.8	0.2	0.4	11.1	0.01	4.5	25	0.04	0.5	14	0.025	3.08	73	6.5
K665329	22.7	0.0005	0.04	0.68	7.4	0.1	0.7	51.1	0.005	11	25	0.2	1.7	30	0.025	13	104	27.2
K665330	6.8	0.0005	0.08	0.31	1.8	0.1	0.1	98	0.04	2	170	0.05	0.18	17	0.025	1.26	47	2
K665331	6.8	0.0005	1.18	2.58	2.4	5.4	1	104.5	0.29	9.9	510	0.1	0.74	21	0.08	5.08	21	4.8
K665332	11.4	0.001	0.22	14.1	1.4	35.5	9	164.5	0.2	2.8	25	0.26	5.16	133	0.54	3.16	18	7.1
K665333	12.2	0.014	0.21	9.93	1.6	4.8	8	54.6	0.16	1.8	240	0.38	1.5	91	0.25	2.33	22	6.5
K665334	13.8	0.0005	0.45	1.23	2.8	0.2	0.3	19.3	0.05	1.3	280	0.13	0.09	20	0.08	1.65	58	1.3
K665335	68.8	0.001	0.91	2.98	7.8	0.8	1	52.3	0.09	7.7	1400	0.45	0.57	82	0.14	11.1	51	3.8

## JORC Code, 2012 Edition – Table 1

### Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
<p><b>Sampling techniques</b></p>	<ul style="list-style-type: none"> <li>• <i>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i></li> <li>• <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></li> <li>• <i>Aspects of the determination of mineralisation that are Material to the Public Report.</i></li> <li>• <i>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i></li> </ul>	<p>The rock sampling was completed by collecting grab samples of in situ rock or float. The sampling location was by using hand-held GPS systems. The samples were sent to ALS for laboratory analyses.</p> <p>Sample record sheets which recorded geology, and a photo of each sample and each sample site, the sampling method and other pertinent information. The exploration activities were completed by experienced geologists in the Yukon gold belt from Archer Cathro &amp; Assocs under contract to Renegade Exploration Ltd. The work is considered as being industry standard for that time.</p>
<p><b>Drilling techniques</b></p>	<ul style="list-style-type: none"> <li>• <i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i></li> </ul>	<p>No drilling results are being reported.</p>

personal use only

<p><b><i>Drill sample recovery</i></b></p>	<ul style="list-style-type: none"><li>• <i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></li><li>• <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></li><li>• <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential</i></li></ul>	<p>No drilling results are being reported.</p>
--	--	--

Criteria	JORC Code explanation	Commentary
<i>loss/gain of fine/coarse material.</i>		
<b>Logging</b>	<ul style="list-style-type: none"> <li>• <i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i></li> <li>• <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i></li> <li>• <i>The total length and percentage of the relevant intersections logged.</i></li> </ul>	<p>All rock chip samples were logged and photographed.</p>
<b>Sub-sampling techniques and sample preparation</b>	<ul style="list-style-type: none"> <li>• <i>If core, whether cut or sawn and whether quarter, half or all core taken.</i></li> <li>• <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i></li> <li>• <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i></li> <li>• <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i></li> <li>• <i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i></li> <li>• <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i></li> </ul>	<p>All rock chip samples are grab samples.</p>

Criteria	JORC Code explanation	Commentary
<b>Quality of assay data and laboratory tests</b>	<ul style="list-style-type: none"> <li><i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i></li> <li><i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i></li> <li><i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i></li> </ul>	<p>The rock chip samples were sent to ALS with the rock samples undergoing sample preparation of crushing down to 70% to 12mm then pulverizing to &lt;250g to &gt;85% passing 75 micron. For all rock samples, the gold analysis method used was a 30g fire assay and ICP-AES finish (ICP21) and the base metal analysis method used was a ME-MS 41 aqua regia acid digest with an ICP-AES finish.</p> <p>No geophysical or pXRF tools were used. Standards and blanks were inserted at regular intervals</p>
<b>Verification of sampling and assaying</b>	<ul style="list-style-type: none"> <li><i>The verification of significant intersections by either independent or alternative company personnel.</i></li> <li><i>The use of twinned holes.</i></li> <li><i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></li> <li><i>Discuss any adjustment to assay data.</i></li> </ul>	<p>No drilling results are being reported.</p>
<b>Location of data points</b>	<ul style="list-style-type: none"> <li><i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></li> <li><i>Specification of the grid system used.</i></li> <li><i>Quality and adequacy of topographic control.</i></li> </ul>	<p>.</p> <p>The Grid system used in this announcement is UTM NAD83 zone 8 A drone heli-mag airborne survey on 100 meter north-south lines has generated a dtm to be used for topographic control..</p>

Criteria	JORC Code explanation	Commentary
<b>Data spacing and distribution</b>	<ul style="list-style-type: none"> <li>• <i>Data spacing for reporting of Exploration Results.</i></li> <li>• <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></li> <li>• <i>Whether sample compositing has been applied.</i></li> </ul>	<p>The rock chip samples were collected as outcrops or float were encountered by the mapping geologists.</p> <p>No resources are being reported.</p> <p>No data compositing is being applied.</p>
<b>Orientation of data in relation to geological structure</b>	<ul style="list-style-type: none"> <li>• <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i></li> <li>• <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></li> </ul>	<p>The intrusion system is ellipsoidal in nature with a large geophysical and geochemical footprint. No drilling is being reported.</p>
<b>Sample security</b>	<ul style="list-style-type: none"> <li>• <i>The measures taken to ensure sample security.</i></li> </ul>	<p>All samples were logged, tagged, photographed and despatched to the ALS assay lab by the field geologists.</p>
<b>Audits or reviews</b>	<ul style="list-style-type: none"> <li>• <i>The results of any audits or reviews of sampling techniques and data.</i></li> </ul>	<p>No sampling or assay audits undertaken.</p>

## Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
<b>Mineral tenement and land tenure status</b>	<ul style="list-style-type: none"> <li>• <i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i></li> <li>• <i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i></li> </ul>	90% of the resource area is held by Overland Resources through a 100% subsidiary. The remaining 10% is held by a JV partner. The Company is unaware of any risk to title or impediment to obtaining a licence to operate in the area at this time.
<b>Exploration done by other parties</b>	<ul style="list-style-type: none"> <li>• <i>Acknowledgment and appraisal of exploration by other parties.</i></li> </ul>	The only recorded exploration was completed by Klad Enterprises Ltd in 2002.
<b>Geology</b>	<ul style="list-style-type: none"> <li>• <i>Deposit type, geological setting and style of mineralisation.</i></li> </ul>	The deposit type is a Reduced Intrusion Related Gold System (IRGS). The main intrusion body has been mapped as a Mid-Cretaceous Qtz Monzonite-Quartz Diorite, part of the Tombstone intrusive suite. The country rock is clastic to calcareous sediments/metasediments. Mineralisation consists of quartz rich veining with observed weathered sulphides. The alteration noted consists of sericite and argillic alteration. The geological records note strong weathering of the sulphides.
<b>Drill hole Information</b>	<ul style="list-style-type: none"> <li>• <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> <ul style="list-style-type: none"> <li>○ <i>easting and northing of the drill hole collar</i></li> <li>○ <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i></li> </ul> </li> </ul>	No drilling results are being reported.

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> <li>○ <i>dip and azimuth of the hole</i></li> <li>○ <i>down hole length and interception depth</i></li> <li>○ <i>hole length.</i></li> <li>● <i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i></li> </ul>	
<p><b>Data aggregation methods</b></p>	<ul style="list-style-type: none"> <li>● <i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i></li> <li>● <i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i></li> <li>● <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i></li> </ul>	<p>No drilling results are being reported.</p>
<p><b>Relationship between mineralisation widths and intercept lengths</b></p>	<ul style="list-style-type: none"> <li>● <i>These relationships are particularly important in the reporting of Exploration Results.</i></li> <li>● <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i></li> <li>● <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i></li> </ul>	<p>No drilling results are being reported.</p>

Criteria	JORC Code explanation	Commentary
<b>Diagrams</b>	<ul style="list-style-type: none"> <li>• <i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i></li> </ul>	Figures in text.
<b>Balanced reporting</b>	<ul style="list-style-type: none"> <li>• <i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i></li> </ul>	All rock chips from the 2025 field work have been reported in this release.
<b>Other substantive exploration data</b>	<ul style="list-style-type: none"> <li>• <i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i></li> </ul>	A drone heli-mag airborne survey on 100 meter north-south lines has generated a number of geophysical images including TMI, RTP, Analytical Signal and 1VD for inclusion in prospectivity analysis of the project.
<b>Further work</b>	<ul style="list-style-type: none"> <li>• <i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i></li> <li>• <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i></li> </ul>	To be determined. Figures in text.