

GOLDEN GATE DISCOVERY GROWS WITH MULTIPLE GOLD INTERCEPTS AT HORSE HEAVEN DRILL PROGRAM

CONTINUOUS GOLD MINERALISATION IDENTIFIED FROM SURFACE IN MULTIPLE HOLES CONFIRMING A LARGE INTRUSION-RELATED GOLD SYSTEM OPEN ALONG STRIKE AND AT DEPTH – 5.91 G/T & 3.98 G/T HIGHEST ASSAY RESULTS. TO DATE, SIX REPORTED DIAMOND HOLES FORM PART OF A PLANNED 57-HOLE DRILLING PROGRAM TESTING A 3,000M STRIKE LENGTH.

Highlights

- ▶ Broad gold intervals returned from latest diamond core holes HH-GG25-004C, HH-GG25-005C, and HH-GG25-007C.
- ▶ Near-continuous gold mineralisation defined over a strike length of 600m in six diamond drill holes, mineralisation open along strike, to the east, and at depth.
- ▶ To date, the Company has reported results from six diamond core holes at Golden Gate North, these holes form part the initial phase of the planned 57-hole drilling program designed to test a 3,000m strike length across the Golden Gate Prospect.
- ▶ Results confirm a large intrusion-related gold system (“IRGS”) at Golden Gate in the Stibnite Mining District.
- ▶ Final assays extend HH-GG25-001C to **197.5m @ 1.26 g/t from 34.0m**, confirming mineralisation is open at depth.
- ▶ New long intercepts from the latest diamond drilling include:
 - **HH-GG25-004C: 240.8m @ 0.64 g/t gold from surface to end-of-hole (“EOH”) 240.8m** (open ended), including:
 - **61.6m @ 0.98 g/t gold from 40.5m; and**
 - 35.8m @ 0.83 g/t gold from 119.5m.
 - **HH-GG25-005C: 283.5m @ 0.36 g/t gold from surface to EOH 283.5m** (open ended), including:
 - 4.7m @ 1.18 g/t gold from 10.1m;
 - **42.5m @ 0.72 g/t gold from 65.7m;**
 - 4.2m @ 1.14 g/t gold from 131.1m; and
 - 4.9m @ 0.76 g/t gold from 176.8m.

- **HH-GG25-007C: 207.2m @ 0.42 g/t gold from surface**, including:
 - 4.45m @ 1.18 g/t gold from 50.7m; and
 - 3.7m @ 2.65 g/t gold from 176.5m.
- ▶ Previously reported Golden Gate North holes delivered additional long mineralised intervals including **gold from surface to 253.0m** ending in mineralisation, in HH-GG25-003C, including:
 - HH-GG25-003C: **253.0m @ 1.50 g/t from surface**, ending in mineralisation, including **111.9m @ 2.31 g/t gold from 130.5m** and **18.3m @ 3.98 g/t gold from 149.4m** (with the highest assay result of 5.91 g/t gold over a down hole width of 1.5m).
 - HH-GG25-002C: **265.2m @ 0.60 g/t gold from surface**, ending in mineralisation in including **89.9m @ 1.15g/t gold from 121.9m**.
- ▶ Reverse Circulation (“RC”) drilling at Golden Gate North (four holes) completed with assays pending.
- ▶ Phase 1 diamond drilling program at Gold Gate (ten holes) completed, with assays for HJH-GG25-006C and southern Gold Gate holes HH-GG25-008C to HH-GG25-010C pending.
- ▶ Acquisition of a 25-acre processing and infrastructure site adjoining Horse Heaven, positions Resolution with a potential future hub for gold, antimony and tungsten processing in the Stibnite Mining District.

RML’s CEO of US Operations, Craig Lindsay, commented on the discovery:

*“These latest results materially advance our understanding of Golden Gate. We now have six diamond core holes, all returning broad, continuous gold mineralisation at or near surface and several of them end in mineralisation. Together they define a large intrusion-related gold system of at least 600m of strike that is open along strike, the east and at depth. **It should be noted that the initial six holes reported cover only 600m of the total 3.0km strike length of Golden Gate. Further, these first six holes reported comprise only a small portion of the 57 holes that are planned to be drilled at Golden Gate.**”*

Golden Gate sits only 6km from the fully-permitted Stibnite Gold Project and alongside the processing site we are in the process of acquiring. That combination of scale potential, district infrastructure and a clear path to downstream processing, gives us confidence that Horse Heaven can grow into a significant multi-commodity project for Resolution and its shareholders.”

Resolution Minerals Ltd (ASX: RML; OTCQB: RLMLF) (“Resolution” or “Company”) is pleased to report further very positive drill results from its maiden drill program at its 100% owned Horse Heaven Gold-Antimony-Tungsten-Silver Project (“Horse Heaven” or the “Project”), Idaho, USA (Figure 1). The latest assays from the Golden Gate Prospect continue to demonstrate broad, near-surface gold mineralisation and confirm Golden Gate North as a significant new gold discovery within the Stibnite Mining District.

Assay results have now been received for diamond drill holes HH-GG25-004C, HH-GG25-005C, and HH-GG25-007C which, together with previously announced HH-GG25-001C, HH-GG25-002C, and HH-GG25-003C have delineated gold mineralisation over a strike length of 600m at Golden Gate North. Multiple holes report long, continuous intercepts from surface and several ending in mineralisation, with the system remaining open along strike, to the east and at depth.

Final assay results of the lower-most section of HH-GG25-001C, which were not available at the time of the 28 October 2025 announcement, show that previously reported mineralisation in HH-GG25-001C now extends for the entire hole, from surface and the end of the hole. The revised down hole interval for HH-GG25-001C is 197.5m @ 1.26 g/t from 34.0m.

As seen in HH-GG25-001C, HH-GG25-002C and HH-GG25-003C, gold mineralisation in the new holes is associated with pyrite and arsenopyrite, supporting an IRGS model at Golden Gate.




Figure 1: Horse Heaven Project location map, highlighting the location of the two current major antimony-gold-silver-tungsten targets, the Golden Gate Target (where the Phase 1 Core Drilling Program was conducted) and the Antimony Ridge Target. Also highlighted is the fully-permitted Stibnite Gold Project, which is only 6km east of Horse Heaven. Note: Coordinates are UTM metres north and east metric system, not latitude/longitude.

Significant down hole intersections of gold mineralisation in the new holes reported in this announcement include:

HH-GG25-004C:

- ▶ **240.8m @ 0.64 g/t gold from surface to EOH 240.8m** (open ended), including:
 - 61.6m @ 0.98 g/t gold from 40.5m; and
 - 35.8m @ 0.83 g/t gold from 119.5m.

HH-GG25-005C:

- ▶ **283.5m @ 0.36 g/t gold from surface to EOH 283.5m** (open ended), including:
 - 4.7m @ 1.18 g/t gold from 10.1m;
 - 42.5m @ 0.72 g/t gold from 65.7m;
 - 4.2m @ 1.14 g/t gold from 131.1m; and
 - 4.9m @ 0.76 g/t gold from 176.8m.

HH-GG25-007C:

- ▶ **207.2m @ 0.42 g/t gold from surface**, including:
 - 4.45m @ 1.18 g/t gold from 50.7m; and
 - 3.7m @ 2.65 g/t gold from 176.5m.

Hole ID	ASX Announcement Date	Drill Type	Diameter	Drill Hole Location						Dip	Az	EOH(ft)	EOH(m)
				Grid	Datum	Zone	Easting	Northing	Elevation_m				
HH-GG25-001C	28/10/2025 & 1/12/2025	Core	HQ3	UTM	NAD83	11T	619741	4978962	1963	-55	120	760	232
HH-GG25-002C	3/11/2025	Core	HQ3	UTM	NAD83	11T	619740	4978961	1963	-55	145	870	265
HH-GG25-003C	3/11/2025	Core	HQ3	UTM	NAD83	11T	619792	4979034	1992	-55	158	830	253
HH-GG25-004C	1/12/2025	Core	HQ3	UTM	NAD83	11T	619792	4979034	1992	-45	90	790	241
HH-GG25-005C	1/12/2025	Core	HQ3	UTM	NAD83	11T	619816	4978590	1980	-55	290	930	283
HH-GG25-007C	1/12/2025	Core	HQ3	UTM	NAD83	11T	619914	4979070	1967	-50	290	1185	361

Table 1: Drill parameters of the HH-GG25-001C, HH-GG25-004C, HH-GG25-005C, and HH-GG25-007C.

The Company has now reported assay results for six diamond core holes, HH-GG25-001C, HH-GG25-002C, HH-GG25-003C, HH-GG25-004C, HH-GG25-005C, and HH-GG25-007C. These holes, together with HH-GG25-006C, were all drilled in a “cluster” at the northern end of the Golden Gate Project. This area is now known to host an Intrusion-Related gold discovery. Although the mineralisation remains open in all directions, it is convenient to refer to this portion of the prospect as the Golden Gate North Prospect.

HH-GG25-004C

HH-GG25-004C was drilled as a fan hole with HH-GG25-003C (Table 1, Figures 2 and 3). The hole was designed to test for gold mineralisation northeastern of HH-GG25-003C, whilst utilising the same drill platform. At EOH HH-GG25-004 was testing ground approximately 100m northeast of HH-GG25-003C.

Results of HH-GG25-004C confirm that the broad gold mineralisation identified in HH-GG25-003C, continues in an easterly direction (Appendix B). The hole terminated in mineralisation, demonstrating that gold mineralisation remains open to the east.




Figure 2: Drill hole location and simplified geology map of the Golden Gate 2025 drill program of the Golden Gate Prospect. Drill holes HH-GG25-004C, HH-GG25-005C, and HH-GG25-007C are located at the northern part of the Golden Gate Prospect, now referred to as the Golden Gate North Prospect. HH-GG25-005C is the southern most of the 2025 program at Golden Gate North, and HH-GG25-007C is the northern most of the 2025 program at Golden Gate North. They are approximately 500m apart. Refer also to Figure 3.




Figure 3: Drill hole location and simplified geology map of the Golden Gate North Prospect. The gold mineralised intervals are projected to surface and highlighted (solid yellow lines) along the drill stems of the reported holes, HH-GG25-001C, HH-GG25-002C, HH-GG25-003C, HH-GG25-004C, HH-GG25-005C, and HH-GG25-007C. Solid yellow arrows indicate the direction in which the mineralisation is considered open. There is a close spatial relationship with silicification, local faults and lithologies.

The style of gold mineralisation in HH-GG25-004C is consistent with that observed in HH-GG25-003C. Gold is hosted within altered quartz-sericite to silicified porphyritic monzonite to quartz monzonite and granodiorite. Above the oxide-sulphide boundary, mineralisation is associated with limonite and iron oxides. Below this contact, gold is associated with disseminated pyrite and arsenopyrite as well as quartz-pyrite-arsenopyrite veining (Figure 4). Multiple fault zones, characterised by gouge and breccias, occur within the mineralised interval.

HH-GG25-005C

HH-GG25-005C was drilled 350m south of HH-GG25-001C (Table 1, Figures 2 and 3). The hole was an azimuth parallel to HH-GG25-001C but dips in the opposite direction. The purpose of the hole was to test for gold mineralisation associated with a geophysical resistivity feature at the southern end of the Golden Gate North Prospect (Figures 2 and 3).

The style of gold mineralisation in HH-GG25-005C is consistent with that observed throughout Golden Gate North Prospect. Gold is hosted in altered quartz-sericite to silicified monzonite, quartz-monzonite and granodiorite and is closely associated with pyrite and arsenopyrite (Figure 5, Appendix B).

At depth, HH-GG25-005C intersects strongly calcite altered and brecciated mafic rocks (Figure 5). Notably, these non-intrusive rocks host gold values indicating that mineralisation is not confined to monzonite and granodiorite intrusions. This supports the interpretation that gold is hosted within a shear-zone system affecting both intrusive and sedimentary units.

HH-GG25-007C

HH-GG25-007C was drilled 200m north of HH-GG25-001C (Table 1, Figures 2 and 3) and approximately 100m north of HH-GG25-004C. Like HH-GG25-0005C and HH-GG25-001C, the hole was drilled parallel to the regional structural trend but with opposite dip direction. The purpose was to test for extensions of gold mineralisation toward the northern end of Golden Gate North Prospect.

The style of mineralisation in HH-GG25-005C is consistent with that observed elsewhere across Golden Gate North (Figure 6, Appendix B). Below approximately 135m down-hole, the drillhole intersects a sequence of relatively unaltered andesite dikes and fault breccias marking a contact between the mineralised sequence (quartz-sericite to silicified monzonite, quartz-monzonite and granodiorite) and a late-stage granodiorite-diorite intrusion that is un-mineralised at surface. The presence of this intrusion and/or associated post-mineralisation structural complexity explains the absence of gold mineralisation in the lower portion of HH-GG25-007C (Figure 6).

HH-GG25-001C

Final assays have been received for the lower-most 27.1ft (or 8.3m) of HH-GG25-001C (Figure 7, Appendix B). Gold mineralisation in part of HH-GG25-001C remains open at depth. The revised down-hole interval is **197.5m @ 1.26 g/t from 34.0m**.

Preliminary Interpretation of Golden Gate North Drill Results

The pervasive and consistent gold mineralisation intersected in holes HH-GG25-001C, HH-GG25-002C, HH-GG25-003C, HH-GG25-004C, HH-GG25-005C, and HH-GG25-007C confirms the discovery of a large IRGS at the Golden Gate North Prospect.

The broad intersections of gold mineralisation of HH-GG25-001C, HH-GG25-002C, HH-GG25-003C -GG25-004C, HH-GG25-005C, and HH-GG25-007C are collectively consistent, compatible and confirmatory of the Intrusion Related Gold Systems (“IRGS”) Exploration Model of Horse Heaven (ASX announcement dated 11 June 2025, titled “Agreement to Acquire Major Drill-Ready Antimony-Gold-Tungsten Project in Stibnite Mining District, Idaho, USA” and ASX announcement dated 28 October 2025, titled “Near Surface Discovery of 189.2m @ 1.3 g/t gold from 34m, ending in mineralisation.”

Intrusion Related Gold Systems are a broad church of mineralisation with many variations in mineralising mechanisms, geological and structural setting, alteration and metal/mineral composition. IRGSs can form large, giant, and supergiant deposits with multimillion ounce resources, including as an example only, in the U.S.: Fort Knox, Pogo, and Donlin Creek; and in Australia: The Granites, Telfer, Hemi, and Kidston.

All holes for which assay data is currently available, HH-GG25-001C, HH-GG25-002C, HH-GG25-003C -GG25-004C, HH-GG25-005C, and HH-GG25-007C (six of the seven diamond drill core holes) drilled at Golden Gate North Prospect contain significant down hole intervals of gold mineralisation.

The broad mineralised intersections of these holes include:

- 🚩 **HH-GG25-001C: 197.5m @ 1.26 g/t gold from 34.0m (open ended);**
- 🚩 **HH-GG25-002C: 265.2m @ 0.60 g/t gold from surface (open ended);**
- 🚩 **HH-GG25-003C: 253.0m @ 1.50 g/t gold from surface (open ended);**
- 🚩 **HH-GG25-004C: 240.8m @ 0.64 g/t gold from surface (open ended);**
- 🚩 **HH-GG25-005C: 283.5m @ 0.36 g/t gold from surface (open ended); and**
- 🚩 **HH-GG25-007C: 207.2m @ 0.42 g/t gold from surface.**

Broad, continuous gold mineralisation has now been identified in diamond drill holes located approximately 600m apart (HH-GG25-007C to the north, and HH-GG25-005C to the south). Mineralisation is interpreted to be hosted within the Golden Gate shear zone, a regional NNE striking, steeply dipping strike-slip fault zone. Higher grade intervals observed in most drillholes may represent mineralised shoots developed within wider broad zones of lower-grade gold, an established characteristic of shear-zone hosted gold systems.

Gold mineralisation remains open along strike to the north, south and east and is open at depth. Historical data indicate potential for mineralisation to extend a further ~750m to the north along strike, as far as the East Fork, South Fork Salmon River. Cross-sections interpretations support this view, with five of the six reported holes ending in mineralisation, reinforcing the open-ended nature of the system at depth.




Figure 4: Schematic cross section of HH-GG25-004C showing the local geology, highlighting the significant gold intersections, and pre-RML RC drill holes intersections draw into the plane of the cross section. The cross section shows how the pervasive gold mineralisation of HH-GG25-004C traverses a repeating sequence of near-vertical fault breccias, within a structurally-bound monzonites and granodiorites.

For personal use only




Figure 5: Schematic cross section of HH-GG25-005C showing the local geology, highlighting the significant gold intersections, and pre-RML RC drill holes intersections draw into the plane of the cross section. The cross section shows how the pervasive gold mineralisation of HH-GG25-004C traverses a repeating sequence of near-vertical fault breccias, within a structurally-bound monzonites (with the granodiorite as the “host” as described in the legend).




Figure 6: Schematic cross section of HH-GG25-007C showing the local geology, highlighting the significant gold intersections, and pre-RML RC drill holes intersections draw into the plane of the cross section. The cross section shows how the pervasive gold mineralisation of HH-GG25-007C traverses a repeating sequence of near-vertical fault and fault-calcite breccias, within a structurally-bound monzonites and granodiorites. The lower half of HH-GG25-007C enters into a late-stage un-mineralised granodiorite intrusion.




Figure 7: Schematic cross section of HH-GG25-001C showing the local geology, highlighting the significant gold intersections, and pre-RML RC drill holes intersections draw into the plane of the cross section. The cross section shows how the pervasive gold mineralisation of HH-GG25-001C is primarily associated with an expansive monzonite and granodiorite intrusion.

Next Assays Update

Resolution has completed its 10-hole Phase-1 diamond core drill program at Golden Gate, with all holes logged and sampled. This announcement reports results from the third batch of core samples, for HH-GG25-004C, HH-GG25-005C, HH-GG25-007C and the bottom of HH-GG25-001C).

Assay results for HH-GG25-006C (the final diamond core hole of Golden Gate North) are imminent.

Assay results for HH-GG25-008C to HH-GG25-010C (holes all drilled in the southern part of Golden Gate) will be available sequentially over the next few months.

RML's Lead Geologist, Austin Zinsser stated:

"The additional drill results from Golden Gate North, especially the step out hole to the south, demonstrate extension of the system well beyond historical drilling, and support the definition of a significant intrusion related gold system with multiple similarities to those at Perpetua's Stibnite Gold Project."

Next Steps

Resolution will be releasing results from the final four holes of its ten-hole core drilling program and results from three shallow follow-on reverse circulation drill holes as they become available. The Company will also be submitting samples from its maiden drill program for initial metallurgical testing.

In 2026, Resolution plans to follow up on its successful 2025 program by completing approximately 45 additional holes at Golden Gate, taking the total planned 57 holes for ~45,000 feet (13,700 meters) of drilling. This planned program will cover approximately 2.5km of the known 3.0km strike length of the Golden Gate target.

Authorised for release by the board of Resolution Minerals Ltd.

For further information, please contact Aharon Zaetz Executive Director.

Aharon Zaetz

Executive Director

Resolution Minerals Ltd

M: +61 424 743 098

ari@resolutionminerals.com

Jane Morgan

Investor Relations

Jane Morgan Management

M: +61 405 555 618

jm@janemorganmanagement.com.au

Follow us:

Website: www.resolutionminerals.com LinkedIn: @Resolution Minerals

X: @Resolution_LTD

Competent Person's Statement

The information in this report that relates to exploration results, is based on and fairly represents information reviewed and compiled by Mr Ross Brown BSc (Hons), M AusIMM, Principal Geologist/director of exploration consulting firm, Riviere Minerals Pty. Ltd, who is a Member of the Australasian Institute of Mining and Metallurgy. Mr Brown has sufficient experience, which is relevant to the exploration activities, style of mineralisation and types of deposits under consideration, and to the activity which has been undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Riviere Minerals is consulting to Resolution Minerals Ltd and consents to the inclusion in this announcement of the matters based on their information in the form and context in which it appears.

The Company confirms it is not aware of any new information or data that materially affects the information cross referenced in this announcement and "Significant Gold Discoveries Continue at Golden Gate" on 3 November 2025. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original announcements.

About Riviere Minerals

*Riviere Minerals Pty Ltd ("**Riviere**") is a resource consultancy specialising in project evaluation and portfolio management. Its principal geologist and sole director, Mr Ross Brown, has nearly 40 years of experience in mineral exploration worldwide. Through Riviere, Mr Brown also provides assistance in exploration planning, execution and ASX reporting.*

Forward Looking Statements

This announcement may contain forward-looking statements. These statements relate to the Company's expectations, beliefs, intentions or strategies regarding the future. These statements can be identified by the use of words like "anticipate", "believe", "intend", "estimate", "expect", "may", "plan", "project", "will", "should", "seek" and similar words or expressions containing same. These forward-looking statements reflect the Company's views and assumptions with respect to future events as of the date of this release and are subject to a variety of unpredictable risks, uncertainties, and other unknowns. Actual and future results and trends could differ materially from those set forth in such statements due to various factors, many of which are beyond our ability to control or predict. These include, but are not limited to, risks or uncertainties associated with the acquisition and divestment of projects, joint venture and other contractual risks, metal prices, exploration, development and operating risks, competition, production risks, sovereign risks, regulatory risks including environmental regulation and liability and potential title disputes, availability and terms of capital and general economic and business conditions.

Given these uncertainties, no one should place undue reliance on any forward-looking statements attributable to the Company, or any of its affiliates or persons acting on its behalf. Subject to any continuing obligations under applicable law, the Company disclaims any obligation or undertaking to disseminate any updates or revisions to any forward-looking statements in this announcement to reflect any change in expectations in relation to any forward-looking statements or any change in events, conditions or circumstances on which any such statement is based.


Appendix A: Intrusion Related Gold Systems, A Horse Heaven / Stibnite Deposit Exploration Model-based Comparison.

The broad intersections of gold mineralisation of HH-GG25-001C, HH-GG25-002C, HH-GG25-003C -GG25-004C, HH-GG25-005C, and HH-GG25-007C are collectively consistent, compatible and confirmatory of the Intrusion Related Gold Systems (“IRGS”) Exploration Model of Horse Heaven (ASX announcement dated 11 June 2025, titled “Agreement to Acquire Major Drill-Ready Antimony-Gold-Tungsten Project in Stibnite Mining District, Idaho, USA” and ASX announcement dated 28 October 2025, titled “Near Surface Discovery of 189.2m @ 1.3 g/t gold from 34m, ending in mineralisation”).

Intrusion Related Gold Systems are a broad church of mineralisation with many variations in mineralising mechanisms, geological and structural setting, alteration and metal/mineral composition. IRGSs can form large, giant, and supergiant deposits with multimillion ounce resources, including as an example only, in the U.S.: Fort Knox, Pogo, and Donlin Creek; and in Australia: The Granites, Telfer, Hemi, and Kidston.

Of particular relevance to Horse Heaven is the Stibnite Mine deposit, located only 6km east of Horse Heaven. It is another example of an IRGS (intrusive hosted and structurally controlled gold deposit). The gold mineralisation at Stibnite has not been discretely categorised but is noted to share similarities with both reduced intrusion systems and Carlin-type gold deposits. **Golden Gate is believed broadly analogous at the Stibnite deposits. Gold mineralisation at both Golden Gate and Stibnite is localised by northerly fault systems; hosted by felsic intrusive rocks of the Idaho batholith, associated with fine-grained sulphides, sericite alteration, biotite replacement and quartz-pyrite-arsenopyrite veining.**

The pervasive nature of the gold mineralisation with low levels of disseminated pyrite and arsenopyrite in an altered monzonite and granodiorite in HH-GG25-001C/2C/3C is reminiscent of IRGS’s. Using the Lang (2000)



schematic section of an IRGS. The interpreted projected position of HH-GG25-001C is possibly into a structurally prepared zone associated with the Johnson Creek shear zone, where IRGS disseminated gold mineralisation distal or lateral to the causative intrusion has been localised. By extension of the Lang IRGS – Horse Heaven/Stibnite Mine comparison model (App A-Figure 1), it follows that the Golden Gate Prospect exhibits similarities in terms of: i) host rock, ii) gold mineralisation, iii) associated disseminated sulphides, and iv) localisation along north striking shear zones to the Stibnite Mine Hanger Flats-Yellow Pine gold deposits.

Appendix A Figure 1: Schematic IRGS cross section showing the relative positions of the Stibnite Mining District Hanger Flats and Yellow Pipe deposits (Right half) and the Antimony Ridge and Golden Gate prospects (Left half). This cross section is modified from Lang et al 2000. A possible drill hole projection of HH-GG25-001C/2C/3C is highlighted and a hypothetical current land surface level relative to the IRGS.

Source: Lang, J.R., Baker, T., Hart, C.J.R. and Mortensen, J.K. (2000) An Exploration Model for Intrusion-Related Gold Systems. SEG Newsletter, No. 40, 15 p. <https://doi.org/10.5382/SEGnews.2000-40.fea.>; and

E. Conrad E. et al 2014 Stibnite Gold Project Prefeasibility Technical Report Midas Gold Corp. Report.

Appendix B: HH-GG25-004C ASSAY RESULTS – Gold, Silver and Tungsten.

Location	Hole ID	Drill Technique	Sample ID	From (ft)	To (ft)	Smpl Lgth (ft)	Au	Ag	W
							Au-AA23	ME-ICP61	ME-ICP61
							ppm	ppm	ppm
Golden Gate	HH-GG25-004C	Core	191057	0.0	10.0	10.0	0.153	10.8	810
Golden Gate	HH-GG25-004C	Core	191058	10.0	14.6	4.6	0.243	<0.5	410
Golden Gate	HH-GG25-004C	Core	191059	14.6	20.0	5.4	0.28	0.5	590
Golden Gate	HH-GG25-004C	Core	191060	20.0	30.0	10.0	0.611	1.2	790
Golden Gate	HH-GG25-004C	Core	191061	30.0	35.0	5.0	0.693	<0.5	790
Golden Gate	HH-GG25-004C	Core	191062	35.0	40.0	5.0	1.65	0.5	680
Golden Gate	HH-GG25-004C	Core	191063	40.0	45.0	5.0	0.214	0.7	50
Golden Gate	HH-GG25-004C	Core	191064	45.0	50.0	5.0	0.613	0.6	190
Golden Gate	HH-GG25-004C	Core	191065	50.0	54.2	4.2	0.179	<0.5	190
Golden Gate	HH-GG25-004C	Core	191066	54.2	58.1	3.9	0.276	<0.5	170
Golden Gate	HH-GG25-004C	Core	191067	58.1	62.8	4.7	0.449	0.5	30
Golden Gate	HH-GG25-004C	Core	191068	62.8	67.5	4.7	0.99	0.7	140
Golden Gate	HH-GG25-004C	Core	191069	67.5	72.0	4.5	0.792	0.8	20
Golden Gate	HH-GG25-004C	Core	191071	72.0	76.0	4.0	0.761	0.9	20
Golden Gate	HH-GG25-004C	Core	191072	76.0	80.0	4.0	0.789	0.8	20
Golden Gate	HH-GG25-004C	Core	191073	80.0	83.3	3.3	0.927	0.8	10
Golden Gate	HH-GG25-004C	Core	191074	83.3	88.3	5.0	0.949	0.8	20
Golden Gate	HH-GG25-004C	Core	191075	88.3	93.3	5.0	0.672	0.6	30
Golden Gate	HH-GG25-004C	Core	191076	93.3	98.3	5.0	0.353	0.6	10
Golden Gate	HH-GG25-004C	Core	191077	98.3	102.9	4.6	0.291	<0.5	90
Golden Gate	HH-GG25-004C	Core	191078	102.9	107.0	4.1	0.221	<0.5	20
Golden Gate	HH-GG25-004C	Core	191079	107.0	111.2	4.2	0.271	0.5	20
Golden Gate	HH-GG25-004C	Core	191080	111.2	115.4	4.2	0.585	0.7	10
Golden Gate	HH-GG25-004C	Core	191081	115.4	120.0	4.6	0.646	0.8	10
Golden Gate	HH-GG25-004C	Core	191082	120.0	123.8	3.8	0.572	1.2	20
Golden Gate	HH-GG25-004C	Core	191084	123.8	128.6	4.8	0.488	1.6	10
Golden Gate	HH-GG25-004C	Core	191085	128.6	133.0	4.4	0.496	0.7	10
Golden Gate	HH-GG25-004C	Core	191086	133.0	142.3	9.3	1.085	1.2	10
Golden Gate	HH-GG25-004C	Core	191087	142.3	150.0	7.7	0.978	1.8	10
Golden Gate	HH-GG25-004C	Core	191088	150.0	154.7	4.7	1	1.1	<10
Golden Gate	HH-GG25-004C	Core	191089	154.7	159.0	4.3	1.315	2.9	<10
Golden Gate	HH-GG25-004C	Core	191090	159.0	163.0	4.0	0.964	1.1	<10
Golden Gate	HH-GG25-004C	Core	191091	163.0	170.0	7.0	0.667	1	10
Golden Gate	HH-GG25-004C	Core	191092	170.0	175.0	5.0	0.681	1.5	10
Golden Gate	HH-GG25-004C	Core	191093	175.0	180.0	5.0	1.485	2.6	10
Golden Gate	HH-GG25-004C	Core	191094	180.0	185.0	5.0	0.984	2.6	10
Golden Gate	HH-GG25-004C	Core	191096	185.0	190.0	5.0	1.135	2.2	<10
Golden Gate	HH-GG25-004C	Core	191097	190.0	194.8	4.8	0.799	1.1	10
Golden Gate	HH-GG25-004C	Core	191098	194.8	200.0	5.2	0.592	1.2	<10
Golden Gate	HH-GG25-004C	Core	191099	200.0	205.0	5.0	0.678	6.1	10
Golden Gate	HH-GG25-004C	Core	191100	205.0	210.0	5.0	0.716	3.4	30
Golden Gate	HH-GG25-004C	Core	191301	210.0	214.5	4.5	0.648	6.7	50
Golden Gate	HH-GG25-004C	Core	191302	214.5	219.3	4.8	0.754	8	10
Golden Gate	HH-GG25-004C	Core	191303	219.3	223.8	4.5	0.942	4.7	10
Golden Gate	HH-GG25-004C	Core	191304	223.8	228.8	5.0	1.435	3.2	10
Golden Gate	HH-GG25-004C	Core	191305	228.8	233.2	4.4	1.885	8.8	10
Golden Gate	HH-GG25-004C	Core	191306	233.2	237.2	4.0	2.19	3.9	<10
Golden Gate	HH-GG25-004C	Core	191307	237.2	242.2	5.0	1.7	1.8	10
Golden Gate	HH-GG25-004C	Core	191308	242.2	247.0	4.8	0.808	1.4	<10

For personal use only

Appendix B: HH-GG25-004C ASSAY RESULTS – Gold, Silver and Tungsten.

Location	Hole ID	Drill Technique	Sample ID	From (ft)	To (ft)	SmpLgth (ft)	Au	Ag	W
							Au-AA23	ME-ICP61	ME-ICP61
							ppm	ppm	ppm
Golden Gate	HH-GG25-004C	Core	191309	247.0	252.0	5.0	1.18	3	10
Golden Gate	HH-GG25-004C	Core	191310	252.0	257.0	5.0	0.89	1.1	20
Golden Gate	HH-GG25-004C	Core	191311	257.0	261.5	4.5	0.736	0.8	10
Golden Gate	HH-GG25-004C	Core	191313	261.5	266.0	4.5	1.14	2.5	10
Golden Gate	HH-GG25-004C	Core	191314	266.0	270.0	4.0	1.235	3.1	10
Golden Gate	HH-GG25-004C	Core	191315	270.0	275.0	5.0	0.86	3	30
Golden Gate	HH-GG25-004C	Core	191316	275.0	280.0	5.0	1.08	2.9	40
Golden Gate	HH-GG25-004C	Core	191317	280.0	285.0	5.0	0.612	2.2	50
Golden Gate	HH-GG25-004C	Core	191318	285.0	290.0	5.0	0.589	1.3	40
Golden Gate	HH-GG25-004C	Core	191319	290.0	295.0	5.0	0.807	1.6	30
Golden Gate	HH-GG25-004C	Core	191320	295.0	300.0	5.0	1.28	1	20
Golden Gate	HH-GG25-004C	Core	191322	300.0	305.0	5.0	1.19	0.8	20
Golden Gate	HH-GG25-004C	Core	191323	305.0	310.0	5.0	0.856	1.2	20
Golden Gate	HH-GG25-004C	Core	191324	310.0	315.0	5.0	0.869	2	50
Golden Gate	HH-GG25-004C	Core	191325	315.0	319.8	4.8	0.569	1.1	10
Golden Gate	HH-GG25-004C	Core	191326	319.8	325.0	5.2	0.608	1.1	10
Golden Gate	HH-GG25-004C	Core	191327	325.0	330.0	5.0	0.991	1	20
Golden Gate	HH-GG25-004C	Core	191328	330.0	335.0	5.0	0.857	1.9	20
Golden Gate	HH-GG25-004C	Core	191329	335.0	340.0	5.0	0.496	0.6	20
Golden Gate	HH-GG25-004C	Core	191330	340.0	345.0	5.0	0.338	1.2	20
Golden Gate	HH-GG25-004C	Core	191331	345.0	349.4	4.4	0.149	0.9	10
Golden Gate	HH-GG25-004C	Core	191332	349.4	354.3	4.9	0.262	0.8	10
Golden Gate	HH-GG25-004C	Core	191333	354.3	358.9	4.6	0.241	0.6	10
Golden Gate	HH-GG25-004C	Core	191334	358.9	363.9	5.0	0.217	0.5	10
Golden Gate	HH-GG25-004C	Core	191335	363.9	368.0	4.1	0.441	1	50
Golden Gate	HH-GG25-004C	Core	191336	368.0	372.0	4.0	0.287	1.9	20
Golden Gate	HH-GG25-004C	Core	191337	372.0	376.8	4.8	0.486	0.7	10
Golden Gate	HH-GG25-004C	Core	191338	376.8	382.8	6.0	0.318	0.5	10
Golden Gate	HH-GG25-004C	Core	191339	382.8	387.2	4.4	0.376	<0.5	10
Golden Gate	HH-GG25-004C	Core	191340	387.2	391.9	4.7	0.16	<0.5	10
Golden Gate	HH-GG25-004C	Core	191341	391.9	396.3	4.4	0.793	0.7	10
Golden Gate	HH-GG25-004C	Core	191343	396.3	401.0	4.7	0.594	0.9	10
Golden Gate	HH-GG25-004C	Core	191344	401.0	406.6	5.6	0.253	0.6	10
Golden Gate	HH-GG25-004C	Core	191345	406.6	410.0	3.4	0.225	0.6	10
Golden Gate	HH-GG25-004C	Core	191346	410.0	415.0	5.0	0.884	1.1	10
Golden Gate	HH-GG25-004C	Core	191347	415.0	420.0	5.0	0.923	0.8	10
Golden Gate	HH-GG25-004C	Core	191348	420.0	425.0	5.0	0.528	1.3	10
Golden Gate	HH-GG25-004C	Core	191349	425.0	430.0	5.0	0.693	0.6	10
Golden Gate	HH-GG25-004C	Core	191350	430.0	435.0	5.0	1.21	1	10
Golden Gate	HH-GG25-004C	Core	191351	435.0	440.0	5.0	1.025	2.4	10
Golden Gate	HH-GG25-004C	Core	191352	440.0	445.0	5.0	0.489	0.9	10
Golden Gate	HH-GG25-004C	Core	191353	445.0	450.0	5.0	0.525	1	50
Golden Gate	HH-GG25-004C	Core	191354	450.0	455.0	5.0	0.887	1.1	10
Golden Gate	HH-GG25-004C	Core	191355	455.0	460.0	5.0	0.9	1.3	20
Golden Gate	HH-GG25-004C	Core	191356	460.0	465.0	5.0	0.695	1.4	10
Golden Gate	HH-GG25-004C	Core	191357	465.0	470.0	5.0	0.716	0.7	10
Golden Gate	HH-GG25-004C	Core	191358	470.0	480.0	10.0	1.645	1.2	10
Golden Gate	HH-GG25-004C	Core	191360	480.0	490.0	10.0	0.861	1.6	50
Golden Gate	HH-GG25-004C	Core	191361	490.0	495.0	5.0	0.586	0.9	10
Golden Gate	HH-GG25-004C	Core	191362	495.0	500.0	5.0	0.831	1.2	10

For personal use only

Appendix B: HH-GG25-004C ASSAY RESULTS – Gold, Silver and Tungsten

Location	Hole ID	Drill Technique	Sample ID	From (ft)	To (ft)	Smpl Lgth (ft)	Au	Ag	W
							Au-AA23	ME-ICP61	ME-ICP61
							ppm	ppm	ppm
Golden Gate	HH-GG25-004C	Core	191363	500.0	504.3	4.3	1.015	0.8	10
Golden Gate	HH-GG25-004C	Core	191364	504.3	509.4	5.1	0.995	0.8	10
Golden Gate	HH-GG25-004C	Core	191365	509.4	514.5	5.1	0.589	1	10
Golden Gate	HH-GG25-004C	Core	191366	514.5	519.2	4.7	0.502	1.2	10
Golden Gate	HH-GG25-004C	Core	191367	519.2	523.6	4.4	0.553	0.8	10
Golden Gate	HH-GG25-004C	Core	191369	523.6	528.2	4.6	0.673	1.5	10
Golden Gate	HH-GG25-004C	Core	191370	528.2	532.4	4.2	0.343	1.7	10
Golden Gate	HH-GG25-004C	Core	191371	532.4	537.7	5.3	0.298	1.8	10
Golden Gate	HH-GG25-004C	Core	191372	537.7	542.0	4.3	0.566	0.8	10
Golden Gate	HH-GG25-004C	Core	191373	542.0	546.7	4.7	0.393	0.7	10
Golden Gate	HH-GG25-004C	Core	191374	546.7	551.7	5.0	0.221	0.9	<10
Golden Gate	HH-GG25-004C	Core	191375	551.7	556.0	4.3	0.261	1.2	<10
Golden Gate	HH-GG25-004C	Core	191376	556.0	560.5	4.5	0.263	0.5	<10
Golden Gate	HH-GG25-004C	Core	191377	560.5	565.0	4.5	0.407	0.9	<10
Golden Gate	HH-GG25-004C	Core	191378	565.0	569.5	4.5	0.237	0.7	<10
Golden Gate	HH-GG25-004C	Core	191379	569.5	574.5	5.0	0.643	0.8	<10
Golden Gate	HH-GG25-004C	Core	191380	574.5	579.1	4.6	1.015	0.6	<10
Golden Gate	HH-GG25-004C	Core	191381	579.1	583.5	4.4	0.877	0.5	<10
Golden Gate	HH-GG25-004C	Core	191382	583.5	588.5	5.0	0.812	0.7	<10
Golden Gate	HH-GG25-004C	Core	191383	588.5	593.7	5.2	0.396	2.5	10
Golden Gate	HH-GG25-004C	Core	191384	593.7	598.7	5.0	0.285	0.6	<10
Golden Gate	HH-GG25-004C	Core	191385	598.7	603.7	5.0	0.302	0.5	<10
Golden Gate	HH-GG25-004C	Core	191386	603.7	608.5	4.8	0.287	0.5	<10
Golden Gate	HH-GG25-004C	Core	191387	608.5	613.3	4.8	0.326	0.9	10
Golden Gate	HH-GG25-004C	Core	191388	613.3	618.3	5.0	0.285	0.5	10
Golden Gate	HH-GG25-004C	Core	191390	618.3	623.0	4.7	0.366	0.9	10
Golden Gate	HH-GG25-004C	Core	191391	623.0	627.8	4.8	0.441	0.6	10
Golden Gate	HH-GG25-004C	Core	191392	627.8	632.7	4.9	0.402	0.5	10
Golden Gate	HH-GG25-004C	Core	191393	632.7	637.7	5.0	0.361	<0.5	10
Golden Gate	HH-GG25-004C	Core	191394	637.7	642.5	4.8	0.429	<0.5	10
Golden Gate	HH-GG25-004C	Core	191395	642.5	647.4	4.9	0.604	<0.5	10
Golden Gate	HH-GG25-004C	Core	191396	647.4	652.4	5.0	0.382	<0.5	<10
Golden Gate	HH-GG25-004C	Core	191397	652.4	657.2	4.8	0.473	<0.5	10
Golden Gate	HH-GG25-004C	Core	191398	657.2	661.5	4.3	0.367	0.5	10
Golden Gate	HH-GG25-004C	Core	191399	661.5	666.1	4.6	1.245	<0.5	10
Golden Gate	HH-GG25-004C	Core	191400	666.1	671.0	4.9	0.564	<0.5	10
Golden Gate	HH-GG25-004C	Core	191401	671.0	675.4	4.4	0.388	<0.5	10
Golden Gate	HH-GG25-004C	Core	191402	675.4	680.0	4.6	0.868	1	10
Golden Gate	HH-GG25-004C	Core	191403	680.0	683.5	3.5	0.292	<0.5	10
Golden Gate	HH-GG25-004C	Core	191404	683.5	686.5	3.0	0.67	0.7	10
Golden Gate	HH-GG25-004C	Core	191405	686.5	690.0	3.5	0.584	<0.5	10
Golden Gate	HH-GG25-004C	Core	191406	690.0	695.0	5.0	0.773	2.4	10
Golden Gate	HH-GG25-004C	Core	191407	695.0	700.0	5.0	0.641	<0.5	10
Golden Gate	HH-GG25-004C	Core	191408	700.0	705.0	5.0	0.307	<0.5	10
Golden Gate	HH-GG25-004C	Core	191409	705.0	710.0	5.0	0.222	<0.5	10
Golden Gate	HH-GG25-004C	Core	191410	710.0	715.0	5.0	0.294	<0.5	10
Golden Gate	HH-GG25-004C	Core	191411	715.0	720.0	5.0	0.285	0.8	10
Golden Gate	HH-GG25-004C	Core	191412	720.0	725.1	5.1	0.424	1.9	10
Golden Gate	HH-GG25-004C	Core	191413	725.1	730.0	4.9	0.242	<0.5	10
Golden Gate	HH-GG25-004C	Core	191414	730.0	734.6	4.6	0.413	<0.5	10

For personal use only

Appendix B: HH-GG25-004C ASSAY RESULTS – Gold, Silver and Tungsten.

Location	HoleID	Drill Technique	Sample ID	From (ft)	To (ft)	Smpl Lgth (ft)	Au	Ag	W
							Au-AA23	ME-ICP61	ME-ICP61
							ppm	ppm	ppm
Golden Gate	HH-GG25-004C	Core	191415	734.6	739.4	4.8	0.451	<0.5	10
Golden Gate	HH-GG25-004C	Core	191416	739.4	746.5	7.1	0.385	0.5	10
Golden Gate	HH-GG25-004C	Core	191419	746.5	751.2	4.7	0.387	<0.5	10
Golden Gate	HH-GG25-004C	Core	191420	751.2	755.5	4.3	0.277	0.5	10
Golden Gate	HH-GG25-004C	Core	191421	755.5	760.5	5.0	0.335	1	10
Golden Gate	HH-GG25-004C	Core	191422	760.5	766.3	5.8	0.336	<0.5	10
Golden Gate	HH-GG25-004C	Core	191423	766.3	771.5	5.2	0.217	0.5	10
Golden Gate	HH-GG25-004C	Core	191424	771.5	776.0	4.5	0.096	<0.5	10
Golden Gate	HH-GG25-004C	Core	191425	776.0	781.0	5.0	0.328	<0.5	10
Golden Gate	HH-GG25-004C	Core	191426	781.0	785.6	4.6	0.181	57.6	<10
Golden Gate	HH-GG25-004C	Core	191427	785.6	790.0	4.4	0.306	<0.5	<10

For personal use only

Appendix B: HH-GG25-005C ASSAY RESULTS – Gold, Silver and Tungsten.

Location	Hole ID	Drill Technique	Sample ID	From (ft)	To (ft)	Smpl Lgth (ft)	Au	Ag	W
							Au-AA23	ME-ICP61	ME-ICP61
							ppm	ppm	ppm
Golden Gate	HH-GG25-005C	Core	191041	0.0	10.4	10.4	0.57	5.9	70
Golden Gate	HH-GG25-005C	Core	191042	10.4	14.1	3.7	0.466	0.5	10
Golden Gate	HH-GG25-005C	Core	191043	14.1	19.1	5.0	0.438	0.6	10
Golden Gate	HH-GG25-005C	Core	191044	19.1	23.4	4.3	0.22	<0.5	10
Golden Gate	HH-GG25-005C	Core	191045	23.4	28.3	4.9	0.153	<0.5	10
Golden Gate	HH-GG25-005C	Core	191047	28.3	33.1	4.8	0.372	0.8	10
Golden Gate	HH-GG25-005C	Core	191048	33.1	35.5	2.4	0.721	1.5	10
Golden Gate	HH-GG25-005C	Core	191049	35.5	37.8	2.3	1.875	1.3	20
Golden Gate	HH-GG25-005C	Core	191050	37.8	41.6	3.8	1.54	0.8	10
Golden Gate	HH-GG25-005C	Core	191101	41.6	45.0	3.4	0.442	<0.5	10
Golden Gate	HH-GG25-005C	Core	191102	45.0	48.4	3.4	1.37	0.6	10
Golden Gate	HH-GG25-005C	Core	191103	48.4	52.0	3.6	0.085	<0.5	10
Golden Gate	HH-GG25-005C	Core	191104	52.0	56.0	4.0	0.387	<0.5	10
Golden Gate	HH-GG25-005C	Core	191105	56.0	60.0	4.0	0.812	<0.5	10
Golden Gate	HH-GG25-005C	Core	191106	60.0	65.0	5.0	0.249	0.5	10
Golden Gate	HH-GG25-005C	Core	191108	65.0	70.0	5.0	0.662	<0.5	10
Golden Gate	HH-GG25-005C	Core	191109	70.0	72.5	2.5	0.368	<0.5	10
Golden Gate	HH-GG25-005C	Core	191110	72.5	76.8	4.3	0.019	<0.5	10
Golden Gate	HH-GG25-005C	Core	191111	76.8	80.0	3.2	0.418	<0.5	10
Golden Gate	HH-GG25-005C	Core	191112	80.0	84.0	4.0	0.146	<0.5	10
Golden Gate	HH-GG25-005C	Core	191113	84.0	89.0	5.0	0.02	<0.5	10
Golden Gate	HH-GG25-005C	Core	191114	89.0	93.3	4.3	0.4	<0.5	10
Golden Gate	HH-GG25-005C	Core	191115	93.3	98.3	5.0	0.192	<0.5	10
Golden Gate	HH-GG25-005C	Core	191116	98.3	103.3	5.0	0.301	<0.5	10
Golden Gate	HH-GG25-005C	Core	191117	103.3	107.6	4.3	0.941	<0.5	10
Golden Gate	HH-GG25-005C	Core	191118	103.3	107.6	4.3	0.833	<0.5	10
Golden Gate	HH-GG25-005C	Core	191119	107.6	112.3	4.7	0.232	0.6	10
Golden Gate	HH-GG25-005C	Core	191120	112.3	116.0	3.7	0.083	<0.5	10
Golden Gate	HH-GG25-005C	Core	191121	116.0	120.0	4.0	0.058	<0.5	10
Golden Gate	HH-GG25-005C	Core	191122	120.0	125.0	5.0	0.123	0.5	10
Golden Gate	HH-GG25-005C	Core	191123	125.0	128.0	3.0	0.014	<0.5	10
Golden Gate	HH-GG25-005C	Core	191124	128.0	133.0	5.0	0.039	0.6	10
Golden Gate	HH-GG25-005C	Core	191125	133.0	138.0	5.0	0.146	<0.5	10
Golden Gate	HH-GG25-005C	Core	191126	138.0	141.0	3.0	0.147	<0.5	10
Golden Gate	HH-GG25-005C	Core	191127	141.0	145.0	4.0	0.235	<0.5	10
Golden Gate	HH-GG25-005C	Core	191128	145.0	150.0	5.0	0.283	<0.5	10
Golden Gate	HH-GG25-005C	Core	191129	150.0	153.3	3.3	0.198	<0.5	10
Golden Gate	HH-GG25-005C	Core	191130	153.3	156.8	3.5	0.092	<0.5	10
Golden Gate	HH-GG25-005C	Core	191131	156.8	158.9	2.1	0.699	<0.5	10
Golden Gate	HH-GG25-005C	Core	191132	158.9	162.5	3.6	0.044	<0.5	10
Golden Gate	HH-GG25-005C	Core	191133	162.5	165.3	2.8	0.187	<0.5	10
Golden Gate	HH-GG25-005C	Core	191134	165.3	170.0	4.7	0.036	<0.5	10
Golden Gate	HH-GG25-005C	Core	191135	170.0	175.0	5.0	0.43	<0.5	10
Golden Gate	HH-GG25-005C	Core	191136	175.0	180.0	5.0	0.031	<0.5	10

For personal use only

Appendix B: HH-GG25-005C ASSAY RESULTS – Gold, Silver and Tungsten.

Location	Hole ID	Drill Technique	Sample ID	From (ft)	To (ft)	Smpl Lgth (ft)	Au	Ag	W
							Au-AA23	ME-ICP61	ME-ICP61
							ppm	ppm	ppm
Golden Gate	HH-GG25-005C	Core	191137	180.0	183.4	3.4	0.039	<0.5	10
Golden Gate	HH-GG25-005C	Core	191138	183.4	186.5	3.1	0.151	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191139	186.5	190.0	3.5	0.157	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191140	190.0	195.0	5.0	0.178	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191141	195.0	200.0	5.0	0.196	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191142	200.0	205.0	5.0	0.206	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191144	205.0	208.0	3.0	0.149	<0.5	10
Golden Gate	HH-GG25-005C	Core	191145	208.0	211.0	3.0	0.265	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191146	211.0	215.7	4.7	0.423	0.6	10
Golden Gate	HH-GG25-005C	Core	191147	215.7	220.4	4.7	1.05	0.5	10
Golden Gate	HH-GG25-005C	Core	191148	220.4	224.0	3.6	0.554	0.6	10
Golden Gate	HH-GG25-005C	Core	191149	224.0	229.0	5.0	1.18	1.1	<10
Golden Gate	HH-GG25-005C	Core	191150	229.0	232.0	3.0	0.294	<0.5	10
Golden Gate	HH-GG25-005C	Core	191151	232.0	236.4	4.4	0.77	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191152	236.4	240.0	3.6	0.805	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191153	240.0	245.0	5.0	0.29	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191154	245.0	249.0	4.0	0.226	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191156	249.0	253.3	4.3	0.419	0.6	10
Golden Gate	HH-GG25-005C	Core	191157	253.3	256.1	2.8	0.653	1	10
Golden Gate	HH-GG25-005C	Core	191158	256.1	260.0	3.9	0.289	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191159	260.0	265.0	5.0	0.634	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191160	265.0	270.0	5.0	0.255	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191161	270.0	275.0	5.0	1.54	0.6	<10
Golden Gate	HH-GG25-005C	Core	191162	275.0	280.0	5.0	0.937	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191163	280.0	282.7	2.7	0.303	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191164	282.7	287.0	4.3	0.49	0.8	<10
Golden Gate	HH-GG25-005C	Core	191165	287.0	291.0	4.0	0.524	0.9	<10
Golden Gate	HH-GG25-005C	Core	191166	291.0	296.0	5.0	0.125	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191167	296.0	300.5	4.5	0.296	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191168	300.5	303.3	2.8	0.808	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191169	303.3	305.7	2.4	1.015	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191170	305.7	310.0	4.3	1.505	1.2	<10
Golden Gate	HH-GG25-005C	Core	191171	310.0	315.0	5.0	2.21	0.6	<10
Golden Gate	HH-GG25-005C	Core	191172	315.0	319.0	4.0	0.627	0.8	<10
Golden Gate	HH-GG25-005C	Core	191173	319.0	324.0	5.0	1.025	0.6	<10
Golden Gate	HH-GG25-005C	Core	191174	324.0	329.0	5.0	0.226	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191175	329.0	334.0	5.0	0.857	0.9	<10
Golden Gate	HH-GG25-005C	Core	191176	334.0	339.0	5.0	0.498	1.9	<10
Golden Gate	HH-GG25-005C	Core	191177	339.0	343.0	4.0	0.778	0.6	<10
Golden Gate	HH-GG25-005C	Core	191178	343.0	346.4	3.4	0.726	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191179	346.4	349.9	3.5	0.835	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191180	349.9	355.0	5.1	0.746	22.7	<10
Golden Gate	HH-GG25-005C	Core	191182	355.0	360.0	5.0	0.268	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191183	360.0	365.0	5.0	0.123	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191184	365.0	369.6	4.6	0.433	<0.5	10

For personal use only

Appendix B: HH-GG25-005C ASSAY RESULTS – Gold, Silver and Tungsten.

Location	Hole ID	Drill Technique	Sample ID	From (ft)	To (ft)	Smpl Lgth (ft)	Au	Ag	W
							Au-AA23	ME-ICP61	ME-ICP61
							ppm	ppm	ppm
Golden Gate	HH-GG25-005C	Core	191185	369.6	373.0	3.4	0.127	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191186	373.0	376.0	3.0	0.342	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191187	376.0	380.0	4.0	0.109	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191188	380.0	385.0	5.0	0.105	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191189	385.0	390.0	5.0	0.095	<0.5	10
Golden Gate	HH-GG25-005C	Core	191190	390.0	395.0	5.0	0.088	<0.5	10
Golden Gate	HH-GG25-005C	Core	191191	395.0	400.0	5.0	0.52	<0.5	10
Golden Gate	HH-GG25-005C	Core	191192	400.0	405.0	5.0	0.006	<0.5	10
Golden Gate	HH-GG25-005C	Core	191193	405.0	410.0	5.0	0.071	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191194	410.0	412.5	2.5	0.158	0.7	<10
Golden Gate	HH-GG25-005C	Core	191195	412.5	416.0	3.5	0.095	6.4	<10
Golden Gate	HH-GG25-005C	Core	191196	416.0	420.3	4.3	0.278	3.5	10
Golden Gate	HH-GG25-005C	Core	191197	420.3	424.0	3.7	0.564	0.9	10
Golden Gate	HH-GG25-005C	Core	191198	424.0	427.0	3.0	0.191	<0.5	10
Golden Gate	HH-GG25-005C	Core	191199	427.0	430.4	3.4	0.326	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191200	430.4	435.0	4.6	1.165	0.5	<10
Golden Gate	HH-GG25-005C	Core	191201	435.0	440.0	5.0	1.395	0.6	<10
Golden Gate	HH-GG25-005C	Core	191202	440.0	444.1	4.1	0.808	0.6	<10
Golden Gate	HH-GG25-005C	Core	191203	444.1	448.3	4.2	0.23	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191204	448.3	453.0	4.7	0.345	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191205	453.0	456.3	3.3	0.06	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191206	456.3	460.0	3.7	0.731	0.6	<10
Golden Gate	HH-GG25-005C	Core	191207	460.0	465.0	5.0	0.786	0.8	<10
Golden Gate	HH-GG25-005C	Core	191209	465.0	470.0	5.0	0.187	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191210	470.0	475.0	5.0	0.091	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191211	475.0	478.8	3.8	0.247	0.8	<10
Golden Gate	HH-GG25-005C	Core	191212	478.8	482.4	3.6	0.68	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191213	482.4	485.0	2.6	0.006	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191214	485.0	490.0	5.0	0.001	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191215	490.0	495.0	5.0	0.001	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191216	495.0	500.0	5.0	0.001	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191217	500.0	505.0	5.0	0.001	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191218	505.0	510.0	5.0	0.007	<0.5	10
Golden Gate	HH-GG25-005C	Core	191219	510.0	515.0	5.0	0.001	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191220	515.0	520.0	5.0	0.001	<0.5	10
Golden Gate	HH-GG25-005C	Core	191221	520.0	525.0	5.0	0.005	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191222	525.0	530.0	5.0	0.007	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191223	530.0	534.0	4.0	0.008	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191224	534.0	536.2	2.2	0.01	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191225	536.2	540.0	3.8	0.175	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191226	540.0	545.0	5.0	0.706	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191227	545.0	549.5	4.5	0.405	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191228	549.5	552.5	3.0	0.2	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191229	552.5	556.5	4.0	0.288	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191230	556.5	560.1	3.6	0.165	<0.5	<10

For personal use only

Appendix B: HH-GG25-005C ASSAY RESULTS – Gold, Silver and Tungsten

Location	Hole ID	Drill Technique	Sample ID	From (ft)	To (ft)	Smpl Lgth (ft)	Au	Ag	W
							Au-AA23	ME-ICP61	ME-ICP61
							ppm	ppm	ppm
Golden Gate	HH-GG25-005C	Core	191232	560.1	565.0	4.9	0.272	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191233	565.0	570.0	5.0	0.282	0.7	10
Golden Gate	HH-GG25-005C	Core	191234	570.0	575.0	5.0	0.223	<0.5	390
Golden Gate	HH-GG25-005C	Core	191235	575.0	580.0	5.0	0.386	<0.5	10
Golden Gate	HH-GG25-005C	Core	191236	580.0	585.0	5.0	0.84	4.3	10
Golden Gate	HH-GG25-005C	Core	191237	585.0	590.0	5.0	0.479	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191238	590.0	593.0	3.0	0.985	0.6	<10
Golden Gate	HH-GG25-005C	Core	191239	593.0	596.1	3.1	0.887	3.1	<10
Golden Gate	HH-GG25-005C	Core	191240	596.1	600.0	3.9	0.322	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191242	600.0	605.0	5.0	0.246	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191243	605.0	610.0	5.0	0.261	0.5	10
Golden Gate	HH-GG25-005C	Core	191244	610.0	615.0	5.0	0.07	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191245	615.0	620.0	5.0	0.45	2.2	<10
Golden Gate	HH-GG25-005C	Core	191246	620.0	625.0	5.0	0.372	0.9	<10
Golden Gate	HH-GG25-005C	Core	191247	625.0	630.0	5.0	0.598	0.7	<10
Golden Gate	HH-GG25-005C	Core	191248	630.0	635.0	5.0	0.146	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191249	635.0	640.0	5.0	0.606	0.5	<10
Golden Gate	HH-GG25-005C	Core	191250	640.0	643.5	3.5	0.225	2.3	<10
Golden Gate	HH-GG25-005C	Core	191251	643.5	648.0	4.5	0.044	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191252	648.0	653.0	5.0	0.252	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191253	653.0	656.0	3.0	0.204	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191254	656.0	660.0	4.0	0.249	<0.5	10
Golden Gate	HH-GG25-005C	Core	191255	660.0	665.0	5.0	0.367	0.6	10
Golden Gate	HH-GG25-005C	Core	191256	665.0	670.0	5.0	0.558	0.8	10
Golden Gate	HH-GG25-005C	Core	191257	670.0	675.0	5.0	0.95	0.8	10
Golden Gate	HH-GG25-005C	Core	191258	675.0	680.0	5.0	0.725	0.7	10
Golden Gate	HH-GG25-005C	Core	191259	680.0	685.0	5.0	0.325	0.5	10
Golden Gate	HH-GG25-005C	Core	191260	685.0	690.0	5.0	0.234	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191261	690.0	695.0	5.0	0.094	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191262	695.0	700.0	5.0	0.165	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191263	700.0	705.3	5.3	0.553	1.1	<10
Golden Gate	HH-GG25-005C	Core	191264	705.3	710.0	4.7	0.548	0.6	<10
Golden Gate	HH-GG25-005C	Core	191265	710.0	715.0	5.0	0.567	0.7	<10
Golden Gate	HH-GG25-005C	Core	191267	715.0	720.0	5.0	0.52	0.8	10
Golden Gate	HH-GG25-005C	Core	191268	720.0	725.0	5.0	0.367	0.5	10
Golden Gate	HH-GG25-005C	Core	191269	725.0	730.0	5.0	0.298	<0.5	10
Golden Gate	HH-GG25-005C	Core	191270	730.0	733.4	3.4	0.3	11.7	10
Golden Gate	HH-GG25-005C	Core	191271	733.4	737.7	4.3	0.164	6.3	10
Golden Gate	HH-GG25-005C	Core	191272	737.7	739.8	2.1	0.117	1.3	<10
Golden Gate	HH-GG25-005C	Core	191273	739.8	743.3	3.5	0.057	0.7	10
Golden Gate	HH-GG25-005C	Core	191274	743.3	747.0	3.7	0.077	7.6	10
Golden Gate	HH-GG25-005C	Core	191275	747.0	752.0	5.0	0.151	0.8	<10
Golden Gate	HH-GG25-005C	Core	191276	752.0	755.4	3.4	0.11	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191277	755.4	760.0	4.6	0.058	0.5	10
Golden Gate	HH-GG25-005C	Core	191279	760.0	765.0	5.0	0.17	<0.5	<10

For personal use only

Appendix B: HH-GG25-005C ASSAY RESULTS – Gold, Silver and Tungsten

Location	Hole ID	Drill Technique	Sample ID	From (ft)	To (ft)	Smpl Lgth (ft)	Au	Ag	W
							Au-AA23	ME-ICP61	ME-ICP61
							ppm	ppm	ppm
Golden Gate	HH-GG25-005C	Core	191280	765.0	770.0	5.0	0.198	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191281	770.0	775.2	5.2	0.114	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191282	775.2	780.0	4.8	0.106	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191283	780.0	785.0	5.0	0.103	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191284	785.0	790.0	5.0	0.108	0.8	<10
Golden Gate	HH-GG25-005C	Core	191285	790.0	794.7	4.7	0.079	0.6	<10
Golden Gate	HH-GG25-005C	Core	191287	794.7	799.7	5.0	0.22	2.4	10
Golden Gate	HH-GG25-005C	Core	191288	799.7	805.7	6.0	0.162	5.7	<10
Golden Gate	HH-GG25-005C	Core	191289	805.7	810.6	4.9	0.1	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191290	810.6	815.3	4.7	0.126	0.5	<10
Golden Gate	HH-GG25-005C	Core	191291	815.3	820.0	4.7	0.153	0.5	10
Golden Gate	HH-GG25-005C	Core	191292	820.0	825.0	5.0	0.295	0.7	<10
Golden Gate	HH-GG25-005C	Core	191293	825.0	829.3	4.3	0.342	0.6	10
Golden Gate	HH-GG25-005C	Core	191294	829.3	833.0	3.7	0.301	0.6	<10
Golden Gate	HH-GG25-005C	Core	191295	833.0	837.5	4.5	0.222	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191296	837.5	840.0	2.5	0.12	<0.5	<10
Golden Gate	HH-GG25-005C	Core	191297	840.0	845.0	5.0	0.121	1.6	10
Golden Gate	HH-GG25-005C	Core	191298	845.0	850.0	5.0	0.4	1.1	10
Golden Gate	HH-GG25-005C	Core	191299	850.0	855.0	5.0	0.167	0.7	10
Golden Gate	HH-GG25-005C	Core	191300	855.0	860.0	5.0	0.103	0.7	<10
Golden Gate	HH-GG25-005C	Core	192501	860.0	865.0	5.0	0.092	0.7	<10
Golden Gate	HH-GG25-005C	Core	192502	865.0	870.0	5.0	0.287	<0.5	10
Golden Gate	HH-GG25-005C	Core	192503	870.0	875.0	5.0	0.231	<0.5	<10
Golden Gate	HH-GG25-005C	Core	192504	875.0	880.0	5.0	0.132	<0.5	<10
Golden Gate	HH-GG25-005C	Core	192505	880.0	885.0	5.0	0.176	0.9	10
Golden Gate	HH-GG25-005C	Core	192506	885.0	890.0	5.0	0.258	0.7	10
Golden Gate	HH-GG25-005C	Core	192507	890.0	895.3	5.3	0.249	0.6	<10
Golden Gate	HH-GG25-005C	Core	192508	895.3	900.0	4.7	0.231	4.5	10
Golden Gate	HH-GG25-005C	Core	192509	900.0	905.0	5.0	0.22	0.7	10
Golden Gate	HH-GG25-005C	Core	192510	905.0	910.0	5.0	0.145	1.8	10
Golden Gate	HH-GG25-005C	Core	192511	910.0	915.0	5.0	0.146	0.8	10
Golden Gate	HH-GG25-005C	Core	192512	915.0	918.0	3.0	0.109	0.7	10
Golden Gate	HH-GG25-005C	Core	192513	918.0	921.0	3.0	0.119	0.8	10
Golden Gate	HH-GG25-005C	Core	192514	921.0	925.0	4.0	0.186	5	10
Golden Gate	HH-GG25-005C	Core	192515	925.0	930.0	5.0	0.128	1.7	<10

Appendix B: HH-GG25-007C ASSAY RESULTS – Gold, Silver and Tungsten

Location	Hole ID	Drill Technique	Sample ID	From (ft)	To (ft)	Smpl Lgth (ft)	Au	Ag	W
							Au-AA23	ME-ICP61	ME-ICP61
							ppm	ppm	ppm
Golden Gate	HH-GG25-007C	Core	191428	0.0	10.5	10.5	0.282	2.8	10
Golden Gate	HH-GG25-007C	Core	191429	10.5	17.0	6.5	0.311	1.3	20
Golden Gate	HH-GG25-007C	Core	191430	17.0	21.2	4.2	0.355	0.9	10
Golden Gate	HH-GG25-007C	Core	191431	21.2	30.0	8.8	0.321	1.2	20
Golden Gate	HH-GG25-007C	Core	191432	30.0	35.0	5.0	0.278	0.8	20
Golden Gate	HH-GG25-007C	Core	191433	35.0	40.0	5.0	0.558	0.8	10
Golden Gate	HH-GG25-007C	Core	191434	40.0	45.0	5.0	0.301	1.4	10
Golden Gate	HH-GG25-007C	Core	191436	45.0	50.0	5.0	0.436	0.7	10
Golden Gate	HH-GG25-007C	Core	191437	50.0	54.7	4.7	0.19	0.9	<10
Golden Gate	HH-GG25-007C	Core	191438	54.7	58.5	3.8	0.374	0.8	10
Golden Gate	HH-GG25-007C	Core	191439	58.5	63.2	4.7	0.498	<0.5	10
Golden Gate	HH-GG25-007C	Core	191440	63.2	68.0	4.8	0.288	<0.5	10
Golden Gate	HH-GG25-007C	Core	191441	68.0	73.0	5.0	0.469	0.5	10
Golden Gate	HH-GG25-007C	Core	191442	73.0	79.0	6.0	0.385	0.5	10
Golden Gate	HH-GG25-007C	Core	191443	79.0	83.2	4.2	0.331	0.6	10
Golden Gate	HH-GG25-007C	Core	191444	83.2	88.2	5.0	0.39	0.8	10
Golden Gate	HH-GG25-007C	Core	191445	88.2	92.7	4.5	0.428	0.8	10
Golden Gate	HH-GG25-007C	Core	191446	92.7	97.5	4.8	0.308	0.9	10
Golden Gate	HH-GG25-007C	Core	191447	97.5	105.5	8.0	0.537	1.1	10
Golden Gate	HH-GG25-007C	Core	191448	105.5	110.0	4.5	0.431	0.9	10
Golden Gate	HH-GG25-007C	Core	191449	110.0	114.7	4.7	0.497	<0.5	10
Golden Gate	HH-GG25-007C	Core	191450	114.7	119.1	4.4	0.411	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191451	119.1	123.6	4.5	0.457	0.9	<10
Golden Gate	HH-GG25-007C	Core	191452	123.6	128.2	4.6	0.653	0.5	10
Golden Gate	HH-GG25-007C	Core	191453	128.2	132.7	4.5	0.537	0.8	<10
Golden Gate	HH-GG25-007C	Core	191454	132.7	137.3	4.6	0.493	0.5	<10
Golden Gate	HH-GG25-007C	Core	191455	137.3	142.0	4.7	0.426	0.6	<10
Golden Gate	HH-GG25-007C	Core	191457	142.0	146.8	4.8	0.489	0.8	<10
Golden Gate	HH-GG25-007C	Core	191458	146.8	151.6	4.8	0.639	0.9	10
Golden Gate	HH-GG25-007C	Core	191459	151.6	156.4	4.8	0.745	0.6	10
Golden Gate	HH-GG25-007C	Core	191460	156.4	161.3	4.9	0.417	0.6	<10
Golden Gate	HH-GG25-007C	Core	191461	161.3	166.5	5.2	0.299	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191462	166.5	171.2	4.7	0.91	1.5	<10
Golden Gate	HH-GG25-007C	Core	191463	171.2	176.2	5.0	1.765	1.6	<10
Golden Gate	HH-GG25-007C	Core	191465	176.2	181.1	4.9	0.827	0.8	20
Golden Gate	HH-GG25-007C	Core	191466	181.1	184.3	3.2	0.413	0.7	360
Golden Gate	HH-GG25-007C	Core	191467	184.3	187.6	3.3	0.073	<0.5	260
Golden Gate	HH-GG25-007C	Core	191468	187.6	192.1	4.5	0.431	1.6	40
Golden Gate	HH-GG25-007C	Core	191469	192.1	196.1	4.0	0.16	<0.5	40
Golden Gate	HH-GG25-007C	Core	191470	196.1	200.0	3.9	0.207	0.6	20
Golden Gate	HH-GG25-007C	Core	191471	200.0	204.7	4.7	0.134	1	10
Golden Gate	HH-GG25-007C	Core	191472	204.7	210.0	5.3	0.249	0.7	10
Golden Gate	HH-GG25-007C	Core	191473	210.0	215.0	5.0	0.43	2.9	10
Golden Gate	HH-GG25-007C	Core	191474	215.0	220.0	5.0	0.464	0.5	20
Golden Gate	HH-GG25-007C	Core	191475	220.0	225.0	5.0	0.41	0.5	<10
Golden Gate	HH-GG25-007C	Core	191476	225.0	230.0	5.0	0.396	0.5	10
Golden Gate	HH-GG25-007C	Core	191477	230.0	235.0	5.0	0.406	0.6	<10
Golden Gate	HH-GG25-007C	Core	191478	235.0	240.0	5.0	0.518	1.3	10
Golden Gate	HH-GG25-007C	Core	191479	240.0	245.0	5.0	0.418	2.3	<10

For personal use only

Appendix B: HH-GG25-007C ASSAY RESULTS – Gold, Silver and Tungsten

Location	Hole ID	Drill Technique	Sample ID	From (ft)	To (ft)	Smpl Lgth (ft)	Au	Ag	W
							Au-AA23	ME-ICP61	ME-ICP61
							ppm	ppm	ppm
Golden Gate	HH-GG25-007C	Core	191480	245.0	250.0	5.0	0.562	4.9	10
Golden Gate	HH-GG25-007C	Core	191481	250.0	255.0	5.0	0.364	1.3	10
Golden Gate	HH-GG25-007C	Core	191482	255.0	260.0	5.0	0.332	1.1	10
Golden Gate	HH-GG25-007C	Core	191484	260.0	265.0	5.0	0.222	0.6	10
Golden Gate	HH-GG25-007C	Core	191485	265.0	270.0	5.0	0.255	0.7	10
Golden Gate	HH-GG25-007C	Core	191486	270.0	275.0	5.0	0.297	0.7	10
Golden Gate	HH-GG25-007C	Core	191487	275.0	280.0	5.0	0.415	1.5	10
Golden Gate	HH-GG25-007C	Core	191488	280.0	285.0	5.0	0.348	0.9	<10
Golden Gate	HH-GG25-007C	Core	191489	285.0	290.2	5.2	0.311	0.9	<10
Golden Gate	HH-GG25-007C	Core	191490	290.2	295.0	4.8	0.27	0.5	<10
Golden Gate	HH-GG25-007C	Core	191491	295.0	300.0	5.0	0.294	0.8	10
Golden Gate	HH-GG25-007C	Core	191492	300.0	305.0	5.0	0.268	1	10
Golden Gate	HH-GG25-007C	Core	191493	305.0	309.7	4.7	0.419	0.6	<10
Golden Gate	HH-GG25-007C	Core	191494	309.7	313.5	3.8	0.346	3.7	<10
Golden Gate	HH-GG25-007C	Core	191495	313.5	318.0	4.5	0.282	1.5	10
Golden Gate	HH-GG25-007C	Core	191496	318.0	322.4	4.4	0.163	0.6	10
Golden Gate	HH-GG25-007C	Core	191497	322.4	327.4	5.0	0.209	<0.5	10
Golden Gate	HH-GG25-007C	Core	191498	327.4	332.2	4.8	0.297	0.5	10
Golden Gate	HH-GG25-007C	Core	191499	332.2	339.0	6.8	0.425	0.6	10
Golden Gate	HH-GG25-007C	Core	191500	339.0	343.8	4.8	0.333	0.7	<10
Golden Gate	HH-GG25-007C	Core	191501	343.8	349.0	5.2	0.389	51.2	<10
Golden Gate	HH-GG25-007C	Core	191502	349.0	353.7	4.7	0.254	0.5	<10
Golden Gate	HH-GG25-007C	Core	191503	353.7	360.0	6.3	0.392	0.6	10
Golden Gate	HH-GG25-007C	Core	191504	360.0	365.0	5.0	0.63	1.3	10
Golden Gate	HH-GG25-007C	Core	191505	365.0	370.0	5.0	0.201	1.9	<10
Golden Gate	HH-GG25-007C	Core	191506	370.0	375.0	5.0	0.199	0.7	10
Golden Gate	HH-GG25-007C	Core	191507	375.0	380.0	5.0	0.363	0.9	10
Golden Gate	HH-GG25-007C	Core	191508	380.0	385.0	5.0	0.399	0.5	10
Golden Gate	HH-GG25-007C	Core	191509	385.0	390.0	5.0	0.307	0.8	10
Golden Gate	HH-GG25-007C	Core	191510	390.0	396.0	6.0	0.301	1.2	10
Golden Gate	HH-GG25-007C	Core	191511	396.0	400.0	4.0	0.237	0.6	10
Golden Gate	HH-GG25-007C	Core	191512	400.0	405.0	5.0	0.16	<0.5	10
Golden Gate	HH-GG25-007C	Core	191514	405.0	410.0	5.0	0.255	0.5	10
Golden Gate	HH-GG25-007C	Core	191515	410.0	415.0	5.0	0.194	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191516	415.0	420.0	5.0	0.32	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191517	420.0	425.0	5.0	0.371	0.6	10
Golden Gate	HH-GG25-007C	Core	191518	425.0	430.0	5.0	0.541	0.9	<10
Golden Gate	HH-GG25-007C	Core	191519	430.0	435.0	5.0	0.927	1.7	<10
Golden Gate	HH-GG25-007C	Core	191520	435.0	440.0	5.0	0.208	0.5	<10
Golden Gate	HH-GG25-007C	Core	191521	440.0	445.0	5.0	0.127	0.6	<10
Golden Gate	HH-GG25-007C	Core	191522	445.0	450.0	5.0	0.444	1.6	60
Golden Gate	HH-GG25-007C	Core	191523	450.0	459.5	9.5	0.349	<0.5	30
Golden Gate	HH-GG25-007C	Core	191524	459.5	470.0	10.5	0.315	<0.5	50
Golden Gate	HH-GG25-007C	Core	191525	470.0	474.9	4.9	0.621	0.6	10
Golden Gate	HH-GG25-007C	Core	191526	474.9	479.2	4.3	0.567	0.9	10
Golden Gate	HH-GG25-007C	Core	191527	479.2	484.0	4.8	0.369	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191528	484.0	489.0	5.0	0.437	0.7	<10
Golden Gate	HH-GG25-007C	Core	191529	489.0	493.8	4.8	0.31	<0.5	10
Golden Gate	HH-GG25-007C	Core	191530	493.8	498.7	4.9	0.306	<0.5	10
Golden Gate	HH-GG25-007C	Core	191531	498.7	503.5	4.8	0.263	<0.5	10

For personal use only

Appendix B: HH-GG25-007C ASSAY RESULTS – Gold, Silver and Tungsten

Location	Hole ID	Drill Technique	Sample ID	From (ft)	To (ft)	Smpl Lgth (ft)	Au	Ag	W
							Au-AA23	ME-ICP61	ME-ICP61
							ppm	ppm	ppm
Golden Gate	HH-GG25-007C	Core	191532	503.5	508.8	5.3	0.386	0.7	10
Golden Gate	HH-GG25-007C	Core	191533	508.8	513.2	4.4	0.442	<0.5	10
Golden Gate	HH-GG25-007C	Core	191534	513.2	517.5	4.3	0.403	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191535	517.5	520.0	2.5	0.09	<0.5	40
Golden Gate	HH-GG25-007C	Core	191536	520.0	525.0	5.0	0.481	<0.5	10
Golden Gate	HH-GG25-007C	Core	191537	525.0	529.0	4.0	0.328	<0.5	20
Golden Gate	HH-GG25-007C	Core	191538	529.0	532.2	3.2	0.209	<0.5	10
Golden Gate	HH-GG25-007C	Core	191539	532.2	540.0	7.8	0.015	<0.5	10
Golden Gate	HH-GG25-007C	Core	191541	540.0	547.1	7.1	0.46	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191542	547.1	552.5	5.4	0.352	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191543	552.5	558.5	6.0	0.273	<0.5	10
Golden Gate	HH-GG25-007C	Core	191544	558.5	562.0	3.5	0.257	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191545	562.0	566.0	4.0	0.008	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191547	566.0	573.0	7.0	0.305	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191548	573.0	579.0	6.0	0.472	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191549	579.0	585.0	6.0	1.665	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191550	585.0	594.0	9.0	3.64	0.7	<10
Golden Gate	HH-GG25-007C	Core	191551	594.0	602.0	8.0	0.86	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191552	602.0	608.6	6.6	0.624	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191553	608.6	612.5	3.9	0.493	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191554	612.5	617.0	4.5	0.165	0.5	<10
Golden Gate	HH-GG25-007C	Core	191555	617.0	622.0	5.0	0.376	2.2	<10
Golden Gate	HH-GG25-007C	Core	191556	622.0	626.7	4.7	0.18	0.6	<10
Golden Gate	HH-GG25-007C	Core	191558	626.7	631.7	5.0	0.139	0.5	10
Golden Gate	HH-GG25-007C	Core	191559	631.7	636.4	4.7	0.086	0.7	10
Golden Gate	HH-GG25-007C	Core	191560	636.4	641.4	5.0	0.168	0.7	<10
Golden Gate	HH-GG25-007C	Core	191561	641.4	646.0	4.6	0.227	0.5	<10
Golden Gate	HH-GG25-007C	Core	191562	646.0	651.0	5.0	0.234	0.5	<10
Golden Gate	HH-GG25-007C	Core	191564	651.0	655.0	4.0	0.182	0.5	<10
Golden Gate	HH-GG25-007C	Core	191565	655.0	660.0	5.0	0.166	0.5	<10
Golden Gate	HH-GG25-007C	Core	191566	660.0	665.7	5.7	0.2	<0.5	10
Golden Gate	HH-GG25-007C	Core	191567	665.7	671.0	5.3	0.128	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191568	671.0	674.8	3.8	0.11	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191569	674.8	679.7	4.9	0.133	0.5	10
Golden Gate	HH-GG25-007C	Core	191570	679.7	684.5	4.8	0.016	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191571	684.5	690.6	6.1	0.007	<0.5	10
Golden Gate	HH-GG25-007C	Core	191572	690.6	697.1	6.5	0.017	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191573	697.1	701.7	4.6	0.024	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191574	701.7	706.0	4.3	0.05	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191575	706.0	712.3	6.3	0.012	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191576	712.3	717.3	5.0	0.006	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191577	717.3	723.0	5.7	0.009	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191578	723.0	727.0	4.0	0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191579	727.0	732.0	5.0	0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191580	732.0	737.0	5.0	0.009	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191581	737.0	743.0	6.0	0.006	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191582	743.0	748.0	5.0	0.006	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191583	748.0	752.7	4.7	0.007	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191584	752.7	757.7	5.0	0.01	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191585	757.7	761.3	3.6	0.01	<0.5	<10

For personal use only

Appendix B: HH-GG25-007C ASSAY RESULTS – Gold, Silver and Tungsten

Location	Hole ID	Drill Technique	Sample ID	From (ft)	To (ft)	Smpl Lgth (ft)	Au	Ag	W
							Au-AA23	ME-ICP61	ME-ICP61
							ppm	ppm	ppm
Golden Gate	HH-GG25-007C	Core	191587	761.3	766.0	4.7	0.009	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191588	766.0	770.0	4.0	0.008	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191589	770.0	775.0	5.0	0.006	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191590	775.0	780.0	5.0	0.011	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191591	780.0	785.0	5.0	0.009	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191592	785.0	790.0	5.0	0.007	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191593	790.0	795.1	5.1	0.009	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191594	795.1	800.0	4.9	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191595	800.0	805.1	5.1	0.006	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191596	805.1	810.0	4.9	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191597	810.0	815.0	5.0	0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191598	815.0	820.0	5.0	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191599	820.0	825.0	5.0	0.006	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191600	825.0	830.0	5.0	0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191601	830.0	835.0	5.0	0.006	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191602	835.0	840.0	5.0	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191603	840.0	854.0	14.0	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191604	854.0	849.9	-4.1	<0.005	0.5	<10
Golden Gate	HH-GG25-007C	Core	191606	849.9	855.0	5.1	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191607	855.0	860.0	5.0	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191608	860.0	864.6	4.6	0.007	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191609	864.6	869.6	5.0	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191610	869.6	874.2	4.6	0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191611	874.2	878.5	4.3	0.007	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191612	878.5	883.5	5.0	0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191614	883.5	887.5	4.0	0.006	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191615	887.5	892.0	4.5	0.006	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191616	892.0	STD	STD	0.006	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191617	794.0	797.0	3.0	0.007	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191618	797.0	801.9	4.9	0.006	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191619	801.9	806.5	4.6	0.007	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191620	806.5	916.4	109.9	0.007	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191621	916.4	921.2	4.8	0.007	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191622	921.2	925.9	4.7	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191623	925.9	930.6	4.7	0.007	0.6	<10
Golden Gate	HH-GG25-007C	Core	191624	930.6	935.0	4.4	0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191625	935.0	940.0	5.0	0.006	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191626	940.0	945.0	5.0	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191627	945.0	950.0	5.0	0.008	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191628	950.0	955.0	5.0	0.006	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191629	955.0	960.0	5.0	0.006	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191630	960.0	965.0	5.0	0.006	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191631	965.0	970.0	5.0	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191632	970.0	974.0	4.0	0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191633	974.0	978.5	4.5	0.008	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191634	978.5	983.5	5.0	0.007	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191635	983.5	988.5	5.0	0.006	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191636	988.5	992.7	4.2	0.009	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191637	992.7	997.4	4.7	0.008	0.5	10
Golden Gate	HH-GG25-007C	Core	191638	997.4	1001.8	4.4	0.007	<0.5	<10

For personal use only

Appendix B: HH-GG25-007C ASSAY RESULTS – Gold, Silver and Tungsten

Location	Hole ID	Drill Technique	Sample ID	From (ft)	To (ft)	SmpL Lgth (ft)	Au	Ag	W
							Au-AA23	ME-ICP61	ME-ICP61
							ppm	ppm	ppm
Golden Gate	HH-GG25-007C	Core	191639	1001.8	1005.7	3.9	0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191640	1005.7	1010.7	5.0	0.007	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191641	1010.7	1015.0	4.3	0.008	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191642	1015.0	1020.0	5.0	0.006	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191643	1020.0	1025.0	5.0	0.006	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191644	1025.0	1030.0	5.0	0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191645	1030.0	1035.0	5.0	0.006	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191647	1035.0	1039.2	4.2	0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191648	1039.2	1044.0	4.8	0.006	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191649	1044.0	1049.0	5.0	0.006	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191650	1049.0	1053.0	4.0	0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191651	1053.0	1058.0	5.0	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191652	1058.0	1063.0	5.0	0.006	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191653	1063.0	1067.4	4.4	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191654	1067.4	1071.0	3.6	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191655	1071.0	1076.0	5.0	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191656	1076.0	1080.0	4.0	<0.005	<0.5	30
Golden Gate	HH-GG25-007C	Core	191657	1080.0	1085.0	5.0	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191658	1085.0	1090.0	5.0	0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191659	1090.0	1095.0	5.0	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191660	1095.0	1099.9	4.9	0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191661	1099.9	1105.0	5.1	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191663	1105.0	1110.3	5.3	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191664	1110.3	1115.0	4.7	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191665	1115.0	1120.0	5.0	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191666	1120.0	1125.0	5.0	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191667	1125.0	1130.0	5.0	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191668	1130.0	1135.0	5.0	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191670	1135.0	1140.0	5.0	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191671	1140.0	1145.0	5.0	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191672	1145.0	1150.0	5.0	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191673	1150.0	1155.0	5.0	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191674	1155.0	1160.0	5.0	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191675	1160.0	1165.0	5.0	0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191676	1165.0	1170.0	5.0	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191677	1170.0	1175.0	5.0	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191678	1175.0	1180.0	5.0	<0.005	<0.5	<10
Golden Gate	HH-GG25-007C	Core	191679	1180.0	1185.0	5.0	<0.005	<0.5	<10

For personal use only

Appendix B: HH-GG25-001C ASSAY RESULTS – Gold, Silver and Tungsten

Location	Hole ID	Drill Technique	Sample ID	From (ft)	To (ft)	Smpl Lgth (ft)	Au	Ag	W
							Au-AA23	ME-ICP61	ME-ICP61
							ppm	ppm	ppm
Golden Gate	HH-GG25-001C	Core	190501	0.0	7.6	3.6	0.146	0.5	<10
Golden Gate	HH-GG25-001C	Core	190502	7.6	11.2	3.6	0.084	0.8	10
Golden Gate	HH-GG25-001C	Core	190503	11.2	15.6	4.4	0.014	1	100
Golden Gate	HH-GG25-001C	Core	190504	15.6	20.0	4.4	0.029	5.3	120
Golden Gate	HH-GG25-001C	Core	190505	20.0	25.0	5.0	0.25	0.5	<10
Golden Gate	HH-GG25-001C	Core	190506	25.0	30.0	5.0	0.291	1.1	10
Golden Gate	HH-GG25-001C	Core	190507	30.0	35.0	5.0	0.298	1.2	10
Golden Gate	HH-GG25-001C	Core	190508	35.0	40.0	5.0	0.286	1.1	10
Golden Gate	HH-GG25-001C	Core	190509	40.0	50.0	4.0	0.071	1	10
Golden Gate	HH-GG25-001C	Core	190510	50.0	70.0	3.5	0.03	16.3	160
Golden Gate	HH-GG25-001C	Core	190512	70.0	75.0	2.7	0.318	1.8	<10
Golden Gate	HH-GG25-001C	Core	190513	75.0	80.0	3.5	0.151	42.3	510
Golden Gate	HH-GG25-001C	Core	190514	80.0	85.0	3.0	0.388	21.1	170
Golden Gate	HH-GG25-001C	Core	190515	85.0	91.5	2.5	0.325	0.8	10
Golden Gate	HH-GG25-001C	Core	190516	91.5	100.0	2.7	0.329	1.2	10
Golden Gate	HH-GG25-001C	Core	190517	112.0	120.0	2.2	0.569	1.1	10
Golden Gate	HH-GG25-001C	Core	190518	120.0	125.0	4.7	0.104	0.800	3150
Golden Gate	HH-GG25-001C	Core	190519	125.0	130.0	4.8	0.287	<0.5	20
Golden Gate	HH-GG25-001C	Core	190520	130.0	135.0	5.0	0.247	0.700	10
Golden Gate	HH-GG25-001C	Core	190521	135.0	140.0	5.0	0.169	1.100	20
Golden Gate	HH-GG25-001C	Core	190522	140.0	145.0	5.0	0.334	<0.5	<10
Golden Gate	HH-GG25-001C	Core	190523	145.0	150.0	4.7	0.509	<0.5	90
Golden Gate	HH-GG25-001C	Core	190524	150.0	155.0	5.0	0.263	0.900	70
Golden Gate	HH-GG25-001C	Core	190525	155.0	165.0	4.3	0.137	<0.5	50
Golden Gate	HH-GG25-001C	Core	190526	165.0	170.0	5.0	0.193	0.600	80
Golden Gate	HH-GG25-001C	Core	190527	170.0	175.0	5.0	0.16	0.700	50
Golden Gate	HH-GG25-001C	Core	190528	175.0	180.0	5.0	0.176	0.500	20
Golden Gate	HH-GG25-001C	Core	190529	180.0	185.3	5.3	0.468	0.600	20
Golden Gate	HH-GG25-001C	Core	190530	185.3	190.0	4.7	0.577	<0.5	10
Golden Gate	HH-GG25-001C	Core	190531	190.0	193.5	3.5	1.01	0.700	40
Golden Gate	HH-GG25-001C	Core	190532	193.5	196.8	3.3	0.494	1.300	10
Golden Gate	HH-GG25-001C	Core	190533	196.8	200.0	3.2	0.2	13.600	10
Golden Gate	HH-GG25-001C	Core	190534	200.0	205.1	3.2	0.251	4.900	20
Golden Gate	HH-GG25-001C	Core	190536	205.1	210.0	4.9	0.081	0.700	10
Golden Gate	HH-GG25-001C	Core	190537	210.0	215.0	5.0	0.134	1.500	10
Golden Gate	HH-GG25-001C	Core	190538	215.0	220.0	5.0	0.133	2.300	10
Golden Gate	HH-GG25-001C	Core	190539	220.0	225.0	5.0	0.118	0.800	20
Golden Gate	HH-GG25-001C	Core	190540	225.0	230.0	5.0	0.142	<0.5	10
Golden Gate	HH-GG25-001C	Core	190542	230.0	235.0	5.0	0.143	<0.5	20
Golden Gate	HH-GG25-001C	Core	190543	235.0	240.0	5.0	0.225	0.500	10
Golden Gate	HH-GG25-001C	Core	190544	240.0	245.1	5.1	0.28	1.200	10
Golden Gate	HH-GG25-001C	Core	190545	245.1	250.0	4.9	0.445	1.200	10
Golden Gate	HH-GG25-001C	Core	190546	250.0	255.1	5.1	0.342	1.000	10
Golden Gate	HH-GG25-001C	Core	190547	255.1	260.0	4.9	0.353	0.9	10

For personal use only

Appendix B: HH-GG25-001C ASSAY RESULTS – Gold, Silver and Tungsten

Location	Hole ID	Drill Technique	Sample ID	From (ft)	To (ft)	Smpl Lgth (ft)	Au	Ag	W
							Au-AA23	ME-ICP61	ME-ICP61
							ppm	ppm	ppm
Golden Gate	HH-GG25-001C	Core	190548	260.0	265.0	5.0	0.401	0.9	10
Golden Gate	HH-GG25-001C	Core	190549	265.0	270.0	5.0	0.179	1.3	10
Golden Gate	HH-GG25-001C	Core	190550	270.0	274.0	4.0	0.198	0.9	10
Golden Gate	HH-GG25-001C	Core	190551	274.0	278.7	4.7	0.238	0.8	10
Golden Gate	HH-GG25-001C	Core	190552	278.7	283.5	4.8	0.362	0.7	10
Golden Gate	HH-GG25-001C	Core	190553	283.5	288.0	4.5	0.332	<0.5	10
Golden Gate	HH-GG25-001C	Core	190554	288.0	292.5	4.5	0.385	1	<10
Golden Gate	HH-GG25-001C	Core	190555	292.5	297.0	4.5	0.374	<0.5	10
Golden Gate	HH-GG25-001C	Core	190556	297.0	301.5	4.5	0.512	0.5	10
Golden Gate	HH-GG25-001C	Core	190557	301.5	305.0	3.5	0.541	1.8	10
Golden Gate	HH-GG25-001C	Core	190558	305.0	309.8	4.8	0.816	2.8	20
Golden Gate	HH-GG25-001C	Core	190559	309.8	315.0	5.2	1.6	6.8	40
Golden Gate	HH-GG25-001C	Core	190560	315.0	320.0	5.0	2.09	1.5	10
Golden Gate	HH-GG25-001C	Core	190561	320.0	325.0	5.0	2.49	2.8	210
Golden Gate	HH-GG25-001C	Core	190562	325.0	329.2	4.2	2.01	0.9	10
Golden Gate	HH-GG25-001C	Core	190564	329.2	333.2	4.0	3.1	0.9	10
Golden Gate	HH-GG25-001C	Core	190565	333.2	338.1	4.9	2.86	0.9	10
Golden Gate	HH-GG25-001C	Core	190566	338.1	342.9	4.8	3.4	1.7	10
Golden Gate	HH-GG25-001C	Core	190567	342.9	347.0	4.1	2.06	1.2	10
Golden Gate	HH-GG25-001C	Core	190568	347.0	352.0	5.0	1.375	0.7	10
Golden Gate	HH-GG25-001C	Core	190569	352.0	357.2	5.2	0.56	0.8	10
Golden Gate	HH-GG25-001C	Core	190570	357.2	361.8	4.6	0.522	0.9	10
Golden Gate	HH-GG25-001C	Core	190571	361.8	366.6	4.8	1.165	0.7	10
Golden Gate	HH-GG25-001C	Core	190572	366.6	371.2	4.6	0.739	0.9	10
Golden Gate	HH-GG25-001C	Core	190573	371.2	375.5	4.3	1.115	0.9	10
Golden Gate	HH-GG25-001C	Core	190575	375.5	380.5	5.0	0.782	0.9	10
Golden Gate	HH-GG25-001C	Core	190576	380.5	385.0	4.5	0.803	1	10
Golden Gate	HH-GG25-001C	Core	190577	385.0	390.0	5.0	1.35	0.7	10
Golden Gate	HH-GG25-001C	Core	190578	390.0	394.8	4.8	0.882	0.5	10
Golden Gate	HH-GG25-001C	Core	190579	394.8	400.0	5.2	0.559	0.6	10
Golden Gate	HH-GG25-001C	Core	190580	400.0	405.0	5.0	0.856	<0.5	<10
Golden Gate	HH-GG25-001C	Core	190581	405.0	410.0	5.0	1.2	0.7	10
Golden Gate	HH-GG25-001C	Core	190582	410.0	414.3	4.3	0.54	<0.5	10
Golden Gate	HH-GG25-001C	Core	190583	414.3	418.4	4.1	0.637	1	10
Golden Gate	HH-GG25-001C	Core	190584	418.4	422.7	4.3	0.544	5.2	10
Golden Gate	HH-GG25-001C	Core	190585	422.7	427.5	4.8	1.14	5.6	10
Golden Gate	HH-GG25-001C	Core	190586	427.5	432.0	4.5	1.64	0.5	10
Golden Gate	HH-GG25-001C	Core	190587	432.0	436.6	4.6	2.59	2.8	10
Golden Gate	HH-GG25-001C	Core	190588	436.6	441.2	4.6	3.54	0.6	<10
Golden Gate	HH-GG25-001C	Core	190589	441.2	446.0	4.8	3.76	<0.5	<10
Golden Gate	HH-GG25-001C	Core	190590	446.0	450.0	4.0	2.61	0.6	10
Golden Gate	HH-GG25-001C	Core	190591	450.0	455.0	5.0	2.81	<0.5	<10
Golden Gate	HH-GG25-001C	Core	190592	455.0	460.0	5.0	3.02	2.1	10
Golden Gate	HH-GG25-001C	Core	190594	460.0	465.0	5.0	2.43	0.6	<10
Golden Gate	HH-GG25-001C	Core	190595	465.0	470.0	5.0	3.89	0.5	<10

For personal use only

Appendix B: HH-GG25-001C ASSAY RESULTS – Gold, Silver and Tungsten

Location	Hole ID	Drill Technique	Sample ID	From (ft)	To (ft)	Smpl Lgth (ft)	Au	Ag	W
							Au-AA23	ME-ICP61	ME-ICP61
							ppm	ppm	ppm
Golden Gate	HH-GG25-001C	Core	190596	470.0	474.2	4.2	3.03	<0.5	10
Golden Gate	HH-GG25-001C	Core	190597	474.2	478.8	4.6	2.57	0.5	10
Golden Gate	HH-GG25-001C	Core	190598	478.8	483.3	4.5	2.33	0.5	<10
Golden Gate	HH-GG25-001C	Core	190599	483.3	488.0	4.7	1.63	6.3	10
Golden Gate	HH-GG25-001C	Core	190600	488.0	492.0	4.0	2.85	<0.5	10
Golden Gate	HH-GG25-001C	Core	190601	492.0	495.9	3.9	2.99	<0.5	<10
Golden Gate	HH-GG25-001C	Core	190602	495.9	500.0	4.1	2.05	<0.5	10
Golden Gate	HH-GG25-001C	Core	190603	500.0	505.0	5.0	1.48	<0.5	10
Golden Gate	HH-GG25-001C	Core	190604	505.0	510.0	5.0	2.37	<0.5	10
Golden Gate	HH-GG25-001C	Core	190605	510.0	514.0	4.0	2.91	<0.5	<10
Golden Gate	HH-GG25-001C	Core	190606	514.0	517.6	3.6	2.99	<0.5	<10
Golden Gate	HH-GG25-001C	Core	190608	517.6	522.6	5.0	1.91	0.5	<10
Golden Gate	HH-GG25-001C	Core	190609	522.6	526.7	4.1	1.64	<0.5	<10
Golden Gate	HH-GG25-001C	Core	190610	526.7	531.2	4.5	2.28	2	<10
Golden Gate	HH-GG25-001C	Core	190611	531.2	535.7	4.5	2.87	<0.5	<10
Golden Gate	HH-GG25-001C	Core	190612	535.7	540.0	4.3	3.21	<0.5	10
Golden Gate	HH-GG25-001C	Core	190613	540.0	545.0	5.0	2.84	0.5	10
Golden Gate	HH-GG25-001C	Core	190614	545.0	550.0	5.0	3.38	0.5	<10
Golden Gate	HH-GG25-001C	Core	190615	550.0	554.4	4.4	3.74	<0.5	10
Golden Gate	HH-GG25-001C	Core	190616	554.4	558.6	4.2	2.18	0.5	<10
Golden Gate	HH-GG25-001C	Core	190617	558.6	562.0	3.4	2.49	<0.5	<10
Golden Gate	HH-GG25-001C	Core	190618	562.0	565.5	3.5	0.66	1.3	10
Golden Gate	HH-GG25-001C	Core	190619	565.5	570.0	4.5	0.896	0.9	10
Golden Gate	HH-GG25-001C	Core	190620	570.0	574.7	4.7	1.35	2.2	10
Golden Gate	HH-GG25-001C	Core	190621	574.7	579.2	4.5	1.605	0.7	10
Golden Gate	HH-GG25-001C	Core	190623	579.2	583.7	4.5	1.96	0.6	<10
Golden Gate	HH-GG25-001C	Core	190624	583.7	588.3	4.6	2.02	1	<10
Golden Gate	HH-GG25-001C	Core	190625	588.3	592.9	4.6	0.816	0.7	10
Golden Gate	HH-GG25-001C	Core	190626	592.9	597.2	4.3	1.915	<0.5	10
Golden Gate	HH-GG25-001C	Core	190627	597.2	602.3	5.1	1.54	1.4	10
Golden Gate	HH-GG25-001C	Core	190628	602.3	607.2	4.9	2.06	2.9	10
Golden Gate	HH-GG25-001C	Core	190629	607.2	612.0	4.8	1.19	0.6	10
Golden Gate	HH-GG25-001C	Core	190630	612.0	616.5	4.5	1.62	0.6	10
Golden Gate	HH-GG25-001C	Core	190631	616.5	621.3	4.8	1.965	0.8	10
Golden Gate	HH-GG25-001C	Core	190632	621.3	625.8	4.5	1.85	0.8	10
Golden Gate	HH-GG25-001C	Core	190633	625.8	630.7	4.9	3.98	1.2	10
Golden Gate	HH-GG25-001C	Core	190634	630.7	635.7	5.0	0.674	1	10
Golden Gate	HH-GG25-001C	Core	190635	635.7	640.7	5.0	1.005	0.6	10
Golden Gate	HH-GG25-001C	Core	190636	640.7	645.0	4.3	1.175	0.5	10
Golden Gate	HH-GG25-001C	Core	190637	645.0	650.0	5.0	2.8	1.2	10
Golden Gate	HH-GG25-001C	Core	190638	650.0	654.8	4.8	1.955	<0.5	10
Golden Gate	HH-GG25-001C	Core	190640	654.8	659.6	4.8	1.065	0.5	10
Golden Gate	HH-GG25-001C	Core	190641	659.6	663.7	4.1	0.696	0.6	10
Golden Gate	HH-GG25-001C	Core	190642	663.7	668.0	4.3	1.035	1.7	10
Golden Gate	HH-GG25-001C	Core	190643	668.0	673.0	5.0	0.934	1	10

For personal use only

Appendix B: HH-GG25-001C ASSAY RESULTS – Gold, Silver and Tungsten

Location	Hole ID	Drill Technique	Sample ID	From (ft)	To (ft)	Smpl Lgth (ft)	Au	Ag	W
							Au-AA23	ME-ICP61	ME-ICP61
							ppm	ppm	ppm
Golden Gate	HH-GG25-001C	Core	190644	673.0	678.0	5.0	0.906	<0.5	10
Golden Gate	HH-GG25-001C	Core	190645	678.0	682.0	4.0	0.746	<0.5	10
Golden Gate	HH-GG25-001C	Core	190646	682.0	687.0	5.0	0.707	0.7	10
Golden Gate	HH-GG25-001C	Core	190647	687.0	692.0	5.0	0.859	0.7	10
Golden Gate	HH-GG25-001C	Core	190648	692.0	696.5	4.5	1.335	1.1	10
Golden Gate	HH-GG25-001C	Core	190649	696.5	701.3	4.8	0.869	0.7	10
Golden Gate	HH-GG25-001C	Core	190650	701.3	706.0	4.7	1.785	0.8	10
Golden Gate	HH-GG25-001C	Core	190651	706.0	710.5	4.5	0.907	0.5	10
Golden Gate	HH-GG25-001C	Core	190652	710.5	715.3	4.8	1.39	<0.5	10
Golden Gate	HH-GG25-001C	Core	190653	715.3	720.0	4.7	0.906	0.6	40
Golden Gate	HH-GG25-001C	Core	190654	720.0	724.7	4.7	0.764	1.1	10
Golden Gate	HH-GG25-001C	Core	190655	724.7	729.1	4.4	0.896	1.1	10
Golden Gate	HH-GG25-001C	Core	190656	729.1	732.9	3.8	0.631	0.8	10
Golden Gate	HH-GG25-001C	Core	191051	732.9	737.4	4.5	0.647	0.9	10
Golden Gate	HH-GG25-001C	Core	191052	737.4	742.2	4.8	0.7	1	10
Golden Gate	HH-GG25-001C	Core	191053	742.2	746.8	4.6	0.606	0.7	10
Golden Gate	HH-GG25-001C	Core	191054	746.8	750.0	3.2	0.081	0.6	10
Golden Gate	HH-GG25-001C	Core	191055	750.0	755.0	5.0	0.126	0.5	10
Golden Gate	HH-GG25-001C	Core	191056	755.0	760.0	5.0	0.239	0.8	10

For personal use only

Appendix C: JORC Code, 2012 Edition

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> <i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i> <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i> <i>Aspects of the determination of mineralisation that are Material to the Public Report.</i> <i>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i> 	<ul style="list-style-type: none"> This announcement contains exploration results of four drill holes with the ID references HH-GG25-004C, HH-GG25-005C, HH-GG25-007C and HH-GG25-001C (part thereof). The data is: drill hole data; sample data; assay data; and geological data. Supporting data includes drill collar locations in UTM metric data, together with dip, azimuth, altitude and end of hole data. Tabulated assay data is gold, silver, tungsten. The Company has completed multi-element analysis and has referred to tungsten geochemistry. Assay data commentary is for gold only. Please note that the primary data of the core samples (start, finish, interval) were converted from imperial feet measurements to metric metres in this announcement. Note that the operating jurisdiction uses imperial measurement system. The assay data is derived independent professional laboratory services company of submitted core samples from HH-GG25-004C, HH-GG25-005C, HH-GG25-007C and HH-GG25-001C. HH-GG25-004C, HH-GG25-005C, HH-GG25-007C and HH-GG25-001C are diamond core holes. Sample intervals are contiguous and range in length individually from 2.3ft to 10.5ft (averaging ± 4.5ft). The samples are half-cut core prepared by industry standard core cutting saw by qualified personnel. Samples were taken for the majority of the hole depth except where rock voids were encountered. Geological data is derived from detailed geological and geotechnical logging by qualified personnel.
Drilling techniques	<ul style="list-style-type: none"> <i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-</i> 	<ul style="list-style-type: none"> HH-GG25-004C, HH-GG25-005C, HH-GG25-007C and HH-GG25-001C are diamond core drill holes that was drilled by Evolve Exploration Ltd using a Multipower

Criteria	JORC Code explanation	Commentary
	<i>sampling bit or other type, whether core is oriented and if so, by what method, etc).</i>	<p>MP500 modular core rig providing HQ diamond drill core.</p> <ul style="list-style-type: none"> The drill core is not oriented.
Drill sample recovery	<ul style="list-style-type: none"> <i>Method of recording and assessing core and chip sample recoveries and results assessed.</i> <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i> <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i> 	<ul style="list-style-type: none"> Drill core recovery of HH-GG25-004C, HH-GG25-005C, HH-GG25-007C and HH-GG25-001C was variable depending on the ground conditions (a function of the solid lithologies) from 30% over short intervals to 100%.
Logging	<ul style="list-style-type: none"> <i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i> <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i> <i>The total length and percentage of the relevant intersections logged.</i> 	<ul style="list-style-type: none"> Drill core was logged for lithology, alteration, mineralization, structure (geotechnical) using oriented core to a level which has enabled preliminary interpretations relating to style of mineralisation, host and thickness. At this stage no Mineral Resource Estimates, mining studies or metallurgical studies are appropriate. Drill core is also logged for RQD and Core recovery. Drill core is then digitized photographed wet and dry while whole after logging. The logging, as described above is both quality and quantitative. 100% of the relevant intersections were logged as per above.
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> <i>If core, whether cut or sawn and whether quarter, half or all core taken.</i> <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i> <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i> <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i> <i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i> 	<ul style="list-style-type: none"> The HQ core was halved using a diamond core saw and sampled on geological intervals approximating 2.5 ft to 10.4 ft in length. Drill core was halved using a gasoline powered core saw by RML contract staff who maintain possession of the core at its Antimony Camp facility. Half-cut core samples were bagged and tagged using bar-coded sample tags and were securely stored prior to shipment at the Antimony Camp facility. Half cut core samples were transported by RML contractors under lock and key to ALS prep' lab' facility in Twin Falls, ID. No third-party shippers were involved in the shipping process; chain of custody forms

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> Whether sample sizes are appropriate to the grain size of the material being sampled. 	<p>were exchanged at ALS Minerals in Twin Falls and a copy kept on file. The remaining boxed cut core are kept at a secure locked facility in Donnelly, ID.</p> <ul style="list-style-type: none"> ALS Minerals Twin Falls prep' lab' logs in the samples using the sample tag bar codes provided. Samples were then crushed to 70% less than 2mm, rotary split off 250g, pulverise split to better than 85% passing 75 microns. All samples were then shipped to ALS Minerals analytical laboratory in Vancouver, British Columbia.
<p>Quality of assay data and laboratory tests</p>	<ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established. 	<ul style="list-style-type: none"> Gold was assayed by analytical method Au-AA23: Au by fire assay and AAS 30g nominal sample weight. Multielement analysis was by analytical method ME-ICP61: 34 elements by HF-HNO3-HClO4 acid digestion, HCl leach and ICP-AES. Quantitatively dissolves nearly all elements for the majority of geological materials. Only the most resistive minerals, such as Zircons, are only partially dissolved. No geophysical tools, spectrometers, handheld XRF instruments, etc.. were used in the generation of the assay data. Certified reference materials (CRM) from an ISO certified supplier were inserted randomly into the sample stream at a ratio of 2%. CRMs were obtained for Meg LLC of Reno, Nevada; two separate CRMs were used for gold: a low grade and high-grade standard. Blank material was inserted randomly in the sample stream at a ratio of 2%. Blank material is commercially available pea-gravel that has been previously tested for gold concentrations. Duplicates samples were collected by quarter cutting the core at randomly selected intervals. Two quarter-cut portions of core were sent for analysis; the remaining half is kept at a secure facility. Core intervals of poor recovery were not used for duplicate samples. Duplicate core samples were inserted into the sample stream at a ratio of 2%.

Criteria	JORC Code explanation	Commentary
Verification of sampling and assaying	<ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	<ul style="list-style-type: none"> No verification of the significant intersections by either independent or alternative company personnel has been completed to date. The company acknowledges the material nature of the results and is planning a program of select verification assays. Such were the immediacy of the results; these verifications were not possible prior to the release of the [initial/first] results. The Company is confident that its sample security processes are adequate for the interim period. The announcement details drill holes HH-GG25-004C, HH-GG25-005C, HH-GG25-007C and HH-GG25-001C. Note that HH-GG25-004C was drilled on the same platform as HH-GG25-003C but drilled in a different direction (Figure 3). By this HH-GG25-004C and HH-GG25-003C are fanned holes. Sample results, certificates and results were sent via email to RML site contractors in Antimony Camp where results are analysed and interpreted. No assay adjustments have been carried out.
Location of data points	<ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. 	<ul style="list-style-type: none"> The drill hole locations were achieved using handheld GPS programmed into the local coordinate system. The accuracy of the GPS is in line with best practice standards.
Data spacing and distribution	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<ul style="list-style-type: none"> The assay data spacing of HH-GG25-004C, HH-GG25-005C, HH-GG25-007C and HH-GG25-001C, the length and frequency of each sample and the collective coverage of the drill holes are best practise in terms of hole sample representativeness. In terms of geological data spacing associated with HH-GG25-004C, HH-GG25-005C, HH-GG25-007C and HH-GG25-001C every metre of the holes were logged.
Orientation of data in relation to	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. 	<ul style="list-style-type: none"> The drill holes have a drill direction that is approaching perpendicular to the regional trend (lithologically and structurally) and also approaching perpendicular to the known mineralisation of a historical

Criteria	JORC Code explanation	Commentary
geological structure	<ul style="list-style-type: none"> <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i> 	<p>tungsten mine. The purpose of the holes was to test the occurrence of known tungsten mineralisation at surface at depth, and to test the occurrence of gold in un-oxidised rocks at depth.</p> <ul style="list-style-type: none"> Cautionary Note: There is currently insufficient data pertaining to sampling orientation and the local-scale orientation of mineralisation to determine the true width of the gold intervals in these holes. Additional holes in all directions are required to determine whether the gold mineralisation is broadly pervasive or (to various degrees) spatially constrained. For example, if the gold mineralisation is broadly pervasive, then the gold intervals in this announcement are true widths. If the gold mineralisation is spatially constrained, then the gold intervals in this announcement are not true widths. Based in increasing data, the gold mineralisation is interpreted as being broadly pervasive in association with a structurally-controlled repeating host sequence of country-rock granites and fault breccias.
Sample security	<ul style="list-style-type: none"> <i>The measures taken to ensure sample security.</i> 	<ul style="list-style-type: none"> All drill core samples were delivered directly to RML's geologists on site where they remain under direct supervision at a secure site.
Audits or reviews	<ul style="list-style-type: none"> <i>The results of any audits or reviews of sampling techniques and data.</i> 	<ul style="list-style-type: none"> The competent person is unaware of the undertaking of audits or reviews for sampling technique and data, other than its own review.

For personal use only

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, past sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<ul style="list-style-type: none"> This announcement refers to the one project, Horse Heaven project in Idaho USA, comprising six hundred and ninety-nine (699) U.S. Federal lode mining claims covering 5,644 hectares and includes six hundred and eighty-nine (689) mining claims and ten lode mining claims referred as the Oberbillig Group. The competent person understands that the mining claims are all in good standing.
Exploration done by other parties	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> No exploration results reported in this release were performed by other parties.
Geology	<ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. 	<ul style="list-style-type: none"> The project area is dominated by Cretaceous-aged granitic rocks relating to intrusive phases associated with the Atlanta Lobe of the Idaho Batholith. These largely granodiorite rocks have intruded Neoproterozoic-aged metasediments, comprising quartzites (which are dominant) calc-silicates, marble and black shale. The area and broader region are affected by broad regional folding and N-S, NNE-SSW, and NE-SW faults. Gold, antimony, tungsten and silver mineralisation is associated with hydrothermally altered and fractured granodiorites.
Drillhole Information	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drillholes: <ul style="list-style-type: none"> easting and northing of the drillhole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drillhole collar dip and azimuth of the hole down hole length and interception depth hole length. 	<ul style="list-style-type: none"> The drillhole information for HH-GG25-004C, HH-GG25-005C, HH-GG25-007C and HH-GG25-001C, are included in an in-text table (Table 1) with drill collar location data, altitude, dip, azimuth, and end of hole.

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> In reporting downhole gold intersections results of HH-GG25-004C, HH-GG25-005C, HH-GG25-007C and HH-GG25-001C, no maximum and minimum truncations were used. In reporting downhole gold intersections/intervals, assay results of HH-GG25-002C and HH-GG25-003C, weighted averages were required due to the fact that sample lengths were variant (between 2.2ft and 5.2ft). The sample interval length was multiplied by the sample assay data then divided by the total length of the interval. No metal equivalents were used in this announcement.
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drillhole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	<ul style="list-style-type: none"> With reference to HH-GG25-004C, HH-GG25-005C, HH-GG25-007C and HH-GG25-001C, the holes were drilled close to perpendicular across the prospect-scale orientation of the known mineralisation. There is insufficient data pertaining to the gold mineralisation identified in HH-GG25-004C, HH-GG25-005C, HH-GG25-007C and HH-GG25-001C, to allow conclusive statements concerning the sampling orientation and the local-scale orientation of mineralisation. Therefore the true width nature of the reported widths of the mineralisation (in rock chip channel and drilling) is not known.
Diagrams	<ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drillhole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> A map and a cross section are provided with geolocation information (coordinates, northing and scale bar). Legends are included within each figure (where appropriate) and when additional explanation is required, this is given to the figure caption.
Balanced reporting	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be 	<ul style="list-style-type: none"> This announcement is considered to be fair and balanced with respect to the

Criteria	JORC Code explanation	Commentary
	<i>practiced to avoid misleading reporting of Exploration Results.</i>	exploration results and interpretations based on them.
Other substantive exploration data	<ul style="list-style-type: none"> <i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i> 	<ul style="list-style-type: none"> There is no other material data associated with new exploration results in this announcement.
Further work	<ul style="list-style-type: none"> <i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i> <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i> 	<ul style="list-style-type: none"> The drill holes subject of this announcement, HH-GG25-004C, HH-GG25-005C, HH-GG25-007C and HH-GG25-001C, are part of the 10-hole diamond core program, which as the announcement reports, is completed. Drill hole data of HH-GG25-006C and HH-GG25-007C through to HH-GG25-010C will be released to the market upon receipt. Plans (Figures 2 and 3) and a cross sections (Figures 4, 5, 6 and 7) are included in this announcement to provide a sense of location of the hole in relation: to i) other drill holes; and ii) intersected mineralisation. The cross sections include a geological interpretation.

For personal use only