

12 January 2026

Further Resource Definition Drilling Results Demonstrate Continued Mineralisation at Depth

Highlights

- Beacon has received assay results for a further 104 RC holes totalling 14,787 metres. Key results include the following (not exhaustive):
 - 11 metres @ 16.25 g/t gold from 73 metres (26IGRD0230)
 - Including 1 metre @ **31.50 g/t** gold from 73 metres
 - Including 1 metre @ **91.00 g/t** gold from 76 metres
 - Including 1 metre @ **51.60 g/t** gold from 77 metres
 - 7 metres @ 16.28 g/t gold from 148 metres (26IGRD0168)
 - Including 1 metre @ **14.10 g/t** gold from 148 metres
 - Including 1 metre @ **90.00 g/t** gold from 149 metres
 - 8 metres @ 13.28 g/t gold from 112 metres (26IGRD0122)
 - Including 6 metre @ **17.43 g/t** gold from 112 metres
 - Including 1 metre @ **69.20 g/t** gold from 116 metres
 - 3 metres @ 30.53 g/t gold from 69 metres (26IGRD00119)
 - Including 1 metre @ **80.00 g/t** gold from 70 metres
 - 7 metres @ 11.83 g/t gold from 123 metres (26IGRD0069)
 - Including 1 metre @ **41.80 g/t** gold from 124 metres
 - 16 metres @ 4.82 g/t gold from 110 metres (26IGRD0255)
 - Including 1 metre @ **25.60 g/t** gold from 120 metres
- Further 1m intersections of high grade included:
 - **47.50 g/t** from 71m depth (26IGRD0147)
 - **45.40 g/t** from 55m depth (26IGRD0207)
 - **41.80 g/t** from 124m depth (26IGRC0069)
- High level mineralization identified at depths below those tested in Beacon's Stage 1 and Stage 2 grade control drilling
- Mineralisation zones remain highly continuous in nature, with multiple super high-grade zones intersected. These include separate zones of 90g/t or greater over 1m intervals



Figure 1: Two RC Drill Rigs from Raglan Drilling on-site at Iguana as of 10 January 2026.
Imagery looking south, with the Jamaican Rock test pit in foreground

Beacon Minerals Executive Chairman and Managing Director Graham McGarry commented:

“The Iguana Deposit continues to reward our drilling efforts, with recent results demonstrating strong grade continuity and outstanding gold grades at depth. These results highlight the significant depth potential of the deposit and reinforces confidence in the geological model.

“The drilling outcomes will form part of a Resource and Reserves update planned for the end of the financial year, providing a strong platform as Beacon continues to advance the now extensive Iguana Deposit.”

For personal use only

Overview

Beacon Minerals Limited (ASX: BCN) ("Beacon Minerals" or "the Company") is pleased to announce the first batch of assay results from the FY2026 Resource Development drill program at Lady Ida – Iguana Deposit.

The Iguana deposit is a part of the Lady Ida Project, which sits on the inferred extension of the Ida Fault and is a part of the north-south striking Mount Ida Greenstone Belt. It is predominantly metamorphosed (upper greenschist-amphibolite facies) mafic and ultramafic rocks. The complex structural history provides the space for mineralisation deposition. The mineralisation is controlled by structural and hydrothermal alteration.

On the deposit scale the depth of weathering increases significantly within shear zones and reaches depths of 90m in the centre of the deposit. Supergene gold enrichment is apparent from grade control drilling in the upper portion of the existing Jamaican Rock pit (mined by Delta Gold in 2000) where significantly higher grades were mined compared to the current resource model.

Recent Diamond Drilling has indicated two distinct "In situ" mineralisation styles within the Iguana deposit.

Early Stage Mineralisation

- Dominant mineralisation style of the Iguana deposit
- Sulphide-rich gold mineralisation
- Quartz is notably absent

Later Stage Mineralisation

- Quartz-Fuchsite mineralisation style locally includes coarse visible gold
- Relatively small percentage of Iguana's mineralisation




Figure 2: Iguana Local Geology and Tenements



Figure 3: Collar Locations of Iguana Resource Development Drill Program




Figure 4: Best Au result in hole shown at collar position

For Personal Use Only




Figure 5: Cross Section of Iguana Resource Development Drill Program -662,24060 Northing




Figure 6: Cross Section of Iguana Resource Development Drill Program -662,24030 Northing

About the Lady Ida Project

The Lady Ida Project consist of M16/262 (the Iguana Deposit is located on M16/262), M16/263, M16/264, L15/224, L16/58, L16/62, L16/103, L16/142 and application L16/138 which is the ground the subject of the Earn-In, JV and Tenement Transfer Agreement between the Company, Beacon Mining Pty Ltd, Lamerton Pty Ltd and Geoda Pty Ltd.

For further details in relation to the Earn-In, JV and Tenement Transfer Agreement for the Lady Ida Project refer to ASX releases dated 6 December 2023 entitled *“Beacon to Acquire an interest in the Lady Ida Gold Project”* and 4 September 2024 *“Lady Ida Completes and Appointment of New Director”*.




Figure 6: Location of the Lady Ida Project (Iguana Deposit)

Authorised for release by the Board of Beacon Minerals Limited.

Graham McGarry
Managing Director/Chairman
Beacon Minerals Limited
+61 459 240 379

Geoffrey Greenhill
Non-Executive Director
Beacon Minerals Limited
+61 419 991 713

Competent Person Statement:

The information in the report relating to the exploration results and targets have been compiled by Lachlan Kenna BSc (Hons) MAusIMM. Mr. Kenna has sufficient experience which is relevant to the style of mineralisation and types of deposits under consideration and to the activities being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr. Kenna is a full-time employee of Beacon Minerals Limited.

Mr Kenna consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

Previously released exploration results

Specific exploration results referred to in this announcement were originally reported in the following Company announcements in accordance with ASX Listing Rule 5.7:

Title	Date
First Batch of Iguana Resource Development Assays Received	09-Dec-25
Laterite Ore Reserve Statement - Iguana Deposit	23-Oct-25
Resource Development Drill Program Commences at Iguana Deposit	08-Oct-25
Final Batch of Iguana Grade Control Assays Received	22-Sep-25
Third Batch of Iguana Grade Control Assays Received	08-Sep-25
Second Batch of Assay Results at Iguana Deposit	18-Aug-25
Stage 2 Grade Control Program Completed at Lady Ida Iguana Deposit	11-Aug-25
Updated Laterite Mineral Resource for Iguana Deposit	5-Aug-25
Results of the Iguana Diamond Drill Program	29-Jul-25
Stage 2 Grade Control Program Commences at Lady Ida Iguana Deposit	22-Jul-25
Extensive Near Surface Laterite Mineralisation Identified at Iguana	16-Jul-25
Extensive Mineralisation Confirmed in First Pass Drill Program at Iguana	18-Jun-25
Stage 2 Laterite Drill Program completed at Lady Ida Iguana Deposit	4-Jun-25
Core Drilling commences at Lady Ida Iguana Deposit	21-Jan-25

The Company confirms that it is not aware of any information or data that materially affects the information included in the said original announcements and the form and context in which the Competent Persons' findings are presented have not materially modified from the original market announcements.

Forward Looking Statements:

This ASX announcement (Announcement) has been prepared by Beacon Minerals Limited ("Beacon" or "the Company"). It should not be considered as an offer or invitation to subscribe for or purchase any securities in the Company or as an inducement to make an offer or invitation with respect to those securities. No agreement to subscribe for securities in the Company will be entered into on the basis of this Announcement.

This Announcement contains summary information about Beacon, its subsidiaries and their activities which is current as at the date of this Announcement. The information in this Announcement is of a general nature and does not purport to be complete nor does it contain all the information which a prospective investor may require in evaluating a possible investment in Beacon.

By its very nature exploration for minerals is a high risk business and is not suitable for certain investors. Beacon's securities are speculative. Potential investors should consult their stockbroker or financial advisor.

There are a number of risks, both specific to Beacon and of a general nature which may affect the future operating and financial performance of Beacon and the value of an investment in Beacon including but not limited to economic conditions, stock market fluctuations, gold price movements, regional infrastructure constraints, timing of approvals from relevant authorities, regulatory risks, operational risks and reliance on key personnel.

Certain statements contained in this announcement, including information as to the future financial or operating performance of Beacon and its projects, are forward-looking statements that:

- may include, among other things, statements regarding targets, estimates and assumptions in respect of mineral reserves and mineral resources and anticipated grades and recovery rates, production and prices, recovery costs and results, capital expenditures, and are or may be based on assumptions and estimates related to future technical, economic, market, political, social and other conditions;
- are necessarily based upon a number of estimates and assumptions that, while considered reasonable by Beacon, are inherently subject to significant technical, business, economic, competitive, political and social uncertainties and contingencies; and,
- involve known and unknown risks and uncertainties that could cause actual events or results to differ materially from estimated or anticipated events or results reflected in such forward-looking statements.

Beacon disclaims any intent or obligation to update publicly any forward-looking statements, whether as a result of new information, future events or results or otherwise. The words 'believe', 'expect', 'anticipate', 'indicate', 'contemplate', 'target', 'plan', 'intends', 'continue', 'budget', 'estimate', 'may', 'will', 'schedule' and similar expressions identify forward-looking statements.

All forward looking statements made in this announcement are qualified by the foregoing cautionary statements. Investors are cautioned that forward-looking statements are not guarantees of future performance and accordingly investors are cautioned not to put undue reliance on forward-looking statements due to the inherent uncertainty therein. No verification: Although all reasonable care has been undertaken to ensure that the facts and opinions given in this Announcement are accurate, the information provided in this Announcement has not been independently verified.

Disclaimer

This ASX announcement (Announcement) has been prepared by Beacon Minerals Limited ("Beacon" or "the Company"). It should not be considered as an offer or invitation to subscribe for or purchase any securities in the Company or as an inducement to make an offer or invitation with respect to those securities. No agreement to subscribe for securities in the Company will be entered into on the basis of this Announcement.

This Announcement contains summary information about Beacon, its subsidiaries and their activities which is current as at the date of this Announcement. The information in this Announcement is of a general nature and does not purport to be complete nor does it contain all the information which a prospective investor may require in evaluating a possible investment in Beacon.

By its very nature exploration for minerals is a high risk business and is not suitable for certain investors. Beacon's securities are speculative. Potential investors should consult their stockbroker or financial advisor. There are a number of risks, both specific to Beacon and of a general nature which may affect the future operating and financial performance of Beacon and the value of an investment in Beacon including but not limited to economic conditions, stock market fluctuations, gold price movements, regional infrastructure constraints, timing of approvals from relevant authorities, regulatory risks, operational risks and reliance on key personnel.

Certain statements contained in this announcement, including information as to the future financial or operating performance of Beacon and its projects, are forward-looking statements that:

- may include, among other things, statements regarding targets, estimates and assumptions in respect of mineral reserves and mineral resources and anticipated grades and recovery rates, production and prices,

recovery costs and results, capital expenditures, and are or may be based on assumptions and estimates related to future technical, economic, market, political, social and other conditions;

- are necessarily based upon a number of estimates and assumptions that, while considered reasonable by Beacon, are inherently subject to significant technical, business, economic, competitive, political and social uncertainties and contingencies; and,
- involve known and unknown risks and uncertainties that could cause actual events or results to differ materially from estimated or anticipated events or results reflected in such forward-looking statements.

Beacon disclaims any intent or obligation to update publicly any forward-looking statements, whether as a result of new information, future events or results or otherwise. The words 'believe', 'expect', 'anticipate', 'indicate', 'contemplate', 'target', 'plan', 'intends', 'continue', 'budget', 'estimate', 'may', 'will', 'schedule' and similar expressions identify forward-looking statements.

All forward looking statements made in this announcement are qualified by the foregoing cautionary statements. Investors are cautioned that forward-looking statements are not guarantees of future performance and accordingly investors are cautioned not to put undue reliance on forward-looking statements due to the inherent uncertainty therein.

No verification: Although all reasonable care has been undertaken to ensure that the facts and opinions given in this Announcement are accurate, the information provided in this Announcement has not been independently verified.

For personal use only

Appendix 1: Significant Intercepts Table for the Iguana Resource Development Drill program

All intervals of greater than 0.5 g/t gold with intervals of 3m samples only shown. The highly deformed nature of the deposit, and extensive mineralized envelop prevent the effective use or calculation of True Widths.

Hole ID	From	To	Interval	Average Grade g/t	Gram Metres
26IGRD0033	3	6	3	1.34	4.03
26IGRD0033	39	41	2	0.65	1.30
26IGRD0033	45	46	1	0.61	0.61
26IGRD0033	60	61	1	0.62	0.62
26IGRD0033	66	67	1	0.71	0.71
26IGRD0033	94	97	3	0.91	2.74
26IGRD0055	7	8	1	0.57	0.57
26IGRD0055	84	85	1	2.37	2.37
26IGRD0055	89	100	11	2.41	26.47
26IGRD0055	104	105	1	1.83	1.83
26IGRD0055	113	117	4	0.69	2.75
26IGRD0055	120	127	7	2.08	14.53
26IGRD0056	21	22	1	1.14	1.14
26IGRD0056	41	42	1	0.82	0.82
26IGRD0056	57	58	1	2.60	2.60
26IGRD0056	63	64	1	0.61	0.61
26IGRD0056	65	75	10	3.67	36.68
26IGRD0056	78	79	1	1.02	1.02
26IGRD0056	81	84	3	1.37	4.10
26IGRD0056	99	107	8	2.90	23.23
26IGRD0056	111	113	2	0.62	1.24
26IGRD0056	114	115	1	3.48	3.48
26IGRD0069	38	39	1	0.56	0.56
26IGRD0069	40	44	4	0.64	2.54
26IGRD0069	64	65	1	2.09	2.09
26IGRD0069	71	78	7	0.85	5.98
26IGRD0069	102	104	2	5.56	11.11
26IGRD0069	107	108	1	1.05	1.05
26IGRD0069	115	116	1	0.67	0.67
26IGRD0069	123	130	7	11.83	82.78
26IGRD0069	136	137	1	0.59	0.59
26IGRD0070	3	4	1	0.71	0.71
26IGRD0070	34	36	2	0.70	1.40
26IGRD0070	40	48	8	1.10	8.82
26IGRD0070	72	75	3	0.95	2.85
26IGRD0070	80	81	1	0.59	0.59
26IGRD0070	96	97	1	0.72	0.72
26IGRD0070	121	124	3	0.79	2.37

26IGRD0070	153	154	1	1.02	1.02
26IGRD0070	187	189	2	1.17	2.34
26IGRD0071	2	3	1	1.43	1.43
26IGRD0071	12	13	1	1.75	1.75
26IGRD0071	18	19	1	1.29	1.29
26IGRD0071	27	32	5	0.92	4.61
26IGRD0071	44	49	5	2.89	14.47
26IGRD0071	52	54	2	1.23	2.45
26IGRD0071	59	60	1	0.59	0.59
26IGRD0071	61	62	1	0.59	0.59
26IGRD0071	65	69	4	1.21	4.82
26IGRD0071	123	124	1	0.71	0.71
26IGRD0078	20	21	1	0.53	0.53
26IGRD0078	27	32	5	1.12	5.58
26IGRD0078	38	39	1	0.73	0.73
26IGRD0078	49	50	1	1.24	1.24
26IGRD0078	64	65	1	0.80	0.80
26IGRD0078	76	84	8	1.68	13.46
26IGRD0078	101	107	6	1.45	8.70
26IGRD0078	119	120	1	0.82	0.82
26IGRD0087	55	60	5	0.71	3.56
26IGRD0087	94	96	2	0.53	1.05
26IGRD0087	98	99	1	0.85	0.85
26IGRD0087	106	112	6	0.58	3.48
26IGRD0087	117	123	6	1.17	7.00
26IGRD0087	130	135	5	1.71	8.57
26IGRD0087	141	148	7	1.46	10.19
26IGRD0088	25	26	1	0.54	0.54
26IGRD0088	30	31	1	0.74	0.74
26IGRD0088	48	49	1	0.52	0.52
26IGRD0088	74	79	5	0.79	3.93
26IGRD0088	82	83	1	0.54	0.54
26IGRD0088	97	102	5	0.76	3.78
26IGRD0088	105	106	1	0.95	0.95
26IGRD0088	122	123	1	0.53	0.53
26IGRD0088	192	193	1	0.84	0.84
26IGRD0089	22	23	1	2.06	2.06
26IGRD0089	45	47	2	0.54	1.07
26IGRD0089	59	60	1	0.57	0.57
26IGRD0089	72	73	1	0.92	0.92
26IGRD0089	79	80	1	0.62	0.62
26IGRD0089	112	116	4	1.89	7.54
26IGRD0090	49	52	3	1.19	3.56
26IGRD0090	86	89	3	4.29	12.88

For personal use only

26IGRD0090	93	94	1	1.98	1.98
26IGRD0090	103	104	1	0.78	0.78
26IGRD0090	109	110	1	2.12	2.12
26IGRD0090	120	122	2	2.50	4.99
26IGRD0090	136	141	5	5.31	26.54
26IGRD0090	145	166	21	1.25	26.26
26IGRD0090	175	176	1	1.02	1.02
26IGRD0090	186	188	2	2.41	4.81
26IGRD0091	21	23	2	0.90	1.79
26IGRD0091	28	29	1	0.50	0.50
26IGRD0091	65	66	1	0.70	0.70
26IGRD0091	100	102	2	1.82	3.64
26IGRD0091	130	131	1	0.73	0.73
26IGRD0119	3	4	1	0.60	0.60
26IGRD0119	13	14	1	0.72	0.72
26IGRD0119	39	40	1	0.65	0.65
26IGRD0119	41	42	1	1.09	1.09
26IGRD0119	69	72	3	30.53	91.59
26IGRD0119	77	88	11	0.80	8.81
26IGRD0119	95	105	10	1.06	10.60
26IGRD0119	109	110	1	0.81	0.81
26IGRD0119	115	118	3	7.75	23.24
26IGRD0120	14	15	1	0.76	0.76
26IGRD0120	18	19	1	0.74	0.74
26IGRD0120	25	26	1	0.51	0.51
26IGRD0120	38	39	1	0.54	0.54
26IGRD0120	46	48	2	1.59	3.17
26IGRD0120	58	59	1	0.51	0.51
26IGRD0120	60	61	1	0.57	0.57
26IGRD0120	66	79	13	1.13	14.68
26IGRD0120	82	83	1	0.90	0.90
26IGRD0120	90	91	1	0.51	0.51
26IGRD0120	96	97	1	1.31	1.31
26IGRD0120	104	115	11	0.79	8.67
26IGRD0120	121	122	1	0.84	0.84
26IGRD0120	126	131	5	0.57	2.86
26IGRD0120	140	141	1	0.61	0.61
26IGRD0120	143	144	1	0.59	0.59
26IGRD0120	147	148	1	3.89	3.89
26IGRD0120	151	154	3	0.77	2.31
26IGRD0120	157	158	1	0.54	0.54
26IGRD0120	169	171	2	15.22	30.44
26IGRD0120	185	193	8	0.99	7.90
26IGRD0120	197	198	1	0.78	0.78

For personal use only

26IGRD0121	30	34	4	0.64	2.54
26IGRD0121	39	40	1	0.75	0.75
26IGRD0121	44	49	5	2.23	11.17
26IGRD0121	57	58	1	0.91	0.91
26IGRD0121	67	68	1	1.23	1.23
26IGRD0121	76	80	4	0.82	3.26
26IGRD0121	89	93	4	1.27	5.09
26IGRD0121	97	105	8	1.17	9.39
26IGRD0121	108	110	2	0.60	1.19
26IGRD0121	122	123	1	0.67	0.67
26IGRD0121	125	132	7	4.98	34.83
26IGRD0122	6	8	2	0.62	1.23
26IGRD0122	30	31	1	0.56	0.56
26IGRD0122	39	41	2	1.43	2.85
26IGRD0122	55	56	1	3.41	3.41
26IGRD0122	65	66	1	0.82	0.82
26IGRD0122	71	72	1	0.55	0.55
26IGRD0122	74	77	3	0.56	1.68
26IGRD0122	86	87	1	0.60	0.60
26IGRD0122	88	89	1	3.61	3.61
26IGRD0122	92	96	4	1.14	4.57
26IGRD0122	100	101	1	0.59	0.59
26IGRD0122	112	120	8	13.28	106.22
26IGRD0122	127	131	4	0.85	3.39
26IGRD0122	150	151	1	2.65	2.65
26IGRD0122	159	163	4	1.34	5.34
26IGRD0122	167	168	1	0.64	0.64
26IGRD0122	177	178	1	0.90	0.90
26IGRD0122	183	186	3	0.55	1.65
26IGRD0122	188	191	3	0.87	2.60
26IGRD0123	29	30	1	1.15	1.15
26IGRD0123	38	40	2	0.88	1.75
26IGRD0123	54	72	18	2.72	48.90
26IGRD0123	81	92	11	2.07	22.75
26IGRD0123	107	109	2	3.24	6.48
26IGRD0123	120	123	3	0.76	2.28
26IGRD0123	128	132	4	1.48	5.91
26IGRD0127	0	2	2	1.53	3.05
26IGRD0127	7	12	5	1.20	5.99
26IGRD0127	23	24	1	0.50	0.50
26IGRD0128	0	2	2	0.72	1.44
26IGRD0128	4	5	1	3.09	3.09
26IGRD0128	22	23	1	0.73	0.73
26IGRD0128	39	40	1	0.79	0.79

For personal use only

26IGRD0131	21	22	1	1.12	1.12
26IGRD0131	35	37	2	0.69	1.38
26IGRD0131	40	41	1	0.62	0.62
26IGRD0131	106	107	1	1.17	1.17
26IGRD0134	6	8	2	0.65	1.30
26IGRD0134	41	42	1	0.63	0.63
26IGRD0134	147	148	1	0.50	0.50
26IGRD0135	60	61	1	0.79	0.79
26IGRD0135	67	70	3	0.91	2.74
26IGRD0135	136	137	1	0.60	0.60
26IGRD0136	0	2	2	0.79	1.57
26IGRD0136	20	24	4	1.80	7.20
26IGRD0136	30	38	8	1.13	9.05
26IGRD0136	40	51	11	2.11	23.21
26IGRD0136	54	58	4	0.86	3.44
26IGRD0136	71	72	1	0.77	0.77
26IGRD0136	73	75	2	1.06	2.11
26IGRD0136	88	89	1	0.86	0.86
26IGRD0136	90	101	11	0.85	9.30
26IGRD0136	104	108	4	1.36	5.44
26IGRD0137	2	3	1	0.90	0.90
26IGRD0137	27	28	1	0.62	0.62
26IGRD0137	31	32	1	0.58	0.58
26IGRD0137	35	48	13	1.26	16.40
26IGRD0137	61	64	3	1.04	3.13
26IGRD0137	79	89	10	2.93	29.27
26IGRD0137	103	114	11	1.62	17.77
26IGRD0137	117	118	1	0.85	0.85
26IGRD0137	123	126	3	1.57	4.71
26IGRD0140	8	10	2	0.80	1.59
26IGRD0140	91	93	2	0.96	1.91
26IGRD0140	133	137	4	1.37	5.49
26IGRD0140	142	146	4	1.56	6.23
26IGRD0140	147	148	1	0.53	0.53
26IGRD0140	165	171	6	0.76	4.58
26IGRD0140	179	180	1	0.71	0.71
26IGRD0140	181	182	1	4.20	4.20
26IGRD0140	189	195	6	2.36	14.15
26IGRD0140	195	197	2	2.97	5.93
26IGRD0141	9	10	1	0.51	0.51
26IGRD0141	118	119	1	1.48	1.48
26IGRD0141	149	150	1	1.21	1.21
26IGRD0141	165	167	2	7.89	15.78
26IGRD0141	166	167	1	0.83	0.83

For personal use only

26IGRD0141	183	190	7	2.32	16.25
26IGRD0141	199	206	7	2.74	19.15
26IGRD0142	51	52	1	1.47	1.47
26IGRD0143	0	2	2	0.65	1.29
26IGRD0143	29	42	13	0.95	12.38
26IGRD0143	51	58	7	1.08	7.59
26IGRD0143	62	65	3	8.94	26.81
26IGRD0143	68	72	4	2.27	9.08
26IGRD0143	75	76	1	4.34	4.34
26IGRD0143	83	84	1	2.24	2.24
26IGRD0143	87	88	1	0.62	0.62
26IGRD0144	33	34	1	0.72	0.72
26IGRD0144	42	45	3	2.56	7.69
26IGRD0144	53	54	1	2.12	2.12
26IGRD0144	65	76	11	2.19	24.06
26IGRD0144	86	87	1	0.50	0.50
26IGRD0144	91	93	2	1.61	3.22
26IGRD0144	96	103	7	1.81	12.67
26IGRD0145	0	1	1	0.70	0.70
26IGRD0145	33	35	2	1.07	2.14
26IGRD0145	38	43	5	0.95	4.77
26IGRD0145	47	48	1	0.70	0.70
26IGRD0145	62	64	2	0.78	1.55
26IGRD0145	71	72	1	0.55	0.55
26IGRD0145	92	97	5	2.35	11.75
26IGRD0145	105	108	3	0.63	1.88
26IGRD0145	115	119	4	3.29	13.14
26IGRD0145	124	125	1	0.81	0.81
26IGRD0146	0	1	1	0.52	0.52
26IGRD0146	16	18	2	1.21	2.42
26IGRD0146	38	39	1	0.50	0.50
26IGRD0146	42	43	1	0.55	0.55
26IGRD0146	45	46	1	0.59	0.59
26IGRD0146	64	67	3	1.26	3.78
26IGRD0146	70	74	4	1.23	4.90
26IGRD0146	80	102	22	2.65	58.33
26IGRD0146	109	114	5	1.56	7.80
26IGRD0146	121	123	2	0.92	1.83
26IGRD0146	135	136	1	0.53	0.53
26IGRD0146	137	138	1	0.71	0.71
26IGRD0147	19	21	2	2.52	5.04
26IGRD0147	24	29	5	1.54	7.70
26IGRD0147	33	38	5	0.75	3.74
26IGRD0147	42	45	3	0.77	2.32

For personal use only

26IGRD0147	47	51	4	0.62	2.46
26IGRD0147	54	57	3	0.63	1.88
26IGRD0147	61	62	1	0.62	0.62
26IGRD0147	70	75	5	11.77	58.84
26IGRD0147	86	91	5	5.07	25.35
26IGRD0147	99	100	1	0.61	0.61
26IGRD0147	119	122	3	2.92	8.76
26IGRD0147	128	132	4	2.31	9.25
26IGRD0147	138	141	3	0.95	2.86
26IGRD0150	93	94	1	0.87	0.87
26IGRD0150	118	119	1	0.88	0.88
26IGRD0150	132	135	3	1.01	3.03
26IGRD0150	145	147	2	1.54	3.07
26IGRD0150	150	152	2	2.64	5.27
26IGRD0150	159	160	1	0.80	0.80
26IGRD0150	173	174	1	0.64	0.64
26IGRD0150	180	188	8	5.41	43.24
26IGRD0150	191	192	1	0.71	0.71
26IGRD0150	193	195	2	0.74	1.48
26IGRD0150	199	200	1	0.51	0.51
26IGRD0150	203	208	5	8.48	42.41
26IGRD0150	211	223	12	1.90	22.74
26IGRD0151	0	2	2	2.11	4.21
26IGRD0151	6	8	2	0.81	1.62
26IGRD0151	16	17	1	2.32	2.32
26IGRD0151	51	52	1	0.53	0.53
26IGRD0151	53	54	1	0.58	0.58
26IGRD0151	66	78	12	3.48	41.80
26IGRD0151	81	84	3	0.69	2.08
26IGRD0152	0	2	2	1.13	2.25
26IGRD0152	22	25	3	0.77	2.31
26IGRD0152	28	31	3	0.58	1.75
26IGRD0152	34	42	8	1.60	12.81
26IGRD0152	48	49	1	0.85	0.85
26IGRD0152	51	52	1	0.97	0.97
26IGRD0152	70	72	2	1.85	3.70
26IGRD0152	84	85	1	1.20	1.20
26IGRD0152	88	89	1	0.92	0.92
26IGRD0152	92	93	1	0.71	0.71
26IGRD0152	95	97	2	1.75	3.49
26IGRD0152	103	105	2	1.93	3.86
26IGRD0152	106	107	1	0.81	0.81
26IGRD0153	0	1	1	2.38	2.38
26IGRD0153	32	43	11	1.69	18.55

For personal use only

26IGRD0153	42	55	13	3.17	41.22
26IGRD0153	58	60	2	1.13	2.25
26IGRD0153	70	73	3	0.65	1.94
26IGRD0153	92	94	2	3.64	7.28
26IGRD0154	0	3	3	1.39	4.16
26IGRD0154	37	44	7	2.43	16.99
26IGRD0154	43	46	3	0.64	1.92
26IGRD0154	65	66	1	0.71	0.71
26IGRD0154	87	91	4	1.99	7.96
26IGRD0154	90	97	7	1.38	9.69
26IGRD0154	117	119	2	0.68	1.35
26IGRD0154	129	131	2	0.63	1.25
26IGRD0155	17	19	2	0.64	1.28
26IGRD0155	24	25	1	0.93	0.93
26IGRD0155	34	40	6	0.72	4.31
26IGRD0155	40	44	4	0.64	2.57
26IGRD0155	53	54	1	10.90	10.90
26IGRD0155	104	105	1	1.32	1.32
26IGRD0155	114	115	1	0.66	0.66
26IGRD0155	124	128	4	1.62	6.47
26IGRD0155	137	138	1	0.52	0.52
26IGRD0157	6	8	2	1.57	3.13
26IGRD0157	63	64	1	1.06	1.06
26IGRD0157	142	143	1	1.85	1.85
26IGRD0157	159	160	1	0.53	0.53
26IGRD0157	163	165	2	0.70	1.39
26IGRD0157	169	174	5	1.28	6.40
26IGRD0157	180	182	2	1.64	3.28
26IGRD0157	188	189	1	1.04	1.04
26IGRD0158	7	9	2	1.18	2.35
26IGRD0158	166	167	1	1.10	1.10
26IGRD0158	180	185	5	3.29	16.46
26IGRD0159	0	1	1	0.75	0.75
26IGRD0159	53	54	1	0.84	0.84
26IGRD0159	53	54	1	0.59	0.59
26IGRD0159	56	57	1	0.65	0.65
26IGRD0160	0	2	2	1.09	2.18
26IGRD0160	13	14	1	0.57	0.57
26IGRD0160	32	36	4	2.49	9.97
26IGRD0160	39	41	2	0.56	1.11
26IGRD0160	63	66	3	0.67	2.00
26IGRD0160	87	89	2	3.89	7.77
26IGRD0161	0	1	1	5.74	5.74
26IGRD0161	32	35	3	0.90	2.70

For personal use only

26IGRD0161	40	43	3	1.81	5.44
26IGRD0161	59	61	2	2.85	5.69
26IGRD0161	68	80	12	1.01	12.07
26IGRD0161	84	85	1	0.81	0.81
26IGRD0161	115	116	1	1.15	1.15
26IGRD0161	120	121	1	1.37	1.37
26IGRD0161	136	137	1	0.52	0.52
26IGRD0163	62	63	1	0.63	0.63
26IGRD0163	66	67	1	1.58	1.58
26IGRD0163	94	95	1	3.38	3.38
26IGRD0163	118	121	3	2.25	6.74
26IGRD0163	124	126	2	1.20	2.39
26IGRD0163	131	136	5	1.13	5.63
26IGRD0163	139	141	2	1.46	2.92
26IGRD0163	156	157	1	2.27	2.27
26IGRD0164	138	143	5	1.55	7.76
26IGRD0164	154	157	3	2.60	7.79
26IGRD0164	160	161	1	0.50	0.50
26IGRD0164	166	167	1	5.75	5.75
26IGRD0165	8	10	2	3.03	6.05
26IGRD0165	51	52	1	0.77	0.77
26IGRD0165	55	58	3	0.84	2.53
26IGRD0165	170	171	1	0.51	0.51
26IGRD0165	184	189	5	7.07	35.36
26IGRD0165	188	193	5	3.59	17.94
26IGRD0166	0	1	1	0.54	0.54
26IGRD0166	6	8	2	1.20	2.39
26IGRD0166	84	85	1	0.70	0.70
26IGRD0166	142	145	3	2.31	6.93
26IGRD0166	173	174	1	1.18	1.18
26IGRD0166	187	188	1	0.79	0.79
26IGRD0166	206	209	3	3.74	11.23
26IGRD0168	0	1	1	0.67	0.67
26IGRD0168	36	37	1	0.50	0.50
26IGRD0168	40	41	1	0.68	0.68
26IGRD0168	95	96	1	2.34	2.34
26IGRD0168	110	111	1	1.13	1.13
26IGRD0168	132	135	3	1.66	4.99
26IGRD0168	141	144	3	1.00	3.00
26IGRD0168	148	155	7	16.28	113.98
26IGRD0169	4	5	1	0.50	0.50
26IGRD0169	22	23	1	0.53	0.53
26IGRD0169	24	29	5	2.69	13.46
26IGRD0169	32	44	12	2.46	29.52

For personal use only

26IGRD0169	61	62	1	1.72	1.72
26IGRD0169	67	68	1	2.05	2.05
26IGRD0169	133	135	2	6.40	12.80
26IGRD0169	150	151	1	1.68	1.68
26IGRD0171	2	3	1	0.52	0.52
26IGRD0171	5	6	1	0.73	0.73
26IGRD0171	23	24	1	1.19	1.19
26IGRD0171	27	36	9	1.15	10.32
26IGRD0171	27	28	1	1.14	1.14
26IGRD0171	40	45	5	0.71	3.57
26IGRD0171	50	52	2	0.65	1.29
26IGRD0171	67	71	4	3.54	14.17
26IGRD0171	83	84	1	0.92	0.92
26IGRD0171	95	98	3	2.97	8.90
26IGRD0171	113	115	2	1.26	2.52
26IGRD0171	137	138	1	0.73	0.73
26IGRD0171	142	144	2	0.52	1.03
26IGRD0171	148	151	3	0.67	2.02
26IGRD0171	153	159	6	1.04	6.23
26IGRD0171	162	163	1	0.64	0.64
26IGRD0171	168	171	3	5.72	17.15
26IGRD0171	168	169	1	2.31	2.31
26IGRD0175	0	2	2	2.51	5.01
26IGRD0175	38	39	1	0.52	0.52
26IGRD0175	57	58	1	18.10	18.10
26IGRD0175	66	67	1	0.86	0.86
26IGRD0175	72	73	1	2.85	2.85
26IGRD0175	79	80	1	0.92	0.92
26IGRD0175	85	89	4	2.19	8.74
26IGRD0176	43	44	1	1.04	1.04
26IGRD0176	69	73	4	4.56	18.24
26IGRD0176	81	82	1	0.92	0.92
26IGRD0176	90	91	1	1.32	1.32
26IGRD0176	106	107	1	0.57	0.57
26IGRD0176	108	110	2	3.36	6.72
26IGRD0176	116	120	4	8.22	32.86
26IGRD0176	125	126	1	0.60	0.60
26IGRD0177	0	1	1	0.61	0.61
26IGRD0177	8	12	4	0.84	3.35
26IGRD0177	57	58	1	1.77	1.77
26IGRD0177	107	108	1	0.71	0.71
26IGRD0177	124	125	1	1.26	1.26
26IGRD0177	130	132	2	18.67	37.34
26IGRD0177	138	140	2	3.56	7.11

For personal use only

26IGRD0177	143	144	1	0.57	0.57
26IGRD0178	0	2	2	1.03	2.06
26IGRD0178	1	3	2	1.74	3.47
26IGRD0178	12	13	1	0.58	0.58
26IGRD0178	19	20	1	0.68	0.68
26IGRD0178	23	25	2	0.53	1.06
26IGRD0178	36	37	1	2.01	2.01
26IGRD0178	41	47	6	1.81	10.85
26IGRD0178	49	50	1	2.08	2.08
26IGRD0178	54	55	1	3.31	3.31
26IGRD0178	65	66	1	1.24	1.24
26IGRD0178	68	69	1	0.58	0.58
26IGRD0178	73	74	1	0.63	0.63
26IGRD0178	140	141	1	3.06	3.06
26IGRD0179	7	13	6	0.91	5.46
26IGRD0179	22	24	2	1.07	2.13
26IGRD0179	34	35	1	1.55	1.55
26IGRD0179	40	44	4	0.75	3.00
26IGRD0179	61	63	2	0.88	1.76
26IGRD0179	75	80	5	0.58	2.92
26IGRD0179	121	122	1	1.23	1.23
26IGRD0179	121	122	1	8.34	8.34
26IGRD0180	0	1	1	1.06	1.06
26IGRD0180	36	43	7	0.58	4.07
26IGRD0180	47	48	1	0.51	0.51
26IGRD0180	74	81	7	1.56	10.89
26IGRD0180	87	88	1	1.03	1.03
26IGRD0180	90	91	1	0.54	0.54
26IGRD0180	114	117	3	0.97	2.90
26IGRD0180	121	123	2	6.95	13.90
26IGRD0180	129	130	1	0.55	0.55
26IGRD0180	130	132	2	4.58	9.16
26IGRD0180	138	139	1	3.69	3.69
26IGRD0180	146	149	3	0.69	2.06
26IGRD0184	0	2	2	1.49	2.97
26IGRD0184	42	44	2	1.39	2.78
26IGRD0184	50	52	2	1.20	2.39
26IGRD0184	67	69	2	1.83	3.66
26IGRD0184	76	84	8	1.14	9.09
26IGRD0185	2	3	1	0.57	0.57
26IGRD0185	35	36	1	1.01	1.01
26IGRD0185	38	55	17	1.00	16.93
26IGRD0185	71	72	1	0.94	0.94
26IGRD0185	78	81	3	1.79	5.37

For personal use only

26IGRD0185	86	87	1	0.65	0.65
26IGRD0185	95	97	2	0.95	1.89
26IGRD0186	0	1	1	0.70	0.70
26IGRD0186	16	17	1	0.56	0.56
26IGRD0186	34	38	4	0.79	3.17
26IGRD0186	42	44	2	0.73	1.46
26IGRD0186	68	74	6	1.71	10.23
26IGRD0186	84	86	2	0.81	1.62
26IGRD0186	89	90	1	0.88	0.88
26IGRD0186	92	94	2	0.66	1.32
26IGRD0186	113	120	7	1.96	13.72
26IGRD0187	1	2	1	0.88	0.88
26IGRD0187	4	5	1	0.68	0.68
26IGRD0187	12	17	5	1.27	6.37
26IGRD0187	23	24	1	0.64	0.64
26IGRD0187	77	80	3	1.18	3.55
26IGRD0188	16	17	1	2.28	2.28
26IGRD0188	37	47	10	0.77	7.69
26IGRD0188	53	54	1	0.73	0.73
26IGRD0188	63	64	1	2.46	2.46
26IGRD0188	98	100	2	1.12	2.24
26IGRD0188	124	125	1	0.70	0.70
26IGRD0188	131	132	1	0.68	0.68
26IGRD0188	144	145	1	0.59	0.59
26IGRD0188	148	149	1	0.92	0.92
26IGRD0193	8	10	2	1.07	2.14
26IGRD0193	17	18	1	0.72	0.72
26IGRD0193	162	166	4	0.55	2.18
26IGRD0193	174	175	1	0.71	0.71
26IGRD0193	176	177	1	0.51	0.51
26IGRD0193	178	179	1	0.89	0.89
26IGRD0193	182	187	5	5.25	26.24
26IGRD0193	198	199	1	0.94	0.94
26IGRD0195	10	11	1	0.83	0.83
26IGRD0195	49	50	1	1.20	1.20
26IGRD0195	105	107	2	1.13	2.25
26IGRD0195	123	124	1	0.55	0.55
26IGRD0196	0	2	2	0.73	1.45
26IGRD0196	11	22	11	1.49	16.35
26IGRD0196	22	23	1	0.73	0.73
26IGRD0196	28	50	22	1.75	38.52
26IGRD0196	54	55	1	1.76	1.76
26IGRD0197	0	12	12	0.81	9.71
26IGRD0197	22	24	2	0.83	1.66

For personal use only

26IGRD0197	26	27	1	1.01	1.01
26IGRD0197	27	28	1	3.71	3.71
26IGRD0197	31	40	9	0.96	8.64
26IGRD0197	43	44	1	0.51	0.51
26IGRD0197	47	48	1	0.82	0.82
26IGRD0197	64	68	4	1.70	6.79
26IGRD0197	76	78	2	0.69	1.38
26IGRD0198	0	2	2	0.78	1.55
26IGRD0198	8	9	1	0.55	0.55
26IGRD0198	11	12	1	0.50	0.50
26IGRD0198	15	16	1	0.87	0.87
26IGRD0198	20	24	4	0.76	3.04
26IGRD0198	27	29	2	0.80	1.59
26IGRD0198	74	76	2	0.75	1.49
26IGRD0198	85	86	1	0.57	0.57
26IGRD0204	30	32	2	1.80	3.59
26IGRD0204	40	41	1	0.56	0.56
26IGRD0204	44	52	8	1.37	10.94
26IGRD0204	61	62	1	1.75	1.75
26IGRD0204	66	67	1	0.93	0.93
26IGRD0204	70	71	1	0.70	0.70
26IGRD0204	73	74	1	0.55	0.55
26IGRD0205	0	1	1	0.56	0.56
26IGRD0205	5	6	1	0.56	0.56
26IGRD0205	30	31	1	0.87	0.87
26IGRD0205	32	47	15	0.73	10.98
26IGRD0205	52	53	1	0.77	0.77
26IGRD0205	54	55	1	1.13	1.13
26IGRD0205	57	58	1	1.27	1.27
26IGRD0205	61	66	5	2.67	13.34
26IGRD0205	70	78	8	0.65	5.17
26IGRD0206	0	1	1	0.57	0.57
26IGRD0206	6	7	1	1.69	1.69
26IGRD0206	28	29	1	0.74	0.74
26IGRD0206	35	37	2	0.77	1.54
26IGRD0206	45	48	3	0.95	2.86
26IGRD0206	54	62	8	3.24	25.94
26IGRD0206	68	69	1	0.73	0.73
26IGRD0206	76	77	1	1.04	1.04
26IGRD0206	83	84	1	0.84	0.84
26IGRD0206	85	86	1	1.60	1.60
26IGRD0206	91	96	5	1.74	8.68
26IGRD0207	24	27	3	0.74	2.23
26IGRD0207	42	43	1	0.50	0.50

For personal use only

26IGRD0207	54	59	5	12.81	64.04
26IGRD0207	62	66	4	2.30	9.21
26IGRD0207	70	72	2	2.33	4.66
26IGRD0207	79	81	2	2.20	4.40
26IGRD0207	92	93	1	0.96	0.96
26IGRD0207	97	114	17	2.30	39.08
26IGRD0213	7	8	1	0.76	0.76
26IGRD0213	27	36	9	0.60	5.39
26IGRD0213	39	43	4	0.65	2.60
26IGRD0213	46	52	6	1.29	7.71
26IGRD0213	60	61	1	0.69	0.69
26IGRD0213	63	64	1	2.16	2.16
26IGRD0213	63	64	1	1.77	1.77
26IGRD0213	68	78	10	1.56	15.60
26IGRD0213	86	89	3	0.78	2.33
26IGRD0214	0	3	3	3.16	9.48
26IGRD0214	39	44	5	1.41	7.05
26IGRD0214	47	48	1	0.50	0.50
26IGRD0214	51	52	1	0.57	0.57
26IGRD0214	74	85	11	1.13	12.41
26IGRD0214	90	94	4	0.88	3.53
26IGRD0214	100	103	3	0.60	1.81
26IGRD0214	107	108	1	1.37	1.37
26IGRD0215	1	2	1	1.32	1.32
26IGRD0215	25	27	2	0.72	1.43
26IGRD0215	31	33	2	0.59	1.17
26IGRD0215	35	36	1	0.51	0.51
26IGRD0215	47	48	1	0.53	0.53
26IGRD0215	52	54	2	0.64	1.28
26IGRD0215	64	66	2	0.96	1.91
26IGRD0215	77	78	1	0.87	0.87
26IGRD0215	96	97	1	0.73	0.73
26IGRD0215	99	104	5	3.52	17.62
26IGRD0215	113	126	13	1.20	15.58
26IGRD0215	130	131	1	0.70	0.70
26IGRD0216	0	1	1	0.64	0.64
26IGRD0216	3	4	1	2.26	2.26
26IGRD0216	3	6	3	2.69	8.06
26IGRD0216	20	24	4	0.74	2.96
26IGRD0216	28	29	1	0.51	0.51
26IGRD0216	47	48	1	0.51	0.51
26IGRD0216	61	64	3	1.08	3.23
26IGRD0216	80	81	1	0.93	0.93
26IGRD0216	85	86	1	0.84	0.84

For personal use only

26IGRD0216	95	96	1	1.05	1.05
26IGRD0216	101	104	3	2.72	8.16
26IGRD0216	107	108	1	2.04	2.04
26IGRD0216	119	123	4	1.15	4.60
26IGRD0216	127	138	11	1.02	11.22
26IGRD0216	148	150	2	3.22	6.44
26IGRD0222	0	2	2	2.02	4.04
26IGRD0222	31	42	11	1.24	13.65
26IGRD0222	41	42	1	0.75	0.75
26IGRD0222	44	47	3	0.94	2.83
26IGRD0222	51	52	1	0.60	0.60
26IGRD0222	78	79	1	4.68	4.68
26IGRD0222	87	89	2	1.03	2.05
26IGRD0222	88	91	3	0.79	2.36
26IGRD0222	101	102	1	0.73	0.73
26IGRD0222	108	114	6	1.40	8.38
26IGRD0223	0	1	1	0.67	0.67
26IGRD0223	35	36	1	0.90	0.90
26IGRD0223	38	39	1	0.50	0.50
26IGRD0223	42	43	1	0.56	0.56
26IGRD0223	45	60	15	2.39	35.89
26IGRD0223	63	69	6	0.61	3.65
26IGRD0223	74	75	1	0.52	0.52
26IGRD0223	86	87	1	10.60	10.60
26IGRD0229	0	3	3	1.18	3.55
26IGRD0229	39	40	1	0.52	0.52
26IGRD0229	44	45	1	1.15	1.15
26IGRD0229	51	52	1	0.52	0.52
26IGRD0229	57	58	1	0.57	0.57
26IGRD0229	60	62	2	2.25	4.50
26IGRD0229	101	102	1	0.61	0.61
26IGRD0230	0	6	6	1.60	9.57
26IGRD0230	25	30	5	1.96	9.78
26IGRD0230	36	37	1	0.50	0.50
26IGRD0230	39	42	3	4.22	12.66
26IGRD0230	51	53	2	1.60	3.19
26IGRD0230	65	67	2	5.04	10.07
26IGRD0230	73	84	11	16.25	178.70
26IGRD0230	114	115	1	0.88	0.88
26IGRD0230	116	117	1	1.96	1.96
26IGRD0231	0	2	2	0.90	1.80
26IGRD0231	15	22	7	3.87	27.11
26IGRD0231	39	40	1	1.18	1.18
26IGRD0231	52	53	1	0.64	0.64

For personal use only

26IGRD0231	55	57	2	1.20	2.39
26IGRD0231	79	89	10	1.53	15.32
26IGRD0231	95	99	4	0.64	2.56
26IGRD0237	0	1	1	0.89	0.89
26IGRD0237	19	20	1	0.55	0.55
26IGRD0237	22	23	1	1.49	1.49
26IGRD0237	29	33	4	1.24	4.95
26IGRD0237	46	47	1	0.62	0.62
26IGRD0237	54	56	2	1.26	2.51
26IGRD0237	63	70	7	1.00	6.99
26IGRD0237	74	75	1	0.51	0.51
26IGRD0237	76	77	1	1.80	1.80
26IGRD0237	141	142	1	0.53	0.53
26IGRD0237	154	156	2	0.83	1.66
26IGRD0237	158	162	4	2.00	7.98
26IGRD0238	34	36	2	1.57	3.13
26IGRD0238	46	51	5	1.17	5.84
26IGRD0238	54	56	2	0.96	1.91
26IGRD0238	66	67	1	0.84	0.84
26IGRD0238	81	83	2	1.76	3.52
26IGRD0239	0	5	5	2.31	11.53
26IGRD0239	19	20	1	0.88	0.88
26IGRD0239	32	42	10	1.07	10.67
26IGRD0239	45	46	1	0.61	0.61
26IGRD0239	99	101	2	1.52	3.03
26IGRD0239	104	113	9	3.51	31.62
26IGRD0239	119	120	1	2.21	2.21
26IGRD0239	131	133	2	0.52	1.04
26IGRD0239	134	135	1	0.50	0.50
26IGRD0244	0	1	1	0.87	0.87
26IGRD0244	55	56	1	0.98	0.98
26IGRD0244	63	64	1	0.72	0.72
26IGRD0244	70	72	2	2.35	4.70
26IGRD0244	79	80	1	11.20	11.20
26IGRD0244	93	95	2	9.08	18.16
26IGRD0244	98	101	3	1.45	4.35
26IGRD0244	106	109	3	1.30	3.90
26IGRD0245	39	41	2	1.26	2.51
26IGRD0245	80	81	1	0.60	0.60
26IGRD0245	86	89	3	1.58	4.74
26IGRD0245	111	114	3	0.57	1.72
26IGRD0245	118	123	5	0.60	3.01
26IGRD0245	126	127	1	0.59	0.59
26IGRD0246	0	1	1	1.10	1.10

For personal use only

26IGRD0246	7	8	1	0.60	0.60
26IGRD0246	18	24	6	2.77	16.64
26IGRD0246	30	31	1	0.53	0.53
26IGRD0246	34	35	1	0.53	0.53
26IGRD0246	39	40	1	0.67	0.67
26IGRD0246	42	44	2	0.70	1.40
26IGRD0246	61	62	1	1.02	1.02
26IGRD0246	102	103	1	3.06	3.06
26IGRD0246	119	120	1	1.70	1.70
26IGRD0246	124	125	1	0.98	0.98
26IGRD0246	130	131	1	0.84	0.84
26IGRD0246	138	140	2	0.72	1.43
26IGRD0246	145	146	1	0.84	0.84
26IGRD0246	148	149	1	0.77	0.77
26IGRD0247	0	1	1	1.48	1.48
26IGRD0247	21	22	1	0.51	0.51
26IGRD0247	41	45	4	1.96	7.82
26IGRD0247	49	50	1	0.50	0.50
26IGRD0247	52	54	2	2.44	4.87
26IGRD0247	70	71	1	0.54	0.54
26IGRD0247	75	79	4	6.90	27.60
26IGRD0247	85	89	4	0.91	3.62
26IGRD0248	40	41	1	1.00	1.00
26IGRD0248	60	61	1	0.52	0.52
26IGRD0248	63	64	1	3.11	3.11
26IGRD0248	85	86	1	0.70	0.70
26IGRD0248	127	128	1	1.06	1.06
26IGRD0248	148	149	1	0.61	0.61
26IGRD0248	151	153	2	0.68	1.36
26IGRD0253	33	41	8	6.86	54.88
26IGRD0253	59	60	1	1.31	1.31
26IGRD0253	67	68	1	0.54	0.54
26IGRD0253	72	73	1	0.74	0.74
26IGRD0253	88	90	2	1.85	3.70
26IGRD0254	5	10	5	3.63	18.15
26IGRD0254	22	23	1	0.65	0.65
26IGRD0254	28	29	1	1.10	1.10
26IGRD0254	36	53	17	0.80	13.52
26IGRD0254	58	62	4	1.73	6.92
26IGRD0254	76	77	1	2.18	2.18
26IGRD0254	80	90	10	1.49	14.93
26IGRD0254	102	106	4	1.28	5.10
26IGRD0255	0	1	1	0.71	0.71
26IGRD0255	25	26	1	0.57	0.57

For personal use only

26IGRD0255	77	78	1	0.83	0.83
26IGRD0255	85	87	2	0.56	1.11
26IGRD0255	89	91	2	1.68	3.36
26IGRD0255	94	95	1	0.93	0.93
26IGRD0255	106	107	1	2.14	2.14
26IGRD0255	106	107	1	1.33	1.33
26IGRD0255	110	126	16	4.82	77.19
26IGRD0256	0	5	5	0.63	3.14
26IGRD0256	26	27	1	1.08	1.08
26IGRD0256	36	37	1	0.88	0.88
26IGRD0256	55	56	1	1.64	1.64
26IGRD0256	61	62	1	2.11	2.11
26IGRD0256	84	88	4	1.06	4.23
26IGRD0256	127	130	3	0.95	2.85
26IGRD0257	0	1	1	0.83	0.83
26IGRD0257	23	24	1	0.59	0.59
26IGRD0257	25	26	1	0.86	0.86
26IGRD0257	33	34	1	0.54	0.54
26IGRD0257	37	38	1	0.74	0.74
26IGRD0257	45	56	11	1.03	11.37
26IGRD0257	63	64	1	0.58	0.58
26IGRD0257	74	75	1	0.63	0.63
26IGRD0257	109	113	4	1.15	4.60
26IGRD0257	148	151	3	2.08	6.23
26IGRD0264	7	11	4	4.63	18.53
26IGRD0264	15	16	1	1.43	1.43
26IGRD0264	19	20	1	0.91	0.91
26IGRD0264	22	26	4	1.85	7.39
26IGRD0264	30	44	14	2.23	31.28
26IGRD0264	47	49	2	1.21	2.41
26IGRD0265	0	1	1	2.01	2.01
26IGRD0265	24	41	17	1.28	21.78
26IGRD0265	45	60	15	3.95	59.18
26IGRD0266	10	11	1	1.40	1.40
26IGRD0266	37	39	2	0.68	1.35
26IGRD0266	55	57	2	0.65	1.29
26IGRD0266	59	63	4	1.87	7.46
26IGRD0266	68	72	4	1.25	4.98
26IGRD0267	0	7	7	1.69	11.83
26IGRD0267	21	22	1	0.81	0.81
26IGRD0267	27	28	1	0.68	0.68
26IGRD0267	31	42	11	0.96	10.52
26IGRD0267	55	56	1	0.74	0.74
26IGRD0267	60	61	1	0.54	0.54

For personal use only

26IGRD0267	62	63	1	0.61	0.61
26IGRD0267	64	65	1	0.73	0.73
26IGRD0267	67	68	1	1.38	1.38
26IGRD0267	76	84	8	1.70	13.57
26IGRD0268	0	2	2	1.84	3.67
26IGRD0268	20	24	4	1.49	5.94
26IGRD0268	30	37	7	1.25	8.75
26IGRD0268	45	46	1	0.65	0.65
26IGRD0268	59	60	1	1.43	1.43
26IGRD0268	66	77	11	1.07	11.75
26IGRD0269	0	2	2	0.67	1.34
26IGRD0269	32	39	7	1.51	10.57
26IGRD0269	42	45	3	0.86	2.59
26IGRD0269	48	49	1	1.17	1.17
26IGRD0269	58	61	3	0.73	2.18
26IGRD0269	72	76	4	1.34	5.37
26IGRD0269	81	83	2	2.74	5.48
26IGRD0269	86	91	5	0.75	3.77
26IGRD0269	106	108	2	1.44	2.87
26IGRD0269	111	112	1	1.38	1.38
26IGRD0269	121	126	5	0.55	2.77
26IGRD0270	16	17	1	0.73	0.73
26IGRD0270	40	41	1	1.15	1.15
26IGRD0270	53	55	2	1.43	2.85
26IGRD0270	59	65	6	2.05	12.28
26IGRD0270	91	92	1	0.54	0.54
26IGRD0270	116	118	2	0.91	1.82
26IGRD0270	126	128	2	1.16	2.31
26IGRD0270	133	134	1	0.89	0.89
26IGRD0270	155	164	9	1.83	16.45
26IGRD0270	202	208	6	1.80	10.80
26IGRD0270	214	221	7	2.16	15.11
26IGRD0272	33	34	1	0.54	0.54
26IGRD0272	38	47	9	0.76	6.82
26IGRD0272	53	54	1	0.68	0.68
26IGRD0272	71	74	3	0.81	2.43
26IGRD0272	78	79	1	0.62	0.62
26IGRD0272	82	83	1	0.58	0.58
26IGRD0272	93	104	11	3.45	37.95
26IGRD0272	113	115	2	1.07	2.14
26IGRD0272	120	121	1	0.62	0.62
26IGRD0272	133	134	1	0.90	0.90
26IGRD0272	138	142	4	3.98	15.93
26IGRD0272	153	154	1	0.70	0.70

For personal use only

26IGRD0273	30	31	1	0.64	0.64
26IGRD0273	128	133	5	0.79	3.93
26IGRD0273	140	153	13	1.93	25.14
26IGRD0273	158	159	1	0.82	0.82
26IGRD0273	163	165	2	1.20	2.40
26IGRD0273	178	179	1	0.64	0.64
26IGRD0273	184	185	1	0.69	0.69

*Corrections to prior release "First Batch of Iguana Resource Development Assays Received- 9th Dec-25"
Hole ID 26IGRD0079 interval from 39m downhole had an intersect of 22m of 2.64g/t.*

For Personal Use Only

Appendix 2: Collar Data for Drillholes Included in this ASX Release

All Holes located on Tenement M 16/262.

All Collar locations are from survey pickups, planned dip and azimuth is currently provided for most holes with 26IGRD0087 and 91 provided as averages of hole. All Collar Coordinates are provided as MGA95_Zone 51.

HoleNo	East	North	RL	Maximum Depth	Dip	Azimuth
26IGRD0033	275560	6624320	523	180	-48.00	270.00
26IGRD0055	275460	6624280	525	120	-60.00	90.00
26IGRD0056	275480	6624280	524.875	108	-60.00	90.00
26IGRD0069	275605	6624260	521	180	-49.00	270.00
26IGRD0070	275620	6624260	519.664	228	-52.00	270.00
26IGRD0071	275630	6624260	518.958	138	-55.00	270.00
26IGRD0078	275585	6624240	523.073	234	-48.00	270.00
26IGRD0087	275460	6624220	526	162	-59.23	87.92
26IGRD0088	275645	6624220	518.635	198	-58.00	270.00
26IGRD0089	275665	6624220	517.644	138	-60.00	270.00
26IGRD0090	275685	6624220	517.52	198	-60.00	270.00
26IGRD0091	275705	6624220	518.083	138	-59.81	272.28
26IGRD0119	275500	6624160	526	138	-60.00	90.00
26IGRD0120	275520	6624160	526.444	198	-60.00	90.00
26IGRD0121	275540	6624160	526.551	138	-60.00	90.00
26IGRD0122	275560	6624160	527	198	-60.00	90.00
26IGRD0123	275580	6624160	524.172	136	-60.00	90.00
26IGRD0127	275660	6624160	517	96	-60.00	90.00
26IGRD0128	275680	6624160	516.906	72	-60.00	90.00
26IGRD0129	275720	6624160	516.238	24	-60.00	270.00
26IGRD0130	275745	6624160	518.214	48	-60.00	270.00
26IGRD0131	275710.8	6624140	515.57	114	-60.00	270.00
26IGRD0134	275770.7	6624139	521.11	180	-60.00	270.00
26IGRD0135	275789.7	6624140	521.18	156	-60.00	270.00
26IGRD0136	275700.3	6624121	515.94	108	-50.00	270.00
26IGRD0137	275718.8	6624120	515.26	126	-50.00	270.00
26IGRD0140	275780.2	6624122	522.05	198	-50.00	270.00
26IGRD0141	275796.6	6624120	522.43	222	-50.00	270.00
26IGRD0142	275823.1	6624118	519.98	174	-50.00	270.00
26IGRD0143	275643.6	6624102	516.83	90	-50.00	270.00
26IGRD0144	275661.3	6624102	516.5	108	-50.00	270.00
26IGRD0145	275680.6	6624101	516.16	126	-50.00	270.00
26IGRD0146	275701	6624101	515.82	144	-50.00	270.00
26IGRD0147	275719.2	6624100	515.6	162	-50.00	270.00
26IGRD0150	275780.2	6624101	521.23	222	-50.00	270.00
26IGRD0151	275666.8	6624082	516.93	90	-50.00	270.00
26IGRD0152	275681.8	6624082	516.64	108	-50.00	270.00

26IGRD0153	275700.2	6624081	516.21	126	-50.00	270.00
26IGRD0154	275719	6624078	515.67	144	-50.00	270.00
26IGRD0155	275738.9	6624081	515.25	156	-50.00	270.00
26IGRD0157	275777.5	6624082	519.26	198	-50.00	270.00
26IGRD0158	275794.6	6624081	520.42	216	-50.00	270.00
26IGRD0159	275689.3	6624062	515.96	108	-50.00	270.00
26IGRD0160	275708.4	6624060	515.53	120	-50.00	270.00
26IGRD0161	275730.4	6624060	515.35	138	-50.00	270.00
26IGRD0163	275770.4	6624060	517.11	162	-50.00	270.00
26IGRD0164	275791.1	6624060	518.8	178	-50.00	270.00
26IGRD0165	275809.5	6624060	520.04	192	-50.00	270.00
26IGRD0166	275832.1	6624060	519.03	210	-50.00	270.00
26IGRD0168	275701.3	6624042	516.19	156	-60.00	270.00
26IGRD0169	275721.6	6624040	515.63	180	-60.00	270.00
26IGRD0171	275759.2	6624040	514.89	186	-60.00	270.00
26IGRD0175	275684.7	6624020	516.57	108	-50.00	270.00
26IGRD0176	275702.5	6624018	516.22	126	-50.00	270.00
26IGRD0177	275719.7	6624019	515.56	144	-50.00	270.00
26IGRD0178	275741.3	6624019	515.28	162	-50.00	270.00
26IGRD0179	275759.9	6624020	514.72	180	-50.00	270.00
26IGRD0180	275778.7	6624020	514.26	162	-50.00	270.00
26IGRD0184	275673.6	6623998	516.92	84	-50.00	270.00
26IGRD0185	275689.5	6623998	516.29	102	-50.00	270.00
26IGRD0186	275709	6623999	515.56	120	-50.00	270.00
26IGRD0187	275729.8	6624000	515.22	132	-50.00	270.00
26IGRD0188	275750.4	6623999	515.01	150	-50.00	270.00
26IGRD0193	275849.6	6624003	519.16	216	-50.00	270.00
26IGRD0194	275868.1	6624001	520.03	156	-50.00	270.00
26IGRD0195	275888.4	6624000	520.6	216	-50.00	270.00
26IGRD0196	275680	6624140	516.96	90	-60.00	270.00
26IGRD0197	275690	6624140	516.54	96	-60.00	270.00
26IGRD0198	275700	6624140	515.91	102	-60.00	270.00
26IGRD0204	275660	6624120	516.73	78	-50.00	270.00
26IGRD0205	275670	6624120	516.54	84	-50.00	270.00
26IGRD0206	275690	6624120	516.23	102	-50.00	270.00
26IGRD0207	275710	6624120	515.52	114	-50.00	270.00
26IGRD0213	275650	6624100	516.66	96	-50.00	270.00
26IGRD0214	275670	6624100	516.6	114	-50.00	270.00
26IGRD0215	275690	6624100	515.73	132	-50.00	270.00
26IGRD0216	275710	6624100	515.79	150	-50.00	270.00
26IGRD0222	275690	6624080	516.51	114	-50.00	270.00
26IGRD0223	275710	6624080	515.89	132	-50.00	270.00
26IGRD0229	275700	6624060	515.71	114	-50.00	270.00
26IGRD0230	275720	6624060	515.23	126	-50.00	270.00

26IGRD0231	275740	6624060	515.11	144	-50.00	270.00
26IGRD0237	275710	6624040	516	162	-60.00	270.00
26IGRD0238	275730	6624040	515.51	186	-60.00	270.00
26IGRD0239	275750	6624040	515.14	156	-60.00	270.00
26IGRD0244	275690	6624020	516.61	114	-50.00	270.00
26IGRD0245	275710	6624020	516.08	132	-50.00	270.00
26IGRD0246	275730	6624020	515.52	150	-50.00	270.00
26IGRD0247	275750	6624020	515.13	168	-50.00	270.00
26IGRD0248	275770	6624020	514.36	186	-50.00	270.00
26IGRD0253	275680	6624000	516.46	90	-50.00	270.00
26IGRD0254	275700	6624000	515.9	108	-50.00	270.00
26IGRD0255	275720	6624000	515.42	126	-50.00	270.00
26IGRD0256	275740	6624000	515.15	138	-50.00	270.00
26IGRD0257	275760	6624000	514.65	157	-50.00	270.00
26IGRD0264	275640	6624140	517.09	54	-60.00	270.00
26IGRD0265	275650	6624140	516.56	60	-60.00	270.00
26IGRD0266	275660	6624140	516.42	72	-60.00	270.00
26IGRD0267	275670	6624140	516.5	84	-60.00	270.00
26IGRD0268	275655	6624120	517	78	-50.00	270.00
26IGRD0269	275590	6624240	522.49	192	-50.00	270.00
26IGRD0270	275610	6624240	520.19	228	-50.00	270.00
26IGRD0272	275655	6624240	517.81	216	-60.00	270.00
26IGRD0273	275675	6624240	517.8	216	-60.00	270.00

Update to Prior Interval from release "First Batch of Iguana Resource Development Assays Received 09-Dec-25". Interval for hole 26IGRD0079 from 39m downhole is 22m @ 2.64g/t for a total of 57.99 gram metres

For personal use only

Appendix 3: JORC Tables.

Section 1: Sampling Techniques and Data

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
Sampling techniques	<p><i>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling.</i></p> <p><i>Include reference to measures taken to ensure sample representativity and the appropriate calibration of any measurement tools or systems used.</i></p> <p><i>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.</i></p>	<p>Aberfoyle:</p> <ul style="list-style-type: none"> Reverse circulation (RC), rotary air blast (RAB) and aircore (AC) drilling with 1 m sampling from cyclone (BDRB prefix holes RAB drilling with 2 m sampling). Samples sent to accredited laboratories for drying, crushing and pulverising. Composite samples assayed by aqua regia/atomic absorption spectroscopy (AAS) (except in areas of elevated graphite – fire assay (FA) and those returning greater than 0.2–0.3 g/t were re-assayed as individual metres by FA to ALS Kalgoorlie for 50 g charge FA with 0.01 ppm detection limit. HQ triple diamond (DD) drilling was halved, 50 g charge FA with 0.01 ppm detection limit. <p>EGL:</p> <ul style="list-style-type: none"> RC samples collected from the riffle or cone splitter directly off rig into calico bags. Splitter maintained on level site to ensure sample representativity. 1 m samples are dried, crushed, pulverised and a 40 g charge is analysed by FA. <p>Roper River Resources:</p> <ul style="list-style-type: none"> RAB 1 m sampling with blade or hammer. Dried, crushed and pulverised samples analysed by aqua regia/AAS finish with 25 g charge. <p>Monarch:</p> <ul style="list-style-type: none"> AC, RAB and RC drilling on 1 m sampling basis with RAB samples being composited to 4 m for initial analysis by aqua regia/AAS. Individual AC and RC metres collected from cyclone, riffle split and submitted for aqua regia/AAS and FA/AAS respectively. <p>Siberia Mining Corporation (SMC):</p> <ul style="list-style-type: none"> 1 m sampling of AC, RAB and RC drilling composites and individual re-assays dispatched for FA. <p>Perilya:</p> <ul style="list-style-type: none"> 5 m composite RAB and AC assayed at Analabs Perth by method P649, 50 g aqua regia, DIBK, Carbon Rod. <p>Croesus:</p>

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> RC 1 m samples collected under cyclone. RAB drilling on a 1 m basis. 3.5 kg samples were pulverised to make 50 g charge for analysis by FA/inductively coupled plasma-optical spectrometry (ICP-OS). <p>Delta:</p> <ul style="list-style-type: none"> 1 m sampling of AC, RAB and RC. 5 m composites submitted to Genalysis and/or ALS laboratories Kalgoorlie for preparation, followed by aqua regia with 50 g charge with 0.01 ppm detection limit. Composite assays returning values ≥ 0.1 ppm Au, corresponding single metre samples were collected and submitted. <p>Ora Banda Mining Ltd (OBM):</p> <ul style="list-style-type: none"> 1 m RC samples using face sampling hammer with samples collected under cone splitter. 4 m composite RC samples collected using a PVC spear from the sample piles at the drill site. For drilling up to April 2020, RC samples were submitted for pulverising and 50 g charge FA. 4 m composite samples with gold values greater than 0.2 g/t Au were re-sampled as 1 m split samples and submitted to the lab for further analysis. Half-core samples, cut by automated core saw. Core sample intervals selected by geologist and defined by geological boundaries. Samples are crushed, pulverised and a 40 g charge is analysed by FA. A total of 56 holes were drilled by OBM, including three RCDD holes and 53 RC holes. <p>The information presented above is derived from OBM's JORC table for its 2022 Iguana MRE.</p> <p>Beacon Minerals</p> <ul style="list-style-type: none"> 1m RC samples using face hammer with samples collected under cone splitter. 4m composite AC samples collected via scoop on sample piles. 4 m composite samples with gold values greater than 0.2 g/t Au were re-sampled as 1 m split samples and submitted to the lab for further analysis. DD logged and full hole sampled utilising geology defined sample intervals. Core was halved or quartered depending on use and dispatched to the BV Cunningham facility.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
Drilling techniques	<p><i>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i></p>	<ul style="list-style-type: none"> All Assays conducted for Beacon Minerals were performed by BV Cunningham. Samples are crushed, pulverised and a 40 g charge is analysed by FA. <p>Aberfoyle:</p> <ul style="list-style-type: none"> No details for early RAB drilling. Later drilling involved RAB drilling using 4–4.25-inch blade or hammer to blade refusal. AC using 3.5-inch blade. RC 5.25–5.5-inch diameter face sampling hammer. <p>Croesus:</p> <ul style="list-style-type: none"> Undocumented details. Presumably industry standard at the time being 5.5-inch face sampling hammers for RC and 4-inch diameter RAB holes. <p>Delta:</p> <ul style="list-style-type: none"> RC 5.5-inch face sampling hammers. At times, a stepped AC bit was used to drill through sand at beginning of hole which changed to face-sampling hammer when laterite encountered. HQ triple twin DD holes at Lizard. LZD1-3 was oriented. <p>EGL:</p> <ul style="list-style-type: none"> RC 5.25-inch diameter. <p>Roper River Resources:</p> <ul style="list-style-type: none"> RAB with blade and/or hammer bit. RC drilling with 5.25-inch diameter face sampling hammer. <p>Monarch:</p> <ul style="list-style-type: none"> RC drilling 5.5-inch diameter with face sampling hammer. RAB 4-inch diameter blade with occasional hammer bit usage. AC details undocumented. <p>SMC:</p> <ul style="list-style-type: none"> AC, RAB, RC details undocumented. Presumably industry standard at the time being 5.5-inch face sampling hammers for RC and 4-inch diameter RAB holes.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<p>OBM:</p> <ul style="list-style-type: none"> • 5.25–5.5-inch diameter RC holes using face sampling hammer with samples collected under cone splitter. HQ and HQ3 coring to approx. 40 m, then NQ2 to bottom of hole. • Metallurgical and geotechnical core holes drilled using HQ3 exclusively. • All core oriented by reflex instrument. <p>The information presented above is derived from OBM's JORC table for its 2022 Iguana MRE.</p> <p>Beacon Minerals:</p> <ul style="list-style-type: none"> • RC drilling conducted by 115mm Hammer face bit. • AC drilling conducted utilising both Blade and Hammer methods, varying in bit size due to ground conditions • DD drilling was conducted in PQ3 or HQ3. Two holes were collared in PQ3 before casing off at approx. 70m depth to HQ3. Remaining holes were drilled HQ3 from collar.
Drill sample recovery	<p><i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></p> <p><i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></p> <p><i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i></p>	<p>Delta:</p> <ul style="list-style-type: none"> • Recoveries for resource RC drilling made as a subjective estimate. Recoveries in resource drilling were generally in excess of 70% (Iguana laterite), 60% (Lizard). Poor recoveries occurred outside mineralised zones. <p>OBM:</p> <ul style="list-style-type: none"> • DD drill recoveries are recorded as a percentage calculated from measured core against downhole drilled intervals (core blocks). • RC samples are weighed at the laboratory to monitor recoveries. <p>Other operators have not captured recovery data.</p> <p>There is no known relationship between sample recovery and grade.</p> <p>The information presented above is derived from OBM's JORC table for its 2022 Iguana MRE.</p> <p>Beacon Minerals:</p> <ul style="list-style-type: none"> • DD drill recoveries were recorded in logging and sampling processes, with noted core loss existing in upper weathering profiles

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> RC sample had recoveries recorded by percentage of material, significant material loss was present near surface due to unconsolidated sands AC sample had recoveries recorded in percentage, material retention was good to excellent from surface.
Logging	<p><i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i></p> <p><i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography.</i></p> <p><i>The total length and percentage of the relevant intersections logged.</i></p>	<p>Aberfoyle:</p> <ul style="list-style-type: none"> Logging on 1 m basis. Qualitative – lithology, oxidation, grain size. Quantitative – quartz. <p>Croesus:</p> <ul style="list-style-type: none"> Qualitative – lithology, colour, grain size, alteration, oxidation, texture, structures, regolith. Quantitative – estimates are made of quartz veining. <p>Delta:</p> <ul style="list-style-type: none"> Qualitative – lithology, colour, oxidation, structure, texture, alteration. Quantitative – estimates are made of quartz veining and minerals. <p>EGL:</p> <ul style="list-style-type: none"> Qualitative – alteration, colour, grain size, lithology, oxidation, mineralogy, structure, texture, vein style, vein assemblage, remarks. Quantitative – mineralisation intensity, vein percent. <p>Roper River Resources:</p> <ul style="list-style-type: none"> Qualitative – colour, lithology, oxidation, BOCO, texture, alteration, minerals, sulphides. Quantitative – quartz. <p>Monarch:</p> <ul style="list-style-type: none"> Qualitative – lithology, colour, oxidation, grain size, texture, structure, hardness, regolith. Quantitative – estimates are made of quartz veining, sulphide percentages. <p>SMC:</p> <ul style="list-style-type: none"> Qualitative – lithology, colour, oxidation, alteration. Quantitative – estimates are made of quartz veining.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<p>OBM:</p> <ul style="list-style-type: none"> Field logging was conducted using Geobank Mobile™ software on Panasonic Toughbook CF-31 ruggedised laptop computers. Qualitative logging – lithology, colour, oxidation, grain size, texture, structure, hardness, regolith. Quantitative – estimates are made of quartz veining, sulphide and alteration percentages. Core photographed both wet and dry. Magnetic susceptibility and rock quality designation (RQD) were also recorded for core holes. <p>All holes were geologically logged in their entirety to a level of detail to support Mineral Resource estimation.</p> <p>The information presented above is derived from OBM's JORC table for its 2022 Iguana MRE.</p> <p>Beacon Minerals:</p> <ul style="list-style-type: none"> Diamond Drilling- Logging was completed by competent contractors utilising Beacon logging template. Sampling was then conducted off the logging intervals. Reverse Circulation/ Air Core- Logging was conducted using chip samples, prepared by conducting both dry and wet sieves. Logging was done in accordance with the Beacon Logging code.
Subsampling techniques and sample preparation	<p><i>If core, whether cut or sawn and whether quarter, half or all core taken.</i></p> <p><i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i></p> <p><i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i></p> <p><i>Quality control procedures adopted for all subsampling stages to maximise representativity of samples.</i></p> <p><i>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</i></p>	<p>Aberfoyle:</p> <ul style="list-style-type: none"> Early (~1990) drilling – 2 m samples composited to 6m by undocumented method. Results returning >0.2 g/t re-sampled on a 2 m basis. Subsequent drilling – RAB/AC 2 m surface composites and 4 m composite thereafter. RC 1 m samples riffle split and composited to 4 m samples. Composite assays returning greater than 0.2 g/t re-sampled on a metre basis. <p>Croesus:</p> <ul style="list-style-type: none"> RAB drill samples were collected in buckets below a freestanding cyclone and laid out at 1 m intervals in rows of ten metres adjacent to the drill collar.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
	<p><i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i></p>	<ul style="list-style-type: none"> Composite analytical samples (~3.5 kg) were initially collected over 5 m intervals for each hole and a 1 m bottom of hole analytical sample. Analytical composite samples were collected by taking a representative scoop through each 1 m drill sample. Composite assays returning greater than 100 ppb Au were resampled on an individual basis by an undocumented method. RC drill samples were riffle split at 1 m intervals off the rig into calico bags whilst excess material was placed on the ground in 1 m piles for logging. The analytical samples were dried, crushed and split to obtain a sample less than 3.5 kg, and then fine pulverised prior to a 50 g sample being taken for analysis. <p>Delta:</p> <ul style="list-style-type: none"> RC: Samples collected on 1 m intervals via a cyclone into green plastic bags. Each bag was riffle split if dry to a 2–3 kg sample and retained on site. A PVC spear sample was taken from residues to create a 5 m composite. If composites returned values ≥ 0.1 g/t, geologically interesting or had elevated arsenic levels, the original 1 m splits were collected and submitted. Original wet samples were split at this stage using wet triple riffle splitter, washed between samples. Wet samples were rare and usually outside of main mineralisation. RAB: Typically 1 m samples were composited to 5 m (occasionally 10 m) by PVC spear. Significant assay results were re-submitted on a single metre basis. DD: Core was halved. Sample length typically 1 m. <p>EGL:</p> <ul style="list-style-type: none"> RC samples riffle split into calico bags. Wet or moist samples are noted during sampling. Core was cut with diamond saw and half core sampled. All mineralised zones are sampled, including portions of visibly unmineralised hangingwall and footwall zones. Sample weights range from >1.0 kg to 3.5 kg. Samples weighed by laboratory, dried and split to <3 kg if necessary and pulverised by LM-5. Field duplicates, blanks and standards were submitted for QAQC analysis. <p>Roper River Resources:</p> <ul style="list-style-type: none"> RAB and RC holes were composited to 6 m and 4 m respectively with anomalous zones of nickel or gold being resubmitted on a metre basis.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<p>Monarch:</p> <ul style="list-style-type: none"> • RAB: 2 – 4 m composites scoop sampled. • AC and RC 1 m splits via riffle splitter. • RAB samples were composited to 4 m by scoop for initial analysis. Samples were riffle split and prepared with single stage mix and grinding. <p>SMC:</p> <ul style="list-style-type: none"> • RAB samples were collected at 1 m intervals from the drillhole collar using a plastic bucket and laid on the ground. A scoop sample was taken from each sample to form 4 m or 5 m composite. • AC: Predominantly 4 m composite samples. Methods unknown. • RAB samples were collected at 1 m intervals from the drillhole collar using a plastic bucket and laid on the ground. A scoop sample was taken from each sample to form a 5 m composite. • AC: Predominantly 4 m composite samples. • RAB: Predominantly 5 m composite samples. <p>OBM:</p> <ul style="list-style-type: none"> • RC samples were submitted either as individual 1 m samples taken onsite from cone splitter or as 4 m composite samples speared from the onsite drill sample piles. Half-core samples, cut by saw. Core sample intervals selected by geologist and defined by geological boundaries. • For drilling up to April 2020, RC samples were dried, crushed, split, pulverised and a 50 g charge taken. 4 m composite samples with gold values greater than 0.2 g/t Au were re-sampled as 1 m split samples and submitted to the lab for further analysis. • Field duplicates, blanks and standards were submitted for quality assurance and quality control (QAQC) analysis. Repeat assays were undertaken on pulp samples at the discretion of the laboratory. <p>The information presented above is derived from OBM's JORC table for its 2022 Iguana MRE.</p> <p>Beacon Minerals:</p>

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> RC/AC samples were submitted either as individual 1 m samples taken onsite from cone splitter or as 4 m composite samples scooped from the onsite drill sample piles. Any 4m composites which exceeded 0.3g/t or where otherwise noted as anomalous were selected for re-sample and had 1m sample bags dispatched to the lab with these results over-writing the prior composite results DD drill were half-core samples, cut by saw. Core sample intervals selected by geologist and defined by geological boundaries. <p>Field duplicates, blanks and standards were submitted for quality assurance and quality control (QAQC) analysis. Repeat assays were undertaken on pulp samples at the discretion of the laboratory.</p>

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> Samples were sent to Kalgoorlie Assay Laboratories to be analysed for gold by 40 g FA. Samples were also analysed at Genalysis. Certified reference material (CRM) standards were submitted. Field duplicate samples taken at rate of 1:40. <p>Roper River Resources:</p> <ul style="list-style-type: none"> 25 g sample by aqua regia/AAS finish at MiniLab Kalgoorlie. Lab repeats at discretion of laboratory. <p>Monarch:</p> <ul style="list-style-type: none"> RAB and AC: Assayed by aqua regia/AAS with 10 ppb detection limit. RC: 50 g charge FA/AAS at SGS Kalgoorlie. <p>SMC:</p> <ul style="list-style-type: none"> FA, undocumented charge and laboratory. <p>OBM:</p> <ul style="list-style-type: none"> Up to April 2020, all samples were sent to an accredited laboratory (Nagrom Laboratories in Perth, Intertek-Genalysis in Kalgoorlie or SGS in Kalgoorlie). The samples have been analysed by firing a 50 g portion of the sample. This is the classical fire assay process and will give total separation of gold. An ICP-OES finish is used. Commercially prepared standard samples and blanks are inserted in the sample stream at a rate of 1:12. Sizing results (percentage of pulverised sample passing a 75 µm mesh) are undertaken on approximately 1 in 40 samples. The accuracy (standards) and precision (repeats) of assaying are acceptable. Standards and blanks were inserted into the sample stream at a rate of approximately 1:12. Duplicates were submitted at a rate of approximately 1:30. Fire assay is considered a total technique, aqua regia is considered partial. <p>Beacon Minerals:</p> <ul style="list-style-type: none"> All assay work was conducted by BV Cunningham utilising FA/AAS analysis with 40g charge. Beacon Minerals submitted QA/QC samples every 20 samples utilising multiple different CRM providers.
Verification of sampling and assaying	<p><i>The verification of significant intersections by either independent or alternative company personnel.</i></p> <p><i>The use of twinned holes.</i></p>	<p>Holes are not deliberately twinned in Iguana area.</p> <p>Monarch:</p>

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
	<p><i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></p> <p><i>Discuss any adjustment to assay data.</i></p>	<ul style="list-style-type: none"> Geological and sample data was logged digitally and .csv or .xls files imported into Datashed SQL database with in-built validation. Samples bags were placed into numbered plastic bags and then cable tied. Samples collected daily from site by laboratory. <p>EGL:</p> <ul style="list-style-type: none"> Geological and sample data logged directly into field computer at the core yard using Field Marshall. Data is transferred to Perth via email and imported into Geobank SQL database by the database administrator (DBA). Assay files are received in .csv format and loaded directly into the database by the DBA. Hardcopy and/or digital copies of data are kept for reference if necessary. <p>OBM:</p> <ul style="list-style-type: none"> Geological and sample data logged directly into field computer at the drill rig or core yard using Field Marshall or Geobank Mobile. Data is transferred to Perth via email and imported into Geobank SQL database by the DBA. Assay files are received in .csv format and loaded directly into the database by the DBA. Hardcopy and/or digital copies of data are kept for reference if necessary. <p>Data entry, verification and storage protocols for remaining operators is unknown.</p> <p>The information presented above is derived from OBM's JORC table for its 2022 Iguana MRE.</p> <p>Beacon Minerals:</p> <ul style="list-style-type: none"> Geological and sampling data was entered directly into a formatted excel file in the field which was then verified. Data was then formatted and imported into a secured on-site database by a suitably qualified database geologist

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
Location of data points	<p><i>Accuracy and quality of surveys used to locate drillholes (collar and downhole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></p> <p><i>Specification of the grid system used.</i></p> <p><i>Quality and adequacy of topographic control.</i></p>	<p>Aberfoyle:</p> <ul style="list-style-type: none"> • All drilling not surveyed. Collars located on AMG Zone 51 Grid utilised. <p>Croesus:</p> <ul style="list-style-type: none"> • TGRC holes were collar surveyed in AMG Zone 51 Grid. No downhole surveys. <p>Delta:</p> <ul style="list-style-type: none"> • All drillholes used for resource definition surveyed by Minecomp. All post-1993 RC and DD holes downhole surveyed using EMS or Eastman single shot where possible. Where not possible, data from proximal holes was used. LAD and LZC, LZD, LAC, and selected G prefixed holes downhole surveyed by undocumented method approximately every 10 m. Many RAB holes appear to be collar surveyed. • AMG Zone 51 Grid utilised except for holes in the Nyborgs region where a local grid (Lady Ida) was utilised. <p>EGL:</p> <ul style="list-style-type: none"> • Collars were surveyed by differential global positioning system (GPS) in MGA Zone 51. No downhole surveying performed. <p>Roper River Resources:</p> <ul style="list-style-type: none"> • No surveys post drilling. AMG Zone 51 Grid utilised. <p>Monarch:</p> <ul style="list-style-type: none"> • RC and some AC collars surveyed by differential GPS. All remaining holes surveyed by GPS. MGA Zone 51 Grid utilised. IGRC holes were downhole surveyed by EMS every 5 m. RC drilling was surveyed by Electronic Multi-shot on selected holes. <p>SMC:</p> <ul style="list-style-type: none"> • No evidence of post drilling surveys, MGA Zone 51 Grid utilised. <p>OBM:</p> <ul style="list-style-type: none"> • (RC, DD) MGA94, Zone 51. Drillhole collar positions were picked up by a contract surveyor using RTK GPS subsequent to drilling. • Drillhole, downhole surveys are recorded every 30 m using a reflex digital downhole camera. Some RC holes not surveyed if holes short and/or drilling an early-stage exploration project. DD drillholes completed in 2019 and 2020 by OBM were surveyed using a Gyro tool.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<p>The information presented above is derived from OBM's JORC table for its 2022 Iguana MRE.</p> <p>Beacon Minerals:</p> <ul style="list-style-type: none"> • Collars were picked up by a qualified surveyor in MGA94 Z 51 format utilising a RTK GPS and appropriately set control. Locations were also cross checked with hand held GPS. • DD Holes were surveyed using a Reflex Continuous Gyro system. • RC Holes were surveyed at EOH depth only, with a partial portion of the program surveyed 6m (1 rod) from EOH to avoid loss of instrument or hole collapse.
Data spacing and distribution	<p><i>Data spacing for reporting of Exploration Results.</i></p> <p><i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></p> <p><i>Whether sample compositing has been applied.</i></p>	<ul style="list-style-type: none"> • Exploration results are reported for single holes only. • Data spacing highly variable from wide spaced ~800 m x ~80 m regional RAB to close spaced resource drilling ~10 m x ~10 m and grade control drilling at ~5 m x ~5 m. • Drillhole spacing is adequate to establish geological and grade continuity for the Iguana deposit. • Drill composites have been length weighted, 0.5 g/t lower cut-off, not top cut, maximum 3 m internal dilution.
Orientation of data in relation to geological structure	<p><i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i></p> <p><i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></p>	<ul style="list-style-type: none"> • Deposits in the Lady Ida area are generally oriented on northwest trends. Once the orientation of mineralisation was established, drilling was mostly oriented towards 90° with Iguana grade control oriented towards 45°. • Drilling of laterite mineralisation is almost exclusively vertical in nature. The Iguana Deposit presents multiple orientations of mineralisation which include both near vertical sets and shallow dipping mineralisation zones.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> Drilling in the Iguana region has primarily been focused on -60° dipping holes, either East or West orientated. Recent drilling by Beacon Minerals replicated prior RC drilling orientations in the region. The narrowest orientation of the orezone is its east-west extents. In addition though many different mineralised orientations are present, they are predominantly steep in angle facilitating east and west orientation drilling being the most suitable approach for mineralisation defining.
Sample security	<i>The measures taken to ensure sample security.</i>	<p>Unknown for all drilling except for the following:</p> <ul style="list-style-type: none"> Monarch: Sample calicos were placed into numbered plastic bags and cable tied. Any samples going to SGS were collected daily by the lab. Samples sent to ALS were placed into sample crates and sent via courier on a weekly basis. EGL: Samples were bagged, tied and in a secure yard. Once submitted to the laboratories they are stored in cages within a secure fenced compound. Samples are tracked through the laboratory via their LIMS. OBM: Samples were bagged, tied and stored in a secure yard on site. Once submitted to the laboratories they were stored in cages within a secure fenced compound. Samples are tracked through the laboratory via their LIMS. Beacon Minerals: Samples were collected from the field and immediately recorded, and dispatched to BV Cunningham utilising Beacon employees or appropriately qualified contractors
Audits or reviews	<i>The results of any audits or reviews of sampling techniques and data.</i>	OBM has reviewed historical digital data, particularly from the Iguana deposit, and compared it to hardcopy and digital (including WAMEX) records.

Section 2: Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<p><i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i></p> <p><i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i></p>	The Lady Ida Project consist of M16/262 (the Iguana Deposit is located on M16/262), M16/263, M16/264, L15/224, L16/58, L16/62, L16/103, L16/138 and application L16/142 which is the ground the subject of the Earn-In, JV and Tenement Transfer Agreement between the Company, Beacon Mining Pty Ltd, Lamerton Pty Ltd and Geoda Pty Ltd.
Exploration done by other parties	<i>Acknowledgment and appraisal of exploration by other parties.</i>	Drilling, sampling and assay procedures and methods as stated in the database and confirmed from WAMEX reports and hardcopy records are considered acceptable and to industry standards of the time. There is sufficient understanding of drilling, sampling and assay methodologies for the majority of drilling in the Lady Ida area. BCN is confident that previous operators completed work to standards considered acceptable for the time.
Geology	<i>Deposit type, geological setting and style of mineralisation.</i>	<p>The project is located along the inferred trace of the Ida Fault, a north-south trending deep-seated crustal structure juxtaposing batholithic granites and subordinate basalt and banded iron formation of the Southern Cross Province against greenstones of the Eastern Goldfields Province.</p> <p>The Eastern Goldfields Province sequences are metamorphosed to amphibolite facies and dominated by tholeiitic to komatiitic basalts, tremolite-chlorite rich ultramafics and psammitic to pelitic sediments. The regional stratigraphy trends north-northwest, sub-parallel to the Ida Fault, and the regional dip is sub-vertical. The structural complexity of the area, including inferred thrusts, fault splays and crosscutting shears, presents good potential for additional trap sites.</p> <p>The resource at Iguana is dominantly hosted in a highly sheared, silica-muscovite-carbonate altered, tholeiitic metabasalt and sediments of lower to mid amphibolite facies. It is interpreted as being controlled by imbricate thrusts contained between two north-south trending faults. Ultramafic units lie to the west and the mafic-sedimentary package lies to the east. Post-mineralisation pegmatite dykes attain considerable thickness in places and stope out mineralisation.</p>
Drillhole information	<p><i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drillholes:</i></p> <ul style="list-style-type: none"> • <i>easting and northing of the drillhole collar</i> • <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drillhole collar</i> 	Refer to the collar information provided in this report for all Released RC Holes

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> <i>dip and azimuth of the hole</i> <i>downhole length and interception depth</i> <i>hole length.</i> 	
Data aggregation methods	<p><i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</i></p> <p><i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i></p> <p><i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i></p>	Mineral intercepts are reported as raw, with no top cutting conducted. Mineral intercepts reported have an Au value greater than 0.5g/t. Internal dilution is restricted to 3m or less within intercept intervals. Metal equivalent calculations are not required as the Iguana project is gold only
Relationship between mineralisation widths and intercept lengths	<p><i>These relationships are particularly important in the reporting of Exploration Results.</i></p> <p><i>If the geometry of the mineralisation with respect to the drillhole angle is known, its nature should be reported.</i></p> <p><i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'downhole length, true width not known').</i></p>	Mineral intercepts have been recorded as downhole widths. The multiple different orientations of mineralisation present, with not all visually identifiable means an accurate true width is not possible.
Diagrams	<p><i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drillhole collar locations and appropriate sectional views.</i></p>	See plan and cross-section views provided in this report.
Balanced reporting	<p><i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practised to avoid misleading reporting of Exploration Results.</i></p>	Beacon Minerals is reporting only significant intercepts as prior outlined (greater than 0.5g/t zone, with less than 3m of internal dilution). All drillhole zones not tabularised in this report can be interpreted as being insignificant in relation to Au grades.
Other substantive exploration data	<p><i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i></p>	Iguana has no known reported metallurgical issues. Primary ore was previously mined by Delta in the early 2000s with ore treated at the Greenfields processing plant in Coolgardie. Recovery and reconciliation figures are unknown.
Further work	<p><i>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).</i></p>	Further resource work is ongoing, with new data currently being incorporated into an updated resource model.

Criteria	JORC Code explanation	Commentary
	<i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i>	

Personal Use Only