

15 January 2026

Aurum hits high-grade gold intercepts at Boundiali's BDT2 Deposit, Côte d'Ivoire

Aurum Resources (ASX: AUE, "Aurum" or "the Company") is pleased to announce encouraging high-grade gold results from its ongoing 100,000m infill drilling program at the 2.41Moz Boundiali Gold Project¹ in Côte d'Ivoire. The drilling is designed to grow and increase confidence in Mineral Resources at Boundiali's BDT2 deposit and has successfully confirmed multiple high-grade gold intercepts.

Encouraging new drill intercepts include²:

- **BDT2 Deposit:**
 - **4.03m @ 10.22 g/t Au** from 13.50m inc. **1.50m @ 27.13 g/t Au** (DSDD0290)
 - **7.15m @ 4.71 g/t Au** from 121.15m inc. **1m @ 31.24 g/t Au** (DSDD0288)
 - **40.40m @ 0.59 g/t Au** from 176.60m inc. **1m @ 4.62 g/t Au** (DSDD0320)
 - **20m @ 1.18 g/t Au** from 136m inc. **1m @ 8.80 g/t Au** (DSDD0292)
 - **17m @ 1.33 g/t Au** from 118m inc. **4m @ 2.83 g/t Au** (DSDD0310)
 - **15m @ 1.41 g/t Au** from 93.80m inc. **5.76m @ 2.29 g/t Au** (DSDD0271)

Project Growth & Development:

- **Mineralisation remains open:** Gold mineralisation remains open along strike and at depth, indicating significant potential for resource growth.
- **Strong Catalyst Pipeline:** Updated Mineral Resource Estimates (**MRE**) for Boundiali (2.41Moz) and Napié (0.87Moz), along with the Boundiali Pre-Feasibility Study (**PFS**), are all scheduled for release in **Q1 CY2026**.
- **Aggressive 2026 Growth:** Planning **100,000m** of diamond drilling at Boundiali for 2026, with two additional MRE updates targeted for mid and late year. Another **30,000m** diamond drilling planned for Napié.
- **Well-Funded:** Robust unaudited cash balance of **~\$40.1M** as of 31 December 2025 to fund 2026 development and exploration.

Aurum's Managing Director Dr. Caigen Wang said: "We have again hit shallow high-grade gold intercepts at BDT2 with these new results set to deliver both growth of our gold resources and increased confidence. Gold mineralisation remains open and, on some sections, we have extended gold mineralisation by up to 180m below the current resource.

These new holes will be used in the upcoming resource update at Boundiali. Drilling is ongoing and we are awaiting final assays, which we will use for the planned MRE update in Q1 CY2026.

Our unique advantage is our owned and operated fleet of 12 diamond drill rigs, which allows us to aggressively and cost-effectively test these major gold systems. We have 12 diamond drill rigs active at Boundiali on multiple deposits and we continue to drill with two rigs at Napié, as we focus on delivering an increase in quantity and confidence in our Mineral Resources.

With \$40M in the bank and a clear pathway to deliver a Pre-Feasibility Study (PFS) and move towards a Definitive Feasibility Study (DFS) for our Boundiali Project in late 2026, we are strategically well positioned to deliver significant value from across our portfolio this year."

¹ "Boundiali indicated gold resources grows by 53% in two month" released to the Australian Securities Exchange on 6 October 2025 and available to view on www.asx.com.au
² Refer to tables accompanying this report for collar location information and assay results for the new drilling

New Drilling – Boundiali Gold Project³

Aurum is reporting new assay results from infill and step-back diamond drilling (39 holes for 10,710.90m). These results are from the **BDT2** deposit located on the **BD** tenement (80% interest).

BDT2 - Latest Drill Results

Better intercepts from drilling include⁴:

- **4.03m @ 10.22 g/t Au** from 13.50m inc. **1.50m @ 27.13 g/t Au** (DSDD0290)
- **7.15m @ 4.71 g/t Au** from 121.15m inc. **1m @ 31.24 g/t Au** (DSDD0288)
- **40.40m @ 0.59 g/t Au** from 176.60m inc. **1m @ 4.62 g/t Au** (DSDD0320)
- **20m @ 1.18 g/t Au** from 136m inc. **1m @ 8.80 g/t Au** (DSDD0292)
- **17m @ 1.33 g/t Au** from 118m inc. **4m @ 2.83 g/t Au** (DSDD0310)
- **15m @ 1.41 g/t Au** from 93.80m inc. **5.76m @ 2.29 g/t Au** (DSDD0271)
- **20m @ 1.00 g/t Au** from 448m inc. **0.95m @ 13.43 g/t Au** (DSDD0281)
- **19m @ 0.98 g/t Au** from 130m inc. **1.90m @ 4.45 g/t Au** (DSDD0305).

These new results are in addition to diamond holes drilled and reported⁵ by Aurum at **BDT2**, which included:

- **74m @ 1.00 g/t Au** from 167m inc. **1m @ 24.73 g/t Au** (DSDD0044)
- **18m @ 3.93 g/t Au** from 198m inc. **5m @ 11.07 g/t Au** (DSDD0267)
- **2m @ 22.86 g/t Au** from 297m (DSDD0240)
- **28m @ 1.54 g/t Au** from 82m inc. **4m @ 7.51 g/t Au** (DSDD0265)
- **2m @ 16.67 g/t Au** from 29.50m (DSDD0218)
- **16m @ 1.79 g/t Au** from 347m inc. **4m @ 6.36 g/t Au** (DSDD0235)
- **33m @ 0.84 g/t Au** from 146m inc. **1m @ 9.95 g/t Au** (DSDD0046)
- **33m @ 0.84 g/t Au** from 341m inc. **6m @ 2.03 g/t Au** (DSDD0123A)
- **15.78m @ 1.70 g/t Au** from 121.22m inc. **6m @ 2.99 g/t Au** (DSDD0110)
- **10.50m @ 2.39 g/t Au** from 43.50m inc. **1m @ 22.81 g/t Au** (DSDD0254)
- **13.88m @ 1.45 g/t Au** from 377m inc. **1m @ 14.79 g/t Au** (DSDD0123A)
- **18.15m @ 0.80 g/t Au** from 190.85m inc. **4m @ 2.53 g/t Au** (DSDD0243)
- **26.91m @ 0.47 g/t Au** from 51.31m inc. **1m @ 3.28 g/t Au** (DSDD0237).

The **BDT2** gold deposit lies within a previously underexplored **13km by 3km mineralised corridor**. Gold mineralisation is hosted in a thick, north-south trending sandstone unit, positioned between hanging wall and footwall volcano-sedimentary rocks. The gold which is free milling⁶ is associated with fine disseminated pyrite and an alteration assemblage of hematite, silica, chlorite, tourmaline, quartz veinlets, albite, and carbonate. True widths for these shallow, wide gold intercepts are estimated at about 65% - 80% of reported downhole lengths.

Details of drill collar location and assay results and intercepts for the new drilling at **BDT2** can be found in Table 2. Plans showing location of the Boundiali Gold Project and the assay results are presented in the following figures: general

³ Refer to About Aurum's Boundiali Gold Project

⁴ Refer to Table 1 for collar information and Table 2 for assay results for the new drilling

⁵ Refer to Compliance Statement for details on previous reporting on ASX

⁶ ASX release dated 23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali

locations in Figure 1 and Figure 2, and project details in Figure 3. A detailed plan showing the new drill results is presented in Figure 4 and a cross section showing the latest drill results is presented in Figure 5.

Gold mineralisation at **BDT2** remains open along strike and at depth on all deposits with drilling ongoing and Aurum is planning further work.

Next Steps:

- **Aggressive cost-effective exploration:** Aurum is committed to a large-scale exploration program at its two projects in Côte d'Ivoire. This includes:
 - **100,000m diamond drilling at Boundiali⁷:** Up to 12 diamond drill rigs will complete 100,000m of drilling at Boundiali in CY2026. The program aims to:
 - Increase the size and confidence of current resources
 - Advance known prospects for incorporation into the next MRE update
 - Target new prospects identified through soil anomalies and geological mapping to drive resource growth into 2026.
 - **Resource expansion:** Drilling aims to expand the known resources at Boundiali's **BD**, **BM**, and **BST** deposits.
 - **New discoveries:** Exploration and scout drilling is planned on Boundiali's **BD**, **BM**, and **BST** tenements to test new targets and create a pipeline of new discoveries to flow into resource growth.
 - **Napié exploration drilling:** A 30,000m diamond drilling program is continuing at the Napié Gold Project, designed to expand the existing 0.87Moz resource.
 - **Resource updates:** Aurum plans to deliver a significant **MRE update** for both Boundiali and Napié in Q1 CY2026, with further updates planned for Boundiali in mid and late 2026.
- **Boundiali Pre-Feasibility Study:** Aurum is working towards completing an open-pit PFS for the Boundiali Gold Project with completion expected in Q1 CY2026. This will provide an evaluation of the project's economic and technical feasibility.
- **Continued growth:** With a strong financial position, Aurum is well-funded to execute these exploration and development plans. The Company remains focused on delivering value for shareholders through resource growth and project advancement.

This update has been authorised by the Board of Aurum Resources Limited.

ENDS

⁷ This program is indicative only and subject to change based on operational requirements and exploration results. Meterage allocations may be adjusted as new information becomes available. Investors should refer to company announcements for updates on the drilling program and be aware of the inherent risks associated with mineral exploration.

FORWARD-LOOKING STATEMENTS

This ASX release contains forward-looking statements about Aurum Resources Limited's exploration activities, drilling programs, and potential Mineral Resource Estimate at the Boundiali and Napié Gold Projects. These statements are based on current expectations and are subject to risks and uncertainties inherent in mineral exploration and mining. Factors that could cause actual results to differ materially include exploration risks, drilling results, resource estimation, gold prices, operational risks, regulatory changes, and broader economic conditions. Investors should not place undue reliance on these forward-looking statements.

COMPETENT PERSON'S STATEMENT

The information in this release that relates to Exploration Targets and Exploration Results is based on information compiled by Mr Mark Strizek, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Strizek has been a non-executive Director of the Company since 1 February 2024 and joined as an executive Director on 1 June 2024. Mr Strizek has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaking to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Strizek consents to the inclusion in the announcement of the matters based on his information in the form and context in which it appears. Additionally, Mr Strizek confirms that the entity is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this presentation.

COMPLIANCE STATEMENT

The information in this presentation that relates to Boundiali Mineral Resources is extracted from the announcement "Boundiali indicated gold resources grows by 53% in two month" released to the Australian Securities Exchange on 6 October 2025 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this report that relates to Napié Mineral Resources is extracted from the announcement "Napié Project Listing Rule 5.6 disclosure" released to the Australian Securities Exchange on 4 February 2025 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially modified from the original market announcement.

This report contains information extracted from ASX market announcements reported in accordance with the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" ("2012 JORC Code") and available for viewing at www.asx.com.au and includes results reported previously and published on ASX platform:

7 Jan 2026, Aurum advances Boundiali development with 3 ML Applications (ASX:AUE)
 19 Dec 2025, More high grade gold intercepts at BMT3 in Boundiali (ASX:AUE)
 11 Dec 2025, Drilling at Napié Extends Gold Mineralisation to 400m Depth (ASX:AUE)
 28 Nov 2025, Aurum completes \$22.98M Montage share sale (ASX:AUE)
 18 Nov 2025, Aurum hits 3.10m @ 70.78 g/t gold from 112.90m at Boundiali (ASX:AUE)
 07 Nov 2025, Aurum hits 5m @ 11.07 g/t gold from outside BDT2 resources (ASX:AUE)
 06 Nov 2025, Addendum to the 2025 Annual Report (ASX:AUE)
 30 Oct 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 27 Oct 2025, Aurum hits 0.8m @ 350 g/t gold at Boundiali Gold Project (ASX:AUE)
 06 Oct 2025, Boundiali indicated gold resources grows by 53% in two month (ASX:AUE)
 29 Sep 2025, Aurum hits 1m @ 152.35 g/t gold from 96m at Boundiali (ASX:AUE)
 10 Sep 2025, Aurum hits 17m @ 9.38 g/t gold from 236m at Napié (ASX:AUE)
 01 Sep 2025, Aurum expands footprint of Boundiali and Napié Gold Projects (ASX:AUE)
 05 Aug 2025, Boundiali Gold Project Resource grows ~50% to 2.41Moz (ASX:AUE)
 29 Jul 2025, Encouraging Drilling Results at BD & BST (ASX:AUE)
 25 Jul 2025, Aurum hits 1.43m at 234.35 g/t gold from 107m at BMT3 (ASX:AUE)
 23 Jul 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 15 Jul 2025, 100 million share placement to strategic investors completed (ASX:AUE)
 27 Jun 2025, Aurum commenced 30,000m diamond drilling at Napié (ASX:AUE)
 17 Jun 2025, AUE hits 66m @ 1.07g/t gold from 33m @ Boundiali BD tenement (ASX:AUE)
 27 May 25, AUE expands Boundiali Gold Project exploration ground (ASX:AUE)
 21 May 25, AUE hits 34m @ 2.32g/t gold from 56m @ Boundiali BD tenement (ASX:AUE)
 13 May 25, Assay Results at Boundiali BM Tenement (Amended) (ASX:AUE)
 13 May 25, Aurum hits 73.10 g/t gold at Boundiali BM tenement (ASX:AUE)
 07 May 2025, Aurum to raise \$35.6 million from strategic investment (ASX:AUE)
 16 Apr 2025, AUE hits 89m @ 2.42 g/t gold at 1.59Moz Boundiali Project (ASX:AUE)
 08 Apr 2025, AUE to start diamond drilling at Boundiali South tenement (ASX:AUE)
 31 Mar 2025, AUE to commence environmental study - Boundiali Gold Project (ASX:AUE)
 27 Mar 2025, Aurum hits 83m @ 4.87 g/t Au at 1.59Moz Boundiali Project (ASX:AUE)
 19 Mar 2025, Hits 4m at 54.64 g/t Au outside 1.59Moz Boundiali MRE area (ASX:AUE)
 14 Mar 2025, Half Yearly Report and Accounts (ASX:AUE)
 7 Mar 25, Investor Presentation March 2025 (ASX:AUE)
 6 Mar 25, AUE Completes Acquisition of Mako Gold Limited (ASX:AUE)
 27 Feb 25, 12m at 22.02g/t from 145m outside 1.59Moz Boundiali MRE area (ASX:AUE)
 21 Feb 2025, 8m at 8.23g/t from 65m outside 1.59Moz Boundiali MRE area (ASX:AUE)
 4 Feb 2025, Napié Project Listing Rule 5.6 Disclosure (Amended) (ASX:AUE)
 3 Feb 2025, Mako Takeover Offer Closes (ASX:AUE)
 31 Jan 2025, Drill Collar Table Addendum (ASX:AUE)
 31 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
 31 Jan 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 30 Jan 2025, Aurum hits 150 g/t gold at Boundiali, Côte d'Ivoire (ASX:AUE)
 29 Jan 2025, MKG - Suspension of Trading and Delisting From ASX (ASX:AUE)
 24 Jan 2025, Compulsory Acquisition Notice Mako Takeover (ASX:AUE)
 24 Jan 2025, Non-Binding MoU with SANY Heavy Equipment Co (ASX:AUE)
 23 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
 9 Jan 2025, Best and Final offer for Mako Gold Limited (ASX:AUE)
 31 Dec 2024, Boundiali Project Maiden Resource delivers 1.6 Moz (amended) (ASX:AUE)
 30 Dec 2024, Boundiali Gold Project Maiden Resource delivers 1.6 Moz (ASX:AUE)
 24 Dec 2024, Change in substantial holding for MKG (ASX:AUE)
 23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali (ASX:AUE)
 18 Dec 2024, Aurum hits 277 g/t gold at Boundiali BM Target 3
 13 Dec 2024, Change of Directors and Addition of Joint Company Secretary (ASX:AUE & ASX:MKG)
 6 Dec 2024, AUE receives firm commitments for A\$10 million placement (ASX:AUE)
 29 Nov 2024, Aurum earns 80% interest in Boundiali BM tenement (ASX:AUE)
 28 Nov 2024, AUE appoints Mr. Steve Zaninovich as Non-Executive Director (ASX:AUE)
 22 Nov 2024, AUE Declares Takeover Offer for all MKG Shares Unconditional (ASX:AUE)
 15 Nov 2024, Supplementary Bidders Statement (ASX:AUE)
 11 Nov 2024, Aurum hits 36 g/t gold at BM T1 of 2.5km strike (ASX:AUE)
 30 Oct 2024, Bidders Statement (ASX:AUE)
 16 Oct 2024, Recommended Takeover of Mako Gold By Aurum Resources (ASX:AUE)
 09 Sep 2024, Aurum earns 51% interest in Boundiali BM tenement (ASX:AUE)
 05 Sep 2024, AUE hits 40m at 1.03 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 03 Sep 2024, Boundiali South Exploration Licence Renewed (ASX:AUE)
 07 Aug 2024, Aurum to advance met studies for Boundiali Gold Project (ASX:AUE)
 22 July 2024, Prelim metallurgical tests deliver up to 99% gold recovery (ASX:AUE)
 17 June 2024, Aurum hits 69m at 1.05 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 28 May 2024, AUE hits 163 g/t gold in 12m @ 14.56 g/t gold at BD Target 1 (ASX:AUE)
 24 May 2024, Aurum hits 74m @ 1.0 g/t gold at Boundiali BD Target 2 (ASX:AUE)
 15 May 2024, Aurum expands Boundiali Gold Project footprint (ASX:AUE)
 10 May 2024, AUE hits 90m @ 1.16 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 01 May 2024, Aurum Appoints Country Manager in Côte d'Ivoire (ASX:AUE)
 23 April 2024, AUE drilling hits up to 45 g/t gold at Boundiali BD Target 2 (ASX:AUE)
 19 March 2024, AUE signs binding term sheet for 100% of Boundiali South (ASX:AUE)
 12 March 2024, AUE hits 73m at 2.15g/t Inc. 1m at 72g/t gold at Boundiali (ASX:AUE)
 01 March 2024, Aurum hits 4m at 22 g/t gold in Boundiali diamond drilling (ASX:AUE)
 22 January 2024, Aurum hits shallow, wide gold intercepts at Boundiali, Côte d'Ivoire (ASX:AUE)
 21 December 2023, Rapid Drilling at Boundiali Gold Project (ASX:AUE)
 21 November 2023, AUE Acquisition Presentation (ASX:AUE)
 21 June 2021, Notice of General Meeting/Proxy Form (MSR:ASX)
 21 May 2021, PlusOr to Acquire 6194 sq kms Ground Position in Côte d'Ivoire (MSR:ASX)
 22 August 2019, Boundiali RC Drill Results Continue to Impress (PDI:ASX)
 15 July 2019, RC, Trench Results Grow Boundiali Potential In Côte d'Ivoire (PDI:ASX)
 27 May 2019, New Drill Results Strengthen Boundiali Project Côte d'Ivoire (PDI:ASX)
 16 January 2019, PDI-Toro JV Sharpens Focus with Major Drilling Program (PDI:ASX)
 26 November 2018, Boundiali North - Large Coherent Gold Anomalies in 14km Zone (PDI:ASX)

The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcements.




Figure 1: Location of Aurum's projects in Côte d'Ivoire




Figure 2: Location of Aurum's Boundiali and Napié gold projects in Côte d'Ivoire




Figure 3: Aurum's Boundiali Gold Project




Figure 4: Plan view showing new drill results (yellow) for BDT⁸

⁸ Only showing new holes with intercepts greater than 7.5 gold gram metres, full list of new intercepts included in assay results table.




Figure 5: Cross Section looking north (+/-25m) showing new drill results (yellow) for BDT2⁹

⁹ Only showing new holes with intercepts greater than 7.5 gold gram metres, full list of new intercepts included in assay results table.

Table 1: Drill collar information for holes drilled at BDT2

Hole ID	UTM East Zone 29N	UTM North Zone 29N	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
DSDD0270	788,904	1,059,149	361	231.40	270	-50	BDT2	DD
DSDD0271	789,147	1,059,196	357	386.30	270	-50	BDT2	DD
DSDD0272	789,000	1,059,149	359	208.45	270	-50	BDT2	DD
DSDD0273	789,150	1,059,099	355	491.00	270	-50	BDT2	DD
DSDD0274	789,103	1,059,152	357	332.50	270	-50	BDT2	DD
DSDD0275	789,300	1,059,199	354	402.90	270	-50	BDT2	DD
DSDD0276	789,000	1,058,949	357	429.15	270	-50	BDT2	DD
DSDD0277	789,250	1,059,099	354	251.35	270	-50	BDT2	DD
DSDD0278A	789,197	1,059,150	355	358.60	270	-50	BDT2	DD
DSDD0279	788,750	1,059,250	365	115.15	270	-50	BDT2	DD
DSDD0280	789,420	1,059,199	353	357.60	270	-50	BDT2	DD
DSDD0281	789,350	1,059,101	352	520.70	270	-50	BDT2	DD
DSDD0282	788,802	1,059,248	365	159.75	270	-50	BDT2	DD
DSDD0283	788,750	1,059,300	362	206.40	270	-50	BDT2	DD
DSDD0284	788,842	1,059,251	363	250.20	270	-50	BDT2	DD
DSDD0285	789,300	1,059,150	354	462.90	270	-50	BDT2	DD
DSDD0286	788,700	1,059,350	367	162.45	270	-50	BDT2	DD
DSDD0287	788,800	1,059,350	365	153.85	270	-50	BDT2	DD
DSDD0288	789,000	1,059,250	361	325.15	270	-50	BDT2	DD
DSDD0289	788,700	1,059,400	367	151.10	270	-50	BDT2	DD
DSDD0290	789,005	1,059,350	362	106.10	270	-50	BDT2	DD
DSDD0291	788,712	1,059,450	368	164.15	270	-50	BDT2	DD
DSDD0292	789,048	1,059,350	362	185.90	270	-50	BDT2	DD
DSDD0293	788,800	1,059,400	366	196.60	270	-50	BDT2	DD
DSDD0294	788,803	1,059,450	365	146.20	270	-50	BDT2	DD
DSDD0296	789,100	1,059,250	359	373.40	270	-55	BDT2	DD
DSDD0297	788,950	1,059,400	364	260.80	270	-50	BDT2	DD
DSDD0298	788,850	1,059,450	365	177.05	270	-50	BDT2	DD
DSDD0299	789,351	1,059,151	353	473.75	270	-50	BDT2	DD
DSDD0304	788,950	1,059,450	365	272.90	270	-50	BDT2	DD
DSDD0305	789,000	1,059,400	363	159.40	270	-50	BDT2	DD
DSDD0308	789,201	1,059,250	358	303.40	270	-50	BDT2	DD
DSDD0310	788,850	1,059,400	366	200.30	270	-50	BDT2	DD
DSDD0312	789,100	1,059,460	363	242.75	270	-50	BDT2	DD
DSDD0317	789,170	1,059,348	360	224.60	270	-50	BDT2	DD
DSDD0320	789,230	1,059,250	357	356.05	270	-50	BDT2	DD
DSDD0321	789,165	1,059,300	360	354.85	270	-50	BDT2	DD
DSDD0324A	789,243	1,059,347	359	250.30	270	-50	BDT2	DD
DSDD0326	789,150	1,059,400	361	305.50	270	-50	BDT2	DD
39 holes				10,710.90m			TOTAL	DD

Table 2: Significant assay results for holes drilled at BDT2¹⁰

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
DSDD0270	0.00	1.00	1.00	0.11	3.02 m @ 0.21 g/t Au	0.6		
DSDD0270	1.00	1.81	0.81	0.12				
DSDD0270	3.83	4.50	0.67	0.32				
DSDD0270	4.50	5.50	1.00	0.07				
DSDD0270	5.50	6.85	1.35	0.27				
DSDD0270	8.00	9.00	1.00	0.58	1.00 m @ 0.58 g/t Au	0.6		
DSDD0270	17.13	18.00	0.87	0.14				
DSDD0270	18.98	20.00	1.02	0.21	3.10 m @ 0.96 g/t Au	3.0		1.00 m @ 2.45 g/t Au
DSDD0270	20.00	21.00	1.00	2.45				
DSDD0270	21.00	22.08	1.08	0.29				
DSDD0270	29.35	30.47	1.12	0.15				
DSDD0270	37.50	39.00	1.50	0.21	1.50 m @ 0.21 g/t Au	0.3		
DSDD0270	55.00	56.10	1.10	0.29	1.10 m @ 0.29 g/t Au	0.3		
DSDD0270	56.10	57.00	0.90	0.14	1.15 m @ 0.34 g/t Au	0.4		
DSDD0270	64.00	65.00	1.00	0.11				
DSDD0270	66.00	67.15	1.15	0.34				
DSDD0270	78.00	79.00	1.00	0.35				
DSDD0270	79.00	80.00	1.00	0.01				
DSDD0270	80.00	81.00	1.00	0.03	7.00 m @ 0.33 g/t Au	2.3		
DSDD0270	81.00	81.70	0.70	0.07				
DSDD0270	81.70	83.00	1.30	0.58				
DSDD0270	83.00	84.00	1.00	0.69				
DSDD0270	84.00	85.00	1.00	0.40				
DSDD0270	87.00	88.00	1.00	0.15				
DSDD0270	117.00	118.00	1.00	0.16				
DSDD0270	118.00	119.00	1.00	0.50	1.00 m @ 0.50 g/t Au	0.5		
DSDD0270	221.00	222.00	1.00	0.23	1.00 m @ 0.23 g/t Au	0.2		
DSDD0270	222.00	223.00	1.00	0.13				
DSDD0271	0.00	1.50	1.50	0.10	10.00 m @ 0.56 g/t Au	5.6	1.30 m @ 1.23 g/t Au	
DSDD0271	3.00	4.40	1.40	0.12				
DSDD0271	51.00	51.94	0.94	0.48				
DSDD0271	51.94	53.00	1.06	0.35				
DSDD0271	53.00	54.00	1.00	0.23				
DSDD0271	54.00	55.30	1.30	1.23				
DSDD0271	55.30	56.61	1.31	0.22				
DSDD0271	56.61	58.00	1.39	1.28				
DSDD0271	58.00	59.00	1.00	0.25				
DSDD0271	59.00	60.00	1.00	0.06				
DSDD0271	60.00	61.00	1.00	0.55				
DSDD0271	66.00	67.00	1.00	0.56			7.00 m @ 0.46 g/t Au	3.2
DSDD0271	67.00	68.00	1.00	0.03				
DSDD0271	68.00	69.00	1.00	0.50				
DSDD0271	69.00	70.00	1.00	0.11				
DSDD0271	70.00	71.00	1.00	0.02				

¹⁰ 0.2 g/t Au cut off used with 3m internal dilution and no top cut applied

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0271	71.00	72.00	1.00	0.01			1.00 m @ 1.99 g/t Au
DSDD0271	72.00	73.00	1.00	1.99			
DSDD0271	73.00	74.00	1.00	0.12			
DSDD0271	74.00	75.00	1.00	0.17			
DSDD0271	78.00	79.00	1.00	0.55	2.00 m @ 0.64 g/t Au	1.3	
DSDD0271	79.00	80.00	1.00	0.73			
DSDD0271	82.00	83.00	1.00	0.18			
DSDD0271	88.00	89.00	1.00	0.94	1.00 m @ 0.94 g/t Au	0.9	
DSDD0271	89.00	90.00	1.00	0.12			
DSDD0271	93.80	94.80	1.00	1.03	15.00 m @ 1.41 g/t Au	21.1	
DSDD0271	94.80	96.00	1.20	0.06			
DSDD0271	96.00	97.00	1.00	1.84			
DSDD0271	97.00	98.30	1.30	1.07			
DSDD0271	98.30	99.56	1.26	7.03			
DSDD0271	99.56	101.00	1.44	0.08			
DSDD0271	101.00	102.00	1.00	1.02			
DSDD0271	102.00	103.00	1.00	5.14			
DSDD0271	103.00	104.00	1.00	0.05			
DSDD0271	104.00	105.00	1.00	1.02			
DSDD0271	105.00	106.34	1.34	0.02			
DSDD0271	106.34	107.50	1.16	0.08			
DSDD0271	107.50	108.80	1.30	0.34			
DSDD0271	109.66	111.00	1.34	0.17			
DSDD0271	114.00	115.00	1.00	0.11			
DSDD0271	115.00	116.00	1.00	0.74	1.00 m @ 0.73 g/t Au	0.7	4.00 m @ 1.81 g/t Au
DSDD0271	190.36	191.50	1.14	0.32	3.64 m @ 0.55 g/t Au	2.0	
DSDD0271	191.50	193.00	1.50	0.75			
DSDD0271	193.00	194.00	1.00	0.51			
DSDD0271	197.30	198.56	1.26	0.31	1.26 m @ 0.31 g/t Au	0.4	
DSDD0271	218.00	219.00	1.00	1.02	4.00 m @ 1.56 g/t Au	6.2	
DSDD0271	219.00	220.00	1.00	1.33			
DSDD0271	220.00	221.00	1.00	3.68			
DSDD0271	221.00	222.00	1.00	0.22			
DSDD0271	223.33	224.50	1.17	0.19			
DSDD0271	224.50	226.00	1.50	0.13			
DSDD0271	227.00	228.00	1.00	0.14			
DSDD0271	228.00	229.00	1.00	0.18			
DSDD0271	229.00	230.00	1.00	0.21	3.68 m @ 0.41 g/t Au	1.5	
DSDD0271	230.00	231.00	1.00	0.10			
DSDD0271	231.00	232.00	1.00	0.91			
DSDD0271	232.00	232.68	0.68	0.45			
DSDD0271	232.68	234.00	1.32	0.14			
DSDD0271	297.00	298.00	1.00	0.27	1.00 m @ 0.27 g/t Au	0.3	
DSDD0271	310.00	311.00	1.00	0.31	1.00 m @ 0.31 g/t Au	0.3	
DSDD0271	311.00	312.00	1.00	0.18			
DSDD0271	336.80	338.00	1.20	0.32	2.20 m @ 0.60 g/t Au	1.3	
DSDD0271	338.00	339.00	1.00	0.94			
DSDD0272	0.00	0.59	0.59	0.36	0.59 m @ 0.36 g/t Au	0.2	
DSDD0272	1.50	3.00	1.50	0.42	1.50 m @ 0.42 g/t Au	0.6	
DSDD0272	73.00	74.00	1.00	0.15			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
DSDD0272	75.00	76.00	1.00	0.11	5.46 m @ 0.53 g/t Au	2.9		
DSDD0272	77.00	78.00	1.00	0.24				
DSDD0272	78.00	79.00	1.00	0.79				
DSDD0272	79.00	80.00	1.00	0.27				
DSDD0272	80.00	81.00	1.00	0.13				
DSDD0272	81.00	82.46	1.46	0.99				
DSDD0272	88.00	89.00	1.00	0.15	6.73 m @ 0.30 g/t Au	2.0		
DSDD0272	91.00	92.00	1.00	0.20				
DSDD0272	92.00	93.00	1.00	0.24				
DSDD0272	93.00	94.00	1.00	0.04				
DSDD0272	94.00	95.00	1.00	0.32				
DSDD0272	95.00	96.00	1.00	0.80				
DSDD0272	96.00	97.00	1.00	0.08	3.00 m @ 0.40 g/t Au	1.2		
DSDD0272	97.00	98.00	1.00	0.30				
DSDD0272	98.00	98.73	0.73	0.33	2.00 m @ 0.40 g/t Au	0.8		
DSDD0272	126.00	127.00	1.00	0.60				
DSDD0272	127.00	128.00	1.00	0.02	3.00 m @ 0.56 g/t Au	1.7		
DSDD0272	128.00	129.00	1.00	0.58				
DSDD0272	136.00	137.00	1.00	0.40	3.00 m @ 0.77 g/t Au	2.3		
DSDD0272	137.00	138.00	1.00	0.40				
DSDD0272	138.00	139.00	1.00	0.17	1.00 m @ 1.10 g/t Au			
DSDD0272	159.10	160.00	0.90	0.14				
DSDD0272	160.00	161.00	1.00	0.36	1.00 m @ 1.23 g/t Au			
DSDD0272	161.00	162.00	1.00	0.21				
DSDD0272	162.00	163.00	1.00	1.10				
DSDD0272	167.00	168.00	1.00	0.69				
DSDD0272	168.00	169.00	1.00	1.23				
DSDD0272	169.00	170.00	1.00	0.40				
DSDD0272	170.00	171.00	1.00	0.18				
DSDD0273	0.00	0.85	0.85	0.15	1.00 m @ 0.37 g/t Au	0.4		
DSDD0273	101.00	102.00	1.00	0.12				
DSDD0273	102.00	103.00	1.00	0.37				
DSDD0273	103.00	104.00	1.00	0.10				
DSDD0273	112.70	114.20	1.50	0.11				
DSDD0273	157.85	159.00	1.15	0.87	3.25 m @ 0.89 g/t Au	2.9		1.00 m @ 1.22 g/t Au
DSDD0273	159.00	160.00	1.00	1.22				
DSDD0273	160.00	161.10	1.10	0.60				
DSDD0273	176.00	177.00	1.00	0.23	8.00 m @ 0.28 g/t Au	2.2		
DSDD0273	177.00	178.50	1.50	0.06				
DSDD0273	178.50	180.00	1.50	0.45				
DSDD0273	180.00	181.00	1.00	0.26				
DSDD0273	181.00	182.00	1.00	0.43				
DSDD0273	182.00	183.00	1.00	0.32				
DSDD0273	183.00	184.00	1.00	0.25				
DSDD0273	184.00	185.00	1.00	0.19				
DSDD0273	185.00	186.00	1.00	0.13				
DSDD0273	186.00	187.00	1.00	0.19				
DSDD0273	187.00	188.00	1.00	0.15				
DSDD0273	188.00	189.00	1.00	0.27	1.00 m @ 0.27 g/t Au	0.3		
DSDD0273	202.00	203.00	1.00	0.47	1.00 m @ 0.47 g/t Au	0.5		

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0273	207.00	208.00	1.00	0.48	1.00 m @ 0.48 g/t Au	0.5	
DSDD0273	211.17	212.50	1.33	0.43	1.33 m @ 0.43 g/t Au	0.6	
DSDD0273	212.50	214.00	1.50	0.12			
DSDD0273	216.00	217.35	1.35	0.11			
DSDD0273	217.35	218.70	1.35	0.44			
DSDD0273	218.70	220.00	1.30	0.76	2.65 m @ 0.60 g/t Au	1.6	
DSDD0273	249.00	250.00	1.00	0.68	13.50 m @ 0.41 g/t Au	5.5	
DSDD0273	250.00	251.00	1.00	0.31			
DSDD0273	251.00	252.00	1.00	0.03			
DSDD0273	252.00	253.00	1.00	0.02			
DSDD0273	253.00	254.00	1.00	0.14			
DSDD0273	254.00	255.00	1.00	0.88			
DSDD0273	255.00	256.00	1.00	0.33			
DSDD0273	256.00	257.00	1.00	0.18			
DSDD0273	257.00	258.00	1.00	0.31			
DSDD0273	258.00	259.50	1.50	0.74			
DSDD0273	259.50	260.50	1.00	0.33			
DSDD0273	260.50	261.50	1.00	0.18			
DSDD0273	261.50	262.50	1.00	1.06			
DSDD0273	272.40	273.85	1.45	0.33	8.60 m @ 0.78 g/t Au	6.7	4.15 m @ 1.29 g/t Au
DSDD0273	273.85	275.00	1.15	1.99			
DSDD0273	275.00	276.00	1.00	0.09			
DSDD0273	276.00	277.00	1.00	1.59			
DSDD0273	277.00	278.00	1.00	1.39			
DSDD0273	278.00	279.00	1.00	0.14			
DSDD0273	279.00	280.00	1.00	0.17			
DSDD0273	280.00	281.00	1.00	0.57			
DSDD0273	281.00	282.00	1.00	0.20			
DSDD0273	300.20	301.50	1.30	0.38	2.80 m @ 0.32 g/t Au	0.9	
DSDD0273	301.50	303.00	1.50	0.27			
DSDD0273	345.00	346.00	1.00	0.16			
DSDD0273	346.00	347.00	1.00	0.33	1.00 m @ 0.33 g/t Au	0.3	
DSDD0273	370.00	371.00	1.00	1.19	1.00 m @ 1.19 g/t Au	1.2	1.00 m @ 1.19 g/t Au
DSDD0273	380.00	381.00	1.00	0.12			1.00 m @ 1.12 g/t Au
DSDD0273	388.00	389.00	1.00	1.12	1.00 m @ 1.12 g/t Au	1.1	
DSDD0273	400.00	401.22	1.22	0.31	1.22 m @ 0.31 g/t Au	0.4	
DSDD0273	406.00	407.00	1.00	0.12			
DSDD0273	407.00	408.00	1.00	0.89	1.00 m @ 0.89 g/t Au	0.9	
DSDD0274	0.00	1.50	1.50	0.13			
DSDD0274	60.00	61.00	1.00	0.20	1.00 m @ 0.20 g/t Au	0.2	
DSDD0274	63.00	64.00	1.00	0.16			
DSDD0274	64.00	65.00	1.00	0.32	4.00 m @ 0.24 g/t Au	1.0	
DSDD0274	65.00	66.00	1.00	0.32			
DSDD0274	66.00	67.00	1.00	0.01			
DSDD0274	67.00	68.00	1.00	0.33			
DSDD0274	103.43	104.00	0.57	0.13			
DSDD0274	104.00	105.00	1.00	0.14			
DSDD0274	118.00	119.00	1.00	0.17			
DSDD0274	121.00	122.00	1.00	0.17			
DSDD0274	123.00	124.00	1.00	0.10			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
DSDD0274	124.00	125.00	1.00	0.22	9.00 m @ 1.01 g/t Au	9.1		
DSDD0274	125.00	126.00	1.00	0.47				
DSDD0274	126.00	127.00	1.00	2.11			1.00 m @ 2.11 g/t Au	
DSDD0274	127.00	128.00	1.00	0.23				
DSDD0274	128.00	129.00	1.00	0.13				
DSDD0274	129.00	130.00	1.00	0.31			3.00 m @ 1.89 g/t Au	
DSDD0274	130.00	131.00	1.00	1.03				
DSDD0274	131.00	132.00	1.00	0.26				
DSDD0274	132.00	133.00	1.00	4.37				
DSDD0274	211.00	212.00	1.00	0.41	1.00 m @ 0.41 g/t Au	0.4		
DSDD0274	213.00	214.00	1.00	0.19				
DSDD0274	214.00	215.00	1.00	0.11				
DSDD0274	221.00	222.00	1.00	0.11				
DSDD0274	227.00	228.00	1.00	0.16				
DSDD0274	248.00	249.00	1.00	0.18				
DSDD0274	249.00	250.00	1.00	0.19				
DSDD0274	252.00	253.20	1.20	1.35	1.20 m @ 1.35 g/t Au	1.6	1.20 m @ 1.35 g/t Au	
DSDD0274	283.00	284.00	1.00	0.10				
DSDD0274	293.00	294.00	1.00	0.22	1.00 m @ 0.22 g/t Au	0.2		
DSDD0275	0.00	1.10	1.10	0.25	1.10 m @ 0.25 g/t Au	0.3		
DSDD0275	67.00	68.00	1.00	0.37	3.00 m @ 0.40 g/t Au	1.2		
DSDD0275	68.00	69.00	1.00	0.04				
DSDD0275	69.00	70.00	1.00	0.79				
DSDD0275	72.00	73.00	1.00	0.14				
DSDD0275	74.00	75.00	1.00	0.10				
DSDD0275	76.00	77.00	1.00	0.58				
DSDD0275	77.00	78.00	1.00	0.01				
DSDD0275	78.00	79.00	1.00	0.25				
DSDD0275	79.00	80.00	1.00	0.24	4.00 m @ 0.27 g/t Au	1.1		
DSDD0275	82.00	83.00	1.00	0.17				
DSDD0275	83.00	84.00	1.00	0.22	1.00 m @ 0.22 g/t Au	0.2		
DSDD0275	87.00	88.00	1.00	0.19				
DSDD0275	88.00	89.00	1.00	0.11				
DSDD0275	91.00	92.00	1.00	0.19				
DSDD0275	93.00	94.15	1.15	0.35				
DSDD0275	94.15	95.00	0.85	0.13	3.00 m @ 0.24 g/t Au	0.7		
DSDD0275	95.00	96.00	1.00	0.22				
DSDD0275	96.00	97.00	1.00	0.16				
DSDD0275	110.00	111.00	1.00	0.16	8.85 m @ 0.28 g/t Au	2.5		
DSDD0275	141.15	142.00	0.85	0.91				
DSDD0275	142.00	143.00	1.00	0.07				
DSDD0275	143.00	144.00	1.00	0.27				
DSDD0275	144.00	145.00	1.00	0.05				
DSDD0275	145.00	146.00	1.00	0.08				
DSDD0275	146.00	147.00	1.00	0.16				
DSDD0275	147.00	148.00	1.00	0.22				
DSDD0275	148.00	149.00	1.00	0.39				
DSDD0275	149.00	150.00	1.00	0.44				
DSDD0275	151.00	152.20	1.20	0.12				
DSDD0275	208.00	209.00	1.00	0.11				

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0275	213.00	214.00	1.00	0.13			
DSDD0275	256.00	257.00	1.00	0.10			
DSDD0275	259.00	260.00	1.00	0.13			
DSDD0275	260.00	261.00	1.00	0.28	6.00 m @ 0.62 g/t Au	3.7	1.00 m @ 1.33 g/t Au
DSDD0275	261.00	262.00	1.00	1.33			
DSDD0275	262.00	263.00	1.00	0.35			
DSDD0275	263.00	264.00	1.00	0.16			
DSDD0275	264.00	264.50	0.50	0.02			
DSDD0275	264.50	265.00	0.50	0.74			
DSDD0275	265.00	266.00	1.00	1.24			
DSDD0275	266.00	267.00	1.00	0.14			
DSDD0275	291.00	292.30	1.30	0.44			
DSDD0275	292.30	293.00	0.70	0.94			
DSDD0275	293.00	294.00	1.00	0.61	28.00 m @ 0.54 g/t Au	15.0	1.00 m @ 1.24 g/t Au
DSDD0275	294.00	295.00	1.00	0.36			
DSDD0275	295.00	296.00	1.00	0.22			
DSDD0275	296.00	297.00	1.00	0.34			
DSDD0275	297.00	298.00	1.00	0.11			
DSDD0275	298.00	299.40	1.40	0.92			
DSDD0275	299.40	300.00	0.60	0.03			
DSDD0275	300.00	301.00	1.00	0.01			
DSDD0275	301.00	302.00	1.00	0.65			
DSDD0275	302.00	303.00	1.00	0.58			
DSDD0275	303.00	304.00	1.00	0.02			
DSDD0275	304.00	305.00	1.00	0.39			
DSDD0275	305.00	306.00	1.00	0.46			
DSDD0275	306.00	307.00	1.00	0.34			
DSDD0275	307.00	308.00	1.00	0.16			
DSDD0275	308.00	308.65	0.65	0.08			
DSDD0275	308.65	309.50	0.85	0.25			
DSDD0275	309.50	310.25	0.75	0.11			
DSDD0275	310.25	311.00	0.75	0.28			
DSDD0275	311.00	312.00	1.00	0.01			
DSDD0275	312.00	313.00	1.00	0.10			
DSDD0275	313.00	314.00	1.00	3.14			
DSDD0275	314.00	315.00	1.00	0.20			
DSDD0275	315.00	316.00	1.00	0.01			
DSDD0275	316.00	317.00	1.00	0.69			
DSDD0275	317.00	318.00	1.00	0.51			
DSDD0275	318.00	319.00	1.00	3.03			
DSDD0275	329.00	330.00	1.00	0.10			
DSDD0275	330.00	330.90	0.90	0.22			
DSDD0275	382.00	383.00	1.00	0.11	0.90 m @ 0.22 g/t Au	0.2	
DSDD0275	383.00	384.00	1.00	0.10			
DSDD0275	385.00	386.00	1.00	0.10			
DSDD0275	386.00	387.00	1.00	0.18			
DSDD0275	387.00	388.00	1.00	0.13			
DSDD0275	388.00	389.00	1.00	0.33			
DSDD0275	389.00	390.25	1.25	0.48			
DSDD0275	390.25	391.00	0.75	0.24	4.00 m @ 0.54 g/t Au	2.2	

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0275	391.00	392.00	1.00	1.05			1.00 m @ 1.05 g/t Au
DSDD0275	396.00	397.00	1.00	2.43	1.00 m @ 2.43 g/t Au	2.4	1.00 m @ 2.43 g/t Au
DSDD0275	397.00	398.00	1.00	0.18			
DSDD0275	402.00	402.90	0.90	0.13			
DSDD0276	142.00	143.00	1.00	0.22	1.00 m @ 0.22 g/t Au	0.2	
DSDD0276	154.60	156.00	1.40	0.23	1.40 m @ 0.23 g/t Au	0.3	
DSDD0276	156.00	157.00	1.00	0.17			
DSDD0276	158.00	159.00	1.00	0.24	1.00 m @ 0.24 g/t Au	0.2	
DSDD0276	167.10	168.20	1.10	0.89	1.10 m @ 0.89 g/t Au	1.0	
DSDD0276	332.00	333.00	1.00	0.16			
DSDD0276	334.00	335.00	1.00	0.32	1.00 m @ 0.32 g/t Au	0.3	
DSDD0276	405.00	406.00	1.00	0.16			
DSDD0277	0.00	1.50	1.50	0.17			
DSDD0277	13.00	14.00	1.00	0.14			
DSDD0277	14.00	15.00	1.00	0.16			
DSDD0277	15.79	16.50	0.71	0.17			
DSDD0277	16.50	17.46	0.96	0.27	0.96 m @ 0.27 g/t Au	0.3	
DSDD0277	30.00	30.75	0.75	0.12			
DSDD0277	40.00	41.00	1.00	0.24	1.00 m @ 0.24 g/t Au	0.2	
DSDD0277	58.00	59.00	1.00	0.15			
DSDD0277	63.00	64.00	1.00	0.12			
DSDD0277	64.00	65.00	1.00	0.23	2.00 m @ 0.23 g/t Au	0.5	
DSDD0277	65.00	66.00	1.00	0.22			
DSDD0277	66.00	67.00	1.00	0.13			
DSDD0277	67.00	68.00	1.00	0.21	1.00 m @ 0.21 g/t Au	0.2	
DSDD0277	69.00	70.32	1.32	0.15			
DSDD0277	84.00	85.00	1.00	0.14			
DSDD0277	85.00	86.00	1.00	0.16			
DSDD0277	86.00	87.00	1.00	0.12			
DSDD0277	88.00	89.00	1.00	0.24	1.00 m @ 0.24 g/t Au	0.2	
DSDD0277	95.00	95.79	0.79	0.10			
DSDD0278A	1.10	2.60	1.50	0.11			
DSDD0278A	6.50	7.50	1.00	0.13			
DSDD0278A	7.50	9.00	1.50	0.15			
DSDD0278A	11.06	12.00	0.94	0.17			
DSDD0278A	100.00	101.00	1.00	0.14			
DSDD0278A	103.00	104.00	1.00	0.50	1.00 m @ 0.50 g/t Au	0.5	
DSDD0278A	202.50	203.20	0.70	0.11			
DSDD0278A	231.00	232.00	1.00	1.04			1.00 m @ 1.04 g/t Au
DSDD0278A	232.00	233.00	1.00	0.22			
DSDD0278A	233.00	234.00	1.00	0.30			
DSDD0278A	234.00	235.00	1.00	0.45	8.00 m @ 0.49 g/t Au	4.0	
DSDD0278A	235.00	236.00	1.00	0.57			
DSDD0278A	236.00	237.00	1.00	0.46			
DSDD0278A	237.00	238.00	1.00	0.62			
DSDD0278A	238.00	239.00	1.00	0.30			
DSDD0278A	240.00	241.00	1.00	0.14			
DSDD0278A	241.00	242.00	1.00	0.11			
DSDD0278A	242.00	243.00	1.00	0.19			
DSDD0278A	243.00	244.00	1.00	0.26	9.50 m @ 1.28 g/t Au	12.2	

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0278A	244.00	245.00	1.00	1.64			1.00 m @ 1.64 g/t Au
DSDD0278A	245.00	246.00	1.00	0.14			
DSDD0278A	246.00	247.00	1.00	0.33			
DSDD0278A	247.00	248.00	1.00	0.52			
DSDD0278A	248.00	249.00	1.00	1.80			
DSDD0278A	249.00	250.18	1.18	1.28			
DSDD0278A	250.18	251.00	0.82	3.54			4.50 m @ 2.07 g/t Au
DSDD0278A	251.00	252.50	1.50	2.06			
DSDD0278A	252.50	253.00	0.50	0.13			
DSDD0278A	258.00	259.00	1.00	0.14			
DSDD0278A	259.00	260.00	1.00	0.13			
DSDD0278A	260.00	261.00	1.00	0.11			
DSDD0278A	261.00	262.00	1.00	0.51	8.10 m @ 0.62 g/t Au	5.0	
DSDD0278A	262.00	263.00	1.00	1.19			
DSDD0278A	263.00	264.00	1.00	1.93			
DSDD0278A	264.00	265.00	1.00	0.18			
DSDD0278A	265.00	266.00	1.00	0.34			
DSDD0278A	266.00	267.25	1.25	0.04			
DSDD0278A	267.25	268.50	1.25	0.50			
DSDD0278A	268.50	269.10	0.60	0.28			
DSDD0278A	269.10	270.00	0.90	0.11			
DSDD0278A	273.00	274.00	1.00	0.72	2.00 m @ 0.47 g/t Au	0.9	
DSDD0278A	274.00	275.00	1.00	0.22			
DSDD0278A	275.00	276.00	1.00	0.15			
DSDD0278A	276.00	277.00	1.00	0.14			
DSDD0278A	279.00	280.00	1.00	0.58	7.00 m @ 0.22 g/t Au	1.5	
DSDD0278A	280.00	281.00	1.00	0.02			
DSDD0278A	281.00	282.00	1.00	0.01			
DSDD0278A	282.00	283.00	1.00	0.01			
DSDD0278A	283.00	284.00	1.00	0.41			
DSDD0278A	284.00	285.00	1.00	0.22			
DSDD0278A	285.00	286.00	1.00	0.28			
DSDD0278A	298.00	299.00	1.00	0.19			
DSDD0278A	299.00	300.00	1.00	0.11			
DSDD0278A	300.00	300.55	0.55	0.14			
DSDD0278A	300.55	302.00	1.45	0.26	2.45 m @ 0.27 g/t Au	0.7	
DSDD0278A	302.00	303.00	1.00	0.28			
DSDD0278A	305.00	306.10	1.10	0.34	1.10 m @ 0.34 g/t Au	0.4	
DSDD0278A	311.00	312.00	1.00	0.60	1.00 m @ 0.60 g/t Au	0.6	
DSDD0278A	319.60	320.55	0.95	0.62	3.40 m @ 0.26 g/t Au	0.9	
DSDD0278A	320.55	322.00	1.45	0.04			
DSDD0278A	322.00	323.00	1.00	0.24			
DSDD0278A	324.00	325.00	1.00	0.12			
DSDD0279	6.00	7.50	1.50	0.13			
DSDD0279	21.00	22.00	1.00	0.13			
DSDD0279	26.34	27.84	1.50	0.15			
DSDD0279	29.27	30.50	1.23	0.50			
DSDD0279	30.50	31.00	0.50	1.74	3.08 m @ 0.69 g/t Au	2.1	0.50 m @ 1.74 g/t Au
DSDD0279	31.00	32.35	1.35	0.48			
DSDD0279	37.05	38.00	0.95	0.61	0.95 m @ 0.61 g/t Au	0.6	

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0279	46.00	47.24	1.24	0.65	1.24 m @ 0.65 g/t Au	0.8	
DSDD0279	48.77	49.93	1.16	0.16			
DSDD0279	51.88	53.14	1.26	0.30	1.26 m @ 0.30 g/t Au	0.4	
DSDD0279	54.85	56.00	1.15	0.31	3.15 m @ 0.92 g/t Au	2.9	
DSDD0279	56.00	57.00	1.00	0.86			
DSDD0279	57.00	58.00	1.00	1.69			
DSDD0279	66.00	67.00	1.00	0.25	1.00 m @ 0.25 g/t Au	0.2	
DSDD0279	72.00	73.00	1.00	0.13			
DSDD0279	73.00	74.00	1.00	1.35	7.00 m @ 0.41 g/t Au	2.8	
DSDD0279	74.00	75.00	1.00	0.78			
DSDD0279	75.00	76.14	1.14	0.20			
DSDD0279	76.14	77.00	0.86	0.03			
DSDD0279	77.00	78.00	1.00	0.01			
DSDD0279	78.00	79.00	1.00	0.21			
DSDD0279	79.00	80.00	1.00	0.24			
DSDD0279	100.00	101.00	1.00	0.69	5.00 m @ 1.01 g/t Au	5.1	4.00 m @ 1.09 g/t Au
DSDD0279	101.00	102.00	1.00	1.24			
DSDD0279	102.00	103.00	1.00	0.96			
DSDD0279	103.00	104.00	1.00	0.21			
DSDD0279	104.00	105.00	1.00	1.97			
DSDD0280	12.00	13.00	1.00	0.12			
DSDD0280	21.00	22.10	1.10	0.11			
DSDD0280	24.00	25.50	1.50	0.10			
DSDD0280	141.00	142.00	1.00	0.11			
DSDD0280	195.22	196.00	0.78	0.12			
DSDD0280	212.10	212.80	0.70	0.19			
DSDD0280	214.35	215.00	0.65	0.84	0.65 m @ 0.84 g/t Au	0.5	
DSDD0280	218.00	219.00	1.00	0.36	3.10 m @ 0.24 g/t Au	0.7	
DSDD0280	219.00	220.00	1.00	0.09			
DSDD0280	220.00	221.10	1.10	0.25			
DSDD0280	229.00	230.00	1.00	0.24	1.00 m @ 0.24 g/t Au	0.2	
DSDD0280	231.00	232.34	1.34	0.11			
DSDD0280	242.00	243.00	1.00	0.19			
DSDD0280	243.00	244.00	1.00	0.19			
DSDD0280	244.00	245.00	1.00	0.14			
DSDD0280	245.00	246.00	1.00	0.21	1.00 m @ 0.20 g/t Au	0.2	
DSDD0280	251.00	252.00	1.00	0.13			
DSDD0280	252.00	253.00	1.00	1.20	1.00 m @ 1.20 g/t Au	1.2	1.00 m @ 1.20 g/t Au
DSDD0280	253.00	254.00	1.00	0.14			
DSDD0280	257.00	258.00	1.00	0.26	1.00 m @ 0.26 g/t Au	0.3	
DSDD0280	263.00	264.00	1.00	0.14			
DSDD0280	266.00	267.00	1.00	0.13			
DSDD0280	267.00	268.00	1.00	0.12			
DSDD0280	268.00	269.00	1.00	0.12			
DSDD0280	269.00	270.00	1.00	0.20	1.00 m @ 0.20 g/t Au	0.2	
DSDD0280	270.00	271.00	1.00	0.14			
DSDD0280	272.00	273.00	1.00	0.11			
DSDD0280	273.00	274.00	1.00	0.11			
DSDD0280	274.00	275.00	1.00	0.14			
DSDD0280	275.00	276.00	1.00	0.11			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au			
DSDD0280	278.00	279.00	1.00	0.17						
DSDD0280	279.00	280.00	1.00	0.18						
DSDD0280	280.00	281.00	1.00	0.19						
DSDD0280	281.00	282.00	1.00	0.27	20.00 m @ 0.41 g/t Au	8.3				
DSDD0280	282.00	283.00	1.00	0.20						
DSDD0280	283.00	284.00	1.00	0.51						
DSDD0280	284.00	285.00	1.00	0.29						
DSDD0280	285.00	286.00	1.00	0.11						
DSDD0280	286.00	287.00	1.00	0.24						
DSDD0280	287.00	288.00	1.00	0.49						
DSDD0280	288.00	289.00	1.00	0.15						
DSDD0280	289.00	290.00	1.00	0.83						
DSDD0280	290.00	291.00	1.00	0.09						
DSDD0280	291.00	292.00	1.00	0.36						
DSDD0280	292.00	293.00	1.00	0.22						
DSDD0280	293.00	294.00	1.00	0.54						
DSDD0280	294.00	295.00	1.00	0.73						
DSDD0280	295.00	296.00	1.00	1.51						
DSDD0280	296.00	297.00	1.00	0.65						
DSDD0280	297.00	298.00	1.00	0.17						
DSDD0280	298.00	299.00	1.00	0.36						
DSDD0280	299.00	300.00	1.00	0.21						
DSDD0280	300.00	301.00	1.00	0.35						
DSDD0280	347.00	348.00	1.00	0.23				1.00 m @ 0.23 g/t Au	0.2	1.00 m @ 1.51 g/t Au
DSDD0281	22.50	23.50	1.00	0.11						
DSDD0281	25.50	27.00	1.50	0.18						
DSDD0281	36.20	37.00	0.80	0.20	0.80 m @ 0.20 g/t Au	0.2				
DSDD0281	41.00	42.00	1.00	0.10						
DSDD0281	42.00	43.00	1.00	0.13						
DSDD0281	67.50	68.21	0.71	0.38	4.50 m @ 0.22 g/t Au	1.0				
DSDD0281	68.21	69.10	0.89	0.42						
DSDD0281	69.10	70.00	0.90	0.15						
DSDD0281	70.00	71.00	1.00	0.01						
DSDD0281	71.00	72.00	1.00	0.20						
DSDD0281	74.00	75.00	1.00	0.14						
DSDD0281	75.00	76.00	1.00	0.12						
DSDD0281	76.00	77.00	1.00	1.04						
DSDD0281	77.00	78.00	1.00	0.20	2.00 m @ 0.62 g/t Au	1.2	1.00 m @ 1.04 g/t Au			
DSDD0281	78.00	79.47	1.47	0.14						
DSDD0281	83.62	84.70	1.08	0.11						
DSDD0281	84.70	86.00	1.30	0.24	1.30 m @ 0.24 g/t Au	0.3				
DSDD0281	88.00	89.00	1.00	0.28	1.00 m @ 0.28 g/t Au	0.3				
DSDD0281	93.30	94.00	0.70	0.19						
DSDD0281	94.80	95.50	0.70	0.96	8.20 m @ 0.50 g/t Au	4.1				
DSDD0281	95.50	97.00	1.50	0.57						
DSDD0281	97.00	98.00	1.00	0.40						
DSDD0281	98.00	99.00	1.00	0.52						
DSDD0281	99.00	100.00	1.00	0.58						
DSDD0281	100.00	101.00	1.00	0.22						
DSDD0281	101.00	102.00	1.00	0.52						

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0281	102.00	103.00	1.00	0.33			
DSDD0281	104.00	105.00	1.00	0.10			
DSDD0281	114.00	115.00	1.00	0.33			
DSDD0281	115.00	116.00	1.00	0.23			
DSDD0281	116.00	117.00	1.00	0.12			
DSDD0281	117.00	118.00	1.00	0.12			
DSDD0281	118.00	119.00	1.00	0.22			
DSDD0281	119.00	120.00	1.00	0.28			
DSDD0281	120.00	121.00	1.00	0.57			
DSDD0281	121.00	122.00	1.00	0.37			
DSDD0281	122.00	123.00	1.00	0.04			
DSDD0281	123.00	124.00	1.00	0.24			
DSDD0281	124.00	124.59	0.59	0.10			
DSDD0281	124.59	125.09	0.50	0.25			
DSDD0281	129.30	130.29	0.99	0.19			
DSDD0281	130.29	131.00	0.71	0.13			
DSDD0281	131.00	132.00	1.00	0.22			
DSDD0281	132.00	133.00	1.00	0.35			
DSDD0281	133.00	134.00	1.00	0.41			
DSDD0281	134.00	135.37	1.37	0.56			
DSDD0281	141.15	142.00	0.85	0.20			
DSDD0281	142.00	143.00	1.00	0.15			
DSDD0281	149.00	150.00	1.00	0.10			
DSDD0281	150.00	151.12	1.12	0.11			
DSDD0281	154.00	155.00	1.00	0.19			
DSDD0281	155.00	156.00	1.00	0.23			
DSDD0281	156.00	157.00	1.00	0.14			
DSDD0281	159.00	160.00	1.00	0.13			
DSDD0281	164.00	165.00	1.00	0.12			
DSDD0281	170.00	171.00	1.00	0.11			
DSDD0281	171.00	172.00	1.00	0.23			
DSDD0281	172.00	173.00	1.00	0.25			
DSDD0281	174.00	175.47	1.47	0.10			
DSDD0281	175.47	176.00	0.53	0.11			
DSDD0281	176.00	177.20	1.20	0.10			
DSDD0281	178.00	179.00	1.00	0.21			
DSDD0281	179.00	180.00	1.00	0.22			
DSDD0281	180.00	181.00	1.00	0.14			
DSDD0281	181.00	182.00	1.00	0.32			
DSDD0281	182.00	183.05	1.05	0.24			
DSDD0281	191.00	192.00	1.00	0.32			
DSDD0281	192.00	192.99	0.99	0.14			
DSDD0281	192.99	193.50	0.51	0.06			
DSDD0281	193.50	194.00	0.50	0.11			
DSDD0281	194.00	195.00	1.00	0.45			
DSDD0281	202.00	203.00	1.00	0.13			
DSDD0281	204.00	205.00	1.00	0.10			
DSDD0281	206.00	207.00	1.00	0.11			
DSDD0281	213.00	214.00	1.00	0.10			
DSDD0281	288.00	289.00	1.00	0.47			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0281	294.00	295.37	1.37	0.14			
DSDD0281	295.37	296.50	1.13	0.18			
DSDD0281	304.00	305.40	1.40	0.12			
DSDD0281	305.40	306.00	0.60	0.27	0.60 m @ 0.27 g/t Au	0.2	
DSDD0281	315.00	316.00	1.00	0.29	1.00 m @ 0.29 g/t Au	0.3	
DSDD0281	325.00	326.20	1.20	0.13			
DSDD0281	407.10	408.00	0.90	0.21			
DSDD0281	408.00	409.00	1.00	0.27	1.90 m @ 0.24 g/t Au	0.5	
DSDD0281	411.40	411.92	0.52	0.10			
DSDD0281	411.92	413.00	1.08	0.19			
DSDD0281	413.00	414.00	1.00	0.28	1.00 m @ 0.28 g/t Au	0.3	
DSDD0281	416.16	417.10	0.94	0.31	0.94 m @ 0.31 g/t Au	0.3	
DSDD0281	419.64	421.00	1.36	0.27			
DSDD0281	421.00	422.00	1.00	0.01			
DSDD0281	422.00	423.00	1.00	0.41			
DSDD0281	423.00	424.00	1.00	0.11	7.86 m @ 0.22 g/t Au	1.8	
DSDD0281	424.00	425.00	1.00	0.10			
DSDD0281	425.00	426.00	1.00	0.39			
DSDD0281	426.00	427.50	1.50	0.25			
DSDD0281	427.50	428.66	1.16	0.14			
DSDD0281	437.00	438.50	1.50	6.01			1.50 m @ 6.01 g/t Au
DSDD0281	438.50	439.60	1.10	0.01			
DSDD0281	439.60	441.00	1.40	0.12	7.00 m @ 1.41 g/t Au	9.9	
DSDD0281	441.00	442.00	1.00	0.26			
DSDD0281	442.00	443.00	1.00	0.17			
DSDD0281	443.00	444.00	1.00	0.24			
DSDD0281	448.00	449.00	1.00	0.22			
DSDD0281	449.00	450.00	1.00	0.18			
DSDD0281	450.00	451.00	1.00	0.32			
DSDD0281	451.00	452.00	1.00	0.42			
DSDD0281	452.00	453.00	1.00	0.19			
DSDD0281	453.00	454.00	1.00	0.12			
DSDD0281	454.00	455.00	1.00	0.40			
DSDD0281	455.00	456.00	1.00	0.61			
DSDD0281	456.00	457.00	1.00	0.16			
DSDD0281	457.00	458.00	1.00	0.32			
DSDD0281	458.00	458.95	0.95	13.43	20.00 m @ 1.00 g/t Au	20.0	0.95 m @ 13.43 g/t Au
DSDD0281	458.95	460.00	1.05	0.59			
DSDD0281	460.00	461.00	1.00	0.23			
DSDD0281	461.00	462.00	1.00	0.43			
DSDD0281	462.00	463.00	1.00	0.30			
DSDD0281	463.00	464.00	1.00	0.63			
DSDD0281	464.00	465.00	1.00	0.65			
DSDD0281	465.00	466.00	1.00	0.27			
DSDD0281	466.00	467.00	1.00	0.07			
DSDD0281	467.00	468.00	1.00	1.15			1.00 m @ 1.15 g/t Au
DSDD0281	468.00	469.00	1.00	0.13			
DSDD0281	471.58	473.00	1.42	0.39	1.42 m @ 0.39 g/t Au	0.6	
DSDD0282	0.00	1.00	1.00	0.32	1.00 m @ 0.32 g/t Au	0.3	
DSDD0282	1.00	2.00	1.00	0.11			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
DSDD0282	3.00	4.00	1.00	0.14	3.00 m @ 1.54 g/t Au	4.6	1.00 m @ 4.25 g/t Au	
DSDD0282	4.00	5.00	1.00	0.13				
DSDD0282	7.00	8.00	1.00	0.35				
DSDD0282	8.00	9.00	1.00	0.03				
DSDD0282	9.00	10.00	1.00	4.25				
DSDD0282	10.00	11.00	1.00	0.18				
DSDD0282	18.00	19.00	1.00	0.13				
DSDD0282	24.00	25.00	1.00	0.17				
DSDD0282	25.00	26.00	1.00	0.61	1.00 m @ 0.61 g/t Au	0.6	0.90 m @ 1.05 g/t Au	
DSDD0282	72.00	72.90	0.90	1.05	0.90 m @ 1.05 g/t Au	0.9		
DSDD0282	81.25	82.00	0.75	0.13				
DSDD0282	82.00	83.00	1.00	1.01	11.00 m @ 0.27 g/t Au	3.0	1.00 m @ 1.01 g/t Au	
DSDD0282	83.00	84.00	1.00	0.02				
DSDD0282	84.00	85.00	1.00	0.40				
DSDD0282	85.00	86.00	1.00	0.05				
DSDD0282	86.00	87.00	1.00	0.20				
DSDD0282	87.00	88.00	1.00	0.04				
DSDD0282	88.00	89.00	1.00	0.05				
DSDD0282	89.00	90.00	1.00	0.08				
DSDD0282	90.00	91.00	1.00	0.35				
DSDD0282	91.00	92.00	1.00	0.42				
DSDD0282	92.00	93.00	1.00	0.36				
DSDD0282	96.00	97.00	1.00	0.11	13.00 m @ 0.51 g/t Au	6.7	1.00 m @ 2.01 g/t Au	
DSDD0282	98.00	99.00	1.00	0.12				
DSDD0282	100.00	101.00	1.00	0.73				
DSDD0282	101.00	102.00	1.00	0.02				
DSDD0282	102.00	103.00	1.00	0.18				
DSDD0282	103.00	104.00	1.00	0.86				
DSDD0282	104.00	105.00	1.00	0.49				
DSDD0282	105.00	106.00	1.00	0.39				
DSDD0282	106.00	107.00	1.00	0.13				
DSDD0282	107.00	108.00	1.00	0.41				
DSDD0282	108.00	109.00	1.00	0.90				
DSDD0282	109.00	110.00	1.00	0.09	6.87 m @ 0.60 g/t Au	4.1		
DSDD0282	110.00	111.00	1.00	0.23				
DSDD0282	111.00	112.00	1.00	2.01				
DSDD0282	112.00	113.00	1.00	0.23				
DSDD0282	118.13	119.00	0.87	0.21				
DSDD0282	119.00	120.00	1.00	0.53				
DSDD0282	120.00	121.00	1.00	0.04				
DSDD0282	121.00	122.00	1.00	0.19				
DSDD0282	122.00	123.00	1.00	2.35		1.00 m @ 2.35 g/t Au		
DSDD0282	123.00	124.00	1.00	0.41				
DSDD0282	124.00	125.00	1.00	0.43				
DSDD0282	135.00	136.00	1.00	1.03	2.00 m @ 3.29 g/t Au	6.6	2.00 m @ 3.29 g/t Au	
DSDD0282	136.00	137.00	1.00	5.54				
DSDD0282	140.00	141.00	1.00	0.11				
DSDD0282	144.00	145.00	1.00	0.10				
DSDD0282	149.00	150.00	1.00	0.19				
DSDD0282	150.00	151.00	1.00	0.36	1.00 m @ 0.36 g/t Au	0.4		

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
DSDD0283	0.50	1.50	1.00	0.40	1.00 m @ 0.40 g/t Au	0.4		
DSDD0283	2.00	3.00	1.00	0.10				
DSDD0283	9.40	10.00	0.60	0.12				
DSDD0283	10.00	11.00	1.00	0.16				
DSDD0283	103.80	104.50	0.70	1.86	0.70 m @ 1.86 g/t Au	1.3	0.70 m @ 1.86 g/t Au	
DSDD0283	113.00	113.67	0.67	2.73	9.00 m @ 0.51 g/t Au	4.6	0.67 m @ 2.73 g/t Au	
DSDD0283	113.67	115.16	1.49	0.06				
DSDD0283	115.16	116.00	0.84	0.29				
DSDD0283	116.00	116.60	0.60	0.48				
DSDD0283	116.60	118.00	1.40	0.63				
DSDD0283	118.00	118.50	0.50	0.04				
DSDD0283	118.50	119.00	0.50	0.70				
DSDD0283	119.00	120.00	1.00	0.03				
DSDD0283	120.00	121.00	1.00	0.05				
DSDD0283	121.00	122.00	1.00	0.85				
DSDD0283	127.40	128.54	1.14	0.67	4.10 m @ 0.28 g/t Au	1.1		
DSDD0283	128.54	129.39	0.85	0.30				
DSDD0283	129.39	130.00	0.61	0.03				
DSDD0283	130.00	131.00	1.00	0.01				
DSDD0283	131.00	131.50	0.50	0.22				
DSDD0283	132.80	133.40	0.60	0.12				
DSDD0283	163.00	164.35	1.35	0.11				
DSDD0283	174.00	175.00	1.00	0.18				
DSDD0283	179.40	180.00	0.60	3.86	1.60 m @ 1.57 g/t Au	2.5	0.60 m @ 3.85 g/t Au	
DSDD0283	180.00	181.00	1.00	0.21				
DSDD0283	188.00	189.00	1.00	0.16				
DSDD0283	189.00	190.00	1.00	0.47	1.00 m @ 0.47 g/t Au	0.5		
DSDD0283	195.00	196.20	1.20	0.18	3.80 m @ 0.55 g/t Au	2.1		
DSDD0283	196.20	197.00	0.80	0.55				
DSDD0283	197.00	198.00	1.00	0.04				
DSDD0283	198.00	199.00	1.00	0.07				
DSDD0283	199.00	200.00	1.00	1.55			1.00 m @ 1.55 g/t Au	
DSDD0284	0.00	1.50	1.50	0.13	2.42 m @ 0.36 g/t Au	0.9		
DSDD0284	4.00	5.50	1.50	0.11				
DSDD0284	10.50	11.50	1.00	0.34				
DSDD0284	11.50	12.92	1.42	0.37				
DSDD0284	18.00	19.00	1.00	1.53	1.00 m @ 1.53 g/t Au	1.5	1.00 m @ 1.53 g/t Au	
DSDD0284	19.00	19.98	0.98	0.15				
DSDD0284	22.00	23.22	1.22	0.18				
DSDD0284	25.00	26.50	1.50	0.22	1.50 m @ 0.22 g/t Au	0.3		
DSDD0284	51.00	52.50	1.50	0.26	3.00 m @ 0.29 g/t Au	0.9		
DSDD0284	52.50	54.00	1.50	0.33				
DSDD0284	55.50	57.00	1.50	0.18				
DSDD0284	66.00	67.00	1.00	0.42	1.00 m @ 0.42 g/t Au	0.4		
DSDD0284	68.28	69.50	1.22	0.18				
DSDD0284	105.38	106.86	1.48	0.29	1.48 m @ 0.29 g/t Au	0.4		
DSDD0284	112.68	114.00	1.32	0.16	9.00 m @ 0.65 g/t Au	5.8		
DSDD0284	119.00	120.00	1.00	0.82				
DSDD0284	120.00	121.00	1.00	0.45				
DSDD0284	121.00	122.00	1.00	0.55				

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
DSDD0284	122.00	123.00	1.00	0.19			2.00 m @ 1.28 g/t Au	
DSDD0284	123.00	124.00	1.00	1.21				
DSDD0284	124.00	125.00	1.00	1.34				
DSDD0284	125.00	126.00	1.00	0.22				
DSDD0284	126.00	127.00	1.00	0.52				
DSDD0284	127.00	128.00	1.00	0.52	5.00 m @ 0.57 g/t Au	2.9		
DSDD0284	133.00	134.00	1.00	0.23				
DSDD0284	134.00	135.00	1.00	0.65				
DSDD0284	135.00	136.00	1.00	0.96				
DSDD0284	136.00	137.00	1.00	0.04				
DSDD0284	137.00	138.00	1.00	0.97	2.00 m @ 0.31 g/t Au	0.6		
DSDD0284	146.00	147.10	1.10	0.32				
DSDD0284	147.10	148.00	0.90	0.30	5.00 m @ 0.22 g/t Au	1.1		
DSDD0284	149.00	150.00	1.00	0.15				
DSDD0284	154.08	155.05	0.97	0.10				
DSDD0284	158.00	159.00	1.00	0.23				
DSDD0284	159.00	160.00	1.00	0.04				7.00 m @ 0.57 g/t Au
DSDD0284	160.00	161.00	1.00	0.40				
DSDD0284	161.00	162.00	1.00	0.12				
DSDD0284	162.00	163.00	1.00	0.32				
DSDD0284	163.00	164.00	1.00	0.11	2.00 m @ 0.52 g/t Au	1.0		
DSDD0284	167.00	168.00	1.00	1.15				
DSDD0284	168.00	169.00	1.00	0.25				
DSDD0284	169.00	170.18	1.18	0.41				
DSDD0284	170.18	171.00	0.82	0.03			1.00 m @ 0.35 g/t Au	0.4
DSDD0284	171.00	172.00	1.00	0.04				
DSDD0284	172.00	173.00	1.00	0.33				
DSDD0284	173.00	174.00	1.00	1.70				
DSDD0284	177.00	178.00	1.00	0.12	2.00 m @ 0.52 g/t Au	1.0		
DSDD0284	178.00	179.00	1.00	0.12				
DSDD0284	187.00	188.00	1.00	0.15				
DSDD0284	204.00	205.00	1.00	0.62				
DSDD0284	205.00	206.00	1.00	0.42			3.00 m @ 0.37 g/t Au	1.1
DSDD0284	231.00	232.00	1.00	0.17				
DSDD0284	245.00	246.00	1.00	0.15				
DSDD0284	248.00	249.00	1.00	0.36				
DSDD0285	1.50	3.00	1.50	0.12	1.50 m @ 0.30 g/t Au	0.5		
DSDD0285	27.00	28.50	1.50	0.14				
DSDD0285	28.50	30.00	1.50	0.30				
DSDD0285	34.50	36.00	1.50	0.51				
DSDD0285	36.00	37.50	1.50	0.24				1.00 m @ 0.22 g/t Au
DSDD0285	37.50	39.00	1.50	0.13				
DSDD0285	39.00	40.50	1.50	0.12				
DSDD0285	42.00	43.00	1.00	0.19				
DSDD0285	43.00	44.00	1.00	0.15	1.00 m @ 0.24 g/t Au	0.2		
DSDD0285	44.00	45.00	1.00	0.22				
DSDD0285	47.00	48.00	1.00	0.25				
DSDD0285	48.00	49.00	1.00	0.13				
DSDD0285	49.00	50.00	1.00	0.17				1.00 m @ 0.22 g/t Au
DSDD0285	50.00	51.00	1.00	0.22				

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0285	51.00	52.00	1.00	0.12			
DSDD0285	52.00	53.00	1.00	0.13			
DSDD0285	55.00	56.00	1.00	0.34	7.00 m @ 0.24 g/t Au	1.7	
DSDD0285	56.00	57.00	1.00	0.09			
DSDD0285	57.00	58.00	1.00	0.13			
DSDD0285	58.00	58.90	0.90	0.10			
DSDD0285	58.90	59.77	0.87	0.32			
DSDD0285	59.77	61.00	1.23	0.42			
DSDD0285	61.00	62.00	1.00	0.22			
DSDD0285	62.00	63.00	1.00	0.12			
DSDD0285	63.00	64.00	1.00	0.12			
DSDD0285	66.00	67.00	1.00	0.22	1.00 m @ 0.22 g/t Au	0.2	
DSDD0285	67.00	68.00	1.00	0.11			
DSDD0285	68.00	69.00	1.00	0.13			
DSDD0285	70.00	71.00	1.00	0.30	1.00 m @ 0.30 g/t Au		0.3
DSDD0285	71.00	72.00	1.00	0.20			
DSDD0285	79.00	80.00	1.00	0.10			
DSDD0285	81.00	82.00	1.00	0.14			
DSDD0285	82.00	82.70	0.70	0.12			
DSDD0285	86.00	87.00	1.00	0.15			
DSDD0285	96.00	96.61	0.61	0.11			
DSDD0285	101.00	102.00	1.00	0.20			
DSDD0285	103.47	104.00	0.53	0.14			
DSDD0285	104.00	105.00	1.00	0.25	1.00 m @ 0.25 g/t Au	0.3	
DSDD0285	107.00	108.00	1.00	0.20			
DSDD0285	112.00	113.00	1.00	0.40	1.00 m @ 0.40 g/t Au	0.4	
DSDD0285	113.00	114.00	1.00	0.14			
DSDD0285	114.00	114.82	0.82	0.14			
DSDD0285	124.62	126.00	1.38	0.16			
DSDD0285	127.00	128.00	1.00	0.55	4.00 m @ 0.54 g/t Au	2.2	
DSDD0285	128.00	129.00	1.00	0.27			
DSDD0285	129.00	130.00	1.00	0.75			
DSDD0285	130.00	131.00	1.00	0.60			
DSDD0285	132.00	133.00	1.00	0.13			
DSDD0285	133.00	134.00	1.00	0.14			
DSDD0285	135.00	136.00	1.00	0.12			
DSDD0285	136.00	137.00	1.00	0.19			
DSDD0285	137.00	138.00	1.00	0.44	10.00 m @ 0.26 g/t Au	2.6	
DSDD0285	138.00	138.63	0.63	0.06			
DSDD0285	138.63	140.00	1.37	0.06			
DSDD0285	140.00	141.00	1.00	0.08			
DSDD0285	141.00	142.00	1.00	0.39			
DSDD0285	142.00	142.80	0.80	0.71			
DSDD0285	142.80	143.50	0.70	0.16			
DSDD0285	143.50	145.00	1.50	0.28			
DSDD0285	145.00	146.00	1.00	0.21			
DSDD0285	146.00	147.00	1.00	0.31			
DSDD0285	147.00	148.00	1.00	0.17			
DSDD0285	148.00	149.00	1.00	0.11			
DSDD0285	149.00	150.00	1.00	0.11			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au				
DSDD0285	151.00	151.74	0.74	0.26	0.74 m @ 0.26 g/t Au	0.2					
DSDD0285	151.74	153.00	1.26	0.16							
DSDD0285	154.00	155.00	1.00	0.13							
DSDD0285	155.00	155.75	0.75	0.42				2.23 m @ 0.28 g/t Au	0.6		
DSDD0285	155.75	157.23	1.48	0.22							
DSDD0285	286.00	287.00	1.00	0.14							
DSDD0285	287.00	288.03	1.03	0.55	5.00 m @ 0.64 g/t Au	3.2					
DSDD0285	288.03	289.00	0.97	1.23			0.97 m @ 1.23 g/t Au				
DSDD0285	289.00	289.70	0.70	0.17							
DSDD0285	289.70	291.00	1.30	0.62							
DSDD0285	291.00	292.00	1.00	0.54							
DSDD0285	317.00	318.00	1.00	0.17							
DSDD0285	320.88	322.00	1.12	0.12							
DSDD0285	323.65	325.00	1.35	0.13							
DSDD0285	342.00	343.00	1.00	0.51	17.00 m @ 0.36 g/t Au	6.1					
DSDD0285	343.00	344.00	1.00	0.29							
DSDD0285	344.00	345.00	1.00	0.35							
DSDD0285	345.00	346.00	1.00	1.47				1.00 m @ 1.47 g/t Au			
DSDD0285	346.00	347.00	1.00	0.28							
DSDD0285	347.00	348.00	1.00	0.63							
DSDD0285	348.00	349.00	1.00	0.09							
DSDD0285	349.00	350.00	1.00	0.45							
DSDD0285	350.00	351.00	1.00	0.17							
DSDD0285	351.00	352.00	1.00	0.16							
DSDD0285	352.00	353.00	1.00	0.08							
DSDD0285	353.00	354.00	1.00	0.35							
DSDD0285	354.00	355.00	1.00	0.34							
DSDD0285	355.00	356.00	1.00	0.15							
DSDD0285	356.00	357.00	1.00	0.05							
DSDD0285	357.00	358.00	1.00	0.44							
DSDD0285	358.00	359.00	1.00	0.32							
DSDD0285	364.00	365.00	1.00	0.27				15.00 m @ 0.45 g/t Au	6.8		
DSDD0285	365.00	366.00	1.00	0.72							
DSDD0285	366.00	367.00	1.00	0.17							
DSDD0285	367.00	368.00	1.00	1.53							1.00 m @ 1.53 g/t Au
DSDD0285	368.00	369.00	1.00	0.26							
DSDD0285	369.00	370.00	1.00	0.04							
DSDD0285	370.00	371.00	1.00	0.04							
DSDD0285	371.00	372.00	1.00	1.41	1.00 m @ 1.41 g/t Au						
DSDD0285	372.00	373.00	1.00	0.51							
DSDD0285	373.00	374.00	1.00	0.40							
DSDD0285	374.00	375.00	1.00	0.59							
DSDD0285	375.00	376.00	1.00	0.04							
DSDD0285	376.00	377.00	1.00	0.36							
DSDD0285	377.00	378.00	1.00	0.15							
DSDD0285	378.00	379.00	1.00	0.29							
DSDD0285	379.00	380.00	1.00	0.15							
DSDD0285	381.00	382.00	1.00	0.13							
DSDD0285	385.00	386.00	1.00	0.14							
DSDD0285	386.00	387.00	1.00	0.32	9.00 m @ 0.31 g/t Au	2.8					

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0285	387.00	388.00	1.00	0.27			
DSDD0285	388.00	389.00	1.00	0.07			
DSDD0285	389.00	390.00	1.00	0.46			
DSDD0285	390.00	391.00	1.00	0.46			
DSDD0285	391.00	392.00	1.00	0.40			
DSDD0285	392.00	393.00	1.00	0.20			
DSDD0285	393.00	394.00	1.00	0.28			
DSDD0285	394.00	395.00	1.00	0.28			
DSDD0285	396.00	397.00	1.00	0.18			
DSDD0285	397.00	398.00	1.00	0.14			
DSDD0285	398.00	399.00	1.00	0.12			
DSDD0285	399.00	400.00	1.00	0.37	10.69 m @ 0.22 g/t Au	2.3	
DSDD0285	400.00	401.00	1.00	0.12			
DSDD0285	401.00	402.00	1.00	0.32			
DSDD0285	402.00	403.00	1.00	0.21			
DSDD0285	403.00	404.00	1.00	0.24			
DSDD0285	404.00	405.00	1.00	0.29			
DSDD0285	405.00	406.00	1.00	0.13			
DSDD0285	406.00	407.00	1.00	0.05			
DSDD0285	407.00	408.00	1.00	0.28			
DSDD0285	408.00	409.00	1.00	0.15			
DSDD0285	409.00	409.69	0.69	0.22			
DSDD0285	409.69	411.00	1.31	0.18			
DSDD0285	416.00	417.00	1.00	0.51	3.24 m @ 1.53 g/t Au	5.0	
DSDD0285	417.00	418.24	1.24	0.39			
DSDD0285	418.24	419.24	1.00	3.98			1.00 m @ 3.98 g/t Au
DSDD0285	443.00	444.00	1.00	0.28	2.80 m @ 0.32 g/t Au	0.9	
DSDD0285	444.00	444.58	0.58	0.14			
DSDD0285	444.58	445.80	1.22	0.44			
DSDD0285	450.00	451.00	1.00	0.11			
DSDD0286	0.00	1.00	1.00	0.35	1.00 m @ 0.35 g/t Au	0.4	
DSDD0286	1.00	2.10	1.10	0.13	1.50 m @ 0.51 g/t Au	0.8	
DSDD0286	4.00	5.00	1.00	0.13			
DSDD0286	26.00	27.00	1.00	0.14			
DSDD0286	27.00	28.00	1.00	0.60			
DSDD0286	28.00	28.50	0.50	0.33			
DSDD0286	29.90	31.00	1.10	0.12			
DSDD0286	42.00	43.00	1.00	0.10	2.00 m @ 0.29 g/t Au	0.6	
DSDD0286	45.00	45.70	0.70	0.12			
DSDD0286	116.00	117.00	1.00	0.13			
DSDD0286	123.00	124.00	1.00	0.27	1.00 m @ 0.31 g/t Au	0.3	
DSDD0286	124.00	125.00	1.00	0.31			
DSDD0286	129.00	130.00	1.00	0.31			
DSDD0286	130.00	131.00	1.00	0.11			
DSDD0286	135.08	136.02	0.94	0.11			
DSDD0286	136.02	137.36	1.34	1.11	8.98 m @ 0.29 g/t Au	2.6	1.34 m @ 1.11 g/t Au
DSDD0286	137.36	138.50	1.14	0.03			
DSDD0286	138.50	139.00	0.50	0.08			
DSDD0286	139.00	140.00	1.00	0.05			
DSDD0286	140.00	141.00	1.00	0.30			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
DSDD0286	141.00	142.00	1.00	0.23				
DSDD0286	142.00	143.00	1.00	0.01				
DSDD0286	143.00	143.70	0.70	0.06				
DSDD0286	143.70	145.00	1.30	0.33				
DSDD0287	0.00	1.05	1.05	0.13				
DSDD0287	1.50	2.00	0.50	0.10				
DSDD0287	19.50	21.00	1.50	0.10				
DSDD0287	40.00	41.03	1.03	0.30	1.03 m @ 0.30 g/t Au	0.3		
DSDD0287	43.36	44.52	1.16	0.16				
DSDD0287	45.00	45.65	0.65	0.20	0.65 m @ 0.20 g/t Au	0.1		
DSDD0287	47.70	48.69	0.99	0.57	0.99 m @ 0.57 g/t Au	0.6		
DSDD0287	50.19	51.00	0.81	5.23	3.81 m @ 3.63 g/t Au	13.8	3.81 m @ 3.63 g/t Au	
DSDD0287	51.00	52.00	1.00	3.39				
DSDD0287	52.00	53.00	1.00	0.82				
DSDD0287	53.00	54.00	1.00	5.38				
DSDD0287	55.00	56.32	1.32	0.16	3.00 m @ 0.53 g/t Au	1.6	1.00 m @ 1.12 g/t Au	
DSDD0287	57.65	58.50	0.85	0.19				
DSDD0287	58.50	59.00	0.50	0.13				
DSDD0287	60.00	61.00	1.00	1.12				
DSDD0287	61.00	62.00	1.00	0.19				
DSDD0287	62.00	63.00	1.00	0.28				
DSDD0287	65.00	66.00	1.00	0.10	2.00 m @ 0.28 g/t Au	0.6		
DSDD0287	66.00	67.00	1.00	0.13				
DSDD0287	67.00	68.00	1.00	0.30				
DSDD0287	68.00	69.00	1.00	0.27				
DSDD0287	69.00	70.00	1.00	0.11				
DSDD0287	70.00	71.00	1.00	0.10				
DSDD0287	71.00	72.00	1.00	0.14	3.68 m @ 2.27 g/t Au	8.3		
DSDD0287	72.00	73.00	1.00	0.13				
DSDD0287	119.00	120.00	1.00	0.14				
DSDD0287	120.00	121.00	1.00	0.11				
DSDD0287	129.00	129.64	0.64	0.25				
DSDD0287	129.64	131.00	1.36	0.10				
DSDD0287	131.00	131.50	0.50	0.01			1.18 m @ 6.82 g/t Au	
DSDD0287	131.50	132.68	1.18	6.82				
DSDD0287	132.68	134.00	1.32	0.10				
DSDD0287	137.00	138.00	1.00	0.12				
DSDD0287	138.00	138.91	0.91	0.28	0.91 m @ 0.28 g/t Au	0.3	2.56 m @ 1.98 g/t Au	
DSDD0288	1.25	2.38	1.13	0.17	1.00 m @ 0.25 g/t Au	0.3		
DSDD0288	95.00	96.00	1.00	0.25				
DSDD0288	96.00	97.00	1.00	0.15	4.35 m @ 1.31 g/t Au	5.7		
DSDD0288	99.65	100.44	0.79	0.40				
DSDD0288	100.44	101.50	1.06	2.12				
DSDD0288	101.50	103.00	1.50	1.88				
DSDD0288	103.00	104.00	1.00	0.29	1.00 m @ 0.55 g/t Au	0.5		
DSDD0288	108.00	109.00	1.00	0.55				
DSDD0288	121.15	122.00	0.85	0.28				
DSDD0288	122.00	123.00	1.00	0.05				
DSDD0288	123.00	124.00	1.00	31.24		7.15 m @ 4.71 g/t Au	33.7	1.00 m @ 31.24 g/t Au
DSDD0288	124.00	125.00	1.00	0.50				

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0288	125.00	126.00	1.00	0.01			1.30 m @ 1.23 g/t Au
DSDD0288	126.00	127.00	1.00	0.08			
DSDD0288	127.00	128.30	1.30	1.23			
DSDD0288	135.28	136.00	0.72	0.35	15.96 m @ 1.15 g/t Au	18.4	1.00 m @ 1.65 g/t Au
DSDD0288	136.00	137.00	1.00	0.62			
DSDD0288	137.00	138.00	1.00	1.65			
DSDD0288	138.00	139.00	1.00	0.03			1.00 m @ 1.82 g/t Au
DSDD0288	139.00	140.00	1.00	0.01			
DSDD0288	140.00	141.00	1.00	0.92			
DSDD0288	141.00	142.00	1.00	0.15			3.24 m @ 3.92 g/t Au
DSDD0288	142.00	143.00	1.00	0.01			
DSDD0288	143.00	144.00	1.00	0.08			
DSDD0288	144.00	145.00	1.00	1.82			
DSDD0288	145.00	146.00	1.00	0.03			
DSDD0288	146.00	147.00	1.00	0.11			
DSDD0288	147.00	148.00	1.00	0.03			
DSDD0288	148.00	149.00	1.00	10.40			
DSDD0288	149.00	150.00	1.00	0.29			
DSDD0288	150.00	151.24	1.24	1.61			
DSDD0288	155.00	156.00	1.00	0.17			
DSDD0288	156.00	157.00	1.00	1.64	1.00 m @ 1.64 g/t Au	1.6	1.00 m @ 1.64 g/t Au
DSDD0288	166.00	167.00	1.00	0.14			
DSDD0288	168.00	169.35	1.35	1.16	1.35 m @ 1.16 g/t Au	1.6	1.35 m @ 1.16 g/t Au
DSDD0288	171.00	172.00	1.00	0.13	6.00 m @ 0.65 g/t Au	3.9	2.00 m @ 1.59 g/t Au
DSDD0288	176.00	177.00	1.00	0.12			
DSDD0288	177.00	178.00	1.00	1.39			
DSDD0288	178.00	179.00	1.00	1.79			
DSDD0288	179.00	179.67	0.67	0.23			
DSDD0288	179.67	181.00	1.33	0.07			
DSDD0288	181.00	182.00	1.00	0.06			0.50 m @ 27.09 g/t Au
DSDD0288	182.00	183.00	1.00	0.43			
DSDD0288	194.00	195.35	1.35	0.91	1.35 m @ 0.91 g/t Au	1.2	
DSDD0288	200.05	201.00	0.95	0.46	2.95 m @ 5.02 g/t Au	14.8	
DSDD0288	201.00	202.50	1.50	0.54			
DSDD0288	202.50	203.00	0.50	27.09			
DSDD0288	218.70	220.00	1.30	0.55	4.30 m @ 0.33 g/t Au	1.4	
DSDD0288	220.00	220.80	0.80	0.46			
DSDD0288	220.80	222.00	1.20	0.02			
DSDD0288	222.00	223.00	1.00	0.30			
DSDD0288	247.00	248.00	1.00	1.32			
DSDD0288	248.00	249.00	1.00	0.30	15.00 m @ 0.47 g/t Au	7.0	1.00 m @ 1.32 g/t Au
DSDD0288	249.00	250.00	1.00	0.25			
DSDD0288	250.00	251.00	1.00	0.69			
DSDD0288	251.00	252.00	1.00	0.19			
DSDD0288	252.00	253.00	1.00	0.05			
DSDD0288	253.00	254.00	1.00	0.56			
DSDD0288	254.00	255.00	1.00	0.45			1.00 m @ 1.64 g/t Au
DSDD0288	255.00	256.00	1.00	0.29			
DSDD0288	256.00	257.00	1.00	0.39			
DSDD0288	257.00	258.00	1.00	1.64			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0288	258.00	259.00	1.00	0.08			
DSDD0288	259.00	260.00	1.00	0.10			
DSDD0288	260.00	261.00	1.00	0.04			
DSDD0288	261.00	262.00	1.00	0.69			
DSDD0288	262.00	263.00	1.00	0.20			
DSDD0288	266.00	267.00	1.00	0.11			
DSDD0288	269.00	270.00	1.00	0.14			
DSDD0288	270.00	271.00	1.00	0.62			
DSDD0288	271.00	272.00	1.00	0.01	4.00 m @ 0.25 g/t Au	1.0	
DSDD0288	272.00	273.00	1.00	0.02			
DSDD0288	273.00	274.00	1.00	0.34			
DSDD0288	285.00	286.00	1.00	2.20			
DSDD0288	286.00	287.00	1.00	12.83	3.00 m @ 5.22 g/t Au	15.6	2.00 m @ 7.52 g/t Au
DSDD0288	287.00	288.00	1.00	0.61			
DSDD0288	289.30	290.00	0.70	0.15			
DSDD0289	0.00	1.00	1.00	0.18			
DSDD0289	1.00	1.98	0.98	0.12			
DSDD0289	3.00	4.50	1.50	0.22			
DSDD0289	95.00	96.00	1.00	0.35	1.50 m @ 0.22 g/t Au	0.3	
DSDD0289	134.00	135.00	1.00	0.92	1.00 m @ 0.35 g/t Au	0.4	
DSDD0289	135.00	136.00	1.00	0.12	1.00 m @ 0.92 g/t Au	0.9	
DSDD0289	144.00	145.00	1.00	0.13			
DSDD0290	1.00	2.00	1.00	0.14			
DSDD0290	4.00	5.00	1.00	0.12			
DSDD0290	5.00	6.00	1.00	0.15			
DSDD0290	6.00	7.00	1.00	0.22			
DSDD0290	7.00	8.00	1.00	0.11	1.00 m @ 0.22 g/t Au	0.2	
DSDD0290	12.00	12.95	0.95	0.16	4.03 m @ 10.22 g/t Au	41.2	1.50 m @ 27.13 g/t Au
DSDD0290	13.50	15.00	1.50	27.13			
DSDD0290	15.00	16.50	1.50	0.09			
DSDD0290	16.50	17.53	1.03	0.35			
DSDD0290	18.84	20.00	1.16	0.20			
DSDD0290	20.00	21.00	1.00	0.13	1.16 m @ 0.20 g/t Au	0.2	
DSDD0290	30.00	30.77	0.77	0.11			
DSDD0290	32.48	33.50	1.02	0.35			
DSDD0290	34.50	36.00	1.50	0.41			
DSDD0290	34.50	36.00	1.50	0.41	1.02 m @ 0.35 g/t Au	0.4	
DSDD0290	34.50	36.00	1.50	0.41	1.50 m @ 0.41 g/t Au	0.6	
DSDD0290	51.00	52.00	1.00	0.10	18.00 m @ 0.61 g/t Au	10.9	1.00 m @ 1.00 g/t Au
DSDD0290	59.00	60.00	1.00	1.00			
DSDD0290	60.00	61.00	1.00	0.04			
DSDD0290	61.00	61.69	0.69	0.01			
DSDD0290	61.69	63.00	1.31	0.40			
DSDD0290	63.00	64.00	1.00	0.05			
DSDD0290	64.00	65.00	1.00	0.20			
DSDD0290	65.00	66.00	1.00	0.09			
DSDD0290	66.00	67.00	1.00	0.04			
DSDD0290	67.00	68.00	1.00	0.01			
DSDD0290	68.00	69.00	1.00	6.32			
DSDD0290	69.00	70.00	1.00	0.34			
DSDD0290	70.00	71.00	1.00	0.29			
DSDD0290	71.00	72.00	1.00	0.32			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0290	72.00	73.00	1.00	0.09			
DSDD0290	73.00	74.00	1.00	0.24			
DSDD0290	74.00	75.05	1.05	0.15			
DSDD0290	75.05	76.22	1.17	0.65			
DSDD0290	76.22	77.00	0.78	0.56			
DSDD0290	80.00	81.00	1.00	0.13			
DSDD0290	84.50	85.50	1.00	0.20	1.00 m @ 0.20 g/t Au	0.2	
DSDD0290	101.92	103.00	1.08	0.93			
DSDD0290	103.00	104.00	1.00	0.41	3.08 m @ 0.54 g/t Au	1.7	
DSDD0290	104.00	105.00	1.00	0.24			
DSDD0291	6.00	7.00	1.00	0.12			
DSDD0291	22.50	24.00	1.50	0.19			
DSDD0291	103.50	104.00	0.50	0.32	0.50 m @ 0.32 g/t Au	0.2	
DSDD0291	116.49	117.00	0.51	0.18			
DSDD0291	117.00	117.60	0.60	0.15			
DSDD0291	121.00	122.00	1.00	0.68	1.00 m @ 0.68 g/t Au	0.7	
DSDD0291	126.00	127.00	1.00	0.17			
DSDD0291	129.00	130.00	1.00	0.24			
DSDD0291	130.00	130.50	0.50	0.67			
DSDD0291	130.50	131.00	0.50	1.20	5.00 m @ 0.69 g/t Au	3.4	1.00 m @ 1.63 g/t Au
DSDD0291	131.00	131.50	0.50	2.05			
DSDD0291	131.50	132.65	1.15	0.58			
DSDD0291	132.65	133.45	0.80	0.55			
DSDD0291	133.45	134.00	0.55	0.21			
DSDD0291	134.00	135.00	1.00	0.13			
DSDD0291	137.30	138.00	0.70	0.29	0.70 m @ 0.29 g/t Au	0.2	
DSDD0291	151.00	152.00	1.00	0.52	1.00 m @ 0.52 g/t Au	0.5	
DSDD0291	157.00	158.00	1.00	0.10			
DSDD0292	0.50	1.50	1.00	0.12			
DSDD0292	1.50	2.40	0.90	0.60	0.90 m @ 0.59 g/t Au	0.5	
DSDD0292	5.00	6.00	1.00	0.42	1.00 m @ 0.42 g/t Au	0.4	
DSDD0292	15.86	17.00	1.14	0.29	1.14 m @ 0.29 g/t Au	0.3	
DSDD0292	17.00	18.30	1.30	0.13			
DSDD0292	19.50	21.00	1.50	0.10			
DSDD0292	21.00	22.00	1.00	0.14			
DSDD0292	22.00	23.10	1.10	0.46	1.10 m @ 0.46 g/t Au	0.5	
DSDD0292	24.64	25.50	0.86	2.01	0.86 m @ 2.01 g/t Au	1.7	0.86 m @ 2.01 g/t Au
DSDD0292	29.17	30.00	0.83	0.60			
DSDD0292	30.00	31.00	1.00	0.01	3.18 m @ 0.56 g/t Au	1.8	
DSDD0292	31.00	32.35	1.35	0.94			
DSDD0292	33.48	34.00	0.52	0.29	0.52 m @ 0.29 g/t Au	0.2	
DSDD0292	63.00	64.00	1.00	1.97			
DSDD0292	64.00	64.50	0.50	0.44	2.00 m @ 2.23 g/t Au	4.5	2.00 m @ 2.23 g/t Au
DSDD0292	64.50	65.00	0.50	4.54			
DSDD0292	65.00	66.00	1.00	0.11			
DSDD0292	95.00	96.00	1.00	0.61	1.00 m @ 0.61 g/t Au	0.6	
DSDD0292	114.00	115.00	1.00	1.70			1.00 m @ 1.70 g/t Au
DSDD0292	115.00	116.00	1.00	0.01	5.00 m @ 0.40 g/t Au	2.0	
DSDD0292	116.00	117.00	1.00	0.03			
DSDD0292	117.00	118.00	1.00	0.01			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0292	118.00	119.00	1.00	0.26	6.00 m @ 1.15 g/t Au	6.9	1.30 m @ 4.58 g/t Au
DSDD0292	126.00	127.00	1.00	0.21			
DSDD0292	127.00	128.00	1.00	0.18			
DSDD0292	128.00	129.00	1.00	0.17			
DSDD0292	129.00	130.00	1.00	0.03			
DSDD0292	130.00	131.30	1.30	4.58			
DSDD0292	131.30	132.00	0.70	0.52			
DSDD0292	132.00	133.00	1.00	0.15	20.00 m @ 1.18 g/t Au	23.6	1.00 m @ 8.80 g/t Au
DSDD0292	136.00	137.00	1.00	8.80			1.00 m @ 7.13 g/t Au
DSDD0292	137.00	138.00	1.00	0.10			
DSDD0292	138.00	139.00	1.00	0.49			1.00 m @ 2.23 g/t Au
DSDD0292	139.00	140.00	1.00	0.08			
DSDD0292	140.00	141.00	1.00	7.14			1.00 m @ 1.89 g/t Au
DSDD0292	141.00	142.00	1.00	0.37			
DSDD0292	142.00	143.00	1.00	0.06			1.00 m @ 1.89 g/t Au
DSDD0292	143.00	144.00	1.00	0.18			
DSDD0292	144.00	145.00	1.00	0.09			1.00 m @ 1.89 g/t Au
DSDD0292	145.00	146.00	1.00	2.23			
DSDD0292	146.00	147.00	1.00	0.05			1.00 m @ 1.89 g/t Au
DSDD0292	147.00	148.00	1.00	0.11			
DSDD0292	148.00	149.00	1.00	0.59			1.00 m @ 1.89 g/t Au
DSDD0292	149.00	150.00	1.00	0.63			
DSDD0292	150.00	151.00	1.00	0.25			1.00 m @ 1.89 g/t Au
DSDD0292	151.00	152.00	1.00	0.93			
DSDD0292	152.00	153.00	1.00	0.76			1.00 m @ 1.89 g/t Au
DSDD0292	153.00	154.00	1.00	0.02			
DSDD0292	154.00	155.00	1.00	0.08			1.00 m @ 1.89 g/t Au
DSDD0292	155.00	156.00	1.00	0.70			
DSDD0292	164.00	165.00	1.00	0.54	4.00 m @ 0.67 g/t Au	2.7	1.00 m @ 1.89 g/t Au
DSDD0292	165.00	166.00	1.00	0.08			
DSDD0292	166.00	167.00	1.00	0.18			
DSDD0292	167.00	168.00	1.00	1.89			
DSDD0293	0.00	1.00	1.00	0.13	1.02 m @ 1.71 g/t Au	1.7	1.02 m @ 1.71 g/t Au
DSDD0293	9.90	11.14	1.24	0.19			
DSDD0293	47.00	48.00	1.00	0.11			
DSDD0293	52.06	52.70	0.64	0.13			
DSDD0293	55.00	56.02	1.02	1.71	15.00 m @ 0.31 g/t Au	4.6	1.02 m @ 1.71 g/t Au
DSDD0293	63.00	64.00	1.00	0.18			
DSDD0293	64.00	65.00	1.00	0.25			
DSDD0293	65.00	66.30	1.30	0.60			
DSDD0293	66.30	67.58	1.28	0.10			
DSDD0293	67.58	69.00	1.42	0.02			
DSDD0293	69.00	70.00	1.00	0.22			
DSDD0293	70.00	71.00	1.00	0.11			
DSDD0293	71.00	72.00	1.00	0.45			
DSDD0293	72.00	73.00	1.00	0.30			
DSDD0293	73.00	74.00	1.00	0.23			
DSDD0293	74.00	75.00	1.00	0.13			
DSDD0293	75.00	76.00	1.00	0.74			
DSDD0293	76.00	77.00	1.00	0.32			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0293	77.00	78.00	1.00	0.34			
DSDD0293	78.00	79.00	1.00	0.62			
DSDD0293	81.00	82.00	1.00	0.11			
DSDD0293	87.31	88.00	0.69	0.11			
DSDD0293	88.00	89.00	1.00	0.11			
DSDD0293	89.00	90.00	1.00	0.12			
DSDD0293	190.00	191.00	1.00	0.10			
DSDD0293	191.00	192.00	1.00	0.11			
DSDD0293	193.00	194.00	1.00	0.11			
DSDD0294	0.00	1.50	1.50	0.16			
DSDD0294	3.00	4.00	1.00	0.40	1.00 m @ 0.40 g/t Au	0.4	
DSDD0294	4.50	5.38	0.88	0.10			
DSDD0294	25.00	26.00	1.00	0.11			
DSDD0294	37.50	39.00	1.50	0.13			
DSDD0294	39.00	40.00	1.00	0.24	1.50 m @ 0.27 g/t Au	0.4	
DSDD0294	40.00	40.50	0.50	0.33			
DSDD0294	41.27	42.00	0.73	1.17	0.73 m @ 1.17 g/t Au	0.9	0.73 m @ 1.17 g/t Au
DSDD0294	46.00	47.16	1.16	0.14			
DSDD0294	48.95	50.00	1.05	0.22	2.49 m @ 0.26 g/t Au	0.7	
DSDD0294	50.00	51.44	1.44	0.29			
DSDD0294	61.37	62.26	0.89	0.74	0.89 m @ 0.73 g/t Au	0.7	
DSDD0294	63.00	64.00	1.00	0.11			
DSDD0294	64.00	65.00	1.00	0.48	2.00 m @ 0.36 g/t Au	0.7	
DSDD0294	65.00	66.00	1.00	0.24			
DSDD0294	67.00	68.00	1.00	0.19			
DSDD0294	68.00	69.00	1.00	0.12			
DSDD0294	87.00	88.00	1.00	0.39	1.00 m @ 0.39 g/t Au	0.4	
DSDD0294	88.00	89.00	1.00	0.12			
DSDD0296	1.10	2.23	1.13	9.17	1.13 m @ 9.17 g/t Au	10.4	1.13 m @ 9.17 g/t Au
DSDD0296	3.00	3.63	0.63	0.11			
DSDD0296	5.68	6.18	0.50	0.22	0.50 m @ 0.22 g/t Au	0.1	
DSDD0296	8.47	9.19	0.72	0.27	0.72 m @ 0.27 g/t Au	0.2	
DSDD0296	11.60	12.49	0.89	0.20	0.89 m @ 0.20 g/t Au	0.2	
DSDD0296	16.04	16.78	0.74	0.57	0.74 m @ 0.57 g/t Au	0.4	
DSDD0296	19.31	20.00	0.69	4.63	0.69 m @ 4.63 g/t Au	3.2	0.69 m @ 4.63 g/t Au
DSDD0296	27.63	29.00	1.37	0.17			
DSDD0296	31.10	32.37	1.27	0.36	1.27 m @ 0.36 g/t Au	0.5	
DSDD0296	34.15	34.98	0.83	0.92	0.83 m @ 0.92 g/t Au	0.8	
DSDD0296	40.00	40.75	0.75	0.23	0.75 m @ 0.23 g/t Au	0.2	
DSDD0296	42.00	43.50	1.50	0.62	2.00 m @ 0.54 g/t Au	1.1	
DSDD0296	43.50	44.00	0.50	0.29			
DSDD0296	71.28	72.00	0.72	0.10			
DSDD0296	73.00	74.00	1.00	0.11			
DSDD0296	74.00	75.00	1.00	0.10			
DSDD0296	75.00	76.35	1.35	0.11			
DSDD0296	134.00	135.00	1.00	0.11			
DSDD0296	185.00	186.00	1.00	0.19			
DSDD0296	187.00	188.00	1.00	0.24	1.00 m @ 0.24 g/t Au	0.2	
DSDD0296	190.00	191.00	1.00	0.11			
DSDD0296	205.30	206.00	0.70	0.74	2.70 m @ 0.94 g/t Au	2.5	

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au		
DSDD0296	206.00	207.00	1.00	1.49			1.00 m @ 1.49 g/t Au		
DSDD0296	207.00	208.00	1.00	0.54					
DSDD0296	208.00	209.00	1.00	0.10					
DSDD0296	209.00	210.00	1.00	0.14					
DSDD0296	212.00	213.00	1.00	0.20	3.00 m @ 0.29 g/t Au	0.9			
DSDD0296	213.00	214.00	1.00	0.47					
DSDD0296	214.00	215.00	1.00	0.20					
DSDD0296	215.00	215.80	0.80	0.15					
DSDD0296	215.80	217.00	1.20	0.15					
DSDD0296	224.00	225.00	1.00	0.52	12.00 m @ 0.63 g/t Au	7.5			
DSDD0296	225.00	226.00	1.00	0.19					
DSDD0296	226.00	227.00	1.00	0.59					
DSDD0296	227.00	228.00	1.00	0.63					
DSDD0296	228.00	229.00	1.00	0.06					
DSDD0296	229.00	230.00	1.00	0.03					
DSDD0296	230.00	231.00	1.00	0.51					
DSDD0296	231.00	232.00	1.00	0.01					
DSDD0296	232.00	233.00	1.00	0.37					
DSDD0296	233.00	234.00	1.00	0.49					
DSDD0296	234.00	235.00	1.00	1.09			2.00 m @ 2.07 g/t Au		
DSDD0296	235.00	236.00	1.00	3.05					
DSDD0296	272.20	273.00	0.80	0.36	0.80 m @ 0.36 g/t Au		0.3		
DSDD0296	273.00	273.68	0.68	0.17					
DSDD0296	273.68	275.00	1.32	0.17					
DSDD0296	276.00	277.00	1.00	0.14					
DSDD0296	277.00	278.00	1.00	0.14					
DSDD0296	278.00	279.00	1.00	0.12					
DSDD0296	281.00	281.70	0.70	0.19					
DSDD0296	281.70	283.00	1.30	1.14	2.30 m @ 0.83 g/t Au	1.9	1.30 m @ 1.14 g/t Au		
DSDD0296	283.00	284.00	1.00	0.43					
DSDD0296	311.00	312.00	1.00	0.13					
DSDD0296	314.00	315.00	1.00	0.36	1.00 m @ 0.36 g/t Au	0.4			
DSDD0296	315.00	316.00	1.00	0.12					
DSDD0296	343.00	344.00	1.00	0.17					
DSDD0296	366.00	367.00	1.00	0.46	1.00 m @ 0.46 g/t Au	0.5			
DSDD0296	367.00	368.00	1.00	0.16					
DSDD0297	1.07	2.50	1.43	0.23	1.43 m @ 0.23 g/t Au	0.3			
DSDD0297	4.00	5.47	1.47	0.14					
DSDD0297	31.00	32.00	1.00	0.26	3.82 m @ 0.26 g/t Au	1.0			
DSDD0297	32.00	33.00	1.00	0.06					
DSDD0297	33.00	34.00	1.00	0.07					
DSDD0297	34.00	34.82	0.82	0.74					
DSDD0297	36.67	37.50	0.83	0.10					
DSDD0297	44.13	45.00	0.87	0.30	0.87 m @ 0.30 g/t Au	0.3			
DSDD0297	54.00	54.50	0.50	0.15					
DSDD0297	60.00	61.00	1.00	6.95	9.00 m @ 0.91 g/t Au	8.2	1.00 m @ 6.95 g/t Au		
DSDD0297	61.00	62.00	1.00	0.17					
DSDD0297	62.00	63.00	1.00	0.09					
DSDD0297	63.00	64.00	1.00	0.07					
DSDD0297	64.00	65.00	1.00	0.25					

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
DSDD0297	65.00	65.70	0.70	0.16				
DSDD0297	65.70	67.00	1.30	0.10				
DSDD0297	67.00	68.00	1.00	0.19				
DSDD0297	68.00	69.00	1.00	0.24				
DSDD0297	75.00	76.00	1.00	0.50	15.00 m @ 0.70 g/t Au	10.5	0.60 m @ 1.62 g/t Au	
DSDD0297	76.00	76.60	0.60	1.62				
DSDD0297	76.60	78.00	1.40	0.09				
DSDD0297	78.00	79.00	1.00	0.06				
DSDD0297	79.00	80.00	1.00	0.51				
DSDD0297	80.00	81.00	1.00	0.03				
DSDD0297	81.00	82.00	1.00	0.04			1.00 m @ 6.20 g/t Au	
DSDD0297	82.00	83.00	1.00	0.17				
DSDD0297	83.00	84.00	1.00	0.26				
DSDD0297	84.00	85.00	1.00	6.20				
DSDD0297	85.00	86.00	1.00	0.13				
DSDD0297	86.00	87.00	1.00	0.14				
DSDD0297	87.00	88.00	1.00	0.40				
DSDD0297	88.00	89.00	1.00	0.73				
DSDD0297	89.00	90.00	1.00	0.22				
DSDD0297	92.00	93.00	1.00	0.16				
DSDD0297	95.00	96.00	1.00	0.15				
DSDD0297	105.00	106.00	1.00	0.24	1.00 m @ 0.24 g/t Au	0.2		
DSDD0297	106.00	107.00	1.00	0.13				
DSDD0297	114.00	115.00	1.00	0.13				
DSDD0297	115.00	116.00	1.00	0.12				
DSDD0297	116.00	117.00	1.00	0.13				
DSDD0297	117.00	118.00	1.00	0.17				
DSDD0297	118.00	119.00	1.00	0.14				
DSDD0297	119.00	120.00	1.00	0.11				
DSDD0297	122.00	123.00	1.00	0.10				
DSDD0297	123.00	124.00	1.00	0.11				
DSDD0297	124.00	125.00	1.00	0.13				
DSDD0297	125.00	126.00	1.00	0.10				
DSDD0297	143.00	144.00	1.00	0.11				
DSDD0297	145.00	146.00	1.00	0.26	1.00 m @ 0.26 g/t Au	0.3		
DSDD0297	153.00	154.00	1.00	0.42	1.00 m @ 0.42 g/t Au	0.4		
DSDD0297	174.00	175.00	1.00	0.18				
DSDD0297	175.00	176.00	1.00	0.18				
DSDD0297	188.00	189.00	1.00	0.20	1.00 m @ 0.20 g/t Au	0.2		
DSDD0297	206.00	207.00	1.00	0.13				
DSDD0297	207.00	208.00	1.00	0.11				
DSDD0297	209.00	210.00	1.00	0.13				
DSDD0297	211.00	212.00	1.00	0.51				
DSDD0297	212.00	213.00	1.00	0.03				
DSDD0297	213.00	213.90	0.90	0.29				
DSDD0297	213.90	215.00	1.10	0.48				
DSDD0297	215.00	216.00	1.00	0.23				
DSDD0297	216.00	217.00	1.00	0.01				
DSDD0297	217.00	217.65	0.65	0.05				
DSDD0297	217.65	219.00	1.35	0.10	9.00 m @ 0.22 g/t Au	2.0		

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0297	219.00	220.00	1.00	0.25			
DSDD0297	227.00	228.00	1.00	0.12			
DSDD0297	228.00	229.40	1.40	0.12			
DSDD0297	230.00	231.00	1.00	0.22	4.00 m @ 0.44 g/t Au	1.8	
DSDD0297	231.00	231.85	0.85	0.24			
DSDD0297	231.85	233.00	1.15	0.77			
DSDD0297	233.00	234.00	1.00	0.47			
DSDD0297	234.00	235.00	1.00	0.10			
DSDD0297	247.00	248.00	1.00	0.44	1.00 m @ 0.44 g/t Au	0.4	
DSDD0297	248.00	249.00	1.00	0.17			
DSDD0297	253.00	254.00	1.00	0.17			
DSDD0298	0.00	0.84	0.84	0.13			
DSDD0298	2.14	3.00	0.86	0.36	0.86 m @ 0.35 g/t Au	0.3	
DSDD0298	3.00	4.05	1.05	0.13			
DSDD0298	5.28	6.36	1.08	0.18			
DSDD0298	86.00	87.00	1.00	0.14			
DSDD0298	91.00	92.00	1.00	0.24			
DSDD0298	92.00	93.00	1.00	0.19	19.00 m @ 0.72 g/t Au	13.7	
DSDD0298	93.00	93.65	0.65	0.10			
DSDD0298	93.65	94.65	1.00	0.10			
DSDD0298	94.65	96.00	1.35	0.60			
DSDD0298	96.00	97.00	1.00	0.31			
DSDD0298	97.00	98.00	1.00	0.21			
DSDD0298	98.00	99.00	1.00	0.18			
DSDD0298	99.00	99.70	0.70	0.31			
DSDD0298	99.70	101.00	1.30	0.69			
DSDD0298	101.00	102.00	1.00	0.07			
DSDD0298	102.00	103.00	1.00	0.06			
DSDD0298	103.00	104.00	1.00	0.15			
DSDD0298	104.00	105.00	1.00	0.47			
DSDD0298	105.00	106.00	1.00	1.24			3.00 m @ 3.02 g/t Au
DSDD0298	106.00	107.00	1.00	0.26			
DSDD0298	107.00	108.00	1.00	7.57			
DSDD0298	108.00	109.00	1.00	0.39			
DSDD0298	109.00	110.00	1.00	0.32			
DSDD0298	111.00	112.00	1.00	0.12			
DSDD0298	113.00	114.00	1.00	0.18			
DSDD0298	114.00	115.00	1.00	0.22			
DSDD0298	115.00	116.45	1.45	0.19			
DSDD0298	116.45	117.00	0.55	0.34			
DSDD0298	117.00	118.00	1.00	0.19			
DSDD0298	121.00	122.30	1.30	1.30	3.00 m @ 1.12 g/t Au	3.4	
DSDD0298	122.30	123.00	0.70	0.37			
DSDD0298	123.00	124.00	1.00	1.42			
DSDD0298	127.00	128.00	1.00	0.13			
DSDD0298	128.00	129.00	1.00	0.12			
DSDD0298	165.00	166.00	1.00	0.21	1.00 m @ 0.21 g/t Au	0.2	
DSDD0298	176.00	177.05	1.05	0.79	1.05 m @ 0.79 g/t Au	0.8	
DSDD0299	0.67	1.50	0.83	0.22	0.83 m @ 0.22 g/t Au	0.2	
DSDD0299	1.50	2.47	0.97	0.11			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0299	26.00	27.00	1.00	0.11			
DSDD0299	27.00	28.00	1.00	0.11			
DSDD0299	37.80	39.00	1.20	0.11			
DSDD0299	93.00	94.00	1.00	0.16			
DSDD0299	94.00	95.00	1.00	0.17			
DSDD0299	95.00	96.00	1.00	0.16			
DSDD0299	98.00	99.00	1.00	0.10			
DSDD0299	99.00	100.00	1.00	0.69	9.00 m @ 0.24 g/t Au	2.2	
DSDD0299	100.00	101.00	1.00	0.18			
DSDD0299	101.00	102.00	1.00	0.23			
DSDD0299	102.00	103.00	1.00	0.21			
DSDD0299	103.00	104.00	1.00	0.29			
DSDD0299	104.00	105.00	1.00	0.05			
DSDD0299	105.00	106.00	1.00	0.12			
DSDD0299	106.00	107.00	1.00	0.13			
DSDD0299	107.00	108.00	1.00	0.30	2.00 m @ 0.24 g/t Au	0.5	
DSDD0299	109.00	110.00	1.00	0.14			
DSDD0299	110.00	111.00	1.00	0.16			
DSDD0299	112.00	113.00	1.00	0.13			
DSDD0299	113.00	114.00	1.00	0.15			
DSDD0299	114.00	115.00	1.00	0.22			
DSDD0299	115.00	116.00	1.00	0.25			
DSDD0299	116.00	117.00	1.00	0.14	1.00 m @ 0.57 g/t Au	0.6	
DSDD0299	117.00	118.00	1.00	0.11			
DSDD0299	120.00	121.00	1.00	0.57	1.00 m @ 0.30 g/t Au	0.3	
DSDD0299	122.00	123.00	1.00	0.12			
DSDD0299	123.00	124.00	1.00	0.17	12.00 m @ 0.21 g/t Au	2.5	
DSDD0299	125.00	126.00	1.00	0.20			
DSDD0299	129.00	130.00	1.00	0.30			
DSDD0299	131.00	132.00	1.00	0.14			
DSDD0299	132.00	133.00	1.00	0.31			
DSDD0299	133.00	134.00	1.00	0.01			
DSDD0299	134.00	135.00	1.00	0.04			
DSDD0299	135.00	136.00	1.00	0.05			
DSDD0299	136.00	137.00	1.00	0.24			
DSDD0299	137.00	138.00	1.00	0.35			
DSDD0299	138.00	139.00	1.00	0.19			
DSDD0299	139.00	140.00	1.00	0.24			
DSDD0299	140.00	141.00	1.00	0.21	0.65 m @ 0.21 g/t Au	0.1	
DSDD0299	141.00	142.00	1.00	0.12			
DSDD0299	142.00	143.00	1.00	0.04	1.00 m @ 0.21 g/t Au	0.2	
DSDD0299	143.00	144.00	1.00	0.69			
DSDD0299	150.35	151.00	0.65	0.21	1.00 m @ 0.21 g/t Au	0.2	
DSDD0299	151.00	152.00	1.00	0.14			
DSDD0299	152.00	153.00	1.00	0.21	1.00 m @ 0.21 g/t Au	0.2	
DSDD0299	153.00	154.00	1.00	0.12			
DSDD0299	154.00	155.00	1.00	0.15	1.00 m @ 0.30 g/t Au	0.3	
DSDD0299	155.00	156.00	1.00	0.21			
DSDD0299	157.00	158.00	1.00	0.18			
DSDD0299	160.00	161.00	1.00	0.30			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0299	166.50	167.90	1.40	0.13	25.00 m @ 0.26 g/t Au	6.4	
DSDD0299	167.90	169.00	1.10	0.14			
DSDD0299	170.00	171.00	1.00	0.12			
DSDD0299	171.00	172.00	1.00	0.21			
DSDD0299	172.00	173.00	1.00	0.07			
DSDD0299	173.00	174.00	1.00	0.23			
DSDD0299	174.00	175.00	1.00	0.12			
DSDD0299	175.00	176.00	1.00	0.21			
DSDD0299	176.00	177.00	1.00	0.24			
DSDD0299	177.00	178.00	1.00	0.20			
DSDD0299	178.00	179.00	1.00	0.34			
DSDD0299	179.00	180.46	1.46	0.13			
DSDD0299	180.46	181.00	0.54	0.06			
DSDD0299	181.00	182.00	1.00	0.15			
DSDD0299	182.00	183.00	1.00	0.26			
DSDD0299	183.00	184.00	1.00	0.50			
DSDD0299	184.00	185.00	1.00	0.20			
DSDD0299	185.00	186.00	1.00	0.25			
DSDD0299	186.00	187.00	1.00	0.44			
DSDD0299	187.00	188.00	1.00	0.52			
DSDD0299	188.00	189.00	1.00	0.20			
DSDD0299	189.00	190.00	1.00	0.26			
DSDD0299	190.00	191.00	1.00	0.20			
DSDD0299	191.00	192.00	1.00	0.12			
DSDD0299	192.00	193.00	1.00	0.58			
DSDD0299	193.00	194.00	1.00	0.21			
DSDD0299	194.00	195.00	1.00	0.25			
DSDD0299	195.00	196.00	1.00	0.47			
DSDD0299	197.00	198.50	1.50	0.17			
DSDD0299	207.00	208.00	1.00	0.13			
DSDD0299	323.99	325.00	1.01	0.13			
DSDD0299	326.00	327.00	1.00	0.19			
DSDD0299	345.00	346.00	1.00	0.23	8.00 m @ 1.08 g/t Au	8.6	1.00 m @ 1.21 g/t Au
DSDD0299	346.00	347.00	1.00	0.71			
DSDD0299	347.00	348.00	1.00	0.23			
DSDD0299	348.00	349.00	1.00	1.21			
DSDD0299	349.00	350.00	1.00	0.75			
DSDD0299	350.00	351.00	1.00	0.18			
DSDD0299	351.00	352.00	1.00	0.05			
DSDD0299	352.00	353.00	1.00	5.26			
DSDD0299	355.00	356.00	1.00	0.14	3.50 m @ 1.03 g/t Au	3.6	2.40 m @ 1.24 g/t Au
DSDD0299	357.00	358.00	1.00	1.60			
DSDD0299	358.00	358.75	0.75	0.04			
DSDD0299	358.75	359.40	0.65	2.06			
DSDD0299	359.40	360.50	1.10	0.59			
DSDD0299	365.00	366.00	1.00	0.50	15.00 m @ 1.00 g/t Au	15.1	5.00 m @ 2.47 g/t Au
DSDD0299	366.00	367.10	1.10	3.11			
DSDD0299	367.10	367.83	0.73	0.55			
DSDD0299	367.83	368.84	1.01	0.07			
DSDD0299	368.84	370.00	1.16	3.37			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
DSDD0299	370.00	371.00	1.00	4.57			0.50 m @ 1.19 g/t Au	
DSDD0299	371.00	372.00	1.00	0.01				
DSDD0299	372.00	372.50	0.50	1.19				
DSDD0299	372.50	374.00	1.50	0.06				
DSDD0299	374.00	374.95	0.95	0.04				
DSDD0299	374.95	375.80	0.85	0.44				
DSDD0299	375.80	377.00	1.20	0.05				
DSDD0299	377.00	378.00	1.00	0.17				
DSDD0299	378.00	379.00	1.00	0.59				
DSDD0299	379.00	380.00	1.00	0.29				
DSDD0299	383.50	385.00	1.50	0.12			2.27 m @ 0.33 g/t Au	
DSDD0299	387.73	389.00	1.27	0.30	2.27 m @ 0.33 g/t Au	0.7		
DSDD0299	389.00	390.00	1.00	0.36				
DSDD0299	390.00	391.00	1.00	0.12				
DSDD0299	392.00	393.00	1.00	0.17				
DSDD0299	399.46	400.00	0.54	0.25	0.54 m @ 0.24 g/t Au	0.1		
DSDD0299	400.00	401.00	1.00	0.11				
DSDD0299	403.00	404.00	1.00	0.14				
DSDD0299	404.00	405.00	1.00	0.10				
DSDD0299	406.00	407.00	1.00	0.24				
DSDD0299	407.00	408.00	1.00	0.07	3.00 m @ 0.24 g/t Au	0.7		0.70 m @ 0.48 g/t Au
DSDD0299	408.00	409.00	1.00	0.41				
DSDD0299	410.00	411.50	1.50	0.11				
DSDD0299	412.70	413.40	0.70	0.49	0.70 m @ 0.48 g/t Au	0.3		
DSDD0299	419.00	420.00	1.00	0.17				
DSDD0299	421.00	422.00	1.00	0.25	1.00 m @ 0.25 g/t Au	0.3		
DSDD0299	425.00	426.00	1.00	0.19				
DSDD0299	428.00	429.00	1.00	0.21	3.00 m @ 0.36 g/t Au	1.1		
DSDD0299	429.00	430.00	1.00	0.33				
DSDD0299	430.00	431.00	1.00	0.53				
DSDD0299	432.00	433.00	1.00	0.13				
DSDD0299	435.00	436.00	1.00	0.32	20.00 m @ 0.24 g/t Au	4.7		
DSDD0299	436.00	437.00	1.00	0.11				
DSDD0299	437.00	438.00	1.00	0.01				
DSDD0299	438.00	439.00	1.00	0.47				
DSDD0299	439.00	440.00	1.00	0.20				
DSDD0299	440.00	441.00	1.00	0.24				
DSDD0299	441.00	442.00	1.00	0.01				
DSDD0299	442.00	443.00	1.00	0.82				
DSDD0299	443.00	444.00	1.00	0.01				
DSDD0299	444.00	445.00	1.00	0.01				
DSDD0299	445.00	446.00	1.00	0.04				
DSDD0299	446.00	447.00	1.00	0.44				
DSDD0299	447.00	448.00	1.00	0.09				
DSDD0299	448.00	449.00	1.00	0.33				
DSDD0299	449.00	449.70	0.70	0.05				
DSDD0299	449.70	451.00	1.30	0.67				
DSDD0299	451.00	452.00	1.00	0.05				
DSDD0299	452.00	452.75	0.75	0.03				
DSDD0299	452.75	454.00	1.25	0.33				

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0299	454.00	455.00	1.00	0.26	4.00 m @ 0.27 g/t Au	1.1	
DSDD0299	456.00	457.00	1.00	0.10			
DSDD0299	457.00	458.00	1.00	0.12			
DSDD0299	460.00	461.00	1.00	0.15			
DSDD0299	461.00	462.00	1.00	0.35			
DSDD0299	462.00	463.00	1.00	0.03			
DSDD0299	463.00	464.00	1.00	0.04			
DSDD0299	464.00	465.00	1.00	0.66			
DSDD0304	0.00	1.50	1.50	0.13	22.00 m @ 0.61 g/t Au	13.4	1.00 m @ 1.09 g/t Au
DSDD0304	4.50	6.00	1.50	0.11			
DSDD0304	76.00	77.00	1.00	0.13			
DSDD0304	77.00	78.00	1.00	0.14			
DSDD0304	78.00	79.00	1.00	1.09			
DSDD0304	79.00	80.00	1.00	0.41			
DSDD0304	80.00	81.00	1.00	0.76			
DSDD0304	81.00	82.00	1.00	0.16			
DSDD0304	82.00	83.00	1.00	1.19			1.00 m @ 1.19 g/t Au
DSDD0304	83.00	84.00	1.00	0.11			
DSDD0304	84.00	85.00	1.00	0.12			
DSDD0304	85.00	86.00	1.00	0.08			
DSDD0304	86.00	87.00	1.00	1.43			1.00 m @ 1.43 g/t Au
DSDD0304	87.00	88.00	1.00	0.34			
DSDD0304	88.00	89.00	1.00	0.60			
DSDD0304	89.00	90.00	1.00	0.75			
DSDD0304	90.00	91.00	1.00	0.76			
DSDD0304	91.00	92.00	1.00	0.14			
DSDD0304	92.00	93.00	1.00	0.46			
DSDD0304	93.00	94.00	1.00	0.44			
DSDD0304	94.00	95.00	1.00	0.13			
DSDD0304	95.00	96.00	1.00	0.06			
DSDD0304	96.00	97.00	1.00	0.08			
DSDD0304	97.00	98.00	1.00	0.38			
DSDD0304	98.00	99.00	1.00	3.42	16.00 m @ 0.87 g/t Au	13.9	1.00 m @ 3.42 g/t Au
DSDD0304	99.00	100.00	1.00	0.52			
DSDD0304	105.00	106.00	1.00	0.30			
DSDD0304	106.00	107.00	1.00	1.85			1.00 m @ 1.85 g/t Au
DSDD0304	107.00	108.00	1.00	0.12			
DSDD0304	108.00	109.00	1.00	0.10			
DSDD0304	109.00	110.00	1.00	0.75			
DSDD0304	110.00	111.00	1.00	1.37			
DSDD0304	111.00	112.00	1.00	1.33			
DSDD0304	112.00	113.00	1.00	3.96			3.00 m @ 2.22 g/t Au
DSDD0304	113.00	114.00	1.00	0.10			
DSDD0304	114.00	115.00	1.00	0.14			
DSDD0304	115.00	116.00	1.00	0.20			
DSDD0304	116.00	117.00	1.00	0.93			
DSDD0304	117.00	118.00	1.00	0.03			
DSDD0304	118.00	119.00	1.00	2.47			1.00 m @ 2.47 g/t Au
DSDD0304	119.00	120.30	1.30	0.05			
DSDD0304	120.30	121.00	0.70	0.24			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au		
DSDD0304	121.00	122.00	1.00	0.17	2.00 m @ 1.92 g/t Au	3.8	1.00 m @ 3.24 g/t Au		
DSDD0304	124.00	125.00	1.00	0.11					
DSDD0304	137.00	138.00	1.00	0.60					
DSDD0304	138.00	139.00	1.00	3.24					
DSDD0304	173.00	174.00	1.00	0.26	2.00 m @ 0.36 g/t Au	0.7			
DSDD0304	174.00	175.00	1.00	0.46					
DSDD0304	175.00	176.00	1.00	0.13					
DSDD0304	200.00	201.00	1.00	0.11					
DSDD0304	201.00	202.00	1.00	0.14	1.00 m @ 0.44 g/t Au	0.4			
DSDD0304	202.00	203.00	1.00	0.44					
DSDD0304	205.00	206.00	1.00	0.10					
DSDD0304	206.00	207.00	1.00	0.15					
DSDD0304	207.00	208.00	1.00	0.12	2.00 m @ 0.39 g/t Au	0.8			
DSDD0304	208.00	209.00	1.00	0.15					
DSDD0304	209.00	210.00	1.00	0.46					
DSDD0304	210.00	211.00	1.00	0.32					
DSDD0304	211.00	212.00	1.00	0.19					
DSDD0304	217.00	218.00	1.00	0.65	1.00 m @ 0.65 g/t Au	0.7			
DSDD0304	218.00	219.00	1.00	0.11					
DSDD0304	225.00	226.00	1.00	0.14					
DSDD0304	226.00	227.00	1.00	7.28			6.00 m @ 1.79 g/t Au	10.7	3.00 m @ 3.15 g/t Au
DSDD0304	227.00	228.00	1.00	0.42					
DSDD0304	228.00	229.00	1.00	1.75					
DSDD0304	229.00	230.00	1.00	0.51					
DSDD0304	230.00	231.00	1.00	0.55					
DSDD0304	231.00	232.00	1.00	0.23					
DSDD0304	232.00	233.00	1.00	0.11	9.30 m @ 0.64 g/t Au	5.9	1.00 m @ 3.72 g/t Au		
DSDD0304	236.00	237.00	1.00	0.28					
DSDD0304	237.00	238.00	1.00	0.07					
DSDD0304	238.00	238.80	0.80	0.03					
DSDD0304	238.80	240.00	1.20	0.25					
DSDD0304	240.00	241.00	1.00	0.20					
DSDD0304	241.00	242.00	1.00	3.72					
DSDD0304	242.00	243.00	1.00	0.55					
DSDD0304	243.00	244.00	1.00	0.37					
DSDD0304	244.00	245.30	1.30	0.31					
DSDD0305	1.50	2.14	0.64	0.12	3.00 m @ 1.72 g/t Au	5.2	1.00 m @ 4.91 g/t Au		
DSDD0305	24.00	24.72	0.72	0.10					
DSDD0305	37.50	38.19	0.69	0.10					
DSDD0305	66.00	67.00	1.00	0.12					
DSDD0305	82.00	83.00	1.00	0.23					
DSDD0305	83.00	84.00	1.00	0.01					
DSDD0305	84.00	85.00	1.00	4.91	10.00 m @ 0.43 g/t Au	4.4			
DSDD0305	86.00	87.50	1.50	0.15					
DSDD0305	106.00	107.00	1.00	0.17					
DSDD0305	111.00	112.00	1.00	0.76					
DSDD0305	112.00	113.00	1.00	0.02					
DSDD0305	113.00	114.00	1.00	0.57					
DSDD0305	114.00	115.00	1.00	0.15					
DSDD0305	115.00	116.00	1.00	0.01					

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0305	116.00	117.00	1.00	0.03			
DSDD0305	117.00	118.00	1.00	0.92			
DSDD0305	118.00	119.00	1.00	0.04			
DSDD0305	119.00	120.00	1.00	0.75			
DSDD0305	120.00	121.00	1.00	1.10			
DSDD0305	125.00	126.00	1.00	0.19			1.00 m @ 1.10 g/t Au
DSDD0305	129.00	130.00	1.00	0.12			
DSDD0305	130.00	131.00	1.00	0.37			
DSDD0305	131.00	132.00	1.00	0.65			
DSDD0305	132.00	133.00	1.00	0.67			
DSDD0305	133.00	134.00	1.00	0.26	19.00 m @ 0.98 g/t Au	18.7	
DSDD0305	134.00	134.95	0.95	0.35			
DSDD0305	134.95	136.00	1.05	0.19			
DSDD0305	136.00	137.00	1.00	0.32			
DSDD0305	137.00	138.00	1.00	0.01			
DSDD0305	138.00	139.00	1.00	0.05			
DSDD0305	139.00	140.00	1.00	0.11			
DSDD0305	140.00	141.00	1.00	6.33			
DSDD0305	141.00	141.90	0.90	2.37			
DSDD0305	141.90	143.00	1.10	0.01			
DSDD0305	143.00	144.30	1.30	0.04			
DSDD0305	144.30	145.00	0.70	0.25			
DSDD0305	145.00	146.00	1.00	5.98			
DSDD0305	146.00	147.00	1.00	0.16			
DSDD0305	147.00	148.00	1.00	0.52			
DSDD0305	148.00	149.00	1.00	0.38			
DSDD0305	149.00	150.00	1.00	0.10			
DSDD0308	0.00	1.00	1.00	0.21	1.00 m @ 0.21 g/t Au	0.2	1.00 m @ 1.02 g/t Au
DSDD0308	2.00	3.00	1.00	0.18			
DSDD0308	27.00	28.00	1.00	1.02	2.18 m @ 1.00 g/t Au	2.2	
DSDD0308	28.00	29.18	1.18	0.98			
DSDD0308	30.78	32.14	1.36	0.26	1.36 m @ 0.26 g/t Au	0.4	
DSDD0308	33.00	33.70	0.70	0.22	12.00 m @ 0.30 g/t Au	3.5	
DSDD0308	33.70	35.00	1.30	0.25			
DSDD0308	35.00	36.00	1.00	0.01			
DSDD0308	36.00	37.00	1.00	0.04			
DSDD0308	37.00	38.00	1.00	0.02			
DSDD0308	38.00	39.00	1.00	0.42			
DSDD0308	39.00	40.00	1.00	0.22			
DSDD0308	40.00	41.00	1.00	0.39			
DSDD0308	41.00	42.00	1.00	0.13			
DSDD0308	42.00	43.00	1.00	0.44			
DSDD0308	43.00	44.00	1.00	0.60			
DSDD0308	44.00	45.00	1.00	0.81			
DSDD0308	49.00	50.00	1.00	0.49	4.00 m @ 0.73 g/t Au	2.9	
DSDD0308	50.00	51.00	1.00	0.26			
DSDD0308	51.00	52.00	1.00	0.21			
DSDD0308	52.00	53.00	1.00	1.94			
DSDD0308	54.00	55.00	1.00	0.11			1.00 m @ 1.94 g/t Au
DSDD0308	64.00	64.85	0.85	0.40	0.85 m @ 0.40 g/t Au	0.3	

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
DSDD0308	67.00	68.00	1.00	0.20				
DSDD0308	70.84	72.00	1.16	0.12				
DSDD0308	73.00	74.00	1.00	0.12				
DSDD0308	80.00	81.00	1.00	0.35	2.00 m @ 0.36 g/t Au	0.7		
DSDD0308	81.00	82.00	1.00	0.38				
DSDD0308	90.70	91.26	0.56	0.11				
DSDD0308	92.00	93.00	1.00	0.17				
DSDD0308	139.00	139.83	0.83	0.10				
DSDD0308	139.83	141.00	1.17	0.28	4.17 m @ 0.45 g/t Au	1.9		1.00 m @ 1.19 g/t Au
DSDD0308	141.00	142.00	1.00	0.01				
DSDD0308	142.00	143.00	1.00	1.19				
DSDD0308	143.00	144.00	1.00	0.35	4.00 m @ 0.27 g/t Au	1.1		
DSDD0308	149.00	150.00	1.00	0.31				
DSDD0308	150.00	151.00	1.00	0.02				
DSDD0308	151.00	152.00	1.00	0.02				
DSDD0308	152.00	153.00	1.00	0.73				
DSDD0308	153.00	154.00	1.00	0.11				
DSDD0308	161.00	162.00	1.00	0.16				
DSDD0308	162.00	163.00	1.00	1.69				1.00 m @ 1.69 g/t Au
DSDD0308	163.00	164.00	1.00	0.05				
DSDD0308	164.00	165.00	1.00	0.64				1.00 m @ 1.02 g/t Au
DSDD0308	165.00	166.00	1.00	0.87				
DSDD0308	166.00	167.00	1.00	0.40				
DSDD0308	167.00	168.00	1.00	1.02				
DSDD0308	168.00	169.00	1.00	0.23				
DSDD0308	169.00	170.00	1.00	0.22				
DSDD0308	170.00	171.00	1.00	0.06				
DSDD0308	171.00	172.00	1.00	0.56				
DSDD0308	172.00	173.00	1.00	0.61				
DSDD0308	173.00	174.00	1.00	0.54				
DSDD0308	174.00	175.00	1.00	0.25				
DSDD0308	175.00	176.00	1.00	0.39				
DSDD0308	176.00	177.00	1.00	0.07				
DSDD0308	177.00	178.00	1.00	0.72				
DSDD0308	186.00	187.00	1.00	0.21	1.00 m @ 0.21 g/t Au	0.2		
DSDD0308	204.00	205.00	1.00	0.11				
DSDD0308	205.69	207.00	1.31	0.13				
DSDD0308	207.00	208.00	1.00	0.11				
DSDD0308	272.33	273.15	0.82	0.76	0.82 m @ 0.76 g/t Au	0.6		
DSDD0308	300.00	301.00	1.00	0.14				
DSDD0308	302.00	303.40	1.40	0.86	1.40 m @ 0.86 g/t Au	1.2		
DSDD0310	0.50	1.00	0.50	0.99	2.00 m @ 0.86 g/t Au	1.7		
DSDD0310	1.00	2.50	1.50	0.81				
DSDD0310	4.09	5.45	1.36	0.26	1.36 m @ 0.26 g/t Au	0.4		
DSDD0310	8.50	9.59	1.09	0.11				
DSDD0310	12.00	13.00	1.00	0.12				
DSDD0310	13.00	14.00	1.00	0.13				
DSDD0310	14.00	15.00	1.00	0.20	1.00 m @ 0.20 g/t Au	0.2		
DSDD0310	41.00	42.00	1.00	0.12				
DSDD0310	80.00	81.00	1.00	0.22	1.00 m @ 0.22 g/t Au	0.2		

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au		
DSDD0310	82.00	83.00	1.00	0.14					
DSDD0310	94.00	95.00	1.00	0.11					
DSDD0310	95.00	95.60	0.60	0.14					
DSDD0310	95.60	97.00	1.40	1.00	1.40 m @ 0.99 g/t Au	1.4			
DSDD0310	100.00	101.00	1.00	0.14					
DSDD0310	102.00	103.00	1.00	0.11					
DSDD0310	103.00	104.00	1.00	0.80	1.00 m @ 0.80 g/t Au	0.8			
DSDD0310	111.00	112.00	1.00	0.19					
DSDD0310	118.00	119.00	1.00	0.57	17.00 m @ 1.33 g/t Au	22.6	4.00 m @ 2.83 g/t Au		
DSDD0310	119.00	120.00	1.00	8.92					
DSDD0310	120.00	121.00	1.00	0.28					
DSDD0310	121.00	122.00	1.00	0.43					
DSDD0310	122.00	123.00	1.00	1.67					
DSDD0310	123.00	124.00	1.00	0.20					
DSDD0310	124.00	125.00	1.00	0.98					
DSDD0310	125.00	126.00	1.00	0.18					
DSDD0310	126.00	127.00	1.00	0.59					
DSDD0310	127.00	128.00	1.00	1.52					
DSDD0310	128.00	129.00	1.00	0.66					
DSDD0310	129.00	130.00	1.00	2.23				6.00 m @ 1.40 g/t Au	
DSDD0310	130.00	131.00	1.00	1.45					
DSDD0310	131.00	132.00	1.00	1.19					
DSDD0310	132.00	133.00	1.00	1.35					
DSDD0310	133.00	134.00	1.00	0.18					
DSDD0310	134.00	135.00	1.00	0.20					
DSDD0310	135.00	136.00	1.00	0.20					
DSDD0310	192.00	193.00	1.00	0.15					
DSDD0310	193.00	194.00	1.00	0.18					
DSDD0310	194.00	195.00	1.00	0.17					
DSDD0310	195.00	196.00	1.00	0.12					
DSDD0310	197.00	198.00	1.00	0.13					
DSDD0310	199.00	200.30	1.30	0.47	1.30 m @ 0.47 g/t Au	0.6			
DSDD0312	0.00	1.50	1.50	0.12					
DSDD0312	3.74	5.00	1.26	0.10					
DSDD0312	6.00	7.00	1.00	0.59	1.00 m @ 0.59 g/t Au	0.6			
DSDD0312	18.59	19.40	0.81	0.35	0.81 m @ 0.35 g/t Au	0.3			
DSDD0312	19.40	19.94	0.54	0.11	1.00 m @ 0.25 g/t Au	0.2			
DSDD0312	23.00	24.00	1.00	0.25					
DSDD0312	25.00	26.00	1.00	0.10					
DSDD0312	62.85	64.00	1.15	3.54	7.15 m @ 0.81 g/t Au	5.8		1.15 m @ 3.54 g/t Au	
DSDD0312	64.00	65.00	1.00	0.02					
DSDD0312	65.00	66.00	1.00	0.05					
DSDD0312	66.00	67.00	1.00	0.34					
DSDD0312	67.00	68.00	1.00	0.23					
DSDD0312	68.00	69.00	1.00	0.12					
DSDD0312	69.00	70.00	1.00	0.96					
DSDD0312	74.00	75.16	1.16	0.16			0.80 m @ 3.65 g/t Au		
DSDD0312	77.70	78.65	0.95	0.19					
DSDD0312	80.70	81.50	0.80	3.65					
DSDD0312	81.50	82.00	0.50	0.44	1.30 m @ 2.41 g/t Au	3.1			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
DSDD0312	88.00	88.50	0.50	0.17				
DSDD0312	88.50	90.00	1.50	0.23	1.50 m @ 0.23 g/t Au	0.3		
DSDD0312	93.00	94.00	1.00	0.44	1.00 m @ 0.44 g/t Au	0.4		
DSDD0312	102.00	103.00	1.00	0.72	4.20 m @ 0.55 g/t Au	2.3		
DSDD0312	103.00	104.00	1.00	0.35				
DSDD0312	104.00	105.00	1.00	0.04				
DSDD0312	105.00	106.20	1.20	0.99				
DSDD0312	115.00	116.00	1.00	2.18	4.00 m @ 0.74 g/t Au	3.0		1.00 m @ 2.18 g/t Au
DSDD0312	116.00	117.00	1.00	0.01				
DSDD0312	117.00	118.00	1.00	0.02				
DSDD0312	118.00	119.00	1.00	0.78				
DSDD0312	143.00	144.05	1.05	0.23	1.05 m @ 0.23 g/t Au	0.2		
DSDD0312	144.05	145.53	1.48	0.10				
DSDD0312	147.00	148.00	1.00	0.14				
DSDD0312	213.00	214.00	1.00	0.22	5.00 m @ 0.22 g/t Au	1.1		
DSDD0312	214.00	215.00	1.00	0.03				
DSDD0312	215.00	216.00	1.00	0.58				
DSDD0312	216.00	217.00	1.00	0.05				
DSDD0312	217.00	218.00	1.00	0.24				
DSDD0312	218.00	219.00	1.00	0.14				
DSDD0312	221.00	222.00	1.00	0.21	3.50 m @ 0.28 g/t Au	1.0		
DSDD0312	222.00	223.00	1.00	0.01				
DSDD0312	223.00	223.66	0.66	0.22				
DSDD0312	223.66	224.50	0.84	0.76				
DSDD0312	224.50	226.00	1.50	0.10				
DSDD0317	0.00	1.00	1.00	0.12				
DSDD0317	1.00	1.95	0.95	0.18				
DSDD0317	48.00	48.60	0.60	0.13				
DSDD0317	50.40	51.30	0.90	0.50	0.90 m @ 0.50 g/t Au	0.4		
DSDD0317	53.30	54.54	1.24	0.81	1.24 m @ 0.81 g/t Au	1.0		
DSDD0317	55.50	56.00	0.50	0.31	42.50 m @ 0.42 g/t Au	17.9	1.00 m @ 1.20 g/t Au	
DSDD0317	56.00	57.00	1.00	0.95				
DSDD0317	57.00	58.00	1.00	1.20				
DSDD0317	58.00	59.00	1.00	0.16				
DSDD0317	59.00	60.00	1.00	0.09				
DSDD0317	60.00	61.00	1.00	0.04				
DSDD0317	61.00	62.00	1.00	0.66				
DSDD0317	62.00	63.00	1.00	0.19				
DSDD0317	63.00	64.00	1.00	0.46				
DSDD0317	64.00	65.00	1.00	0.59				
DSDD0317	65.00	66.00	1.00	0.28				
DSDD0317	66.00	67.00	1.00	0.71				
DSDD0317	67.00	68.00	1.00	0.38				
DSDD0317	68.00	69.00	1.00	0.33				
DSDD0317	69.00	70.00	1.00	0.18				
DSDD0317	70.00	71.00	1.00	0.15				
DSDD0317	71.00	72.00	1.00	0.47				
DSDD0317	72.00	73.00	1.00	0.53				
DSDD0317	73.00	74.00	1.00	0.59				
DSDD0317	74.00	75.00	1.00	0.13				

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
DSDD0317	75.00	76.00	1.00	0.33				
DSDD0317	76.00	77.00	1.00	0.99				
DSDD0317	77.00	78.00	1.00	0.03				
DSDD0317	78.00	79.00	1.00	0.24				
DSDD0317	79.00	80.00	1.00	0.31				
DSDD0317	80.00	81.30	1.30	0.58				
DSDD0317	81.30	82.00	0.70	0.06				
DSDD0317	82.00	83.00	1.00	0.22				
DSDD0317	83.00	84.00	1.00	0.10				
DSDD0317	84.00	85.00	1.00	0.04				
DSDD0317	85.00	86.00	1.00	0.34				
DSDD0317	86.00	87.00	1.00	0.20				
DSDD0317	87.00	88.00	1.00	0.01				
DSDD0317	88.00	89.00	1.00	0.21				
DSDD0317	89.00	90.00	1.00	0.64				
DSDD0317	90.00	91.00	1.00	0.01				
DSDD0317	91.00	92.00	1.00	0.23				
DSDD0317	92.00	93.00	1.00	0.01				
DSDD0317	93.00	93.50	0.50	0.11				
DSDD0317	93.50	94.00	0.50	7.48				0.50 m @ 7.48 g/t Au
DSDD0317	94.00	94.85	0.85	0.15				
DSDD0317	94.85	95.45	0.60	0.39				
DSDD0317	95.45	96.00	0.55	0.32				
DSDD0317	96.00	97.00	1.00	0.20				
DSDD0317	97.00	98.00	1.00	0.38				
DSDD0317	104.00	104.93	0.93	0.12				
DSDD0317	104.93	105.50	0.57	1.00	0.57 m @ 1.00 g/t Au	0.6	0.57 m @ 1.00 g/t Au	
DSDD0317	105.50	107.00	1.50	0.13				
DSDD0317	109.00	110.00	1.00	0.15				
DSDD0317	115.00	116.00	1.00	0.12				
DSDD0317	119.00	120.00	1.00	0.19				
DSDD0317	121.00	122.10	1.10	0.44				
DSDD0317	122.10	123.00	0.90	0.02	4.00 m @ 0.34 g/t Au	1.4		
DSDD0317	123.00	124.00	1.00	0.02				
DSDD0317	124.00	125.00	1.00	0.84				
DSDD0317	130.00	130.90	0.90	0.46	0.90 m @ 0.46 g/t Au	0.4		
DSDD0317	134.00	135.00	1.00	0.14				
DSDD0317	140.00	141.00	1.00	0.41	1.00 m @ 0.41 g/t Au	0.4		
DSDD0317	141.00	142.00	1.00	0.15				
DSDD0317	149.00	149.60	0.60	1.06	3.60 m @ 0.48 g/t Au	1.7	0.60 m @ 1.06 g/t Au	
DSDD0317	149.60	150.66	1.06	0.13				
DSDD0317	150.66	152.00	1.34	0.37				
DSDD0317	152.00	152.60	0.60	0.79				
DSDD0317	157.00	158.00	1.00	0.49				
DSDD0317	158.00	159.00	1.00	0.18	4.00 m @ 0.47 g/t Au	1.9		
DSDD0317	159.00	160.00	1.00	0.77				
DSDD0317	160.00	161.00	1.00	0.42				
DSDD0317	192.00	193.00	1.00	0.63	1.00 m @ 0.63 g/t Au	0.6		
DSDD0317	209.00	210.45	1.45	0.17				
DSDD0317	210.45	211.00	0.55	0.73	2.75 m @ 0.41 g/t Au	1.1		

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0317	211.00	212.00	1.00	0.03			
DSDD0317	212.00	213.20	1.20	0.58			
DSDD0317	213.20	214.00	0.80	0.15			
DSDD0320	0.00	0.54	0.54	0.11			
DSDD0320	2.39	3.00	0.61	0.19			
DSDD0320	4.50	6.00	1.50	0.16			
DSDD0320	6.00	7.50	1.50	0.20	2.27 m @ 0.30 g/t Au	0.7	
DSDD0320	7.50	8.27	0.77	0.49			
DSDD0320	13.07	14.00	0.93	0.47	1.93 m @ 0.35 g/t Au	0.7	
DSDD0320	14.00	15.00	1.00	0.24			
DSDD0320	15.00	15.71	0.71	0.13			
DSDD0320	16.50	18.00	1.50	0.12			
DSDD0320	19.50	21.00	1.50	0.19			
DSDD0320	21.00	22.00	1.00	0.16			
DSDD0320	22.00	23.00	1.00	0.25			
DSDD0320	23.00	24.00	1.00	0.12	3.00 m @ 0.22 g/t Au	0.7	
DSDD0320	24.00	25.00	1.00	0.30			
DSDD0320	26.50	27.50	1.00	0.25	2.00 m @ 0.23 g/t Au	0.5	
DSDD0320	27.50	28.50	1.00	0.21			
DSDD0320	48.00	49.50	1.50	0.17			
DSDD0320	49.50	51.00	1.50	0.31			
DSDD0320	51.00	52.00	1.00	0.29	3.50 m @ 0.31 g/t Au	1.1	
DSDD0320	52.00	53.00	1.00	0.35			
DSDD0320	53.00	54.00	1.00	0.15			
DSDD0320	55.52	57.00	1.48	0.12			
DSDD0320	75.00	76.00	1.00	0.14			
DSDD0320	77.00	78.00	1.00	0.34			
DSDD0320	78.00	78.73	0.73	0.12			
DSDD0320	78.73	80.00	1.27	0.36			
DSDD0320	80.00	81.00	1.00	0.39			
DSDD0320	81.00	82.00	1.00	0.35			
DSDD0320	82.00	83.00	1.00	1.70			1.00 m @ 1.70 g/t Au
DSDD0320	83.00	84.00	1.00	0.18			
DSDD0320	84.00	85.00	1.00	0.39	16.00 m @ 0.56 g/t Au	9.0	
DSDD0320	85.00	86.00	1.00	0.24			
DSDD0320	86.00	87.00	1.00	0.53			
DSDD0320	87.00	88.00	1.00	1.18			2.00 m @ 1.52 g/t Au
DSDD0320	88.00	89.00	1.00	1.88			
DSDD0320	89.00	90.00	1.00	0.03			
DSDD0320	90.00	91.50	1.50	0.32			
DSDD0320	91.50	93.00	1.50	0.50			
DSDD0320	98.00	99.00	1.00	0.37	1.00 m @ 0.37 g/t Au	0.4	
DSDD0320	105.00	106.00	1.00	2.98			1.00 m @ 2.98 g/t Au
DSDD0320	106.00	107.00	1.00	0.77			
DSDD0320	107.00	108.00	1.00	0.02			
DSDD0320	108.00	109.00	1.00	0.05	8.00 m @ 0.88 g/t Au	7.1	1.00 m @ 1.74 g/t Au
DSDD0320	109.00	110.00	1.00	1.74			
DSDD0320	110.00	111.00	1.00	0.02			
DSDD0320	111.00	112.00	1.00	0.32			
DSDD0320	112.00	113.00	1.00	1.16			1.00 m @ 1.16 g/t Au

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0320	176.00	176.60	0.60	0.14			
DSDD0320	176.60	178.00	1.40	0.22	40.40 m @ 0.59 g/t Au	23.7	
DSDD0320	178.00	179.00	1.00	0.10			
DSDD0320	179.00	180.00	1.00	0.56			
DSDD0320	180.00	181.00	1.00	0.30			
DSDD0320	181.00	182.00	1.00	0.38			
DSDD0320	182.00	183.00	1.00	0.15			
DSDD0320	183.00	183.69	0.69	0.05			
DSDD0320	183.69	185.00	1.31	0.27			
DSDD0320	185.00	186.00	1.00	1.49			
DSDD0320	186.00	187.43	1.43	0.39			
DSDD0320	187.43	188.50	1.07	0.13			
DSDD0320	188.50	190.00	1.50	0.66			
DSDD0320	190.00	191.00	1.00	0.22			
DSDD0320	191.00	192.00	1.00	0.24			
DSDD0320	192.00	193.00	1.00	0.05			
DSDD0320	193.00	194.00	1.00	0.74			
DSDD0320	194.00	195.00	1.00	0.32			
DSDD0320	195.00	196.50	1.50	0.13			
DSDD0320	196.50	198.00	1.50	0.16			
DSDD0320	198.00	199.00	1.00	0.92			1.00 m @ 4.62 g/t Au
DSDD0320	199.00	200.00	1.00	4.62			
DSDD0320	200.00	201.00	1.00	0.69			
DSDD0320	201.00	202.00	1.00	0.80			
DSDD0320	202.00	203.00	1.00	0.54			
DSDD0320	203.00	204.00	1.00	0.20			
DSDD0320	204.00	205.00	1.00	0.09			
DSDD0320	205.00	206.00	1.00	0.81			
DSDD0320	206.00	207.30	1.30	0.32			
DSDD0320	207.30	207.80	0.50	2.36			
DSDD0320	207.80	209.00	1.20	1.88			
DSDD0320	209.00	210.00	1.00	0.01			
DSDD0320	210.00	211.00	1.00	0.46			
DSDD0320	211.00	212.00	1.00	0.22			
DSDD0320	212.00	213.00	1.00	0.06			
DSDD0320	213.00	214.00	1.00	0.38			
DSDD0320	214.00	215.00	1.00	0.74			1.00 m @ 1.53 g/t Au
DSDD0320	215.00	216.00	1.00	1.53			
DSDD0320	216.00	217.00	1.00	0.45			
DSDD0320	315.00	316.00	1.00	0.16			
DSDD0320	318.00	319.00	1.00	0.20			
DSDD0320	352.00	353.00	1.00	0.12			
DSDD0321	0.00	1.00	1.00	0.34	3.00 m @ 0.49 g/t Au	1.5	
DSDD0321	1.00	2.37	1.37	0.12			
DSDD0321	2.37	3.00	0.63	1.53			
DSDD0321	3.00	4.00	1.00	0.19			
DSDD0321	4.00	5.17	1.17	0.12			
DSDD0321	6.00	7.00	1.00	0.26	1.00 m @ 0.26 g/t Au	0.3	
DSDD0321	9.00	10.00	1.00	1.21	1.00 m @ 1.21 g/t Au	1.2	1.00 m @ 1.21 g/t Au
DSDD0321	14.24	15.00	0.76	0.21	0.76 m @ 0.21 g/t Au	0.2	

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0321	18.00	19.10	1.10	0.31	1.10 m @ 0.31 g/t Au	0.3	1.00 m @ 1.91 g/t Au
DSDD0321	19.50	20.00	0.50	0.93	3.93 m @ 0.80 g/t Au	3.2	
DSDD0321	20.00	21.00	1.00	1.91			
DSDD0321	21.00	22.00	1.00	0.15			
DSDD0321	22.00	23.43	1.43	0.44			
DSDD0321	26.00	27.00	1.00	0.10	5.50 m @ 0.28 g/t Au	1.6	0.50 m @ 1.01 g/t Au
DSDD0321	76.00	77.00	1.00	0.12			
DSDD0321	78.50	79.00	0.50	1.01			
DSDD0321	79.00	80.00	1.00	0.25			
DSDD0321	80.00	81.00	1.00	0.23			
DSDD0321	81.00	82.00	1.00	0.18	1.50 m @ 0.21 g/t Au	0.3	
DSDD0321	82.00	82.60	0.60	0.07			
DSDD0321	82.60	84.00	1.40	0.25			
DSDD0321	84.00	85.00	1.00	0.14			
DSDD0321	106.00	107.00	1.00	0.13			
DSDD0321	107.00	108.00	1.00	0.22	3.21 m @ 0.91 g/t Au	2.9	
DSDD0321	108.00	108.50	0.50	0.21			
DSDD0321	108.50	110.00	1.50	0.12			
DSDD0321	110.00	111.00	1.00	0.15			
DSDD0321	113.00	114.00	1.00	0.13			
DSDD0321	316.00	317.30	1.30	0.12	0.79 m @ 0.28 g/t Au	0.2	
DSDD0321	320.79	321.79	1.00	0.84			
DSDD0321	321.79	322.32	0.53	1.64			
DSDD0321	322.32	323.00	0.68	0.26			
DSDD0321	323.00	324.00	1.00	1.03			
DSDD0321	325.00	326.00	1.00	0.14	1.00 m @ 0.21 g/t Au	0.2	
DSDD0321	326.00	327.00	1.00	0.12			
DSDD0321	327.00	328.00	1.00	0.15			
DSDD0321	329.00	329.79	0.79	0.28			
DSDD0321	334.00	335.00	1.00	0.21			
DSDD0321	338.50	339.00	0.50	3.36	1.90 m @ 1.04 g/t Au	2.0	
DSDD0321	339.00	340.40	1.40	0.21			
DSDD0321	354.00	354.85	0.85	0.20			
DSDD0324A	0.00	1.50	1.50	0.18			
DSDD0324A	1.50	3.00	1.50	0.45			
DSDD0324A	6.30	7.09	0.79	0.13	0.64 m @ 0.44 g/t Au	0.3	
DSDD0324A	8.70	9.34	0.64	0.44			
DSDD0324A	12.00	13.00	1.00	0.49			
DSDD0324A	13.00	13.74	0.74	0.36			
DSDD0324A	19.50	20.40	0.90	0.20			
DSDD0324A	25.00	26.00	1.00	1.18	1.74 m @ 0.43 g/t Au	0.8	
DSDD0324A	26.00	27.00	1.00	0.13			
DSDD0324A	27.00	28.50	1.50	0.31			
DSDD0324A	30.00	31.00	1.00	0.21			
DSDD0324A	31.00	31.73	0.73	0.13			
DSDD0324A	37.04	38.00	0.96	0.30	1.00 m @ 0.20 g/t Au	0.2	
DSDD0324A	38.00	39.23	1.23	0.15			
DSDD0324A	44.34	45.00	0.66	0.15			
DSDD0324A	45.00	45.95	0.95	0.24			
DSDD0324A	46.50	47.38	0.88	0.26			
					0.88 m @ 0.26 g/t Au	0.2	

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0324A	48.97	50.00	1.03	0.35	3.03 m @ 0.30 g/t Au	0.9	
DSDD0324A	50.00	51.00	1.00	0.18			
DSDD0324A	51.00	52.00	1.00	0.38			
DSDD0324A	53.00	54.00	1.00	0.12			
DSDD0324A	61.70	63.00	1.30	0.16			
DSDD0324A	113.50	114.00	0.50	0.15			
DSDD0324A	120.00	121.00	1.00	0.19			
DSDD0324A	121.51	123.00	1.49	0.12			
DSDD0324A	123.80	124.80	1.00	0.12			
DSDD0324A	124.80	126.00	1.20	0.11			
DSDD0324A	127.00	128.00	1.00	1.00			
DSDD0324A	128.00	129.00	1.00	0.13			
DSDD0324A	129.00	130.00	1.00	0.01			
DSDD0324A	130.00	131.00	1.00	0.08			
DSDD0324A	131.00	132.00	1.00	0.20			
DSDD0324A	133.00	134.00	1.00	0.13			
DSDD0324A	136.00	137.00	1.00	0.13			
DSDD0324A	137.00	138.00	1.00	0.20	14.00 m @ 0.42 g/t Au	5.9	
DSDD0324A	138.00	139.00	1.00	0.45			
DSDD0324A	139.00	140.00	1.00	1.11			
DSDD0324A	140.00	141.00	1.00	0.08			
DSDD0324A	141.00	142.00	1.00	0.60			
DSDD0324A	142.00	143.00	1.00	1.72			
DSDD0324A	143.00	144.00	1.00	0.05			
DSDD0324A	144.00	145.50	1.50	0.52			
DSDD0324A	145.50	146.76	1.26	0.03			
DSDD0324A	146.76	148.13	1.37	0.27			
DSDD0324A	148.13	149.00	0.87	0.10	9.70 m @ 0.56 g/t Au	5.4	
DSDD0324A	149.00	150.00	1.00	0.12			
DSDD0324A	150.00	151.00	1.00	0.27			
DSDD0324A	152.00	153.00	1.00	0.15			
DSDD0324A	154.30	155.10	0.80	0.48			
DSDD0324A	155.10	156.00	0.90	0.26			
DSDD0324A	156.00	157.00	1.00	0.06			
DSDD0324A	157.00	158.00	1.00	0.03			
DSDD0324A	158.00	159.00	1.00	0.47			
DSDD0324A	159.00	160.00	1.00	2.57			
DSDD0324A	160.00	161.00	1.00	0.03			
DSDD0324A	161.00	162.00	1.00	0.01			
DSDD0324A	162.00	163.00	1.00	0.06			
DSDD0324A	163.00	164.00	1.00	1.54	5.32 m @ 0.70 g/t Au	3.7	
DSDD0324A	172.00	173.00	1.00	0.17			
DSDD0324A	175.00	176.00	1.00	0.34			
DSDD0324A	176.00	177.00	1.00	0.01			
DSDD0324A	177.00	178.44	1.44	1.01			
DSDD0324A	178.44	179.00	0.56	2.86			
DSDD0324A	179.00	180.32	1.32	0.24			
DSDD0324A	182.00	183.00	1.00	0.14			
DSDD0326	0.00	1.50	1.50	0.13			
DSDD0326	43.50	44.09	0.59	0.13			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
DSDD0326	64.00	64.58	0.58	0.12				
DSDD0326	146.00	147.00	1.00	0.56	1.00 m @ 0.56 g/t Au	0.6		
DSDD0326	163.00	164.00	1.00	0.14				
DSDD0326	164.00	165.00	1.00	0.50	3.00 m @ 0.69 g/t Au	2.1		1.00 m @ 1.14 g/t Au
DSDD0326	165.00	166.00	1.00	0.45				
DSDD0326	166.00	167.00	1.00	1.14				
DSDD0326	169.00	170.00	1.00	0.13				
DSDD0326	234.00	235.00	1.00	0.11				
DSDD0326	271.00	272.00	1.00	0.21	1.00 m @ 0.21 g/t Au	0.2		
DSDD0326	273.60	274.43	0.83	0.11				
DSDD0326	274.43	275.00	0.57	0.26	0.57 m @ 0.26 g/t Au	0.1		
DSDD0326	279.00	279.57	0.57	0.26	4.00 m @ 0.31 g/t Au	1.2		
DSDD0326	279.57	281.00	1.43	0.26				
DSDD0326	281.00	282.00	1.00	0.25				
DSDD0326	282.00	283.00	1.00	0.47				
DSDD0326	291.00	292.00	1.00	0.12				
DSDD0326	292.50	293.00	0.50	1.59	2.50 m @ 0.67 g/t Au	1.7	0.50 m @ 1.59 g/t Au	
DSDD0326	293.00	294.00	1.00	0.09				
DSDD0326	294.00	295.00	1.00	0.79				

About Aurum

Aurum Resources (ASX:AUE) is an Australian based gold exploration company focused on discovery and development of major gold projects in Côte d'Ivoire, West Africa. Aurum has 3.28Moz gold resources coming from two gold projects, the 2.41Moz Boundiali Gold Project and the 0.87Moz Napié Gold Project. Aurum owns and runs 12 diamond drill rigs allowing it to explore faster and more cost effectively than its peers.

Group Mineral Resources

Table 3: Group Mineral Resources Statement for contained gold as at 30 September 2025 (figures may not add up due to appropriate rounding)

Mineral Resources			Indicated			Inferred			Total Resources		
Project	Type	Cut-off	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)
Boundiali	Oxide	0.4 g/t Au above 300m depth and 1.0 g/t below 300m depth	1.9	1.0	0.07	2.3	0.8	0.07	4.3	0.9	0.13
	Transition		2.0	1.1	0.07	2.8	0.8	0.09	4.7	0.9	0.14
	Fresh		21.9	1.1	0.78	46	0.9	1.35	68	1.0	2.13
	Total		26.0	1.1	0.92	51	0.9	1.49	77	1.0	2.41
Napié	Oxide	0.6 g/t Au	-	-	-	2.4	1.2	0.09	2.4	1.2	0.09
	Transition		-	-	-	1.9	1.1	0.07	1.9	1.1	0.07
	Fresh		-	-	-	18.3	1.2	0.71	18.3	1.2	0.71
	Total		-	-	-	22.5	1.2	0.87	22.5	1.2	0.87
Total			26.0	1.1	0.92	73.5	1.0	2.36	100	1.0	3.28

Annual review and material changes since 30 June 2024

At the start of the 2025 financial year (1 July 2024), the Company did not have any Mineral Resources and is not able to make a prior year comparison. A summary of the material changes in Mineral Resources throughout the 2025 financial year and subsequent is presented below:

- **Boundiali Mineral Resources:**

- "Aurum delivers 1.59Moz Maiden JORC Resource at Boundiali Gold Project" released to the Australian Securities Exchange on 30 December 2024 and amended on 31 December 2024 and available to view on www.asx.com.au.
- "Aurum delivers 2.41Moz Maiden JORC Resource at Boundiali Gold Project" released to the Australian Securities Exchange on 5 August 2025 and available to view on www.asx.com.au
- "Boundiali indicated gold resources grows by 53% in two month" released to the Australian Securities Exchange on 6 October 2025 and available to view on www.asx.com.au.

- **Napié Mineral Resources:**

- "Napié Project Listing Rule 5.6 disclosure" released to the Australian Securities Exchange on 4 February 2025 and available to view on www.asx.com.au

Boundiali Gold Project (2.41Moz)

The flagship 2.41Moz Boundiali Gold Project is comprised of four neighbouring exploration tenements and is located within the same greenstone belt as Resolute's large Syama (11.5Moz) gold mine and Perseus' Sissingué (1.4 Moz) gold mine to the north and Montage Gold's 5.5Moz Koné project located to the south. Barrick's Tongon mine (5.0Moz) is located to the northeast (Figure 1 and Figure 2):

BM gold project JV 80% interest - PR0893 ("BM"), 400km²

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry

BD gold project JV 80% interest - PR808 ("BD"), 260km²

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry

BST gold project 100% interest – Application No. 0781 ("BST") 100%, 167.34km²

- *Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025.*
- 90% interest in future gold production company (Government get 10% free carry from Aurum interest)

BN gold project JV - PR283 ("BN"), 208.87km²

Aurum is earning interest through carrying out exploration to earn 70% interest in three stages:

- Stage 1: Aurum earns 35% interest by spending USD 1.2 million within 36 months of license grant
- Stage 2: Aurum earns 51% interest by spending USD 2.5 million within 60 months of license grant
- Stage 3: Aurum earns 70% interest upon completion of a pre-feasibility study on the tenement.
- Diamond drilling conducted by Aurum will be valued at US\$140 per meter for expenditure calculations
- Upon grant of a mining exploitation license, the ownership structure will be: Aurum (70%), GNRR (20%), Ivorian Government (10%)

Encore JV Project

- Applications (No. 1740 and No. 1745) totalling nearly 320km² are strategically located between Aurum's existing **BD** and **BST** tenements and south of **BM**, offering growth potential for its 1.6Moz Boundiali Gold Project.

- Staged earn-in agreement aligns expenditure with milestones for each permit area:
 - Path to 51% interest: 4,000m diamond drilling.
 - Path to 80% interest: Additional 8,000m diamond drilling (total 12,000m) OR US\$2.5 million nominal expenditure.

Major Star Plus Partnership Projects

- Applications (No. 0791), 114.53km², is strategically located on the immediate south and west of **BST** tenement, offering growth potential for its 2.41Moz Boundiali Gold Project.
- Applications (No. 0793), 99.12km², are structurally located on the immediate west of the Napié gold project, offering growth potential for its 0.87Moz Napié Project.
- Applications (No. 0804), 254.97km², is a separate gold exploration project located in central Côte D'Ivoire.
- 35% project interest from the Company's ownership of 35% registered share capital of Major Star Plus Sarl.
 - Path to 51% interest in a exploration permit: Either USD1.5 million normal expenditure or 7,000m diamond drilling.
 - Path to 80% interest in a exploration permit: Either USD3.0 million normal expenditure or 15,000m diamond drilling
 - Path to 95% interest in a exploration permit: Completion of Pre-Feasibility Study
 - 85.5~87% interest in a future production mine

Mako Gold Pty Ltd (0.87Moz)

Wholly owned subsidiary of Aurum and holds the following projects:

- 0.87Moz Napié Gold Project. 90% Mako and African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study.
- Korhogo Project (100%), significant manganese discovery
- Brobo Project (100%), prospective for lithium/rare earths

Section 1 of the JORC Code, 2012 Edition – Table 1

Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	- Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.	- Samples were collected using diamond drilling techniques generally angled at 50° towards north-northwest to optimally intersect the mineralised zones. - Diamond core was logged both for geological and mineralised structures as noted above. The core was then cut in half using a diamond brick cutting saw on 1m intervals. Typically the core was sampled to geological intervals as defined by the geologist within the even two metre sample intervals utilised. The right-hand side of the core was always submitted for analysis with the left side being stored in trays on site. - Sampling and QAQC procedures were carried out to industry standards. - Sample preparation and assay was completed by independent international accredited laboratory MSALABS. Following cutting or splitting, the samples were bagged by the Client employees and then sent to the laboratory for preparation. These samples were subsequently sent to MSALABS at Yamoussoukro for analysis via 500g Photon Assay.
Drilling techniques	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	Diamond drilling carried out with mostly NTW and some HQ sized equipment. PQ-size rods and casing were used at the top the holes to stabilise the collars although no samples were taken from the PQ size core.
Drill sample recovery	- Method of recording and assessing core and chip sample recoveries and results assessed. - Measures taken to maximise sample recovery and ensure representative nature of the samples. - Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	Diamond drilling core recoveries ranged between 85% and 100% for all holes with no significant issues noted.
Logging	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining	All holes were field logged by company geologists. Lithological, alteration and mineralogical nomenclature of the deposit as well as sulphide content were recorded.

Criteria	JORC Code explanation	Commentary
	<i>studies and metallurgical studies.</i> • Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. • The total length and percentage of the relevant intersections logged.	<i>Metallurgical, Geotechnical and structural data has been recorded</i> • Photography and recovery measurements were carried out by assistants under a geologist's supervision. • All drill holes were logged in full. • Logging was qualitative and quantitative in nature.
• Sub-sampling techniques and sample preparation	• If core, whether cut or sawn and whether quarter, half or all core taken. • If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. • For all sample types, the nature, quality and appropriateness of the sample preparation technique. • Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. • Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. • Whether sample sizes are appropriate to the grain size of the material being sampled.	• NTW core cut in half using a core saw. Typically, the core was sampled to major geological intervals as defined by the geologist within the even two metre sample intervals utilised. All samples were collected from the same side of the core. • Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for Au. • The entire sample was crushed to 70% passing 2mm. • Crushed sample was split to produce 500g sample for analysis and the remaining reject kept for checks. • Field QC procedures involved the use of 2 types of certified reference materials (1 in 20) which is certified by Geostats Ltd, • Primary DD duplicate: Generated by cutting the remaining half core into a ¼ and sampled. • Coarse blank samples: Inserted 1 in every 20 samples • Laboratory Internal Duplicates and Standards • Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for gold
• Quality of assay data and laboratory tests	• The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. • For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and	• The analytical technique used is Chrysos™ PhotonAssay methodology. This uses a high-energy X-ray source that is used to irradiate large mineral samples, typically about 500g compared to the 50g of the fire assay. The X-rays induce short-lived changes in the structure of any gold nuclei present. As the excited gold nuclei return to

Criteria	JORC Code explanation	Commentary
	model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	their ground state, they emit a characteristic gamma-ray signature, the intensity of which is directly proportional to the concentration of gold. The penetrating nature of Chrysos™ PhotonAssay provides much higher energy than those used in conventional X-ray fluorescence (XRF), which provides a true bulk analysis of the entire sample. Samples are presented into a fully automatic process where samples are irradiated, measured, data collection and reporting. - No geophysical tools were used to determine any element concentrations used for this report. - Sample preparation checks for fineness were carried out by the laboratory as part of internal procedures to ensure the grind size was being attained. Laboratory QAQC includes the use of internal standards using certified reference material, and pulp replicates. No anomalous assays were noted in information provided to the Client. - The QAQC results confirm that acceptable levels of accuracy and precision have been established for the Classifications applied (exploration results only).
Verification of sampling and assaying	- The verification of significant intersections by either independent or alternative company personnel. - The use of twinned holes. - Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. - Discuss any adjustment to assay data.	- NA - No holes have been twinned - No adjustment to assay data - Logging records were mostly registered in physical format and were input into a digital format. The core photographs, collar coordinates and down the hole surveys were received in digital format. - Assay values that were below detection limit were adjusted to equal half of the detection limit value. Un-sampled intervals were assumed to have no mineralisation and they were therefore set to blank in the database, however these are minimal.
Location of data points	- Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. - Specification of the grid system used. - Quality and adequacy of topographic control.	- DD collar positions were initially located using a handheld GPS with a location error of +/-3m. - The datum employed is WGS84, Zone 29 - All drill hole locations are then surveyed utilising the differential GPS methods by both company and third party surveyors. - DGPS system utilised is typically within a 10 cm accuracy range which is suitable for the classification applied.

Criteria	JORC Code explanation	Commentary
Data spacing and distribution	- Data spacing for reporting of Exploration Results. - Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. - Whether sample compositing has been applied.	- Drillholes were completed on variable line spacings (from 100m to 50m) and orientations. - The drill hole spacing and distribution is considered sufficient to establish the degree of continuity appropriate for the Inferred Mineral Resource estimation procedures. - The samples were not composited prior to assay.
Orientation of data in relation to geological structure	- Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. - If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	Drill holes were drilled approximately at right angles to the anticipated strike of the target geochemical anomaly and orthogonal to the interpreted mineralisation orientation.
Sample security	The measures taken to ensure sample security.	Chain of custody is managed by the Client's senior site geologists and geotechnicians. Samples are stored in a core shed at site and samples were delivered to the laboratory by client geologists. Client employees have no further involvement in the preparation or analysis of the samples.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	Detailed reviews of sampling techniques were carried out on the site visit by RPM in October 2024 and follow up visit in March 2025.

•

• Section 2 of the JORC Code, 2012 Edition – Table 1

• Criteria	• JORC Code explanation	• Commentary
• Mineral tenement and land tenure status	• Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. • The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.	• Exploration results are from the Boundiali project area • PR893 (BM), 400km², holder Minex West Africa, of which Aurum has earned 80% interest and can earn up to 88% in a mining licence through its fully owned subsidiary Plusor Global Pty Ltd ("Plusor"). Boundiali DS tenement PR808 ("BD"), 260km², holder DS Resources Joint Venture Company, of which Aurum is 80% share capital owner through its fully owned subsidiary Plusor. BST mining licence application of which Aurum is 100% owner. • There are no impediments to working in the area.
• Exploration done by other parties	• Acknowledgment and appraisal of exploration by other parties.	• The exploration results reported in this announcement are from work undertaken by PlusOr a wholly owned subsidiary of Aurum Resources Limited • The license area is known as a prospective region for gold and recent artisanal workings revealed the presence of primary gold mineralisation in artisanal pits and small-scale underground mining.
• Geology	• Deposit type, geological setting and style of mineralisation.	• The Boundiali Deposits are located within the Proterozoic Birimian rocks of the Man shield. It is situated on, 100km west of from the Korhogo in the northern part of the Côte d'Ivoire. They are located in the Bagoué- Syama shear zone within the sedimentary rock with minor associated intrusions of mafic dykes and late-stage granitoids. The various rock units trend NS to NNE similar to the regional metamorphic grade. The regional trend is NE to N. • The Boundiali deposits resemble typical shear zone deposits of the West African granite-greenstone terrane. The deposits themselves are associated with a major regional shear zone and are developed in a sandstone. Mineralisation may be spatially related to the emplacement of intrusives. The gold mineralisation is mesothermal in origin and occurs as free gold in quartz vein stockworks and zones of silicification, associated with pyrite and chalcopyrite. The gold mineralisation is found in linear zones with the contacts

Criteria	JORC Code explanation	Commentary
		showing evidence of shearing. Free gold is frequently observed. Alteration is weak to strong depending on the development of the system typically being sericite. Two types of deformation are present in the drill cores: ductile deformation and brittle deformation. The gold mineralisation is related to deformed sandstone and graywacke, in shear zones, with sulphides (mainly pyrite and minor chalcopyrite) associated with visible gold. Alteration is characterized by chlorite, sericite, calcite, secondary quartz and disseminated pyrite. This assemblage is well developed in schistose, foliated rocks with presence of quartz veins or veinlets.
Drill hole information	- A summary of all information material to the under-standing of the exploration results including a tabulation of the following information for all Material drill holes: - easting and northing of the drill hole collar - elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar - dip and azimuth of the hole - down hole length and interception depth - hole length - If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	- Complete drill hole data has been provided. - Drill hole collar locations are shown in figures in main body of announcement.
Data aggregation methods	- In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. - Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. - The assumptions used for any reporting of metal equivalent values should be clearly stated.	- Assay Intervals are shown in detail. Drilling intervals are predominantly 1m. - Metal equivalent values are not being reported.
Relationship between	These relationships are particularly important in the reporting of Exploration	True widths have not been estimated as the geological controls on mineralisation

• Criteria	• JORC Code explanation	• Commentary
mineralisation widths and intercept lengths	<i>Results.</i> - If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. - If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').	<i>in these initial drill holes into the prospect are not yet well understood.</i> The holes were drilled to test a steeply east dipping foliation in the limited rock exposures seen in the area. The mineralisation lies within what has been interpreted to be a ductile shear zone which would suggest that mineralisation should lie parallel to foliation.
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	Appropriate diagrams relevant to material results are shown in the body of this announcement.
Balanced Reporting	- Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. - Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	- All drill hole and trench collar locations were surveyed utilising handheld GPS methods. Exploration results only being reported. - Drilling teams utilised the Reflex EZ-shot instrument to measure deviations in azimuth and inclination angles for all holes; however, vertical holes were not surveyed. The first measurement is taken at 6 m depth, and then at approximately every 30m depth interval and at the end of the hole. being reported
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	All relevant exploration data is either reported in this announcement or has been reported previously by Aurum, Randgold or Predictive Discovery and is referred to in the announcement.
Further work	- The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling). - Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	- The Company intends to continue exploration on the project and this work will include auger, aircore, RC and diamond core drilling, along with further geophysical surveys and geochemical sampling programs. - Diagrams included in body of report as deemed appropriate by competent person