

16 February 2026

Aurum extends gold mineralisation at Boundiali's BDT3 by 600m, with 130m depth extension at BST1

Aurum Resources (ASX: AUE, "Aurum" or "the Company") is pleased to announce high-grade gold results from its ongoing 100,000m diamond drilling program at the 2.41Moz Boundiali Gold Project¹ in Côte d'Ivoire. Results from **BDT3** and **BST1** focus on expanding the resource footprint and increasing classification confidence ahead of the upcoming Boundiali Mineral Resource Estimate (**MRE**) update this quarter.

Key drill intercepts include²:

BDT3 Deposit:

- **9m @ 8.15 g/t Au** from 207m inc. **2m @ 35.83 g/t Au** (DSDD0361)
- **9m @ 8.00 g/t Au** from 223m inc. **1m @ 70.37 g/t Au** (DSDD0355)

BST1 Deposit:

- **10m @ 2.51 g/t Au** from 170m inc. **5m @ 4.74 g/t Au** (BSDD0036)
- **18.40 m @ 1.04 g/t Au** from 240m inc. **4m @ 2.00 g/t Au** (BSDD0043)

Investment Highlights:

- **BDT3 strike grows:** Hole DSDD0361 confirms high-grade mineralisation 600m north of the current resource model's limit.
- **BST1 depth extension:** Drilling confirms gold mineralisation to an average of 130m vertically below current resource model; system remains open.
- **Q1 2026 catalysts:** Boundiali and Napié MRE updates plus the Boundiali PFS are on track for release this quarter.
- **Strong cash position:** Unaudited cash balance of ~\$40.2M (as of 31 Dec 2025) to fund aggressive 130,000m 2026 drill program across Boundiali and Napié.

Aurum's Managing Director Dr. Caigen Wang said: "These new results continue to demonstrate the Boundiali system remains underexplored, demonstrating a scale of gold endowment well above our current Mineral Resources. At **BDT3**, hole DSDD0361 returned **9m @ 8.15 g/t Au** from 207m inc. **2m @ 35.83 g/t Au**, which confirms we have multiple high-grade plunging shoots in the system with the new intercept located 800m north of high-grade hole DSDD0162³ (**22.71m @ 4.78 g/t Au** from 177.59m). DSDD0361, along with the other new holes, has confirmed gold mineralisation extends more than 600m north of the current resource model and will drive resource growth in this area.

The new results reported from drilling at **BST1** have confirmed depth and strike extensions, with the new drilling extending gold mineralisation by an average of around **130m vertically below the current MRE** on sections that we have drilled. This confirms that the **BST1** system remains open and has significant depth persistence in the fresh rock.

All these results will be integrated into the upcoming Boundiali **MRE** update due this quarter. So far, our drilling at Boundiali has targeted only the most obvious outcropping anomalies. The potential for blind discoveries remains enormous.

With our 12 company-owned rigs active and \$40M in the bank, we are perfectly positioned to deliver our **Boundiali PFS** towards the end of this quarter and move rapidly toward a **DFS** in late 2026."

¹ "Boundiali indicated gold resources grows by 53% in two month" released to the Australian Securities Exchange on 6 October 2025 and available to view on www.asx.com.au

² Refer to tables accompanying this report for collar location information and assay results for the new drilling

³ 16 April 2025, Aurum hits 89m @ 2.42 g/t gold from 213m at 1.59Moz Boundiali Project (ASX:AUE)

New Drilling – Boundiali Gold Project⁴

Aurum received assay results from 30 diamond drill (DD) holes totalling 7,208.20m, conducted as part of an integrated step-out, step-back, and infill program on the BD tenement (80% interest) and BST tenement (100% interest). The results from drilling on the **BDT3** and **BST1** deposits provide final data for inclusion in the Boundiali Mineral Resource Estimate (MRE) update scheduled for release later this month.

At **BDT3**, Aurum completed 11 DD holes for 2,715.90m to increase the known extent of gold mineralisation. These results are highlighted by hole DSDD0361 (**9m @ 8.15 g/t Au** from 207m inc. **2m @ 35.83 g/t Au**), which was drilled 800m north of high-grade hole DSDD0162⁵ (**22.71m @ 4.78 g/t Au** from 177.59m inc. **5.41m @ 12.66 g/t Au**). DSDD0361, along with the other new holes, confirmed gold mineralisation more than 600m north of the current resource model and will drive resource growth in this area.

At **BST1**, the Company completed 13 DD holes for 4,492.30m. These new results are from drilling designed to extend the limit of known gold mineralisation and have successfully confirmed growth by an average of around 130m vertically below the current MRE on sections drilled. This confirms that the BST1 system remains open along strike and at depth.

While these assays represent the final data batch of assays to be used for the pending Boundiali Resource model update, all the deposits remain open at depth and along strike. So far, ongoing drilling at Boundiali has only targeted the most obvious outcropping anomalies. Aurum believes the potential for blind discoveries also remains, providing a clear pathway for resource growth in subsequent updates planned for H2 CY2026.

Better intercepts from drilling include⁶:

BDT3 Deposit:

- **9m @ 8.15 g/t Au** from 207m inc. **2m @ 35.83 g/t Au** (DSDD0361)
- **9m @ 8.00 g/t Au** from 223m inc. **1m @ 70.37 g/t Au** (DSDD0355)

BST1 Deposit:

- **10m @ 2.51 g/t Au** from 170m inc. **5m @ 4.74 g/t Au** (BSDD0036)
- **18.40 m @ 1.04 g/t Au** from 240m inc. **4m @ 2.00 g/t Au** (BSDD0043).

The **BD** gold deposit lies within an underexplored **13km by 3km mineralised corridor**. Gold mineralisation is hosted in a thick, north-south trending sandstone unit, positioned between hanging wall and footwall volcano-sedimentary rocks. The gold which is free milling⁷ is associated with fine disseminated pyrite and an alteration assemblage of hematite, silica, chlorite, tourmaline, quartz veinlets, albite, and carbonate. True widths for these gold intercepts are estimated at about 60% - 80% of reported downhole lengths.

The **BST1** gold deposit, located 19km to the south of **BDT1** on the Nyangboue shear zone, is hosted in a sedimentary package comprising alternating sandstones and shales with minor intraformational conglomerates. Broad zones of lower grade disseminated mineralisation envelope higher grade zones which are in some instances associated with quartz veining with visible gold. Gold mineralisation encountered occurs as discrete higher-grade zones within a broad low-grade envelope within a folded sedimentary package. Extensive sulphide and carbonate alteration occurs with higher grade zones being associated with structurally controlled zones of quartz veining. Oxidation extends to approximately 50m vertical depth and being a sedimentary protolith is soft and friable. True widths for these shallow, wide gold intercepts are estimated at about 65% - 85% of reported downhole lengths.

Details of drill collar location and assay results and intercepts for the new drilling at Boundiali can be found in Table 1 and Table 2 respectively. Plans showing location of the Boundiali Gold Project and the assay results are presented in the following figures: General locations in Figure 1, Figure 2, and project details in Figure 3. A detailed plan showing results

⁴ Refer to About Aurum's Boundiali Gold Project

⁵ 16 April 2025, Aurum hits 89m @ 2.42 g/t gold from 213m at 1.59Moz Boundiali Project (ASX:AUE)

⁶ Refer to Table 1 for collar information and Table 2 for assay results for the new drilling

⁷ ASX release dated 23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali

is presented in Figure 4 (BDT3) and Figure 5 (BST1). Example cross sections of the latest results is presented in Figure 6 (BDT3) and Figure 7 (BST1).

Gold mineralisation at all the Boundiali deposits remains open along strike and at depth and Aurum is planning further work with drilling ongoing.

Next Steps

Aurum is leveraging its strong balance sheet and self-owned drill fleet to maintain a continuous news flow throughout CY2026. The strategy focuses on rapid resource conversion and economic de-risking.

1. Boundiali: Moving to Development

- **PFS Delivery:** Completion of the open-pit Pre-Feasibility Study is expected in **Q1 CY2026** to evaluate project economics.
- **Drilling (100,000m):** Up to 12 diamond rigs will continue testing strike and depth extensions across **BD, BM, and BST** tenements.
- **Resource Updates:** Following the imminent Q1 Mineral Resource Estimate (MRE) update, an additional MRE update is targeted for **mid 2026**.
- **DFS Transition:** Results from 2026 drilling and the PFS will facilitate progress toward a **Definitive Feasibility Study (DFS)** in late 2026.

2. Napié: Scaling the Resource

- **Resource Expansion:** A **30,000m diamond drilling** program is ongoing to grow the existing 0.87Moz gold resource.
- **Q1 MRE Update:** An updated MRE for the Napié Gold Project is scheduled for release in **Q1 CY2026**.

3. Regional Exploration & Discovery

- **Pipeline Generation:** Scout drilling is planned for the **BD, BM, and BST** tenements to test new targets identified via soil anomalies and geological mapping.
- **Early-Stage Growth:** Advancement of the **Encore JV** and **Major Star Plus** partnership projects to identify new gold systems.

This update has been authorised by the Board of Aurum Resources Limited.

ENDS

FORWARD-LOOKING STATEMENTS

This ASX release contains forward-looking statements about Aurum Resources Limited's exploration activities, drilling programs, and potential Mineral Resource Estimate at the Boundiali and Napié Gold Projects. These statements are based on current expectations and are subject to risks and uncertainties inherent in mineral exploration and mining. Factors that could cause actual results to differ materially include exploration risks, drilling results, resource estimation, gold prices, operational risks, regulatory changes, and broader economic conditions. Investors should not place undue reliance on these forward-looking statements.

COMPETENT PERSON'S STATEMENT

The information in this release that relates to Exploration Targets and Exploration Results is based on information compiled by Mr Mark Strizek, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Strizek has been a non-executive Director of the Company since 1 February 2024 and joined as an executive Director on 1 June 2024. Mr Strizek has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaking to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Strizek consents to the inclusion in the announcement of the matters based on his information in the form and context in which it appears. Additionally, Mr Strizek confirms that the entity is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this presentation.

COMPLIANCE STATEMENT

The information in this presentation that relates to Boundiali Mineral Resources is extracted from the announcement "Boundiali indicated gold resources grows by 53% in two month" released to the Australian Securities Exchange on 6 October 2025 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this report that relates to Napié Mineral Resources is extracted from the announcement "Napié Project Listing Rule 5.6 disclosure" released to the Australian Securities Exchange on 4 February 2025 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

This report contains information extracted from ASX market announcements reported in accordance with the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" ("2012 JORC Code") and available for viewing at www.asx.com.au and includes results reported previously and published on ASX platform:

5 Feb 2026, High-Grade Extensions at BD Deposits for Resource Growth (ASX:AUE)
 28 Jan 2026, Further high-grade intercepts at BMT3 in Boundiali (ASX:AUE)
 14 Jan 2026, Boundiali Gold Project produces more good drilling results (ASX:AUE)
 7 Jan 2026, Aurum advances Boundiali development with 3 ML Applications (ASX:AUE)
 19 Dec 2025, More high grade gold intercepts at BMT3 in Boundiali (ASX:AUE)
 11 Dec 2025, Drilling at Napié Extends Gold Mineralisation to 400m Depth (ASX:AUE)
 28 Nov 2025, Aurum completes \$22.98M Montage share sale (ASX:AUE)
 18 Nov 2025, Aurum hits 3.10m @ 70.78 g/t gold from 112.90m at Boundiali (ASX:AUE)
 07 Nov 2025, Aurum hits 5m @ 11.07 g/t gold from outside BDT2 resources (ASX:AUE)
 06 Nov 2025, Addendum to the 2025 Annual Report (ASX:AUE)
 30 Oct 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 27 Oct 2025, Aurum hits 0.8m @ 350 g/t gold at Boundiali Gold Project (ASX:AUE)
 06 Oct 2025, Boundiali indicated gold resources grows by 53% in two month (ASX:AUE)
 29 Sep 2025, Aurum hits 1m @ 152.35 g/t gold from 96m at Boundiali (ASX:AUE)
 10 Sep 2025, Aurum hits 17m @ 9.38 g/t gold from 236m at Napié (ASX:AUE)
 01 Sep 2025, Aurum expands footprint of Boundiali and Napié Gold Projects (ASX:AUE)
 05 Aug 2025, Boundiali Gold Project Resource grows ~50% to 2.41Moz (ASX:AUE)
 29 Jul 2025, Encouraging Drilling Results at BD & BST (ASX:AUE)
 25 Jul 2025, Aurum hits 1.43m at 234.35 g/t gold from 107m at BMT3 (ASX:AUE)
 23 Jul 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 15 Jul 2025, 100 million share placement to strategic investors completed (ASX:AUE)
 27 Jun 2025, Aurum commenced 30,000m diamond drilling at Napié (ASX:AUE)
 17 Jun 2025, AUE hits 66m @ 1.07g/t gold from 33m @ Boundiali BD tenement (ASX:AUE)
 27 May 2025, AUE expands Boundiali Gold Project exploration ground (ASX:AUE)
 21 May 2025, AUE hits 34m @ 2.32g/t gold from 56m @ Boundiali BD tenement (ASX:AUE)
 13 May 2025, Assay Results at Boundiali BM Tenement (Amended) (ASX:AUE)
 13 May 2025, Aurum hits 73.10 g/t gold at Boundiali BM tenement (ASX:AUE)
 07 May 2025, Aurum to raise \$35.6 million from strategic investment (ASX:AUE)
 16 Apr 2025, AUE hits 89m @ 2.42 g/t gold at 1.59Moz Boundiali Project (ASX:AUE)
 08 Apr 2025, AUE to start diamond drilling at Boundiali South tenement (ASX:AUE)
 31 Mar 2025, AUE to commence environmental study - Boundiali Gold Project (ASX:AUE)
 27 Mar 2025, Aurum hits 83m @ 4.87 g/t Au at 1.59Moz Boundiali Project (ASX:AUE)
 19 Mar 2025, Hits 4m at 54.64 g/t Au outside 1.59Moz Boundiali MRE area (ASX:AUE)
 14 Mar 2025, Half Yearly Report and Accounts (ASX:AUE)
 7 Mar 25, Investor Presentation March 2025 (ASX:AUE)
 6 Mar 25, AUE Completes Acquisition of Mako Gold Limited (ASX:AUE)
 27 Feb 25, 12m at 22.02g/t from 145m outside 1.59Moz Boundiali MRE area (ASX:AUE)
 21 Feb 2025, 8m at 8.23g/t from 65m outside 1.59Moz Boundiali MRE area (ASX:AUE)
 4 Feb 2025, Napié Project Listing Rule 5.6 Disclosure (Amended) (ASX:AUE)
 3 Feb 2025, Mako Takeover Offer Closes (ASX:AUE)
 31 Jan 2025, Drill Collar Table Addendum (ASX:AUE)
 31 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
 31 Jan 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 30 Jan 2025, Aurum hits 150 g/t gold at Boundiali, Côte d'Ivoire (ASX:AUE)
 29 Jan 2025, MKG - Suspension of Trading and Delisting from ASX (ASX:AUE)
 24 Jan 2025, Compulsory Acquisition Notice Mako Takeover (ASX:AUE)
 24 Jan 2025, Non-Binding MoU with SANY Heavy Equipment Co (ASX:AUE)
 23 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
 9 Jan 2025, Best and Final offer for Mako Gold Limited (ASX:AUE)
 31 Dec 2024, Boundiali Project Maiden Resource delivers 1.6 Moz (amended) (ASX:AUE)
 30 Dec 2024, Boundiali Gold Project Maiden Resource delivers 1.6 Moz (ASX:AUE)
 24 Dec 2024, Change in substantial holding for MKG (ASX:AUE)
 23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali (ASX:AUE)
 18 Dec 2024, Aurum hits 277 g/t gold at Boundiali BM Target 3
 13 Dec 2024, Change of Directors and Addition of Joint Company Secretary (ASX:AUE & ASX:MKG)
 6 Dec 2024, AUE receives firm commitments for A\$10 million placement (ASX:AUE)
 29 Nov 2024, Aurum earns 80% interest in Boundiali BM tenement (ASX:AUE)
 28 Nov 2024, AUE appoints Mr. Steve Zaninovich as Non-Executive Director (ASX:AUE)
 22 Nov 2024, AUE Declares Takeover Offer for all MKG Shares Unconditional (ASX:AUE)
 15 Nov 2024, Supplementary Bidders Statement (ASX:AUE)
 11 Nov 2024, Aurum hits 36 g/t gold at BM T1 of 2.5km strike (ASX:AUE)
 30 Oct 2024, Bidders Statement (ASX:AUE)
 16 Oct 2024, Recommended Takeover of Mako Gold By Aurum Resources (ASX:AUE)
 09 Sep 2024, Aurum earns 51% interest in Boundiali BM tenement (ASX:AUE)
 05 Sep 2024, AUE hits 40m at 1.03 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 03 Sep 2024, Boundiali South Exploration Licence Renewed (ASX:AUE)
 07 Aug 2024, Aurum to advance met studies for Boundiali Gold Project (ASX:AUE)
 22 July 2024, Prelim metallurgical tests deliver up to 99% gold recovery (ASX:AUE)
 17 June 2024, Aurum hits 69m at 1.05 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 28 May 2024, AUE hits 163 g/t gold in 12m @ 14.56 g/t gold at BD Target 1 (ASX:AUE)
 24 May 2024, Aurum hits 74m @ 1.0 g/t gold at Boundiali BD Target 2 (ASX:AUE)
 15 May 2024, Aurum expands Boundiali Gold Project footprint (ASX:AUE)
 10 May 2024, AUE hits 90m @ 1.16 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 01 May 2024, Aurum Appoints Country Manager in Côte d'Ivoire (ASX:AUE)
 23 April 2024, AUE drilling hits up to 45 g/t gold at Boundiali BD Target 2 (ASX:AUE)
 19 March 2024, AUE signs binding term sheet for 100% of Boundiali South (ASX:AUE)
 12 March 2024, AUE hits 73m at 2.15g/t inc. 1m at 72g/t gold at Boundiali (ASX:AUE)
 01 March 2024, Aurum hits 4m at 22 g/t gold in Boundiali diamond drilling (ASX:AUE)
 22 January 2024, Aurum hits shallow, wide gold intercepts at Boundiali, Côte d'Ivoire (ASX:AUE)
 21 December 2023, Rapid Drilling at Boundiali Gold Project (ASX:AUE)
 21 November 2023, AUE Acquisition Presentation (ASX:AUE)
 21 June 2021, Notice of General Meeting/Proxy Form (MSR:ASX)
 21 May 2021, PlusOr to Acquire 6194 sq kms Ground Position in Côte d'Ivoire (MSR:ASX)
 22 August 2019, Boundiali RC Drill Results Continue to Impress (PDI:ASX)
 15 July 2019, RC, Trench Results Grow Boundiali Potential in Côte d'Ivoire (PDI:ASX)
 27 May 2019, New Drill Results Strengthen Boundiali Project Côte d'Ivoire (PDI:ASX)
 16 January 2019, PDI-Toro JV Sharpens Focus with Major Drilling Program (PDI:ASX)
 26 November 2018, Boundiali North - Large Coherent Gold Anomalies in 14km Zone (PDI:ASX)

The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcements.




Figure 1: Location of Aurum's projects in Côte d'Ivoire




Figure 2: Location of Aurum's Boundiali and Napié gold projects in Côte d'Ivoire




Figure 3: Aurum's Boundiali Gold Project




Figure 4: Plan view showing new drill results (yellow) for **BDT3**⁸

⁸ Only showing new holes with intercepts greater than 2.5 gold gram metres, full list of new intercepts included in assay results table.




Figure 5: Plan view showing new drill results (yellow) for BST1⁹

⁹ Only showing new holes with intercepts greater than 2.5 gold gram metres, full list of new intercepts included in assay results table.




Figure 6: Cross Section looking north (+/-25m) showing new drill results (yellow) for **BDT3**¹⁰

¹⁰ Only showing new holes with intercepts greater than 2.5 gold gram metres, full list of new intercepts included in assay results table.




Figure 7: Cross Section looking north (+/-25m) showing new drill results (yellow) for **BST1**¹¹

¹¹ Only showing new holes with intercepts greater than 2.5 gold gram metres, full list of new intercepts included in assay results table.

Table 1: Drill collar information for holes drilled at Boundiali (BDT3 & BST1)

Hole ID	UTM East Zone 29N	UTM North Zone 29N	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
DSDD0345	785,529	1,054,125	379	332.20	270	-50	BDT3	
DSDD0347	785,360	1,054,209	382	273.45	270	-50		
DSDD0348	785,358	1,054,311	384	198.30	270	-50		
DSDD0349	785,318	1,054,411	386	184.60	270	-50		
DSDD0351	785,319	1,054,520	390	169.30	270	-50		
DSDD0352	785,367	1,054,620	393	160.60	270	-50		
DSDD0353	785,455	1,054,412	383	310.30	270	-55		
DSDD0354	785,494	1,054,311	380	352.20	270	-55		
DSDD0355	785,515	1,054,209	379	332.80	270	-55		
DSDD0356	785,399	1,054,711	386	162.00	270	-51		
DSDD0361	785,565	1,054,620	380	240.15	270	-55		
11 holes				2,715.90m				
BSDD0035	784,408	1,035,203	412	467.00	90	-60	BST1	DD
BSDD0036	784,660	1,035,142	417	330.30	90	-60		
BSDD0037	784,475	1,035,150	415	475.00	90	-60		
BSDD0038	784,435	1,035,096	416	491.20	90	-60		
BSDD0039	784,656	1,035,051	429	326.90	90	-60		
BSDD0040	784,539	1,035,049	419	408.85	90	-62		
BSDD0041	784,452	1,035,050	418	480.90	90	-62		
BSDD0042	784,453	1,035,000	423	474.80	90	-60		
BSDD0043	784,702	1,035,348	413	310.00	90	-60		
BSDD0044	784,588	1,034,300	400	145.85	90	-50		
BSDD0045	784,508	1,034,302	398	250.90	90	-60		
BSDD0047	784,599	1,034,200	398	115.60	90	-60		
BSDD0048	784,530	1,034,201	397	215.00	90	-60		
13 holes				4,492.30m				
30 holes				7,208.20m			TOTAL	

Table 2: Significant assay results for holes drilled at Boundiali (BDT3 & BST1)¹²

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
	BDT3	DSDD0345	14.00	15.00	1.00	0.574	1.00 m @ 0.57 g/t Au	0.6	
	BDT3	DSDD0345	22.50	23.40	0.90	0.294	0.90 m @ 0.29 g/t Au	0.3	
	BDT3	DSDD0345	58.00	59.00	1.00	0.141			
	BDT3	DSDD0345	83.00	84.00	1.00	0.129			
	BDT3	DSDD0345	85.10	86.00	0.90	0.109			
	BDT3	DSDD0345	87.00	88.00	1.00	0.138			
	BDT3	DSDD0345	88.00	89.00	1.00	0.103			
	BDT3	DSDD0345	89.00	90.00	1.00	0.128			
	BDT3	DSDD0345	90.00	91.00	1.00	0.190			
	BDT3	DSDD0345	91.00	92.00	1.00	0.111			
	BDT3	DSDD0345	93.00	94.00	1.00	0.102			
	BDT3	DSDD0345	99.00	100.00	1.00	0.108			
	BDT3	DSDD0345	141.00	142.00	1.00	0.188	2.00 m @ 0.22 g/t Au	0.4	
	BDT3	DSDD0345	144.00	145.00	1.00	0.201			
	BDT3	DSDD0345	145.00	146.00	1.00	0.246	4.00 m @ 0.36 g/t Au	1.5	1.00 m @ 1.07 g/t Au
	BDT3	DSDD0345	211.00	212.00	1.00	0.118			
	BDT3	DSDD0345	219.00	220.00	1.00	1.066			
	BDT3	DSDD0345	220.00	221.00	1.00	0.104			
	BDT3	DSDD0345	221.00	222.00	1.00	0.059			
	BDT3	DSDD0345	222.00	223.00	1.00	0.225			
	BDT3	DSDD0345	223.00	224.00	1.00	0.117			
	BDT3	DSDD0345	240.00	241.00	1.00	0.359	1.00 m @ 0.36 g/t Au	0.4	
	BDT3	DSDD0345	255.00	256.00	1.00	0.970	1.00 m @ 0.97 g/t Au	1.0	
	BDT3	DSDD0345	265.00	266.00	1.00	0.100			
	BDT3	DSDD0345	266.00	267.00	1.00	0.251	2.00 m @ 0.37 g/t Au	0.7	
	BDT3	DSDD0345	267.00	268.00	1.00	0.482			
	BDT3	DSDD0345	271.00	272.00	1.00	0.100			
	BDT3	DSDD0345	272.00	273.00	1.00	0.168			
	BDT3	DSDD0345	273.00	274.00	1.00	0.209	1.00 m @ 0.21 g/t Au	0.2	
	BDT3	DSDD0345	276.00	277.00	1.00	0.272	1.00 m @ 0.27 g/t Au	0.3	
	BDT3	DSDD0345	277.00	278.00	1.00	0.169			
	BDT3	DSDD0345	281.00	282.00	1.00	0.192			
	BDT3	DSDD0345	286.00	287.00	1.00	0.133			
	BDT3	DSDD0345	290.00	291.00	1.00	0.162			
	BDT3	DSDD0345	291.00	292.00	1.00	0.108			
	BDT3	DSDD0345	292.00	293.00	1.00	0.117			
	BDT3	DSDD0345	293.00	294.00	1.00	0.136			
	BDT3	DSDD0345	294.00	295.00	1.00	0.108			
	BDT3	DSDD0345	312.00	313.00	1.00	0.795	2.00 m @ 0.74 g/t Au	1.5	
	BDT3	DSDD0345	313.00	314.00	1.00	0.679			
	BDT3	DSDD0345	314.75	315.50	0.75	0.196			
	BDT3	DSDD0345	327.42	328.00	0.58	0.862	2.58 m @ 0.36 g/t Au	0.9	
	BDT3	DSDD0345	328.00	329.00	1.00	0.196			
	BDT3	DSDD0345	329.00	330.00	1.00	0.227			
	BDT3	DSDD0345	330.00	331.00	1.00	0.101			
	BDT3	DSDD0347	63.17	64.00	0.83	0.293	2.01 m @ 0.36 g/t Au	0.7	
	BDT3	DSDD0347	64.00	65.18	1.18	0.411			
	BDT3	DSDD0347	70.70	72.00	1.30	0.133			
	BDT3	DSDD0347	97.00	98.50	1.50	0.211	1.50 m @ 0.21 g/t Au	0.3	
	BDT3	DSDD0347	98.50	99.50	1.00	0.153			

¹² 0.2 g/t Au cut off used with 3m internal dilution and no top cut applied

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au		
	BDT3	DSDD0347	107.61	108.33	0.72	0.113				
	BDT3	DSDD0347	110.00	111.00	1.00	0.196				
	BDT3	DSDD0347	111.00	112.00	1.00	1.402	4.00 m @ 1.08 g/t Au	4.3		
	BDT3	DSDD0347	112.00	113.00	1.00	0.059			4.00 m @ 1.08 g/t Au	
	BDT3	DSDD0347	113.00	114.13	1.13	1.271				
	BDT3	DSDD0347	114.13	115.00	0.87	1.628				
	BDT3	DSDD0347	132.70	134.20	1.50	0.164				
	BDT3	DSDD0347	176.85	178.00	1.15	0.225	2.15 m @ 1.24 g/t Au	2.7		
	BDT3	DSDD0347	178.00	179.00	1.00	2.399			1.00 m @ 2.40 g/t Au	
	BDT3	DSDD0347	184.00	185.00	1.00	0.249	1.00 m @ 0.25 g/t Au	0.2		
	BDT3	DSDD0347	189.30	190.58	1.28	0.298	2.00 m @ 0.48 g/t Au	1.0		
	BDT3	DSDD0347	190.58	191.30	0.72	0.811				
	BDT3	DSDD0347	191.30	191.91	0.61	0.121				
	BDT3	DSDD0347	199.00	200.00	1.00	0.108				
	BDT3	DSDD0347	201.00	202.00	1.00	0.122				
	BDT3	DSDD0347	241.00	242.50	1.50	0.221	5.00 m @ 0.23 g/t Au	1.1		
	BDT3	DSDD0347	242.50	243.60	1.10	0.035				
	BDT3	DSDD0347	243.60	245.00	1.40	0.134				
	BDT3	DSDD0347	245.00	246.00	1.00	0.589				
	BDT3	DSDD0347	247.00	248.00	1.00	0.116				
	BDT3	DSDD0347	250.00	251.00	1.00	0.209	1.00 m @ 0.21 g/t Au	0.2		
	BDT3	DSDD0347	251.00	252.00	1.00	0.112				
	BDT3	DSDD0348	33.00	34.50	1.50	0.136				
	BDT3	DSDD0348	34.50	35.54	1.04	0.118				
	BDT3	DSDD0348	37.22	38.50	1.28	0.248	1.28 m @ 0.25 g/t Au	0.3		
	BDT3	DSDD0348	89.00	90.25	1.25	0.248	1.25 m @ 0.25 g/t Au	0.3		
	BDT3	DSDD0348	91.00	92.00	1.00	0.107				
	BDT3	DSDD0348	92.00	93.00	1.00	0.112				
	BDT3	DSDD0348	107.00	108.00	1.00	0.328				
	BDT3	DSDD0348	108.00	109.00	1.00	0.032	7.50 m @ 0.36 g/t Au	2.7		
	BDT3	DSDD0348	109.00	110.10	1.10	1.310				1.10 m @ 1.31 g/t Au
	BDT3	DSDD0348	110.10	111.00	0.90	0.183				
	BDT3	DSDD0348	111.00	112.00	1.00	0.054				
	BDT3	DSDD0348	112.00	113.00	1.00	0.024				
	BDT3	DSDD0348	113.00	114.50	1.50	0.420				
	BDT3	DSDD0348	120.00	121.00	1.00	0.653				
	BDT3	DSDD0348	121.00	122.00	1.00	0.174	1.00 m @ 0.65 g/t Au	0.7		
	BDT3	DSDD0348	133.00	134.20	1.20	0.102				
	BDT3	DSDD0348	135.00	136.00	1.00	0.513				
	BDT3	DSDD0348	139.00	140.00	1.00	0.192	1.00 m @ 0.51 g/t Au	0.5		
	BDT3	DSDD0348	182.00	183.00	1.00	2.122	1.00 m @ 2.12 g/t Au	2.1	1.00 m @ 2.12 g/t Au	
	BDT3	DSDD0348	183.00	184.00	1.00	0.150				
	BDT3	DSDD0348	186.00	187.00	1.00	0.194				
	BDT3	DSDD0348	188.00	189.00	1.00	0.318				
	BDT3	DSDD0348	197.00	198.30	1.30	0.209	1.00 m @ 0.32 g/t Au	0.3		
	BDT3	DSDD0348	197.00	198.30	1.30	0.209	1.30 m @ 0.21 g/t Au	0.3		
	BDT3	DSDD0349	3.57	4.50	0.93	0.125				
	BDT3	DSDD0349	77.00	78.00	1.00	0.756	1.00 m @ 0.76 g/t Au	0.8		
	BDT3	DSDD0349	85.60	87.00	1.40	0.268	1.40 m @ 0.27 g/t Au	0.4		
	BDT3	DSDD0349	99.00	100.00	1.00	0.190	2.00 m @ 0.57 g/t Au	1.1		
	BDT3	DSDD0349	100.00	101.00	1.00	0.804				
	BDT3	DSDD0349	101.00	102.00	1.00	0.331				
	BDT3	DSDD0349	106.00	107.00	1.00	0.108				
	BDT3	DSDD0349	107.00	108.00	1.00	0.147				
	BDT3	DSDD0349	108.00	109.00	1.00	0.199				
	BDT3	DSDD0349	109.00	110.13	1.13	0.111				

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT3	DSDD0349	110.13	111.00	0.87	0.115			
BDT3	DSDD0349	134.00	135.00	1.00	0.100			
BDT3	DSDD0349	142.00	143.00	1.00	0.169			
BDT3	DSDD0349	147.00	147.70	0.70	0.213	0.70 m @ 0.21 g/t Au	0.1	
BDT3	DSDD0349	163.70	165.00	1.30	0.372			
BDT3	DSDD0349	165.00	166.00	1.00	0.285			
BDT3	DSDD0349	166.00	167.00	1.00	0.096	4.30 m @ 0.29 g/t Au	1.2	
BDT3	DSDD0349	167.00	168.00	1.00	0.380			
BDT3	DSDD0349	171.00	172.00	1.00	0.167			
BDT3	DSDD0349	172.00	173.00	1.00	0.266	1.00 m @ 0.27 g/t Au	0.3	
BDT3	DSDD0349	174.00	175.00	1.00	0.117			
BDT3	DSDD0351	45.00	46.02	1.02	0.992	1.02 m @ 0.99 g/t Au	1.0	
BDT3	DSDD0351	54.00	54.52	0.52	0.463	0.52 m @ 0.46 g/t Au	0.2	
BDT3	DSDD0351	66.00	67.00	1.00	0.379	1.00 m @ 0.38 g/t Au	0.4	
BDT3	DSDD0351	78.00	79.00	1.00	0.108			
BDT3	DSDD0351	79.00	79.80	0.80	0.266	0.80 m @ 0.27 g/t Au	0.2	
BDT3	DSDD0351	83.00	84.00	1.00	0.138			
BDT3	DSDD0351	146.00	147.00	1.00	0.364	1.00 m @ 0.36 g/t Au	0.4	
BDT3	DSDD0352	9.00	10.00	1.00	0.118			
BDT3	DSDD0352	19.50	21.00	1.50	0.195			
BDT3	DSDD0352	21.00	21.92	0.92	0.219	0.92 m @ 0.22 g/t Au	0.2	
BDT3	DSDD0352	34.50	36.00	1.50	0.343	1.50 m @ 0.34 g/t Au	0.5	
BDT3	DSDD0352	39.00	40.50	1.50	0.114			
BDT3	DSDD0352	58.78	60.00	1.22	0.354			
BDT3	DSDD0352	60.00	61.00	1.00	1.472			1.00 m @ 1.47 g/t Au
BDT3	DSDD0352	61.00	62.00	1.00	0.274			
BDT3	DSDD0352	62.00	63.00	1.00	0.093	8.22 m @ 0.50 g/t Au	4.1	
BDT3	DSDD0352	63.00	64.00	1.00	0.331			
BDT3	DSDD0352	64.00	65.00	1.00	0.023			
BDT3	DSDD0352	65.00	66.48	1.48	0.755			
BDT3	DSDD0352	66.48	67.00	0.52	0.767			
BDT3	DSDD0352	67.00	68.00	1.00	0.130			
BDT3	DSDD0352	71.00	72.00	1.00	0.140			
BDT3	DSDD0352	72.00	73.00	1.00	0.776	1.00 m @ 0.78 g/t Au	0.8	
BDT3	DSDD0352	81.00	82.00	1.00	0.218			
BDT3	DSDD0352	82.00	83.00	1.00	0.146			
BDT3	DSDD0352	83.00	84.10	1.10	0.147			
BDT3	DSDD0352	84.10	85.00	0.90	0.292			
BDT3	DSDD0352	85.00	86.00	1.00	0.136	9.00 m @ 0.37 g/t Au	3.3	
BDT3	DSDD0352	86.00	87.00	1.00	0.932			
BDT3	DSDD0352	87.00	88.00	1.00	0.536			
BDT3	DSDD0352	88.00	89.00	1.00	0.540			
BDT3	DSDD0352	89.00	90.00	1.00	0.387			
BDT3	DSDD0352	107.00	108.00	1.00	0.121			
BDT3	DSDD0352	109.00	110.05	1.05	0.185			
BDT3	DSDD0352	113.00	114.00	1.00	2.453	1.00 m @ 2.45 g/t Au	2.5	1.00 m @ 2.45 g/t Au
BDT3	DSDD0352	119.68	121.00	1.32	0.483	1.32 m @ 0.48 g/t Au	0.6	
BDT3	DSDD0352	132.00	133.00	1.00	0.526	1.00 m @ 0.53 g/t Au	0.5	
BDT3	DSDD0352	148.00	149.00	1.00	0.248			
BDT3	DSDD0352	149.00	150.00	1.00	0.108			
BDT3	DSDD0352	150.00	151.00	1.00	0.017	5.80 m @ 0.28 g/t Au	1.7	
BDT3	DSDD0352	151.00	152.00	1.00	0.023			
BDT3	DSDD0352	152.00	153.00	1.00	1.019			1.00 m @ 1.02 g/t Au
BDT3	DSDD0352	153.00	153.80	0.80	0.294			
BDT3	DSDD0353	146.25	147.00	0.75	0.155			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au			
	BDT3	DSDD0353	148.00	149.08	1.08	1.118	1.08 m @ 1.12 g/t Au	1.2	1.08 m @ 1.12 g/t Au		
	BDT3	DSDD0353	155.66	157.00	1.34	0.239	1.34 m @ 0.24 g/t Au	0.3			
	BDT3	DSDD0353	159.00	159.92	0.92	0.238	0.92 m @ 0.24 g/t Au	0.2			
	BDT3	DSDD0353	163.50	164.00	0.50	0.282	2.50 m @ 0.24 g/t Au	0.6			
	BDT3	DSDD0353	164.00	165.00	1.00	0.008					
	BDT3	DSDD0353	165.00	166.00	1.00	0.449					
	BDT3	DSDD0353	166.00	166.77	0.77	0.102					
	BDT3	DSDD0353	168.00	169.00	1.00	0.116					
	BDT3	DSDD0353	170.90	172.00	1.10	0.441					
	BDT3	DSDD0353	172.00	173.00	1.00	0.419					
	BDT3	DSDD0353	173.00	174.00	1.00	2.140			1.00 m @ 2.14 g/t Au		
	BDT3	DSDD0353	174.00	175.00	1.00	0.166			9.10 m @ 0.71 g/t Au	6.5	
	BDT3	DSDD0353	175.00	176.00	1.00	0.923					
	BDT3	DSDD0353	176.00	177.00	1.00	0.079					
	BDT3	DSDD0353	177.00	178.00	1.00	0.028					
	BDT3	DSDD0353	178.00	179.00	1.00	0.189					
	BDT3	DSDD0353	179.00	180.00	1.00	2.031					
	BDT3	DSDD0353	200.00	201.00	1.00	0.685			1.00 m @ 0.69 g/t Au	0.7	
	BDT3	DSDD0353	201.00	202.30	1.30	0.184					
	BDT3	DSDD0353	202.30	203.00	0.70	0.112					
	BDT3	DSDD0354	6.00	7.50	1.50	0.105					
	BDT3	DSDD0354	13.50	15.00	1.50	0.244					
	BDT3	DSDD0354	36.00	37.00	1.00	0.116			1.50 m @ 0.24 g/t Au	0.4	
	BDT3	DSDD0354	37.00	37.96	0.96	0.127					
	BDT3	DSDD0354	39.97	40.96	0.99	0.346					0.99 m @ 0.35 g/t Au
	BDT3	DSDD0354	50.00	50.50	0.50	0.473	0.50 m @ 0.47 g/t Au	0.2			
	BDT3	DSDD0354	82.00	83.00	1.00	0.444	1.00 m @ 0.44 g/t Au	0.4			
	BDT3	DSDD0354	83.00	83.75	0.75	0.146					
	BDT3	DSDD0354	173.00	174.00	1.00	0.469	1.00 m @ 0.47 g/t Au	0.5			
	BDT3	DSDD0354	175.00	176.00	1.00	0.138					
	BDT3	DSDD0354	181.00	182.00	1.00	0.124					
	BDT3	DSDD0354	182.00	183.00	1.00	1.933					1.00 m @ 1.93 g/t Au
	BDT3	DSDD0354	183.00	184.00	1.00	0.100					
	BDT3	DSDD0354	189.00	190.00	1.00	0.202					
	BDT3	DSDD0354	190.00	191.00	1.00	0.171					
	BDT3	DSDD0354	191.00	192.00	1.00	0.126					
	BDT3	DSDD0354	192.00	193.00	1.00	0.056					
	BDT3	DSDD0354	193.00	194.00	1.00	0.828					
	BDT3	DSDD0354	194.00	195.00	1.00	0.375					
	BDT3	DSDD0354	195.00	196.00	1.00	0.220					
	BDT3	DSDD0354	213.00	214.00	1.00	0.158					
	BDT3	DSDD0354	219.00	220.00	1.00	0.464					
	BDT3	DSDD0354	220.00	221.00	1.00	0.229					
	BDT3	DSDD0354	221.00	222.00	1.00	0.008					
	BDT3	DSDD0354	222.00	223.17	1.17	0.074					
	BDT3	DSDD0354	223.17	224.00	0.83	0.384					
	BDT3	DSDD0354	224.00	225.00	1.00	1.225	1.00 m @ 1.23 g/t Au				
	BDT3	DSDD0354	273.00	274.00	1.00	0.283	1.00 m @ 0.28 g/t Au	0.3			
	BDT3	DSDD0354	290.35	291.00	0.65	0.177	4.70 m @ 0.21 g/t Au	1.0			
	BDT3	DSDD0354	301.30	302.00	0.70	0.111					
	BDT3	DSDD0354	303.00	304.00	1.00	0.396					
	BDT3	DSDD0354	304.00	305.00	1.00	0.080					
	BDT3	DSDD0354	305.00	306.00	1.00	0.008					
	BDT3	DSDD0354	306.00	307.00	1.00	0.027					
	BDT3	DSDD0354	307.00	307.70	0.70	0.661					

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT3	DSDD0355	21.50	23.00	1.50	0.136			
BDT3	DSDD0355	23.00	24.00	1.00	0.178			
BDT3	DSDD0355	46.00	47.00	1.00	0.126			
BDT3	DSDD0355	61.70	62.55	0.85	0.366	0.85 m @ 0.37 g/t Au	0.3	
BDT3	DSDD0355	89.00	90.00	1.00	0.609			
BDT3	DSDD0355	90.00	91.00	1.00	0.520	2.00 m @ 0.56 g/t Au	1.1	
BDT3	DSDD0355	92.00	93.48	1.48	0.101			
BDT3	DSDD0355	93.48	94.00	0.52	0.183			
BDT3	DSDD0355	181.67	183.00	1.33	0.109			
BDT3	DSDD0355	215.00	215.84	0.84	0.114			
BDT3	DSDD0355	223.00	224.00	1.00	0.467			
BDT3	DSDD0355	224.00	225.00	1.00	0.145			
BDT3	DSDD0355	225.00	226.00	1.00	0.147			
BDT3	DSDD0355	226.00	227.00	1.00	0.268			
BDT3	DSDD0355	227.00	228.00	1.00	0.065	9.00 m @ 8.00 g/t Au	72.0	
BDT3	DSDD0355	228.00	229.00	1.00	0.132			
BDT3	DSDD0355	229.00	230.00	1.00	0.327			
BDT3	DSDD0355	230.00	231.00	1.00	0.115			
BDT3	DSDD0355	231.00	232.00	1.00	70.370			1.00 m @ 70.37 g/t Au
BDT3	DSDD0355	232.00	233.22	1.22	0.160			
BDT3	DSDD0355	233.22	234.00	0.78	0.116			
BDT3	DSDD0355	234.00	235.00	1.00	0.134			
BDT3	DSDD0355	236.00	237.00	1.00	0.305			
BDT3	DSDD0355	237.00	238.00	1.00	0.103			
BDT3	DSDD0355	238.00	239.50	1.50	0.128			
BDT3	DSDD0355	239.50	240.04	0.54	0.250			
BDT3	DSDD0355	240.04	240.89	0.85	0.184			
BDT3	DSDD0355	240.89	241.94	1.05	0.116			
BDT3	DSDD0355	241.94	243.30	1.36	0.803	14.00 m @ 0.41 g/t Au	5.7	
BDT3	DSDD0355	243.30	244.50	1.20	0.269			
BDT3	DSDD0355	244.50	245.00	0.50	0.742			
BDT3	DSDD0355	245.00	246.50	1.50	0.959			
BDT3	DSDD0355	246.50	248.00	1.50	0.639			
BDT3	DSDD0355	248.00	249.10	1.10	0.146			
BDT3	DSDD0355	249.10	250.00	0.90	0.363			
BDT3	DSDD0355	251.00	252.00	1.00	0.110			
BDT3	DSDD0355	256.93	257.43	0.50	0.145			
BDT3	DSDD0355	274.17	275.50	1.33	0.246	1.33 m @ 0.25 g/t Au	0.3	
BDT3	DSDD0355	279.33	280.00	0.67	0.760			
BDT3	DSDD0355	280.00	281.00	1.00	0.530	2.67 m @ 0.50 g/t Au	1.3	
BDT3	DSDD0355	281.00	282.00	1.00	0.290			
BDT3	DSDD0355	285.00	285.61	0.61	0.109			
BDT3	DSDD0355	285.61	286.42	0.81	0.140			
BDT3	DSDD0355	289.00	290.00	1.00	0.189			
BDT3	DSDD0355	290.00	291.00	1.00	0.287			
BDT3	DSDD0355	291.00	292.00	1.00	2.940	2.00 m @ 1.61 g/t Au	3.2	1.00 m @ 2.94 g/t Au
BDT3	DSDD0355	292.00	292.70	0.70	0.129			
BDT3	DSDD0355	296.00	297.50	1.50	0.173			
BDT3	DSDD0355	297.50	298.50	1.00	0.103			
BDT3	DSDD0355	298.50	300.00	1.50	0.285	2.50 m @ 0.33 g/t Au	0.8	
BDT3	DSDD0355	300.00	301.00	1.00	0.389			
BDT3	DSDD0355	301.00	302.00	1.00	0.198			
BDT3	DSDD0355	313.38	314.00	0.62	1.237			
BDT3	DSDD0355	314.00	315.10	1.10	1.253	3.62 m @ 0.87 g/t Au	3.2	1.72 m @ 1.25 g/t Au
BDT3	DSDD0355	315.10	316.00	0.90	0.008			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT3	DSDD0355	316.00	317.00	1.00	0.999			
BDT3	DSDD0355	319.77	321.00	1.23	0.198			
BDT3	DSDD0355	321.00	322.00	1.00	0.330			
BDT3	DSDD0355	322.00	323.00	1.00	0.103	4.50 m @ 0.32 g/t Au	1.4	
BDT3	DSDD0355	323.00	324.00	1.00	0.138			
BDT3	DSDD0355	324.00	325.50	1.50	0.575			
BDT3	DSDD0355	326.60	328.00	1.40	0.152			
BDT3	DSDD0356	20.70	21.50	0.80	0.105			
BDT3	DSDD0356	44.40	45.75	1.35	0.368	1.35 m @ 0.37 g/t Au	0.5	
BDT3	DSDD0356	48.90	50.00	1.10	0.259	1.10 m @ 0.26 g/t Au	0.3	
BDT3	DSDD0356	56.00	57.00	1.00	0.357	1.00 m @ 0.36 g/t Au	0.4	
BDT3	DSDD0356	68.50	70.00	1.50	0.100			
BDT3	DSDD0356	71.47	72.00	0.53	0.269	1.53 m @ 0.68 g/t Au	1.0	
BDT3	DSDD0356	72.00	73.00	1.00	0.900			
BDT3	DSDD0356	73.00	74.00	1.00	0.150			
BDT3	DSDD0356	74.00	75.00	1.00	0.180			
BDT3	DSDD0356	78.00	79.50	1.50	0.126			
BDT3	DSDD0356	84.34	85.00	0.66	0.256	0.66 m @ 0.26 g/t Au	0.2	
BDT3	DSDD0356	89.00	90.00	1.00	0.119			
BDT3	DSDD0356	90.00	91.00	1.00	0.445	1.00 m @ 0.45 g/t Au	0.4	
BDT3	DSDD0356	91.00	92.35	1.35	0.135			
BDT3	DSDD0356	95.45	96.00	0.55	0.108			
BDT3	DSDD0356	96.00	97.00	1.00	0.214	1.00 m @ 0.21 g/t Au	0.2	
BDT3	DSDD0356	100.70	102.00	1.30	0.352	1.30 m @ 0.35 g/t Au	0.5	
BDT3	DSDD0356	104.00	105.00	1.00	0.179			
BDT3	DSDD0356	113.00	114.00	1.00	0.139			
BDT3	DSDD0356	125.46	126.00	0.54	0.291	0.54 m @ 0.29 g/t Au	0.2	
BDT3	DSDD0356	131.50	132.76	1.26	0.179			
BDT3	DSDD0356	132.76	133.50	0.74	0.921	1.78 m @ 0.61 g/t Au	1.1	
BDT3	DSDD0356	133.50	134.54	1.04	0.384			
BDT3	DSDD0361	198.00	199.00	1.00	0.625			
BDT3	DSDD0361	199.00	200.00	1.00	0.314			
BDT3	DSDD0361	200.00	201.00	1.00	0.406	4.61 m @ 0.41 g/t Au	1.9	
BDT3	DSDD0361	201.00	202.00	1.00	0.330			
BDT3	DSDD0361	202.00	202.61	0.61	0.389			
BDT3	DSDD0361	204.00	205.00	1.00	0.162			
BDT3	DSDD0361	207.00	208.00	1.00	0.342			
BDT3	DSDD0361	208.00	209.00	1.00	0.008	9.00 m @ 8.15 g/t Au	73.3	
BDT3	DSDD0361	209.00	210.50	1.50	0.008			
BDT3	DSDD0361	210.50	211.00	0.50	0.411			
BDT3	DSDD0361	211.00	212.00	1.00	0.591			
BDT3	DSDD0361	212.00	213.00	1.00	0.310			
BDT3	DSDD0361	213.00	214.00	1.00	0.197			
BDT3	DSDD0361	214.00	215.00	1.00	70.405			
BDT3	DSDD0361	215.00	216.00	1.00	1.262			2.00 m @ 35.83 g/t Au
BDT3	DSDD0361	216.00	217.00	1.00	0.107			
	Hole number	From	To	Length	Au ppm Rank ppm	Sigint	Met	Rep1
BST1	BSDD0035	0.00	1.00	1.00	0.320	2.47 m @ 0.53 g/t Au	1.3	
BST1	BSDD0035	1.00	2.47	1.47	0.670			
BST1	BSDD0035	3.71	4.50	0.79	4.230	0.79 m @ 4.23 g/t Au	3.3	0.79 m @ 4.23 g/t Au
BST1	BSDD0035	5.50	6.00	0.50	0.110			
BST1	BSDD0035	79.00	80.00	1.00	0.100			
BST1	BSDD0035	172.00	173.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0035	392.00	393.00	1.00	0.250	1.00 m @ 0.25 g/t Au	0.3	
BST1	BSDD0035	435.00	436.00	1.00	0.510	2.00 m @ 0.40 g/t Au	0.8	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0035	436.00	437.00	1.00	0.290			
BST1	BSDD0035	442.00	443.00	1.00	1.200	1.00 m @ 1.20 g/t Au	1.2	1.00 m @ 1.20 g/t Au
BST1	BSDD0035	455.00	456.00	1.00	0.120			
BST1	BSDD0035	457.00	458.00	1.00	0.790	4.00 m @ 0.68 g/t Au	2.7	1.00 m @ 1.39 g/t Au
BST1	BSDD0035	458.00	459.00	1.00	0.330			
BST1	BSDD0035	459.00	460.00	1.00	1.390			
BST1	BSDD0035	460.00	461.00	1.00	0.200			
BST1	BSDD0035	462.00	463.00	1.00	0.150			
BST1	BSDD0036	0.00	1.00	1.00	0.245	1.00 m @ 0.24 g/t Au	0.2	
BST1	BSDD0036	6.00	7.00	1.00	0.114			
BST1	BSDD0036	70.00	71.00	1.00	0.165			
BST1	BSDD0036	71.00	72.00	1.00	0.116			
BST1	BSDD0036	72.00	73.00	1.00	0.142			
BST1	BSDD0036	79.00	80.00	1.00	0.156			
BST1	BSDD0036	80.00	81.00	1.00	0.189			
BST1	BSDD0036	84.00	85.00	1.00	0.464			
BST1	BSDD0036	85.00	86.00	1.00	0.229	5.00 m @ 0.24 g/t Au	1.2	
BST1	BSDD0036	86.00	87.00	1.00	0.008			
BST1	BSDD0036	87.00	88.00	1.00	0.084			
BST1	BSDD0036	88.00	89.00	1.00	0.393			
BST1	BSDD0036	89.00	90.00	1.00	0.186			
BST1	BSDD0036	91.00	92.00	1.00	0.104			
BST1	BSDD0036	93.00	94.00	1.00	0.178			
BST1	BSDD0036	94.00	95.00	1.00	0.126			
BST1	BSDD0036	95.00	96.00	1.00	0.763	1.00 m @ 0.76 g/t Au	0.8	
BST1	BSDD0036	96.00	97.00	1.00	0.142			
BST1	BSDD0036	97.00	98.00	1.00	0.179			
BST1	BSDD0036	98.00	99.00	1.00	0.187			
BST1	BSDD0036	100.00	101.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.2	
BST1	BSDD0036	106.00	107.00	1.00	5.980	9.00 m @ 1.05 g/t Au	9.5	1.00 m @ 5.98 g/t Au
BST1	BSDD0036	107.00	108.00	1.00	0.031			
BST1	BSDD0036	108.00	109.00	1.00	0.036			
BST1	BSDD0036	109.00	110.00	1.00	0.641			
BST1	BSDD0036	110.00	111.00	1.00	0.094			
BST1	BSDD0036	111.00	112.00	1.00	0.590			
BST1	BSDD0036	112.00	113.00	1.00	1.071			1.00 m @ 1.07 g/t Au
BST1	BSDD0036	113.00	114.00	1.00	0.083	8.00 m @ 0.82 g/t Au	6.5	
BST1	BSDD0036	114.00	115.00	1.00	0.935			
BST1	BSDD0036	120.00	121.00	1.00	0.686			
BST1	BSDD0036	121.00	122.00	1.00	0.259			
BST1	BSDD0036	122.00	123.00	1.00	0.146			
BST1	BSDD0036	123.00	124.00	1.00	0.600			
BST1	BSDD0036	124.00	125.00	1.00	0.022			
BST1	BSDD0036	125.00	126.00	1.00	0.120			
BST1	BSDD0036	126.00	127.00	1.00	0.548			
BST1	BSDD0036	127.00	128.00	1.00	4.143			1.00 m @ 4.14 g/t Au
BST1	BSDD0036	133.00	134.00	1.00	0.152			
BST1	BSDD0036	140.00	141.00	1.00	1.384	1.00 m @ 1.38 g/t Au	1.4	1.00 m @ 1.38 g/t Au
BST1	BSDD0036	147.00	148.00	1.00	0.120	2.00 m @ 0.39 g/t Au	0.8	
BST1	BSDD0036	151.00	152.00	1.00	0.451			
BST1	BSDD0036	152.00	153.00	1.00	0.335	3.50 m @ 0.23 g/t Au	0.8	
BST1	BSDD0036	157.00	158.00	1.00	0.234			
BST1	BSDD0036	158.00	159.00	1.00	0.015			
BST1	BSDD0036	159.00	159.65	0.65	0.008			
BST1	BSDD0036	159.65	160.50	0.85	0.629			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0036	162.00	163.00	1.00	0.103	2.00 m @ 0.52 g/t Au	1.0	
BST1	BSDD0036	163.00	164.00	1.00	0.731			
BST1	BSDD0036	164.00	165.00	1.00	0.313			
BST1	BSDD0036	168.00	169.00	1.00	0.100			
BST1	BSDD0036	169.00	170.00	1.00	0.134	10.00 m @ 2.51 g/t Au	25.1	5.00 m @ 4.74 g/t Au
BST1	BSDD0036	170.00	171.00	1.00	1.422			
BST1	BSDD0036	171.00	172.00	1.00	0.813			
BST1	BSDD0036	172.00	173.00	1.00	1.764			
BST1	BSDD0036	173.00	174.00	1.00	0.008			
BST1	BSDD0036	174.00	175.00	1.00	19.685			
BST1	BSDD0036	175.00	176.00	1.00	0.043			
BST1	BSDD0036	176.00	177.00	1.00	0.079			
BST1	BSDD0036	177.00	178.00	1.00	0.637			
BST1	BSDD0036	178.00	179.00	1.00	0.282			
BST1	BSDD0036	179.00	180.00	1.00	0.375			
BST1	BSDD0036	184.00	185.00	1.00	0.180			
BST1	BSDD0036	191.00	192.00	1.00	0.101	4.37 m @ 0.98 g/t Au	4.3	1.37 m @ 2.54 g/t Au
BST1	BSDD0036	193.00	194.00	1.00	0.529			
BST1	BSDD0036	194.00	195.45	1.45	0.080			
BST1	BSDD0036	195.45	196.00	0.55	0.289			
BST1	BSDD0036	196.00	197.37	1.37	2.543			
BST1	BSDD0036	200.00	201.00	1.00	0.101			
BST1	BSDD0036	205.00	206.00	1.00	0.164			
BST1	BSDD0036	207.00	208.00	1.00	0.102			
BST1	BSDD0036	208.00	209.00	1.00	0.129	1.00 m @ 1.87 g/t Au	1.9	1.00 m @ 1.87 g/t Au
BST1	BSDD0036	210.00	211.00	1.00	1.868			
BST1	BSDD0036	216.39	217.00	0.61	0.492	11.61 m @ 0.64 g/t Au	7.4	4.00 m @ 1.21 g/t Au
BST1	BSDD0036	217.00	218.00	1.00	1.036			
BST1	BSDD0036	218.00	219.38	1.38	1.843			
BST1	BSDD0036	219.38	220.00	0.62	0.143			
BST1	BSDD0036	220.00	221.00	1.00	1.158			
BST1	BSDD0036	221.00	222.00	1.00	0.205			
BST1	BSDD0036	222.00	223.00	1.00	0.057			
BST1	BSDD0036	223.00	224.00	1.00	0.696			
BST1	BSDD0036	224.00	225.00	1.00	0.120			
BST1	BSDD0036	225.00	226.00	1.00	0.437			
BST1	BSDD0036	226.00	227.00	1.00	0.391			
BST1	BSDD0036	227.00	228.00	1.00	0.403	2.70 m @ 1.44 g/t Au	3.9	1.00 m @ 3.59 g/t Au
BST1	BSDD0036	232.30	233.00	0.70	0.416			
BST1	BSDD0036	233.00	234.00	1.00	0.008			
BST1	BSDD0036	234.00	235.00	1.00	3.587	2.00 m @ 0.49 g/t Au	1.0	
BST1	BSDD0036	238.00	239.00	1.00	0.766			
BST1	BSDD0036	239.00	240.00	1.00	0.222	4.00 m @ 0.78 g/t Au	3.1	1.00 m @ 2.12 g/t Au
BST1	BSDD0036	241.00	242.00	1.00	0.111			
BST1	BSDD0036	249.00	250.00	1.00	0.139			
BST1	BSDD0036	253.00	254.00	1.00	2.115			
BST1	BSDD0036	254.00	255.00	1.00	0.344	2.00 m @ 0.37 g/t Au	0.7	
BST1	BSDD0036	255.00	256.00	1.00	0.008			
BST1	BSDD0036	256.00	257.00	1.00	0.654			
BST1	BSDD0036	259.00	260.00	1.00	0.148			
BST1	BSDD0036	260.00	261.00	1.00	0.196			
BST1	BSDD0036	265.00	265.88	0.88	0.255			
BST1	BSDD0036	265.88	267.00	1.12	0.462			
BST1	BSDD0036	275.00	276.00	1.00	0.112			
BST1	BSDD0036	277.00	278.00	1.00	0.145			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0036	280.00	281.00	1.00	0.453	1.00 m @ 0.45 g/t Au	0.5	
BST1	BSDD0036	286.00	287.00	1.00	0.125			
BST1	BSDD0036	300.00	301.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.3	
BST1	BSDD0036	303.00	304.00	1.00	0.190			
BST1	BSDD0037	0.00	0.50	0.50	0.379	0.50 m @ 0.38 g/t Au	0.2	
BST1	BSDD0037	6.00	6.90	0.90	1.354	0.90 m @ 1.35 g/t Au	1.2	0.90 m @ 1.35 g/t Au
BST1	BSDD0037	11.00	12.00	1.00	0.174			
BST1	BSDD0037	12.00	13.00	1.00	0.102			
BST1	BSDD0037	46.00	47.00	1.00	0.122			
BST1	BSDD0037	48.00	49.00	1.00	1.003			1.00 m @ 1.00 g/t Au
BST1	BSDD0037	49.00	50.00	1.00	0.186	3.00 m @ 0.65 g/t Au	1.9	
BST1	BSDD0037	50.00	51.00	1.00	0.758			
BST1	BSDD0037	51.00	52.00	1.00	0.167			
BST1	BSDD0037	59.00	60.00	1.00	0.375			
BST1	BSDD0037	60.00	61.00	1.00	0.034			
BST1	BSDD0037	61.00	62.00	1.00	0.236	6.00 m @ 0.66 g/t Au	4.0	
BST1	BSDD0037	62.00	63.30	1.30	0.923			
BST1	BSDD0037	63.30	64.00	0.70	2.519			0.70 m @ 2.52 g/t Au
BST1	BSDD0037	64.00	65.00	1.00	0.381			
BST1	BSDD0037	70.00	71.00	1.00	0.737	1.00 m @ 0.74 g/t Au	0.7	
BST1	BSDD0037	76.00	77.00	1.00	0.232	1.00 m @ 0.23 g/t Au	0.2	
BST1	BSDD0037	86.00	87.00	1.00	0.286			
BST1	BSDD0037	87.00	88.00	1.00	1.094	2.00 m @ 0.69 g/t Au	1.4	1.00 m @ 1.09 g/t Au
BST1	BSDD0037	98.00	99.30	1.30	1.532	1.30 m @ 1.53 g/t Au	2.0	1.30 m @ 1.53 g/t Au
BST1	BSDD0037	116.00	117.00	1.00	0.238			
BST1	BSDD0037	117.00	118.00	1.00	0.008	3.54 m @ 0.27 g/t Au	1.0	
BST1	BSDD0037	118.00	119.00	1.00	0.232			
BST1	BSDD0037	119.00	119.54	0.54	0.900			
BST1	BSDD0037	123.00	124.00	1.00	0.105			
BST1	BSDD0037	124.00	125.00	1.00	0.161			
BST1	BSDD0037	125.00	125.80	0.80	0.120			
BST1	BSDD0037	141.00	142.00	1.00	0.111			
BST1	BSDD0037	142.00	143.00	1.00	0.302	1.00 m @ 0.30 g/t Au	0.3	
BST1	BSDD0037	187.00	188.00	1.00	1.190	1.00 m @ 1.19 g/t Au	1.2	1.00 m @ 1.19 g/t Au
BST1	BSDD0037	190.00	191.00	1.00	0.178			
BST1	BSDD0037	194.00	195.00	1.00	0.620	1.00 m @ 0.62 g/t Au	0.6	
BST1	BSDD0037	200.00	201.00	1.00	0.159			
BST1	BSDD0037	244.00	245.00	1.00	0.381			
BST1	BSDD0037	245.00	246.00	1.00	0.379	2.00 m @ 0.38 g/t Au	0.8	
BST1	BSDD0037	255.00	256.00	1.00	1.771	1.00 m @ 1.77 g/t Au	1.8	1.00 m @ 1.77 g/t Au
BST1	BSDD0037	264.00	265.15	1.15	2.215			1.15 m @ 2.21 g/t Au
BST1	BSDD0037	265.15	266.35	1.20	0.859			
BST1	BSDD0037	266.35	267.00	0.65	0.930	5.00 m @ 0.91 g/t Au	4.5	
BST1	BSDD0037	267.00	268.00	1.00	0.023			
BST1	BSDD0037	268.00	269.00	1.00	0.342			
BST1	BSDD0037	289.00	290.00	1.00	0.250	1.00 m @ 0.25 g/t Au	0.3	
BST1	BSDD0037	290.00	291.00	1.00	0.130			
BST1	BSDD0037	291.00	291.50	0.50	0.167			
BST1	BSDD0037	316.00	316.50	0.50	0.121			
BST1	BSDD0037	316.50	317.00	0.50	1.248	1.50 m @ 0.68 g/t Au	1.0	0.50 m @ 1.25 g/t Au
BST1	BSDD0037	317.00	318.00	1.00	0.391			
BST1	BSDD0037	319.00	320.00	1.00	0.165			
BST1	BSDD0037	324.00	325.00	1.00	0.313			
BST1	BSDD0037	325.00	326.00	1.00	0.773	4.00 m @ 0.56 g/t Au	2.2	
BST1	BSDD0037	326.00	327.00	1.00	0.851			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0037	327.00	328.00	1.00	0.306			
BST1	BSDD0037	328.00	329.00	1.00	0.164			
BST1	BSDD0037	331.00	332.00	1.00	0.514			
BST1	BSDD0037	332.00	333.00	1.00	0.039			
BST1	BSDD0037	333.00	334.00	1.00	0.274			
BST1	BSDD0037	334.00	335.00	1.00	0.008			
BST1	BSDD0037	335.00	336.00	1.00	0.185			
BST1	BSDD0037	336.00	337.00	1.00	1.535	10.00 m @ 0.33 g/t Au	3.3	1.00 m @ 1.53 g/t Au
BST1	BSDD0037	337.00	338.00	1.00	0.520			
BST1	BSDD0037	338.00	339.00	1.00	0.042			
BST1	BSDD0037	339.00	340.00	1.00	0.008			
BST1	BSDD0037	340.00	341.00	1.00	0.221			
BST1	BSDD0037	345.00	346.00	1.00	0.899	1.00 m @ 0.90 g/t Au	0.9	
BST1	BSDD0037	350.00	351.00	1.00	2.741			
BST1	BSDD0037	351.00	352.00	1.00	0.087			4.00 m @ 1.93 g/t Au
BST1	BSDD0037	352.00	353.00	1.00	0.088			
BST1	BSDD0037	353.00	354.00	1.00	4.812			
BST1	BSDD0037	354.00	355.00	1.00	0.347			
BST1	BSDD0037	355.00	356.00	1.00	0.096			
BST1	BSDD0037	356.00	357.00	1.00	0.237	12.00 m @ 0.86 g/t Au	10.3	
BST1	BSDD0037	357.00	358.00	1.00	0.008			
BST1	BSDD0037	358.00	359.00	1.00	0.389			
BST1	BSDD0037	359.00	360.00	1.00	0.433			
BST1	BSDD0037	360.00	361.00	1.00	0.774			
BST1	BSDD0037	361.00	362.00	1.00	0.272			
BST1	BSDD0037	365.00	366.00	1.00	0.437			
BST1	BSDD0037	366.00	367.00	1.00	0.090	4.00 m @ 0.34 g/t Au	1.4	
BST1	BSDD0037	367.00	368.00	1.00	0.215			
BST1	BSDD0037	368.00	369.00	1.00	0.638			
BST1	BSDD0037	374.00	375.00	1.00	0.413			
BST1	BSDD0037	375.00	376.00	1.00	0.595			
BST1	BSDD0037	376.00	377.00	1.00	0.008	5.00 m @ 0.30 g/t Au	1.5	
BST1	BSDD0037	377.00	378.00	1.00	0.197			
BST1	BSDD0037	378.00	379.00	1.00	0.277			
BST1	BSDD0037	381.00	382.00	1.00	0.152			
BST1	BSDD0037	384.00	385.00	1.00	0.667	1.00 m @ 0.67 g/t Au	0.7	
BST1	BSDD0037	388.00	389.00	1.00	1.000	1.00 m @ 1.00 g/t Au	1.0	1.00 m @ 1.00 g/t Au
BST1	BSDD0037	389.00	390.00	1.00	0.152			
BST1	BSDD0037	392.00	393.00	1.00	0.254			
BST1	BSDD0037	393.00	394.00	1.00	0.018	4.00 m @ 0.31 g/t Au	1.3	
BST1	BSDD0037	394.00	395.00	1.00	0.043			
BST1	BSDD0037	395.00	396.00	1.00	0.943			
BST1	BSDD0037	396.00	397.00	1.00	0.172			
BST1	BSDD0037	399.00	400.00	1.00	0.318			
BST1	BSDD0037	400.00	401.00	1.00	0.651			
BST1	BSDD0037	401.00	402.00	1.00	0.731			
BST1	BSDD0037	402.00	403.00	1.00	0.017			
BST1	BSDD0037	403.00	404.00	1.00	0.274			
BST1	BSDD0037	404.00	405.00	1.00	0.019	11.00 m @ 0.25 g/t Au	2.8	
BST1	BSDD0037	405.00	406.00	1.00	0.008			
BST1	BSDD0037	406.00	407.00	1.00	0.248			
BST1	BSDD0037	407.00	408.00	1.00	0.037			
BST1	BSDD0037	408.00	409.00	1.00	0.220			
BST1	BSDD0037	409.00	410.00	1.00	0.273			
BST1	BSDD0037	414.00	415.00	1.00	0.422	1.00 m @ 0.42 g/t Au	0.4	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0037	416.80	418.00	1.20	0.232	1.20 m @ 0.23 g/t Au	0.3	
BST1	BSDD0037	423.00	424.00	1.00	1.177	1.00 m @ 1.18 g/t Au	1.2	1.00 m @ 1.18 g/t Au
BST1	BSDD0037	424.00	425.47	1.47	0.120			
BST1	BSDD0037	428.00	429.00	1.00	0.349	4.00 m @ 0.40 g/t Au	1.6	
BST1	BSDD0037	429.00	430.00	1.00	0.008			
BST1	BSDD0037	430.00	430.85	0.85	0.063			
BST1	BSDD0037	430.85	432.00	1.15	1.040			
BST1	BSDD0037	435.00	436.00	1.00	0.486	4.00 m @ 0.51 g/t Au	2.0	
BST1	BSDD0037	436.00	437.00	1.00	0.194			
BST1	BSDD0037	437.00	438.00	1.00	0.917			
BST1	BSDD0037	438.00	439.00	1.00	0.443			
BST1	BSDD0037	442.00	443.00	1.00	3.087	3.45 m @ 1.34 g/t Au	4.6	1.00 m @ 3.09 g/t Au
BST1	BSDD0037	443.00	444.00	1.00	0.579			
BST1	BSDD0037	444.00	445.45	1.45	0.656			
BST1	BSDD0037	464.65	466.00	1.35	0.618			
BST1	BSDD0038	0.00	1.50	1.50	0.230	3.00 m @ 1.35 g/t Au	4.1	1.50 m @ 2.48 g/t Au
BST1	BSDD0038	1.50	3.00	1.50	2.480			
BST1	BSDD0038	58.00	59.00	1.00	1.080	1.00 m @ 1.08 g/t Au	1.1	1.00 m @ 1.08 g/t Au
BST1	BSDD0038	78.00	79.00	1.00	0.650	1.00 m @ 0.65 g/t Au	0.7	
BST1	BSDD0038	87.00	88.00	1.00	0.110			
BST1	BSDD0038	108.00	109.00	1.00	0.410	1.00 m @ 0.41 g/t Au	0.4	
BST1	BSDD0038	122.00	123.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.2	
BST1	BSDD0038	288.00	289.00	1.00	0.820	1.00 m @ 0.82 g/t Au	0.8	
BST1	BSDD0038	330.00	331.00	1.00	0.330	1.00 m @ 0.33 g/t Au	0.3	
BST1	BSDD0038	348.00	349.00	1.00	0.110			
BST1	BSDD0038	372.00	373.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0038	373.00	374.00	1.00	0.160			
BST1	BSDD0038	380.00	381.00	1.00	0.160			
BST1	BSDD0038	381.00	382.00	1.00	0.290	1.00 m @ 0.29 g/t Au	0.3	
BST1	BSDD0038	387.00	388.00	1.00	0.550	2.00 m @ 0.41 g/t Au	0.8	
BST1	BSDD0038	388.00	389.00	1.00	0.260			
BST1	BSDD0038	391.00	392.00	1.00	0.190			
BST1	BSDD0038	393.00	394.00	1.00	0.880	1.00 m @ 0.88 g/t Au	0.9	
BST1	BSDD0038	397.00	398.00	1.00	0.510	4.00 m @ 0.77 g/t Au	3.1	1.00 m @ 2.51 g/t Au
BST1	BSDD0038	398.00	399.00	1.00	0.030			
BST1	BSDD0038	399.00	400.00	1.00	0.030			
BST1	BSDD0038	400.00	401.00	1.00	2.510			
BST1	BSDD0038	404.00	405.00	1.00	0.950	1.00 m @ 0.95 g/t Au	1.0	
BST1	BSDD0038	408.00	409.00	1.00	0.270	1.00 m @ 0.27 g/t Au	0.3	
BST1	BSDD0038	421.00	422.00	1.00	0.320	3.00 m @ 0.33 g/t Au	1.0	
BST1	BSDD0038	422.00	423.00	1.00	0.040			
BST1	BSDD0038	423.00	424.00	1.00	0.640			
BST1	BSDD0038	424.00	425.00	1.00	0.100			
BST1	BSDD0038	431.00	432.00	1.00	1.450	1.00 m @ 1.45 g/t Au	1.5	1.00 m @ 1.45 g/t Au
BST1	BSDD0038	435.00	436.00	1.00	0.480	1.00 m @ 0.48 g/t Au	0.5	
BST1	BSDD0038	443.00	444.00	1.00	0.230	3.00 m @ 1.22 g/t Au	3.7	1.00 m @ 2.54 g/t Au
BST1	BSDD0038	444.00	445.00	1.00	2.540			
BST1	BSDD0038	445.00	446.00	1.00	0.900			
BST1	BSDD0038	449.00	450.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0038	452.00	453.00	1.00	0.110			
BST1	BSDD0038	453.00	454.00	1.00	1.100	4.00 m @ 0.34 g/t Au	1.4	1.00 m @ 1.10 g/t Au
BST1	BSDD0038	454.00	455.00	1.00	0.020			
BST1	BSDD0038	455.00	456.00	1.00	0.020			
BST1	BSDD0038	456.00	457.00	1.00	0.230			
BST1	BSDD0038	458.00	459.00	1.00	0.150			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0038	473.00	474.00	1.00	0.100			
BST1	BSDD0039	36.00	37.50	1.50	0.943	7.00 m @ 0.64 g/t Au	4.5	
BST1	BSDD0039	37.50	38.00	0.50	1.424			0.50 m @ 1.42 g/t Au
BST1	BSDD0039	38.00	39.00	1.00	0.111			
BST1	BSDD0039	39.00	40.00	1.00	1.590			1.00 m @ 1.59 g/t Au
BST1	BSDD0039	40.00	41.00	1.00	0.307			
BST1	BSDD0039	41.00	42.00	1.00	0.031			
BST1	BSDD0039	42.00	43.00	1.00	0.323			
BST1	BSDD0039	47.00	48.00	1.00	0.309	1.00 m @ 0.31 g/t Au	0.3	
BST1	BSDD0039	52.00	53.00	1.00	0.176			
BST1	BSDD0039	55.00	56.00	1.00	0.640	5.00 m @ 0.28 g/t Au	1.4	
BST1	BSDD0039	56.00	57.00	1.00	0.056			
BST1	BSDD0039	57.00	58.00	1.00	0.234			
BST1	BSDD0039	58.00	59.00	1.00	0.048			
BST1	BSDD0039	59.00	60.00	1.00	0.431			
BST1	BSDD0039	64.00	65.00	1.00	0.114			
BST1	BSDD0039	66.00	67.00	1.00	0.372	3.00 m @ 0.32 g/t Au	1.0	
BST1	BSDD0039	67.00	68.00	1.00	0.015			
BST1	BSDD0039	68.00	69.00	1.00	0.573			
BST1	BSDD0039	69.00	70.00	1.00	0.141			
BST1	BSDD0039	83.00	84.00	1.00	1.495	1.00 m @ 1.50 g/t Au	1.5	1.00 m @ 1.50 g/t Au
BST1	BSDD0039	105.00	106.00	1.00	0.610	7.00 m @ 0.31 g/t Au	2.2	
BST1	BSDD0039	106.00	107.00	1.00	0.356			
BST1	BSDD0039	107.00	108.00	1.00	0.008			
BST1	BSDD0039	108.00	109.00	1.00	0.192			
BST1	BSDD0039	109.00	110.00	1.00	0.397			
BST1	BSDD0039	110.00	111.00	1.00	0.230			
BST1	BSDD0039	111.00	112.00	1.00	0.367			
BST1	BSDD0039	123.00	124.00	1.00	4.590	1.00 m @ 4.59 g/t Au	4.6	1.00 m @ 4.59 g/t Au
BST1	BSDD0039	125.00	126.00	1.00	0.153			
BST1	BSDD0039	131.00	132.00	1.00	1.501	1.00 m @ 1.50 g/t Au	1.5	1.00 m @ 1.50 g/t Au
BST1	BSDD0039	137.00	138.00	1.00	1.434	1.00 m @ 1.43 g/t Au	1.4	1.00 m @ 1.43 g/t Au
BST1	BSDD0039	164.00	165.00	1.00	0.355	1.00 m @ 0.35 g/t Au	0.4	
BST1	BSDD0039	168.00	169.00	1.00	6.331	4.00 m @ 1.77 g/t Au	7.1	1.00 m @ 6.33 g/t Au
BST1	BSDD0039	169.00	170.00	1.00	0.008			
BST1	BSDD0039	170.00	171.00	1.00	0.008			
BST1	BSDD0039	171.00	172.00	1.00	0.715			
BST1	BSDD0039	172.00	173.00	1.00	0.109			
BST1	BSDD0039	174.00	175.00	1.00	0.111	4.00 m @ 0.31 g/t Au	1.2	
BST1	BSDD0039	176.00	177.00	1.00	0.422			
BST1	BSDD0039	177.00	178.00	1.00	0.224			
BST1	BSDD0039	178.00	179.00	1.00	0.124			
BST1	BSDD0039	179.00	180.00	1.00	0.465			
BST1	BSDD0039	180.00	181.00	1.00	0.157			
BST1	BSDD0039	189.00	190.00	1.00	0.536	1.00 m @ 0.54 g/t Au	0.5	
BST1	BSDD0039	193.50	194.00	0.50	0.121			
BST1	BSDD0039	194.00	195.00	1.00	0.950	9.00 m @ 0.52 g/t Au	4.7	
BST1	BSDD0039	195.00	196.00	1.00	0.540			
BST1	BSDD0039	196.00	197.00	1.00	0.059			
BST1	BSDD0039	197.00	198.00	1.00	1.671			1.00 m @ 1.67 g/t Au
BST1	BSDD0039	198.00	199.00	1.00	0.455			
BST1	BSDD0039	199.00	200.00	1.00	0.016			
BST1	BSDD0039	200.00	201.00	1.00	0.008			
BST1	BSDD0039	201.00	202.00	1.00	0.421			
BST1	BSDD0039	202.00	203.00	1.00	0.542			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0039	205.00	206.00	1.00	0.172			
BST1	BSDD0039	211.00	212.00	1.00	0.578			
BST1	BSDD0039	212.00	213.00	1.00	0.208	3.00 m @ 0.48 g/t Au	1.4	
BST1	BSDD0039	213.00	214.00	1.00	0.662			
BST1	BSDD0039	217.00	218.00	1.00	0.216	2.00 m @ 0.23 g/t Au	0.5	
BST1	BSDD0039	218.00	219.00	1.00	0.234			
BST1	BSDD0039	219.00	220.00	1.00	0.143			
BST1	BSDD0039	222.00	223.00	1.00	0.193			
BST1	BSDD0039	227.00	228.00	1.00	0.667			
BST1	BSDD0039	228.00	229.00	1.00	0.029			
BST1	BSDD0039	229.00	230.00	1.00	0.215			
BST1	BSDD0039	230.00	231.00	1.00	0.224	8.00 m @ 0.31 g/t Au	2.4	
BST1	BSDD0039	231.00	232.00	1.00	0.471			
BST1	BSDD0039	232.00	233.00	1.00	0.214			
BST1	BSDD0039	233.00	234.00	1.00	0.138			
BST1	BSDD0039	234.00	235.00	1.00	0.484			
BST1	BSDD0039	239.00	240.00	1.00	0.446	1.00 m @ 0.45 g/t Au	0.4	
BST1	BSDD0039	240.00	241.00	1.00	0.144			
BST1	BSDD0039	261.00	262.00	1.00	0.111			
BST1	BSDD0040	0.00	1.00	1.00	0.380			
BST1	BSDD0040	1.00	2.00	1.00	0.180	3.87 m @ 0.23 g/t Au	0.9	
BST1	BSDD0040	2.00	3.00	1.00	0.100			
BST1	BSDD0040	3.00	3.87	0.87	0.260			
BST1	BSDD0040	4.50	5.65	1.15	0.110			
BST1	BSDD0040	11.00	12.00	1.00	0.190			
BST1	BSDD0040	12.00	13.00	1.00	0.150			
BST1	BSDD0040	13.00	14.00	1.00	1.620	2.00 m @ 1.18 g/t Au	2.4	1.00 m @ 1.62 g/t Au
BST1	BSDD0040	14.00	15.00	1.00	0.740			
BST1	BSDD0040	18.00	19.00	1.00	0.550	1.00 m @ 0.55 g/t Au	0.6	
BST1	BSDD0040	67.00	68.00	1.00	0.400			
BST1	BSDD0040	68.00	69.00	1.00	0.630	4.00 m @ 0.34 g/t Au	1.3	
BST1	BSDD0040	69.00	70.00	1.00	0.030			
BST1	BSDD0040	70.00	71.00	1.00	0.280			
BST1	BSDD0040	82.00	83.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.2	
BST1	BSDD0040	96.00	97.00	1.00	7.670	1.00 m @ 7.67 g/t Au	7.7	1.00 m @ 7.67 g/t Au
BST1	BSDD0040	107.00	108.00	1.00	0.180			
BST1	BSDD0040	154.00	155.00	1.00	0.990	1.00 m @ 0.99 g/t Au	1.0	
BST1	BSDD0040	158.00	159.00	1.00	0.110			
BST1	BSDD0040	168.00	169.00	1.00	0.100			
BST1	BSDD0040	173.00	174.00	1.00	0.570	1.00 m @ 0.57 g/t Au	0.6	
BST1	BSDD0040	199.00	200.00	1.00	0.430			
BST1	BSDD0040	200.00	201.00	1.00	0.030			
BST1	BSDD0040	201.00	202.00	1.00	0.060	5.00 m @ 0.28 g/t Au	1.4	
BST1	BSDD0040	202.00	203.00	1.00	0.510			
BST1	BSDD0040	203.00	204.00	1.00	0.390			
BST1	BSDD0040	223.00	224.00	1.00	0.310	1.00 m @ 0.31 g/t Au	0.3	
BST1	BSDD0040	228.00	229.00	1.00	0.230			
BST1	BSDD0040	229.00	230.00	1.00	0.350	3.00 m @ 0.37 g/t Au	1.1	
BST1	BSDD0040	230.00	231.00	1.00	0.520			
BST1	BSDD0040	242.00	243.00	1.00	0.170			
BST1	BSDD0040	243.00	244.00	1.00	0.130			
BST1	BSDD0040	244.00	245.00	1.00	0.180			
BST1	BSDD0040	247.00	248.00	1.00	0.120			
BST1	BSDD0040	250.00	251.00	1.00	2.920	2.00 m @ 1.78 g/t Au	3.6	1.00 m @ 2.92 g/t Au
BST1	BSDD0040	251.00	252.00	1.00	0.640			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
BST1	BSDD0040	257.00	258.00	1.00	0.360	2.00 m @ 0.28 g/t Au	0.6		
BST1	BSDD0040	258.00	259.00	1.00	0.210				
BST1	BSDD0040	263.00	264.00	1.00	0.420	10.00 m @ 0.75 g/t Au	7.5		
BST1	BSDD0040	264.00	265.00	1.00	0.010				
BST1	BSDD0040	265.00	266.00	1.00	0.230				
BST1	BSDD0040	266.00	267.00	1.00	0.090				
BST1	BSDD0040	267.00	268.00	1.00	3.140				
BST1	BSDD0040	268.00	269.00	1.00	0.160				
BST1	BSDD0040	269.00	270.00	1.00	2.900				
BST1	BSDD0040	270.00	271.00	1.00	0.100				
BST1	BSDD0040	271.00	272.00	1.00	0.070				
BST1	BSDD0040	272.00	273.00	1.00	0.350				
BST1	BSDD0040	279.00	280.00	1.00	0.240	2.00 m @ 0.31 g/t Au	0.6		
BST1	BSDD0040	280.00	281.00	1.00	0.380				
BST1	BSDD0040	281.00	282.00	1.00	0.170				
BST1	BSDD0040	287.30	288.40	1.10	0.570	1.10 m @ 0.57 g/t Au	0.6		
BST1	BSDD0040	288.40	289.00	0.60	0.110				
BST1	BSDD0040	291.00	292.00	1.00	0.270	3.00 m @ 0.23 g/t Au	0.7		
BST1	BSDD0040	292.00	293.00	1.00	0.040				
BST1	BSDD0040	293.00	294.00	1.00	0.380				
BST1	BSDD0040	299.00	300.00	1.00	0.580	1.00 m @ 0.58 g/t Au	0.6		
BST1	BSDD0040	305.00	306.00	1.00	2.490	6.00 m @ 0.58 g/t Au	3.5		1.00 m @ 2.49 g/t Au
BST1	BSDD0040	306.00	307.00	1.00	0.010				
BST1	BSDD0040	307.00	308.00	1.00	0.310				
BST1	BSDD0040	308.00	309.00	1.00	0.030				
BST1	BSDD0040	309.00	310.00	1.00	0.110				
BST1	BSDD0040	310.00	311.00	1.00	0.530				
BST1	BSDD0040	315.00	316.00	1.00	0.370	10.00 m @ 0.68 g/t Au	6.8		
BST1	BSDD0040	316.00	317.00	1.00	2.550				
BST1	BSDD0040	317.00	318.00	1.00	0.300				
BST1	BSDD0040	318.00	319.00	1.00	0.230				
BST1	BSDD0040	319.00	320.00	1.00	1.690				
BST1	BSDD0040	320.00	321.00	1.00	0.030				
BST1	BSDD0040	321.00	322.00	1.00	0.010				
BST1	BSDD0040	322.00	323.00	1.00	0.420				
BST1	BSDD0040	323.00	324.00	1.00	0.470				
BST1	BSDD0040	324.00	325.00	1.00	0.700				
BST1	BSDD0040	329.10	330.00	0.90	0.320	0.90 m @ 0.32 g/t Au	0.3		
BST1	BSDD0040	332.00	333.00	1.00	0.250	1.00 m @ 0.25 g/t Au	0.3		
BST1	BSDD0040	335.00	336.00	1.00	0.180				
BST1	BSDD0040	336.00	337.00	1.00	1.000	1.00 m @ 1.00 g/t Au	1.0		
BST1	BSDD0040	340.00	341.00	1.00	0.190				
BST1	BSDD0040	343.00	344.00	1.00	0.520	3.00 m @ 0.52 g/t Au	1.6		
BST1	BSDD0040	344.00	345.00	1.00	0.480				
BST1	BSDD0040	345.00	346.00	1.00	0.550				
BST1	BSDD0040	346.00	347.00	1.00	0.130				
BST1	BSDD0040	350.00	351.00	1.00	0.320	1.00 m @ 0.32 g/t Au	0.3		
BST1	BSDD0040	355.80	356.55	0.75	1.090	2.20 m @ 0.52 g/t Au	1.2	0.75 m @ 1.09 g/t Au	
BST1	BSDD0040	356.55	358.00	1.45	0.230				
BST1	BSDD0040	370.00	371.00	1.00	0.180				
BST1	BSDD0040	373.00	374.00	1.00	0.540	1.00 m @ 0.54 g/t Au	0.5		
BST1	BSDD0040	405.00	406.00	1.00	0.150				
BST1	BSDD0041	0.00	1.50	1.50	0.651	1.50 m @ 0.65 g/t Au	1.0		
BST1	BSDD0041	2.42	3.36	0.94	0.257	0.94 m @ 0.26 g/t Au	0.2		
BST1	BSDD0041	3.36	3.96	0.60	0.180				

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0041	15.00	16.00	1.00	0.135			
BST1	BSDD0041	16.00	17.00	1.00	0.324	1.00 m @ 0.32 g/t Au	0.3	
BST1	BSDD0041	21.00	22.00	1.00	0.267	1.00 m @ 0.27 g/t Au	0.3	
BST1	BSDD0041	28.00	29.00	1.00	0.300	1.00 m @ 0.30 g/t Au	0.3	
BST1	BSDD0041	33.00	34.30	1.30	0.163			
BST1	BSDD0041	43.00	44.00	1.00	0.349	1.00 m @ 0.35 g/t Au	0.3	
BST1	BSDD0041	45.00	46.00	1.00	0.172			
BST1	BSDD0041	83.00	84.00	1.00	0.325	1.00 m @ 0.33 g/t Au	0.3	
BST1	BSDD0041	92.00	93.00	1.00	1.029			1.00 m @ 1.03 g/t Au
BST1	BSDD0041	93.00	94.00	1.00	0.008	4.00 m @ 0.48 g/t Au	1.9	
BST1	BSDD0041	94.00	95.00	1.00	0.293			
BST1	BSDD0041	95.00	96.00	1.00	0.609			
BST1	BSDD0041	235.00	236.00	1.00	7.155	1.00 m @ 7.16 g/t Au	7.2	1.00 m @ 7.16 g/t Au
BST1	BSDD0041	238.00	239.00	1.00	0.117			
BST1	BSDD0041	250.60	252.00	1.40	0.625	1.40 m @ 0.62 g/t Au	0.9	
BST1	BSDD0041	256.00	257.00	1.00	0.104			
BST1	BSDD0041	268.00	269.00	1.00	0.269	3.00 m @ 0.24 g/t Au	0.7	
BST1	BSDD0041	269.00	270.00	1.00	0.164			
BST1	BSDD0041	270.00	271.00	1.00	0.299			
BST1	BSDD0041	274.00	275.00	1.00	0.253	1.00 m @ 0.25 g/t Au	0.3	
BST1	BSDD0041	295.00	296.00	1.00	0.122			
BST1	BSDD0041	302.00	303.00	1.00	0.107			
BST1	BSDD0041	303.00	304.00	1.00	0.135			
BST1	BSDD0041	311.00	312.00	1.00	0.388	1.00 m @ 0.39 g/t Au	0.4	
BST1	BSDD0041	317.00	318.00	1.00	0.506	1.00 m @ 0.51 g/t Au	0.5	
BST1	BSDD0041	338.00	339.00	1.00	0.437	1.00 m @ 0.44 g/t Au	0.4	
BST1	BSDD0041	346.00	347.00	1.00	0.317	14.00 m @ 0.74 g/t Au	10.3	
BST1	BSDD0041	347.00	348.00	1.00	0.021			
BST1	BSDD0041	348.00	349.00	1.00	0.044			
BST1	BSDD0041	349.00	350.00	1.00	4.303			2.00 m @ 2.94 g/t Au
BST1	BSDD0041	350.00	351.00	1.00	1.587			
BST1	BSDD0041	351.00	352.00	1.00	0.058			
BST1	BSDD0041	352.00	353.00	1.00	0.024			
BST1	BSDD0041	353.00	354.00	1.00	0.855			
BST1	BSDD0041	354.00	355.00	1.00	0.441			
BST1	BSDD0041	355.00	356.00	1.00	1.749			1.00 m @ 1.75 g/t Au
BST1	BSDD0041	356.00	357.00	1.00	0.219			
BST1	BSDD0041	357.00	358.00	1.00	0.439			
BST1	BSDD0041	358.00	359.00	1.00	0.041			
BST1	BSDD0041	359.00	360.00	1.00	0.222			
BST1	BSDD0041	364.00	365.00	1.00	0.400	8.00 m @ 0.59 g/t Au	4.7	
BST1	BSDD0041	365.00	366.00	1.00	0.173			
BST1	BSDD0041	366.00	367.00	1.00	0.015			
BST1	BSDD0041	367.00	368.00	1.00	0.208			
BST1	BSDD0041	368.00	369.00	1.00	1.859			1.00 m @ 1.86 g/t Au
BST1	BSDD0041	369.00	370.00	1.00	0.077			
BST1	BSDD0041	370.00	371.00	1.00	0.027			
BST1	BSDD0041	371.00	372.00	1.00	1.947			1.00 m @ 1.95 g/t Au
BST1	BSDD0041	378.00	379.00	1.00	0.169			
BST1	BSDD0041	389.00	390.00	1.00	1.106	1.00 m @ 1.11 g/t Au	1.1	1.00 m @ 1.11 g/t Au
BST1	BSDD0041	393.00	394.00	1.00	0.305	1.00 m @ 0.30 g/t Au	0.3	
BST1	BSDD0041	404.00	405.00	1.00	0.213	2.00 m @ 0.49 g/t Au	1.0	
BST1	BSDD0041	405.00	406.00	1.00	0.777			
BST1	BSDD0041	413.00	414.00	1.00	0.231	3.00 m @ 0.26 g/t Au	0.8	
BST1	BSDD0041	414.00	415.00	1.00	0.253			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au		
BST1	BSDD0041	415.00	416.00	1.00	0.286					
BST1	BSDD0041	420.00	421.00	1.00	0.635	7.00 m @ 0.45 g/t Au	3.1	1.00 m @ 1.27 g/t Au		
BST1	BSDD0041	421.00	422.00	1.00	0.036					
BST1	BSDD0041	422.00	423.00	1.00	0.036					
BST1	BSDD0041	423.00	424.00	1.00	1.274					
BST1	BSDD0041	424.00	425.00	1.00	0.691					
BST1	BSDD0041	425.00	426.00	1.00	0.015					
BST1	BSDD0041	426.00	427.00	1.00	0.459					
BST1	BSDD0041	427.00	428.00	1.00	0.106					
BST1	BSDD0041	429.00	430.00	1.00	0.115					
BST1	BSDD0041	435.30	436.55	1.25	0.110					
BST1	BSDD0041	436.55	438.00	1.45	0.781	1.45 m @ 0.78 g/t Au	1.1			
BST1	BSDD0041	458.00	459.00	1.00	1.003	1.00 m @ 1.00 g/t Au	1.0	1.00 m @ 1.00 g/t Au		
BST1	BSDD0041	465.00	466.00	1.00	0.177					
BST1	BSDD0041	470.00	471.00	1.00	0.295	1.00 m @ 0.29 g/t Au	0.3			
BST1	BSDD0042	0.00	1.50	1.50	0.157					
BST1	BSDD0042	1.50	3.00	1.50	0.106					
BST1	BSDD0042	17.00	18.00	1.00	0.274	1.00 m @ 0.27 g/t Au	0.3			
BST1	BSDD0042	32.00	33.00	1.00	1.886	6.41 m @ 0.47 g/t Au	3.0	1.00 m @ 1.89 g/t Au		
BST1	BSDD0042	33.00	34.00	1.00	0.056					
BST1	BSDD0042	34.00	35.00	1.00	0.594					
BST1	BSDD0042	35.00	36.00	1.00	0.062					
BST1	BSDD0042	36.00	37.00	1.00	0.043					
BST1	BSDD0042	37.00	38.41	1.41	0.241					
BST1	BSDD0042	39.00	40.00	1.00	0.418			1.00 m @ 0.42 g/t Au	0.4	
BST1	BSDD0042	42.00	43.00	1.00	0.332			1.00 m @ 0.33 g/t Au	0.3	
BST1	BSDD0042	46.00	46.50	0.50	0.149					
BST1	BSDD0042	54.00	55.00	1.00	0.335	1.00 m @ 0.34 g/t Au	0.3			
BST1	BSDD0042	62.00	63.00	1.00	0.165					
BST1	BSDD0042	70.00	71.00	1.00	0.105					
BST1	BSDD0042	73.00	74.00	1.00	0.155					
BST1	BSDD0042	174.00	175.00	1.00	1.394	1.00 m @ 1.39 g/t Au	1.4	1.00 m @ 1.39 g/t Au		
BST1	BSDD0042	195.00	196.00	1.00	0.101					
BST1	BSDD0042	214.00	215.00	1.00	0.391	3.00 m @ 0.37 g/t Au	1.1			
BST1	BSDD0042	215.00	216.00	1.00	0.032					
BST1	BSDD0042	216.00	217.00	1.00	0.688					
BST1	BSDD0042	226.00	227.00	1.00	0.113					
BST1	BSDD0042	241.00	242.00	1.00	0.146					
BST1	BSDD0042	242.00	243.00	1.00	1.254	1.00 m @ 1.25 g/t Au	1.3	1.00 m @ 1.25 g/t Au		
BST1	BSDD0042	251.00	252.20	1.20	1.452	1.20 m @ 1.45 g/t Au	1.7	1.20 m @ 1.45 g/t Au		
BST1	BSDD0042	284.00	285.00	1.00	0.104					
BST1	BSDD0042	287.00	288.00	1.00	0.289	1.00 m @ 0.29 g/t Au	0.3			
BST1	BSDD0042	298.00	299.00	1.00	2.008	1.00 m @ 2.01 g/t Au	2.0	1.00 m @ 2.01 g/t Au		
BST1	BSDD0042	303.00	304.00	1.00	0.245	1.00 m @ 0.24 g/t Au	0.2			
BST1	BSDD0042	310.00	311.00	1.00	0.145					
BST1	BSDD0042	312.00	313.00	1.00	0.224	2.00 m @ 0.66 g/t Au	1.3			
BST1	BSDD0042	313.00	314.00	1.00	1.105					
BST1	BSDD0042	322.00	323.00	1.00	1.368			1.00 m @ 1.37 g/t Au	1.4	1.00 m @ 1.37 g/t Au
BST1	BSDD0042	328.00	329.00	1.00	0.456	1.00 m @ 0.46 g/t Au	0.5			
BST1	BSDD0042	330.00	331.00	1.00	0.171					
BST1	BSDD0042	332.00	333.00	1.00	0.152					
BST1	BSDD0042	333.00	334.00	1.00	0.194					
BST1	BSDD0042	340.00	341.00	1.00	2.602	2.00 m @ 1.60 g/t Au	3.2	1.00 m @ 2.60 g/t Au		
BST1	BSDD0042	341.00	342.00	1.00	0.608					
BST1	BSDD0042	349.00	350.00	1.00	0.190					

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au		
BST1	BSDD0042	350.00	351.00	1.00	0.699	4.00 m @ 0.36 g/t Au	1.4			
BST1	BSDD0042	351.00	352.00	1.00	0.038					
BST1	BSDD0042	352.00	353.00	1.00	0.067					
BST1	BSDD0042	353.00	354.00	1.00	0.642					
BST1	BSDD0042	355.00	356.00	1.00	0.120	2.00 m @ 0.63 g/t Au	1.3			
BST1	BSDD0042	361.00	362.00	1.00	0.994					
BST1	BSDD0042	362.00	363.00	1.00	0.265					
BST1	BSDD0042	372.00	373.00	1.00	0.208	3.00 m @ 1.03 g/t Au	3.1			
BST1	BSDD0042	373.00	373.73	0.73	0.430					
BST1	BSDD0042	373.73	375.00	1.27	2.026				1.27 m @ 2.03 g/t Au	
BST1	BSDD0042	375.00	376.00	1.00	0.196					
BST1	BSDD0042	381.00	382.00	1.00	0.400	4.00 m @ 0.36 g/t Au	1.4			
BST1	BSDD0042	382.00	383.00	1.00	0.008					
BST1	BSDD0042	383.00	384.00	1.00	0.036					
BST1	BSDD0042	384.00	385.00	1.00	0.986					
BST1	BSDD0042	385.00	386.00	1.00	0.139					
BST1	BSDD0042	394.00	395.00	1.00	0.111					
BST1	BSDD0042	398.00	399.00	1.00	1.085	1.00 m @ 1.08 g/t Au	1.1	1.00 m @ 1.08 g/t Au		
BST1	BSDD0042	404.00	405.00	1.00	0.653	1.00 m @ 0.65 g/t Au	0.7			
BST1	BSDD0042	411.00	412.00	1.00	0.141					
BST1	BSDD0042	417.00	418.00	1.00	0.159					
BST1	BSDD0042	418.00	419.00	1.00	0.188					
BST1	BSDD0042	419.00	420.00	1.00	0.370	1.00 m @ 0.37 g/t Au	0.4		1.00 m @ 1.48 g/t Au	
BST1	BSDD0042	424.00	425.00	1.00	1.481	1.00 m @ 1.48 g/t Au	1.5			
BST1	BSDD0042	444.00	445.00	1.00	0.532	1.00 m @ 0.53 g/t Au	0.5			
BST1	BSDD0042	450.00	451.00	1.00	0.389	1.00 m @ 0.39 g/t Au	0.4			
BST1	BSDD0043	0.00	1.00	1.00	0.143					
BST1	BSDD0043	1.00	2.25	1.25	0.211	1.25 m @ 0.21 g/t Au	0.3			
BST1	BSDD0043	3.00	4.00	1.00	0.346	2.00 m @ 0.28 g/t Au	0.6			
BST1	BSDD0043	4.00	5.00	1.00	0.217					
BST1	BSDD0043	13.50	15.00	1.50	0.220	2.50 m @ 0.22 g/t Au	0.5			
BST1	BSDD0043	15.00	16.00	1.00	0.211					
BST1	BSDD0043	20.00	21.00	1.00	0.131			1.50 m @ 4.15 g/t Au		
BST1	BSDD0043	46.50	48.00	1.50	4.149	1.50 m @ 4.15 g/t Au	6.2			
BST1	BSDD0043	72.00	73.00	1.00	0.149					
BST1	BSDD0043	73.00	74.00	1.00	0.167					
BST1	BSDD0043	81.00	81.70	0.70	0.247			0.70 m @ 0.25 g/t Au		0.2
BST1	BSDD0043	81.70	83.00	1.30	0.118	1.00 m @ 0.39 g/t Au	0.4			
BST1	BSDD0043	88.00	89.00	1.00	0.394					
BST1	BSDD0043	148.00	149.00	1.00	0.144			1.00 m @ 1.30 g/t Au		
BST1	BSDD0043	149.00	150.00	1.00	1.297	2.00 m @ 0.83 g/t Au	1.7			
BST1	BSDD0043	150.00	151.00	1.00	0.363					
BST1	BSDD0043	151.00	152.00	1.00	0.199					
BST1	BSDD0043	156.00	157.00	1.00	0.923	1.00 m @ 0.92 g/t Au	0.9			
BST1	BSDD0043	160.88	162.00	1.12	0.390	1.12 m @ 0.39 g/t Au	0.4			
BST1	BSDD0043	166.00	167.00	1.00	0.195					
BST1	BSDD0043	179.00	180.00	1.00	1.412	1.00 m @ 1.41 g/t Au	1.4		1.00 m @ 1.41 g/t Au	
BST1	BSDD0043	184.00	185.00	1.00	0.284	5.00 m @ 0.54 g/t Au	2.7			
BST1	BSDD0043	185.00	186.00	1.00	0.531					
BST1	BSDD0043	186.00	187.00	1.00	0.201					
BST1	BSDD0043	187.00	188.00	1.00	1.383					1.00 m @ 1.38 g/t Au
BST1	BSDD0043	188.00	189.00	1.00	0.287					
BST1	BSDD0043	193.00	194.00	1.00	0.144	4.00 m @ 0.41 g/t Au	1.6			
BST1	BSDD0043	199.00	200.00	1.00	0.436					
BST1	BSDD0043	200.00	201.00	1.00	0.535					

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0043	201.00	202.00	1.00	0.450			
BST1	BSDD0043	202.00	203.00	1.00	0.211			
BST1	BSDD0043	203.00	204.00	1.00	0.198			
BST1	BSDD0043	205.00	206.00	1.00	0.131			
BST1	BSDD0043	206.00	207.00	1.00	0.294			
BST1	BSDD0043	207.00	208.00	1.00	0.084	3.00 m @ 0.24 g/t Au	0.7	
BST1	BSDD0043	208.00	209.00	1.00	0.332			
BST1	BSDD0043	223.00	224.00	1.00	0.112			
BST1	BSDD0043	225.00	226.00	1.00	0.501	2.00 m @ 0.44 g/t Au	0.9	
BST1	BSDD0043	226.00	227.00	1.00	0.371			
BST1	BSDD0043	233.00	234.40	1.40	0.126			
BST1	BSDD0043	234.40	235.00	0.60	4.086			0.60 m @ 4.09 g/t Au
BST1	BSDD0043	235.00	236.00	1.00	0.267	2.60 m @ 1.18 g/t Au	3.1	
BST1	BSDD0043	236.00	237.00	1.00	0.358			
BST1	BSDD0043	240.00	241.00	1.00	0.203			
BST1	BSDD0043	241.00	242.00	1.00	0.161			
BST1	BSDD0043	242.00	243.00	1.00	0.087			
BST1	BSDD0043	243.00	244.00	1.00	5.675			1.00 m @ 5.67 g/t Au
BST1	BSDD0043	244.00	245.00	1.00	0.166			
BST1	BSDD0043	245.00	246.00	1.00	0.678			
BST1	BSDD0043	246.00	247.00	1.00	0.987			
BST1	BSDD0043	247.00	248.00	1.00	5.451			
BST1	BSDD0043	248.00	249.00	1.00	0.351			
BST1	BSDD0043	249.00	250.00	1.00	0.297	18.40 m @ 1.04 g/t Au	19.1	4.00 m @ 2.00 g/t Au
BST1	BSDD0043	250.00	251.00	1.00	1.901			
BST1	BSDD0043	251.00	252.00	1.00	0.008			
BST1	BSDD0043	252.00	253.00	1.00	0.351			
BST1	BSDD0043	253.00	254.00	1.00	0.201			
BST1	BSDD0043	254.00	255.00	1.00	0.294			
BST1	BSDD0043	255.00	256.00	1.00	0.789			
BST1	BSDD0043	256.00	257.00	1.00	0.024			
BST1	BSDD0043	257.00	258.40	1.40	1.027			1.40 m @ 1.03 g/t Au
BST1	BSDD0043	261.00	262.00	1.00	0.656	1.00 m @ 0.66 g/t Au	0.7	
BST1	BSDD0043	264.00	265.00	1.00	0.184			
BST1	BSDD0043	269.25	270.00	0.75	5.552	0.75 m @ 5.55 g/t Au	4.2	0.75 m @ 5.55 g/t Au
BST1	BSDD0043	271.00	272.00	1.00	0.178			
BST1	BSDD0043	274.00	275.00	1.00	0.119			
BST1	BSDD0043	275.00	276.00	1.00	0.841	1.00 m @ 0.84 g/t Au	0.8	
BST1	BSDD0043	280.00	281.00	1.00	0.250	1.00 m @ 0.25 g/t Au	0.3	
BST1	BSDD0044	1.50	2.60	1.10	0.387	1.10 m @ 0.39 g/t Au	0.4	
BST1	BSDD0044	4.50	6.00	1.50	0.199			
BST1	BSDD0044	14.00	15.00	1.00	1.105	1.00 m @ 1.10 g/t Au	1.1	1.00 m @ 1.10 g/t Au
BST1	BSDD0044	18.00	19.00	1.00	0.159			
BST1	BSDD0044	33.00	34.00	1.00	2.080	1.00 m @ 2.08 g/t Au	2.1	1.00 m @ 2.08 g/t Au
BST1	BSDD0044	37.00	38.00	1.00	0.207	1.00 m @ 0.21 g/t Au	0.2	
BST1	BSDD0044	40.00	41.00	1.00	0.102			
BST1	BSDD0044	44.00	45.00	1.00	1.513	1.00 m @ 1.51 g/t Au	1.5	1.00 m @ 1.51 g/t Au
BST1	BSDD0044	45.00	46.00	1.00	0.103			
BST1	BSDD0044	46.00	47.00	1.00	0.189			
BST1	BSDD0044	47.00	48.00	1.00	0.112			
BST1	BSDD0044	48.00	49.00	1.00	0.266	1.00 m @ 0.27 g/t Au	0.3	
BST1	BSDD0044	76.00	77.00	1.00	0.178			
BST1	BSDD0044	79.00	80.00	1.00	0.123			
BST1	BSDD0044	90.00	91.00	1.00	0.118			
BST1	BSDD0044	92.00	93.00	1.00	0.406	7.00 m @ 0.28 g/t Au	1.9	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0044	93.00	94.00	1.00	0.020	4.00 m @ 0.79 g/t Au	3.2	1.00 m @ 1.87 g/t Au
BST1	BSDD0044	94.00	95.00	1.00	0.261			
BST1	BSDD0044	95.00	96.00	1.00	0.462			
BST1	BSDD0044	96.00	97.00	1.00	0.028			
BST1	BSDD0044	97.00	98.00	1.00	0.149			
BST1	BSDD0044	98.00	99.00	1.00	0.619			
BST1	BSDD0044	105.00	106.00	1.00	0.571			
BST1	BSDD0044	106.00	107.00	1.00	0.024			
BST1	BSDD0044	107.00	108.00	1.00	1.872			
BST1	BSDD0044	108.00	109.00	1.00	0.691			
BST1	BSDD0044	111.00	112.00	1.00	0.184	4.00 m @ 0.75 g/t Au	3.0	1.00 m @ 1.40 g/t Au
BST1	BSDD0044	115.00	116.00	1.00	0.177			
BST1	BSDD0044	126.00	127.00	1.00	1.401			
BST1	BSDD0044	127.00	128.00	1.00	0.089			
BST1	BSDD0044	128.00	129.00	1.00	0.497	5.00 m @ 0.88 g/t Au	4.4	3.00 m @ 1.08 g/t Au
BST1	BSDD0044	129.00	130.00	1.00	1.015			
BST1	BSDD0045	0.00	0.80	0.80	0.158			
BST1	BSDD0045	66.00	67.00	1.00	0.361			
BST1	BSDD0045	69.00	70.50	1.50	0.311			
BST1	BSDD0045	73.00	74.38	1.38	0.754			
BST1	BSDD0045	74.38	75.00	0.62	0.226			
BST1	BSDD0045	75.00	76.00	1.00	1.210			
BST1	BSDD0045	76.00	77.00	1.00	0.812			
BST1	BSDD0045	77.00	78.00	1.00	1.216			
BST1	BSDD0045	92.00	93.00	1.00	0.304	4.00 m @ 0.97 g/t Au	3.9	1.00 m @ 1.12 g/t Au
BST1	BSDD0045	94.00	95.00	1.00	0.252			
BST1	BSDD0045	101.00	102.00	1.00	0.260			
BST1	BSDD0045	103.00	104.00	1.00	0.186			
BST1	BSDD0045	105.00	106.00	1.00	1.124			
BST1	BSDD0045	107.00	108.00	1.00	0.103	3.00 m @ 0.20 g/t Au	0.6	1.00 m @ 1.08 g/t Au
BST1	BSDD0045	112.00	113.00	1.00	0.264			
BST1	BSDD0045	113.00	114.00	1.00	0.389			
BST1	BSDD0045	114.00	115.00	1.00	0.100			
BST1	BSDD0045	115.00	116.00	1.00	3.128			
BST1	BSDD0045	124.00	125.00	1.00	0.323	2.00 m @ 0.74 g/t Au	1.5	1.00 m @ 1.15 g/t Au
BST1	BSDD0045	125.00	126.00	1.00	0.028			
BST1	BSDD0045	126.00	127.00	1.00	0.251			
BST1	BSDD0045	135.00	136.00	1.00	0.146			
BST1	BSDD0045	139.00	140.00	1.00	0.117			
BST1	BSDD0045	140.00	141.00	1.00	0.403	8.25 m @ 0.69 g/t Au	5.7	1.25 m @ 2.44 g/t Au
BST1	BSDD0045	141.00	142.00	1.00	1.081			
BST1	BSDD0045	170.00	171.00	1.00	0.965			
BST1	BSDD0045	171.00	172.00	1.00	0.182			
BST1	BSDD0045	179.27	180.00	0.73	0.465			
BST1	BSDD0045	195.70	197.00	1.30	0.203			
BST1	BSDD0045	213.00	214.00	1.00	0.492			
BST1	BSDD0045	217.00	218.00	1.00	1.148			
BST1	BSDD0045	219.00	220.00	1.00	0.189			
BST1	BSDD0045	220.75	222.00	1.25	2.444			
BST1	BSDD0045	222.00	223.00	1.00	0.226			
BST1	BSDD0045	223.00	224.00	1.00	0.305			
BST1	BSDD0045	224.00	225.00	1.00	0.452			
BST1	BSDD0045	225.00	226.00	1.00	0.395			
BST1	BSDD0045	226.00	227.00	1.00	0.243			
BST1	BSDD0045	227.00	228.00	1.00	0.752			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0045	228.00	229.00	1.00	0.291			
BST1	BSDD0045	229.00	230.35	1.35	0.196			
BST1	BSDD0047	0.00	1.00	1.00	0.199			
BST1	BSDD0047	1.00	1.50	0.50	0.164			
BST1	BSDD0047	1.50	2.37	0.87	0.497	0.87 m @ 0.50 g/t Au	0.4	
BST1	BSDD0047	2.37	3.00	0.63	0.156			
BST1	BSDD0047	19.50	21.00	1.50	0.255	1.50 m @ 0.26 g/t Au	0.4	
BST1	BSDD0047	22.50	23.00	0.50	0.203	0.50 m @ 0.20 g/t Au	0.1	
BST1	BSDD0047	25.50	26.00	0.50	3.427	1.50 m @ 1.29 g/t Au	1.9	0.50 m @ 3.43 g/t Au
BST1	BSDD0047	26.00	27.00	1.00	0.219			
BST1	BSDD0047	41.85	42.50	0.65	0.334	0.65 m @ 0.33 g/t Au	0.2	
BST1	BSDD0047	46.30	47.00	0.70	0.109			
BST1	BSDD0047	52.00	53.00	1.00	0.208			
BST1	BSDD0047	53.00	54.00	1.00	0.019	3.00 m @ 0.55 g/t Au	1.6	
BST1	BSDD0047	54.00	55.00	1.00	1.417			1.00 m @ 1.42 g/t Au
BST1	BSDD0047	57.63	58.50	0.87	0.741			
BST1	BSDD0047	58.50	59.00	0.50	0.248			
BST1	BSDD0047	59.00	60.00	1.00	0.043	4.37 m @ 0.55 g/t Au	2.4	
BST1	BSDD0047	60.00	61.00	1.00	0.085			
BST1	BSDD0047	61.00	62.00	1.00	1.487			1.00 m @ 1.49 g/t Au
BST1	BSDD0047	63.00	64.00	1.00	0.135			
BST1	BSDD0047	68.00	69.00	1.00	0.380	1.00 m @ 0.38 g/t Au	0.4	
BST1	BSDD0047	75.00	76.00	1.00	0.225	1.00 m @ 0.23 g/t Au	0.2	
BST1	BSDD0047	95.00	96.00	1.00	0.498	1.00 m @ 0.50 g/t Au	0.5	
BST1	BSDD0048	0.00	1.50	1.50	0.106			
BST1	BSDD0048	1.50	2.00	0.50	0.196			
BST1	BSDD0048	4.00	4.50	0.50	0.154			
BST1	BSDD0048	13.50	15.00	1.50	0.259	1.50 m @ 0.26 g/t Au	0.4	
BST1	BSDD0048	33.00	34.50	1.50	0.279	1.50 m @ 0.28 g/t Au	0.4	
BST1	BSDD0048	61.00	62.00	1.00	0.137			
BST1	BSDD0048	62.00	63.00	1.00	0.214			
BST1	BSDD0048	63.00	64.00	1.00	0.439	2.00 m @ 0.33 g/t Au	0.7	
BST1	BSDD0048	68.00	69.00	1.00	0.223	1.00 m @ 0.22 g/t Au	0.2	
BST1	BSDD0048	72.00	73.00	1.00	0.389			
BST1	BSDD0048	73.00	74.00	1.00	0.322			
BST1	BSDD0048	74.00	75.00	1.00	0.287			
BST1	BSDD0048	75.00	76.00	1.00	0.165			
BST1	BSDD0048	76.00	77.00	1.00	1.029	9.00 m @ 0.33 g/t Au	3.0	1.00 m @ 1.03 g/t Au
BST1	BSDD0048	77.00	78.00	1.00	0.109			
BST1	BSDD0048	78.00	79.00	1.00	0.039			
BST1	BSDD0048	79.00	80.00	1.00	0.378			
BST1	BSDD0048	80.00	81.00	1.00	0.279			
BST1	BSDD0048	81.00	82.00	1.00	0.120			
BST1	BSDD0048	84.00	85.00	1.00	0.125			
BST1	BSDD0048	86.00	87.00	1.00	0.303	1.00 m @ 0.30 g/t Au	0.3	
BST1	BSDD0048	89.00	90.00	1.00	0.255	1.00 m @ 0.26 g/t Au	0.3	
BST1	BSDD0048	94.00	95.00	1.00	0.262			
BST1	BSDD0048	95.00	96.00	1.00	0.430			
BST1	BSDD0048	96.00	97.00	1.00	0.038			
BST1	BSDD0048	97.00	98.00	1.00	0.711			
BST1	BSDD0048	98.00	99.00	1.00	0.029	12.00 m @ 0.40 g/t Au	4.8	
BST1	BSDD0048	99.00	100.00	1.00	0.008			
BST1	BSDD0048	100.00	101.00	1.00	1.749			1.00 m @ 1.75 g/t Au
BST1	BSDD0048	101.00	102.00	1.00	0.898			
BST1	BSDD0048	102.00	103.00	1.00	0.028			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0048	103.00	104.00	1.00	0.361			
BST1	BSDD0048	104.00	105.00	1.00	0.071			
BST1	BSDD0048	105.00	106.00	1.00	0.235			
BST1	BSDD0048	132.00	133.00	1.00	0.699	1.00 m @ 0.70 g/t Au	0.7	
BST1	BSDD0048	140.00	141.00	1.00	0.429	1.00 m @ 0.43 g/t Au	0.4	

About Aurum

Aurum Resources (ASX:AUE) is an Australian based gold exploration company focused on discovery and development of major gold projects in Côte d'Ivoire, West Africa. Aurum has 3.28Moz gold resources coming from two gold projects, the 2.41Moz Boundiali Gold Project and the 0.87Moz Napié Gold Project. Aurum owns and runs 12 diamond drill rigs allowing it to explore faster and more cost effectively than its peers.

Group Mineral Resources

Table 3: Group Mineral Resources Statement for contained gold as at 30 September 2025 (figures may not add up due to appropriate rounding)

Mineral Resources			Indicated			Inferred			Total Resources		
Project	Type	Cut-off	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)
Boundiali	Oxide	0.4 g/t Au above 300m depth and 1.0 g/t below 300m depth	1.9	1.0	0.07	2.3	0.8	0.07	4.3	0.9	0.13
	Transition		2.0	1.1	0.07	2.8	0.8	0.09	4.7	0.9	0.14
	Fresh		21.9	1.1	0.78	46	0.9	1.35	68	1.0	2.13
	Total		26.0	1.1	0.92	51	0.9	1.49	77	1.0	2.41
Napié	Oxide	0.6 g/t Au	-	-	-	2.4	1.2	0.09	2.4	1.2	0.09
	Transition		-	-	-	1.9	1.1	0.07	1.9	1.1	0.07
	Fresh		-	-	-	18.3	1.2	0.71	18.3	1.2	0.71
	Total		-	-	-	22.5	1.2	0.87	22.5	1.2	0.87
Total			26.0	1.1	0.92	73.5	1.0	2.36	100	1.0	3.28

Annual review and material changes since 30 June 2024

At the start of the 2025 financial year (1 July 2024), the Company did not have any Mineral Resources and is not able to make a prior year comparison. A summary of the material changes in Mineral Resources throughout the 2025 financial year and subsequent is presented below:

- **Boundiali Mineral Resources:**
 - "Aurum delivers 1.59Moz Maiden JORC Resource at Boundiali Gold Project" released to the Australian Securities Exchange on 30 December 2024 and amended on 31 December 2024 and available to view on www.asx.com.au.
 - "Aurum delivers 2.41Moz Maiden JORC Resource at Boundiali Gold Project" released to the Australian Securities Exchange on 5 August 2025 and available to view on www.asx.com.au
 - "Boundiali indicated gold resources grows by 53% in two month" released to the Australian Securities Exchange on 6 October 2025 and available to view on www.asx.com.au.
- **Napié Mineral Resources:**
 - "Napié Project Listing Rule 5.6 disclosure" released to the Australian Securities Exchange on 4 February 2025 and available to view on www.asx.com.au

Boundiali Gold Project (2.41Moz)

The flagship 2.41Moz Boundiali Gold Project is comprised of four neighbouring exploration tenements and is located within the same greenstone belt as Resolute's large Syama (11.5Moz) gold mine and Perseus' Sissingué (1.4 Moz) gold mine to the north and Montage Gold's 5.5Moz Koné project located to the south. Barrick's Tongon mine (5.0Moz) is located to the northeast (Figure 1 and Figure 2):

BM gold project JV 80% interest - PR0893 ("BM"), 400km²

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry

BD gold project JV 80% interest - PR808 ("BD"), 260km²

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry

BST gold project 100% interest – Application No. 0781 ("BST") 100%, 167.34km²

- *Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025.*
- 90% interest in future gold production company (Government get 10% free carry from Aurum interest)

BN gold project JV - PR283 ("BN"), 208.87km²

Aurum is earning interest through carrying out exploration to earn 70% interest in three stages:

- Stage 1: Aurum earns 35% interest by spending USD 1.2 million within 36 months of license grant
- Stage 2: Aurum earns 51% interest by spending USD 2.5 million within 60 months of license grant
- Stage 3: Aurum earns 70% interest upon completion of a pre-feasibility study on the tenement.
- Diamond drilling conducted by Aurum will be valued at US\$140 per meter for expenditure calculations
- Upon grant of a mining exploitation license, the ownership structure will be: Aurum (70%), GNRR (20%), Ivorian Government (10%)

Encore JV Project

- Applications (No. 1740 and No. 1745) totalling nearly 320km² are strategically located between Aurum's existing **BD** and **BST** tenements and south of **BM**, offering growth potential for its 1.6Moz Boundiali Gold Project.

- Staged earn-in agreement aligns expenditure with milestones for each permit area:
 - Path to 51% interest: 4,000m diamond drilling.
 - Path to 80% interest: Additional 8,000m diamond drilling (total 12,000m) OR US\$2.5 million nominal expenditure.

Major Star Plus Partnership Projects

- Applications (No. 0791), 114.53km², is strategically located on the immediate south and west of **BST** tenement, offering growth potential for its 2.41Moz Boundiali Gold Project.
- Applications (No. 0793), 99.12km², are structurally located on the immediate west of the Napié gold project, offering growth potential for its 0.87Moz Napié Project.
- Applications (No. 0804), 254.97km², is a separate gold exploration project located in central Côte D'Ivoire.
- 35% project interest from the Company's ownership of 35% registered share capital of Major Star Plus Sarl.
 - Path to 51% interest in an exploration permit: Either USD1.5 million normal expenditure or 7,000m diamond drilling.
 - Path to 80% interest in an exploration permit: Either USD3.0 million normal expenditure or 15,000m diamond drilling
 - Path to 95% interest in an exploration permit: Completion of Pre-Feasibility Study
 - 85.5~87% interest in a future production mine

Mako Gold Pty Ltd (0.87Moz)

Wholly owned subsidiary of Aurum and holds the following projects:

- 0.87Moz Napié Gold Project. 90% Mako and African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study.
- Korhogo Project (100%), significant manganese discovery
- Brobo Project (100%), prospective for lithium/rare earths

Section 1 of the JORC Code, 2012 Edition – Table 1

Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	- Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.	- Samples were collected using diamond drilling techniques generally angled at 50° towards north-northwest to optimally intersect the mineralised zones. - Diamond core was logged both for geological and mineralised structures as noted above. The core was then cut in half using a diamond brick cutting saw on 1m intervals. Typically, the core was sampled to geological intervals as defined by the geologist within the even two metre sample intervals utilised. The right-hand side of the core was always submitted for analysis with the left side being stored in trays on site. - Sampling and QAQC procedures were carried out to industry standards. - Sample preparation and assay was completed by independent international accredited laboratory MSALABS. Following cutting or splitting, the samples were bagged by the Client employees and then sent to the laboratory for preparation. These samples were subsequently sent to MSALABS at Yamoussoukro for analysis via 500g Photon Assay.
Drilling techniques	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	Diamond drilling carried out with mostly NTW and some HQ sized equipment. PQ-size rods and casing were used at the top the holes to stabilise the collars although no samples were taken from the PQ size core.
Drill sample recovery	- Method of recording and assessing core and chip sample recoveries and results assessed. - Measures taken to maximise sample recovery and ensure representative nature of the samples. - Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	Diamond drilling core recoveries ranged between 85% and 100% for all holes with no significant issues noted.
Logging	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining	All holes were field logged by company geologists. Lithological, alteration and mineralogical nomenclature of the deposit as well as sulphide content were recorded.

Criteria	JORC Code explanation	Commentary
	<i>studies and metallurgical studies.</i> • Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. • The total length and percentage of the relevant intersections logged.	<i>Metallurgical, Geotechnical and structural data has been recorded</i> • Photography and recovery measurements were carried out by assistants under a geologist's supervision. • All drill holes were logged in full. • Logging was qualitative and quantitative in nature.
• Sub-sampling techniques and sample preparation	• If core, whether cut or sawn and whether quarter, half or all core taken. • If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. • For all sample types, the nature, quality and appropriateness of the sample preparation technique. • Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. • Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. • Whether sample sizes are appropriate to the grain size of the material being sampled.	• NTW core cut in half using a core saw. Typically, the core was sampled to major geological intervals as defined by the geologist within the even two metre sample intervals utilised. All samples were collected from the same side of the core. • Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for Au. • The entire sample was crushed to 70% passing 2mm. • Crushed sample was split to produce 500g sample for analysis and the remaining reject kept for checks. • Field QC procedures involved the use of 2 types of certified reference materials (1 in 20) which is certified by Geostats Ltd, • Primary DD duplicate: Generated by cutting the remaining half core into a ¼ and sampled. • Coarse blank samples: Inserted 1 in every 20 samples • Laboratory Internal Duplicates and Standards • Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for gold
• Quality of assay data and laboratory tests	• The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. • For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and	• The analytical technique used is Chrysos™ PhotonAssay methodology. This uses a high-energy X-ray source that is used to irradiate large mineral samples, typically about 500g compared to the 50g of the fire assay. The X-rays induce short-lived changes in the structure of any gold nuclei present. As the excited gold nuclei return to

Criteria	JORC Code explanation	Commentary
	model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	their ground state, they emit a characteristic gamma-ray signature, the intensity of which is directly proportional to the concentration of gold. The penetrating nature of Chrysos™ PhotonAssay provides much higher energy than those used in conventional X-ray fluorescence (XRF), which provides a true bulk analysis of the entire sample. Samples are presented into a fully automatic process where samples are irradiated, measured, data collection and reporting. - No geophysical tools were used to determine any element concentrations used for this report. - Sample preparation checks for fineness were carried out by the laboratory as part of internal procedures to ensure the grind size was being attained. Laboratory QAQC includes the use of internal standards using certified reference material, and pulp replicates. No anomalous assays were noted in information provided to the Client. - The QAQC results confirm that acceptable levels of accuracy and precision have been established for the Classifications applied (exploration results only).
Verification of sampling and assaying	- The verification of significant intersections by either independent or alternative company personnel. - The use of twinned holes. - Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. - Discuss any adjustment to assay data.	- NA - No holes have been twinned - No adjustment to assay data - Logging records were mostly registered in physical format and were input into a digital format. The core photographs, collar coordinates and down the hole surveys were received in digital format. - Assay values that were below detection limit were adjusted to equal half of the detection limit value. Un-sampled intervals were assumed to have no mineralisation and they were therefore set to blank in the database, however these are minimal.
Location of data points	- Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. - Specification of the grid system used. - Quality and adequacy of topographic control.	- DD collar positions were initially located using a handheld GPS with a location error of +/-3m. - The datum employed is WGS84, Zone 29 - All drill hole locations are then surveyed utilising the differential GPS methods by both company and third-party surveyors. - DGPS system utilised is typically within a 10 cm accuracy range which is suitable for the classification applied.

Criteria	JORC Code explanation	Commentary
Data spacing and distribution	- Data spacing for reporting of Exploration Results. - Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. - Whether sample compositing has been applied.	- Drillholes were completed on variable line spacings (from 100m to 50m) and orientations. - The drill hole spacing and distribution is considered sufficient to establish the degree of continuity appropriate for the Inferred Mineral Resource estimation procedures. - The samples were not composited prior to assay.
Orientation of data in relation to geological structure	- Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. - If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	Drill holes were drilled approximately at right angles to the anticipated strike of the target geochemical anomaly and orthogonal to the interpreted mineralisation orientation.
Sample security	The measures taken to ensure sample security.	Chain of custody is managed by the Client's senior site geologists and geotechnicians. Samples are stored in a core shed at site and samples were delivered to the laboratory by client geologists. Client employees have no further involvement in the preparation or analysis of the samples.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	Detailed reviews of sampling techniques were carried out on the site visit by RPM in October 2024 and follow up visit in March 2025.

•

• Section 2 of the JORC Code, 2012 Edition – Table 1

• Criteria	• JORC Code explanation	• Commentary
• Mineral tenement and land tenure status	• Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. • The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.	• Exploration results are from the Boundiali project area • PR893 (BM), 400km², holder Minex West Africa, of which Aurum has earned 80% interest and can earn up to 88% in a mining licence through its fully owned subsidiary Plusor Global Pty Ltd ("Plusor"). Boundiali DS tenement PR808 ("BD"), 260km², holder DS Resources Joint Venture Company, of which Aurum is 80% share capital owner through its fully owned subsidiary Plusor. BST mining licence application of which Aurum is 100% owner. • There are no impediments to working in the area.
• Exploration done by other parties	• Acknowledgment and appraisal of exploration by other parties.	• The exploration results reported in this announcement are from work undertaken by PlusOr a wholly owned subsidiary of Aurum Resources Limited • The license area is known as a prospective region for gold and recent artisanal workings revealed the presence of primary gold mineralisation in artisanal pits and small-scale underground mining.
• Geology	• Deposit type, geological setting and style of mineralisation.	• The Boundiali Deposits are located within the Proterozoic Birimian rocks of the Man shield. It is situated on, 100km west of from the Korhogo in the northern part of the Côte d'Ivoire. They are located in the Bagoué- Syama shear zone within the sedimentary rock with minor associated intrusions of mafic dykes and late-stage granitoids. The various rock units trend NS to NNE similar to the regional metamorphic grade. The regional trend is NE to N. • The Boundiali deposits resemble typical shear zone deposits of the West African granite-greenstone terrane. The deposits themselves are associated with a major regional shear zone and are developed in a sandstone. Mineralisation may be spatially related to the emplacement of intrusives. The gold mineralisation is mesothermal in origin and occurs as free gold in quartz vein stockworks and zones of silicification, associated with pyrite and chalcopyrite. The gold mineralisation is found in linear zones with the contacts

Criteria	JORC Code explanation	Commentary
		showing evidence of shearing. Free gold is frequently observed. Alteration is weak to strong depending on the development of the system typically being sericite. Two types of deformation are present in the drill cores: ductile deformation and brittle deformation. The gold mineralisation is related to deformed sandstone and graywacke, in shear zones, with sulphides (mainly pyrite and minor chalcopyrite) associated with visible gold. Alteration is characterized by chlorite, sericite, calcite, secondary quartz and disseminated pyrite. This assemblage is well developed in schistose, foliated rocks with presence of quartz veins or veinlets.
Drill hole information	- A summary of all information material to the under-standing of the exploration results including a tabulation of the following information for all Material drill holes: - easting and northing of the drill hole collar - elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar - dip and azimuth of the hole - down hole length and interception depth - hole length - If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	- Complete drill hole data has been provided. - Drill hole collar locations are shown in figures in main body of announcement.
Data aggregation methods	- In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. - Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. - The assumptions used for any reporting of metal equivalent values should be clearly stated.	- Assay Intervals are shown in detail. Drilling intervals are predominantly 1m. - Metal equivalent values are not being reported.
Relationship between	These relationships are particularly important in the reporting of Exploration	True widths have not been estimated as the geological controls on mineralisation

• Criteria	• JORC Code explanation	• Commentary
mineralisation widths and intercept lengths	<i>Results.</i> - If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. - If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').	<i>in these initial drill holes into the prospect are not yet well understood.</i> The holes were drilled to test a steeply east dipping foliation in the limited rock exposures seen in the area. The mineralisation lies within what has been interpreted to be a ductile shear zone which would suggest that mineralisation should lie parallel to foliation.
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	Appropriate diagrams relevant to material results are shown in the body of this announcement.
Balanced Reporting	- Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. - Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	- All drill hole and trench collar locations were surveyed utilising handheld GPS methods. Exploration results only being reported. - Drilling teams utilised the Reflex EZ-shot instrument to measure deviations in azimuth and inclination angles for all holes; however, vertical holes were not surveyed. The first measurement is taken at 6 m depth, and then at approximately every 30m depth interval and at the end of the hole. being reported
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	All relevant exploration data is either reported in this announcement or has been reported previously by Aurum, Randgold or Predictive Discovery and is referred to in the announcement.
Further work	- The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling). - Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	- The Company intends to continue exploration on the project and this work will include auger, aircore, RC and diamond core drilling, along with further geophysical surveys and geochemical sampling programs. - Diagrams included in body of report as deemed appropriate by competent person