

05 March 2026

## Aurum returns high-grade gold intercepts at Napié Gold Project, Côte d'Ivoire

Aurum Resources (ASX: AUE, "Aurum" or "the Company") has confirmed multiple broad, shallow, high-grade gold intercepts from its ongoing 30,000m diamond drilling program at the 0.87Moz Napié Gold Project<sup>1</sup>, Côte d'Ivoire. These results focus on the Tchaga (0.54Moz @ 1.16 g/t Au) and Gogbala (0.32Moz @ 1.29 g/t Au) deposits and provide the final data ahead of the upcoming Napié Mineral Resource Estimate (MRE) update.

### Encouraging new drill intercepts at the Napié Gold Project include<sup>2</sup>:

- **Gogbala Deposit:**
  - **19.00m @ 5.16 g/t Au** from 146.00m inc. **14.00m @ 6.76 g/t Au** (NADD100)
  - **21.00m @ 2.01 g/t Au** from 157.00m inc. **10.00m @ 3.87 g/t Au** (NADD103)
  - **6.00m @ 4.17 g/t Au** from 42.00m inc. **1.00m @ 19.92 g/t Au** (NADD095)
  - **10.00m @ 1.46 g/t Au** from 82.00m inc. **1.00m @ 9.73 g/t Au** (NADD104)
  - **6.00m @ 1.85 g/t Au** from 25.00m inc. **2.00m @ 4.80 g/t Au** (NADD095)
- **Tchaga Deposit:**
  - **18.90m @ 2.59 g/t Au** from 176.10m inc. **5.90m @ 7.33 g/t Au** (NADD089)
  - **28.00m @ 1.48 g/t Au** from 233.00m inc. **3.00m @ 4.29 g/t Au** (NADD091)
  - **20.00m @ 1.34 g/t Au** from 183.15m inc. **6.25m @ 2.28 g/t Au** (NADD088).

### Exploration Growth & Project Development:

- **Group Inventory tracking toward 4Moz:** Group gold resources currently stand at **3.90Moz** (Boundiali 3.03Moz<sup>3</sup>; Napié 0.87Moz).
- **Dual-Asset Growth Strategy:** 130,000m of diamond drilling planned for CY2026 (100,000m at Boundiali; 30,000m at Napié) to fast-track both projects.
- **Boundiali Pre-Feasibility Study:** PFS is in the final stages to define the **optimised scale** of the project. Following the recent 3.03Moz MRE update, a CP mining engineer will visit Boundiali to confirm site layout and production schedules, with PFS delivery now expected in April 2026.
- **Napié Standalone Potential:** Recent shallow, wide, high-grade results support a strategy to grow the Napié resource base toward the critical mass required for independent processing infrastructure.
- **Owner-Operator Advantage:** Aurum's fleet of 12 in-house diamond drill rigs drives aggressive growth, delivering cost-effective discovery through an owner-operator drilling model.
- **Strong balance sheet:** Well-funded with \$40.2M cash (as of 31 Dec 2025, unaudited), providing the financial strength to execute this dual-project growth strategy.

**Aurum's Managing Director Dr. Caigen Wang** said: *"This latest round of step-back diamond drilling at Napié continues to deliver broad, shallow, open-pitabile intercepts, confirming the system's potential for substantial resource growth. These results are a direct testament to our unique operational model; by owning and operating our own fleet of 12 diamond drill rigs, we have rapidly scaled our Group Resource to 3.90Moz gold in just 26 months."*

<sup>1</sup> "Napié Project Listing Rule 5.6 disclosure" released to the Australian Securities Exchange on 4 February 2025 and available to view on [www.asx.com.au](http://www.asx.com.au)

<sup>2</sup> Refer to tables accompanying this report for collar location information and assay results for the new drilling

<sup>3</sup> "Boundiali Resource Grows to 3Moz - Indicated Up 49%" released to the Australian Securities Exchange on 23 February 2026 and available to view on [www.asx.com.au](http://www.asx.com.au)



*Our objective is to build a substantial multi-asset gold business in Côte d'Ivoire. While our near-term focus is the development of our Boundiali Project, the scale and grade continuity we are seeing at Napié – following our acquisition of Mako – suggests that it too has the potential to grow into a second major production pillar.*

*With the Napié MRE update pending, we are targeting a global inventory milestone of >4Moz this quarter. Our aggressive 130,000m drilling program is already underway for CY2026, supported by a strong \$40.2M balance sheet and a clear development pathway through the Boundiali PFS. We will be hosting our CP mining engineer to site this month as the team ensure PFS technical parameters are refined following recent resource growth.*

*Aurum is positioned to advance from explorer to developer throughout this pivotal transition year."*

### **New Drilling – Napié Gold Project<sup>4</sup>**

Aurum is reporting new assay results from step-back diamond drilling (26 holes for 8,021.55m). These results are from the **Tchaga** (15 holes for 4,777.15m) and **Gogbala** (11 holes for 3,244.40m) deposits located on the **Napié** tenement (90% interest).

### **Latest Drill Results**

Better intercepts from drilling include<sup>5</sup>:

- **Gogbala Deposit:**
  - **19.00m @ 5.16 g/t Au** from 146.00m inc. **14.00m @ 6.76 g/t Au** (NADD100)
  - **21.00m @ 2.01 g/t Au** from 157.00m inc. **10.00m @ 3.87 g/t Au** (NADD103)
  - **6.00m @ 4.17 g/t Au** from 42.00m inc. **1.00m @ 19.92 g/t Au** (NADD095)
  - **10.00m @ 1.46 g/t Au** from 82.00m inc. **1.00m @ 9.73 g/t Au** (NADD104)
  - **6.00m @ 1.85 g/t Au** from 25.00m inc. **2.00m @ 4.80 g/t Au** (NADD095).
- **Tchaga Deposit:**
  - **18.90m @ 2.59 g/t Au** from 176.10m inc. **5.90m @ 7.33 g/t Au** (NADD089)
  - **28.00m @ 1.48 g/t Au** from 233.00m inc. **3.00m @ 4.29 g/t Au** (NADD091)
  - **41.30m @ 0.66 g/t Au** from 301.70m inc. **2.00m @ 2.92 g/t Au** (NADD087)
  - **20.00m @ 1.34 g/t Au** from 183.15m inc. **6.25m @ 2.28 g/t Au** (NADD088).

These new results are in addition to results previously reported<sup>6</sup> by Mako Gold<sup>7</sup> and Aurum, which included:

- **Tchaga Deposit:**
  - **13m at 20.82 g/t Au** from 32m (NARC145)
  - **9m at 22.73 g/t Au** from 36m within **32m at 7.10 g/t Au** from 13m (NARC184)
  - **10m at 18.98 g/t Au** from 7m (NARC486)
  - **41m at 4.51 g/t Au** from 17m (NARC216)
  - **28m @ 4.86 g/t Au** from 83m (NARC057)
  - **17m @ 9.38 g/t Au** from 236m inc. **3m @ 49.46 g/t Au** inc. **1m @ 143.58 g/t Au** (NADD053)
  - **26m at 4.34 g/t Au** from surface (NARC214)
  - **36m @ 3.09 g/t Au** from 43m (NARC107DD)

<sup>4</sup> Refer to About Aurum

<sup>5</sup> Refer to Table 1 for collar information and Table 2 for assay results for the new drilling

<sup>6</sup> Refer to Compliance Statement for details on previous reporting on ASX

<sup>7</sup> Wholly owned subsidiary of Aurum Resources

- **5m @ 21.99 g/t Au** from 70m (NARC243)
- **7.70m @ 11.65 g/t Au** from 169m (NARC058DD)
- **25m @ 3.43 g/t Au** from 53m (NARC017)
- **19.60m @ 4.36 g/t Au** from 187.40m (NARC621DD).
  
- **Gogbala Deposit:**
  - **11.20m @ 7.40 g/t Au** from 172m (NARC294DD)
  - **17m @ 4.13 g/t Au** from 57m (NARC660)
  - **20m @ 3.41 g/t Au** from 19m (NARC531)
  - **12m @ 5.39 g/t Au** from 11m (NARC035)
  - **35m @ 1.72 g/t Au** from 43m (NARC553)
  - **4m @ 14.78 g/t Au** from 93m (NARC668)
  - **7m @ 6.70 g/t Au** from 6m (NARC518)
  - **13m @ 3.34 g/t Au** from 168m (NARC712)
  - **23m @ 1.81 g/t Au** from 19m (NARC535).

The Napié Project is located within the Lower Proterozoic Birimian Daloa greenstone belt in Côte d'Ivoire. The style of mineralisation sought is structurally controlled orogenic gold, within an interpreted shear zone related to a regional-scale shear and secondary splays.

Napié's **Tchaga** and **Gogbala** deposits are located along a 23km long +40ppb gold soil/auger anomaly coincident with a +30km long shear zone, interpreted to be a major control for gold mineralisation. Gold mineralisation is hosted in en-echelon quartz veins and stringers and the surrounding silicified, sericite, iron-carbonate, pyrite (+/- galena and chalcopyrite) alteration halo. Mineralisation is present in all lithologies (felsic to mafic volcanoclastics, volcanic breccias and conglomerates and to a lesser extent in felsic and mafic intrusives).

Drilling is ongoing at **Tchaga** and **Gogbala** with further results expected throughout the year. True widths for these shallow, wide gold intercepts are estimated at about 65% - 80% of reported downhole lengths.

Details of drill collar location and assay results and intercepts for the new drilling at **Tchaga** and **Gogbala** can be found in Table 1 and Table 2 respectively. Plans showing location of the Napié Gold Project and the assay results are presented in the following figures. General locations in Figure 1 and Figure 2, and project details in Figure 3. Detailed plans showing results for **Tchaga** and **Gogbala** are presented in Figure 4 and Figure 6 respectively. Oblique cross section views showing examples of the latest drill results are presented in Figure 5 and Figure 7 respectively.

Gold mineralisation at **Tchaga** and **Gogbala** remains open along strike and at depth on all deposits with drilling ongoing and Aurum is planning further work.



### Next Steps

Aurum is leveraging its strong balance sheet and self-owned drill fleet, which is driving the continuous news flow throughout CY2026. The strategy focuses on rapid resource conversion and economic de-risking.

#### 1. Boundiali: Moving to Development

- **PFS Delivery:** Completion of the open-pit Pre-Feasibility Study is expected in April 2026.
- **Drilling (100,000m):** Up to 12 diamond rigs will continue testing strike and depth extensions across **BD, BM, and BST** tenements.
- **Resource Updates:** Following the recent delivery of the Mineral Resource Estimate (MRE) update, an additional MRE update is targeted for **Q3 CY 2026**.
- **DFS Transition:** Results from 2026 drilling and the PFS will facilitate progress toward a **Definitive Feasibility Study (DFS)** in late 2026.

#### 2. Napié: Scaling the Resource

- **Resource Expansion:** A **30,000m diamond drilling** program is ongoing to grow the existing 0.87Moz gold resource.
- **Q1 MRE Update:** An updated MRE for the Napié Gold Project is scheduled for release this Quarter.

#### 3. Regional Exploration & Discovery

- **Pipeline Generation:** Scout drilling is planned for the **BD, BM, and BST** tenements to test new targets identified via soil anomalies and geological mapping.
- **Early-Stage Growth:** Advancement of the **Encore JV** and **Major Star Plus** partnership projects to identify new gold systems.

This update has been authorised by the Board of Aurum Resources Limited.

ENDS

## FORWARD-LOOKING STATEMENTS

This ASX release contains forward-looking statements about Aurum Resources Limited's exploration activities, drilling programs, and potential Mineral Resource Estimate at the Boundiali and Napié Gold Projects. These statements are based on current expectations and are subject to risks and uncertainties inherent in mineral exploration and mining. Factors that could cause actual results to differ materially include exploration risks, drilling results, resource estimation, gold prices, operational risks, regulatory changes, and broader economic conditions. Investors should not place undue reliance on these forward-looking statements.

## COMPETENT PERSON'S STATEMENT

The information in this release that relates to Exploration Targets and Exploration Results is based on information compiled by Mr Mark Strizek, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Strizek has been a non-executive Director of the Company since 1 February 2024 and joined as an executive Director on 1 June 2024. Mr Strizek has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaking to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Strizek consents to the inclusion in the announcement of the matters based on his information in the form and context in which it appears. Additionally, Mr Strizek confirms that the entity is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this presentation.

## COMPLIANCE STATEMENT

The information in this presentation that relates to Boundiali Mineral Resources is extracted from the announcement "Boundiali Resource Grows to 3Moz - Indicated Up 49% (ASX:AUE)" released to the Australian Securities Exchange on 23 February 2026 and available to view on [www.asx.com.au](http://www.asx.com.au). The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this report that relates to Napié Mineral Resources is extracted from the announcement "Napié Project Listing Rule 5.6 disclosure" released to the Australian Securities Exchange on 4 February 2025 and available to view on [www.asx.com.au](http://www.asx.com.au). The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

This report contains information extracted from ASX market announcements reported in accordance with the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" ("2012 JORC Code") and available for viewing at [www.asx.com.au](http://www.asx.com.au) and includes results reported previously and published on ASX platform:

23 Feb 2026, Boundiali Resource Grows to 3Moz - Indicated Up 49% (ASX:AUE)	31 Jan 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
16 Feb 2026, Boundiali extends strike and depth at BDT3 and BST1 (ASX:AUE)	30 Jan 2025, Aurum hits 150 g/t gold at Boundiali, Côte d'Ivoire (ASX:AUE)
5 Feb 2026, High-Grade Extensions at BD Deposits for Resource Growth (ASX:AUE)	29 Jan 2025, MKG - Suspension of Trading and Delisting From ASX (ASX:AUE)
29 Jan 2026, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)	24 Jan 2025, Compulsory Acquisition Notice Mako Takeover (ASX:AUE)
28 Jan 2026, Further high-grade intercepts at BMT3 in Boundiali (ASX:AUE)	24 Jan 2025, Non-Binding MoU with SANY Heavy Equipment Co (ASX:AUE)
16 Jan 2026, Aurum appoints Mr. Richard Simpson Chairman of the Company (ASX:AUE)	23 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
15 Jan 2026, Boundiali Gold Project produces more good drilling results (ASX:AUE)	9 Jan 2025, Best and Final offer for Mako Gold Limited (ASX:AUE)
7 Jan 2026, Aurum advances Boundiali development with 3 ML Applications (ASX:AUE)	31 Dec 2024, Boundiali Project Maiden Resource delivers 1.6 Moz (amended) (ASX:AUE)
19 Dec 2025, More high grade gold intercepts at BMT3 in Boundiali (ASX:AUE)	30 Dec 2024, Boundiali Gold Project Maiden Resource delivers 1.6 Moz (ASX:AUE)
11 Dec 2025, Drilling at Napié Extends Gold Mineralisation to 400m Depth (ASX:AUE)	24 Dec 2024, Change in substantial holding for MKG (ASX:AUE)
28 Nov 2025, Aurum completes \$22.98M Montage share sale (ASX:AUE)	23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali (ASX:AUE)
18 Nov 2025, Aurum hits 3.10m @ 70.78 g/t gold from 112.90m at Boundiali (ASX:AUE)	18 Dec 2024, Aurum hits 277 g/t gold at Boundiali BM Target 3
07 Nov 2025, Aurum hits 5m @ 11.07 g/t gold from outside BDT2 resources (ASX:AUE)	13 Dec 2024, Change of Directors and Addition of Joint Company Secretary (ASX:AUE & ASX:MKG)
06 Nov 2025, Addendum to the 2025 Annual Report (ASX:AUE)	6 Dec 2024, AUE receives firm commitments for A\$10 million placement (ASX:AUE)
30 Oct 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)	29 Nov 2024, Aurum earns 80% interest in Boundiali BM tenement (ASX:AUE)
27 Oct 2025, Aurum hits 0.8m @ 350 g/t gold at Boundiali Gold Project (ASX:AUE)	28 Nov 2024, AUE appoints Mr. Steve Zaninovich as Non-Executive Director (ASX:AUE)
06 Oct 2025, Boundiali indicated gold resources grows by 53% in two month (ASX:AUE)	22 Nov 2024, AUE Declares Takeover Offer for all MKG Shares Unconditional (ASX:AUE)
29 Sep 2025, Aurum hits 1m @ 152.35 g/t gold from 96m at Boundiali (ASX:AUE)	15 Nov 2024, Supplementary Bidders Statement (ASX:AUE)
10 Sep 2025, Aurum hits 17m @ 9.38 g/t gold from 236m at Napié (ASX:AUE)	11 Nov 2024, Aurum hits 36 g/t gold at BM T1 of 2.5km strike (ASX:AUE)
01 Sep 2025, Aurum expands footprint of Boundiali and Napié Gold Projects (ASX:AUE)	30 Oct 2024, Bidders Statement (ASX:AUE)
05 Aug 2025, Boundiali Gold Project Resource grows ~50% to 2.41Moz (ASX:AUE)	16 Oct 2024, Recommended Takeover of Mako Gold By Aurum Resources (ASX:AUE)
29 Jul 2025, Encouraging Drilling Results at BD & BST (ASX:AUE)	09 Sep 2024, Aurum earns 51% interest in Boundiali BM tenement (ASX:AUE)
25 Jul 2025, Aurum hits 1.43m at 234.35 g/t gold from 107m at BMT3 (ASX:AUE)	05 Sep 2024, AUE hits 40m at 1.03 g/t gold at Boundiali BD Target 1 (ASX:AUE)
23 Jul 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)	03 Sep 2024, Boundiali South Exploration Licence Renewed (ASX:AUE)
15 Jul 2025, 100 million share placement to strategic investors completed (ASX:AUE)	07 Aug 2024, Aurum to advance met studies for Boundiali Gold Project (ASX:AUE)
27 Jun 2025, Aurum commenced 30,000m diamond drilling at Napié (ASX:AUE)	22 July 2024, Prelim metallurgical tests deliver up to 99% gold recovery (ASX:AUE)
17 Jun 2025, AUE hits 66m @ 1.07g/t gold from 33m @ Boundiali BD tenement (ASX:AUE)	17 June 2024, Aurum hits 69m at 1.05 g/t gold at Boundiali BD Target 1 (ASX:AUE)
27 May 25, AUE expands Boundiali Gold Project exploration ground (ASX:AUE)	28 May 2024, AUE hits 163 g/t gold in 12m @ 14.56 g/t gold at BD Target 1 (ASX:AUE)
21 May 25, AUE hits 34m @ 2.32g/t gold from 56m @ Boundiali BD tenement (ASX:AUE)	24 May 2024, Aurum hits 74m @ 1.0 g/t gold at Boundiali BD Target 2 (ASX:AUE)
13 May 25, Assay Results at Boundiali BM Tenement (Amended) (ASX:AUE)	15 May 2024, Aurum expands Boundiali Gold Project footprint (ASX:AUE)
13 May 25, Aurum hits 73.10 g/t gold at Boundiali BM tenement (ASX:AUE)	10 May 2024, AUE hits 90m @ 1.16 g/t gold at Boundiali BD Target 1 (ASX:AUE)
07 May 2025, Aurum to raise \$35.6 million from strategic investment (ASX:AUE)	01 May 2024, Aurum Appoints Country Manager in Côte d'Ivoire (ASX:AUE)
16 Apr 2025, AUE hits 89m @ 2.42 g/t gold at 1.59Moz Boundiali Project (ASX:AUE)	23 April 2024, AUE drilling hits up to 45 g/t gold at Boundiali BD Target 2 (ASX:AUE)
08 Apr 2025, AUE to start diamond drilling at Boundiali South tenement (ASX:AUE)	19 March 2024, AUE signs binding term sheet for 100% of Boundiali South (ASX:AUE)
31 Mar 2025, AUE to commence environmental study - Boundiali Gold Project (ASX:AUE)	12 March 2024, AUE hits 73m at 2.15g/t inc. 1m at 72g/t gold at Boundiali (ASX:AUE)
27 Mar 2025, Aurum hits 83m@4.87 g/t Au at 1.59Moz Boundiali Project (ASX:AUE)	01 March 2024, Aurum hits 4m at 22 g/t gold in Boundiali diamond drilling (ASX:AUE)
19 Mar 2025, Hits 4m at 54.64 g/t Au outside 1.59Moz Boundiali MRE area (ASX:AUE)	22 January 2024, Aurum hits shallow, wide gold intercepts at Boundiali, Côte d'Ivoire (ASX:AUE)
14 Mar 2025, Half Yearly Report and Accounts (ASX:AUE)	21 December 2023, Rapid Drilling at Boundiali Gold Project (ASX:AUE)
7 Mar 25, Investor Presentation March 2025 (ASX:AUE)	21 November 2023, AUE Acquisition Presentation (ASX:AUE)
6 Mar 25, AUE Completes Acquisition of Mako Gold Limited (ASX:AUE)	21 June 2021, Notice of General Meeting/Proxy Form (MSR,ASX)
27 Feb 25, 12m at 22.02g/t from 145m outside 1.59Moz Boundiali MRE area (ASX:AUE)	21 May 2021, PlusOr to Acquire 6194 sq kms Ground Position in Côte d'Ivoire (MSR,ASX)
21 Feb 2025, 8m at 8.23g/t from 65m outside 1.59Moz Boundiali MRE area (ASX:AUE)	22 August 2019, Boundiali RC Drill Results Continue to Impress (PDI,ASX)
4 Feb 2025, Napié Project Listing Rule 5.6 Disclosure (Amended) (ASX:AUE)	15 July 2019, RC, Trench Results Grow Boundiali Potential In Côte D'Ivoire (PDI,ASX)
3 Feb 2025, Mako Takeover Offer Closes (ASX:AUE)	27 May 2019, New Drill Results Strengthen Boundiali Project Côte D'Ivoire (PDI,ASX)
31 Jan 2025, Drill Collar Table Addendum (ASX:AUE)	16 January 2019, PDI-Toro JV Sharpens Focus with Major Drilling Program (PDI,ASX)
31 Jan 2025, Change in substantial holding for MKG (ASX:AUE)	26 November 2018, Boundiali North - Large Coherent Gold Anomalies in 14km Zone (PDI,ASX)

The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcements.

For personal use only




Figure 1: Location of Aurum's projects in Côte d'Ivoire




Figure 2: Location of Aurum's Boundiali and Napié gold projects in Côte d'Ivoire




Figure 3: Aurum's Napié Gold Project

For personal use only




Figure 4: Plan view showing new drill results (yellow) for Tchaga<sup>8</sup>

<sup>8</sup> Only showing new holes with intercepts greater than 2.5 gold gram metres, full list of intercepts included in table.

For personal use only




Figure 5: Oblique Cross Section looking northeast (+/-25m) showing new drill results (yellow) for Tchaga<sup>9</sup>

<sup>9</sup> Only showing new holes with intercepts greater than 2.5 gold gram metres, full list of intercepts included in table.




Figure 6: Plan view showing new drill results (yellow) for Gogbala<sup>10</sup>

<sup>10</sup> Only showing new holes with intercepts greater than 2.5 gold gram metres, full list of intercepts included in table.

For personal use only




Figure 7: Oblique Cross Section looking northeast (+/-25m) showing new drill results (yellow) for Gogbala<sup>11</sup>

<sup>11</sup> Only showing new holes with intercepts greater than 2.5 gold gram metres, full list of intercepts included in table.

**Table 1: Drill collar information for new holes drilled at Napié**

Hole ID	UTM East Zone 30N	UTM North Zone 30N	Elevation (m)	Depth (m)	Dip deg	Azi deg	Deposit	Type
NADD078	227,547	1,011,399	308	351.30	-58	135	Tchaga	DD
NADD079	227,777	1,012,005	303	405.45	-58	135	Tchaga	DD
NADD081	227,438	1,010,364	284	367.30	-60	135	Tchaga	DD
NADD082	227,556	1,010,531	283	452.75	-58	135	Tchaga	DD
NADD083	227,708	1,010,376	283	301.00	-60	135	Tchaga	DD
NADD084	227,751	1,010,476	282	250.30	-60	135	Tchaga	DD
NADD085	227,290	1,010,320	283	200.40	-60	135	Tchaga	DD
NADD086	227,350	1,010,460	284	202.35	-60	135	Tchaga	DD
NADD087	227,756	1,010,896	294	408.50	-65	135	Tchaga	DD
NADD088	227,692	1,010,538	283	403.05	-60	135	Tchaga	DD
NADD089	227,868	1,011,276	304	361.35	-60	135	Tchaga	DD
NADD090	227,822	1,010,691	288	302.60	-60	135	Tchaga	DD
NADD091	227,868	1,011,421	305	360.50	-60	135	Tchaga	DD
NADD092	227,390	1,010,555	285	209.10	-60	90	Tchaga	DD
NADD093	227,402	1,010,700	288	201.20	-60	90	Tchaga	DD
<b>15 holes</b>				<b>4,777.15m</b>			<b>Sub total</b>	
NADD094	225,383	1,003,721	294	357.45	-57	135	Gogbala	DD
NADD095	225,447	1,003,764	292	298.70	-57	135	Gogbala	DD
NADD096	225,287	1,003,923	291	347.60	-57	135	Gogbala	DD
NADD098	225,313	1,003,960	290	351.60	-60	135	Gogbala	DD
NADD099	225,346	1,003,965	289	300.80	-60	135	Gogbala	DD
NADD100	225,437	1,004,007	288	264.75	-60	135	Gogbala	DD
NADD101	225,420	1,004,083	290	346.00	-60	135	Gogbala	DD
NADD102	225,402	1,004,044	289	330.15	-60	135	Gogbala	DD
NADD103	225,412	1,003,982	288	275.25	-60	135	Gogbala	DD
NADD104	225,588	1,004,311	302	216.75	-60	135	Gogbala	DD
NADD105	225,692	1,004,410	299	155.35	-60	135	Gogbala	DD
<b>11 holes</b>				<b>3,244.40m</b>			<b>Sub total</b>	
<b>26 holes</b>				<b>8,021.55m</b>			<b>TOTAL</b>	<b>DD</b>

**Table 2: Significant assay results for new holes drilled at Napié<sup>12</sup>**

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
NADD078	18.60	19.40	0.80	0.125			
NADD078	19.40	20.20	0.80	0.187			
NADD078	20.20	21.10	0.90	0.502	0.90 m @ 0.50 g/t Au	0.5	
NADD078	52.70	53.70	1.00	0.127			
NADD078	53.70	54.70	1.00	0.111			
NADD078	60.70	61.55	0.85	0.464	0.85 m @ 0.46 g/t Au	0.4	
NADD078	71.00	72.20	1.20	0.143			
NADD078	89.20	90.30	1.10	0.169			
NADD078	92.50	93.60	1.10	0.278	1.10 m @ 0.28 g/t Au	0.3	
NADD078	110.00	111.00	1.00	0.309	1.00 m @ 0.31 g/t Au	0.3	
NADD078	116.00	117.00	1.00	0.133			
NADD078	118.90	120.25	1.35	0.739	1.35 m @ 0.74 g/t Au	1.0	
NADD078	134.00	135.00	1.00	0.375	1.00 m @ 0.38 g/t Au	0.4	
NADD078	135.00	136.00	1.00	0.162			
NADD078	173.00	173.75	0.75	0.245	0.75 m @ 0.24 g/t Au	0.2	
NADD078	183.00	184.00	1.00	0.245	1.00 m @ 0.24 g/t Au	0.2	
NADD078	198.40	199.50	1.10	0.118			
NADD078	208.00	209.00	1.00	0.281	1.00 m @ 0.28 g/t Au	0.3	
NADD078	211.00	212.00	1.00	0.165			
NADD078	212.00	213.00	1.00	0.275	1.00 m @ 0.28 g/t Au	0.3	
NADD078	227.00	228.00	1.00	0.533	4.10 m @ 0.52 g/t Au	2.1	
NADD078	228.00	229.00	1.00	0.573			
NADD078	229.00	230.00	1.00	0.331			
NADD078	230.00	231.10	1.10	0.640			
NADD078	231.10	232.20	1.10	0.184			
NADD078	254.80	255.90	1.10	0.111			
NADD078	278.00	279.00	1.00	0.364	1.00 m @ 0.36 g/t Au	0.4	
NADD078	281.00	282.15	1.15	0.287	1.15 m @ 0.29 g/t Au	0.3	
NADD078	307.80	308.90	1.10	0.116			
NADD078	311.00	312.00	1.00	0.378	5.40 m @ 0.24 g/t Au	1.3	
NADD078	312.00	313.10	1.10	0.116			
NADD078	313.10	314.20	1.10	0.203			
NADD078	314.20	315.30	1.10	0.193			
NADD078	315.30	316.40	1.10	0.330			
NADD078	320.80	321.90	1.10	0.635	2.20 m @ 1.49 g/t Au	3.3	
NADD078	321.90	323.00	1.10	<b>2.339</b>			1.10 m @ 2.34 g/t Au
NADD078	329.00	330.00	1.00	0.198			
NADD078	330.00	331.00	1.00	<b>2.257</b>	1.00 m @ 2.26 g/t Au	2.3	1.00 m @ 2.26 g/t Au
NADD078	331.00	332.00	1.00	0.148			
NADD078	339.30	340.25	0.95	0.189			
NADD079	63.00	64.00	1.00	0.135			
NADD079	208.00	209.10	1.10	0.159			
NADD079	211.30	212.30	1.00	0.433	1.00 m @ 0.43 g/t Au	0.4	
NADD079	238.70	239.70	1.00	0.100			

<sup>12</sup> 0.2 g/t Au cut off used with 3m internal dilution and no top cut applied

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au		
NADD079	242.60	243.70	1.10	0.155					
NADD079	263.40	264.50	1.10	<b>1.501</b>	<b>20.60 m @ 0.36 g/t Au</b>	<b>7.5</b>	<b>1.10 m @ 1.50 g/t Au</b>		
NADD079	264.50	265.50	1.00	0.055					
NADD079	265.50	266.40	0.90	0.170					
NADD079	266.40	267.40	1.00	0.378					
NADD079	267.40	268.40	1.00	0.458					
NADD079	268.40	269.40	1.00	0.015					
NADD079	269.40	270.30	0.90	0.079					
NADD079	270.30	271.15	0.85	0.018					
NADD079	271.15	272.15	1.00	0.572					
NADD079	272.15	272.75	0.60	0.584					
NADD079	272.75	273.30	0.55	0.394					
NADD079	273.30	274.20	0.90	0.015					
NADD079	274.20	275.00	0.80	0.008					
NADD079	275.00	276.00	1.00	0.022					
NADD079	276.00	277.00	1.00	0.271					
NADD079	277.00	278.00	1.00	0.224					
NADD079	278.00	279.00	1.00	0.578					
NADD079	279.00	280.00	1.00	<b>1.014</b>					<b>1.00 m @ 1.01 g/t Au</b>
NADD079	280.00	281.00	1.00	0.791					
NADD079	281.00	282.00	1.00	0.018					
NADD079	282.00	283.00	1.00	0.041					
NADD079	283.00	284.00	1.00	0.593					
NADD079	284.00	285.00	1.00	0.182					
NADD079	313.00	314.00	1.00	0.199					
NADD079	324.40	325.20	0.80	0.144					
NADD079	326.00	327.00	1.00	0.117					
NADD079	327.00	328.00	1.00	0.305	<b>3.00 m @ 0.56 g/t Au</b>	<b>1.7</b>			
NADD079	328.00	329.00	1.00	0.843					
NADD079	329.00	330.00	1.00	0.523					
NADD079	333.40	334.30	0.90	0.791	<b>0.90 m @ 0.79 g/t Au</b>	<b>0.7</b>			
NADD081	95.00	96.00	1.00	0.542	<b>1.00 m @ 0.54 g/t Au</b>	<b>0.5</b>			
NADD081	126.00	127.00	1.00	0.120					
NADD081	137.00	138.00	1.00	0.173					
NADD081	140.80	141.60	0.80	0.190					
NADD081	141.60	142.70	1.10	0.100					
NADD081	158.00	159.00	1.00	0.112					
NADD081	165.40	166.50	1.10	0.208	<b>3.10 m @ 0.34 g/t Au</b>	<b>1.0</b>			
NADD081	166.50	167.50	1.00	0.327					
NADD081	167.50	168.50	1.00	0.487					
NADD081	176.00	177.00	1.00	0.152					
NADD081	214.50	215.50	1.00	0.252	<b>3.00 m @ 0.51 g/t Au</b>	<b>1.5</b>			
NADD081	215.50	216.50	1.00	0.621					
NADD081	216.50	217.50	1.00	0.644					
NADD081	221.50	222.50	1.00	0.149					
NADD081	246.00	247.00	1.00	0.107					
NADD081	248.90	249.60	0.70	<b>1.204</b>	<b>1.35 m @ 1.13 g/t Au</b>	<b>1.5</b>	<b>1.35 m @ 1.13 g/t Au</b>		
NADD081	249.60	250.25	0.65	<b>1.055</b>					
NADD081	271.00	272.00	1.00	0.228	<b>1.00 m @ 0.23 g/t Au</b>	<b>0.2</b>			
NADD081	272.00	273.00	1.00	0.106					

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
NADD081	277.00	278.00	1.00	0.156			
NADD081	287.00	288.00	1.00	0.108			
NADD081	288.00	289.00	1.00	0.189			
NADD081	291.00	292.00	1.00	0.301	1.00 m @ 0.30 g/t Au	0.3	
NADD081	295.00	296.00	1.00	0.173			
NADD081	297.00	298.00	1.00	0.207	2.00 m @ 0.28 g/t Au	0.6	
NADD081	298.00	299.00	1.00	0.359			
NADD081	299.00	300.00	1.00	0.113			
NADD081	313.45	314.45	1.00	0.117			
NADD081	314.45	315.45	1.00	<b>9.747</b>	<b>1.00 m @ 9.75 g/t Au</b>	<b>9.7</b>	<b>1.00 m @ 9.75 g/t Au</b>
NADD081	315.45	316.45	1.00	0.184			
NADD081	317.40	318.50	1.10	0.110			
NADD081	325.60	326.70	1.10	0.121			
NADD081	327.80	328.90	1.10	0.106			
NADD081	331.00	332.00	1.00	0.234	1.00 m @ 0.23 g/t Au	0.2	
NADD081	333.00	334.10	1.10	0.313	1.10 m @ 0.31 g/t Au	0.3	
NADD081	337.55	338.60	1.05	0.258	1.05 m @ 0.26 g/t Au	0.3	
NADD081	338.60	339.70	1.10	0.198			
NADD081	339.70	340.80	1.10	0.142			
NADD081	341.90	343.00	1.10	0.184			
NADD081	348.00	349.00	1.00	0.441	1.00 m @ 0.44 g/t Au	0.4	
NADD081	358.50	359.40	0.90	0.300	0.90 m @ 0.30 g/t Au	0.3	
NADD082	53.30	54.60	1.30	0.174			
NADD082	77.00	78.00	1.00	0.193			
NADD082	78.00	79.00	1.00	0.187			
NADD082	110.00	111.00	1.00	0.207	1.00 m @ 0.21 g/t Au	0.2	
NADD082	111.00	112.00	1.00	0.196			
NADD082	113.00	114.00	1.00	0.175			
NADD082	145.00	146.00	1.00	0.132			
NADD082	149.30	150.00	0.70	0.211	0.70 m @ 0.21 g/t Au	0.1	
NADD082	151.00	152.00	1.00	0.397			
NADD082	152.00	153.00	1.00	0.287	6.00 m @ 0.20 g/t Au	1.2	
NADD082	153.00	154.00	1.00	0.102			
NADD082	154.00	155.00	1.00	0.041			
NADD082	155.00	156.00	1.00	0.145			
NADD082	156.00	157.00	1.00	0.231			
NADD082	162.00	163.00	1.00	0.451	3.00 m @ 0.25 g/t Au	0.7	
NADD082	163.00	164.00	1.00	0.081			
NADD082	164.00	165.00	1.00	0.209			
NADD082	168.20	169.00	0.80	0.104			
NADD082	181.45	182.00	0.55	0.333			
NADD082	182.00	183.00	1.00	0.623	3.55 m @ 1.41 g/t Au	5.0	1.40 m @ 2.84 g/t Au
NADD082	183.00	184.40	1.40	<b>2.841</b>			
NADD082	184.40	185.00	0.60	0.357			
NADD082	190.00	191.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
NADD082	211.00	212.00	1.00	0.181			
NADD082	219.00	220.00	1.00	0.111			
NADD082	221.00	222.00	1.00	0.314	1.00 m @ 0.31 g/t Au	0.3	
NADD082	222.00	223.00	1.00	0.131			
NADD082	224.00	225.00	1.00	0.162			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
NADD082	227.00	228.00	1.00	0.633	4.40 m @ 0.35 g/t Au	1.5	
NADD082	228.00	229.00	1.00	0.228			
NADD082	229.00	230.00	1.00	0.083			
NADD082	230.00	231.40	1.40	0.425			
NADD082	235.00	236.00	1.00	0.169			
NADD082	239.00	240.00	1.00	0.591	1.00 m @ 0.59 g/t Au	0.6	
NADD082	244.00	245.00	1.00	0.119			
NADD082	245.00	246.00	1.00	0.320	3.00 m @ 0.20 g/t Au	0.6	
NADD082	246.00	247.00	1.00	0.019			
NADD082	247.00	248.00	1.00	0.265			
NADD082	248.00	249.00	1.00	0.104			
NADD082	253.80	255.00	1.20	0.234	1.20 m @ 0.23 g/t Au	0.3	
NADD082	277.00	278.00	1.00	0.115			
NADD082	289.00	290.00	1.00	0.101			
NADD082	330.00	331.00	1.00	0.709	4.00 m @ 1.20 g/t Au	4.8	1.00 m @ 3.46 g/t Au
NADD082	331.00	332.00	1.00	<b>3.455</b>			
NADD082	332.00	333.00	1.00	0.433			
NADD082	333.00	334.00	1.00	0.218			
NADD082	363.50	365.00	1.50	0.202	2.50 m @ 0.23 g/t Au	0.6	
NADD082	365.00	366.00	1.00	0.279			
NADD082	401.00	402.00	1.00	0.106			
NADD082	406.00	407.00	1.00	0.542	5.00 m @ 0.21 g/t Au	1.0	
NADD082	407.00	408.00	1.00	0.068			
NADD082	408.00	409.00	1.00	0.079			
NADD082	409.00	410.00	1.00	0.008			
NADD082	410.00	411.00	1.00	0.333			
NADD082	416.20	417.00	0.80	0.287	0.80 m @ 0.29 g/t Au	0.2	
NADD082	422.00	423.00	1.00	0.182			
NADD082	425.00	426.00	1.00	0.287	3.00 m @ 0.23 g/t Au	0.7	
NADD082	426.00	427.00	1.00	0.191			
NADD082	427.00	428.00	1.00	0.202			
NADD082	428.00	429.50	1.50	0.168			
NADD082	432.00	433.00	1.00	0.344	1.00 m @ 0.34 g/t Au	0.3	
NADD082	438.00	439.00	1.00	0.790	1.00 m @ 0.79 g/t Au	0.8	
NADD082	447.00	448.00	1.00	0.120			
NADD083	16.50	17.50	1.00	0.256	1.00 m @ 0.26 g/t Au	0.3	
NADD083	58.00	59.00	1.00	0.100			
NADD083	66.40	67.40	1.00	<b>1.241</b>	1.00 m @ 1.24 g/t Au	1.2	1.00 m @ 1.24 g/t Au
NADD083	76.30	77.10	0.80	0.298	0.80 m @ 0.30 g/t Au	0.2	
NADD083	79.00	80.00	1.00	0.327	1.00 m @ 0.33 g/t Au	0.3	
NADD083	93.00	94.00	1.00	0.448	1.00 m @ 0.45 g/t Au	0.4	
NADD083	121.90	123.00	1.10	0.142			
NADD083	142.00	143.00	1.00	0.126	4.00 m @ 0.74 g/t Au	2.9	1.10 m @ 1.54 g/t Au
NADD083	143.00	144.00	1.00	0.217			
NADD083	144.00	145.00	1.00	0.337			
NADD083	145.00	146.10	1.10	<b>1.542</b>			
NADD083	146.10	147.00	0.90	0.769			
NADD083	163.00	164.00	1.00	0.156			
NADD083	171.00	171.70	0.70	0.497	0.70 m @ 0.50 g/t Au	0.3	
NADD083	177.00	178.00	1.00	0.156			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au			
NADD083	192.00	193.00	1.00	0.332	3.00 m @ 0.28 g/t Au	0.8				
NADD083	193.00	194.00	1.00	0.230						
NADD083	194.00	195.00	1.00	0.288						
NADD083	237.00	238.00	1.00	0.314	5.00 m @ 0.29 g/t Au	1.5				
NADD083	238.00	239.00	1.00	0.088						
NADD083	239.00	240.00	1.00	0.356						
NADD083	240.00	241.00	1.00	0.204						
NADD083	241.00	242.00	1.00	0.508						
NADD083	247.00	248.00	1.00	0.663	1.00 m @ 0.66 g/t Au	0.7				
NADD083	253.00	254.00	1.00	0.140						
NADD083	263.00	263.70	0.70	0.209	0.70 m @ 0.21 g/t Au	0.1				
NADD083	268.20	269.00	0.80	0.284	1.80 m @ 0.37 g/t Au	0.7				
NADD083	269.00	270.00	1.00	0.447						
NADD083	285.00	286.00	1.00	0.415	1.00 m @ 0.41 g/t Au	0.4				
NADD083	291.00	292.00	1.00	0.157						
NADD083	292.00	293.00	1.00	0.142						
NADD084	9.65	10.75	1.10	0.307	1.10 m @ 0.31 g/t Au	0.3				
NADD084	13.50	14.70	1.20	0.521	2.40 m @ 0.49 g/t Au	1.2				
NADD084	14.70	15.90	1.20	0.463						
NADD084	35.00	36.00	1.00	<b>1.143</b>	1.00 m @ 1.14 g/t Au	1.1	<b>1.00 m @ 1.14 g/t Au</b>			
NADD084	40.00	41.00	1.00	0.103						
NADD084	64.40	65.10	0.70	0.448	0.70 m @ 0.45 g/t Au	0.3				
NADD084	70.00	71.50	1.50	0.104						
NADD084	71.50	72.50	1.00	0.449	3.50 m @ 0.20 g/t Au	0.7				
NADD084	72.50	73.00	0.50	0.008						
NADD084	73.00	74.00	1.00	0.008						
NADD084	74.00	75.00	1.00	0.249						
NADD084	82.00	83.00	1.00	0.251						
NADD084	83.00	84.00	1.00	0.248	7.00 m @ 0.56 g/t Au	3.9				
NADD084	84.00	85.00	1.00	0.124						
NADD084	85.00	86.00	1.00	0.147						
NADD084	86.00	87.00	1.00	0.814						
NADD084	87.00	88.00	1.00	0.138						
NADD084	88.00	89.00	1.00	<b>2.166</b>						
NADD084	97.25	98.50	1.25	<b>1.000</b>	1.25 m @ 1.00 g/t Au	1.3		<b>1.25 m @ 1.00 g/t Au</b>		
NADD084	104.70	106.00	1.30	0.128						
NADD084	106.00	107.00	1.00	0.256	15.70 m @ 0.26 g/t Au	4.1				
NADD084	107.00	108.00	1.00	0.086						
NADD084	108.00	109.00	1.00	0.202						
NADD084	109.00	110.00	1.00	0.221						
NADD084	110.00	111.00	1.00	0.401						
NADD084	111.00	112.00	1.00	0.084						
NADD084	112.00	113.00	1.00	0.035						
NADD084	113.00	114.00	1.00	0.335						
NADD084	114.00	115.00	1.00	0.272						
NADD084	115.00	116.00	1.00	0.070						
NADD084	116.00	117.00	1.00	0.033						
NADD084	117.00	118.50	1.50	0.272						
NADD084	118.50	119.50	1.00	<b>1.019</b>						<b>1.00 m @ 1.02 g/t Au</b>
NADD084	119.50	120.50	1.00	0.171						

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
NADD084	120.50	121.70	1.20	0.448			
NADD084	121.70	123.00	1.30	0.111			
NADD084	123.00	124.00	1.00	0.136			
NADD084	124.00	125.00	1.00	0.166			
NADD084	125.00	126.00	1.00	0.107			
NADD084	126.00	127.00	1.00	0.170			
NADD084	127.00	128.00	1.00	0.148			
NADD084	131.00	132.00	1.00	0.159			
NADD084	138.00	139.00	1.00	0.158			
NADD084	139.00	140.00	1.00	0.466	1.00 m @ 0.47 g/t Au	0.5	
NADD084	143.00	144.00	1.00	0.108			
NADD084	148.00	149.00	1.00	0.137			
NADD084	149.00	150.00	1.00	0.447			
NADD084	150.00	150.80	0.80	0.070	4.00 m @ 0.48 g/t Au	1.9	
NADD084	150.80	152.00	1.20	0.886			
NADD084	152.00	153.00	1.00	0.358			
NADD084	158.00	159.00	1.00	0.125			
NADD084	162.00	163.00	1.00	0.120			
NADD084	164.00	165.10	1.10	0.532	1.10 m @ 0.53 g/t Au	0.6	
NADD084	171.00	172.00	1.00	0.195			
NADD084	174.00	175.00	1.00	0.124			
NADD084	176.00	177.00	1.00	0.182			
NADD084	178.00	179.00	1.00	0.224	1.00 m @ 0.22 g/t Au	0.2	
NADD084	187.00	188.00	1.00	0.645	1.00 m @ 0.65 g/t Au	0.6	
NADD084	191.00	192.00	1.00	0.202	1.00 m @ 0.20 g/t Au	0.2	
NADD084	195.10	196.20	1.10	0.109			
NADD084	198.40	199.50	1.10	0.854			
NADD084	199.50	200.50	1.00	0.686			
NADD084	200.50	201.50	1.00	<b>8.279</b>			1.00 m @ 8.28 g/t Au
NADD084	201.50	202.50	1.00	0.039			
NADD084	202.50	203.50	1.00	0.317			
NADD084	203.50	204.50	1.00	0.278			
NADD084	204.50	205.30	0.80	0.149			
NADD084	205.30	206.00	0.70	0.685			
NADD084	206.00	207.00	1.00	<b>1.015</b>			1.00 m @ 1.01 g/t Au
NADD084	207.00	208.00	1.00	0.290			
NADD084	208.00	209.00	1.00	0.123	21.60 m @ 0.85 g/t Au	18.4	
NADD084	209.00	210.00	1.00	0.127			
NADD084	210.00	211.00	1.00	0.467			
NADD084	211.00	212.00	1.00	0.593			
NADD084	212.00	213.00	1.00	0.310			
NADD084	213.00	213.80	0.80	0.462			
NADD084	213.80	214.80	1.00	<b>1.972</b>			1.00 m @ 1.97 g/t Au
NADD084	214.80	215.80	1.00	0.320			
NADD084	215.80	216.65	0.85	0.388			
NADD084	216.65	217.80	1.15	0.511			
NADD084	217.80	219.00	1.20	0.138			
NADD084	219.00	220.00	1.00	0.606			
NADD084	225.00	226.00	1.00	0.818			
NADD084	226.00	227.00	1.00	0.052	7.00 m @ 0.34 g/t Au	2.4	

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
NADD084	227.00	228.00	1.00	0.008			
NADD084	228.00	229.00	1.00	0.114			
NADD084	229.00	230.00	1.00	0.225			
NADD084	230.00	231.00	1.00	0.082			
NADD084	231.00	232.00	1.00	<b>1.071</b>			<b>1.00 m @ 1.07 g/t Au</b>
NADD084	232.00	233.00	1.00	0.102			
NADD084	233.00	234.00	1.00	0.127			
NADD085	7.50	8.34	0.84	0.152			
NADD085	83.00	84.00	1.00	0.482	1.00 m @ 0.48 g/t Au	0.5	
NADD085	103.00	104.00	1.00	0.254	1.00 m @ 0.25 g/t Au	0.3	
NADD085	153.00	154.00	1.00	0.203			
NADD085	154.00	155.15	1.15	0.157			
NADD085	155.15	156.00	0.85	<b>1.294</b>			
NADD085	156.00	157.00	1.00	0.737			<b>3.85 m @ 1.00 g/t Au</b>
NADD085	157.00	158.00	1.00	0.280			
NADD085	158.00	159.00	1.00	<b>1.735</b>			
NADD085	159.00	160.00	1.00	0.606	<b>13.00 m @ 1.00 g/t Au</b>	<b>13.0</b>	
NADD085	160.00	161.00	1.00	<b>3.508</b>			<b>2.50 m @ 2.68 g/t Au</b>
NADD085	161.00	162.50	1.50	<b>2.124</b>			
NADD085	162.50	163.00	0.50	0.379			
NADD085	163.00	164.00	1.00	0.086			
NADD085	164.00	165.00	1.00	0.925			
NADD085	165.00	166.00	1.00	0.236			
NADD085	182.50	183.70	1.20	0.138			
NADD086	44.00	45.00	1.00	0.216			
NADD086	45.00	46.00	1.00	0.273	3.00 m @ 0.43 g/t Au	1.3	
NADD086	46.00	47.00	1.00	0.807			
NADD086	48.00	49.00	1.00	0.134			
NADD086	69.00	70.00	1.00	0.104			
NADD086	70.00	71.00	1.00	0.319	2.00 m @ 0.42 g/t Au	0.8	
NADD086	71.00	72.00	1.00	0.513			
NADD086	87.00	88.00	1.00	<b>1.146</b>	1.00 m @ 1.15 g/t Au	1.1	<b>1.00 m @ 1.15 g/t Au</b>
NADD086	148.00	149.00	1.00	0.317	1.00 m @ 0.32 g/t Au	0.3	
NADD086	158.00	159.00	1.00	0.106			
NADD086	159.00	160.00	1.00	0.172			
NADD086	160.00	161.00	1.00	0.129			
NADD087	0.00	1.00	1.00	0.132			
NADD087	1.00	2.10	1.10	0.136			
NADD087	4.00	5.25	1.25	0.142			
NADD087	7.50	9.00	1.50	0.377			
NADD087	9.00	10.00	1.00	0.038	4.50 m @ 0.32 g/t Au	1.4	
NADD087	10.00	11.00	1.00	0.132			
NADD087	11.00	12.00	1.00	0.691			
NADD087	12.00	13.00	1.00	0.132			
NADD087	13.00	14.00	1.00	0.147			
NADD087	19.50	20.50	1.00	0.568	1.00 m @ 0.57 g/t Au	0.6	
NADD087	22.50	23.50	1.00	0.106			
NADD087	38.00	39.00	1.00	0.117			
NADD087	63.00	64.00	1.00	0.198			
NADD087	73.00	74.10	1.10	0.320	1.10 m @ 0.32 g/t Au	0.4	

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
NADD087	84.00	85.00	1.00	0.142			
NADD087	90.00	91.00	1.00	0.372	1.00 m @ 0.37 g/t Au	0.4	
NADD087	96.00	97.00	1.00	0.920	1.00 m @ 0.92 g/t Au	0.9	
NADD087	111.00	112.00	1.00	0.279	1.00 m @ 0.28 g/t Au	0.3	
NADD087	121.60	122.70	1.10	0.531	2.20 m @ 0.45 g/t Au	1.0	
NADD087	122.70	123.80	1.10	0.363			
NADD087	133.25	134.40	1.15	0.808	2.35 m @ 0.55 g/t Au	1.3	
NADD087	134.40	135.60	1.20	0.301			
NADD087	139.00	140.00	1.00	<b>2.362</b>	<b>3.75 m @ 1.48 g/t Au</b>	<b>5.6</b>	<b>2.00 m @ 2.46 g/t Au</b>
NADD087	140.00	141.00	1.00	<b>2.551</b>			
NADD087	141.00	142.00	1.00	0.293			
NADD087	142.00	142.75	0.75	0.472			
NADD087	155.00	156.00	1.00	0.164	<b>14.50 m @ 1.03 g/t Au</b>	<b>14.9</b>	
NADD087	158.00	159.00	1.00	0.406			
NADD087	159.00	160.00	1.00	0.317			
NADD087	160.00	161.00	1.00	0.307			
NADD087	161.00	162.00	1.00	0.081			
NADD087	162.00	163.00	1.00	<b>1.395</b>			
NADD087	163.00	164.00	1.00	<b>1.340</b>			<b>4.10 m @ 2.13 g/t Au</b>
NADD087	164.00	165.00	1.00	0.546			
NADD087	165.00	166.10	1.10	<b>4.949</b>			
NADD087	166.10	167.20	1.10	0.118			
NADD087	167.20	168.30	1.10	<b>1.756</b>			<b>2.20 m @ 1.67 g/t Au</b>
NADD087	168.30	169.40	1.10	<b>1.589</b>			
NADD087	169.40	170.70	1.30	0.255			
NADD087	170.70	171.80	1.10	0.674	<b>3.30 m @ 1.18 g/t Au</b>	<b>3.9</b>	
NADD087	171.80	172.50	0.70	0.306			
NADD087	180.50	181.50	1.00	0.117	1.00 m @ 0.22 g/t Au	0.2	
NADD087	181.50	182.50	1.00	0.221			
NADD087	186.50	187.50	1.00	0.105	2.00 m @ 0.75 g/t Au	1.5	
NADD087	191.65	193.00	1.35	0.179			
NADD087	204.00	205.00	1.00	0.871	1.00 m @ 0.22 g/t Au	0.2	
NADD087	205.00	206.00	1.00	0.632			
NADD087	215.00	216.00	1.00	0.222	<b>6.25 m @ 0.64 g/t Au</b>	<b>4.0</b>	
NADD087	216.00	217.00	1.00	0.136			
NADD087	226.60	227.70	1.10	0.143			
NADD087	227.70	228.80	1.10	0.287			
NADD087	228.80	229.90	1.10	0.750	<b>3.30 m @ 1.18 g/t Au</b>	<b>3.9</b>	
NADD087	229.90	231.00	1.10	<b>2.506</b>			<b>1.10 m @ 2.51 g/t Au</b>
NADD087	234.90	236.00	1.10	<b>2.333</b>	<b>6.30 m @ 0.41 g/t Au</b>	<b>2.6</b>	<b>1.10 m @ 2.33 g/t Au</b>
NADD087	236.00	237.00	1.00	0.053			
NADD087	237.00	238.00	1.00	0.206			
NADD087	238.00	239.00	1.00	0.552			
NADD087	239.00	240.00	1.00	0.008			
NADD087	240.00	241.15	1.15	0.519			
NADD087	249.70	251.00	1.30	0.527	<b>6.30 m @ 0.41 g/t Au</b>	<b>2.6</b>	
NADD087	251.00	252.00	1.00	0.172			
NADD087	252.00	253.00	1.00	0.155			
NADD087	253.00	254.00	1.00	0.131			
NADD087	254.00	255.00	1.00	<b>1.186</b>			<b>1.00 m @ 1.19 g/t Au</b>

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
NADD087	255.00	256.00	1.00	0.256			
NADD087	260.00	261.00	1.00	0.510	1.00 m @ 0.51 g/t Au	0.5	
NADD087	263.00	264.00	1.00	0.239	1.00 m @ 0.24 g/t Au	0.2	
NADD087	265.00	266.00	1.00	0.235	5.00 m @ 0.20 g/t Au	1.0	
NADD087	266.00	267.00	1.00	0.286			
NADD087	267.00	268.00	1.00	0.206			
NADD087	268.00	269.00	1.00	0.069			
NADD087	269.00	270.00	1.00	0.214			
NADD087	271.00	272.15	1.15	0.254	1.15 m @ 0.25 g/t Au	0.3	
NADD087	272.15	273.00	0.85	0.192			
NADD087	277.00	278.00	1.00	0.271	1.00 m @ 0.27 g/t Au	0.3	
NADD087	281.00	282.00	1.00	0.115	8.00 m @ 1.80 g/t Au	14.4	
NADD087	287.40	288.65	1.25	0.103			
NADD087	288.65	290.00	1.35	0.121			
NADD087	290.00	291.00	1.00	0.386			
NADD087	291.00	292.00	1.00	0.700			
NADD087	292.00	293.00	1.00	<b>1.661</b>			
NADD087	293.00	294.00	1.00	<b>3.765</b>			
NADD087	294.00	295.00	1.00	<b>2.205</b>			
NADD087	295.00	296.00	1.00	<b>1.426</b>	6.00 m @ 2.23 g/t Au		
NADD087	296.00	296.90	0.90	<b>1.821</b>			
NADD087	296.90	298.00	1.10	<b>2.413</b>			
NADD087	298.00	299.00	1.00	0.100			
NADD087	301.00	301.70	0.70	0.151			
NADD087	301.70	303.00	1.30	0.407	41.30 m @ 0.66 g/t Au	27.4	
NADD087	303.00	304.00	1.00	<b>1.310</b>			
NADD087	304.00	305.00	1.00	0.867			
NADD087	305.00	306.20	1.20	<b>2.268</b>			
NADD087	306.20	307.00	0.80	0.629			
NADD087	307.00	308.00	1.00	0.137			
NADD087	308.00	309.00	1.00	<b>1.303</b>			
NADD087	309.00	310.00	1.00	<b>4.527</b>			
NADD087	310.00	311.00	1.00	0.655			
NADD087	311.00	312.00	1.00	0.899			
NADD087	312.00	313.00	1.00	0.653			
NADD087	313.00	314.00	1.00	0.596			
NADD087	314.00	315.00	1.00	0.400			
NADD087	315.00	316.00	1.00	0.061			
NADD087	316.00	317.00	1.00	0.308			
NADD087	317.00	318.00	1.00	0.258			
NADD087	318.00	319.00	1.00	0.233			
NADD087	319.00	320.00	1.00	0.564			
NADD087	320.00	321.00	1.00	0.043			
NADD087	321.00	322.00	1.00	0.524			
NADD087	322.00	323.10	1.10	0.477			
NADD087	323.10	324.20	1.10	0.383			
NADD087	324.20	325.30	1.10	0.403			
NADD087	325.30	326.40	1.10	0.038			
NADD087	326.40	327.50	1.10	0.382			
NADD087	327.50	328.60	1.10	0.734			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
NADD087	328.60	329.70	1.10	0.962			
NADD087	329.70	330.80	1.10	<b>1.194</b>			<b>1.10 m @ 1.19 g/t Au</b>
NADD087	330.80	331.90	1.10	0.509			
NADD087	331.90	333.10	1.20	0.371			
NADD087	333.10	334.00	0.90	0.141			
NADD087	334.00	335.00	1.00	0.241			
NADD087	335.00	336.00	1.00	0.845			
NADD087	336.00	337.00	1.00	0.120			
NADD087	337.00	338.00	1.00	0.487			
NADD087	338.00	339.00	1.00	0.507			
NADD087	339.00	340.00	1.00	0.571			
NADD087	340.00	341.00	1.00	0.538			
NADD087	341.00	342.15	1.15	0.476			
NADD087	342.15	343.00	0.85	0.350			
NADD087	345.00	346.00	1.00	0.132			
NADD087	349.00	350.00	1.00	0.291			
NADD087	350.00	351.00	1.00	0.021			
NADD087	351.00	352.00	1.00	<b>1.030</b>	<b>4.00 m @ 0.44 g/t Au</b>	<b>1.8</b>	<b>1.00 m @ 1.03 g/t Au</b>
NADD087	352.00	353.00	1.00	0.431			
NADD087	356.00	357.00	1.00	0.180			
NADD087	357.00	358.00	1.00	0.597			
NADD087	358.00	359.00	1.00	0.838			
NADD087	359.00	360.00	1.00	0.172			
NADD087	360.00	361.00	1.00	0.398			
NADD087	361.00	362.00	1.00	0.148	<b>8.25 m @ 0.40 g/t Au</b>	<b>3.3</b>	
NADD087	362.00	363.00	1.00	0.452			
NADD087	363.00	364.00	1.00	0.373			
NADD087	364.00	365.25	1.25	0.237			
NADD087	368.00	369.00	1.00	0.106			
NADD087	369.00	370.00	1.00	0.135			
NADD087	370.00	371.00	1.00	0.870			
NADD087	371.00	372.00	1.00	0.742	<b>2.00 m @ 0.81 g/t Au</b>	<b>1.6</b>	
NADD087	374.00	375.00	1.00	0.107			
NADD087	380.00	381.00	1.00	0.101			
NADD087	381.00	382.00	1.00	0.299			
NADD087	382.00	383.00	1.00	0.044			
NADD087	383.00	384.00	1.00	0.250	<b>5.00 m @ 0.22 g/t Au</b>	<b>1.1</b>	
NADD087	384.00	385.00	1.00	0.162			
NADD087	385.00	386.00	1.00	0.321			
NADD087	397.00	398.00	1.00	0.114			
NADD087	404.00	405.00	1.00	0.310	<b>1.00 m @ 0.31 g/t Au</b>	<b>0.3</b>	
NADD088	1.50	3.00	1.50	0.110			
NADD088	32.00	33.00	1.00	0.590			
NADD088	33.00	34.00	1.00	0.037			
NADD088	34.00	35.00	1.00	0.041			
NADD088	35.00	36.00	1.00	0.925	<b>7.15 m @ 0.40 g/t Au</b>	<b>2.8</b>	
NADD088	36.00	37.00	1.00	0.255			
NADD088	37.00	38.00	1.00	0.451			
NADD088	38.00	39.15	1.15	0.462			
NADD088	44.50	45.50	1.00	0.132			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
NADD088	46.50	47.50	1.00	1.136	2.00 m @ 0.84 g/t Au	1.7	1.00 m @ 1.14 g/t Au
NADD088	47.50	48.50	1.00	0.547			
NADD088	49.60	50.70	1.10	0.104	17.00 m @ 0.26 g/t Au	4.4	
NADD088	50.70	51.80	1.10	0.124			
NADD088	51.80	52.90	1.10	0.172			
NADD088	52.90	54.00	1.10	0.136			
NADD088	57.00	58.00	1.00	0.196			
NADD088	66.00	67.00	1.00	0.406			
NADD088	67.00	68.00	1.00	0.220			
NADD088	68.00	69.00	1.00	0.118			
NADD088	69.00	70.00	1.00	0.103			
NADD088	70.00	71.00	1.00	0.323			
NADD088	71.00	72.00	1.00	0.008			
NADD088	72.00	73.00	1.00	0.248			
NADD088	73.00	74.00	1.00	0.127			
NADD088	74.00	75.00	1.00	0.078			
NADD088	75.00	76.00	1.00	0.054			
NADD088	76.00	77.00	1.00	0.396			
NADD088	77.00	78.00	1.00	0.221			
NADD088	78.00	79.00	1.00	0.530			
NADD088	79.00	80.00	1.00	0.043			
NADD088	80.00	81.00	1.00	0.605			
NADD088	81.00	82.00	1.00	0.365			
NADD088	82.00	83.00	1.00	0.586			
NADD088	89.00	90.00	1.00	0.210			
NADD088	90.00	91.00	1.00	0.181			
NADD088	91.00	92.00	1.00	0.131			
NADD088	92.00	93.00	1.00	0.607			
NADD088	93.00	94.00	1.00	0.207			
NADD088	94.00	95.00	1.00	0.550			
NADD088	95.00	96.00	1.00	0.172			
NADD088	96.00	97.00	1.00	0.079	8.00 m @ 0.41 g/t Au	3.2	
NADD088	97.00	98.00	1.00	0.687			
NADD088	98.00	99.00	1.00	0.032			
NADD088	99.00	100.00	1.00	0.028			
NADD088	100.00	101.00	1.00	0.307			
NADD088	101.00	102.25	1.25	0.283			
NADD088	106.00	107.00	1.00	0.473			
NADD088	107.00	108.00	1.00	0.486	1.00 m @ 0.57 g/t Au	0.6	
NADD088	108.00	109.00	1.00	0.796			
NADD088	109.00	109.80	0.80	0.528	1.00 m @ 0.81 g/t Au	0.8	
NADD088	109.80	111.00	1.20	0.008			
NADD088	111.00	112.00	1.00	0.008			
NADD088	112.00	113.00	1.00	0.328			
NADD088	113.00	114.00	1.00	0.721			
NADD088	126.00	127.00	1.00	0.573			
NADD088	129.00	130.00	1.00	0.146			
NADD088	146.00	147.00	1.00	0.169			
NADD088	149.00	150.00	1.00	0.180			
NADD088	150.00	151.00	1.00	0.807			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
NADD088	156.00	157.00	1.00	0.107			
NADD088	160.00	161.00	1.00	<b>2.104</b>	1.00 m @ 2.10 g/t Au	2.1	<b>1.00 m @ 2.10 g/t Au</b>
NADD088	183.15	184.00	0.85	<b>5.296</b>	20.00 m @ 1.34 g/t Au	26.9	<b>0.85 m @ 5.30 g/t Au</b>
NADD088	184.00	185.00	1.00	0.597			
NADD088	185.00	186.00	1.00	0.210			
NADD088	186.00	187.00	1.00	0.037			
NADD088	187.00	188.00	1.00	0.029			
NADD088	188.00	189.00	1.00	0.306			
NADD088	189.00	190.00	1.00	0.506			
NADD088	190.00	191.00	1.00	<b>1.679</b>			
NADD088	191.00	192.00	1.00	0.579			
NADD088	192.00	192.75	0.75	0.088			
NADD088	192.75	194.00	1.25	<b>1.045</b>			
NADD088	194.00	195.00	1.00	0.354			
NADD088	195.00	196.00	1.00	0.932			
NADD088	196.00	197.00	1.00	<b>5.487</b>			
NADD088	197.00	198.00	1.00	<b>2.403</b>			
NADD088	198.00	199.00	1.00	<b>3.761</b>			
NADD088	199.00	200.00	1.00	0.320			
NADD088	200.00	201.00	1.00	<b>2.360</b>			
NADD088	201.00	202.00	1.00	0.485			
NADD088	202.00	203.15	1.15	0.815			
NADD088	206.00	207.00	1.00	0.115			
NADD088	217.00	218.00	1.00	0.100			
NADD088	218.00	219.00	1.00	0.107			
NADD088	219.00	220.20	1.20	0.632	1.20 m @ 0.63 g/t Au	0.8	
NADD088	224.00	225.00	1.00	0.228	1.00 m @ 0.23 g/t Au	0.2	
NADD088	228.00	229.00	1.00	0.367	1.00 m @ 0.37 g/t Au	0.4	
NADD088	243.00	244.00	1.00	0.110			
NADD088	250.00	251.00	1.00	<b>1.737</b>	1.75 m @ 1.60 g/t Au	2.8	<b>1.75 m @ 1.60 g/t Au</b>
NADD088	251.00	251.75	0.75	<b>1.426</b>			
NADD088	259.00	260.00	1.00	0.129			
NADD088	274.00	275.00	1.00	0.198			
NADD088	285.00	286.00	1.00	0.136			
NADD088	292.00	293.00	1.00	0.191			
NADD088	296.00	297.00	1.00	0.622	1.00 m @ 0.62 g/t Au	0.6	
NADD088	297.00	298.00	1.00	0.102			
NADD088	307.30	308.30	1.00	0.175			
NADD088	308.30	309.30	1.00	<b>1.063</b>	1.00 m @ 1.06 g/t Au	1.1	<b>1.00 m @ 1.06 g/t Au</b>
NADD088	313.00	314.00	1.00	0.191			
NADD088	328.00	329.00	1.00	0.116			
NADD088	333.00	334.00	1.00	0.157			
NADD088	337.90	339.00	1.10	<b>1.249</b>	2.30 m @ 1.23 g/t Au	2.8	<b>2.30 m @ 1.23 g/t Au</b>
NADD088	339.00	340.20	1.20	<b>1.214</b>			
NADD088	356.00	357.00	1.00	0.195			
NADD088	359.00	360.00	1.00	0.233	1.00 m @ 0.23 g/t Au	0.2	
NADD089	1.00	2.00	1.00	0.100			
NADD089	4.00	5.00	1.00	0.122			
NADD089	28.00	29.00	1.00	0.530	4.00 m @ 0.66 g/t Au	2.6	
NADD089	29.00	30.00	1.00	0.008			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
NADD089	30.00	31.00	1.00	0.029			
NADD089	31.00	32.00	1.00	<b>2.079</b>			1.00 m @ 2.08 g/t Au
NADD089	32.00	33.00	1.00	0.132			
NADD089	38.00	39.00	1.00	<b>4.539</b>	1.00 m @ 4.54 g/t Au	4.5	1.00 m @ 4.54 g/t Au
NADD089	40.00	41.00	1.00	0.196			
NADD089	43.60	44.60	1.00	0.119			
NADD089	55.00	56.00	1.00	0.222	1.00 m @ 0.22 g/t Au	0.2	
NADD089	61.00	62.00	1.00	0.175			
NADD089	71.00	72.00	1.00	0.120			
NADD089	72.00	73.00	1.00	0.375			
NADD089	73.00	74.00	1.00	0.089	3.00 m @ 0.26 g/t Au	0.8	
NADD089	74.00	75.00	1.00	0.325			
NADD089	76.00	77.00	1.00	0.182			
NADD089	81.00	82.00	1.00	0.484	1.00 m @ 0.48 g/t Au	0.5	
NADD089	82.00	83.00	1.00	0.113			
NADD089	85.00	86.00	1.00	0.120			
NADD089	86.00	87.00	1.00	0.235	1.00 m @ 0.23 g/t Au	0.2	
NADD089	93.70	95.00	1.30	0.374	1.30 m @ 0.37 g/t Au	0.5	
NADD089	112.00	113.00	1.00	0.801			
NADD089	113.00	114.00	1.00	0.053	3.00 m @ 0.36 g/t Au	1.1	
NADD089	114.00	115.00	1.00	0.229			
NADD089	118.60	120.00	1.40	0.146			
NADD089	120.00	121.40	1.40	0.431	1.40 m @ 0.43 g/t Au	0.6	
NADD089	176.10	177.00	0.90	<b>1.720</b>			
NADD089	177.00	178.00	1.00	<b>3.023</b>			
NADD089	178.00	179.00	1.00	<b>1.767</b>			
NADD089	179.00	180.00	1.00	0.576			
NADD089	180.00	181.00	1.00	<b>2.461</b>			
NADD089	181.00	182.00	1.00	<b>33.854</b>			
NADD089	182.00	183.00	1.00	0.396			
NADD089	183.00	184.20	1.20	0.043			
NADD089	184.20	185.70	1.50	0.339			
NADD089	185.70	187.00	1.30	0.916	18.90 m @ 2.59 g/t Au	48.9	
NADD089	187.00	188.00	1.00	0.197			
NADD089	188.00	189.00	1.00	0.097			
NADD089	189.00	190.00	1.00	<b>1.246</b>			
NADD089	190.00	191.00	1.00	<b>1.464</b>			2.00 m @ 1.35 g/t Au
NADD089	191.00	192.00	1.00	0.088			
NADD089	192.00	193.00	1.00	0.026			
NADD089	193.00	194.00	1.00	0.112			
NADD089	194.00	195.00	1.00	0.317			
NADD089	195.00	196.00	1.00	0.137			
NADD089	200.00	201.00	1.00	0.469			
NADD089	201.00	202.00	1.00	0.585	2.00 m @ 0.53 g/t Au	1.1	
NADD089	202.00	203.00	1.00	0.127			
NADD089	208.00	209.00	1.00	0.137			
NADD089	209.00	210.00	1.00	0.417			
NADD089	210.00	211.00	1.00	0.665	2.00 m @ 0.54 g/t Au	1.1	
NADD089	216.00	217.00	1.00	0.133			
NADD089	219.00	220.00	1.00	0.137			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
NADD089	227.00	228.00	1.00	0.404	2.00 m @ 0.32 g/t Au	0.6	
NADD089	228.00	229.00	1.00	0.234			
NADD089	230.30	231.60	1.30	0.108			
NADD089	233.00	234.00	1.00	0.407	1.00 m @ 0.41 g/t Au	0.4	
NADD089	234.00	235.00	1.00	0.130			
NADD089	244.00	245.00	1.00	0.381	1.00 m @ 0.38 g/t Au	0.4	
NADD089	249.40	250.00	0.60	0.454	0.60 m @ 0.45 g/t Au	0.3	
NADD089	255.00	256.20	1.20	0.347	2.70 m @ 2.24 g/t Au	6.1	1.50 m @ 3.76 g/t Au
NADD089	256.20	257.70	1.50	3.762			
NADD089	261.00	262.00	1.00	0.107	4.00 m @ 0.26 g/t Au	1.0	
NADD089	264.00	265.00	1.00	0.123			
NADD089	265.00	266.00	1.00	0.450			
NADD089	266.00	267.00	1.00	0.032			
NADD089	267.00	268.00	1.00	0.344			
NADD089	268.00	269.00	1.00	0.200			
NADD089	269.00	270.00	1.00	0.146	2.30 m @ 0.32 g/t Au	0.7	
NADD089	276.00	277.00	1.00	0.126			
NADD089	277.00	278.00	1.00	0.131			
NADD089	303.70	305.00	1.30	0.381			
NADD089	305.00	306.00	1.00	0.242			
NADD089	306.00	307.00	1.00	0.140			
NADD089	307.00	308.00	1.00	0.102	5.00 m @ 0.25 g/t Au	1.3	
NADD089	310.00	311.00	1.00	0.153			
NADD089	322.00	323.00	1.00	0.133			
NADD089	327.00	328.00	1.00	0.120			
NADD089	328.00	328.70	0.70	0.110			
NADD089	330.00	331.00	1.00	0.274			
NADD089	331.00	332.00	1.00	0.169	3.00 m @ 0.55 g/t Au	1.7	
NADD089	332.00	333.00	1.00	0.439			
NADD089	333.00	334.00	1.00	0.156			
NADD089	334.00	335.00	1.00	0.225	0.90 m @ 0.43 g/t Au	0.4	
NADD089	336.00	337.00	1.00	0.111			
NADD089	343.00	344.00	1.00	0.529			
NADD089	344.00	345.00	1.00	0.513	2.50 m @ 0.26 g/t Au	0.6	
NADD089	345.00	346.00	1.00	0.609			
NADD090	0.00	1.00	1.00	0.105	1.55 m @ 0.24 g/t Au	0.4	
NADD090	6.00	6.90	0.90	0.433			
NADD090	7.50	9.00	1.50	0.296	1.75 m @ 1.52 g/t Au	2.7	0.75 m @ 2.79 g/t Au
NADD090	9.00	10.00	1.00	0.204			
NADD090	11.00	12.20	1.20	0.120	5.00 m @ 0.24 g/t Au	1.2	
NADD090	12.20	13.75	1.55	0.237			
NADD090	16.25	17.00	0.75	2.791			
NADD090	17.00	18.00	1.00	0.572			
NADD090	22.50	23.50	1.00	0.282			
NADD090	23.50	24.50	1.00	0.493	8.00 m @ 0.52 g/t Au	4.2	1.00 m @ 1.84 g/t Au
NADD090	24.50	25.50	1.00	0.181			
NADD090	25.50	26.50	1.00	0.047			
NADD090	26.50	27.50	1.00	0.208			
NADD090	27.50	28.60	1.10	0.127			
NADD090	38.00	39.00	1.00	1.838			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
NADD090	39.00	40.00	1.00	0.156			
NADD090	40.00	41.00	1.00	0.008			
NADD090	41.00	42.00	1.00	0.246			
NADD090	42.00	43.00	1.00	0.053			
NADD090	43.00	44.00	1.00	0.370			
NADD090	44.00	45.00	1.00	0.802			
NADD090	45.00	46.00	1.00	0.697			
NADD090	46.00	47.00	1.00	0.172			
NADD090	50.00	51.00	1.00	0.144			
NADD090	55.00	56.30	1.30	<b>1.421</b>	1.30 m @ 1.42 g/t Au	1.8	<b>1.30 m @ 1.42 g/t Au</b>
NADD090	67.00	68.00	1.00	0.198			
NADD090	69.00	70.00	1.00	0.108			
NADD090	79.00	80.00	1.00	0.947	1.00 m @ 0.95 g/t Au	0.9	
NADD090	84.10	85.00	0.90	0.158			
NADD090	86.00	87.00	1.00	0.758			
NADD090	87.00	88.00	1.00	0.215	<b>4.00 m @ 0.71 g/t Au</b>	<b>2.8</b>	
NADD090	88.00	89.00	1.00	0.034			
NADD090	89.00	90.00	1.00	<b>1.826</b>			<b>1.00 m @ 1.83 g/t Au</b>
NADD090	106.00	107.00	1.00	0.276	1.00 m @ 0.28 g/t Au	0.3	
NADD090	116.00	117.00	1.00	<b>3.092</b>			<b>1.00 m @ 3.09 g/t Au</b>
NADD090	117.00	118.00	1.00	0.020	<b>4.00 m @ 0.83 g/t Au</b>	<b>3.3</b>	
NADD090	118.00	119.00	1.00	0.015			
NADD090	119.00	120.00	1.00	0.200			
NADD090	151.00	152.00	1.00	0.121			
NADD090	153.00	154.00	1.00	0.101			
NADD090	176.00	177.00	1.00	0.339			
NADD090	177.00	178.00	1.00	0.491			
NADD090	178.00	179.00	1.00	<b>1.158</b>	<b>5.00 m @ 1.42 g/t Au</b>	<b>7.1</b>	
NADD090	179.00	180.00	1.00	<b>4.885</b>			<b>2.00 m @ 3.02 g/t Au</b>
NADD090	180.00	181.00	1.00	0.221			
NADD090	190.00	191.00	1.00	0.112			
NADD090	198.00	198.70	0.70	0.169			
NADD090	198.70	199.70	1.00	<b>9.680</b>			
NADD090	199.70	200.60	0.90	<b>14.062</b>	<b>1.90 m @ 11.76 g/t Au</b>	<b>22.3</b>	<b>1.90 m @ 11.76 g/t Au</b>
NADD090	204.40	205.50	1.10	0.726			
NADD090	205.50	206.70	1.20	0.503	2.30 m @ 0.61 g/t Au	1.4	
NADD090	209.00	210.00	1.00	0.187			
NADD090	212.00	213.00	1.00	<b>1.099</b>			<b>1.00 m @ 1.10 g/t Au</b>
NADD090	213.00	214.00	1.00	0.035			
NADD090	214.00	215.00	1.00	0.008	<b>5.00 m @ 0.29 g/t Au</b>	1.4	
NADD090	215.00	216.00	1.00	0.071			
NADD090	216.00	217.00	1.00	0.217			
NADD090	221.85	223.00	1.15	0.549	1.15 m @ 0.55 g/t Au	0.6	
NADD090	255.00	256.00	1.00	0.182			
NADD091	0.00	1.50	1.50	0.171			
NADD091	1.50	3.00	1.50	0.222			
NADD091	3.00	4.00	1.00	0.354			
NADD091	4.00	5.00	1.00	0.036	<b>5.40 m @ 0.31 g/t Au</b>	1.7	
NADD091	5.00	6.00	1.00	0.109			
NADD091	6.00	6.90	0.90	0.913			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
NADD091	10.00	11.00	1.00	0.318	1.00 m @ 0.32 g/t Au	0.3	
NADD091	29.00	30.00	1.00	0.112			
NADD091	118.00	119.00	1.00	0.159			
NADD091	124.00	125.00	1.00	0.289	1.00 m @ 0.29 g/t Au	0.3	
NADD091	132.00	133.00	1.00	0.278	1.00 m @ 0.28 g/t Au	0.3	
NADD091	133.00	134.30	1.30	0.109			
NADD091	139.00	140.00	1.00	0.298	1.00 m @ 0.30 g/t Au	0.3	
NADD091	148.00	149.00	1.00	0.783			
NADD091	149.00	150.00	1.00	0.083	3.00 m @ 0.52 g/t Au	1.6	
NADD091	150.00	151.00	1.00	0.698			
NADD091	159.00	160.20	1.20	0.140			
NADD091	161.00	162.00	1.00	0.275	1.00 m @ 0.28 g/t Au	0.3	
NADD091	207.00	208.00	1.00	0.248	1.00 m @ 0.25 g/t Au	0.2	
NADD091	233.00	234.00	1.00	<b>10.004</b>			<b>1.00 m @ 10.00 g/t Au</b>
NADD091	234.00	235.00	1.00	0.109			
NADD091	235.00	236.00	1.00	0.248			
NADD091	236.00	237.00	1.00	0.932			
NADD091	237.00	238.00	1.00	0.587			
NADD091	238.00	239.00	1.00	0.049			
NADD091	239.00	240.00	1.00	<b>1.120</b>			<b>2.00 m @ 1.21 g/t Au</b>
NADD091	240.00	241.00	1.00	<b>1.303</b>			
NADD091	241.00	242.00	1.00	0.027			
NADD091	242.00	243.00	1.00	<b>1.319</b>			<b>3.00 m @ 4.29 g/t Au</b>
NADD091	243.00	244.00	1.00	0.008			
NADD091	244.00	245.00	1.00	<b>11.552</b>			
NADD091	245.00	246.00	1.00	0.641			
NADD091	246.00	247.00	1.00	0.343			
NADD091	247.00	248.00	1.00	0.285			
NADD091	248.00	249.00	1.00	0.455			
NADD091	249.00	250.00	1.00	<b>2.279</b>			<b>1.00 m @ 2.28 g/t Au</b>
NADD091	250.00	251.00	1.00	0.065			
NADD091	251.00	252.00	1.00	0.008			
NADD091	252.00	253.00	1.00	0.698			
NADD091	253.00	254.00	1.00	0.544			
NADD091	254.00	255.00	1.00	0.856			
NADD091	255.00	256.00	1.00	0.029			
NADD091	256.00	257.00	1.00	0.593			
NADD091	257.00	258.00	1.00	0.294			
NADD091	258.00	259.00	1.00	<b>6.533</b>			<b>1.00 m @ 6.53 g/t Au</b>
NADD091	259.00	260.00	1.00	0.043			
NADD091	260.00	261.00	1.00	0.402			
NADD091	265.50	267.00	1.50	0.158			
NADD091	273.00	274.00	1.00	0.223	1.00 m @ 0.22 g/t Au	0.2	
NADD091	283.00	284.00	1.00	0.195			
NADD091	300.00	301.00	1.00	0.143			
NADD091	321.00	322.00	1.00	0.124			
NADD091	331.00	332.00	1.00	<b>1.946</b>	1.00 m @ 1.95 g/t Au	1.9	<b>1.00 m @ 1.95 g/t Au</b>
NADD091	334.20	335.70	1.50	0.139			
NADD091	335.70	337.00	1.30	<b>2.764</b>			
NADD091	337.00	338.00	1.00	0.600	<b>6.30 m @ 0.97 g/t Au</b>	<b>6.1</b>	<b>3.30 m @ 1.63 g/t Au</b>

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
NADD091	338.00	339.00	1.00	1.179			
NADD091	339.00	340.00	1.00	0.380			
NADD091	340.00	341.00	1.00	0.008			
NADD091	341.00	342.00	1.00	0.369			
NADD092	33.50	34.00	0.50	0.259	0.50 m @ 0.26 g/t Au	0.1	
NADD092	81.00	82.00	1.00	0.111			
NADD092	82.00	83.00	1.00	0.199			
NADD092	113.60	114.60	1.00	0.165			
NADD092	148.00	149.00	1.00	0.682	1.00 m @ 0.68 g/t Au	0.7	
NADD092	157.00	158.00	1.00	0.139			
NADD092	194.40	195.50	1.10	0.489	1.10 m @ 0.49 g/t Au	0.5	
NADD092	198.80	199.50	0.70	0.146			
NADD093	2.00	3.00	1.00	0.135			
NADD093	26.00	27.00	1.00	0.600	1.00 m @ 0.60 g/t Au	0.6	
NADD093	30.00	31.40	1.40	0.155			
NADD093	33.00	34.00	1.00	0.158			
NADD093	37.00	38.00	1.00	0.161			
NADD093	42.00	43.00	1.00	0.241	1.00 m @ 0.24 g/t Au	0.2	
NADD093	64.00	65.00	1.00	1.409	1.00 m @ 1.41 g/t Au	1.4	1.00 m @ 1.41 g/t Au
NADD093	65.00	66.00	1.00	0.123			
NADD093	141.50	142.60	1.10	0.125			
NADD093	142.60	144.00	1.40	0.116			
NADD094	45.00	46.00	1.00	0.364			
NADD094	46.00	47.00	1.00	1.157			
NADD094	47.00	48.00	1.00	2.309	6.00 m @ 0.96 g/t Au	5.7	2.00 m @ 1.73 g/t Au
NADD094	48.00	49.00	1.00	0.738			
NADD094	49.00	50.00	1.00	0.580			
NADD094	50.00	51.00	1.00	0.596			
NADD094	56.00	57.00	1.00	2.528			1.00 m @ 2.53 g/t Au
NADD094	57.00	58.00	1.00	0.008			
NADD094	58.00	58.70	0.70	0.028			
NADD094	58.70	59.40	0.70	0.037			
NADD094	59.40	60.00	0.60	0.008	7.00 m @ 0.89 g/t Au	6.2	
NADD094	60.00	61.00	1.00	0.753			
NADD094	61.00	62.00	1.00	1.419			
NADD094	62.00	63.00	1.00	1.487			2.00 m @ 1.45 g/t Au
NADD094	138.00	138.75	0.75	0.103			
NADD094	177.00	178.00	1.00	0.167			
NADD094	188.90	189.65	0.75	0.399	0.75 m @ 0.40 g/t Au	0.3	
NADD094	229.00	230.00	1.00	0.286			
NADD094	230.00	231.00	1.00	1.451	2.00 m @ 0.87 g/t Au	1.7	1.00 m @ 1.45 g/t Au
NADD094	232.00	233.00	1.00	0.121			
NADD094	252.00	253.00	1.00	3.055	2.00 m @ 1.63 g/t Au	3.3	1.00 m @ 3.06 g/t Au
NADD094	253.00	254.00	1.00	0.207			
NADD094	333.00	334.00	1.00	0.106			
NADD094	334.00	335.00	1.00	0.130			
NADD094	336.00	337.00	1.00	1.083			1.00 m @ 1.08 g/t Au
NADD094	337.00	338.00	1.00	0.538			
NADD094	338.00	339.00	1.00	0.061	17.00 m @ 0.60 g/t Au	10.2	
NADD094	339.00	340.00	1.00	0.476			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
NADD094	340.00	341.00	1.00	0.815			
NADD094	341.00	342.00	1.00	0.236			
NADD094	342.00	343.00	1.00	0.035			
NADD094	343.00	344.00	1.00	<b>1.894</b>			
NADD094	344.00	345.00	1.00	0.453			<b>3.00 m @ 1.45 g/t Au</b>
NADD094	345.00	346.00	1.00	<b>1.995</b>			
NADD094	346.00	347.00	1.00	0.279			
NADD094	347.00	348.00	1.00	0.292			
NADD094	348.00	349.00	1.00	0.388			
NADD094	349.00	350.00	1.00	<b>1.220</b>			<b>1.00 m @ 1.22 g/t Au</b>
NADD094	350.00	351.00	1.00	0.085			
NADD094	351.00	352.00	1.00	0.038			
NADD094	352.00	353.00	1.00	0.313			
NADD094	354.10	355.20	1.10	0.107			
NADD095	0.00	0.70	0.70	0.108			
NADD095	25.00	26.00	1.00	0.820			
NADD095	26.00	27.00	1.00	<b>1.277</b>			<b>2.00 m @ 4.80 g/t Au</b>
NADD095	27.00	28.00	1.00	<b>8.315</b>	<b>6.00 m @ 1.85 g/t Au</b>	<b>11.1</b>	
NADD095	28.00	29.00	1.00	0.270			
NADD095	29.00	30.00	1.00	0.008			
NADD095	30.00	31.00	1.00	0.415			
NADD095	34.30	35.30	1.00	0.242			
NADD095	35.30	36.70	1.40	<b>1.118</b>	2.40 m @ 0.75 g/t Au	1.8	<b>1.40 m @ 1.12 g/t Au</b>
NADD095	42.00	43.00	1.00	<b>3.258</b>			
NADD095	43.00	44.30	1.30	0.792			<b>3.00 m @ 1.70 g/t Au</b>
NADD095	44.30	45.00	0.70	<b>1.153</b>	<b>6.00 m @ 4.17 g/t Au</b>	<b>25.0</b>	
NADD095	45.00	46.00	1.00	0.008			
NADD095	46.00	47.00	1.00	0.008			
NADD095	47.00	48.00	1.00	<b>19.917</b>			<b>1.00 m @ 19.92 g/t Au</b>
NADD095	57.00	58.00	1.00	0.132			
NADD095	180.00	181.00	1.00	0.183			
NADD095	181.00	182.00	1.00	0.440			
NADD095	182.00	183.00	1.00	<b>1.875</b>			
NADD095	183.00	184.00	1.00	0.850			
NADD095	184.00	185.00	1.00	<b>1.218</b>			<b>5.00 m @ 1.54 g/t Au</b>
NADD095	185.00	186.00	1.00	0.555			
NADD095	186.00	187.00	1.00	<b>3.223</b>	<b>11.00 m @ 0.81 g/t Au</b>	<b>8.9</b>	
NADD095	187.00	188.00	1.00	0.299			
NADD095	188.00	189.00	1.00	0.008			
NADD095	189.00	190.00	1.00	0.008			
NADD095	190.00	191.00	1.00	0.008			
NADD095	191.00	192.00	1.00	0.465			
NADD095	218.00	219.00	1.00	0.673	1.00 m @ 0.67 g/t Au	0.7	
NADD095	245.20	246.30	1.10	0.509			
NADD095	246.30	247.40	1.10	0.074			
NADD095	247.40	248.00	0.60	0.035	<b>4.80 m @ 0.24 g/t Au</b>	<b>1.1</b>	
NADD095	248.00	249.00	1.00	0.023			
NADD095	249.00	250.00	1.00	0.455			
NADD095	250.00	251.00	1.00	0.168			
NADD095	286.00	287.00	1.00	0.118			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
NADD096	189.00	190.00	1.00	0.443	1.00 m @ 0.44 g/t Au	0.4	
NADD096	193.00	194.00	1.00	0.269	2.00 m @ 0.28 g/t Au	0.6	
NADD096	194.00	195.00	1.00	0.283			
NADD096	195.00	196.00	1.00	0.112			
NADD096	203.00	204.00	1.00	0.508	1.00 m @ 0.51 g/t Au	0.5	
NADD096	295.00	296.00	1.00	0.405	1.00 m @ 0.41 g/t Au	0.4	
NADD096	317.00	318.00	1.00	0.113			
NADD096	320.00	321.00	1.00	0.207	1.00 m @ 0.21 g/t Au	0.2	
NADD098	143.00	144.00	1.00	0.108			
NADD098	144.00	145.00	1.00	0.539	1.00 m @ 0.54 g/t Au	0.5	
NADD098	147.00	148.00	1.00	0.157			
NADD098	165.30	166.40	1.10	0.380	2.20 m @ 0.77 g/t Au	1.7	1.10 m @ 1.15 g/t Au
NADD098	166.40	167.50	1.10	<b>1.151</b>			
NADD098	177.00	178.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.2	
NADD098	181.00	182.00	1.00	0.149			
NADD098	183.00	184.00	1.00	0.334	1.00 m @ 0.33 g/t Au	0.3	
NADD098	192.00	193.00	1.00	0.177			
NADD098	204.00	205.00	1.00	0.152			
NADD098	209.00	210.00	1.00	0.473	1.00 m @ 0.47 g/t Au	0.5	
NADD099	130.00	131.00	1.00	0.357	2.00 m @ 0.40 g/t Au	0.8	
NADD099	131.00	132.00	1.00	0.448			
NADD099	164.00	165.00	1.00	0.350	5.00 m @ 0.51 g/t Au	2.5	
NADD099	165.00	166.00	1.00	0.008			
NADD099	166.00	167.00	1.00	0.181			
NADD099	167.00	168.00	1.00	<b>1.594</b>			1.00 m @ 1.59 g/t Au
NADD099	168.00	169.00	1.00	0.406			
NADD100	41.00	42.00	1.00	0.778	3.00 m @ 0.66 g/t Au	2.0	
NADD100	42.00	42.80	0.80	0.016			
NADD100	42.80	44.00	1.20	0.988			
NADD100	45.00	46.00	1.00	0.147			
NADD100	55.00	56.00	1.00	0.737	9.00 m @ 0.50 g/t Au	4.5	1.00 m @ 2.37 g/t Au
NADD100	56.00	57.00	1.00	0.008			
NADD100	57.00	58.00	1.00	<b>2.369</b>			
NADD100	58.00	59.00	1.00	0.067			
NADD100	59.00	60.00	1.00	0.236			
NADD100	60.00	61.00	1.00	0.036			
NADD100	61.00	62.00	1.00	0.016			
NADD100	62.00	63.00	1.00	0.197			
NADD100	63.00	64.00	1.00	0.829			
NADD100	86.00	87.00	1.00	0.267			2.00 m @ 0.34 g/t Au
NADD100	87.00	88.00	1.00	0.407			
NADD100	97.00	98.00	1.00	0.202	1.00 m @ 0.20 g/t Au	0.2	
NADD100	100.00	101.00	1.00	0.189			
NADD100	146.00	147.00	1.00	0.501	19.00 m @ 5.16 g/t Au	98.1	14.00 m @ 6.76 g/t Au
NADD100	147.00	148.00	1.00	0.402			
NADD100	148.00	149.00	1.00	<b>22.269</b>			
NADD100	149.00	150.00	1.00	<b>4.317</b>			
NADD100	150.00	151.00	1.00	<b>2.812</b>			
NADD100	151.00	152.00	1.00	<b>5.366</b>			
NADD100	152.00	153.00	1.00	<b>1.146</b>			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
NADD100	153.00	154.00	1.00	1.671			
NADD100	154.00	155.00	1.00	0.008			
NADD100	155.00	156.00	1.00	0.648			
NADD100	156.00	157.00	1.00	5.212			
NADD100	157.00	158.00	1.00	1.092			
NADD100	158.00	159.00	1.00	21.985			
NADD100	159.00	160.00	1.00	16.451			
NADD100	160.00	161.00	1.00	5.429			
NADD100	161.00	162.00	1.00	6.255			
NADD100	162.00	163.00	1.00	0.008			
NADD100	163.00	164.00	1.00	0.043			
NADD100	164.00	165.00	1.00	2.477			1.00 m @ 2.48 g/t Au
NADD100	212.00	213.00	1.00	0.160			
NADD100	213.00	214.00	1.00	0.432	1.00 m @ 0.43 g/t Au	0.4	
NADD100	222.00	223.00	1.00	0.101			
NADD100	225.00	226.00	1.00	0.134			
NADD101	6.00	6.55	0.55	0.227	0.55 m @ 0.23 g/t Au	0.1	
NADD101	134.00	135.00	1.00	0.121			
NADD101	135.90	137.00	1.10	0.137			
NADD101	146.50	147.60	1.10	0.792			
NADD101	147.60	148.70	1.10	0.333	2.20 m @ 0.56 g/t Au	1.2	
NADD101	195.00	196.00	1.00	0.436	1.00 m @ 0.44 g/t Au	0.4	
NADD101	200.00	201.00	1.00	0.121			
NADD101	220.00	221.00	1.00	0.250	1.00 m @ 0.25 g/t Au	0.3	
NADD101	282.00	283.00	1.00	0.391	1.00 m @ 0.39 g/t Au	0.4	
NADD102	0.70	1.50	0.80	0.101			
NADD102	110.20	111.70	1.50	0.615			
NADD102	111.70	113.00	1.30	0.031	3.80 m @ 0.32 g/t Au	1.2	
NADD102	113.00	114.00	1.00	0.240			
NADD102	114.00	115.00	1.00	0.171			
NADD102	121.00	122.00	1.00	0.461			
NADD102	122.00	123.00	1.00	0.266	3.30 m @ 0.49 g/t Au	1.6	
NADD102	123.00	124.30	1.30	0.688			
NADD102	124.30	125.60	1.30	0.135			
NADD102	129.00	130.00	1.00	0.166			
NADD102	195.00	196.00	1.00	1.842	1.00 m @ 1.84 g/t Au	1.8	1.00 m @ 1.84 g/t Au
NADD102	288.00	289.00	1.00	0.129			
NADD103	37.90	39.00	1.10	6.347	1.10 m @ 6.35 g/t Au	7.0	1.10 m @ 6.35 g/t Au
NADD103	82.90	83.85	0.95	0.505	0.95 m @ 0.51 g/t Au	0.5	
NADD103	85.85	86.75	0.90	0.202	0.90 m @ 0.20 g/t Au	0.2	
NADD103	91.20	92.45	1.25	0.376			
NADD103	92.45	93.20	0.75	1.006	2.80 m @ 0.75 g/t Au	2.1	1.55 m @ 1.06 g/t Au
NADD103	93.20	94.00	0.80	1.111			
NADD103	99.00	100.00	1.00	0.543	1.00 m @ 0.54 g/t Au	0.5	
NADD103	113.00	114.00	1.00	0.258	1.00 m @ 0.26 g/t Au	0.3	
NADD103	150.00	151.00	1.00	4.274	1.00 m @ 4.27 g/t Au	4.3	1.00 m @ 4.27 g/t Au
NADD103	153.00	154.00	1.00	0.131			
NADD103	154.00	155.00	1.00	0.156			
NADD103	157.00	158.00	1.00	0.267			
NADD103	158.00	159.00	1.00	0.927	21.00 m @ 2.01 g/t Au	42.2	

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
NADD103	159.00	160.00	1.00	0.008				
NADD103	160.00	161.00	1.00	0.008				
NADD103	161.00	162.00	1.00	0.523				
NADD103	162.00	163.00	1.00	0.544				
NADD103	163.00	164.00	1.00	<b>2.903</b>				
NADD103	164.00	165.00	1.00	<b>2.078</b>				
NADD103	165.00	166.00	1.00	<b>1.052</b>				
NADD103	166.00	167.00	1.00	<b>6.853</b>				
NADD103	167.00	168.00	1.00	<b>3.841</b>				
NADD103	168.00	169.00	1.00	<b>5.134</b>				
NADD103	169.00	170.00	1.00	0.008				
NADD103	170.00	171.00	1.00	<b>12.713</b>				
NADD103	171.00	172.00	1.00	0.932				
NADD103	172.00	173.00	1.00	<b>3.168</b>				
NADD103	173.00	174.00	1.00	0.313				
NADD103	174.00	175.00	1.00	0.373				
NADD103	175.00	176.00	1.00	0.069				
NADD103	176.00	177.00	1.00	0.221				
NADD103	177.00	178.00	1.00	0.256				
NADD104	0.00	0.80	0.80	0.238	0.80 m @ 0.24 g/t Au	0.2		
NADD104	9.00	9.85	0.85	0.132				
NADD104	82.00	83.00	1.00	0.387	10.00 m @ 1.46 g/t Au	14.6		
NADD104	83.00	84.00	1.00	0.805				
NADD104	84.00	85.00	1.00	0.008				
NADD104	85.00	86.00	1.00	<b>9.731</b>				1.00 m @ 9.73 g/t Au
NADD104	86.00	87.00	1.00	0.910				
NADD104	87.00	88.00	1.00	0.033				
NADD104	88.00	89.00	1.00	0.513				
NADD104	89.00	90.00	1.00	0.413				
NADD104	90.00	91.00	1.00	0.533				
NADD104	91.00	92.00	1.00	<b>1.257</b>				1.00 m @ 1.26 g/t Au
NADD104	92.00	93.00	1.00	0.166	2.70 m @ 0.91 g/t Au	2.5		
NADD104	93.00	94.30	1.30	0.153				
NADD104	119.70	121.20	1.50	0.297	1.05 m @ 0.72 g/t Au	0.8		
NADD104	121.20	122.40	1.20	<b>1.682</b>				1.20 m @ 1.68 g/t Au
NADD104	182.00	183.00	1.00	0.128	11.90 m @ 0.72 g/t Au	8.5		
NADD104	184.00	185.00	1.00	0.104				
NADD105	12.95	14.00	1.05	0.725			1.05 m @ 0.72 g/t Au	0.8
NADD105	31.70	33.00	1.30	0.324			1.30 m @ 0.32 g/t Au	0.4
NADD105	59.10	60.00	0.90	0.200			11.90 m @ 0.72 g/t Au	8.5
NADD105	60.00	61.00	1.00	0.680				
NADD105	61.00	62.00	1.00	0.238				
NADD105	62.00	63.00	1.00	0.030				
NADD105	63.00	64.00	1.00	0.414				
NADD105	64.00	65.00	1.00	<b>1.281</b>				
NADD105	65.00	66.00	1.00	0.844				
NADD105	66.00	67.00	1.00	0.608				
NADD105	67.00	68.00	1.00	0.969				
NADD105	68.00	69.00	1.00	<b>2.828</b>	1.00 m @ 2.83 g/t Au			
NADD105	69.00	70.00	1.00	0.008				

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
NADD105	70.00	71.00	1.00	0.457			
NADD105	80.05	81.10	1.05	0.178			
NADD105	114.00	115.00	1.00	0.198			
NADD105	118.00	119.00	1.00	<b>1.380</b>	3.00 m @ 0.63 g/t Au	1.9	<b>1.00 m @ 1.38 g/t Au</b>
NADD105	119.00	120.00	1.00	0.142			
NADD105	120.00	121.00	1.00	0.363	3.00 m @ 1.12 g/t Au	3.4	
NADD105	136.00	137.00	1.00	0.281			
NADD105	137.00	138.00	1.00	0.008			
NADD105	138.00	139.00	1.00	<b>3.081</b>			<b>1.00 m @ 3.08 g/t Au</b>
NADD105	140.00	141.00	1.00	0.197			

## About Aurum

Aurum Resources (ASX:AUE) is an Australian based gold exploration company focused on discovery and development of major gold projects in Côte d'Ivoire, West Africa. Aurum has 3.90Moz gold resources coming from two gold projects, the 3.03 Moz Boundiali Gold Project and the 0.87Moz Napié Gold Project. Aurum owns and runs 12 diamond drill rigs allowing it to explore faster and more cost effectively than its peers.

## Group Mineral Resources

**Table 3: Group Mineral Resources Statement for contained gold at 31 January 2026 (figures may not add up due to appropriate rounding)**

Mineral Resources			Indicated			Inferred			Total Resources		
Project	Type	Cut-off	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)
Boundiali	Oxide	0.4 g/t Au above 300m depth and 1.0 g/t below 300m depth	2.7	1.0	0.08	2.4	0.8	0.06	5.1	0.9	0.15
	Transition		2.7	1.0	0.09	2.5	0.8	0.07	5.2	0.9	0.15
	Fresh		35.4	1.1	1.20	53.9	0.9	1.53	89.3	1.0	2.73
	<b>Total</b>		<b>40.8</b>	<b>1.0</b>	<b>1.37</b>	<b>58.8</b>	<b>0.9</b>	<b>1.66</b>	<b>99.7</b>	<b>1.0</b>	<b>3.03</b>
Napié	Oxide	0.6 g/t Au	-	-	-	2.4	1.2	0.09	2.4	1.2	0.09
	Transition		-	-	-	1.9	1.1	0.07	1.9	1.1	0.07
	Fresh		-	-	-	18.3	1.2	0.71	18.3	1.2	0.71
	<b>Total</b>		<b>-</b>	<b>-</b>	<b>-</b>	<b>22.5</b>	<b>1.2</b>	<b>0.87</b>	<b>22.5</b>	<b>1.2</b>	<b>0.87</b>
<b>Total</b>			<b>40.8</b>	<b>1.0</b>	<b>1.37</b>	<b>81.3</b>	<b>1.0</b>	<b>2.53</b>	<b>122</b>	<b>1.0</b>	<b>3.90</b>

### Boundiali Gold Project (3.03Moz)

The flagship 3.03Moz Boundiali Gold Project is comprised of four neighbouring exploration tenements and is located within the same greenstone belt as Resolute's large Syama (11.5Moz) gold mine and Perseus' Sissingué (1.4 Moz) gold mine to the north and Montage Gold's 6Moz Koné project located to the south. Atlantic Group's Tongon mine (5.0Moz) is located to the northeast (Figure 1):

### BM gold project JV 80% interest - PR0893 ("BM"), 400km<sup>2</sup>

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
  - 80% if local partner contributes 11% capex
  - 85% if local partner does not contribute capex – they go to 5% free carry
  - 88% if local partner sells us 3% of their interest they go to 2% free carry

### BD gold project JV 80% interest - PR808 ("BD"), 260km<sup>2</sup>

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
  - 80% if local partner contributes 11% capex
  - 85% if local partner does not contribute capex – they go to 5% free carry
  - 88% if local partner sells us 3% of their interest they go to 2% free carry

**BST gold project 100% interest** – Application No. 0781 ("BST") 100%, 167.34km<sup>2</sup>

- *Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025.*
- 90% interest in future gold production company (Government get 10% free carry from Aurum interest)

**BN gold project JV - PR283 ("BN"), 208.87km<sup>2</sup>**

Aurum is earning interest through carrying out exploration to earn 70% interest in three stages:

- Stage 1: Aurum earns 35% interest by spending USD 1.2 million within 36 months of license grant
- Stage 2: Aurum earns 51% interest by spending USD 2.5 million within 60 months of license grant
- Stage 3: Aurum earns 70% interest upon completion of a pre-feasibility study on the tenement.
- Diamond drilling conducted by Aurum will be valued at US\$140 per meter for expenditure calculations
- Upon grant of a mining exploitation license, the ownership structure will be: Aurum (70%), GNRR (20%), Ivorian Government (10%)

**Encore JV Project**

- Applications (No. 1740 and No. 1745) totalling nearly 320km<sup>2</sup> are strategically located between Aurum's existing **BD** and **BST** tenements and south of **BM**, offering growth potential for its 1.6Moz Boundiali Gold Project.
- Staged earn-in agreement aligns expenditure with milestones for each permit area:
  - Path to 51% interest: 4,000m diamond drilling.
  - Path to 80% interest: Additional 8,000m diamond drilling (total 12,000m) OR US\$2.5 million nominal expenditure.

**Major Star Plus Partnership Projects**

- Applications (No. 0791), 114.53km<sup>2</sup>, is strategically located on the immediate south and west of **BST** tenement, offering growth potential for its 2.41Moz Boundiali Gold Project.
- Applications (No. 0793), 99.12km<sup>2</sup>, are structurally located on the immediate west of the Napié gold project, offering growth potential for its 0.87Moz Napié Project.
- 35% project interest from the Company's ownership of 35% registered share capital of Major Star Plus Sarl.
  - Path to 51% interest in an exploration permit: Either USD1.5 million normal expenditure or 7,000m diamond drilling.
  - Path to 80% interest in an exploration permit: Either USD3.0 million normal expenditure or 15,000m diamond drilling

For personal use only



- Path to 95% interest in an exploration permit: Completion of Pre-Feasibility Study
- 85.5~87% interest in a future production mine

### **Mako Gold Pty Ltd (0.87Moz)**

Wholly owned subsidiary of Aurum and holds the following projects:

- 0.87Moz Napié Gold Project. 90% Mako and African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study.
- Korhogo Project (100%), significant manganese discovery
- Brobo Project (100%), prospective for lithium/rare earths

For personal use only

Section 1 of the JORC Code, 2012 Edition – Table 1

Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> <li>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</li> <li>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</li> <li>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</li> </ul>	<ul style="list-style-type: none"> <li>Samples were collected using diamond drilling techniques generally angled at 60° towards 135° to optimally intersect the mineralised zones.</li> <li>Diamond core was logged both for geological and mineralised structures as noted above. The core was then cut in half using a diamond brick cutting saw on 1m intervals. Typically the core was sampled to geological intervals as defined by the geologist within the even two metre sample intervals utilised. The right-hand side of the core was always submitted for analysis with the left side being stored in trays on site.</li> <li>QAQC procedures included the insertion of certified reference materials (standards), blanks, and field duplicates at a rate of 1:20.</li> <li>Sample preparation and assay was completed by independent international accredited laboratory MSALABS. Following cutting or splitting, the samples were bagged by the Client employees and then sent to the laboratory for preparation. These samples were subsequently sent to MSALABS at Yamousoukro for analysis via 500g Photon Assay.</li> </ul>
Drilling techniques	<ul style="list-style-type: none"> <li>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</li> </ul>	<ul style="list-style-type: none"> <li>Diamond drilling carried out with mostly NTW and some HQ sized equipment. PQ-size rods and casing were used at the top the holes to stabilise the collars although no samples were taken from the PQ size core.</li> </ul>
Drill sample recovery	<ul style="list-style-type: none"> <li>Method of recording and assessing core and chip sample recoveries and results assessed.</li> <li>Measures taken to maximise sample recovery and ensure representative nature of the samples.</li> <li>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</li> </ul>	<ul style="list-style-type: none"> <li>Diamond drilling core recoveries ranged between 85% and 100% for all holes with no significant issues noted.</li> </ul>

For personal use only

Criteria	JORC Code explanation	Commentary
<ul style="list-style-type: none"> <li><b>Logging</b></li> </ul>	<ul style="list-style-type: none"> <li>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</li> <li>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li> <li>The total length and percentage of the relevant intersections logged.</li> </ul>	<ul style="list-style-type: none"> <li>All holes were field logged by company geologists. Lithological, alteration and mineralogical nomenclature of the deposit as well as sulphide content were recorded. Metallurgical, Geotechnical and structural data has been recorded</li> <li>Photography and recovery measurements were carried out by assistants under a geologist's supervision.</li> <li>All drill holes were logged in full.</li> <li>Logging was qualitative and quantitative in nature.</li> </ul>
<ul style="list-style-type: none"> <li><b>Sub-sampling techniques and sample preparation</b></li> </ul>	<ul style="list-style-type: none"> <li>If core, whether cut or sawn and whether quarter, half or all core taken.</li> <li>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li> <li>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> <li>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li> <li>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</li> <li>Whether sample sizes are appropriate to the grain size of the material being sampled.</li> </ul>	<ul style="list-style-type: none"> <li>NTW core cut in half using a core saw. Typically, the core was sampled to major geological intervals as defined by the geologist within the even two metre sample intervals utilised. All samples were collected from the same side of the core (RHS).</li> <li>Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for Au.</li> <li>The entire sample was crushed to 70% passing 2mm.</li> <li>Crushed sample was split to produce 500g sample for analysis and the remaining reject kept for checks.</li> <li>Field QC procedures involved the use of 2 types of certified reference materials (1 in 20) which is certified by Geostats Ltd,</li> <li>Primary DD duplicate: Generated by cutting the remaining half core into a ¼ and sampled.</li> <li>Coarse blank samples: Inserted 1 in every 20 samples</li> <li>Laboratory Internal Duplicates and Standards</li> <li>Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for gold</li> </ul>
<ul style="list-style-type: none"> <li><b>Quality of assay data and laboratory</b></li> </ul>	<ul style="list-style-type: none"> <li>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> </ul>	<ul style="list-style-type: none"> <li>The analytical technique used is Chryso<sup>TM</sup> PhotonAssay methodology. This uses a high-energy X-ray source that is used to irradiate large mineral samples, typically</li> </ul>

For personal use only

Criteria	JORC Code explanation	Commentary
<p><b>tests</b></p>	<ul style="list-style-type: none"> <li>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</li> <li>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</li> </ul>	<p>about 500g compared to the 50g of the fire assay. The X-rays induce short-lived changes in the structure of any gold nuclei present. As the excited gold nuclei return to their ground state, they emit a characteristic gamma-ray signature, the intensity of which is directly proportional to the concentration of gold. The penetrating nature of Chryso<sup>TM</sup> PhotonAssay provides much higher energy than those used in conventional X-ray fluorescence (XRF), which provides a true bulk analysis of the entire sample. Samples are presented into a fully automatic process where samples are irradiated, measured, data collection and reporting.</p> <ul style="list-style-type: none"> <li>No geophysical tools were used to determine any element concentrations used for this report.</li> <li>Sample preparation checks for fineness were carried out by the laboratory as part of internal procedures to ensure the grind size was being attained. Laboratory QAQC includes the use of internal standards using certified reference material, and pulp replicates. Review of QAQC data (standards, blanks, duplicates) showed results were within acceptable tolerance limits. No material bias was identified.</li> <li>The QAQC results confirm that acceptable levels of accuracy and precision have been established for the Classifications applied (exploration results only).</li> </ul>
<ul style="list-style-type: none"> <li><b>Verification of sampling and assaying</b></li> </ul>	<ul style="list-style-type: none"> <li>The verification of significant intersections by either independent or alternative company personnel.</li> <li>The use of twinned holes.</li> <li>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</li> <li>Discuss any adjustment to assay data.</li> </ul>	<ul style="list-style-type: none"> <li>NA</li> <li>No holes have been twinned</li> <li>No adjustment to assay data</li> <li>Logging records were mostly registered in physical format and were input into a digital format. The core photographs, collar coordinates and down the hole surveys were received in digital format.</li> <li>Assay values that were below detection limit were adjusted to equal half of the detection limit value. Un-sampled intervals were assumed to have no mineralisation and they were therefore set to blank in the database, however these are minimal.</li> </ul>
<ul style="list-style-type: none"> <li><b>Location of data points</b></li> </ul>	<ul style="list-style-type: none"> <li>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource</li> </ul>	<ul style="list-style-type: none"> <li>DD collar positions were initially located using a handheld GPS with a location error of +/-3m.</li> <li>The datum employed is WGS84, Zone 30</li> </ul>

Criteria	JORC Code explanation	Commentary
	<p>estimation.</p> <ul style="list-style-type: none"> <li>• Specification of the grid system used.</li> <li>• Quality and adequacy of topographic control.</li> </ul>	<ul style="list-style-type: none"> <li>• All drill hole locations are then surveyed utilising the differential GPS methods by both company and third party surveyors.</li> <li>• DGPS system utilised is typically within a 10 cm accuracy range which is suitable for the classification applied.</li> </ul>
<ul style="list-style-type: none"> <li>• <b>Data spacing and distribution</b></li> </ul>	<ul style="list-style-type: none"> <li>• Data spacing for reporting of Exploration Results.</li> <li>• Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</li> <li>• Whether sample compositing has been applied.</li> </ul>	<ul style="list-style-type: none"> <li>• Drillholes were completed on variable line spacings (from 100m to 20m) and orientations.</li> <li>• The drill hole spacing and distribution is considered sufficient to establish the degree of continuity appropriate for the Inferred Mineral Resource estimation procedures.</li> <li>• The samples were not composited prior to assay.</li> </ul>
<ul style="list-style-type: none"> <li>• <b>Orientation of data in relation to geological structure</b></li> </ul>	<ul style="list-style-type: none"> <li>• Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</li> <li>• If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</li> </ul>	<ul style="list-style-type: none"> <li>• Drill holes were drilled approximately at right angles to the anticipated strike of the target geochemical anomaly and orthogonal to the interpreted mineralisation orientation.</li> </ul>
<ul style="list-style-type: none"> <li>• <b>Sample security</b></li> </ul>	<ul style="list-style-type: none"> <li>• The measures taken to ensure sample security.</li> </ul>	<ul style="list-style-type: none"> <li>• Chain of custody is managed by the senior site geologists and geotechnicians. Samples are stored in a core shed at site and samples were delivered to the laboratory by client geologists. Client employees have no further involvement in the preparation or analysis of the samples.</li> </ul>
<ul style="list-style-type: none"> <li>• <b>Audits or reviews</b></li> </ul>	<ul style="list-style-type: none"> <li>• The results of any audits or reviews of sampling techniques and data.</li> </ul>	<ul style="list-style-type: none"> <li>• Detailed reviews of sampling techniques were carried out on the site visit by RPM in August 2025.</li> </ul>

For personal use only

• Section 2 of the JORC Code, 2012 Edition – Table 1

Criteria	JORC Code explanation	Commentary																														
<ul style="list-style-type: none"> <li><b>Mineral tenement and land tenure status</b></li> </ul>	<ul style="list-style-type: none"> <li>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.</li> </ul>	<ul style="list-style-type: none"> <li>Exploration results are from the Napié project area which covers PR1038 which is in application and awaiting final approval from Mines minister following site visit.</li> <li>African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study</li> <li>The size of the permit is 236.49km<sup>2</sup>.</li> <li>There are no impediments to working in the area.</li> </ul>																														
<ul style="list-style-type: none"> <li><b>Exploration done by other parties</b></li> </ul>	<ul style="list-style-type: none"> <li>Acknowledgment and appraisal of exploration by other parties.</li> </ul>	<ul style="list-style-type: none"> <li>The historical exploration results reported in this announcement are from work undertaken by Mako Gold Ltd now a wholly owned subsidiary of Aurum Resources Limited. Review of historical data indicates drilling and sampling were conducted to industry standard practices comparable to Aurum's current protocols. The Mako Gold Pty Ltd exploration drilling database acquired by Aurum includes: <table border="1" data-bbox="1023 1077 1326 1480"> <thead> <tr> <th>Type</th> <th>Holes</th> <th>Metres</th> </tr> </thead> <tbody> <tr> <td>AC</td> <td>343</td> <td>11,439</td> </tr> <tr> <td>Auger</td> <td>3,546</td> <td>31,457</td> </tr> <tr> <td>Channel</td> <td>1</td> <td>36</td> </tr> <tr> <td>Trench</td> <td>12</td> <td>1,168</td> </tr> <tr> <td><b>Drilling</b></td> <td><b>878</b></td> <td><b>105,195</b></td> </tr> <tr> <td>DD</td> <td>23</td> <td>3,190</td> </tr> <tr> <td>RC</td> <td>791</td> <td>88,733</td> </tr> <tr> <td>RCDD</td> <td>64</td> <td>13,272</td> </tr> <tr> <td><b>Total</b></td> <td><b>4,780</b></td> <td><b>149,295</b></td> </tr> </tbody> </table> </li> <li>The license area is known as a prospective region for gold and recent artisanal workings revealed the presence of primary gold mineralisation in artisanal pits and small-scale underground mining.</li> </ul>	Type	Holes	Metres	AC	343	11,439	Auger	3,546	31,457	Channel	1	36	Trench	12	1,168	<b>Drilling</b>	<b>878</b>	<b>105,195</b>	DD	23	3,190	RC	791	88,733	RCDD	64	13,272	<b>Total</b>	<b>4,780</b>	<b>149,295</b>
Type	Holes	Metres																														
AC	343	11,439																														
Auger	3,546	31,457																														
Channel	1	36																														
Trench	12	1,168																														
<b>Drilling</b>	<b>878</b>	<b>105,195</b>																														
DD	23	3,190																														
RC	791	88,733																														
RCDD	64	13,272																														
<b>Total</b>	<b>4,780</b>	<b>149,295</b>																														
<ul style="list-style-type: none"> <li><b>Geology</b></li> </ul>	<ul style="list-style-type: none"> <li>Deposit type, geological setting and style of mineralisation.</li> </ul>	<ul style="list-style-type: none"> <li>The Napié Permit is located within the Lower Proterozoic Birimian Daloa greenstone belt. The style of mineralisation sought is structurally controlled orogenic gold, within an interpreted shear zone related to a regional-scale shear and secondary splays. The Tchaga and Gogbala deposits are located along a 23km long +40ppb gold soil/auger anomaly coincident with a +30km-long shear zone, thought to be a</li> </ul>																														

For personal use only

For personal use only

• Criteria	• JORC Code explanation	• Commentary
		<p>major control for gold mineralisation. Gold mineralisation is hosted in en-echelon quartz veins and stringers and the surrounding silicified, sericite, iron-carbonate, pyrite (+/- galena and chalcopyrite) alteration halo. Mineralisation is present in all lithologies (felsic to mafic volcanoclastics, volcanic breccias and conglomerates and to a lesser extent in felsic and mafic intrusives).</p>
<ul style="list-style-type: none"> <li>• <b>Drill hole information</b></li> </ul>	<ul style="list-style-type: none"> <li>• A summary of all information material to the under-standing of the exploration results including a tabulation of the following information for all Material drill holes:               <ul style="list-style-type: none"> <li>• easting and northing of the drill hole collar</li> <li>• elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</li> <li>• dip and azimuth of the hole</li> <li>• down hole length and interception depth</li> <li>• hole length</li> </ul> </li> <li>• If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</li> </ul>	<ul style="list-style-type: none"> <li>• Complete drill hole data has been provided.</li> <li>• Drill hole collar locations are shown in figures in main body of announcement.</li> </ul>
<ul style="list-style-type: none"> <li>• <b>Data aggregation methods</b></li> </ul>	<ul style="list-style-type: none"> <li>• In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</li> <li>• Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</li> <li>• The assumptions used for any reporting of metal equivalent values should be clearly stated.</li> </ul>	<ul style="list-style-type: none"> <li>• Assay Intervals are shown in detail. Drilling intervals are predominantly 1m.</li> <li>• Metal equivalent values are not being reported.</li> </ul>
<ul style="list-style-type: none"> <li>• <b>Relationship between mineralisation widths and intercept lengths</b></li> </ul>	<ul style="list-style-type: none"> <li>• These relationships are particularly important in the reporting of Exploration Results.</li> <li>• If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</li> <li>• If it is not known and only the down hole lengths are reported, there should be a</li> </ul>	<ul style="list-style-type: none"> <li>• Intersection lengths are reported as down hole lengths (the distance from the surface to the end of the hole, as measured along the drill trace).</li> </ul>

• Criteria	• JORC Code explanation	• Commentary
	clear statement to this effect (e.g. 'down hole length, true width not known').	
• <b>Diagrams</b>	• Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	• Appropriate diagrams relevant to material results are shown in the body of this announcement.
• <b>Balanced Reporting</b>	<ul style="list-style-type: none"> <li>• Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> <li>• Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</li> </ul>	<ul style="list-style-type: none"> <li>• All drill hole and trench collar locations were surveyed utilising handheld GPS methods. Exploration results only being reported.</li> <li>• Drilling teams utilised the Reflex EZ-shot instrument to measure deviations in azimuth and inclination angles for all holes; however, vertical holes were not surveyed. The first measurement is taken at 6 m depth, and then at approximately every 30m depth interval and at the end of the hole.</li> </ul>
• <b>Other substantive exploration data</b>	• Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	• All relevant exploration data is either reported in this announcement or has been reported previously by Aurum or Mako Gold Pty Ltd and is referred to in the announcement.
• <b>Further work</b>	<ul style="list-style-type: none"> <li>• The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling).</li> <li>• Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</li> </ul>	<ul style="list-style-type: none"> <li>• The Company intends to continue exploration on the project and this work will include auger, aircore, RC and diamond core drilling, along with further geophysical surveys and geochemical sampling programs.</li> <li>• Diagrams included in body of report as deemed appropriate by competent person</li> </ul>