

Soil Sampling Results Confirm Expanded Mineralised Footprint and Priority Targets at Saltwater Project

Highlights

- **Highly encouraging results received from latest phase of soil sampling at the Saltwater Project** in the Pilbara region of Western Australia
- Results have highlighted the **potential for a large polymetallic and gold-bearing mineralised system** at the **Saltwater Dome**
- The Saltwater Dome anomaly is potentially linked (under cover) to **compelling multi-element soil anomaly at Tunnel Creek** – the total area of interest covers **a strike of ~ 21 km**
- Soil sampling at Saltwater Dome and Tunnel Creek tested 741 targeted sites:
 - Saltwater Dome recorded **gold values up to 845ppb**, supported by **coincident multi-element anomalism** including copper, antimony, lead, zinc and bismuth.
 - At Tunnel Creek **strong gold, antimony and bismuth anomalies** support previous sampling in the area.
- **Next steps:**
 - Field mapping, infill soil sampling and EM geophysical survey program at **Saltwater Dome**
 - Field mapping and infill soil sampling at **Tunnel Creek**

Aruma Resources Limited (ASX: AAJ) (Aruma or the Company) is pleased to announce highly encouraging results from the recent soil sampling program at its 100% owned Saltwater Project, located in the Pilbara region of Western Australia.

The extensive sampling program collected a total of 741 samples across the priority Saltwater Dome (E52/3818) and Tunnel Creek (E52/3846) target areas.

The results have extended the anomalies and highlight the potential for a significant polymetallic and gold-bearing mineralised system at Saltwater Dome and have identified a compelling multi-element soil anomaly at Tunnel Creek (Figure 1).

Aruma Resources Ltd

ACN 141 335 364

ASX: AAJ

Issued Capital

730,608,858 Shares

335,935,081 Listed options

171,274,362 Unlisted options

99,700,000 Performance rights

Business Office

Units 8-9, 88 Forrest Street

Cottesloe WA 6011

T: + 61 8 9321 0177

E: info@arumaresources.com

Board and Management

JAMES MOSES – Non-Executive Chairman

GRANT FERGUSON – Managing Director

BRETT SMITH – Non-Executive Director

The Saltwater Project is located approximately 120km southwest of Mt Newman and interpreted to sit within the Ashburton structural corridor along strike from the Kalamazoo Resources' (ASX: KZR) Ashburton Gold Project.




Figure 1: Regional location map showing Saltwater Project, Western Australia

Aruma Resources Managing Director Grant Ferguson stated:

*"The latest results from our ongoing exploration programs at the Saltwater Project represent a significant advancement in delineating high-priority targets within the Saltwater Dome and Tunnel Creek areas. At Saltwater Dome, the expanding geochemical footprint—supported by robust multi-element anomalism including untested copper and gold signatures—highlights the **substantial scale** and untapped potential of this **emerging system**. These findings build on prior work and reinforce the Project's prospective geology for gold and base metal mineralisation."*

At Tunnel Creek, the confirmation of the Luke Prospect as a standout primary gold target, characterised by a 1.65km² multi-element anomaly with strong coincident gold, antimony and bismuth values, positions this target for accelerated progress. With encouraging early indicators at the Padme and Rabbit Prospects and the structurally favourable setting across the broader Tunnel Creek area, we are able to prioritise follow-up activities, including potential infill sampling and geophysical surveys, with a view to advancing drill-ready targets into drill testing during 2026."

Saltwater Dome Sampling Results

The sampling program at Saltwater Dome has significantly enhanced the geological understanding and prospectivity of this priority target area and confirmed the presence and extended the scale of anomalies at the **Saltwater Pool Prospect** and the **Oracle Prospect**.

A total of 497 soil samples were collected on a 360m × 360m reconnaissance grid across Saltwater Dome. The program was designed to identify potential new zones of gold and base-metal mineralisation, while also refining and evaluating possible extensions to the known mineralised footprints at the Saltwater Pool and Oracle Prospects (Figure 2).

This phase of sampling was the first dome-wide systematic soil sampling campaign undertaken in the area and has further strengthened the Company's interpretation that a large, mineralised hydrothermal system may be associated with the Saltwater Dome. Key outcomes from the Saltwater Dome soil sampling program include:

- A well-defined and expanded gold and polymetallic (Cu-Pb-Zn) coincident anomaly was defined across the **Saltwater Pool** and **Oracle Prospects**, enlarging the interpreted mineralised footprints to approximately 3km² and 1.3km², respectively.
- Strong geochemical values were returned from the **Oracle Prospect**, with gold assays returning up to 845ppb, alongside elevated copper (300ppm), lead (250ppm) and zinc (100ppm) occurring as coincident anomalies.
- Anomalous zones are spatially associated with bleached Cheela Springs Basalt and Mt McGrath siltstone formations, where the removal of alluvial cover has exposed favourable host lithologies.
- A circular copper anomaly at the **Saltwater Pool Prospect** remains largely untested by drilling, noting that historical 2021 RC drilling¹ is interpreted as insufficient to properly evaluate the circular geochemical feature.
- Higher-grade gold anomalies appear to be located proximal to mapped north-south quartz veins identified in historical geological mapping completed by Uranerz Australia Pty Ltd (1983)² and also associated with historical gold nuggets which appear to be close to the source³, indicating the presence of near-surface gold mineralisation consistent with structural controls.

Collectively, these results highlight the potential for a significant polymetallic and gold-bearing mineralised system within the Saltwater Dome, with multiple target styles consistent with both VMS-type mineralisation and structurally hosted orogenic gold emplacement models.




Figure 2: Saltwater Dome Soil Samples with Gold and Copper Anomaly Contours

Tunnel Creek Sampling Results

A total of 244 soil samples were collected across 22.3km² on a 200m × 160m grid at the Tunnel Creek area, in the eastern region of the Saltwater Project.

This was an infill sampling program designed to further refine and delineate the coincident gold and base-metal anomalous zones previously identified at the Luke, Padme and Rabbit Prospects, to provide improved geochemical resolution to support ongoing exploration targeting.

Key outcomes from the Tunnel Creek sampling program include:

- The **Luke Prospect** has been confirmed as the priority target, exhibiting a compelling multi-element soil anomaly. This is characterised by coincident elevated gold (Au), antimony (Sb) and bismuth (Bi), indicative of a favourable pathfinder association commonly linked to orogenic or intrusion-related gold systems.

- Robust geochemical signatures are evident across the **Luke Prospect** and peripheral zones of the **Rabbit Prospect**. Gold assays reached a peak of 35ppb Au, with coincident lower level but elevated Sb and Bi values
- The Luke soil anomaly covers an approximate area of 1.65km² and displays a distinct northeast-southwest (NE-SW) trend, consistent with regional structural and lithological controls that may influence mineralisation localisation.
- The **Padme** and **Rabbit Prospects** show encouraging early-stage potential through anomalous geochemistry and require additional detailed follow-up work—including infill sampling, geological mapping and potentially geophysical surveys—prior to advancing to drill planning.
- The broader Tunnel Creek area is characterised by structural complexity, including interpreted faulting and shearing. Historical mapping indicates the presence of ferruginous gossan material at surface, which provides favourable host conditions for polymetallic gold and base metal mineralisation.

These results underscore the prospective nature of the Luke Prospect as a high priority focus for further exploration. The results also highlight the upside potential of other prospects within the Tunnel Creek area.

Next Steps

Planned next phase fieldwork at the Saltwater Project includes; at Saltwater Dome, additional geological mapping, review and potential relogging of 2021 RC chip samples from previous drilling at the Saltwater Pool Prospect and design of detailed electromagnetic geophysical surveys to refine drill targeting. This will be followed by; infill soil sampling to further constrain high-priority anomalies and a gradient array survey over the Saltwater Ring and Oracle Prospects to assist with defining/refining drill targets.

At the Tunnel Creek area, further geological mapping and infill soil sampling is also planned at the Luke Prospect, to advance it to drill-ready status.

This announcement has been authorised for release by the Board of Aruma Resources Ltd.

ENDS

For further information, please contact:

Grant Ferguson

Managing Director

Aruma Resources Limited

Telephone: +61 8 9321 0177

E: info@arumaresources.com

About Aruma Resources

Aruma Resources Limited (ASX: AAJ) is an ASX-listed copper-focused exploration company committed to the exploration and development of a portfolio of prospective projects in world-class mineral belts. Its core project is the high-grade Tillex Copper sulphide Project in the prolific Timmins mineral district in Ontario, Canada. It also holds copper exploration assets in the Mt Isa region of Queensland and multi-commodity exploration projects in South Australia and Western Australia.

References used in this ASX announcement

¹ ASX Announcement – AAJ: 17 February 2021 – *Drilling Suggests New Gold Camp at Saltwater Gold Project*

² Uranerz Australia Pty Ltd – *Central West Australia Project* – WAMEX A13948

³ ASX Announcement – 3 October 2024 - *Targeted Soil Sampling Program Commences at Saltwater Project*

Competent person statement

The information in this release that relates to Exploration Results, Mineral Resources or Ore Reserves is based on information compiled by Grant Ferguson who is a Fellow of the Australian Institute of Geoscience (AIG). Mr Ferguson is Managing Director and a full-time employee of the Company. Mr Ferguson has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserve'. Mr Ferguson consents to the inclusion in the release of the matters based on his information in the form and context in which it appears. All exploration results that have been reported previously and released to ASX are available to be viewed on the Company website www.arumaresources.com. The Company confirms it is not aware of any new information that materially affects the information included in the original announcement. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original announcements.

Forward Looking Statement

Certain statements contained in this document constitute forward looking statements. Such forward-looking statements are based on a number of estimates and assumptions made by the Company and its consultants in light of experience, current conditions and expectations of future developments which the Company believes are appropriate in the current circumstances. These estimates and assumptions while considered reasonable by the Company are subject to known and unknown risks, uncertainties and other factors which may cause the actual results, achievements and performance of the Company to be materially different from the future results and achievements expressed or implied by such forward-looking statements. Forward looking statements include, but are not limited to, statements preceded by words such as "planned", "expected", "projected", "estimated", "may", "scheduled", "intends", "anticipates", "believes", "potential", "could", "nominal", "conceptual" and similar expressions. There can be no assurance that Aruma plans to develop exploration projects that will proceed with the current expectations. There can be no assurance that Aruma will be able to confirm the presence of Mineral Resources or Ore Reserves, that any mineralisation will prove to be economic and will be successfully developed on any of Aruma's mineral properties. Investors are cautioned that forward looking information is no guarantee of future performance and accordingly, investors are cautioned not to place undue reliance on these forward-looking statements.

JORC Code, 2012 Edition – Table 1

Saltwater Surface Sampling Q1 2026

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Results reported here are not being used towards Mineral Resource Estimate or Reserve calculations.

Criteria	JORC Code explanation	Commentary
Sampling techniques	- Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are Material to the Public Report. - In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.	Soil Sampling Program: A total of 741 soil samples were collected at a depth from natural surface of approximately 20cm (minimum), by Geomin Services Pty Ltd, a Perth based geoservices consultancy. Sample spacing was conducted on the following spacing: - Saltwater Dome Area –Offset 500m x 250m spaced grid. - Tunnel Creek Area – 400m (130 azimuth) x 160m (approximately 220 azimuth), as infill to previous sampling, it provides a 200m x 160m - The samples were sieved in the field to < 80 micron and upto150g of sample media collected and submitted for assay to Intertek Perth. After drying, the soil samples were pulverized with 25g of pulp split-off for aqua regia and ICP-MS finish on a 33-element suite (method AR25/eMS) with a minimum detection level of 0.1ppb Au. Samples were assayed for Au, Ag, Al, As, B, Ba, Bi, Ca, Cd, Ce, Co, Cr, Cu, Fe, K, La, Mg, Mn, Mo, Na, Ni, P, Pb, S, Sb, Sc, Sr, Te, Ti, Tl, V, W, Zn - Soil sampling grids were designed to provide vectors to mineralisation, with each grid location determined by existing nearby rock chip anomalies. - No mineralisation was directly observed in the soil samples and determination of anomalism is dependent on lab analysis
Drilling techniques	Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	No drilling has been undertaken in this program and reported in this announcement.

Criteria	JORC Code explanation	Commentary
<i>Drill sample recovery</i>	• <i>Method of recording and assessing core and chip sample recoveries and results assessed.</i> • <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i> • <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i>	○ Drilling results are not being reported, no drilling data is included within this announcement.
<i>Logging</i>	• <i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i> • <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i> • <i>The total length and percentage of the relevant intersections logged.</i>	○ Drilling results are not being reported, no drilling data is included within this announcement.
<i>Sub-sampling techniques and sample preparation</i>	• <i>If core, whether cut or sawn and whether quarter, half or all cores taken.</i> • <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i> • <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i> • <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i> • <i>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</i> • <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i>	○ No subsampling was completed. ○ The samples were sieved in the field to < 80 micron, with approximately and up to 150g of sample media collected and submitted for assay to Intertek Perth. After drying, the soil samples were pulverized with 25g of pulp split-off for aqua regia and ICPMS on a 33-element suite with a minimum detection level of 0.1ppb Au. ○ In the field duplicate samples were taken from within 1m of the original using the same sampling technique every 30 samples, while Certified Reference Material from OREAS was inserted as blanks (OREAS25b) or as QA/QC (OREAS260) was also inserted within any given 30m sample progression giving approximately 10% coverage throughout the total program.

Criteria	JORC Code explanation	Commentary
Quality of assay data and laboratory tests	<i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i> <i>Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</i>	- Intertek Perth insert their own QAQC samples, including resplits, checks, blanks and standards. No QAQC issues were reported. - The samples were sieved in the field to <80 micron and upto 150g of sample media collected and submitted for assay to Intertek Perth. After drying, the soil samples were pulverized with 25g of pulp split-off for aqua regia and ICP-MS finish on a 33-element suite fire assay a minimum detection level of 1ppb Au. Samples were assayed for Au, Ag, Al, As, B, Ba, Bi, Ca, Cd, Ce, Co, Cr, Cu, Fe, K, La, Mg, Mn, Mo, Na, Ni, P, Pb, S, Sb, Sc, Sr, Te, Ti, Tl, V, W, Zn - The assay methods used are considered industry standard and are appropriate for early-stage exploration
Verification of sampling and assaying	<i>The verification of significant intersections by either independent or alternative company personnel.</i> <i>The use of twinned holes.</i> <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> <i>Discuss any adjustment to assay data.</i>	- The Saltwater Dome is the first large dome wide soil sampling program. Smaller concentrated areas have previously been tested, however the objective was to identify additional areas across the Saltwater Dome. - The Tunnel Creek Area soil sampling program is an infill soil sampling to further understand and refine the identified Luke, Padme, Rabbit and Darth Prospects. and Talmine Prospects soil sampling programs are the first phase of testing, however previous sparse rock chip samples reflect similar grades. - Drilling results are not being reported, no drilling data is included within this announcement. - Soil samples information including geological information coordinates and track data saved from handheld GPSs used in the field - Field data is entered into excel spreadsheets to be loaded into a Geobank database - Primary data was collected by Geomin Services at the project site and provided to the Company. - All observations were recorded digitally and entered into the company's database. Data verification and validation is checked upon entry into the database. - The Company is implementing the Geobank data storage system - Where the laboratory repeated an assay following a high-grade Au result, the average of the primary and repeat Au assay is reported.

Criteria	JORC Code explanation	Commentary
<i>Location of data points</i>	• <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> • <i>Specification of the grid system used.</i> • <i>Quality and adequacy of topographic control.</i>	○ All sample locations were recorded with a Garmin handheld GPS which has an accuracy of +/- 5m. GDA2020 Zone 50
<i>Data spacing and distribution</i>	• <i>Data spacing for reporting of Exploration Results.</i> • <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i> • <i>Whether sample compositing has been applied.</i>	○ This report is for the reporting of exploration results derived from early-stage surface sampling programs. ○ Surface sampling reported in this release are used for exploration targeting purposes. ○ Data is not sufficient to establish any degree of geological grade continuity. ○ Drilling results are not being reported, no drilling data is included within this announcement. ○ Sample spacing and distribution is not sufficient to establish the degree of geological and grade continuity appropriate for a Mineral Resource
<i>Orientation of data in relation to geological structure</i>	• <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i> • <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i>	○ Soils samples collected as part of the program were collected across the interpreted northeast-southwest trends of the regional geology and structures in the project area.
<i>Sample security</i>	• <i>The measures taken to ensure sample security.</i>	○ All geochemical samples are collected, bagged and sealed by Aruma contractors and delivered by secured freight directly to Intertek Laboratory in Maddington
<i>Audits or reviews</i>	• <i>The results of any audits or reviews of sampling techniques and data.</i>	○ No external or third-party audits or reviews have been completed. ○ Sampling methodologies are considered industry best practice. ○ The program is continuously reviewed by Senior Aruma personnel

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
<i>Mineral tenement and land tenure status</i>	• <i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i> • <i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i>	○ The Saltwater Project, 120km SW of Newman is managed, explored and maintained by Aruma Resources. ○ The project contains four exploration licenses (EL52/3818, EL52/3846, EL52/3857 and EL52/3966) and covers a total area of 450km² ○ All tenements are 100% owned by Aruma Resources. ○ All work completed was deemed low impact exploration so no POW's were required although the relevant station owner was fully informed of the activities at all stages. ○ Aruma has agreements in place with the Native Title holders, the Jidi Jidi Aboriginal Corporation
<i>Exploration done by other parties</i>	• <i>Acknowledgment and appraisal of exploration by other parties.</i>	○ The reports are acknowledged in the announcement and is numbered as a report in Minedex
<i>Geology</i>	• <i>Deposit type, geological setting and style of mineralisation.</i>	○ The Saltwater Project is located over Wyloo Group metasediments and the Bresnahan Group in the Ashburton Basin. ○ The Saltwater Project is prospective for orogenic gold, volcanogenic base-metals and unconformity related REEs. ○ Drilling results are not being reported, no drilling data is included within this announcement.

Criteria	JORC Code explanation	Commentary
<i>Drill hole Information</i>	• A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: ○ easting and northing of the drill hole collar ○ elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar ○ dip and azimuth of the hole ○ down hole length and interception depth ○ hole length. • If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	○ Not applicable. Drilling not reported
<i>Data aggregation methods</i>	• In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. • Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. • The assumptions used for any reporting of metal equivalent values should be clearly stated.	○ Results presented are final lab results as reported by the laboratory. Grades reported in the release are rounded to 2 or 3 significant figures. No averaging, aggregating or metal equivalents are reported ○ No metal equivalents reported ○ Single point surface sample results only have been reported. No data aggregation has been done

Criteria	JORC Code explanation	Commentary
<i>Relationship between mineralisation widths and intercept lengths</i>	• <i>These relationships are particularly important in the reporting of Exploration Results.</i> • <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i> • <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').</i>	○ Not applicable. Mineralisation width not reported.
<i>Diagrams</i>	• <i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i>	○ Please refer to the accompanying document for figures and maps for locations of surface sampling
<i>Balanced reporting</i>	• <i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i>	○ Public reporting of exploration results by Aruma and past tenement holders and explorers are considered balanced.
<i>Other substantive exploration data</i>	• <i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i>	○ Suitable commentary of the geology encountered are given within the text of this document.

Criteria	JORC Code explanation	Commentary
<i>Further work</i>	• <i>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).</i> • <i>Diagrams clearly highlighting the areas of possible extensions,</i> • <i>including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i>	○ Geological mapping ○ Surface sampling ○ Geophysical re-evaluation ○ Aircore, RC and Diamond Drilling

Table 1 – Saltwater and Tunnel Creek Soil Sample Location and Multi Element Assays

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1118	667750	7348750	1.2	0	3	658	0.09	1.47	4.9	29	9	1.98	13	6.5	0.25	3	82.7	0	109	0.16	36	0	16
SWS1119	668250	7348750	0.7	0	3	1523	0.17	0.17	8.4	94	20	3.25	20	9.4	0.34	6	29.4	0	231	0.18	53	0	24
SWS1121	668750	7348750	0.5	0	1	161	0.08	0.08	5	104	7	1.29	12	3.6	0.19	2	9	0	98	0.09	20	0.1	11
SWS1122	669250	7348750	0.6	0	3	333	0.13	0.08	13.3	39	15	2.8	23	6.9	0.32	4	11.6	0	266	0.21	45	0	20
SWS1123	669750	7348750	0.5	0	2	59	0.24	0.05	4	103	8	1.57	8	14.4	0.29	2	7.7	0	192	0.09	26	0.1	14
SWS1124	670250	7348750	0.3	0	1	105	0.08	0.05	4.9	21	5	1.65	11	4	0.22	2	10.7	0	176	0.12	22	0.1	11
SWS1125	670750	7348750	0.6	0	2	60	0.1	0.09	3.6	113	8	1.66	10	4.7	0.22	3	8	0	107	0.12	28	0.1	10
SWS1126	671250	7348750	0.5	0	2	71	0.1	0.03	6.3	25	6	1.85	9	4.3	0.24	2	7.6	0	201	0.13	26	0	8
SWS1127	671750	7348750	0.4	0	2	32	0.12	0.02	6.4	120	7	1.41	7	5.9	0.22	1	5.2	0	149	0.07	24	0.2	8
SWS1128	672250	7348750	0.3	0	2	40	0.1	0.02	3.1	27	6	1.59	6	9.4	0.22	2	5.7	0	241	0.09	24	0	10
SWS1129	672750	7348750	1.2	0	3	225	0.16	0.18	14.2	100	16	2.86	21	13.8	0.35	5	20.9	0	248	0.22	50	0	20
SWS1131	673250	7348750	0.3	0	2	37	0.12	0.03	3.8	112	8	1.81	8	4.9	0.23	2	5.9	0	272	0.08	31	0.1	10
SWS1132	673750	7348750	0.4	0	2	55	0.12	0.03	5.7	38	8	2.1	9	7.9	0.27	3	7.4	0	380	0.11	36	0	10
SWS1133	674250	7348750	0.4	0	2	31	0.12	0.02	5.3	105	9	2.26	9	5	0.29	3	3.3	0	328	0.11	41	0	10
SWS1134	667000	7349000	1.2	0	2	207	0.12	2.28	4.8	24	10	1.59	14	6.9	0.31	3	40.1	0	93	0.15	25	0	14
SWS1135	667500	7349000	0.5	0	3	63	0.16	0.02	12.8	113	16	3.26	12	7.4	0.43	5	3.7	0	436	0.17	58	0	14
SWS1136	668000	7349000	1.7	0	2	188	0.11	0.08	7.1	38	11	2.17	16	7.1	0.28	3	8.2	0	292	0.12	35	0	14
SWS1137	668500	7349000	0.4	0	0	122	0.06	0.05	2.1	75	4	0.89	5	3.8	0.17	1	22	0	101	0.07	14	0.1	6
SWS1138	669000	7349000	1	0	3	102	0.16	0.12	11.2	33	10	2.37	16	5.5	0.32	4	17.6	0	134	0.23	39	0	16
SWS1139	669500	7349000	0.4	0	2	619	0.12	0.05	10.1	95	13	2.37	16	6.2	0.27	4	10.1	0	219	0.17	40	0	14
SWS1141	670000	7349000	0.8	0	2	60	0.11	0.07	4.5	31	7	2.23	10	5.2	0.29	3	10.6	0	206	0.13	35	0	12
SWS1142	670500	7349000	0.5	0	2	92	0.12	0.05	5.5	88	10	2.21	11	5.2	0.28	3	6.7	0	291	0.11	36	0	13
SWS1143	671000	7349000	0.4	0	2	45	0.16	0.03	4	24	6	1.7	7	5	0.22	2	6.5	0	224	0.09	25	0	11
SWS1144	671500	7349000	0.4	0	2	64	0.12	0.04	8.3	90	9	1.83	12	4.9	0.24	3	7.2	0	182	0.14	32	0	10
SWS1145	672000	7349000	0.3	0	2	66	0.14	0.06	5	35	10	2.31	10	8.3	0.29	3	7.4	0	341	0.12	36	0	14

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1146	672500	7349000	0.5	0	4	321	0.15	0.03	26.8	104	13	3.25	18	13.6	0.43	4	5.3	0	435	0.31	60	0	12
SWS1147	673000	7349000	0.4	0	3	53	0.15	0.04	10.8	43	12	3.09	13	8.4	0.41	4	5.7	0	313	0.16	50	0	13
SWS1148	673500	7349000	0.2	0	1	27	0.08	0.01	2.6	89	6	1.43	6	3.7	0.18	1	3.2	0	259	0.06	25	0	7
SWS1149	674000	7349000	0.2	0	1	82	0.08	0.02	2.5	34	6	1.54	6	4.5	0.18	2	6	0	253	0.08	24	0	7
SWS1151	674500	7349000	0.3	0	2	47	0.11	0.03	3.1	41	8	1.91	8	4.6	0.22	2	5.5	0	299	0.09	32	0	9
SWS1152	666750	7349250	0.7	0	3	555	0.16	0.05	15.4	114	17	3.16	21	10.4	0.35	5	9.5	0	333	0.26	54	0	20
SWS1153	667250	7349250	0.7	0	2	111	0.09	0.03	6	33	7	1.88	9	5	0.29	2	12.4	0	236	0.12	26	0	8
SWS1154	667750	7349250	0.3	0	0	147	0.08	0.04	4.5	76	4	0.91	7	3.7	0.19	1	17	0	106	0.1	14	0	8
SWS1155	668250	7349250	0.4	0	2	55	0.08	0.03	3	23	6	1.6	6	3.8	0.21	2	6.5	0	220	0.1	22	0	8
SWS1156	668750	7349250	0.5	0	2	70	0.11	0.08	4.6	148	9	1.71	11	5.2	0.29	3	18.2	0	188	0.14	30	0.1	11
SWS1157	669250	7349250	0.5	0	3	94	0.16	0.06	10.6	46	17	3.15	15	7.9	0.35	5	10.2	0	359	0.2	51	0	21
SWS1158	669750	7349250	0.4	0	1	65	0.1	0.06	3.4	77	4	1.04	8	3.3	0.23	1	9.8	0	97	0.07	15	0.1	7
SWS1159	670250	7349250	0.4	0	3	107	0.13	0.03	8.3	43	11	2.87	13	6.6	0.36	4	5.6	0	374	0.17	46	0	14
SWS1161	670750	7349250	0.2	0	2	322	0.1	0.03	5.3	28	7	1.8	9	4.3	0.23	2	7.5	0	301	0.11	27	0	10
SWS1162	671250	7349250	0.4	0	3	104	0.13	0.03	13.9	103	12	2.66	14	7.1	0.34	4	5.3	0	409	0.2	47	0	12
SWS1163	671750	7349250	0.3	0	2	170	0.1	0.03	4.7	27	7	1.66	8	4.8	0.22	3	9.7	0	236	0.12	25	0	9
SWS1164	672250	7349250	0.6	0	4	182	0.13	0.03	22	107	12	3.41	18	11.2	0.43	3	4.5	0	415	0.29	61	0	10
SWS1165	672750	7349250	0.4	0	3	72	0.16	0.02	17	57	13	3.4	15	9.3	0.39	4	4.7	0	548	0.21	57	0	14
SWS1166	673250	7349250	0.1	0	1	40	0.08	0.01	2.4	101	6	1.32	6	3.4	0.19	2	2.7	0	200	0.06	24	0	5
SWS1167	673750	7349250	0.2	0	2	54	0.11	0.03	5.6	51	8	2.47	10	5.5	0.31	3	4.8	0	474	0.11	41	0	11
SWS1168	674250	7349250	0.2	0	2	57	0.11	0.03	3.4	102	8	1.99	9	5.3	0.27	2	5	0	315	0.09	35	0	9
SWS1169	667000	7349500	0.4	0	2	390	0.1	0.04	7.3	41	12	2.08	13	6.4	0.21	3	7.1	0	205	0.14	33	0	13
SWS1171	667500	7349500	0.3	0	0	64	0	0.03	2.6	78	3	0.87	6	2.5	0.15	0	6.2	0	83	0.06	11	0	6
SWS1172	668000	7349500	0.1	0	1	163	0.09	0.04	5.7	21	4	1.65	7	5.8	0.29	1	18	0	236	0.12	21	0	10
SWS1173	668500	7349500	0.5	0	2	72	0.1	0.58	3.5	110	6	1.45	9	9.4	0.28	2	12.5	0	106	0.11	23	0.2	12
SWS1174	669000	7349500	1.4	0	3	213	0.14	0.19	6.5	37	12	2.89	19	7	0.38	5	11.5	0	94	0.21	42	0	19
SWS1175	669500	7349500	1.3	0	3	1114	0.15	0.2	7.2	106	13	3	22	5.9	0.43	6	19	0	119	0.28	45	0.1	21
SWS1176	670000	7349500	0.3	0	2	72	0.11	0.1	3.5	21	4	1.61	6	5.2	0.33	2	9.2	0	122	0.11	20	0	10

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1177	670500	7349500	0.4	0	1	201	0.1	0.81	2.2	90	5	0.88	6	5.9	0.19	1	27.1	0	74	0.08	16	0	7
SWS1178	671000	7349500	0.4	0	2	33	0.1	0.01	4.9	35	10	2	8	4.7	0.24	3	3.8	0	213	0.11	33	0	9
SWS1179	671500	7349500	0.4	0	3	172	0.16	0.03	8	102	11	2.55	13	6.8	0.34	4	6.1	0	290	0.16	45	0	13
SWS1181	672000	7349500	0.3	0	1	41	0.06	0.02	1.8	19	4	1.15	4	3.7	0.15	0	5.8	0	149	0.06	14	0	5
SWS1182	672500	7349500	0.3	0	3	101	0.12	0.03	15.5	114	14	2.82	13	7.3	0.38	3	4.2	0	360	0.21	50	0.1	11
SWS1183	673000	7349500	0.4	0	2	42	0.11	0.02	3.8	57	7	2.42	9	4.7	0.32	3	3.5	0	514	0.09	41	0	8
SWS1184	673500	7349500	0.4	0	1	44	0.07	0.01	2.5	108	6	1.38	6	3.3	0.2	2	3.2	0	204	0.06	25	0.1	5
SWS1185	674000	7349500	0.3	0	1	27	0.08	0.01	2.4	103	6	1.39	7	3.6	0.22	2	2.6	0	237	0.06	26	0.1	5
SWS1186	674500	7349500	0.3	0	2	60	0.09	0.02	3.2	38	7	1.69	7	5.5	0.23	2	5.4	0	251	0.08	28	0	8
SWS1187	666750	7349750	0.4	0	6	390	0.21	0.08	27.6	112	28	5.12	36	16	0.56	9	10.4	0	293	0.47	93	0	26
SWS1188	667250	7349750	0.8	0	3	776	0.12	0.79	3.7	24	8	1.65	12	8.7	0.28	5	40.4	0	82	0.15	29	0	12
SWS1189	667750	7349750	0.3	0	1	101	0.08	0.06	3	95	4	1.28	7	4	0.27	2	7.9	0	75	0.1	18	0.2	7
SWS1191	668250	7349750	0.3	0	2	98	0.08	0.09	3.4	109	5	1.4	8	6.7	0.28	2	7.7	0	84	0.09	21	0.2	10
SWS1192	668750	7349750	0.8	0	2	151	0.13	0.32	3	23	5	1.83	9	6.7	0.29	3	10.1	0	82	0.12	27	0	11
SWS1193	669250	7349750	0.3	0	1	52	0.1	0.1	2.4	83	3	1.14	7	4.8	0.3	2	6.3	0	113	0.11	16	0.2	8
SWS1194	669750	7349750	0.3	0	2	51	0.14	0.14	3.4	22	3	1.91	7	6.6	0.61	2	8.1	0	136	0.12	21	0.3	10
SWS1195	670250	7349750	0.2	0	5	49	0.17	0.06	9.2	109	18	3.36	15	8.4	0.64	4	7	0	533	0.15	60	0	20
SWS1196	670750	7349750	1.3	0	4	113	0.19	0.05	14.3	53	21	3.75	16	9.2	0.47	7	6	0	372	0.28	67	0	22
SWS1197	671250	7349750	0.3	0	2	75	0.09	0.02	6.7	104	9	1.82	10	4.6	0.28	2	4.1	0	192	0.12	31	0.1	9
SWS1198	671750	7349750	0.5	0	3	204	0.14	0.14	5.5	38	10	2.77	13	5.9	0.41	4	11.5	0	137	0.16	45	0	16
SWS1199	672250	7349750	0.5	0	3	44	0.16	0.03	9.3	120	16	3.23	12	7.4	0.44	5	4	0	365	0.2	58	0.1	16
SWS1200	672750	7349750	0.4	0	2	34	0.11	0.02	3.9	64	8	2.43	9	4.7	0.36	3	3.1	0	449	0.09	41	0	8
SWS1201	673250	7349750	0.3	0	2	38	0.08	0.01	2.9	127	7	1.72	7	3.7	0.3	2	2.6	0	238	0.06	33	0.1	5
SWS1202	673750	7349750	0.3	0	2	39	0.09	0.01	3.4	47	7	1.92	7	4.5	0.28	2	3.2	0	267	0.09	33	0	7
SWS1203	674250	7349750	0.2	0	1	51	0.09	0.02	2.8	105	7	1.49	7	4.6	0.23	2	3.8	0	186	0.06	27	0.1	7
SWS1204	667000	7350000	0.5	0	3	989	0.15	0.06	9.5	49	18	3.06	16	6.8	0.34	6	16	0	242	0.19	51	0	22
SWS1205	667500	7350000	0.4	0	0	37	0.07	0.07	3.2	90	4	0.81	7	3.3	0.14	1	7.2	0	69	0.06	12	0.1	7
SWS1206	668000	7350000	0.4	0	2	82	0.09	0.05	3.4	23	5	1.78	7	5	0.31	2	6.7	0	181	0.1	23	0.1	8

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1207	668500	7350000	0.7	0	2	160	0.09	1.81	5.2	101	5	1.43	9	4.5	0.33	1	30.6	0	90	0.11	20	0.2	11
SWS1208	669000	7350000	0.2	0	0	47	0.05	0.1	1.6	11	2	1	4	3.9	0.22	0	6.1	0	55	0.07	8	0.1	5
SWS1209	669500	7350000	0.2	0	0	32	0.06	0.05	1.3	90	3	0.74	4	3	0.21	0	4.5	0	111	0	10	0.2	4
SWS1211	670000	7350000	0.2	0	1	47	0.08	0.11	2.6	17	3	1.33	6	4.1	0.33	1	7	0	110	0.11	15	0.1	9
SWS1212	670500	7350000	0.5	0	4	82	0.19	0.05	10.9	120	20	3.81	18	9.3	0.52	6	5.8	0	415	0.21	67	0	22
SWS1213	671000	7350000	0.2	0	9	55	0.09	0.01	8.2	28	7	1.74	7	6.8	0.82	2	6.1	0	220	0.12	27	0	7
SWS1214	671500	7350000	0.6	0	3	68	0.13	0.05	8.2	114	13	2.6	13	6.1	0.39	4	6.1	0	289	0.17	45	0.1	14
SWS1215	672000	7350000	0.3	0	3	40	0.12	0.01	5.9	48	11	2.79	9	6.1	0.39	4	3.3	0	316	0.15	46	0	12
SWS1216	672500	7350000	0.6	0	2	39	0.11	0.02	4.1	145	9	2.26	10	5.5	0.41	3	4.3	0	345	0.1	43	0.1	7
SWS1217	673000	7350000	0.5	0	3	31	0.12	0.01	5.1	65	9	2.5	9	6.2	0.44	3	3.3	0	366	0.11	45	0	8
SWS1218	673500	7350000	0.3	0	3	22	0.13	0	5	130	12	2.39	10	5.6	0.42	4	2.4	0	286	0.1	47	0.1	11
SWS1219	674000	7350000	0.6	0	3	45	0.14	0.02	8.1	67	15	2.94	12	7.3	0.45	5	3.6	0	335	0.14	55	0	16
SWS1221	674500	7350000	0.5	0	5	27	0.15	0.01	5.3	130	17	3.19	11	8.8	0.82	4	2.1	0	511	0.1	66	0	14
SWS1222	666750	7350250	0.5	0	4	243	0.21	0.07	13.3	63	26	4.2	22	9.2	0.46	8	8.6	0	362	0.31	73	0	33
SWS1223	667250	7350250	0.6	0	1	56	0.08	0.07	2.7	100	5	1.36	7	3.8	0.3	2	7.4	0	119	0.08	19	0.2	9
SWS1224	667750	7350250	1.1	0	3	107	0.56	0.84	4.1	27	6	1.55	10	17.9	0.32	4	29.6	0	50	0.19	27	0	13
SWS1225	668250	7350250	0	0	1	32	0.09	0.05	3.5	94	6	1.42	7	7.1	0.3	1	6.2	0	216	0.09	22	0.2	10
SWS1226	668750	7350250	0.3	0	2	45	0.1	0.08	3.1	20	3	1.5	7	5.6	0.36	2	6.5	0	101	0.14	17	0.2	9
SWS1227	669250	7350250	0.2	0	2	72	0.11	0.24	3	99	4	1.41	7	5.9	0.41	2	6.6	0	101	0.12	19	0.2	9
SWS1228	669750	7350250	0.7	0	2	145	0.14	1.56	4.6	17	13	1.51	9	13.2	0.53	2	38.5	0	79	0.2	18	0.1	25
SWS1229	670250	7350250	0.1	0	2	86	0.18	0.2	2.6	116	4	1	7	4.3	0.44	1	6.2	0	104	0.08	14	0.2	8
SWS1231	670750	7350250	0.4	0	3	378	0.13	0.04	8.1	115	12	2.22	12	6.2	0.36	4	5.7	0	243	0.16	39	0	11
SWS1232	671250	7350250	0.4	0	2	69	0.13	0.03	6.6	37	12	2.22	10	5.3	0.35	3	7.3	0	339	0.13	37	0	9
SWS1233	671750	7350250	0.3	0	1	81	0.08	0.02	1.8	113	5	1.04	5	5.3	0.24	1	8.3	0	260	0.06	18	0.1	5
SWS1234	672250	7350250	0.3	0	4	91	0.15	0.02	16.5	80	16	3.9	16	10.1	0.62	5	5.5	0	593	0.24	71	0	14
SWS1235	672750	7350250	0.4	0	4	28	0.12	0.01	4.7	161	12	2.65	10	6.1	0.61	3	2.8	0	426	0.08	51	0	8
SWS1236	673250	7350250	1.4	0	4	53	0.19	0.03	8.2	90	20	3.68	15	18.6	0.8	5	4.3	0	720	0.14	67	0	18
SWS1237	673750	7350250	0.8	0	5	37	0.16	0.02	5.4	141	17	3.43	13	11.9	0.72	4	3	0	560	0.14	67	0	16

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1238	674250	7350250	0.8	0	4	84	0.14	0.03	6.3	85	26	3.64	17	8.9	0.5	6	7.7	0	543	0.13	70	0	20
SWS1239	667000	7350500	0.2	0	1	108	0.1	0.09	3.2	109	4	1.12	8	6.9	0.24	2	36.9	0	67	0.15	16	0.2	11
SWS1241	667500	7350500	0.3	0	2	73	0.13	0.08	3.1	18	3	1.19	7	6.8	0.26	2	24	0	76	0.17	16	0	9
SWS1242	668000	7350500	0.1	0	0	54	0.07	0.22	2	92	3	1	6	3.8	0.35	1	6.3	0	85	0.08	12	0.3	7
SWS1243	668500	7350500	0.1	0	1	52	0.12	0.49	2.7	21	3	1.78	6	6.5	0.57	2	7.6	0	158	0.14	19	0.2	9
SWS1244	669000	7350500	0.2	0	0	34	0	0.13	2.3	117	2	0.46	5	4.2	0.19	0	13.8	0	40	0.1	5	0.2	3
SWS1245	669500	7350500	0.7	0	4	74	0.1	0.9	4.5	29	8	1.96	10	6.8	0.38	3	26	0	121	0.2	35	0	14
SWS1246	670000	7350500	0.5	0	2	155	0.07	1.3	4.3	105	6	1.01	10	4.6	0.4	1	28.6	0	76	0.2	15	0.2	11
SWS1247	670500	7350500	1.4	0	1	248	0	0.37	1.4	12	5	0.86	3	3.5	0.22	0	46.3	0	17	0.12	6	0	4
SWS1248	671000	7350500	0.7	0	3	77	0.16	0.07	6.9	156	14	2.89	17	6.7	0.43	5	12.5	0	272	0.24	51	0.1	16
SWS1249	671500	7350500	0.4	0	1	47	0.07	0.03	1.8	21	5	1.27	4	5.9	0.22	1	13.8	0	231	0.06	16	0	6
SWS1251	672000	7350500	3.3	0	5	225	0.22	0.15	8.7	168	24	4.44	21	13.4	1.14	7	13.6	0	648	0.19	83	0	26
SWS1252	672500	7350500	0.6	0	3	57	0.12	0.01	11.4	88	11	3.04	11	7.9	0.7	3	2.4	0	569	0.15	55	0	11
SWS1253	673000	7350500	0.6	0	8	49	0.14	0.03	6.1	188	17	3.52	13	15.4	1.17	4	3.7	0	740	0.09	68	0.1	14
SWS1254	673500	7350500	0.4	0	3	27	0.12	0.01	4.2	94	11	3.08	10	5.6	0.52	3	2.5	0	667	0.08	59	0	11
SWS1255	674000	7350500	0.7	0	4	37	0.16	0.02	5.4	155	23	3.81	15	9.9	0.61	7	3	0	444	0.16	79	0	17
SWS1256	674500	7350500	1.3	0	3	28	0.15	0.02	8.8	81	23	3.61	14	7	0.52	7	2.8	0	453	0.15	74	0	18
SWS1257	666750	7350750	0.1	0	0	71	0	0.04	1.9	101	4	0.79	6	4.1	0.24	1	13.8	0	35	0.07	12	0.2	5
SWS1258	667250	7350750	0	0	1	79	0.08	0.06	2.9	18	3	1.33	6	4.4	0.25	1	12.9	0	160	0.12	15	0	8
SWS1259	667750	7350750	0.2	0	0	43	0.07	0.06	1.9	109	4	0.98	6	3.8	0.23	0	9.4	0	170	0.06	13	0.2	7
SWS1261	668250	7350750	0.2	0	2	55	0.11	0.02	5.9	126	10	2.06	9	7.4	0.37	3	5.4	0	331	0.11	36	0.1	10
SWS1262	668753	7350765	0.4	0	5	104	0.14	0.1	4.6	32	14	2.19	10	7.9	0.79	3	13.1	0	298	0.12	35	0	13
SWS1263	669250	7350750	0.5	0	28	144	0.17	0.07	4.4	110	26	2.44	11	17.6	3.29	4	10.4	0	286	0.11	45	0	16
SWS1264	669750	7350750	1.7	0	17	131	0.46	0.06	7.2	30	46	2.23	16	14.6	3.03	4	14.9	0	147	0.17	41	0.1	9
SWS1265	670250	7350750	50.2	0.13	26	540	0.81	0.12	17.4	101	303	2.4	65	38.4	3.92	7	31.9	0.2	70	0.3	62	0	14
SWS1266	670750	7350750	18.1	0.25	98	786	0.44	4.09	29.4	41	203	5.67	29	86.2	8.66	11	69.8	0.1	224	1.03	64	0	47
SWS1267	671250	7350750	5.1	0	11	298	0.48	1.72	57.2	17	39	0.54	86	23.8	4.44	3	72.1	0	18	0.18	16	0	13
SWS1268	671750	7350750	0.5	0	8	42	0.18	0.03	9.3	141	29	4.32	15	20	0.89	6	4.2	0	641	0.14	80	0	23

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1269	672250	7350750	1.5	0	9	124	0.15	1.33	7.9	93	35	4.12	22	9.7	0.72	7	17.3	0	665	0.15	79	0	31
SWS1271	672750	7350750	0.4	0	4	46	0.13	0.02	11.4	176	21	3.45	16	6.9	0.59	5	3.1	0	563	0.15	72	0.1	15
SWS1272	673250	7350750	0.5	0	4	28	0.12	0.02	4.4	97	12	3.13	9	6.4	0.62	3	2.3	0	481	0.08	61	0	10
SWS1273	673750	7350750	0.3	0	3	28	0.12	0.02	4.4	162	14	2.78	11	6.2	0.51	4	3	0	324	0.09	56	0.1	13
SWS1274	674250	7350750	0.7	0	6	40	0.14	0.02	8.6	92	36	3.77	14	6.4	0.66	7	3.2	0	466	0.15	79	0	17
SWS1275	667000	7351000	0.3	0	1	56	0.07	0.18	2.6	168	8	1.11	8	5.8	0.23	2	22.8	0	131	0	17	0.2	9
SWS1276	667500	7351000	0.3	0	2	86	0.1	0.51	6.1	33	14	2.2	13	5.5	0.28	3	19.7	0	281	0.12	33	0	20
SWS1277	668000	7351000	0.8	0	4	60	0.35	3.99	2.4	124	7	0.77	7	7.1	0.48	1	102.4	0	83	0.08	14	0.2	7
SWS1278	668500	7351000	0.2	0	3	72	0.09	0.05	3.2	21	8	1.45	6	5.3	0.46	1	6.7	0	176	0.08	20	0	8
SWS1279	669000	7351000	1.5	0	13	138	0.14	2.05	4.5	158	18	2.87	12	9.2	1.84	4	49.8	0	331	0.19	77	0.1	13
SWS1281	669500	7351000	7.8	0.08	40	123	0.26	0.08	8.2	71	43	4.41	22	25.1	4.27	8	16.8	0	475	0.18	74	0	29
SWS1282	670000	7351000	1.5	0.05	44	322	0.31	0.1	7.4	194	68	3.75	17	27.8	9.38	5	23.9	0.1	228	0.14	75	0.2	20
SWS1283	670500	7351000	0.2	0	38	142	0.25	0.17	9.4	52	33	5.59	15	19.8	6.36	7	16.1	0	279	0.18	103	0	15
SWS1284	671000	7351000	844.7	0	9	91	0.06	9.66	35.6	71	97	4.64	25	7.7	0.5	15	130.7	0	222	0.1	106	0	41
SWS1285	671500	7351000	0.8	0	5	96	0.09	0.04	5.9	32	12	2.05	9	10.7	0.63	3	6.7	0	203	0.12	36	0	9
SWS1286	672000	7351000	2.6	0	5	92	0.16	0.07	10.9	193	21	4.15	22	10.5	0.89	6	4.3	0	746	0.19	88	0	17
SWS1287	672500	7351000	0.4	0	3	24	0.13	0.03	4.8	91	19	3.57	11	6.6	0.51	5	3.4	0	585	0.1	65	0	14
SWS1288	673000	7351000	0.8	0	3	27	0.14	0.02	8.4	186	19	3.36	11	6.7	0.59	4	2.2	0	465	0.12	70	0.1	11
SWS1289	673500	7351000	0.5	0	3	27	0.15	0.02	5.1	100	15	3.61	12	7.4	0.62	5	3.3	0	456	0.11	69	0	16
SWS1291	674000	7351000	1.1	0	5	48	0.15	0.03	14.6	115	28	4.57	21	6.6	0.87	7	3.5	0	634	0.15	99	0	18
SWS1292	674500	7351000	0.6	0	4	19	0.15	0.02	7.1	171	24	3.94	13	6.8	0.73	7	2.4	0	416	0.12	88	0	15
SWS1293	666750	7351250	0	0	2	89	0.08	0.04	4.9	31	8	2.14	8	4.2	0.46	2	11.4	0	344	0.09	30	0.1	12
SWS1294	667250	7351250	0.8	0	4	59	0.16	0.11	7.8	129	16	2.64	16	9.3	0.65	5	18.7	0	290	0.22	52	0	19
SWS1295	667750	7351250	0.4	0	2	126	0.14	0.11	7	47	8	2.81	15	7.7	0.58	4	8.3	0	349	0.26	38	0.1	18
SWS1296	668250	7351250	1.6	0	9	295	0.16	0.41	15.3	156	48	5.12	24	14.1	1.32	10	19.6	0	469	0.17	135	0	32
SWS1297	668750	7351250	2	0	2	161	0.08	2.53	4.3	27	10	1.71	8	8.8	0.56	3	51.8	0	157	0.25	25	0	9
SWS1298	669250	7351250	3.3	0	9	496	0.15	0.28	7.1	157	27	3.79	19	13.3	1.7	8	16.6	0	429	0.16	80	0	17
SWS1299	669750	7351250	9	0	6	1116	0.12	9.13	11.1	56	37	4.65	24	12.2	0.77	8	171.6	0	427	0.16	63	0	38

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1300	670250	7351250	0.8	0	5	>2000	0.21	0.1	11.8	146	39	5.64	28	11.5	0.76	10	36.1	0	469	0.2	91	0	30
SWS1301	670750	7351250	6.7	0	16	1065	0.05	16.22	4.9	31	62	3.67	17	3.5	0.28	8	398.2	0	221	0.07	96	0	21
SWS1302	671250	7351250	0.6	0	5	120	0.19	0.13	7.6	158	19	3.85	17	10.1	0.82	5	15.1	0	649	0.14	70	0	23
SWS1303	671750	7351250	0.5	0	4	34	0.15	0.04	7.7	99	17	4.02	12	8.7	0.68	5	3.2	0	636	0.13	81	0	13
SWS1304	672250	7351250	1	0	4	109	0.17	0.03	10.9	182	23	4	20	9.5	0.65	6	6.6	0	530	0.21	84	0	13
SWS1305	672750	7351250	0.6	0	4	66	0.14	0.03	15.1	100	29	4.31	20	6.9	0.61	7	3.5	0	497	0.16	87	0	24
SWS1306	673250	7351250	0.6	0	4	21	0.16	0.02	4.2	162	19	3.66	12	7.9	0.58	5	2.5	0	416	0.12	73	0.1	14
SWS1307	673750	7351250	1	0	5	56	0.14	0.04	16	101	32	4.59	21	7.3	0.73	9	3.6	0	474	0.17	94	0	18
SWS1308	674250	7351250	0.6	0	4	39	0.13	0.04	9.8	187	21	3.82	16	5.3	0.8	7	2.6	0	348	0.09	88	0	13
SWS1309	667500	7351500	1.3	0	10	114	0.25	3.23	10.5	52	27	3.41	21	24.7	1.38	4	64	0	535	0.2	66	0	31
SWS1311	668000	7351500	14.4	0.1	62	249	0.11	3.75	7.8	60	51	0.8	18	10.2	3.03	5	164.7	0	53	0.24	23	0	19
SWS1312	668500	7351500	2.4	0	9	294	0.15	1.54	7.4	75	28	4.46	15	11.5	1.79	6	40.4	0	451	0.13	113	0	21
SWS1313	669000	7351500	14.1	0	19	127	0.07	3.7	5	93	25	2.21	14	16	4.34	5	124.8	0	166	0.11	50	0.2	20
SWS1314	669500	7351500	4.1	0	5	102	0.1	0.32	30.3	66	106	6.97	43	252.3	1.26	14	28.9	0	595	0.11	154	0	83
SWS1315	670000	7351500	73.1	0	10	232	0.1	0.36	44.7	104	193	6.97	77	6.9	0.94	15	42.1	0	179	0.13	201	0.1	100
SWS1316	670500	7351500	4.4	0	11	177	0.11	1.73	3.6	46	31	7.6	15	6.4	1.94	9	32	0	164	0.05	237	0	6
SWS1317	671000	7351500	0.7	0	4	53	0.17	0.02	10.6	162	25	3.9	13	12.5	0.6	5	3	0	386	0.14	73	0	19
SWS1318	671500	7351500	1	0	5	82	0.18	0.06	11.3	77	25	3.79	16	15.4	0.75	8	5.7	0	555	0.19	76	0	14
SWS1319	672000	7351500	0.3	0	5	148	0.13	0.01	3.9	202	14	3.63	10	7.7	1.04	3	2.5	0	337	0.07	85	0.1	8
SWS1321	672500	7351500	0.3	0	3	18	0.15	0	4.7	82	15	3.87	10	6.5	0.57	4	2	0	546	0.1	85	0	13
SWS1322	673000	7351500	0.7	0	3	26	0.16	0.01	7	164	18	3.53	13	7	0.52	5	2.2	0	376	0.14	69	0	15
SWS1323	673500	7351500	0.7	0	4	27	0.17	0.02	10	101	28	4.32	15	7.7	0.71	7	3.2	0	485	0.16	88	0	20
SWS1324	674000	7351500	1.2	0	5	47	0.17	0.04	19.4	182	37	4.76	23	8.3	0.73	10	3.4	0	430	0.18	102	0	25
SWS1325	674500	7351500	0.6	0	4	31	0.16	0.02	12.4	110	26	4.85	15	6.9	0.8	7	2.6	0	507	0.13	99	0	20
SWS1326	668250	7351750	5.4	0	23	158	0.12	2.07	11.3	132	37	1.92	16	4.7	1.83	6	55.9	0	69	0.35	32	0.1	12
SWS1327	668750	7351750	4.2	0	10	124	0.14	2.27	5.7	64	22	3.86	14	9.1	1.94	5	48.7	0	466	0.21	107	0	18
SWS1328	669250	7351750	25.3	0.17	6	87	0.58	1.07	35.7	100	68	5.55	21	110.4	4.41	11	138.2	0.1	197	0.15	249	0	50
SWS1329	669750	7351750	11.7	0.06	7	113	0.13	0.67	33.8	48	103	6.7	39	9.4	1.25	18	32.8	0	2004	0.12	175	0	61

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1331	670250	7351750	24.5	0	3	486	0.06	13.28	17.7	47	46	4.23	20	3.9	0.62	12	245.1	0	415	0.13	143	0	42
SWS1332	670750	7351750	0.3	0	3	755	0.18	0.05	10.4	105	25	3.87	20	7.6	0.71	7	18.2	0	560	0.16	84	0	26
SWS1333	671250	7351750	1.6	0	5	611	0.2	0.08	27.4	77	31	5.28	28	18.9	0.73	8	7.3	0	700	0.36	113	0	23
SWS1334	671750	7351750	2.8	0	4	>2000	0.16	0.11	12.9	122	38	4.56	34	18.3	0.74	9	22.8	0	359	0.41	104	0	21
SWS1335	672250	7351750	2.1	0	4	120	0.16	0.04	12.9	93	23	4.04	19	9.3	0.61	5	8	0	624	0.21	79	0	14
SWS1336	672750	7351750	1.5	0	4	93	0.17	0.01	17.9	164	22	4.03	16	9.9	0.57	5	2.6	0	496	0.22	83	0	16
SWS1337	673250	7351750	2.5	0	4	44	0.18	0.01	15.3	114	24	4.44	16	8.4	0.68	6	2.9	0	656	0.21	90	0	19
SWS1338	673750	7351750	1.8	0	5	39	0.19	0.03	10.9	169	30	4.76	17	10.5	0.71	8	2.8	0	479	0.2	101	0	20
SWS1339	674250	7351750	1.3	0	4	35	0.19	0.02	12.5	126	25	4.94	15	8.8	0.83	7	2.9	0	543	0.17	102	0	18
SWS1341	668500	7352000	2.6	0	4	71	0.18	3.2	7.7	136	22	3.81	18	8.8	0.55	4	35.3	0	685	0.14	80	0	26
SWS1342	669000	7352000	5.4	0	8	661	0.14	5.21	5.2	55	31	4.17	13	9.2	1.62	7	73.4	0	301	0.11	141	0	11
SWS1343	669500	7352000	12.3	0	3	119	0.08	2.74	28	68	99	5.44	50	5.2	1.09	20	37	0	708	0.11	141	0	54
SWS1344	670000	7352000	7.8	0.06	4	132	0.15	0.33	32.4	35	107	7.04	21	12.4	1.17	16	19.4	0	556	0.09	171	0	70
SWS1345	670500	7352000	5.5	0	6	>2000	0.12	3.5	6.7	59	50	7.89	15	11.7	1.93	14	69.4	0	253	0.1	257	0	12
SWS1346	671000	7352000	0.8	0	5	82	0.2	0.03	22.1	85	29	5.1	16	14.1	0.67	7	4.2	0	549	0.27	98	0	23
SWS1347	671500	7352000	1	0	4	96	0.15	0.08	9.5	121	23	3.67	20	12.8	0.82	7	6.4	0	397	0.16	87	0	13
SWS1348	672000	7352000	0.6	0	5	89	0.12	0.06	12	56	42	3.48	20	8.7	0.86	5	6.5	0	390	0.15	84	0	33
SWS1349	672500	7352000	2	0	3	237	0.12	0.15	10.7	148	28	2.9	27	7.8	0.51	7	17	0	201	0.16	60	0	19
SWS1351	673000	7352000	0.7	0	4	26	0.17	0.01	5.7	106	24	4.26	14	8.4	0.61	7	2.3	0	481	0.19	84	0	19
SWS1352	673500	7352000	0.5	0	4	28	0.15	0.03	11.2	170	25	4.01	15	7.3	0.62	6	3.4	0	351	0.16	85	0	18
SWS1353	674000	7352000	0.6	0	5	29	0.19	0.02	6.6	124	23	4.63	13	9.4	0.71	6	2.7	0	536	0.17	93	0	17
SWS1354	674500	7352000	1.3	0	4	21	0.16	0.02	5.3	189	20	4.03	11	7.5	0.71	5	2.2	0	405	0.12	85	0.1	13
SWS1355	668250	7352250	1	0	3	456	0.11	1.37	5.3	45	14	2.3	11	8.7	0.43	4	43.5	0	317	0.15	51	0	15
SWS1356	668750	7352250	2.7	0	5	77	0.18	5.83	7	143	21	3.89	17	8.7	0.54	4	60.2	0	641	0.12	93	0.1	23
SWS1357	669250	7352250	1.8	0	5	268	0.12	9.08	6.1	67	19	3.04	14	6.5	0.41	3	162	0	541	0.11	84	0	17
SWS1358	669750	7352250	1.9	0	4	79	0.21	0.2	11.5	142	30	4.9	21	9.7	0.63	7	13.3	0	655	0.16	93	0	32
SWS1359	670250	7352250	25.2	0.14	4	205	0.19	1.04	15.6	73	72	7.34	23	12.1	1.21	15	50.7	0	657	0.19	177	0	29
SWS1361	670750	7352250	8.5	0	4	958	0.16	2.68	9	60	55	5.82	20	11.6	0.73	9	85	0	466	0.19	121	0	34

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1362	671250	7352250	7.8	0	2	328	0.1	0.24	9.8	150	31	1.91	27	8.2	0.44	7	23.4	0	78	0.15	46	0.1	17
SWS1363	671750	7352250	1	0	5	54	0.14	0.04	6.7	72	23	3.94	13	10.2	0.92	6	5.1	0	330	0.16	96	0	13
SWS1364	672250	7352250	3.3	0	3	109	0.11	0.17	9.8	149	21	2.26	23	7.5	0.43	6	18.9	0	120	0.17	46	0.1	15
SWS1365	672750	7352250	0.7	0	3	335	0.16	0.02	23	139	22	3.87	15	10.6	0.49	5	4.3	0	409	0.4	77	0	15
SWS1366	673250	7352250	1.3	0	5	29	0.16	0.03	12.7	111	29	4.48	17	7.6	0.61	7	2.8	0	447	0.17	91	0	22
SWS1367	673750	7352250	0.4	0	4	26	0.16	0.02	6.2	187	18	3.88	12	7.3	0.6	5	2.4	0	407	0.12	79	0.1	13
SWS1368	674250	7352250	0.5	0	4	32	0.18	0.03	11	119	23	4.56	14	9.3	0.67	6	2.8	0	494	0.19	91	0	18
SWS1369	668500	7352500	1.4	0	2	339	0.08	1.81	3.5	149	13	1.44	8	5.4	0.26	3	43.2	0	122	0.11	51	0.1	6
SWS1371	669000	7352500	7.9	0	3	1101	0.13	5.24	5.7	99	24	2.8	15	6.1	0.38	5	105	0	350	0.15	54	0	21
SWS1372	669500	7352500	2.1	0	4	87	0.14	6.65	6.5	145	19	3.19	16	7.3	0.46	4	51.2	0	605	0.11	77	0	20
SWS1373	670000	7352500	1.1	0	5	496	0.14	5.2	11.5	78	38	4.64	19	10.9	0.87	9	63.9	0	482	0.16	126	0	24
SWS1374	670500	7352500	1.2	0	5	259	0.14	0.33	10	145	35	3.9	22	10.6	0.86	9	13.2	0	344	0.17	103	0	20
SWS1375	671000	7352500	3.1	0	5	126	0.13	0.45	3.9	47	43	3	17	11.9	0.84	11	34.5	0	214	0.12	91	0	11
SWS1376	671500	7352500	5.3	0	5	877	0.17	0.22	11.1	82	52	4.57	32	9.6	0.75	14	48.4	0	211	0.44	109	0	31
SWS1377	672000	7352500	3.6	0	3	245	0.16	0.2	13.5	59	37	3.8	30	9.7	0.66	11	23.2	0	291	0.38	75	0	31
SWS1378	672500	7352500	0.8	0	5	72	0.19	0.02	19.8	187	23	4.53	16	10.7	0.7	6	2.9	0	706	0.25	95	0.1	17
SWS1379	673000	7352500	0.5	0	5	36	0.15	0.04	9.2	216	22	3.78	15	7.7	0.61	5	5.2	0	531	0.15	78	0.1	16
SWS1381	673500	7352500	0.9	0	5	68	0.2	0.04	14.4	118	33	4.77	19	10.2	0.64	9	5.7	0	627	0.26	98	0	26
SWS1382	674000	7352500	0.6	0	5	40	0.21	0.02	13.5	222	22	4.53	15	10.2	0.71	6	3.2	0	678	0.21	97	0	18
SWS1383	674500	7352500	0.7	0	5	157	0.22	0.01	29.8	139	24	5.08	18	11.9	0.76	6	3	0	769	0.4	102	0	20
SWS1384	668750	7352750	2.3	0	5	766	0.13	4.03	11.8	166	40	4.07	23	9.5	0.87	9	86.3	0	513	0.15	131	0	28
SWS1385	669250	7352750	3.9	0	4	313	0.13	9.53	7	63	24	2.81	15	6.3	0.39	4	138.7	0	522	0.13	69	0	19
SWS1386	669750	7352750	1.8	0	5	136	0.17	6.74	7.9	144	24	3.56	18	8	0.51	4	58.6	0	674	0.13	83	0	25
SWS1387	670250	7352750	4.6	0	6	1128	0.15	7.28	8.5	88	34	3.54	20	7.3	0.48	6	264.8	0	527	0.15	100	0	26
SWS1388	670750	7352750	15.4	0	5	>2000	0.1	15.49	5.5	85	33	2.1	14	4.7	0.3	4	194	0	366	0.11	50	0	15
SWS1389	671250	7352750	2.7	0	6	850	0.15	2.05	10.6	75	43	4.42	22	10.5	0.89	11	35.3	0	563	0.15	134	0	24
SWS1391	671750	7352750	1.5	0	4	622	0.21	0.2	12.7	88	39	4.93	30	10.7	0.67	12	19.5	0	563	0.33	103	0	31
SWS1392	672250	7352750	7.6	0	8	531	0.17	0.23	17.6	114	67	5.43	43	11.8	0.94	18	18.7	0	295	0.37	135	0	40

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1393	672750	7352750	0.7	0	5	40	0.18	0.02	12.1	122	21	4.34	15	9	0.6	6	3.2	0	686	0.24	91	0	17
SWS1394	673250	7352750	0.8	0	5	34	0.21	0.02	14.4	189	26	4.45	17	9.7	0.62	8	3.3	0	621	0.21	95	0	20
SWS1395	673750	7352750	0.8	0	6	44	0.25	0.05	12.6	122	33	5.36	20	11.7	0.68	11	4.8	0	624	0.29	111	0	27
SWS1396	674250	7352750	0.5	0	5	39	0.22	0.03	9.1	215	23	4.64	15	9.6	0.73	7	3.1	0	596	0.21	99	0	17
SWS1397	669000	7353000	5.8	0.05	6	127	0.12	7.99	8.8	88	44	3.43	21	6.4	0.48	8	288	0	526	0.16	98	0	22
SWS1398	669500	7353000	1.8	0	8	251	0.13	2.56	14.6	110	64	4.57	23	13.3	1.3	14	90.2	0	322	0.18	189	0.1	29
SWS1399	670000	7353000	3.2	0	5	454	0.13	9.88	6.3	70	21	3.12	14	6.5	0.43	3	150.4	0	598	0.1	78	0.1	19
SWS1400	670500	7353000	0.8	0	4	91	0.17	0.8	7.4	186	21	4.11	19	8.8	0.55	4	18.1	0	581	0.14	90	0.1	25
SWS1401	671000	7353000	6.7	0	5	95	0.17	4.99	7	108	21	3.95	16	7.9	0.53	4	35.9	0	582	0.11	80	0	21
SWS1402	671500	7353000	5.8	0	3	246	0.16	3.35	6.3	212	19	3.45	16	7.2	0.48	4	46.5	0	537	0.12	62	0.2	23
SWS1403	672000	7353000	1.3	0	3	94	0.16	1.16	6.7	98	15	3.58	15	7	0.46	4	14.2	0	602	0.13	67	0	21
SWS1404	672500	7353000	3.6	0	4	96	0.14	6.71	7.2	209	21	3.32	18	6.7	0.48	4	24	0	526	0.14	66	0.2	19
SWS1405	673000	7353000	0.7	0	4	56	0.19	0.04	14.4	129	27	4.49	18	8.3	0.57	8	3.5	0	551	0.25	87	0	25
SWS1406	673500	7353000	0.5	0	4	22	0.2	0.09	8.6	208	24	4.33	16	8.3	0.58	7	3.7	0	509	0.16	87	0	19
SWS1407	674000	7353000	0.8	0	5	48	0.2	0.02	12.5	141	24	4.78	16	9.9	0.62	7	3.5	0	635	0.22	95	0	19
SWS1408	674500	7353000	2.1	0	7	296	0.16	0.29	31.9	170	69	5.96	56	7	1	16	19.7	0	639	0.28	120	0	46
SWS1409	669750	7353250	1.1	0	4	471	0.08	4.02	15.4	84	31	3.64	21	5.6	0.66	6	185.1	0	449	0.18	130	0.1	19
SWS1411	670250	7353250	1.6	0	4	105	0.13	7.61	6.3	138	19	2.91	15	6.4	0.42	3	116	0	558	0.1	74	0.1	19
SWS1412	670750	7353250	4.1	0	5	742	0.13	8.86	5.9	75	19	2.9	13	6.1	0.41	3	293.9	0	540	0.11	85	0	17
SWS1413	671250	7353250	0.5	0	4	53	0.2	0.12	7.6	211	19	4.98	16	8.3	0.62	6	6.2	0	568	0.13	91	0.1	21
SWS1414	671750	7353250	1.6	0	4	58	0.19	0.41	6.7	111	18	4.55	17	8.2	0.57	5	8.8	0	615	0.14	84	0	23
SWS1415	672250	7353250	1.3	0	3	54	0.16	0.54	6.9	234	18	3.48	18	7.3	0.46	5	6.2	0	503	0.13	63	0.1	22
SWS1416	672750	7353250	0.6	0	4	61	0.17	0.02	14.4	128	21	4.27	16	8.1	0.53	6	3.5	0	594	0.23	80	0	20
SWS1417	673250	7353250	0.6	0	4	34	0.17	0.02	13	221	21	4.26	16	8.2	0.54	5	2.3	0	495	0.2	85	0.1	16
SWS1418	673750	7353250	0.7	0	5	92	0.19	0.01	20.2	139	21	4.73	16	9.5	0.62	6	2.7	0	644	0.25	92	0	18
SWS1419	674250	7353250	2.5	0	9	165	0.16	0.17	26	119	60	5.91	35	10.9	1.16	19	13.9	0	399	0.32	139	0	33
SWS1421	670000	7353500	2	0	5	108	0.08	5.01	5.8	50	20	2.62	12	4.5	0.43	4	75.9	0	555	0.16	89	0	14
SWS1422	670500	7353500	4	0	4	1174	0.1	12.4	6.6	114	21	2.25	13	5	0.3	3	276	0	338	0.1	68	0.1	16

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1423	671000	7353500	2.6	0	3	420	0.14	8.11	6.1	86	19	3.46	14	6.6	0.45	4	100.3	0	699	0.1	67	0	20
SWS1424	671500	7353500	0.8	0	4	91	0.23	0.3	11.3	186	26	5.37	20	10.4	0.64	8	11.8	0	573	0.19	100	0.1	32
SWS1425	672000	7353500	2.2	0.05	5	114	0.22	1.86	11.4	94	32	4.57	25	10.6	0.54	7	19.9	0	491	0.22	83	0	40
SWS1426	672500	7353500	0.9	0	3	62	0.16	4.6	6.7	170	19	3.28	16	7.1	0.44	4	32	0	558	0.12	62	0	23
SWS1427	673000	7353500	2.5	0	5	81	0.24	0.28	12.5	121	32	5.06	28	10.7	0.58	9	7.9	0	475	0.27	93	0	32
SWS1428	673500	7353500	0.6	0	5	234	0.19	0.04	29.5	188	25	4.87	20	11.3	0.59	6	2.5	0	499	0.43	98	0	17
SWS1429	674000	7353500	1	0	4	153	0.19	0.07	16	143	31	5.19	30	9.1	0.67	8	7.5	0	553	0.22	103	0	28
SWS1431	674500	7353500	1	0	5	704	0.23	0.61	26.6	135	40	5.37	63	8.2	0.59	12	53.4	0	525	0.36	110	0	32
SWS1432	670250	7353750	1.3	0	4	292	0.12	2.93	8.2	146	30	3.11	19	7	0.48	7	77.4	0	553	0.15	107	0	20
SWS1433	670750	7353750	1.7	0	5	74	0.24	0.16	10.4	97	27	5.04	22	10.4	0.63	8	16.5	0	684	0.2	94	0	31
SWS1434	671250	7353750	1.1	0	4	42	0.21	0.21	6.8	202	22	4.68	19	8.9	0.59	6	18.8	0	554	0.17	92	0	22
SWS1435	671750	7353750	2.9	0	6	69	0.23	2	8.9	107	27	5.21	21	10.2	0.64	6	20.1	0	647	0.17	103	0	30
SWS1436	672250	7353750	1.9	0	3	145	0.18	3.66	7.4	184	20	3.47	18	8.2	0.47	5	37.8	0	471	0.15	66	0.1	29
SWS1437	672750	7353750	1.2	0	4	52	0.17	3.41	5.8	105	16	3.93	14	6.7	0.51	4	17.7	0	709	0.11	78	0	20
SWS1438	673250	7353750	0.8	0	4	121	0.21	0.13	10.3	218	23	4.51	25	8.3	0.53	7	14.3	0	497	0.25	80	0	24
SWS1439	673750	7353750	3.9	0	7	418	0.14	8.36	8.8	63	22	3.07	20	6.5	0.42	4	69.8	0	442	0.19	74	0	22
SWS1441	674250	7353750	3.8	0	5	195	0.15	6.59	8.1	131	27	3.01	19	6	0.41	5	92.3	0	350	0.16	78	0	19
SWS1442	670500	7354000	3.8	0	3	339	0.11	5.72	7.9	90	22	3.85	18	5.7	0.43	5	78.4	0	568	0.1	74	0	25
SWS1443	671000	7354000	2.3	0	4	163	0.12	6.75	6.4	165	25	3.01	17	5.9	0.46	5	102	0	712	0.1	89	0.1	18
SWS1444	671500	7354000	2.3	0	4	50	0.22	0.19	7.7	116	22	5.41	19	9.9	0.66	7	19.1	0	755	0.17	104	0	26
SWS1445	672000	7354000	2.3	0	4	1044	0.09	14.31	6.8	151	21	2.56	15	4.6	0.31	4	126.6	0	341	0.1	57	0.1	19
SWS1446	672500	7354000	2	0	4	166	0.16	5.79	6.4	83	19	3.67	15	7.2	0.46	4	72.8	0	647	0.11	74	0	23
SWS1447	673000	7354000	2.2	0	4	137	0.2	2.06	10.1	186	27	4.35	26	8.6	0.52	7	11.6	0	541	0.19	82	0	25
SWS1448	673500	7354000	8	0	4	207	0.14	8.3	7.2	75	25	3.13	16	6.7	0.4	4	71.5	0	493	0.13	63	0	20
SWS1449	674000	7354000	6.2	0	3	100	0.18	0.72	8.9	200	23	3.74	21	8.3	0.48	5	13	0	554	0.18	64	0.1	31
SWS1451	674500	7354000	0.4	0	2	21	0.1	0.02	3.4	65	7	2.08	8	3.5	0.26	2	2.6	0	362	0.07	35	0	8
SWS1452	671250	7354250	2.5	0	5	41	0.22	0.2	8.1	192	25	4.95	21	9.3	0.64	6	32.5	0	720	0.17	105	0	25
SWS1453	671750	7354250	1.5	0	4	152	0.14	3.17	7.5	90	30	4.3	17	7.8	0.71	7	39.6	0	667	0.13	118	0	23

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1454	672250	7354250	2.1	0	5	211	0.17	3.38	7.7	219	25	3.99	19	8	0.54	5	20.7	0	547	0.12	88	0.1	23
SWS1455	672750	7354250	2.7	0	4	316	0.15	8	7.1	77	27	3.44	16	6.9	0.47	4	39.3	0	570	0.11	69	0	22
SWS1456	673250	7354250	0.6	0	4	143	0.14	0.33	8.5	131	25	4.11	18	7.2	0.66	6	11.5	0	506	0.16	85	0	19
SWS1457	673750	7354250	3.3	0.06	4	497	0.18	3.51	10.7	80	28	3.73	23	8.2	0.49	5	22.1	0	552	0.23	75	0	24
SWS1458	674250	7354250	0.9	0	4	>2000	0.19	0.06	24.8	105	25	4.52	37	8	0.52	6	14.7	0	714	0.31	85	0	23
SWS1459	673000	7354500	1.6	0	5	307	0.13	8.63	7	65	22	3.13	16	6.1	0.4	4	52	0	549	0.12	79	0	20
SWS1461	673500	7354500	5	0	4	1554	0.11	9.52	6.4	71	20	2.83	17	5.2	0.33	5	72.7	0	373	0.13	54	0	21
SWS1462	674000	7354500	1.5	0	4	>2000	0.2	0.12	20	104	27	4.68	38	8.3	0.54	7	24.1	0	608	0.34	86	0	22
SWS1463	674500	7354500	6.1	0	3	193	0.17	0.75	13.3	80	37	4.32	32	8.3	0.46	9	24	0	508	0.57	93	0	40
SWS1464	673749	7354740	6.4	0	4	538	0.12	10.47	6.6	57	25	2.9	16	5.7	0.38	4	84.3	0	406	0.12	60	0	20
SWS1465	674250	7354750	1.5	0	3	166	0.14	5.11	5.7	69	19	3.05	15	6.5	0.39	4	36.9	0	529	0.12	54	0	25
SWS1466	674000	7355000	2.7	0	4	168	0.1	4.62	6.7	67	21	2.91	16	5.4	0.39	4	112.4	0	460	0.12	66	0	19
SWS1467	674500	7355000	0.9	0	2	57	0.14	0.05	8.6	74	15	3.16	15	6.2	0.41	4	3	0	707	0.14	61	0	14
SWS1468	674500	7355500	3.2	0	6	214	0.12	8.4	11.2	50	17	3.82	21	5.2	0.49	4	205.5	0	534	0.14	73	0	27
SWS1469	674750	7348750	0.4	0	2	39	0.11	0.02	3.6	42	7	1.91	8	4.9	0.28	3	4.8	0	358	0.11	34	0	10
SWS1471	675250	7348750	0.7	0	3	60	0.14	0.09	9.1	58	12	2.69	12	5.8	0.38	4	5	0	447	0.13	46	0	14
SWS1472	675750	7348750	0.5	0	2	35	0.13	0.02	6.6	58	11	2.27	9	5.1	0.35	4	4.5	0	301	0.12	42	0	13
SWS1473	676250	7348750	0.8	0	3	43	0.18	0.02	7.1	101	14	3.19	11	6	0.57	5	3.2	0	445	0.12	61	0	14
SWS1474	676750	7348750	0.6	0	3	60	0.18	0.04	6.3	116	15	3.34	15	7.9	0.6	5	4.1	0	412	0.12	62	0	18
SWS1475	675000	7349000	0.7	0	2	94	0.1	0.02	3.8	46	8	1.85	9	5.2	0.27	3	4.9	0	276	0.1	31	0	8
SWS1476	675500	7349000	0.8	0	2	52	0.14	0.02	5.2	54	11	2.26	10	5.3	0.34	4	5.6	0	304	0.12	41	0	13
SWS1477	676000	7349000	1.3	0	3	1705	0.15	0.05	10.7	75	15	2.83	22	6.7	0.48	4	12.4	0	333	0.16	50	0	21
SWS1478	676500	7349000	0.7	0	3	19	0.17	0.01	3	119	12	2.98	9	5	0.59	4	2	0	423	0.08	60	0	14
SWS1479	674750	7349250	0.4	0	2	75	0.12	0.02	4.4	46	9	2.18	10	6.1	0.35	3	6.3	0	352	0.12	38	0	10
SWS1481	675250	7349250	0.3	0	2	37	0.11	0.01	3	55	9	1.9	7	5	0.33	3	3.2	0	228	0.08	35	0	18
SWS1482	675750	7349250	0.5	0	3	39	0.15	0.02	3.2	79	11	2.62	9	4.6	0.58	4	3.8	0	393	0.1	51	0	11
SWS1483	676250	7349250	0.3	0	2	17	0.13	0.01	2.7	88	10	2.29	7	4.1	0.49	3	1.7	0	341	0.07	46	0	11
SWS1484	676750	7349250	0.5	0.06	4	36	0.21	0.01	9.1	123	20	4.08	14	8.3	0.7	6	3.5	0	523	0.16	77	0	21

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1485	675000	7349500	0.4	0	2	38	0.13	0.01	3.9	58	11	2.31	9	6.3	0.43	4	4.2	0	276	0.12	44	0	13
SWS1486	675500	7349500	0.8	0	4	52	0.2	0.03	8.2	83	20	3.7	14	7.6	0.78	7	5.2	0	400	0.16	74	0	21
SWS1487	676000	7349500	0.5	0	2	74	0.14	0.02	5.5	72	12	2.36	9	5.2	0.5	3	2.6	0	388	0.11	46	0	13
SWS1488	676500	7349500	0.6	0	3	27	0.15	0.03	4.2	88	14	2.92	10	5.1	0.55	4	3.2	0	396	0.1	53	0	14
SWS1489	674750	7349750	0.4	0	2	26	0.14	0.01	3.2	71	11	2.49	9	5.6	0.49	4	2.6	0	346	0.09	50	0	13
SWS1491	675250	7349750	0.8	0	6	61	0.21	0.03	7.8	86	21	3.75	14	9	2.04	7	4.7	0	372	0.15	86	0	20
SWS1492	675750	7349750	0.2	0	3	54	0.16	0.02	6.8	93	17	3.24	10	6.7	0.75	5	5	0	480	0.1	66	0	17
SWS1493	676250	7349750	0.5	0	3	694	0.17	0.04	9.7	97	22	3.41	19	7.3	0.67	7	15.9	0	525	0.14	77	0	25
SWS1494	676750	7349750	0.6	0	4	36	0.23	0.02	4	106	19	3.99	12	7.3	0.63	6	3.2	0	544	0.17	77	0	18
SWS1495	675000	7350000	0.8	0	4	38	0.18	0.02	8.2	82	18	3.37	14	7	0.67	6	4	0	383	0.16	71	0	18
SWS1496	675500	7350000	0.9	0	4	42	0.18	0.02	9.8	88	27	3.75	15	7.1	0.66	8	4	0	410	0.17	78	0	22
SWS1497	676000	7350000	0.4	0	3	21	0.16	0.01	3.2	87	16	3.04	10	5.8	0.58	4	2.4	0	498	0.09	61	0	15
SWS1498	676500	7350000	0.4	0	3	21	0.17	0.01	4.5	87	17	3.26	11	6.6	0.54	5	2.8	0	478	0.11	61	0	16
SWS1499	674750	7350250	0.6	0	4	47	0.19	0.02	7.3	80	21	3.61	14	8	0.6	6	3.3	0	433	0.17	76	0	19
SWS1500	675250	7350250	0.6	0	3	67	0.16	0.02	19.4	78	36	3.61	12	8.3	0.58	5	2.7	0	509	0.16	67	0	18
SWS1501	675750	7350250	0.4	0	4	36	0.17	0.02	8.4	88	20	3.43	11	6.5	0.59	5	2.4	0	474	0.13	70	0	17
SWS1502	676250	7350250	0.9	0	5	320	0.21	0.05	18.6	84	34	4.38	25	12.1	0.73	9	7.4	0	448	0.22	82	0	36
SWS1503	676750	7350250	0.8	0	4	36	0.21	0.01	16.2	99	19	4.06	13	10.1	0.64	5	2.7	0	673	0.16	77	0	20
SWS1504	675000	7350500	0.6	0	3	21	0.16	0	5.6	84	17	3.29	11	5.9	0.63	6	2.6	0	388	0.12	68	0	15
SWS1505	675500	7350500	1.1	0	4	29	0.18	0.01	12.9	94	23	3.88	14	7.1	0.62	6	2.7	0	475	0.15	80	0	20
SWS1506	676000	7350500	1	0	4	61	0.15	0.03	13.9	81	28	3.83	20	7.3	0.6	7	3.3	0	413	0.14	73	0	20
SWS1507	676500	7350500	0.6	0	6	64	0.19	0.03	9.3	95	36	4.1	15	20.7	0.78	7	5.3	0	620	0.13	80	0	28
SWS1508	677000	7350500	0.2	0	3	29	0.14	0.02	5.7	106	17	3.22	12	5.7	0.53	4	3.2	0	447	0.09	60	0	14
SWS1509	674750	7350750	0.5	0	4	26	0.17	0.01	5.1	87	18	3.58	11	7.1	0.66	5	2.5	0	452	0.13	74	0	15
SWS1511	675250	7350750	0.6	0	4	23	0.17	0.01	7.7	96	18	3.73	11	6.8	0.67	5	2.5	0	458	0.12	76	0	15
SWS1512	675750	7350750	1.1	0	5	62	0.2	0.03	14	96	31	5.06	19	9.3	0.77	9	3.5	0	500	0.19	107	0	26
SWS1513	676250	7350750	0.3	0	4	47	0.18	0.02	11.3	88	28	4.71	16	9	0.66	8	3.6	0	722	0.13	91	0	20
SWS1514	676750	7350750	0.7	0	4	41	0.21	0.03	10.2	97	25	4.21	14	8.3	0.62	7	3.8	0	628	0.15	85	0	22

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1515	677250	7350750	0.5	0	4	22	0.22	0.03	4.1	145	21	4.38	12	7.1	0.66	6	2.9	0	519	0.12	84	0	18
SWS1516	675000	7351000	0.4	0	3	14	0.15	0.02	3.1	100	11	3.15	7	5.3	0.63	4	2	0	403	0.08	67	0	10
SWS1517	675500	7351000	0.9	0	4	24	0.19	0.02	10.8	88	27	4.24	15	8.6	0.59	8	3	0	467	0.16	87	0	20
SWS1518	676000	7351000	0.6	0	4	44	0.18	0.01	13.9	100	21	4.47	12	10.7	0.71	6	2.8	0	630	0.17	99	0	16
SWS1519	676500	7351000	1.8	0	3	37	0.17	0.02	9.5	91	27	3.78	14	7.3	0.49	6	3.8	0	606	0.14	76	0	17
SWS1521	677000	7351000	0.5	0	3	18	0.19	0.01	3.3	135	17	4.02	9	6.2	0.58	4	2.4	0	569	0.09	76	0	15
SWS1522	674750	7351250	0.4	0	4	17	0.16	0.02	4.8	101	21	3.91	11	6.4	0.65	5	2.5	0	564	0.1	81	0	14
SWS1523	675250	7351250	0.2	0	3	16	0.14	0.01	3.2	96	12	2.97	8	5	0.49	4	1.9	0	461	0.08	63	0	12
SWS1524	675750	7351250	0.4	0	4	28	0.19	0.02	9.2	98	21	4.29	13	8.7	0.61	6	3.4	0	627	0.16	90	0	19
SWS1525	676250	7351250	0.6	0	4	24	0.19	0.01	11.6	94	20	4.45	13	8.6	0.66	7	2.8	0	631	0.14	103	0	17
SWS1526	676750	7351250	0.4	0	4	32	0.19	0.02	9.2	113	23	4.4	13	9.5	0.57	6	3	0	671	0.15	86	0	18
SWS1527	677250	7351250	0.5	0	4	20	0.2	0	5	155	17	4.29	11	7.5	0.58	6	2.3	0	565	0.12	84	0	16
SWS1528	675000	7351500	0.7	0	4	24	0.2	0.01	8.4	117	18	4.52	12	8.7	0.73	5	2.6	0	737	0.14	91	0	16
SWS1529	675500	7351500	0.9	0	4	24	0.2	0.02	6.6	136	22	4.83	13	8.7	0.8	7	3.2	0	611	0.14	108	0	19
SWS1531	676000	7351500	0.4	0	4	26	0.19	0.02	7.7	104	21	4.39	13	8.5	0.61	6	3.2	0	665	0.15	92	0	21
SWS1532	676500	7351500	0.3	0	4	18	0.17	0	3	121	16	4.2	9	6.7	0.65	5	2.2	0	545	0.08	91	0	13
SWS1533	677000	7351500	0.7	0	4	21	0.18	0.01	3.9	125	19	3.99	11	8.2	0.52	6	2.4	0	490	0.14	77	0	16
SWS1534	674750	7351750	1	0	4	21	0.19	0.02	6.4	131	23	4.71	13	8.3	0.81	6	2.7	0	607	0.14	100	0	18
SWS1535	675250	7351750	0.5	0	4	30	0.19	0.02	5.1	105	22	4.46	11	8.3	0.68	6	2.7	0	703	0.14	91	0	16
SWS1536	675750	7351750	0.4	0	4	22	0.19	0.02	7.3	111	20	4.23	12	8.2	0.61	6	3	0	586	0.13	87	0	17
SWS1537	676250	7351750	0.5	0	4	22	0.2	0.01	4.6	104	19	4.18	12	7.5	0.52	6	2.9	0	637	0.15	85	0	19
SWS1538	676750	7351750	0.8	0	4	22	0.21	0.02	7.4	109	26	4.43	14	8.7	0.53	9	3.2	0	556	0.18	89	0	19
SWS1539	677250	7351750	1.1	0	4	23	0.2	0.01	7.9	120	21	3.91	12	7.7	0.49	7	2.6	0	549	0.16	77	0	16
SWS1541	675000	7352000	0.5	0	5	29	0.21	0	5.9	130	21	4.99	14	9.4	0.73	6	2.6	0	725	0.18	101	0	18
SWS1542	675500	7352000	0.7	0	6	358	0.25	0.05	53.2	142	43	6.13	45	20.3	1.07	11	5.5	0	648	0.9	152	0	22
SWS1543	676000	7352000	0.6	0	4	19	0.19	0	2.9	116	18	4.35	10	7.2	0.62	6	2.2	0	599	0.13	95	0	14
SWS1544	676500	7352000	0.7	0	4	54	0.22	0.02	30	124	23	4.56	14	10.5	0.58	7	3	0	679	0.27	93	0	19
SWS1545	677000	7352000	0.7	0	6	62	0.23	0.02	13.2	132	26	5.5	16	10.6	0.67	7	3.2	0	671	0.26	108	0	22

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1546	677500	7352000	0.6	0	3	18	0.19	0.02	4	121	15	3.59	10	6.7	0.43	5	2.8	0	559	0.12	68	0	15
SWS1547	674750	7352250	0.4	0	5	40	0.21	0.02	12.3	138	23	4.92	16	10.4	0.75	6	3	0	704	0.21	100	0	18
SWS1548	675250	7352250	0.5	0	6	362	0.22	0.02	26.5	155	26	5.37	18	15.6	0.94	6	3.1	0	647	0.6	121	0.1	17
SWS1549	675750	7352250	0.7	0	5	682	0.23	0.03	44.9	121	28	5.15	26	16.7	0.71	8	4.3	0	658	0.71	107	0	21
SWS1551	676250	7352250	0.6	0	4	33	0.21	0.02	13.4	143	20	4.53	13	9.4	0.59	6	3.1	0	672	0.19	92	0	18
SWS1552	676750	7352250	0.3	0	3	69	0.15	0.02	6	131	14	3.32	13	5.6	0.42	4	2.7	0	601	0.14	61	0	14
SWS1553	677250	7352250	1.7	0	5	336	0.22	0.05	25.9	161	30	4.93	40	7.7	0.61	8	5.8	0	522	0.38	99	0	30
SWS1554	677750	7352250	0.4	0	3	27	0.16	0.02	8.3	94	17	3.57	12	6	0.44	4	2.6	0	594	0.14	64	0	15
SWS1555	675000	7352500	1.2	0	5	>2000	0.22	0.05	35.9	123	34	5.13	32	10.8	0.66	8	13.1	0	504	0.56	102	0	26
SWS1556	675500	7352500	0.7	0	7	119	0.25	0.02	18.4	165	29	6.23	18	11.8	1.23	8	3.6	0	815	0.31	147	0	20
SWS1557	676000	7352500	0.6	0	5	150	0.22	0.03	23.1	135	23	4.94	16	11	0.64	6	3.5	0	740	0.33	97	0	19
SWS1558	676500	7352500	3.5	0	6	993	0.25	0.15	15.2	138	46	6.7	53	12.9	0.69	16	20.4	0	458	0.32	134	0	54
SWS1559	677000	7352500	0.2	0	2	24	0.11	0.02	4	75	8	2.18	7	3.8	0.28	2	2.1	0	413	0.06	38	0	9
SWS1561	677500	7352500	0.8	0	2	34	0.15	0.01	8.3	91	12	3.11	13	4.6	0.37	4	2.4	0	673	0.13	57	0	12
SWS1562	678000	7352500	0.6	0	3	25	0.16	0.02	6.1	85	13	3.14	11	5.3	0.38	4	2.9	0	639	0.1	53	0	13
SWS1563	674750	7352750	0.8	0	7	415	0.19	0.06	27.4	132	52	5.63	59	7.3	0.88	12	7.8	0	420	0.28	136	0	49
SWS1564	675250	7352750	1.2	0	6	301	0.22	0.06	18.1	162	36	6.13	30	10.2	1.07	9	7.7	0	736	0.27	143	0	32
SWS1565	675750	7352750	0.9	0	6	197	0.25	0.07	19.7	201	34	6.24	34	9.3	1.04	9	7.5	0	676	0.27	143	0	34
SWS1566	676250	7352750	0.8	0	3	86	0.17	0.04	11.8	131	20	3.77	22	6.1	0.44	6	4.5	0	600	0.19	72	0	21
SWS1567	676750	7352750	0.3	0	2	29	0.1	0.01	2.9	68	7	1.95	7	3.4	0.26	2	2.4	0	390	0.06	34	0	8
SWS1568	677250	7352750	0.2	0	2	34	0.12	0.03	3.6	82	8	2.6	9	4.1	0.34	2	4	0	623	0.07	42	0	9
SWS1569	677750	7352750	0.5	0	2	33	0.13	0.01	4.1	81	9	2.61	9	4.4	0.35	3	3.1	0	571	0.09	45	0	10
SWS1571	678250	7352750	0.5	0	2	39	0.13	0.03	4	78	11	2.69	11	4.3	0.35	3	3	0	440	0.08	43	0	12
SWS1572	675000	7353000	0.5	0	3	50	0.14	0.04	7.1	93	18	3.41	17	5.9	0.41	5	4.7	0	545	0.14	66	0	21
SWS1573	675500	7353000	0.3	0	2	26	0.12	0.01	3.6	95	8	2.67	8	4	0.34	2	2.5	0	515	0.07	47	0	9
SWS1574	676000	7353000	0.3	0	2	25	0.11	0.02	3.6	78	7	2.22	8	3.8	0.27	2	2	0	406	0.07	40	0	9
SWS1575	676500	7353000	0.3	0	2	22	0.11	0.02	2.9	69	6	2.1	7	3.4	0.28	2	3	0	386	0.06	35	0	7
SWS1576	677000	7353000	0.3	0	2	34	0.12	0.01	3.3	75	7	2.29	8	3.8	0.3	2	2.9	0	528	0.07	40	0	9

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1577	677500	7353000	0.3	0	2	26	0.11	0.01	3.3	82	7	2.59	8	3.9	0.35	2	2.6	0	494	0.07	41	0	8
SWS1578	678000	7353000	0.6	0	2	22	0.11	0.02	3.3	83	7	2.43	8	4.2	0.32	2	2.4	0	500	0.07	41	0	9
SWS1579	678500	7353000	0.3	0	2	26	0.12	0.01	3.8	81	8	2.68	8	4.4	0.36	2	2.6	0	460	0.07	43	0	9
SWS1581	674750	7353250	1.1	0	3	207	0.17	0.03	22.4	107	20	3.99	22	8.5	0.46	5	4.2	0	701	0.36	77	0	15
SWS1582	675250	7353250	0.5	0	2	45	0.11	0.02	4.6	79	9	2.59	10	4.1	0.32	3	2.7	0	490	0.08	44	0	10
SWS1583	675750	7353250	0.4	0	2	42	0.14	0.04	6	91	12	2.89	13	6.7	0.37	4	4.1	0	463	0.12	52	0	13
SWS1584	676250	7353250	0.2	0	2	18	0.08	0.01	2.5	60	6	1.91	6	3	0.25	2	2.1	0	323	0.05	30	0	6
SWS1585	676750	7353250	0.2	0	2	24	0.1	0.02	2.7	68	6	2	7	3.4	0.26	2	2.3	0	383	0.06	34	0	8
SWS1586	677250	7353250	0.3	0	2	20	0.11	0.01	3.3	83	7	2.6	8	4.1	0.33	2	2.3	0	522	0.07	42	0	8
SWS1587	677750	7353250	0.3	0	2	32	0.13	0.02	4.7	85	9	2.7	11	4.6	0.35	3	2.4	0	512	0.1	47	0	11
SWS1588	678250	7353250	0.2	0	2	18	0.1	0.02	3	76	7	2.34	7	3.8	0.31	2	2.1	0	396	0.06	37	0	8
SWS1589	678750	7353250	0.4	0	2	29	0.13	0.02	4	87	9	2.72	9	4.8	0.36	3	2.2	0	473	0.08	46	0	10
SWS1591	675000	7353500	0.4	0	2	28	0.12	0.01	4.6	85	9	2.59	10	4.4	0.32	3	2.6	0	496	0.09	47	0	11
SWS1592	675500	7353500	0.3	0	2	20	0.1	0.01	3.1	79	7	2.39	8	3.7	0.3	2	2.1	0	449	0.07	40	0	8
SWS1593	676000	7353500	0.3	0	2	20	0.1	0.02	3.3	70	7	2.12	8	3.6	0.25	2	2.3	0	340	0.06	37	0	9
SWS1594	676500	7353500	0.1	0	2	18	0.09	0.1	2.4	67	6	2.12	6	3.3	0.28	2	7.4	0	363	0.06	33	0	7
SWS1595	677000	7353500	0.2	0	2	25	0.1	0.02	2.9	68	6	2.04	7	3.5	0.26	2	2.2	0	383	0.07	34	0	8
SWS1596	677500	7353500	0.3	0	2	36	0.12	0.02	4.6	83	11	2.85	11	4.7	0.36	3	2.8	0	517	0.1	47	0	10
SWS1597	678000	7353500	0.4	0	2	23	0.13	0.02	4.3	88	9	2.82	10	4.9	0.36	3	2.6	0	547	0.09	49	0	11
SWS1598	678500	7353500	0.3	0	2	60	0.13	0.05	4.2	84	9	2.87	9	4.7	0.39	3	5.6	0	521	0.08	46	0	10
SWS1599	679000	7353500	0.4	0	2	19	0.15	0.01	3.1	87	11	3.08	9	5.4	0.41	4	2.2	0	490	0.09	52	0	12
SWS1600	674750	7353750	0.4	0	2	19	0.1	0.02	3.5	77	8	2.41	8	3.9	0.3	2	2.6	0	422	0.08	41	0	8
SWS1601	675250	7353750	0.6	0	2	30	0.14	0.02	6.3	89	12	2.99	12	5.5	0.36	4	2.6	0	490	0.12	55	0	12
SWS1602	675750	7353750	0.3	0	2	19	0.1	0.03	2.7	81	7	2.45	7	3.7	0.3	2	4.1	0	472	0.06	40	0	8
SWS1603	676250	7353750	0.2	0	2	16	0.11	0.02	2.5	86	6	2.37	7	4.3	0.3	2	2.9	0	510	0.06	41	0	9
SWS1604	676750	7353750	0.2	0	2	20	0.1	0.01	2.8	72	6	2.27	7	4.6	0.31	2	2.3	0	390	0.06	35	0	7
SWS1605	677250	7353750	0.3	0	2	21	0.12	0.02	3.4	81	8	2.53	8	4.3	0.32	2	2.8	0	519	0.07	43	0	9
SWS1606	677750	7353750	0.3	0	2	20	0.13	0.02	3.8	85	9	2.76	8	4.7	0.38	3	2.4	0	480	0.07	44	0	9

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1607	678250	7353750	0.4	0	2	23	0.13	0.01	4.1	88	9	2.89	8	5.1	0.37	3	2.2	0	466	0.08	48	0	11
SWS1608	678750	7353750	0.4	0	2	45	0.13	0.02	5.6	85	11	3.11	10	5.3	0.41	3	3.3	0	485	0.09	49	0	10
SWS1609	679250	7353750	0.7	0	3	53	0.21	0.04	7.9	92	18	4.35	16	9.4	0.52	6	4.5	0	553	0.16	74	0	21
SWS1611	675000	7354000	0.2	0	2	25	0.1	0.01	3.4	75	8	2.33	8	3.7	0.29	2	2.2	0	432	0.07	40	0	8
SWS1612	675500	7354000	0.4	0	2	54	0.13	0.02	5.1	90	10	2.84	10	4.9	0.34	3	3.1	0	525	0.1	52	0	12
SWS1613	676000	7354000	0.2	0	2	54	0.1	0.05	4.7	82	10	2.63	10	4	0.33	2	4.7	0	431	0.08	42	0	10
SWS1614	676500	7354000	0.2	0	2	20	0.11	0.02	3.1	78	7	2.35	8	4	0.28	2	2.8	0	412	0.07	40	0	9
SWS1615	677000	7354000	0.2	0	2	26	0.12	0.02	4.1	84	9	2.82	9	4.6	0.37	2	3.1	0	545	0.08	45	0	9
SWS1616	677500	7354000	0.3	0	2	33	0.14	0.01	5	86	10	2.99	10	5.5	0.39	3	2.7	0	525	0.1	50	0	11
SWS1617	678000	7354000	0.4	0	3	25	0.14	0	6.9	83	11	3.19	10	5.9	0.4	4	2.2	0	526	0.11	52	0	11
SWS1618	678500	7354000	0.3	0	2	19	0.15	0.01	3.5	87	11	3.26	9	5.7	0.42	3	2.2	0	543	0.09	54	0	13
SWS1619	679000	7354000	0.5	0	3	24	0.17	0.01	5.9	90	14	3.67	11	6.9	0.48	4	2.6	0	583	0.12	61	0	14
SWS1621	674750	7354250	0.2	0	2	49	0.12	0.02	4.6	85	9	2.59	10	4.4	0.31	3	3.9	0	533	0.1	48	0	10
SWS1622	675250	7354250	0.2	0	2	34	0.11	0.03	3.5	83	8	2.57	8	4.1	0.32	2	3.7	0	502	0.07	44	0	9
SWS1623	675750	7354250	0.3	0	2	49	0.14	0.01	5.4	100	10	3.12	11	5.2	0.38	3	2.8	0	582	0.1	56	0	11
SWS1624	676250	7354250	0.3	0	2	33	0.12	0.02	4.8	89	10	2.98	10	4.9	0.4	3	3	0	528	0.08	50	0	10
SWS1625	676750	7354250	0.4	0	2	36	0.13	0.01	5.3	93	10	3.25	10	5.3	0.39	3	2.3	0	484	0.1	53	0	10
SWS1626	677250	7354250	0.2	0	2	20	0.12	0.02	4	73	9	2.79	8	4.3	0.35	2	2.3	0	408	0.08	41	0	9
SWS1627	677750	7354250	0.3	0	2	39	0.12	0.01	4.5	66	9	2.59	9	4.8	0.32	3	2.3	0	339	0.1	42	0	9
SWS1628	678250	7354250	0.5	0	2	19	0.14	0	5	68	11	3.1	9	6.1	0.37	4	2.1	0	437	0.1	47	0	11
SWS1629	678750	7354250	0.5	0	3	23	0.16	0.02	3.8	81	14	3.69	12	6.5	0.44	5	2.8	0	546	0.11	58	0	15
SWS1631	679250	7354250	0.3	0	3	23	0.17	0.01	7.1	86	13	3.8	11	6.9	0.45	4	2.3	0	592	0.11	58	0	15
SWS1632	675000	7354500	0.5	0	2	37	0.14	0.01	5.7	83	11	3.23	11	5.1	0.38	3	2.3	0	573	0.11	54	0	11
SWS1633	675500	7354500	0.4	0	2	52	0.12	0.01	5.7	86	10	2.96	9	5.2	0.34	3	2.9	0	412	0.1	51	0	10
SWS1634	676000	7354500	0.6	0	3	58	0.16	0.02	8.5	97	13	3.86	14	6.1	0.45	4	3.2	0	608	0.14	63	0	13
SWS1635	676500	7354500	0.4	0	3	28	0.15	0.01	7.6	92	13	3.71	11	6.7	0.42	4	2.5	0	540	0.13	62	0	12
SWS1636	677000	7354500	0.3	0	3	32	0.14	0.01	5.9	78	11	3.23	10	6.2	0.39	4	2.3	0	444	0.12	51	0	10
SWS1637	677500	7354500	0.2	0	2	16	0.1	0.01	3.2	59	7	2.21	7	3.8	0.27	2	1.8	0	324	0.07	34	0	7

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1638	678000	7354500	0.3	0	2	22	0.11	0.01	3.6	57	8	2.44	7	4.3	0.29	2	2.6	0	388	0.08	37	0	9
SWS1639	678500	7354500	0.2	0	3	83	0.14	0.02	10.2	76	12	3.38	13	7.3	0.4	3	2.9	0	517	0.19	55	0	14
SWS1641	679000	7354500	0.5	0	3	20	0.15	0.02	4.4	71	13	3.39	10	5.4	0.38	4	2.8	0	545	0.1	52	0	13
SWS1642	674750	7354750	0.8	0	2	106	0.12	0.03	9.1	76	14	2.93	15	4.9	0.32	4	4.8	0	464	0.14	52	0	14
SWS1643	675250	7354750	0.3	0	2	48	0.13	0.02	6	77	13	3.25	12	6	0.36	4	3	0	503	0.13	54	0	11
SWS1644	675750	7354750	0.5	0	2	69	0.14	0.01	7.9	82	12	3.25	12	6	0.37	4	2.8	0	476	0.14	58	0	11
SWS1645	676250	7354750	0.3	0	3	37	0.15	0.01	7	97	12	3.86	13	5.9	0.45	4	2.6	0	592	0.12	62	0	12
SWS1646	676750	7354750	0.4	0	3	57	0.2	0.07	9.3	91	19	4.62	17	9.2	0.51	7	6.2	0	535	0.19	76	0.1	21
SWS1647	677250	7354750	0.3	0	3	36	0.15	0.01	6.5	87	12	3.7	11	6.7	0.46	4	2.6	0	563	0.13	58	0	11
SWS1648	677750	7354750	0.2	0	2	31	0.11	0.02	4.2	61	8	2.51	8	4.3	0.29	2	2.6	0	408	0.08	40	0	9
SWS1649	678250	7354750	0.3	0	3	25	0.12	0.01	3.8	53	10	2.69	9	5.1	0.32	3	2.8	0	379	0.1	43	0	11
SWS1651	678750	7354750	0.3	0	3	22	0.14	0.01	5.4	59	13	3.11	10	6.3	0.36	4	2.4	0	361	0.12	51	0	13
SWS1652	679250	7354750	0.5	0	3	26	0.18	0.02	4	82	17	4.07	11	6.9	0.47	5	3.1	0	508	0.12	65	0	16
SWS1653	675000	7355000	0.4	0	2	50	0.12	0.02	7	60	11	2.78	10	5.4	0.33	3	2.5	0	385	0.13	48	0	10
SWS1654	675500	7355000	0.7	0	3	125	0.15	0.03	12.7	68	17	3.64	18	7.9	0.41	5	4.1	0	447	0.18	60	0	14
SWS1655	676000	7355000	0.8	0	3	114	0.16	0.03	12.2	80	17	3.79	18	7.8	0.42	6	4	0	467	0.18	67	0	14
SWS1656	676500	7355000	0.5	0	3	44	0.18	0.02	7.6	97	14	4.13	14	6.8	0.47	5	2.8	0	612	0.14	68	0	13
SWS1657	677000	7355000	0.4	0	2	24	0.14	0.01	5.7	87	10	3.44	9	5.9	0.39	4	1.9	0	441	0.1	56	0	10
SWS1658	677500	7355000	0.3	0	3	29	0.15	0.01	7.3	73	14	3.5	11	6.8	0.41	4	2.6	0	467	0.13	57	0	12
SWS1659	678000	7355000	0.4	0	2	36	0.11	0.02	5.9	53	10	2.64	9	5.3	0.3	3	2.6	0	349	0.1	42	0	11
SWS1661	678500	7355000	0.2	0	2	20	0.1	0.01	3.1	44	9	2.33	8	5.8	0.28	3	2.5	0	290	0.08	37	0	10
SWS1662	679000	7355000	0.4	0	3	21	0.15	0	4	61	15	3.33	10	7	0.42	4	2.8	0	384	0.12	55	0	13
SWS1663	674750	7355250	0.3	0	3	42	0.14	0.02	6.6	55	12	3.26	10	5.7	0.43	4	3.2	0	346	0.13	52	0	12
SWS1664	675250	7355250	0.4	0	2	30	0.1	0.02	5.5	43	9	2.63	9	4.4	0.32	3	2.8	0	262	0.11	40	0	9
SWS1665	675750	7355250	0.3	0	3	345	0.12	0.05	18.3	54	12	3.23	16	7	0.37	4	6.4	0	358	0.18	52	0	13
SWS1666	676250	7355250	0.9	0	2	76	0.12	0.02	8.7	67	11	2.94	14	5.6	0.34	4	2.7	0	346	0.13	49	0	9
SWS1667	676750	7355250	0.5	0	4	62	0.2	0.09	7.4	94	20	4.74	18	9.4	0.52	7	7.3	0	505	0.18	80	0	17
SWS1668	677250	7355250	0.3	0	3	26	0.14	0.02	6.5	85	12	3.56	10	5.9	0.42	4	2.6	0	478	0.11	55	0	11

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1669	677750	7355250	0.4	0	3	83	0.13	0.02	15.3	58	12	3.08	11	7	0.38	3	2.9	0	368	0.2	53	0	12
SWS1671	678250	7355250	0.3	0	2	17	0.1	0.01	4	47	9	2.52	8	4.5	0.31	3	2.7	0	310	0.08	39	0	9
SWS1672	678750	7355250	0.2	0	3	26	0.13	0.02	3.8	54	12	2.9	9	5.7	0.36	4	4	0	266	0.12	47	0	12
SWS1673	679250	7355250	0.4	0	3	24	0.14	0.01	5.1	70	14	3.46	10	6.8	0.42	4	2.8	0	393	0.13	56	0	13
SWS1674	675000	7355500	0.3	0	2	87	0.11	0.02	5.8	40	9	2.36	10	5.9	0.25	3	3.6	0	293	0.13	37	0	10
SWS1675	675500	7355500	0.1	0	2	25	0.1	0.02	3.8	43	10	2.71	9	5	0.3	3	3.4	0	346	0.1	41	0	12
SWS1676	676000	7355500	0.4	0	2	21	0.11	0.01	3.4	43	11	2.42	8	5.3	0.29	3	2.5	0	247	0.1	39	0	12
SWS1677	676500	7355500	0.8	0	2	76	0.13	0.03	12.5	66	15	3.26	18	6.7	0.37	5	2.8	0	375	0.15	59	0	13
SWS1678	677000	7355500	0.9	0	3	161	0.2	0.05	25.3	87	24	4.72	28	10.6	0.5	8	4	0	478	0.28	83	0	17
SWS1679	677500	7355500	1.1	0	3	46	0.18	0.01	18.8	80	17	4.23	14	9	0.42	7	2.4	0	432	0.25	79	0	14
SWS1681	678000	7355500	0.4	0	3	56	0.14	0.03	9	64	13	3.13	12	6	0.35	4	4.2	0	349	0.15	54	0	13
SWS1682	678500	7355500	0.5	0	3	47	0.17	0.04	9.6	62	17	3.68	14	8.2	0.44	5	5.3	0	344	0.2	66	0	20
SWS1683	679000	7355500	0.5	0	3	35	0.14	0.01	11.3	70	14	3.54	10	7.4	0.43	5	3	0	377	0.17	61	0	14
SWS1684	686688	7350938	0.4	0	4	74	0.24	0.04	12.5	88	19	6.05	21	9.4	0.61	8	8.4	0	596	0.21	86	0	31
SWS1685	686575	7351051	0.3	0	3	57	0.2	0.03	8.1	84	17	5.14	13	9.1	0.51	7	5.1	0	632	0.14	81	0	22
SWS1686	686461	7351163	0.4	0	4	95	0.27	0.07	13.5	103	21	7.25	19	11	0.86	8	7.9	0	826	0.21	101	0	29
SWS1687	686348	7351275	0.5	0	3	67	0.19	0.05	6.8	85	15	4.58	12	8.9	0.65	7	5.8	0	531	0.16	79	0	20
SWS1688	686234	7351388	0.6	0	5	50	0.26	0.04	9.4	108	26	5.68	18	11.9	0.61	9	5	0	768	0.21	101	0	30
SWS1689	686121	7351501	0.8	0	4	48	0.26	0.02	14.3	100	25	5.74	15	11.2	0.57	8	4.1	0	725	0.19	99	0	26
SWS1691	686007	7351614	0.5	0	4	44	0.24	0.05	11.1	91	21	5.61	15	10.8	0.63	8	5.1	0	576	0.17	87	0	24
SWS1692	685894	7351726	1.4	0	4	175	0.26	0.05	24.8	96	26	5.98	30	16.3	0.65	10	6.3	0	617	0.28	93	0	28
SWS1693	685780	7351839	0.7	0	4	510	0.26	0.05	13.1	96	20	5.92	20	10.8	0.61	8	7.6	0	639	0.19	90	0	30
SWS1694	685667	7351952	0.7	0	4	76	0.26	0.03	13.8	100	24	6.12	19	11.8	0.67	8	4.6	0	726	0.2	95	0	30
SWS1695	685553	7352065	0.5	0	3	68	0.24	0.09	7.9	95	17	5.51	18	9.6	0.65	6	7.6	0	654	0.15	78	0	30
SWS1696	685440	7352178	0.5	0	4	74	0.24	0.04	11.5	85	20	4.58	15	9.9	0.55	6	4.6	0	583	0.17	77	0	25
SWS1697	684192	7353418	0.8	0	4	63	0.22	0.02	13.4	91	23	4.62	17	11	0.51	8	3.1	0	580	0.2	90	0	30
SWS1698	684078	7353531	0.6	0	4	206	0.19	0.03	15.6	84	20	4.16	15	9.7	0.45	6	4.7	0	532	0.22	77	0	23
SWS1699	683965	7353644	0.6	0	4	70	0.19	0.03	12.1	91	21	4.04	14	9	0.42	7	4.1	0	465	0.17	75	0	25

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1700	683851	7353757	0.6	0	5	114	0.22	0.02	16.3	88	22	4.86	14	10.6	0.51	8	3.6	0	620	0.26	90	0	24
SWS1701	683738	7353869	0.3	0	2	73	0.12	0.04	7	53	10	2.44	13	5	0.27	3	4.3	0	329	0.11	44	0	12
SWS1702	683624	7353982	0.2	0	2	39	0.09	0.02	3.2	44	7	1.95	7	3.6	0.23	2	2.9	0	286	0.07	33	0	7
SWS1703	683511	7354095	0	0	1	18	0.06	0	1.8	40	4	1.42	5	2.5	0.17	1	1.5	0	242	0	25	0	5
SWS1704	683397	7354208	0.3	0	2	20	0.08	0.02	2.1	42	5	1.74	5	2.8	0.21	1	2	0	255	0	28	0	5
SWS1705	687197	7350995	1.3	0	5	72	0.25	0.08	6.9	94	13	11.44	12	9.1	0.94	15	7.3	0	246	0.24	84	0	13
SWS1706	687084	7351108	0.5	0	2	144	0.27	0.12	8	97	13	8.44	15	6.7	1.01	6	10.9	0	753	0.15	91	0	21
SWS1707	686970	7351220	0.5	0	3	35	0.25	0.05	5.3	77	10	7.27	10	6.6	0.75	6	4.7	0	458	0.11	75	0	12
SWS1708	686857	7351333	1	0	3	123	0.21	0.15	10.7	88	12	6.11	22	11.7	0.62	12	10.4	0	412	0.22	72	0	20
SWS1709	686743	7351446	0.7	0	1	306	0.1	0.12	3.6	37	7	2.54	9	2.5	0.22	3	10.7	0	135	0.07	40	0	8
SWS1711	686630	7351559	0.4	0	4	40	0.23	0.04	10.6	94	17	6.26	16	9.7	0.89	6	3.9	0	610	0.14	81	0	24
SWS1712	686516	7351672	0.4	0	3	100	0.21	0.1	7.3	75	13	5.27	16	8.5	0.75	5	7	0	467	0.12	64	0	21
SWS1713	686403	7351784	0.6	0	4	102	0.23	0.07	13.2	84	20	5.23	20	10.8	0.66	7	6.3	0	559	0.22	77	0	30
SWS1714	686289	7351897	0.8	0	2	53	0.18	0.05	9.5	61	15	3.47	16	9.5	0.43	6	4.1	0	450	0.15	62	0	16
SWS1715	686176	7352010	0.5	0	2	22	0.15	0	3	54	10	2.74	9	5.1	0.37	3	1.9	0	427	0.08	50	0	10
SWS1716	686073	7352117	0.9	0	2	77	0.23	0.05	12.3	60	14	3.4	20	7.2	0.47	5	5.1	0	355	0.13	59	0	26
SWS1717	685949	7352236	1.5	0	3	41	0.25	0.02	5.9	88	22	4.36	15	9.6	0.51	7	3.8	0	584	0.17	84	0	22
SWS1718	685835	7352348	0.6	0	4	46	0.26	0.02	10.2	106	23	5.2	17	11.7	0.57	7	3.5	0	787	0.21	100	0	22
SWS1719	684928	7353251	1.3	0	4	835	0.23	0.06	31.9	77	28	4.44	37	13.2	0.51	9	7.5	0	477	0.35	86	0	41
SWS1721	684814	7353364	0.8	0	2	177	0.12	0.24	10.5	46	11	2.15	34	19.8	0.44	7	13.9	0	143	0.12	52	0	17
SWS1722	684701	7353476	0.6	0	5	120	0.24	0.03	17.8	128	26	5.03	17	12.1	0.55	9	4.7	0	773	0.25	105	0	31
SWS1723	684587	7353589	0.7	0	4	74	0.24	0.05	13	108	26	4.94	17	12.2	0.51	8	5.3	0	724	0.22	99	0	30
SWS1724	684360	7353815	0.5	0	3	60	0.15	0.03	6.2	84	15	3.4	12	8.6	0.38	4	3.5	0	608	0.14	67	0	16
SWS1725	684247	7353928	0.9	0	5	80	0.23	0.02	14.6	102	23	4.91	16	10.8	0.49	7	4.2	0	699	0.21	98	0	24
SWS1726	684133	7354040	0.5	0	4	58	0.2	0.02	11.7	88	20	4.33	14	9.8	0.5	6	3.8	0	721	0.18	85	0	20
SWS1727	684020	7354153	0.4	0	2	90	0.1	0.03	5.7	48	9	2.11	10	5.3	0.31	3	4.2	0	322	0.11	40	0	10
SWS1728	683906	7354266	0.2	0	2	29	0.07	0.01	2.6	38	6	1.64	6	3.2	0.21	2	2.2	0	246	0.06	28	0	6
SWS1729	683793	7354379	0.5	0	1	16	0.08	0	1.9	48	4	1.6	5	2.8	0.19	1	1.6	0	384	0	31	0	6

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1731	687819	7350940	0.5	0	4	88	0.24	0.06	6.6	99	16	6.97	16	8.7	0.72	7	5.4	0	815	0.13	83	0	24
SWS1732	687706	7351053	1.2	0	2	>2000	0.13	0.11	11	52	9	4.37	15	7.4	0.43	5	23.5	0	239	0.1	57	0	13
SWS1733	687593	7351166	0.4	0	4	104	0.21	0.03	7	110	15	5.03	14	9.7	0.73	5	3.9	0	805	0.11	90	0	18
SWS1734	687479	7351279	0.6	0	5	61	0.27	0.04	14.2	112	25	6.18	18	12	0.72	9	5.2	0	783	0.21	107	0	30
SWS1735	687366	7351391	0.7	0	3	39	0.19	0.05	6.2	75	16	4.67	15	7.5	0.53	6	5.6	0	554	0.13	76	0	17
SWS1736	687252	7351504	0.2	0	6	88	0.21	0.08	9.3	99	14	7.47	18	13.4	1.47	4	4.5	0	424	0.11	70	0.1	25
SWS1737	687139	7351617	0.5	0	4	85	0.22	0.04	13.5	99	22	4.78	17	12	0.59	8	4.7	0	612	0.22	89	0	29
SWS1738	687025	7351730	0.6	0	4	191	0.21	0.04	16.4	103	22	4.74	19	11.9	0.54	7	5	0	814	0.25	89	0	27
SWS1739	686912	7351843	0.4	0	4	155	0.24	0.04	17	97	24	4.89	18	11.1	0.53	8	7.1	0	750	0.26	95	0	32
SWS1741	686798	7351955	0.5	0	3	56	0.23	0.03	11.3	95	18	4.69	17	9.2	0.57	6	4.9	0	940	0.17	91	0	21
SWS1742	686685	7352068	0.5	0	3	37	0.19	0.02	7.4	85	16	4.13	14	6.8	0.45	5	3.1	0	850	0.12	82	0	17
SWS1743	686571	7352181	1.2	0	4	>2000	0.21	0.1	15.4	73	22	4.24	35	8.5	0.55	8	20.4	0	565	0.2	81	0	23
SWS1744	686458	7352294	0.4	0	4	51	0.21	0.04	9.1	95	18	4.77	16	8.9	0.51	6	4.6	0	866	0.15	91	0	21
SWS1745	686344	7352407	0.4	0	4	45	0.23	0.04	6.5	96	20	4.71	13	10.2	0.51	6	3.8	0	661	0.14	90	0	22
SWS1746	686231	7352519	0.5	0	4	27	0.24	0.03	7	107	22	4.98	14	10.2	0.53	6	3.8	0	779	0.14	98	0	23
SWS1747	686117	7352632	0.6	0	5	30	0.25	0.02	4.7	112	24	5.24	13	12.4	0.57	7	3.1	0	764	0.17	105	0	21
SWS1748	685550	7353196	0.5	0	4	59	0.2	0.02	9.7	100	21	4.35	13	12.4	0.49	6	2.8	0	512	0.19	89	0	20
SWS1749	685436	7353309	0.8	0	4	122	0.22	0.06	9.3	81	21	4.43	16	10.9	0.5	6	5.2	0	588	0.18	86	0	26
SWS1751	685323	7353422	0.6	0	5	166	0.24	0.02	17.1	99	23	5.07	16	13.8	0.53	8	4.1	0	631	0.26	101	0	27
SWS1752	685210	7353534	0.6	0	5	96	0.24	0.03	14	104	24	4.93	14	13.2	0.53	7	3.9	0	657	0.22	99	0	24
SWS1753	685096	7353647	0.6	0	5	141	0.24	0.02	20.4	103	26	5.13	16	15	0.54	9	4.1	0	626	0.26	103	0	28
SWS1754	684983	7353760	0.9	0	4	51	0.21	0.02	10.7	111	21	4.41	13	11.9	0.48	6	3.8	0	616	0.18	88	0	20
SWS1755	684869	7353873	0.7	0	4	219	0.22	0.02	22.5	98	22	4.67	14	11.9	0.53	7	3.2	0	639	0.26	94	0	20
SWS1756	684756	7353986	0.4	0	4	55	0.22	0.02	5.2	92	22	4.61	12	10.2	0.49	6	3.2	0	682	0.18	91	0	20
SWS1757	684642	7354098	0.3	0	3	32	0.15	0.02	7.3	70	12	3.2	11	6.3	0.38	4	3.1	0	593	0.11	62	0	13
SWS1758	684529	7354211	0.3	0	3	38	0.14	0.02	7	68	12	3.22	11	6	0.36	4	2.9	0	594	0.11	62	0	13
SWS1759	684415	7354324	0.4	0	3	60	0.15	0.02	5.1	65	13	3.37	11	6.9	0.49	4	3.7	0	591	0.11	61	0	14
SWS1761	684302	7354437	0.2	0	1	31	0.08	0.01	2.2	47	5	1.68	6	3.2	0.21	1	2.2	0	360	0.06	33	0	6

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1762	684188	7354550	0.2	0	1	20	0.07	0.01	1.8	43	5	1.6	5	2.8	0.21	1	1.8	0	318	0	28	0	5
SWS1763	688328	7350998	0.6	0	3	702	0.27	0.08	15	87	18	5.59	22	14	1.21	7	10.9	0	565	0.19	78	0	25
SWS1764	688215	7351111	0.6	0	3	1744	0.24	0.07	12.7	72	16	4.01	23	8.3	0.76	7	14.6	0	366	0.18	66	0	21
SWS1765	688101	7351224	0.8	0	6	75	0.27	0.04	16.8	107	25	6.66	20	12.5	0.95	9	4.4	0	697	0.24	104	0	30
SWS1766	687988	7351337	0.9	0	4	522	0.29	0.07	7.5	110	18	7.85	23	8	1.01	6	6.4	0	629	0.14	106	0	39
SWS1767	687875	7351449	0.3	0	4	110	0.25	0.07	8	84	11	6.28	17	8.7	0.89	4	6	0	531	0.13	63	0.2	26
SWS1768	687761	7351562	0.5	0	4	82	0.17	0.17	6.1	66	12	4.3	13	11.3	0.83	3	5.5	0	378	0.09	51	0	20
SWS1769	687648	7351675	1.1	0	5	124	0.26	0.06	11.7	103	23	6.39	23	10.5	0.69	8	6.9	0	647	0.18	103	0	30
SWS1771	687534	7351788	0.6	0	4	71	0.23	0.05	10.1	107	23	5.71	17	15.1	0.83	8	4.8	0	773	0.17	95	0	31
SWS1772	687421	7351901	0.5	0	4	32	0.21	0.02	5.8	100	19	4.67	13	12	0.55	6	2.8	0	705	0.15	90	0	21
SWS1773	687307	7352013	3.5	0	5	70	0.24	0.12	9.3	98	25	5.3	19	12.3	0.64	7	8.1	0	739	0.21	99	0	25
SWS1774	687194	7352126	0.5	0	4	36	0.23	0.04	10.3	103	21	5.13	16	10.7	0.54	6	4.1	0	823	0.16	99	0	21
SWS1775	687080	7352239	0.6	0	4	34	0.23	0.05	6.6	95	22	4.64	14	9.6	0.51	6	4.6	0	807	0.15	91	0	26
SWS1776	686967	7352352	0.3	0	3	32	0.22	0.02	3.3	79	17	4.02	11	8.3	0.61	6	3.8	0	644	0.12	81	0	21
SWS1777	686853	7352465	0.5	0	4	32	0.22	0.04	6	90	19	4.32	13	8.6	0.63	6	5.2	0	624	0.13	83	0	25
SWS1778	686740	7352577	0.4	0	3	57	0.22	0.04	7.4	87	16	4.12	13	8.3	0.5	5	5	0	647	0.13	79	0	22
SWS1779	686172	7353141	4.1	0	3	72	0.23	0.06	6.9	80	17	4.03	15	8.6	0.54	5	6.4	0	642	0.12	74	0	26
SWS1781	686059	7353254	0.4	0	4	46	0.25	0.03	11.7	99	25	4.98	16	12.9	0.53	7	3.9	0	773	0.22	99	0	27
SWS1782	685945	7353367	0.6	0	4	98	0.21	0.04	10.3	84	20	4.29	14	9.2	0.48	6	4.5	0	671	0.18	81	0	24
SWS1783	685832	7353480	0.5	0	4	83	0.22	0.03	12.1	91	23	4.69	14	10.5	0.56	7	5.4	0	652	0.18	93	0	27
SWS1784	685718	7353593	0.5	0	4	85	0.24	0.03	14.7	95	25	5.06	15	11.1	0.54	7	4.7	0	827	0.2	99	0	26
SWS1785	685605	7353705	0.5	0	4	134	0.24	0.02	12.8	91	22	4.96	14	13.2	0.54	7	3.9	0	792	0.26	98	0	24
SWS1786	685492	7353818	1	0	5	>2000	0.26	0.08	9.3	78	25	4.09	22	10.2	0.94	7	22.1	0	480	0.18	80	0	29
SWS1787	685378	7353931	0.5	0	4	55	0.19	0.04	10.3	84	25	4.02	14	9.1	0.61	6	5	0	661	0.16	79	0	24
SWS1788	685265	7354044	0.6	0	3	156	0.12	0.03	8.3	51	12	2.6	13	5.5	0.33	3	4.2	0	433	0.11	64	0	13
SWS1789	685151	7354157	0.2	0	1	32	0.09	0.03	2.4	40	6	1.52	7	3.2	0.21	2	3.1	0	310	0.06	30	0	7
SWS1791	685038	7354269	0.2	0	1	32	0.08	0.02	2.2	41	5	1.46	6	2.8	0.2	1	2.7	0	332	0	27	0	7
SWS1792	684924	7354382	0.3	0	1	17	0.08	0	1.8	47	5	1.68	5	2.6	0.22	1	1.6	0	406	0	30	0	6

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1793	684811	7354495	0.3	0	2	30	0.1	0.01	2.9	51	7	2	7	3.7	0.24	2	2.2	0	403	0.08	39	0	8
SWS1794	684697	7354608	0.3	0	1	30	0.07	0.01	1.8	40	5	1.51	5	2.6	0.19	1	2.3	0	300	0	26	0	5
SWS1795	684584	7354721	0.2	0	1	17	0.08	0.01	2	50	5	1.71	6	3.1	0.21	1	2	0	429	0.05	32	0	7
SWS1796	688951	7350944	0.6	0.05	7	77	0.26	0.08	18.4	107	25	6.91	27	14	1.53	8	6.1	0	674	0.22	103	0	28
SWS1797	688837	7351056	0.8	0	23	267	0.28	0.12	45.6	141	39	11.98	77	24.8	3.96	10	8.2	0	573	1.02	115	0	44
SWS1798	688724	7351169	0.6	0	5	69	0.26	0.05	16.5	98	24	6.71	27	11.3	1.32	7	5.9	0	708	0.21	96	0	42
SWS1799	688610	7351282	0.7	0	6	59	0.23	0.06	16.4	90	26	8.19	29	10	1.6	7	6.6	0	625	0.19	85	0	37
SWS1800	688497	7351395	1.1	0	5	100	0.18	5.03	8.7	80	22	4.46	19	9.2	0.72	4	49.2	0	822	0.14	91	0	30
SWS1801	688383	7351508	0.7	0	5	73	0.23	0.78	10.7	95	27	5.33	25	12	0.84	6	7.7	0	745	0.17	97	0	39
SWS1802	688270	7351620	1	0	4	77	0.2	3.14	8.7	80	25	4.58	21	10	0.56	5	23.1	0	774	0.16	87	0	33
SWS1803	688157	7351733	1.4	0	5	95	0.19	4.23	8.3	76	23	4.15	20	9	0.53	4	35.3	0	661	0.15	91	0	28
SWS1804	688043	7351846	1.3	0	5	137	0.18	4.62	10.4	77	25	4.75	22	11.3	0.71	4	53.4	0	735	0.22	90	0	30
SWS1805	687476	7352410	0.5	0	4	26	0.23	0.07	7.8	107	22	4.9	14	9.1	0.52	6	4	0	805	0.15	94	0	25
SWS1806	687362	7352523	0.4	0	4	115	0.23	0.13	14.1	76	14	3.78	23	8.1	0.68	3	8.5	0	361	0.15	58	0	36
SWS1807	687249	7352636	0.4	0	4	54	0.23	0.05	10.5	108	23	4.97	16	11.8	0.55	6	5.5	0	841	0.19	97	0	28
SWS1808	687135	7352748	0.7	0	3	390	0.43	0.06	21.8	65	18	3.97	23	7.6	0.74	7	11.9	0	353	0.17	58	0	29
SWS1809	687022	7352861	0.7	0	3	55	0.3	0.04	12.4	80	17	4.78	21	7	0.57	6	7.8	0	422	0.14	76	0	34
SWS1811	686908	7352974	0.9	0	3	56	0.29	0.06	11.3	77	18	4.13	20	8.4	0.54	5	7.7	0	581	0.14	70	0	33
SWS1812	686795	7353087	0.8	0	4	174	0.35	0.05	20	93	25	5.24	24	11	0.53	7	6.6	0	608	0.22	97	0	36
SWS1813	686454	7353425	1.5	0	3	175	0.23	0.06	17.2	22	9	1.81	22	4.7	0.4	2	9.2	0	67	0.17	20	0	31
SWS1814	686341	7353538	2.2	0	4	65	0.4	0.06	19.6	51	16	2.96	44	7.2	0.52	3	9.3	0	289	0.11	44	0	77
SWS1815	686227	7353651	2.2	0	3	67	0.49	0.07	16.5	55	12	3.34	40	7.5	0.61	3	10.1	0	248	0.12	43	0	49
SWS1816	686114	7353763	6	0	3	80	0.49	0.03	62.6	53	10	3.56	130	11.3	0.55	3	12.6	0	114	0.15	33	0.2	89
SWS1817	686000	7353876	0.8	0	4	41	0.26	0.03	7	79	20	4.15	17	8.1	0.53	6	5	0	523	0.15	73	0	30
SWS1818	685887	7353989	1.4	0	4	47	0.25	0.07	10.6	67	16	3.55	19	6.4	0.47	5	7.6	0	365	0.14	61	0	26
SWS1819	685774	7354102	0.7	0	4	57	0.18	0.03	7.6	63	14	3.14	12	7	0.55	4	6.4	0	431	0.11	56	0	18
SWS1821	685660	7354215	0.7	0	3	56	0.18	0.05	8.5	67	15	3.39	12	6.9	0.49	4	6.5	0	546	0.14	62	0	16
SWS1822	685547	7354327	0.5	0	3	65	0.14	0.04	5.2	53	13	2.59	12	5.7	0.38	3	5.9	0	429	0.11	47	0	12

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1823	685433	7354440	0.3	0	1	38	0.08	0.01	2.6	37	6	1.5	6	3.2	0.22	2	3.3	0	287	0.07	27	0	6
SWS1824	685320	7354553	0.3	0	1	27	0.08	0.01	2.3	41	6	1.72	6	2.9	0.24	2	2.1	0	350	0.06	29	0	6
SWS1825	685206	7354666	0.2	0	1	30	0.08	0.02	2.6	38	6	1.53	6	3	0.2	2	2.6	0	293	0.06	27	0	6
SWS1826	685093	7354779	0.2	0	2	24	0.1	0.02	2.9	50	7	2.06	7	3.5	0.25	2	2.5	0	420	0.06	35	0	7
SWS1827	689573	7350889	0.8	0	4	359	0.29	0.08	9.8	103	24	6.12	25	10.1	0.73	9	22.8	0	513	0.17	99	0	35
SWS1828	689460	7351002	0.5	0	4	119	0.24	0.04	9.6	99	20	5.93	14	9.2	0.59	6	6.1	0	731	0.15	90	0	24
SWS1829	689346	7351114	0.7	0	4	128	0.25	0.04	19.2	95	21	7.12	15	10.6	0.57	8	5.1	0	659	0.22	99	0	26
SWS1831	689233	7351227	0.5	0	4	36	0.24	0.03	7.3	96	21	6.96	12	10.4	0.59	7	3.5	0	700	0.15	93	0	22
SWS1832	689119	7351340	0.4	0	4	69	0.26	0.05	10.8	103	22	6.65	18	11.6	0.68	7	6.1	0	823	0.14	90	0	28
SWS1833	689006	7351453	0.6	0	5	65	0.27	0.11	18.3	66	23	7.19	32	14.9	1.11	6	10.6	0	371	0.22	63	0	41
SWS1834	688892	7351566	0.8	0	4	>2000	0.21	0.13	16.7	55	25	5.8	34	11.3	0.8	6	30.5	0	312	0.44	53	0	35
SWS1835	688779	7351678	1	0	6	140	0.24	0.23	13.9	86	27	5.8	27	13.4	0.81	6	7.3	0	586	0.22	93	0	36
SWS1836	688665	7351791	1.3	0	5	96	0.2	7.42	8.9	73	23	4.89	18	10.7	0.79	4	30.5	0	695	0.17	82	0	24
SWS1837	688552	7351904	0.8	0	6	>2000	0.26	0.14	22.1	81	24	6.17	34	14.6	1.11	7	47.5	0	409	0.62	78	0	35
SWS1838	688439	7352017	1.3	0	5	107	0.19	4.85	10.8	73	25	4.43	20	12.4	0.69	4	38.4	0	656	0.16	84	0	27
SWS1839	687871	7352581	0.6	0	3	49	0.19	0.02	8.2	64	15	3.22	10	8.6	0.38	5	4.3	0	560	0.12	61	0	13
SWS1841	687758	7352694	0.5	0	4	26	0.21	0.05	6.3	100	21	4.81	14	8.9	0.49	5	3.7	0	792	0.13	92	0	20
SWS1842	687644	7352806	0.8	0	2	63	0.23	0.03	7	51	12	2.73	9	7.2	0.3	4	3.5	0	452	0.1	50	0	12
SWS1843	687531	7352919	0.4	0	3	42	0.26	0.02	5	61	16	3.43	10	14.4	0.57	4	6.2	0	481	0.1	61	0	20
SWS1844	687417	7353032	0.9	0	3	267	0.55	0.1	19	62	16	5.28	35	6.6	0.59	5	12.7	0	278	0.12	65	0	43
SWS1845	687304	7353145	1.3	0	3	64	0.35	0.05	18.2	71	20	4.69	30	7.3	0.54	5	7.8	0	409	0.14	68	0	40
SWS1846	687190	7353258	2	0	2	165	0.47	0.35	24.7	60	16	4.29	56	6.8	0.57	5	31.7	0	173	0.14	52	0	50
SWS1847	687077	7353370	0.6	0	4	70	0.31	0.05	21.4	91	21	4.44	17	9.6	0.6	6	6.6	0	541	0.17	82	0	28
SWS1848	686963	7353483	0.5	0	4	53	0.23	0.06	10.4	98	24	4.94	18	10.7	0.51	7	5.9	0	734	0.18	94	0	23
SWS1849	686850	7353596	0.6	0	4	46	0.19	0.04	3.2	66	18	3.49	9	9	0.51	4	9	0	407	0.12	67	0	20
SWS1851	686736	7353709	0.5	0	4	53	0.24	0.05	3.5	49	11	2.66	7	6.5	0.54	3	11.3	0	328	0.08	44	0	11
SWS1852	686623	7353822	0.8	0	4	33	0.25	0.03	5.4	68	16	3.45	10	7.7	0.51	4	6.3	0	487	0.1	64	0	17
SWS1853	686509	7353934	1.5	0	4	60	0.18	0.03	10.8	61	14	3.51	13	7.1	0.52	4	5.8	0	564	0.16	61	0	14

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1854	686396	7354047	0.4	0	3	27	0.13	0.02	5.9	49	9	2.69	9	5.5	0.43	2	3.5	0	471	0.09	46	0	10
SWS1855	686282	7354160	1	0	4	39	0.2	0.04	9.4	70	15	3.95	13	7.9	0.57	5	5.1	0	623	0.15	71	0	17
SWS1856	686169	7354273	0.4	0	2	45	0.11	0.02	4.2	41	7	2.13	8	4	0.37	2	3.7	0	298	0.1	35	0	9
SWS1857	686056	7354386	0.3	0	2	39	0.08	0.01	2.2	40	6	1.79	6	3	0.23	1	3	0	338	0.05	28	0	6
SWS1858	685942	7354498	0.3	0	1	37	0.08	0.01	2.3	36	6	1.59	6	3.1	0.19	2	4.2	0	301	0.06	27	0	7
SWS1859	685829	7354611	0.3	0	2	43	0.09	0.02	2.8	40	7	1.82	7	3.3	0.3	2	3.3	0	281	0.06	29	0	7
SWS1861	685715	7354724	0.3	0	2	98	0.09	0.02	3	38	7	1.82	7	3.4	0.27	2	5	0	239	0.06	28	0	7
SWS1862	689855	7351173	0.2	0	3	71	0.23	0.03	14.2	85	17	6.21	16	9.3	0.57	7	6.3	0	686	0.19	87	0	32
SWS1863	689742	7351285	0.5	0	4	58	0.25	0.03	12.1	91	23	6.07	16	10.5	0.59	8	5.5	0	737	0.18	96	0	29
SWS1864	689628	7351398	0.7	0	4	84	0.23	0.04	10.4	83	21	5.11	17	9.6	0.55	7	5.7	0	644	0.17	88	0	27
SWS1865	689515	7351511	1	0	5	139	0.26	0.04	20	88	28	5.69	25	10.7	0.54	9	7.2	0	617	0.23	103	0	37
SWS1866	689401	7351624	0.4	0	4	96	0.24	0.04	16	104	24	5.81	16	10.8	0.59	8	5.8	0	684	0.21	99	0	31
SWS1867	689288	7351737	0.2	0	4	38	0.24	0.03	11.6	86	22	5.8	15	11	0.72	6	5.4	0	636	0.16	84	0	31
SWS1868	689174	7351849	0.9	0	5	309	0.24	0.06	15.1	86	26	6.11	25	11.1	0.96	6	14.1	0	565	0.16	79	0	33
SWS1869	689061	7351962	0.6	0	5	479	0.27	0.04	20.3	88	29	6.33	24	11.4	0.81	7	7.9	0	628	0.22	83	0	36
SWS1871	688947	7352075	0.3	0	5	68	0.25	0.17	18.1	72	24	6.8	34	16.3	1.11	7	13.7	0	398	0.18	64	0	45
SWS1872	688834	7352188	0.4	0	4	76	0.26	0.08	15.9	89	27	5.93	22	19.6	0.97	8	8.7	0	559	0.26	99	0	34
SWS1873	688267	7352752	0.4	0	2	38	0.12	0.04	5.7	44	11	2.59	10	8.8	0.31	4	4.6	0	296	0.11	49	0	12
SWS1874	688153	7352865	0.3	0	3	25	0.13	0.02	3.8	52	14	3.05	9	7.7	0.34	4	3.5	0	426	0.09	53	0	13
SWS1875	688040	7352977	0.6	0	2	108	0.14	0.05	5.5	48	11	2.74	12	11.5	0.51	5	10.7	0	268	0.13	53	0	15
SWS1876	687926	7353090	0.9	0	4	42	0.24	0.04	6.8	94	27	5.16	15	10.8	0.51	7	5.1	0	696	0.18	95	0	32
SWS1877	687813	7353203	0.6	0	4	37	0.24	0.04	9.8	98	25	4.99	16	9.7	0.48	8	4.8	0	704	0.17	95	0	27
SWS1878	687699	7353316	0.5	0	3	59	0.19	0.04	7.5	72	17	4.1	13	9.8	0.44	5	5.7	0	536	0.13	72	0	17
SWS1879	687586	7353428	0.5	0	3	65	0.23	0.04	4	77	20	4.03	11	10.2	0.47	5	11.8	0	623	0.13	76	0	18
SWS1881	687472	7353541	0.5	0	3	70	0.18	0.04	8.2	64	16	3.55	12	9.6	0.51	5	9.2	0	544	0.13	65	0	14
SWS1882	687359	7353654	0.4	0	3	73	0.18	0.02	7	62	17	3.47	10	10.2	0.44	5	6.7	0	498	0.14	66	0	16
SWS1883	687245	7353767	0.3	0	2	40	0.11	0.03	2.6	45	9	2.29	7	5.8	0.33	2	5.9	0	376	0.06	36	0	10
SWS1884	687132	7353880	0.3	0	4	80	0.18	0.03	9.5	66	16	3.55	12	8.3	0.48	5	8	0	509	0.16	66	0	18

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1885	687018	7353992	0.3	0	3	49	0.15	0.03	5.2	44	10	2.53	9	6.2	0.39	3	6.5	0	357	0.09	41	0	11
SWS1886	686905	7354105	0.5	0	2	43	0.12	0.04	6	43	9	2.4	9	5.5	0.34	3	5.1	0	355	0.11	41	0	10
SWS1887	686791	7354218	0.9	0	2	51	0.1	0.02	4.5	34	9	2.01	8	4.2	0.27	2	3.7	0	253	0.1	32	0	8
SWS1888	686678	7354331	0.6	0	2	78	0.11	0.02	4.3	41	9	2.1	8	4.7	0.27	3	5.2	0	297	0.09	37	0	8
SWS1889	686564	7354444	0.6	0	2	47	0.13	0.02	4.9	49	11	2.53	9	5.4	0.31	3	4.6	0	394	0.1	44	0	10
SWS1891	686451	7354556	0.5	0	2	49	0.12	0.02	4.4	49	9	2.39	9	4.9	0.3	3	4.3	0	412	0.1	42	0	9
SWS1892	686337	7354669	0.4	0	2	45	0.1	0.02	3.6	46	8	2	8	4.2	0.22	2	3.9	0	362	0.09	36	0	8
SWS1893	686224	7354782	0.4	0	2	44	0.09	0.01	3.2	45	8	2.04	7	3.8	0.23	2	3.4	0	350	0.07	34	0	7
SWS1894	689910	7351682	0.4	0	3	43	0.23	0.03	19.3	82	21	6.12	18	8.1	0.56	7	5	0	583	0.17	82	0	33
SWS1895	689797	7351795	0.2	0	1	66	0.16	0.03	2.1	36	9	1.86	5	5.7	0.4	3	12.1	0	96	0.09	28	0	8
SWS1896	689683	7351907	0.2	0	3	58	0.28	0.06	8.9	67	16	4.86	13	8	0.52	5	7.8	0	453	0.12	59	0	29
SWS1897	689570	7352020	0.6	0	3	95	0.23	0.04	8.8	81	17	5.11	13	9.8	0.54	6	5.6	0	624	0.16	81	0	24
SWS1898	689456	7352133	0.5	0	3	175	0.23	0.05	14.1	84	20	6.14	16	10.7	0.53	8	5.8	0	664	0.21	90	0	27
SWS1899	689343	7352246	0.7	0	4	72	0.24	0.04	10.2	88	22	5.94	15	10.3	0.58	8	5.6	0	701	0.18	93	0	27
SWS1900	689229	7352359	0.6	0	4	43	0.21	0.04	5.9	91	20	4.54	13	8.7	0.61	6	5.2	0	562	0.14	86	0	25
SWS1901	688549	7353035	0.8	0	4	414	0.23	0.04	9.8	92	19	4.47	18	28.6	0.84	5	6.3	0	604	0.25	86	0	24
SWS1902	688435	7353148	0.4	0	3	42	0.19	0.06	8	67	17	3.72	16	10.7	0.61	5	7.2	0	520	0.13	65	0	29
SWS1903	688322	7353261	0.3	0	3	32	0.16	0.03	3.9	60	17	3.63	11	7.9	0.43	5	4.5	0	497	0.11	66	0	16
SWS1904	688208	7353374	0.4	0	3	50	0.16	0.06	4.6	59	15	3.35	11	8.2	0.39	5	9.8	0	473	0.12	62	0	16
SWS1905	688095	7353487	0.7	0	3	37	0.14	0.01	3.6	54	13	3.16	9	7.8	0.4	4	4.4	0	473	0.1	55	0	12
SWS1906	687981	7353599	0.5	0	2	258	0.08	0.21	2.7	23	7	1.38	8	7	0.3	4	16.6	0	71	0.09	23	0	8
SWS1907	687868	7353712	0.5	0	3	65	0.15	0.04	7.7	55	14	3.37	10	7.7	0.4	5	8.5	0	416	0.11	60	0	13
SWS1908	687754	7353825	0.4	0	2	226	0.11	0.04	5.3	37	9	2.24	9	5.4	0.3	4	11.5	0	261	0.1	39	0	10
SWS1909	687641	7353938	0.3	0	2	51	0.1	0.02	6	39	9	2.36	8	4.9	0.3	2	2.9	0	351	0.09	39	0	9
SWS1911	687527	7354051	0.6	0	3	249	0.14	0.05	7.7	51	14	3.12	13	7.3	0.37	4	6.1	0	315	0.15	56	0	13
SWS1912	687414	7354163	0.6	0	3	124	0.13	0.05	7.7	47	13	2.96	11	7.2	0.37	4	6.9	0	326	0.14	50	0	12
SWS1913	687300	7354276	0.5	0	2	42	0.12	0.02	5.8	48	11	2.58	9	6.7	0.32	3	3.1	0	407	0.11	47	0	11
SWS1914	687187	7354389	0.4	0	3	38	0.14	0.02	5.4	56	12	3.16	10	6	0.35	3	3.7	0	511	0.12	54	0	12

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1915	687073	7354502	0.4	0	2	70	0.11	0.05	4.9	46	10	2.3	9	5.1	0.3	3	5.6	0	332	0.09	39	0	11
SWS1916	686960	7354615	0.3	0	2	50	0.12	0.04	3.9	38	9	2.1	8	4.4	0.28	2	6.7	0	260	0.09	33	0	8
SWS1917	686846	7354727	0.3	0	2	52	0.09	0.02	3.4	37	8	1.8	7	4.1	0.23	2	3.9	0	268	0.08	30	0	8
SWS1918	686733	7354840	0.3	0	2	48	0.08	0.02	3.3	34	7	1.75	7	3.8	0.22	2	3.7	0	238	0.07	27	0	6
SWS1919	689965	7352191	0.4	0	3	86	0.24	0.06	10.6	77	18	4.76	18	8.5	0.54	5	7.8	0	580	0.15	68	0	28
SWS1921	689852	7352304	0.3	0	5	32	0.24	0.03	6.9	87	20	5.29	14	18.7	0.93	7	4.7	0	636	0.19	84	0	28
SWS1922	689738	7352417	0.5	0	5	185	0.25	0.07	20.1	92	24	7.13	26	21.8	0.98	8	5.7	0	713	0.93	92	0	34
SWS1923	689625	7352530	1.5	0	6	161	0.22	3.04	12.2	80	26	5.56	27	15.8	0.94	5	18.5	0	761	0.28	86	0	32
SWS1924	688944	7353206	0.5	0	8	240	0.18	0.19	40.6	74	20	5.83	53	15.9	0.99	6	7.9	0	636	0.32	73	0	31
SWS1925	688831	7353319	0.4	0	9	204	0.21	0.05	9.1	68	17	3.88	15	12	1.16	5	5.6	0	543	0.16	64	0	23
SWS1926	688717	7353432	0.4	0	3	49	0.18	0.04	9.4	72	20	4.02	16	9.3	0.41	6	5.5	0	554	0.16	70	0	26
SWS1927	688604	7353545	0.5	0	2	74	0.11	0.03	5.5	37	10	2.29	10	8.1	0.27	3	7	0	308	0.11	36	0	12
SWS1928	688490	7353657	0.7	0	5	290	0.1	0.24	8.2	30	10	1.81	16	6.6	0.5	3	22.9	0	164	0.19	34	0	13
SWS1929	688263	7353883	0.5	0	4	63	0.15	0.04	8.2	48	15	3.03	14	8.9	0.5	4	8.3	0	417	0.15	48	0	17
SWS1931	688150	7353996	0.4	0	3	214	0.11	0.06	6.5	39	11	2.48	11	8.1	0.3	3	7.9	0	335	0.14	39	0	15
SWS1932	688036	7354109	0.9	0	3	1743	0.12	0.07	6.7	41	11	2.69	16	6.3	0.29	5	15.5	0	135	0.28	47	0	15
SWS1933	687923	7354221	0.4	0	3	70	0.17	0.04	12.9	67	16	3.82	15	9.9	0.4	5	5.3	0	523	0.22	67	0	17
SWS1934	687809	7354334	0.6	0	3	110	0.16	0.04	14.5	65	14	3.55	18	8.8	0.38	4	4.7	0	586	0.22	65	0	14
SWS1935	687696	7354447	0.2	0	2	109	0.1	0.02	4.5	39	8	2.06	9	4.7	0.25	2	4.1	0	358	0.1	33	0	8
SWS1936	687582	7354560	0.3	0	1	98	0.08	0.02	3.8	37	7	1.79	8	3.9	0.2	2	4.1	0	285	0.09	30	0	7
SWS1937	687469	7354673	0.2	0	2	105	0.08	0.02	3.8	35	7	1.87	8	3.7	0.22	2	4.6	0	258	0.09	29	0	7
SWS1938	687355	7354785	0.2	0	1	45	0.07	0.02	2.3	37	5	1.56	6	3.1	0.18	1	3.7	0	286	0.06	26	0	6
SWS1939	687242	7354898	0.2	0	2	60	0.07	0.02	2.2	31	6	1.57	6	3.7	0.22	1	4.1	0	265	0.06	22	0	6
SWS1941	689907	7352813	0.4	0	6	124	0.2	0.73	14.1	66	18	8.7	27	14.7	1.29	6	37.2	0	395	0.25	59	0	46
SWS1942	689793	7352926	0.4	0	5	96	0.27	0.16	13.1	89	26	7.51	27	14.5	1.01	8	15.6	0	673	0.23	88	0	43
SWS1943	689680	7353039	0.2	0	3	74	0.21	0.09	9.2	74	15	6.37	19	9.9	0.79	4	7.3	0	514	0.14	59	0.1	34
SWS1944	689566	7353152	1	0	7	112	0.22	2.29	10	87	29	5.16	23	10.8	0.78	5	9.3	0	793	0.21	91	0	35
SWS1945	689453	7353264	0.6	0	5	68	0.22	0.39	9.8	90	26	5.18	22	10.7	0.59	6	5.9	0	751	0.18	90	0	37

Sample id	Easting	Northing	Au	Ag	As	Ba	Bi	Ca	Co	Cr	Cu	Fe	Ni	Pb	Sb	Sc	Sr	Te	Ti	Tl	V	W	Zn
			ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SWS1946	689340	7353377	0.8	0	5	60	0.18	3.04	8.2	77	23	4.3	19	9.1	0.51	4	21.2	0	754	0.14	83	0	30
SWS1947	689226	7353490	0.2	0	9	81	0.15	0.06	24.4	70	18	4.32	28	13.9	1.53	4	5.5	0	391	0.25	56	0	27
SWS1948	689113	7353603	0.8	0	6	70	0.2	1.65	9.9	83	25	4.75	21	9.7	0.63	4	13.2	0	827	0.16	88	0	32
SWS1949	688999	7353716	0.3	0	3	61	0.12	0.04	7.4	44	12	2.38	12	6.2	0.33	3	7	0	267	0.13	40	0	14
SWS1951	688205	7354505	0.4	0	2	88	0.1	0.06	5	45	10	2.37	10	6	0.32	2	8.2	0	422	0.09	36	0	11
SWS1952	688091	7354618	0.3	0	1	52	0.07	0.02	2.3	35	5	1.41	6	3.7	0.19	1	3.3	0	268	0.06	23	0	6
SWS1953	687978	7354731	0.4	0	2	39	0.08	0.01	3.6	35	7	1.81	8	3.8	0.22	2	3	0	252	0.08	28	0	6
SWS1954	687864	7354844	0.2	0	1	44	0.07	0	2.1	32	5	1.32	5	2.9	0.15	1	3.2	0	223	0.05	22	0	5
SWS1955	687751	7354956	0.2	0	2	31	0.08	0.01	2.9	40	6	1.81	7	3.5	0.22	2	3.4	0	315	0.07	29	0	6
SWS1956	689962	7353322	0.4	0	5	150	0.27	0.23	12.4	87	26	7.04	27	14.5	0.94	9	10.3	0	409	0.32	84	0	34
SWS1957	689848	7353435	1.5	0	6	88	0.22	2.5	12.6	90	28	5.93	27	12.4	0.75	5	9	0	855	0.17	95	0	33
SWS1958	689735	7353548	1.1	0	7	133	0.23	2.57	13.5	77	27	5.92	29	14.8	1.23	5	17.7	0	632	0.7	77	0	40
SWS1959	689622	7353661	0.6	0	4	50	0.19	0.05	12.5	71	19	5.3	19	10.3	0.88	6	4.6	0	580	0.2	70	0	28
SWS1961	688260	7355014	0.4	0	2	45	0.08	0.02	3.2	35	7	1.78	7	3.9	0.23	2	3.1	0	246	0.07	28	0	7