

ASX Release

4 June 2026

MORE HIGH-GRADE GOLD, SILVER, AND ANTIMONY AT BANSHEE DRILLING

Dart Mining NL (ASX:DTM) (Dart Mining or the Company) is pleased to announce the assays of drill holes CBADD014 through CBADD022 received from the Coonambula antimony (Sb) - gold (Au) project near Eidsvold in Central Queensland. The project is a Farm-In Joint Venture with Great Divide Mining (ASX:GDM) ([ASX: DTM Mar 2025](#)).

HIGHLIGHTS

Assays from CBADD014 to CBADD022 have been received. These assays are for the drilling completed up to the end of February 2026. Highlight assays include:

- **5.8m @ 1.73 g/t Au + 11.57 g/t Ag + 4.76 % Sb** from 53.70m (CBADD019) including;
 - **0.85m @ 2.18 g/t Au + 71.12 g/t Ag + 26.66 % Sb** from 54.25m; and
 - **1.30m @ 3.43 g/t Au + 2.15 g/t Ag + 3.75 % Sb** from 56.20m.
- **6.1m @ 1.11 g/t Au + 0.5 % Sb** from 33.00m (CBADD018) including;
 - **0.7m @ 4.59 g/t Au** from 35.00m; and
 - **0.8m @ 2.75 g/t Au + 3.74 % Sb** from 38.30m.
- **2.4m @ 2.66 g/t Au + 6.44 g/t Ag + 0.76 % Sb** from 34.60m (CBADD014) including;
 - **0.9m @ 4.34 g/t Au + 14.66 g/t Ag + 2.02 % Sb** from 35.40m.

Assay results from CBADD014, CBADD018, and CBADD019 continue to show that within the broad gold zone is a silver and antimony rich core. This Sb-Ag core is shown to continue both down dip and along strike from the historical Banshee Mine. The results reported in this drilling have tested the strike extent of the Banshee lode for over 500m, and the drill hole collar locations are shown in Figure 1. The cross section in Figure 2 highlights the assays of CBADD018 and CBADD019.

Dart Mining's Chairman, James Chirside, commented: *"Dart Mining is very pleased with results from the latest drill holes around the Banshee historical workings. The drilling here highlights the impressive mineralisation with excellent gold, silver, and antimony grades. The team have used these results to extend understanding of the controls on mineralisation across the deposit. The eastern and western expansion of the mineralised zone highlight that there is still strong potential in these directions and they remain open. We're still intercepting veining, sulphide minerals, and intense alteration consistent with the main zone, and we're excited to see results further west of the current drilling."*

The team is working diligently to clear the diamond core logging and have the core dispatched to the laboratories as quickly as possible. The sooner we can receive these final assays, the sooner we can submit composites for metallurgical test work to support the Mineral Resource Estimate and increase Dart's equity stake to 51% of the Coonambula Project".

Figure 1: Location plan showing drill hole locations and preliminary mineralisation interpretation.





Figure 2: Cross section through CBADD018 and CBADD019 showing gold assays and interpreted mineralised zones.



Dart Mining has drilled **4,100m** of diamond core drilling across the Banshee prospect with logging completed up to **3,640.6m**. Assay results have now been received for all drilling completed up to March 2026. The team has made great progress to advance the drill hole logging and sampling, and another 15 batches of samples have been dispatched to the laboratory.

The key intercept from this batch of assay results is from CBADD014, CBADD018, and CBADD019 which complete the bulk of the targeting Banshee 'core' drilling. These defined zones of broader gold mineralisation continue to highlight that within is the possibility of the rich Ag and Sb zones. The geology team is noting faulting in the drilling which may be offsetting the interpreted mineralised zones. Table 1 shows the highlight intervals from the latest batch. Appendix 1 has the complete assay results.

Table 1: Key drill intercepts from Dart's recent diamond drilling at the Coonambula project.

Drill Hole Name	From Depth (m)	Thickness (m)	Au g/t	Ag g/t	Sb %
CBADD014	34.6	2.4	2.66	6.44	0.76
Including	35.4	0.9	4.34	14.66	2.02
CBADD015	89.6	1.6	1.22	30.91	0.51
Including	90.2	0.4	3.48	121.29	1.99
CBADD015	111.1	1	1.12	0.65	0
CBADD015	137.5	2.1	0.58	0.43	2.29
Including	137.5	1.1	0.95	0.68	4.22
CBADD016	52.3	1	0.83	0.83	0
CBADD017	No significant Intercepts				
CBADD018	27.5	2.2	0.44	0.42	0.03
Including	27.5	0.6	1.19	0.82	0.07
CBADD018	33.0	6.1	1.11	0.9	0.5
Including	35.0	0.7	4.59	1.1	0.01
Including	38.3	0.8	2.75	4.3	3.74
CBADD019	53.7	5.8	1.73	11.57	4.76
Including	54.3	0.9	2.18	71.12	26.66
Including	56.2	1.3	3.43	2.15	3.75
CBADD019	62.0	1.6	0.26	0.44	0.01
CBADD020	91.1	1.0	0.57	0.82	0
CBADD021	No significant Intercepts				
CBADD022	No significant Intercepts				

Drill holes CBADD017 and CBADD021 represent the current western and eastern extents of the drilling (and assays) to date. The mineralised corridor is still present as the logging interpretation shows that the hydrothermal system remains active and well-developed at both ends of the drilled footprint. In CBADD017, the presence of strong sericite alteration with disseminated pyrite over several metres, overprinted by later sericite veinlets, indicates sustained fluid flow through a structurally prepared zone rather than the host granodiorite.

The alteration intensity peaks within a narrow interval, suggesting the hole clipped the shoulder of a focused fluid pathway rather than the core of the ore shoot as seen closer to the Banshee workings. The vein interpretation suggests multiple generations of quartz-sericite veining, local bucky quartz textures, and overprinting relationships consistent with repeated reactivation of the same structure. Gold is anomalous but limited with one interval of 0.8m @ 0.226 g/t Au. The fact that the association with arsenopyrite and minor stibnite matches the assemblage seen in some of the highly mineralised holes implying that the metal-bearing fluids passed through this position but were limited in their precipitation.

At the eastern end, CBADD021 shows an equally compelling set of vectors. Interpretation logging highlights a well-developed sericite alteration envelope with fracture-controlled intensity, accompanied by K-feldspar overprint in places. More importantly, the sulphide assemblage is pyrite, arsenopyrite, and stibnite occur together in several intervals (Figure 3, bottom), including a thin vein with very high stibnite content. This is not distal leakage but an indication that the hydrothermal fluids responsible for the main mineralisation at Banshee were still active at this location but perhaps poorly fractured or low fracture density as preparation of more intense mineralisation.

The veining style, although less abundant than in central holes, includes fine-grained stibnite veinlets and narrow quartz-sulphide structures consistent with the broader structural fabric of the deposit. The combination of sericite-K-feldspar alteration, arsenopyrite-stibnite sulphide mineralogy, and structurally focused veining strongly suggests that CBADD021 also sits on the shoulder of the system or in a zone of low grade. CBADD021 is now the most eastern drill hole and suggested the system is still open to the east.

Figure 3: Core photos from elevated gold zones with veining and alteration (CBADD017: top, CBADD021: bottom).



Previous Dart Results

Highlight assays from Dart's first hole, CBADD001, ([ASX: DTM 10 November 2025](#)) include:

- **5.0m @ 4.33% Sb + 1.69 g/t Au + 23.65 g/t Ag** from 41.5m;
 - including **0.65m @ 32.20% Sb + 2.91 g/t Au + 10.50 g/t Ag** from 42.0;
 - 0.5m @ 2.53 g/t Au from 42.65m and
 - **0.7m @ 5.61 g/t Au + 154 g/t Ag** from 45.4m.
- **1.6m @ 9.47% Sb + 0.35 g/t Au + 4.09 g/t Ag** from 68.2m;
 - including **0.5m @ 29.60% Sb + 0.65 g/t Au + 12.60 g/t Ag** from 68.7.

Highlight assays from CBADD002 ([ASX: DTM 15 December 2025](#)) include:

- Broader gold zones containing antimony mineralised zones
- **1.4m @ 2.00 g/t Au + 0.97% Sb** from 134.0m including:
 - **0.3m @ 7.33 g/t Au + 4.40% Sb** from 134.5m.
- 1.0m @ 2.15 g/t Au from 175.5m;
- **6.5m @ 5.1 g/t Au + 0.15% Sb** from 180.0m including:
 - **1.5m @ 7.32 g/t Au** from 182.5m;
 - **0.5m @ 18.30 g/t Au** from 184.5m; and
 - **1.0m @ 6.38 g/t Au + 0.92% Sb** from 185.5m.

Highlight assays from CBADD003 through CBADD010 ([ASX: DTM 19 February 2026](#)) include:

- **9.0m @ 2.67g/t Au + 16.8 g/t Ag + 5.8% Sb** from **32.5m (CBADD010)** including;
 - 1.2m @ **5.5 g/t Au + 85.1 g/t Ag + 18.8% Sb** from 37.7m; and
 - 0.6m @ 1.62 g/t Au + 17.2 g/t Ag + **44.6% Sb** from 37.9m; and
 - 0.5m @ **10.75 g/t Au + 3.5 g/t Ag + 4.7% Sb** from 39.0m.
- **4.3m @ 3.61 g/t Au + 3.3 g/t Ag + 0.2% Sb** from 43.2m (*CBADD009*) including;
 - **0.9m @ 9.44 g/t Au + 2.3 g/t Ag + 0.5% Sb** from 43.2m; and
 - 0.3m @ **4.02 g/t Au + 27.6 g/t Ag + 1.3% Sb** from 46.1m.
- **2.2m @ 4.29 g/t Au + 4.0 g/t Ag + 0.2% Sb** from 82.9m (*CBADD005*) including;
 - 0.5m @ **10.05 g/t Au + 1.3 g/t Ag** from 84.6m; and
 - 0.4 @ **6.18 g/t Au + 4.3 g/t Ag + 1.0% Sb** from 85.1m.
- 1.3m @ **3.80 g/t Au + 131.9 g/t Ag + 10.5% Sb** from **8.7m (CBADD006)**;
- 1.3m @ 2.12 g/t Au + **68.5 g/t Ag + 10.2% Sb** from 131.4m (*CBADD003*) including;
 - 0.5m @ 2.74 g/t Au + **145.0 g/t Ag + 24.9% Sb** from 131.4m.
- 2.1m @ 1.61 g/t Au + **71.5 g/t Ag + 0.5% Sb** from 57.5m (*CBADD004*) including;
 - 0.6m @ 2.45 g/t Au + 234.0 g/t Ag + 1.8% Sb from 58.0m.

Highlight assays from CBADD011 through CBADD013 ([ASX: DTM 16 April 2026](#)) include:

- **4.9m @ 5.27 g/t Au** from **21.0m (CBADD013)** including;
 - **1.0m @ 14.6 g/t Au** from 22.2m; and
 - **1.2m @ 4.49 g/t Au** from 24.7m.
- **1.8m @ 1.98 g/t Au** from 44.90m (*CBADD012*) including;
 - 0.3m @ **4.04 g/t Au** from 45.9m.
- **0.4m @ 2.63 g/t Au** from 107.0m (*CBADD011*) including.

Dart Mining rock chip sampling revealed high grade antimony, gold and silver ([ASX: DTM 10 October 2025](#)). Assays received across 9 samples of float and in situ veins across the historic Banshee antimony mine area include:

- **Antimony results up to 65.3% Sb and 55.5% Sb**
- **Gold grades up to 17.0g/t Au and 15.05g/t Au**
- **Silver assays up to 97.9g/t Ag and 66.7g/t Ag**

Trench sampling conducted immediately south of the Banshee mine confirmed high grade gold, silver and antimony ([ASX: DTM 15 January 2026](#)). Samples from regular 1m intervals returned:

- **Gold grades up to 10.45g/t Au and 8.92g/t Au**
- **Silver assays up to 125g/t Ag and 121g/t Ag**
- **Antimony results up to 5.14% Sb**

Prior to Dart Mining, previous highlights across the project include:

- Highlights from 2014 drilling as per the GDM Prospectus (ASX: [GDM Prospectus 2023](#)):
 - **3m @ 9.18% Sb** in hole CNRC03 from 158m including **1m @ 25% Sb from 158m**;
 - **6m @ 5.12% Sb & 1.55 g/t Au** in hole CNRC04 from 77m;
 - **3m @ 1.50% Sb & 8.53 g/t Au** in hole CNRC05 from 18m;
- Rock chips of **44.9% Sb, 24.1% Sb, 39.9% Sb, and 39.4% Sb** (ASX: [GDM Prospectus 2023](#)):
- Surface trenching includes **4m @ 3.09 g/t Au and 1.14% Sb** and **1m @ 6.15 g/t Au and 3.1% Sb**. While trenching, selective rock chips returned **3.65 g/t Au with 23.9% Sb, and 9.93 g/t Au with 7.56% Sb** (ASX: [GDM Nov 2024](#)).

NEXT STEPS

Dart Mining and its Joint Venture partner, Great Divide Mining, will progress farm-in exploration at the Coonambula project including:

- Report diamond drilling assay results as they are received and approved;
- Select and submit composite drill cores for metallurgical test-work to support concepts on ore types and recoveries; and
- Develop a 3D model and declare a JORC resource at the earliest possible opportunity subject to drill results.

Approved for release by the Board of Directors.

For more information contact:

James Chirside

Managing Director

Dart Mining NL

jchirside@dartmining.com.au

+61 419 605 842

[InvestorHub Link](#)

Terry Bates

Director

Dart Mining NL

tbates@dartmining.com.au

COONAMBULA ANTIMONY-GOLD PROJECT

The Coonambula Antimony-Gold Project (**Coonambula** or **Project**) is located approximately 390km by road north-northwest of Brisbane, Queensland. Coonambula is 70km southeast of the multi-million-ounce Cracow gold mine and 25km southwest of the Eidsvold goldfield (Figure 4). The Project is comprised of five granted Exploration Permits: EPM 15203, EPM 16216, EPM 25260, EPM 26743 and EPM 28433 covering 282 sq.km., and application EPM 29186 covering an area of 227sq.km.




Figure 4: Project Location Plan.

Geology – New England Fold Belt geology hosts high grade quartz veins containing Sb-Au at Hillgrove and Wild Cattle Creek in NSW, and Antimony at Neardie near Gympie QLD. Mineralisation at Coonambula is hosted within intrusive granodiorites and holds the potential to host a large intrusion related gold system, with attractive magnetic signature and structural geology.

Two distinct types of reef mineralisation occur: Gold associated with arsenopyrite in quartz and high-grade antimony with calcite in quartz. Disseminated stibnite is recorded in the gold lodes (Malnic, 1985).

Banshee is one of the largest historical antimony mining complexes in Central Queensland, located 70km Southeast of the Cracow gold mine and 25km SW of Eidsvold. Banshee is a historic high-grade direct shipping ore antimony mine (worked variously between 1876 and 1983, The Banshee Mine when reopened in 1983 produced 20t of ore containing 4t of Antimony ([GDM Prospectus 2023](#)). 12 RC and 1 diamond drill hole have been drilled over 650m of strike length at Banshee.

Directly east of Banshee lies another Antimony-Gold prospect called Lady Mary (previously called Lady May). This prospect lies 1km along strike from Banshee, potentially along the same E-W Banshee structure. Surface rock chip samples from old mine dumps at Lady Mary have returned up to 49.6% Sb and 1.3 g/t Au ([GDM Sep 2024](#)). The area between Banshee and Lady Mary has not yet been explored and is a high priority target being assessed by the current IP survey.

The Perseverance mine was mined to 132m depth with mining widths up to 10m wide ([GDM Prospectus 2023](#)). Past production of gold from the mine was reported as 20kt @ 20g/t Au (Malnic, 1985) however only 3 drill holes have been completed to date.

Total strike of the prospective antimony zone is approximately 5km with historic mines either side of Banshee. Lady Mary located 900m east of Banshee with additional historic mines occurring some 3km west of Banshee giving a potential E-W strike of 5km. Individual high grade antimony shoots are interpreted as having a strike length of 30-100m each based upon Banshee drilling where 3 shoots of this length exist in the central core zone.

In GDM's 2023 prospectus ([GDM Prospectus 2023](#)) consulting company Derisk stated that it: *"Considers that the Coonambula project tenements are prospective for mesothermal vein and stockwork gold and gold-antimony deposits, as well as intrusion-related and epithermal gold deposits. Most work at this project has focused on areas in and around historical mine workings. Derisk considers there is potential to define extensions or repetitions of known mineralisation at some of the historical workings. There is also potential to discover new mineralisation but exploration for these targets is at a very early stage."*



Figure 5: Banshee mine waste dump material observed (unsampled) by Dart Mining in January 2025 showing antimony mineral (70% stibnite*) with encasing vein quartz.*

**Visual estimates of mineral abundance should never be considered a proxy or substitute for laboratory analyses where concentrations or grades are the factor of principal economic interest. Visual estimates also potentially provide no information regarding impurities or deleterious physical properties relevant to valuations*

For personal use only




Figure 6: Coonambula geology and key prospects.

About Dart Mining

The Triumph Gold Project is Dart's first step into an advanced intrusion related gold system project in Queensland. Dart will look to develop a regional presence in Queensland through advanced stage intrusion related and epithermal gold projects. Dart is farming into the Coonambula Antimony-Gold Project in Central Queensland. Dart Mining will continue to evaluate several historic goldfields in Central and Northeast Victoria including the Rushworth Goldfield and the new porphyry and lithium province in Northeast Victoria identified by Dart. The area is prospective for precious, base, and strategic metals. Dart Mining has built a strategic and highly prospective gold exploration portfolio in Central and Northeast regions of Victoria, where historic surface and alluvial gold mining indicates the existence of potentially large gold endowment.

Competent Person's Statement

The information in this report has been prepared, compiled, and verified by Mr Andrew Dawes, who is a Member of the Australasian Institute of Mining and Metallurgy and a Member of the Australian Institute of Geoscientists. Mr Andrew Dawes is employed by AHD Resources and consults to Dart Mining NL. Mr Dawes has sufficient experience that is relevant to the style of mineralisation and type of deposits under consideration and to the activity being undertaken to qualify as a competent person as defined in the 2012 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr. Dawes takes responsibility for the exploration results, and consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

Forward-Looking Statement

Certain statements contained in this document constitute forward-looking statements. Forward-looking statements include, but are not limited to, Dart Mining's current expectations, estimates and projections about the industry in which Dart Mining operates, and beliefs and assumptions regarding Dart Mining's future performance. Such forward-looking statements are based on a number of estimates and assumptions made by the Company and its consultants in light of experience, current conditions and expectations of future developments which the Company believes are appropriate in the current circumstances. When used in this document, words such as; "anticipate", "could", "intends", "estimate", "potential", "plan", "seeks", "may", "should", and similar expressions are forward-looking statements. Although Dart Mining believes that its expectations presented in these forward-looking statements are reasonable, such statements are subject to known and unknown risks, uncertainties and other factors, which may cause the actual results, achievements and performance of the Company to be materially different from the future results and achievements expressed or implied by such forward-looking statements. Investors are cautioned that forward-looking information is no guarantee of future performance and accordingly, investors are cautioned not to place undue reliance on these forward-looking statements.

No new information has been included in this release, all exploration results have been previously reported by Great Divide Mining (ASX: GDM) and are available on their website. Dart Mining is not aware of any new information or data that materially affects the information included in the original announcements.

APPENDIX ONE:

TABLE 1: DRILL HOLE SUMMARY OF REPORTED DRILLING

Drill Hole	Easting (m)	Northing (m)	RL (m)	Azimuth (Deg)	Dip (Deg)	Total Depth (m)
CBADD014	291,979.03	7,173,904.96	239.01	165	-50	122.00
CBADD015	292,086.35	7,173,965.68	238.55	165	-50	158.20
CBADD016	291,823.25	7,173,830.14	232.29	345	-65	152.40
CBADD017	291,758.12	7,173,882.97	229.75	165	-50	110.00
CBADD018	292,050.69	7,173,868.65	239.64	345	-50	47.50
CBADD019	292,048.62	7,173,873.73	241.06	345	-60	73.90
CBADD020	291,761.06	7,173,790.22	228.46	345	-50	133.10
CBADD021	292,252.37	7,173,887.41	230.80	345	-60	74.30
CBADD022	292,152.31	7,173,870.77	237.28	345	-60	98.20

TABLE 2 ASSAY RESULTS CBADD014 – CBADD022

Hole ID	From (m)	To (m)	Width (m)	Au (ppm)	Ag (ppm)	Sb (ppm)
CBADD014	17	17.5	0.5	0.0025	0.07	10.09
CBADD014	27.6	27.9	0.3	0.0025	0.12	2.93
CBADD014	30.1	31.1	1	0.018	0.06	20.92
CBADD014	31.1	31.7	0.6	0.0025	0.06	206.18
CBADD014	31.7	32.7	1	0.0025	0.07	24.8
CBADD014	32.7	33.7	1	0.0025	0.08	13.79
CBADD014	33.7	34.6	0.9	0.0025	0.07	14.65
CBADD014	34.6	35.4	0.8	0.387	0.52	97.82
CBADD014	35.4	36.3	0.9	4.335	14.66	20233
CBADD014	36.3	37	0.7	3.119	2.63	159.46
CBADD014	37	38	1	0.01	0.11	86.7
CBADD014	38	39	1	0.0025	0.06	78.47
CBADD014	39	39.9	0.9	0.0025	0.07	98.27
CBADD014	39.9	40.4	0.5	0.0025	0.08	49.64
CBADD014	40.4	41	0.6	0.0025	0.06	105.83
CBADD014	41	42	1	0.0025	0.08	98.47
CBADD014	42	42.9	0.9	0.0025	0.025	21.43
CBADD014	42.9	43.9	1	0.0025	0.07	71
CBADD014	43.9	44.5	0.6	0.0025	0.06	16.91
CBADD014	44.5	45.3	0.8	0.0025	0.05	16.66
CBADD014	45.3	46.3	1	0.0025	0.06	10.43
CBADD014	46.3	47	0.7	0.0025	0.05	21.35
CBADD014	47	48	1	0.006	0.07	16.32
CBADD014	48	49	1	0.0025	0.07	36.67
CBADD014	49	49.6	0.6	0.0025	0.05	22.44
CBADD014	49.6	50.2	0.6	0.0025	0.05	53.32
CBADD014	50.2	50.8	0.6	0.0025	0.06	29.76
CBADD014	50.8	51.8	1	0.0025	0.1	29.27
CBADD014	51.8	52.3	0.5	0.0025	0.06	106.86
CBADD014	52.3	52.8	0.5	0.0025	0.06	82.26
CBADD014	52.8	53.3	0.5	0.0025	0.025	99.99

CBADD014	53.3	54	0.7	0.006	0.025	37.09
CBADD014	54	55	1	0.0025	0.025	35.47
CBADD014	55	56	1	0.0025	0.025	20.95
CBADD014	56	57	1	0.0025	0.025	23.22
CBADD014	57	58	1	0.0025	0.025	21.26
CBADD014	58	59	1	0.0025	0.06	19.12
CBADD014	59	60	1	0.0025	0.025	13.49
CBADD014	60	61	1	0.0025	0.025	16.74
CBADD014	61	62	1	0.0025	0.025	21.16
CBADD014	62	63	1	0.0025	0.025	18.26
CBADD014	63	64	1	0.0025	0.025	20.38
CBADD014	64	64.9	0.9	0.0025	0.025	13.6
CBADD014	64.9	66	1.1	0.0025	0.025	32.68
CBADD014	66	66.6	0.6	0.0025	0.07	15.67
CBADD014	66.6	67.4	0.8	0.228	0.25	58.66
CBADD014	67.4	68	0.6	0.157	0.17	276.91
CBADD014	68	68.9	0.9	0.006	0.025	83.16
CBADD014	68.9	69.2	0.3	0.0025	0.025	40.52
CBADD014	69.2	70	0.8	0.0025	0.025	44.32
CBADD014	70	71	1	0.0025	0.07	25.86
CBADD014	71	72	1	0.0025	0.06	19.48
CBADD014	72	73	1	0.0025	0.025	11.22
CBADD014	73	74	1	0.0025	0.025	6.16
CBADD014	74	75	1	0.009	0.025	9.99
CBADD014	75	75.5	0.5	0.0025	0.025	8.57
CBADD014	75.5	76	0.5	0.0025	0.08	18.5
CBADD014	81.6	82.1	0.5	0.0025	0.025	14.49
CBADD014	82.1	82.7	0.6	0.0025	0.06	7.3
CBADD014	87.65	87.95	0.3	0.0025	0.06	1.87
CBADD014	90	90.3	0.3	0.0025	0.06	4.71
CBADD014	90.3	90.7	0.4	0.0025	0.06	2.37
CBADD014	100.5	101.5	1	0.0025	0.08	2.53
CBADD014	109	109.3	0.3	0.0025	0.025	2.11
CBADD014	109.3	110.3	1	0.0025	0.025	1.21
CBADD014	110.3	111	0.7	0.0025	0.025	1.32
CBADD014	111	111.6	0.6	0.0025	0.06	0.72
CBADD014	111.6	111.9	0.3	0.0025	0.025	0.71
CBADD015	25	26	1	0.014	0.07	2.75
CBADD015	26	27	1	0.0025	0.06	1.96
CBADD015	27	28	1	0.0025	0.08	2.63
CBADD015	28	29	1	0.0025	0.025	3.37
CBADD015	29	30	1	0.0025	0.07	16.38
CBADD015	43.2	44	0.8	0.0025	0.09	3.92
CBADD015	44	45	1	0.0025	0.08	5.56
CBADD015	45	46	1	0.0025	0.07	20.9
CBADD015	46	47	1	0.0025	0.06	10.92
CBADD015	47	47.5	0.5	0.0025	0.05	7.27
CBADD015	47.5	48	0.5	0.0025	0.05	14.22
CBADD015	48	48.5	0.5	0.0025	0.06	7.89

CBADD015	48.5	49.1	0.6	0.0025	0.025	12.32
CBADD015	49.1	50	0.9	0.0025	0.025	9.01
CBADD015	50	50.4	0.4	0.0025	0.05	6.75
CBADD015	50.4	51	0.6	0.0025	0.06	15.08
CBADD015	51	51.6	0.6	0.0025	0.025	28.64
CBADD015	51.6	52.6	1	0.0025	0.08	13.27
CBADD015	52.6	53.5	0.9	0.0025	0.06	10.52
CBADD015	62	62.8	0.8	0.0025	0.05	4.21
CBADD015	62.8	63	0.2	0.0025	0.025	5.38
CBADD015	63	64	1	0.0025	0.05	3.04
CBADD015	68	68.8	0.8	0.0025	0.09	4.9
CBADD015	68.8	69.3	0.5	0.0025	0.06	3.01
CBADD015	69.3	70	0.7	0.0025	0.06	33.61
CBADD015	70	70.9	0.9	0.0025	0.1	19.65
CBADD015	70.9	71.7	0.8	0.0025	0.025	2.41
CBADD015	71.7	72.2	0.5	0.0025	0.05	8.37
CBADD015	76.1	76.8	0.7	0.007	0.07	6.76
CBADD015	86.1	87.1	1	0.0025	0.06	4.92
CBADD015	87.1	88.1	1	0.0025	0.07	7.8
CBADD015	88.1	88.6	0.5	0.048	0.13	14.29
CBADD015	88.6	89.3	0.7	0.0025	0.06	6.18
CBADD015	89.3	89.6	0.3	0.482	0.39	93.55
CBADD015	89.6	90.15	0.55	0.826	1.06	201.16
CBADD015	90.15	90.55	0.4	3.476	121.29	19923
CBADD015	90.55	91.2	0.65	0.171	0.56	96.25
CBADD015	91.2	91.7	0.5	0.009	0.42	94.77
CBADD015	91.7	92.3	0.6	0.0025	0.08	18.57
CBADD015	92.3	92.8	0.5	0.0025	0.08	33.9
CBADD015	92.8	93.3	0.5	0.0025	0.09	15.14
CBADD015	93.3	93.9	0.6	0.0025	0.06	16.21
CBADD015	93.9	94.5	0.6	0.0025	0.06	23.35
CBADD015	94.5	95	0.5	0.0025	0.06	8.34
CBADD015	95	95.7	0.7	0.0025	0.07	3.78
CBADD015	95.7	96.7	1	0.0025	0.07	9.52
CBADD015	96.7	97.7	1	0.0025	0.06	4.39
CBADD015	97.7	98.4	0.7	0.0025	0.025	4.72
CBADD015	98.4	99	0.6	0.305	0.11	15.72
CBADD015	99	99.6	0.6	0.914	0.1	11.44
CBADD015	99.6	100.3	0.7	0.217	0.07	2.88
CBADD015	100.3	100.9	0.6	0.0025	0.06	2.89
CBADD015	100.9	101.9	1	0.0025	0.025	1.36
CBADD015	101.9	102.9	1	0.0025	0.06	1.03
CBADD015	107.2	107.6	0.4	0.0025	0.025	4.32
CBADD015	107.6	107.9	0.3	0.0025	0.025	4.87
CBADD015	107.9	108.5	0.6	0.0025	0.09	16.42
CBADD015	108.5	109.4	0.9	0.006	0.1	9.1
CBADD015	109.4	109.9	0.5	0.0025	0.11	16.96
CBADD015	109.9	110.5	0.6	0.0025	0.025	9.95
CBADD015	110.5	111.1	0.6	0.0025	0.06	11.06

CBADD015	111.1	112.1	1	1.122	0.65	37.67
CBADD015	112.1	113.1	1	0.006	0.07	5.84
CBADD015	113.1	114.1	1	0.0025	0.025	6.43
CBADD015	114.1	114.6	0.5	0.01	0.06	8.2
CBADD015	114.6	115.2	0.6	0.018	0.07	6.84
CBADD015	115.2	116	0.8	0.0025	0.025	3.53
CBADD015	121.3	121.6	0.3	0.0025	0.025	4.81
CBADD015	130.4	131.4	1	0.0025	0.05	6.44
CBADD015	131.4	132.3	0.9	0.0025	0.05	5.92
CBADD015	132.3	133.2	0.9	0.0025	0.025	8.33
CBADD015	133.2	134	0.8	0.0025	0.06	12.46
CBADD015	134	134.8	0.8	0.0025	0.06	19.2
CBADD015	134.8	135.3	0.5	0.0025	0.025	94.42
CBADD015	135.3	136.3	1	0.0025	0.06	75.36
CBADD015	136.3	137	0.7	0.0025	0.025	34.57
CBADD015	137	137.45	0.45	0.0025	0.06	27.59
CBADD015	137.45	138.35	0.9	0.5	0.17	202.46
CBADD015	138.35	138.55	0.2	2.97	2.98	231120
CBADD015	138.55	139.5	0.95	0.163	0.14	524.56
CBADD015	139.5	140	0.5	0.013	0.09	164.67
CBADD015	140	140.6	0.6	0.013	0.06	173.63
CBADD015	140.6	141.6	1	0.0025	0.07	180.3
CBADD015	141.6	142.6	1	0.0025	0.025	74.06
CBADD015	142.6	143.6	1	0.0025	0.05	34.65
CBADD015	143.6	144.6	1	0.0025	0.025	46.61
CBADD015	144.6	145.6	1	0.0025	0.05	19.69
CBADD015	145.6	146.1	0.5	0.0025	0.06	7.26
CBADD015	146.1	146.7	0.6	0.0025	0.025	2.33
CBADD015	146.7	147.7	1	0.0025	0.07	1.61
CBADD015	147.7	148.7	1	0.0025	0.07	0.97
CBADD015	148.7	149.3	0.6	0.0025	0.05	2.07
CBADD015	149.3	149.8	0.5	0.0025	0.05	3.92
CBADD015	149.8	150.5	0.7	0.0025	0.06	3.64
CBADD015	150.5	151.4	0.9	0.0025	0.06	2.14
CBADD016	16.1	16.6	0.5	0.0025	0.06	2.25
CBADD016	16.6	17.2	0.6	0.0025	0.025	2.63
CBADD016	21.5	22	0.5	0.0025	0.025	12.09
CBADD016	22	22.7	0.7	0.0025	0.025	46.4
CBADD016	22.7	23.7	1	0.0025	0.025	12.07
CBADD016	36.7	36.9	0.2	0.0025	0.025	4.09
CBADD016	36.9	37.5	0.6	0.0025	0.06	2.09
CBADD016	37.5	38.5	1	0.0025	0.025	2.81
CBADD016	38.5	38.7	0.2	0.0025	0.025	4.58
CBADD016	49.5	50.1	0.6	0.0025	0.025	3.13
CBADD016	50.1	51.1	1	0.0025	0.025	3.97
CBADD016	51.1	51.9	0.8	0.0025	0.025	9.24
CBADD016	51.9	52.3	0.4	0.005	0.025	71.63
CBADD016	52.3	52.8	0.5	1.386	0.61	136.16
CBADD016	52.8	53.3	0.5	0.271	1.04	64.61

CBADD016	53.3	54	0.7	0.0025	0.16	68.92
CBADD016	54	54.4	0.4	0.006	0.07	99.71
CBADD016	54.4	55.4	1	0.048	0.11	40.18
CBADD016	55.4	56	0.6	0.0025	0.025	28.43
CBADD016	56	57	1	0.0025	0.06	19.68
CBADD016	57	58	1	0.0025	0.025	21.56
CBADD016	58	59	1	0.0025	0.06	14.64
CBADD016	59	60	1	0.0025	0.05	7.13
CBADD016	60	61	1	0.0025	0.025	5.7
CBADD016	61	62	1	0.0025	0.06	3.98
CBADD016	62	63	1	0.042	0.025	9.72
CBADD016	63	63.8	0.8	0.005	0.05	11
CBADD016	63.8	64.3	0.5	0.0025	0.025	25.02
CBADD016	64.3	65.3	1	0.0025	0.025	14.95
CBADD016	65.3	66.4	1.1	0.0025	0.025	12.89
CBADD016	66.4	66.9	0.5	0.0025	0.025	18.43
CBADD016	66.9	67.4	0.5	0.0025	0.025	19.02
CBADD016	67.4	67.9	0.5	0.0025	0.025	18.22
CBADD016	67.9	68.9	1	0.0025	0.025	20.69
CBADD016	68.9	69.9	1	0.394	0.18	24.48
CBADD016	69.9	70.9	1	0.019	0.05	16.9
CBADD016	70.9	71.9	1	0.126	0.13	19.91
CBADD016	71.9	72.4	0.5	0.035	0.08	15.11
CBADD016	72.4	73	0.6	0.079	0.11	17.57
CBADD016	73	74	1	0.014	0.06	20.74
CBADD016	74	75	1	0.038	0.22	23.46
CBADD016	75	76	1	0.031	0.12	34.75
CBADD016	76	77	1	0.0025	0.025	11.94
CBADD016	77	78	1	0.014	0.05	18.43
CBADD016	78	78.7	0.7	0.0025	0.025	12.73
CBADD016	78.7	79.2	0.5	0.0025	0.025	49.09
CBADD016	92.2	93.2	1	0.0025	0.025	0.4
CBADD016	93.2	94	0.8	0.006	0.08	0.34
CBADD016	94	95	1	0.0025	0.06	0.76
CBADD016	95	96	1	0.0025	0.025	0.89
CBADD016	96	97	1	0.0025	0.025	0.44
CBADD016	97	97.9	0.9	0.0025	0.025	0.36
CBADD016	97.9	99	1.1	0.0025	0.05	1.1
CBADD016	105.8	106.3	0.5	0.0025	0.025	1.94
CBADD016	106.3	107.3	1	0.0025	0.06	1.81
CBADD016	107.3	107.8	0.5	0.0025	0.06	1.12
CBADD016	107.8	108.3	0.5	0.0025	0.06	8.37
CBADD016	108.3	109.2	0.9	0.0025	0.025	3.75
CBADD016	119.7	120.7	1	0.0025	0.08	0.62
CBADD016	120.7	121.7	1	0.0025	0.05	0.84
CBADD016	121.7	122.6	0.9	0.0025	0.07	2.07
CBADD016	122.6	123.5	0.9	0.0025	0.025	1.72
CBADD016	123.5	124.4	0.9	0.0025	0.05	2.52
CBADD016	124.4	125.4	1	0.0025	0.025	2.17

CBADD016	125.4	126.4	1	0.0025	0.06	3
CBADD016	126.4	126.9	0.5	0.0025	0.07	2.23
CBADD016	126.9	127.9	1	0.0025	0.06	0.61
CBADD016	127.9	128.9	1	0.0025	0.025	1.17
CBADD017	4.3	5.3	1	-0.005	0.06	5.15
CBADD017	5.3	5.9	0.6	-0.005	-0.05	4.18
CBADD017	5.9	6.4	0.5	-0.005	-0.05	3.01
CBADD017	10.2	10.5	0.3	-0.005	-0.05	0.2
CBADD017	13.6	14.3	0.7	-0.005	0.05	0.45
CBADD017	14.3	14.6	0.3	-0.005	0.09	1.14
CBADD017	14.6	15	0.4	-0.005	-0.05	0.62
CBADD017	15	16	1	-0.005	0.05	1.38
CBADD017	16	17	1	-0.005	0.06	0.97
CBADD017	17	17.7	0.7	-0.005	0.06	1.6
CBADD017	17.7	18.5	0.8	-0.005	0.06	1.28
CBADD017	18.5	19	0.5	-0.005	0.06	0.85
CBADD017	21.8	22.2	0.4	-0.005	0.13	2.61
CBADD017	22.2	22.7	0.5	-0.005	0.09	0.84
CBADD017	22.7	23	0.3	-0.005	0.09	1.8
CBADD017	42	43	1	-0.005	0.09	2.2
CBADD017	43	44	1	-0.005	0.08	2.02
CBADD017	44	44.5	0.5	-0.005	0.07	1.77
CBADD017	44.5	45.4	0.9	-0.005	0.07	2.6
CBADD017	45.4	46.2	0.8	-0.005	0.07	7.98
CBADD017	46.2	47	0.8	0.226	0.49	38.72
CBADD017	47	48	1	-0.005	0.05	34.77
CBADD017	48	48.5	0.5	-0.005	0.09	49.45
CBADD017	48.5	49	0.5	-0.005	-0.05	14.92
CBADD017	49	49.5	0.5	-0.005	0.07	16.31
CBADD017	49.5	50.5	1	-0.005	0.07	7.8
CBADD017	50.5	51.5	1	-0.005	0.06	2.18
CBADD017	51.5	52.5	1	-0.005	0.07	4.21
CBADD017	69	70	1	0.006	0.06	0.24
CBADD017	70	70.6	0.6	-0.005	0.07	0.2
CBADD017	70.6	70.8	0.2	-0.005	-0.05	0.27
CBADD017	77	77.8	0.8	-0.005	-0.05	0.62
CBADD017	77.8	78.2	0.4	-0.005	0.05	0.75
CBADD017	78.2	79.2	1	-0.005	0.07	2.02
CBADD017	79.2	79.4	0.2	-0.005	-0.05	1.53
CBADD017	79.4	80	0.6	-0.005	-0.05	3.69
CBADD017	80	80.8	0.8	-0.005	0.07	1.98
CBADD017	80.8	81.8	1	-0.005	0.08	0.58
CBADD017	81.8	82.4	0.6	-0.005	0.05	1.13
CBADD017	82.4	83.2	0.8	-0.005	0.07	0.95
CBADD017	83.2	84.2	1	-0.005	0.06	1.02
CBADD017	84.2	85	0.8	-0.005	0.05	0.91
CBADD017	85	85.5	0.5	-0.005	-0.05	1.12
CBADD017	85.5	86	0.5	-0.005	-0.05	1.58
CBADD017	90.3	90.7	0.4	-0.005	0.05	1.64

CBADD017	94	94.4	0.4	0.031	0.12	1.32
CBADD017	96.3	97.1	0.8	-0.005	-0.05	0.28
CBADD017	97.1	98	0.9	-0.005	0.06	0.13
CBADD017	98	98.6	0.6	-0.005	0.07	0.15
CBADD017	98.6	99	0.4	-0.005	0.06	0.2
CBADD017	99	99.8	0.8	-0.005	-0.05	0.2
CBADD017	99.8	100.1	0.3	-0.005	0.36	1.62
CBADD017	100.1	101	0.9	-0.005	0.07	0.27
CBADD017	101	102	1	-0.005	0.06	0.29
CBADD017	102	103	1	-0.005	0.07	0.19
CBADD018	2	2.8	0.8	-0.005	0.11	8.27
CBADD018	3	3.3	0.3	-0.005	0.09	7.66
CBADD018	3.3	4.3	1	-0.005	0.05	4.17
CBADD018	13	14	1	-0.005	0.07	10.37
CBADD018	14	15	1	-0.005	0.08	53.49
CBADD018	15	15.4	0.4	-0.005	0.08	168.22
CBADD018	15.4	16	0.6	-0.005	0.06	26.88
CBADD018	16	17	1	-0.005	0.06	130.2
CBADD018	17	17.9	0.9	-0.005	0.08	50.24
CBADD018	17.9	18.2	0.3	-0.005	0.19	50.34
CBADD018	18.2	19	0.8	-0.005	0.12	14.95
CBADD018	19	19.5	0.5	-0.005	-0.05	46.06
CBADD018	19.5	20.5	1	-0.005	0.06	81.18
CBADD018	20.5	21.5	1	-0.005	-0.05	104.51
CBADD018	21.5	22.5	1	-0.005	0.06	54.33
CBADD018	22.5	23.5	1	0.02	0.19	83.09
CBADD018	23.5	23.7	0.2	-0.005	0.06	27.08
CBADD018	23.7	24.5	0.8	-0.005	0.08	7.42
CBADD018	24.5	25.5	1	-0.005	-0.05	11.31
CBADD018	25.5	26.5	1	-0.005	0.05	31.56
CBADD018	26.5	27.5	1	-0.005	-0.05	40.83
CBADD018	27.5	27.85	0.35	0.544	1.03	59.7
CBADD018	27.85	28.05	0.2	2.321	0.46	1810.05
CBADD018	28.05	28.5	0.45	0.358	0.61	97.04
CBADD018	28.5	29	0.5	0.016	0.1	275.99
CBADD018	29	29.7	0.7	0.215	0.21	252.61
CBADD018	29.7	30.7	1	-0.005	-0.05	71.9
CBADD018	30.7	31.6	0.9	0.008	0.06	79.03
CBADD018	31.6	32.6	1	-0.005	0.06	68.52
CBADD018	32.6	33	0.4	-0.005	0.06	27.14
CBADD018	33	33.5	0.5	0.201	0.1	72.28
CBADD018	33.5	34	0.5	0.103	0.17	85.46
CBADD018	34	34.5	0.5	0.273	0.25	74.53
CBADD018	34.5	35	0.5	0.007	0.26	122.49
CBADD018	35	35.7	0.7	4.588	1.1	116.9
CBADD018	35.7	36.7	1	0.692	0.49	172.01
CBADD018	36.7	37.2	0.5	0.792	0.85	145.15
CBADD018	38.3	39.1	0.8	2.746	4.3	37381
CBADD018	39.1	39.5	0.4	-0.005	0.08	138.55

CBADD018	40	41	1	-0.005	-0.05	28.34
CBADD018	41	42	1	-0.005	0.05	15.04
CBADD018	42	43	1	-0.005	0.06	8.25
CBADD019	1	2	1	-0.005	-0.05	3.59
CBADD019	2	2.6	0.6	-0.005	-0.05	11.66
CBADD019	2.6	3.6	1	-0.005	0.07	53.58
CBADD019	3.6	4.5	0.9	-0.005	0.11	51.03
CBADD019	4.5	5	0.5	-0.005	0.13	37.06
CBADD019	5	6	1	-0.005	0.15	14.6
CBADD019	6	7	1	-0.005	0.1	7.67
CBADD019	7	7.9	0.9	-0.005	0.11	13.81
CBADD019	7.9	8.9	1	-0.005	0.05	4.57
CBADD019	27.1	28.1	1	-0.005	0.06	12.46
CBADD019	28.1	29.1	1	-0.005	-0.05	4.81
CBADD019	29.1	29.7	0.6	-0.005	-0.05	3.73
CBADD019	29.7	30.2	0.5	-0.005	0.05	8.66
CBADD019	30.2	31.1	0.9	-0.005	-0.05	22.57
CBADD019	31.1	32	0.9	-0.005	-0.05	2.06
CBADD019	32	32.8	0.8	-0.005	-0.05	5.62
CBADD019	32.8	33.4	0.6	-0.005	-0.05	64.97
CBADD019	33.4	34	0.6	-0.005	-0.05	3.89
CBADD019	37	37.5	0.5	-0.005	-0.05	1.05
CBADD019	37.5	38	0.5	-0.005	0.06	2.46
CBADD019	38	39	1	-0.005	-0.05	4.3
CBADD019	44.9	45.9	1	-0.005	-0.05	7.76
CBADD019	45.9	46.3	0.4	0.01	0.05	27.87
CBADD019	46.3	47	0.7	0.045	0.09	33.19
CBADD019	47	47.5	0.5	-0.005	-0.05	12.76
CBADD019	47.5	48	0.5	-0.005	-0.05	5.17
CBADD019	48	49	1	-0.005	-0.05	13.16
CBADD019	49	49.5	0.5	-0.005	-0.05	10.64
CBADD019	49.5	50.5	1	-0.005	-0.05	14.48
CBADD019	50.5	51.5	1	-0.005	-0.05	11.59
CBADD019	51.5	52.5	1	-0.005	-0.05	14.58
CBADD019	52.5	53.2	0.7	-0.005	-0.05	60.12
CBADD019	53.2	53.7	0.5	-0.005	0.12	116.56
CBADD019	53.7	54.25	0.55	0.053	0.51	166.89
CBADD019	54.25	55.1	0.85	2.182	71.12	266630
CBADD019	55.1	55.5	0.4	0.353	0.92	274.85
CBADD019	55.5	56.2	0.7	0.457	1.02	134.21
CBADD019	56.2	56.45	0.25	1.439	5.02	183941
CBADD019	56.45	57	0.55	2.301	1.58	4843.69
CBADD019	57	57.5	0.5	5.666	1.35	118.2
CBADD019	57.5	58	0.5	1.32	1.92	99.94
CBADD019	58	58.5	0.5	0.009	0.56	131.97
CBADD019	58.5	59	0.5	2.123	1.02	76.43
CBADD019	59	59.5	0.5	3.018	1.48	82.91
CBADD019	59.5	60	0.5	0.009	0.7	76.43
CBADD019	60	61	1	0.008	0.62	80.62

CBADD019	61	61.5	0.5	-0.005	0.12	113.48
CBADD019	61.5	62	0.5	-0.005	0.1	107.63
CBADD019	62	62.6	0.6	0.145	0.98	98.21
CBADD019	62.6	63.6	1	0.321	0.12	103.69
CBADD019	63.6	64.5	0.9	-0.005	0.11	78.92
CBADD019	64.5	65.2	0.7	-0.005	-0.05	34.06
CBADD019	65.2	66	0.8	-0.005	0.05	28.83
CBADD019	66	67	1	-0.005	-0.05	10.61
CBADD019	67	68	1	-0.005	-0.05	11.37
CBADD019	68	69	1	-0.005	-0.05	15.02
CBADD019	69	69.7	0.7	-0.005	-0.05	76.04
CBADD019	69.7	70.5	0.8	-0.005	-0.05	10.5
CBADD019	70.5	71.5	1	-0.005	-0.05	9.61
CBADD019	71.5	72.5	1	-0.005	-0.05	5.86
CBADD020	17.7	18.3	0.6	-0.005	0.05	7.54
CBADD020	18.3	19.3	1	-0.005	0.06	3.41
CBADD020	19.3	20.1	0.8	-0.005	0.07	3.8
CBADD020	20.1	21.1	1	-0.005	0.06	3.69
CBADD020	21.1	21.95	0.85	-0.005	0.08	18.68
CBADD020	21.95	22.1	0.15	-0.005	0.07	12.83
CBADD020	22.1	23	0.9	-0.005	0.05	2.77
CBADD020	34.6	34.8	0.2	-0.005	-0.05	2.19
CBADD020	42.2	42.4	0.2	-0.005	-0.05	3.86
CBADD020	42.4	43	0.6	-0.005	0.06	1.49
CBADD020	43	44	1	-0.005	0.07	0.55
CBADD020	44	44.9	0.9	-0.005	0.06	0.88
CBADD020	44.9	45.6	0.7	-0.005	0.05	1.93
CBADD020	45.6	46.1	0.5	-0.005	0.07	2.68
CBADD020	46.1	46.4	0.3	0.047	0.21	8.32
CBADD020	46.4	47	0.6	-0.005	0.07	2.51
CBADD020	67.2	67.7	0.5	-0.005	0.07	0.87
CBADD020	67.7	68.2	0.5	0.105	0.22	3.81
CBADD020	68.2	69	0.8	-0.005	0.07	1.03
CBADD020	74.6	75	0.4	-0.005	0.06	1
CBADD020	75	75.5	0.5	-0.005	-0.05	1.34
CBADD020	75.5	76	0.5	-0.005	0.07	0.99
CBADD020	83.3	84.4	1.1	-0.005	0.06	0.52
CBADD020	84.4	85	0.6	-0.005	0.08	0.33
CBADD020	88.8	89.4	0.6	-0.005	0.06	1.5
CBADD020	89.4	89.7	0.3	-0.005	-0.05	4.21
CBADD020	89.7	90.5	0.8	-0.005	-0.05	4.5
CBADD020	90.5	91.05	0.55	-0.005	0.06	20.93
CBADD020	91.05	91.5	0.45	0.811	1.39	55.05
CBADD020	91.5	91.8	0.3	0.47	0.07	22.04
CBADD020	91.8	92	0.2	0.163	0.65	36.62
CBADD020	92	93	1	-0.005	0.06	7.63
CBADD020	93	93.5	0.5	-0.005	0.06	5.14
CBADD020	93.5	94.5	1	-0.005	0.06	2.04
CBADD020	94.5	95	0.5	-0.005	0.07	1.06

CBADD020	98.3	99.3	1	-0.005	0.06	1.14
CBADD020	99.3	100	0.7	-0.005	-0.05	2.13
CBADD020	100	101	1	-0.005	0.05	20.48
CBADD020	101	101.7	0.7	-0.005	0.06	4.81
CBADD020	101.7	102.2	0.5	-0.005	0.06	3.51
CBADD020	102.2	103	0.8	-0.005	0.06	22.74
CBADD020	103	103.5	0.5	-0.005	0.06	2.02
CBADD020	103.5	104.2	0.7	-0.005	-0.05	8.13
CBADD020	104.2	104.8	0.6	-0.005	-0.05	18.31
CBADD020	104.8	105.6	0.8	-0.005	0.05	3.18
CBADD020	105.6	106.3	0.7	-0.005	0.05	8.36
CBADD020	106.3	107.3	1	-0.005	0.07	11.93
CBADD020	107.3	108.3	1	-0.005	0.07	2.2
CBADD020	108.3	109.3	1	-0.005	0.06	2.75
CBADD020	109.3	110	0.7	-0.005	0.06	2.05
CBADD020	110	110.7	0.7	-0.005	0.07	2.48
CBADD020	110.7	111.2	0.5	-0.005	-0.05	114.11
CBADD020	111.2	111.7	0.5	-0.005	0.06	87.44
CBADD020	111.7	112.2	0.5	-0.005	0.06	53.08
CBADD020	112.2	112.7	0.5	-0.005	0.06	73.01
CBADD020	112.7	113.4	0.7	-0.005	0.08	71.12
CBADD020	113.4	114	0.6	-0.005	0.06	8.28
CBADD020	114	114.7	0.7	-0.005	0.05	2.65
CBADD020	114.7	115	0.3	-0.005	-0.05	3.59
CBADD020	115	116	1	-0.005	0.06	3.79
CBADD020	116	117	1	-0.005	-0.05	3.4
CBADD020	117	118	1	-0.005	-0.05	1.97
CBADD020	118	119	1	-0.005	0.06	2.54
CBADD020	131.9	132.9	1	-0.005	0.05	3.2
CBADD021	9	10	1	0.014	0.12	3.86
CBADD021	10	11	1	0.008	0.05	2.16
CBADD021	19	19.4	0.4	0.048	0.07	7.03
CBADD021	19.4	20.1	0.7	-0.005	-0.05	2.54
CBADD021	20.1	21.1	1	-0.005	-0.05	9.25
CBADD021	21.1	22.1	1	-0.005	-0.05	15.94
CBADD021	22.1	22.9	0.8	-0.005	-0.05	6.85
CBADD021	22.9	23.5	0.6	-0.005	0.08	1.91
CBADD021	23.5	24	0.5	0.13	0.06	5.19
CBADD021	24	25	1	0.008	-0.05	5.04
CBADD021	25	26	1	-0.005	-0.05	1.21
CBADD021	26	27	1	0.017	-0.05	1.62
CBADD021	27	27.7	0.7	-0.005	-0.05	2.81
CBADD021	27.7	28	0.3	0.127	0.95	14.59
CBADD021	28	28.6	0.6	0.108	0.13	8.32
CBADD021	28.6	29	0.4	0.073	-0.05	4.69
CBADD021	29	29.5	0.5	0.01	-0.05	4
CBADD021	29.5	30	0.5	0.121	0.13	7.03
CBADD021	30	30.3	0.3	0.022	-0.05	2.73
CBADD021	30.3	31.2	0.9	0.007	-0.05	2.01

CBADD021	31.2	32.2	1	-0.005	-0.05	1.8
CBADD021	32.2	33.2	1	-0.005	-0.05	1.48
CBADD021	33.2	34.2	1	-0.005	0.07	4.05
CBADD021	34.2	35.2	1	0.007	-0.05	3.46
CBADD021	35.2	36.2	1	-0.005	0.07	1.69
CBADD021	36.2	37	0.8	-0.005	-0.05	1.98
CBADD021	37	37.5	0.5	-0.005	-0.05	3.65
CBADD021	37.5	38.1	0.6	-0.005	-0.05	3.25
CBADD021	38.1	38.6	0.5	0.026	-0.05	6.3
CBADD021	38.6	39	0.4	-0.005	-0.05	2.83
CBADD021	46.95	47.55	0.6	-0.005	-0.05	0.95
CBADD022	14	14.2	0.2	-0.005	0.1	4.3
CBADD022	20.9	21.9	1	-0.005	0.05	1.37
CBADD022	21.9	22.9	1	-0.005	-0.05	0.7
CBADD022	25.6	26.6	1	-0.005	0.06	13.84
CBADD022	26.6	27.6	1	-0.005	-0.05	8.57
CBADD022	27.6	28.6	1	-0.005	-0.05	6.6
CBADD022	28.6	29.6	1	-0.005	-0.05	19.26
CBADD022	38	38.7	0.7	-0.005	-0.05	3.39
CBADD022	38.7	39.7	1	-0.005	-0.05	13.87
CBADD022	39.7	40.7	1	-0.005	0.09	2.69
CBADD022	48.3	48.6	0.3	-0.005	-0.05	4.46
CBADD022	48.6	49.75	1.15	-0.005	0.11	1.58
CBADD022	49.75	50.2	0.45	-0.005	0.14	1.04
CBADD022	61.8	62.5	0.7	-0.005	0.06	2.14
CBADD022	66.2	66.7	0.5	-0.005	0.07	1.5
CBADD022	71.5	72	0.5	-0.005	0.06	0.97
CBADD022	72	72.8	0.8	-0.005	0.07	1.2
CBADD022	72.8	73.3	0.5	0.006	0.12	2.32
CBADD022	73.3	73.7	0.4	0.007	0.09	2.9
CBADD022	73.7	74.5	0.8	0.012	0.08	3.32
CBADD022	74.5	75.5	1	0.009	0.06	3.44
CBADD022	75.5	76	0.5	-0.005	0.11	3.12
CBADD022	76	76.6	0.6	-0.005	0.08	6.46
CBADD022	76.6	77	0.4	-0.005	0.07	7.81
CBADD022	77	77.7	0.7	0.01	0.06	0.98
CBADD022	77.7	78.5	0.8	-0.005	0.06	0.81
CBADD022	78.5	79.1	0.6	-0.005	0.09	0.91
CBADD022	79.1	79.5	0.4	-0.005	0.06	1.28
CBADD022	88.15	88.35	0.2	-0.005	0.11	0.94
CBADD022	96	96.5	0.5	-0.005	-0.05	8.43
CBADD022	96.5	96.9	0.4	-0.005	0.07	5.96

APPENDIX TWO

JORC Code, 2012 Edition – Table 1 report template

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> Sampling has been made on NQ diamond drilled core. Sampling is half core sampling based on the geologist's sub sampling (down to 30cm) logging definition. Samples are prepared by dry crush at 10mm and then pulverised to p75um (3kg sample).
Drilling techniques	<ul style="list-style-type: none"> Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<ul style="list-style-type: none"> Drilling is diamond drilling NQ core size and is triple tube drilling. Core is oriented where possible using the Reflex ACT III tool.
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> Core is measured after each run and core recovery based on the drill metres is recorded. Once in the transition and fresh material, Coonambula experiences limited to no core loss with the exception of intensely broken zones where recovery is still > 95%. No relationship has been observed between sample recovery and gold grade.
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support 	<ul style="list-style-type: none"> The drill core has been geologically and geotechnically logged to a level to support appropriate mineral

Criteria	JORC Code explanation	Commentary
	<p><i>appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i></p> <ul style="list-style-type: none"> • <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i> • <i>The total length and percentage of the relevant intersections logged.</i> 	<p>resource estimation, mining studies and metallurgical studies. Core is logged both qualitatively and quantitatively. Core tray photography is both wet and dry photography.</p> <ul style="list-style-type: none"> • Sampling is discrete based on observed mineralisation, alteration, key structural features.
<p>Sub-sampling techniques and sample preparation</p>	<ul style="list-style-type: none"> • <i>If core, whether cut or sawn and whether quarter, half or all core taken.</i> • <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i> • <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i> • <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i> • <i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i> • <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i> 	<ul style="list-style-type: none"> • Core is cut to ½ core before being dispatched to the laboratory. • The pulverise method includes an initial crush to 10mm and a 3kg split is then pulverised to -75um. • Sampling size is suitable to represent the mineralisation intersected.
<p>Quality of assay data and laboratory tests</p>	<ul style="list-style-type: none"> • <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> • <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i> • <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i> 	<ul style="list-style-type: none"> • All samples were analysed at Intertek Genalysis (Intertek, Townsville). • All samples were assayed for Au using a 50g fire assay with FA50/OE04 determination as well as 4A/MS48 for multi element. Over range elements for Au, Ag, Cu, Zn, As, and Sb are tested with appropriate over range analysis. Where Sb is > 10,000 ppm, Hg is also analysed. • The three types of QAQC samples were used were Certified Reference Material (CRM/Standards), Field Duplicates, and Blank material. • The Blanks consist of store-bought sand which has been shown to be barren based on previous work. The Blanks are used to provide information of any possible contamination or calibration issues during the crush, pulverisation, and analytical phases. The field duplicates utilised the spear to collect a second sample to test repeatability (precision) of the original sample. The standards

Criteria	JORC Code explanation	Commentary
		<p>samples are used to test the accuracy of the analyses.</p> <ul style="list-style-type: none"> • Three CRMs were OREAS standards and include: OREAS 277, OREAS 292, and OREAS 233. • QAQC samples were entered into the sample stream at a rate of 1 in 20. • Where lower detection limits were reported for assay results these were replaced by half the lower detection limit for geological interpretation and modelling purposes.
<p>Verification of sampling and assaying</p>	<ul style="list-style-type: none"> • <i>The verification of significant intersections by either independent or alternative company personnel.</i> • <i>The use of twinned holes.</i> • <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> • <i>Discuss any adjustment to assay data.</i> 	<ul style="list-style-type: none"> • All core photos are reviewed by the Competent Person and also visited site during early drilling. • No twinned holes have been undertaken. • Data from the field log sheets is entered into a digital database, primarily an Excel spreadsheet with subsequent conversion into an SQL database maintained by EarthSQL at the completion of the hole. The Excel spreadsheet has been created with a series of validation criteria in the form of pulldown menus for each data entry that restricts what can be entered into each field and significantly reduces the error associated with data entry. • Assay results are received from the laboratory in electronic (via email) format onsite and sent to Sample Data importing to the EarthSQL database. The electronic results are provided in a CSV file.
<p>Location of data points</p>	<ul style="list-style-type: none"> • <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> • <i>Specification of the grid system used.</i> • <i>Quality and adequacy of topographic control.</i> 	<ul style="list-style-type: none"> • Collars are collected by Dart Geologists using a dGPS Trimble device and is suitable for collecting collar XYZ. • All collar coordinates are in MGA94 Z56. • Downhole survey has been surveyed using Reflex survey tool.
<p>Data spacing and distribution</p>	<ul style="list-style-type: none"> • <i>Data spacing for reporting of Exploration Results.</i> • <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve</i> 	<ul style="list-style-type: none"> • Report is of a single drill hole and spacing is not relevant. • Proximity to historical holes is within 100m and intercepts show good correlation with respect to alteration and grade (Au, Ag, and

Criteria	JORC Code explanation	Commentary
	<p><i>estimation procedure(s) and classifications applied.</i></p> <ul style="list-style-type: none"> • <i>Whether sample compositing has been applied.</i> 	<p>Sb).</p> <ul style="list-style-type: none"> • Samples have not been composited.
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> • <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i> • <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i> 	<ul style="list-style-type: none"> • Drilling is typically orientated perpendicular to the interpreted strike of mineralization where possible. • Observations of the structural logging highlight all striking mineralised veins and top and bottom orientations of the stibnite veins was able to be collected.
Sample security	<ul style="list-style-type: none"> • <i>The measures taken to ensure sample security.</i> 	<ul style="list-style-type: none"> • Samples are under the care of Dart Geologists from logging through to delivery to Followmont freight company where they are delivered to Intertek Townsville.
Audits or reviews	<ul style="list-style-type: none"> • <i>The results of any audits or reviews of sampling techniques and data.</i> 	<ul style="list-style-type: none"> • No external reviews of audits on this drilling have been completed. Drilling has been reviewed internally within Dart.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> • <i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i> • <i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i> 	<ul style="list-style-type: none"> • The Coonambula Project consists of six contiguous Queensland exploration permits for minerals (EPMs): <ul style="list-style-type: none"> ○ EPM 15203 (Widbury), ○ EPM 16216 (Lady Margaret), ○ EPM 25260 (Coonambula), ○ EPM 26743 (Eidsvold), and ○ EPM 28433 (Coonambula Extended). • Each of the granted Coonambula tenements is currently held 100% by wholly owned subsidiaries of Great Divide Mining Ltd (GDM), namely GDM Coonambula Pty Ltd and GDM Yellow Jack Pty Ltd. Dart Mining Ltd has a joint venture agreement (Coonambula Joint Venture) to complete exploration works on the EPMs.

Criteria	JORC Code explanation	Commentary
<p>Exploration done by other parties</p>	<ul style="list-style-type: none"> <i>Acknowledgment and appraisal of exploration by other parties.</i> 	<ul style="list-style-type: none"> Historical exploration in the Coonambula area has been undertaken by a number of parties since the 1970s, primarily targeting epithermal-style gold and base metal mineralisation. Work included regional geological mapping, soil and rock chip geochemistry, and limited geophysical surveys. More detailed exploration was carried out in the early 2000s by junior explorers, with emphasis on gold and antimony mineralisation associated with quartz veining. In 2013–2014, drilling programs were completed at the Banshee prospect under the direction of Paul Byrne. These programs tested near-surface quartz–sulphide veining and returned anomalous gold and antimony results. Data from these programs, including drill collar locations, assay results, and geological logs which were reported to the ASX by GDM Trenching programs were completed across the Banshee prospect to test surface geochemical anomalies and quartz–sulphide veining. These trenches exposed mineralised structures and returned anomalous gold and antimony values, providing key targets for subsequent drilling. The trenches themselves are historic (pre-GDM), but GDM sampled and reported those trenches in 2024.
<p>Geology</p>	<ul style="list-style-type: none"> <i>Deposit type, geological setting and style of mineralisation.</i> 	<ul style="list-style-type: none"> The Coonambula Project is located ~25 km southwest of Eidsvold in southeast Queensland, within the northern New England Orogen. Bedrock geology is dominated by Carboniferous to Permian–Triassic granitoid intrusions of the Rawbelle Batholith, intruding older metasedimentary sequences. Mineralisation at the Banshee

Criteria	JORC Code explanation	Commentary
		<p>Prospect is hosted within east-west trending shear zones and lodes developed in and adjacent to the granitoid intrusives.</p> <ul style="list-style-type: none"> The Banshee system is characterised by antimony-gold (Sb-Au) mineralisation, with geological similarities to the Hillgrove Sb-Au deposit in New South Wales. Mineralisation occurs as stibnite ± quartz veins and breccia zones, with associated gold enrichment.
Drill hole Information	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<ul style="list-style-type: none"> Drillhole information has been included in the release in Appendix 1.
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> No data aggregation methods have been applied.
Relationship between mineralisation	<ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration Results. 	<ul style="list-style-type: none"> Mineralisation widths are reported as the downhole length. Final interpretation and inclusion

Criteria	JORC Code explanation	Commentary
widths and intercept lengths	<ul style="list-style-type: none"> • <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i> • <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i> 	of sample results will allow for true width calculations to be applied.
Diagrams	<ul style="list-style-type: none"> • <i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i> 	<ul style="list-style-type: none"> • Included in the body of the announcement.
Balanced reporting	<ul style="list-style-type: none"> • <i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i> 	<ul style="list-style-type: none"> • All mineralisation intersected in the completed hole has been included
Other substantive exploration data	<ul style="list-style-type: none"> • <i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i> 	<ul style="list-style-type: none"> • No other material data is presented in this announcement.
Further work	<ul style="list-style-type: none"> • <i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i> • <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i> 	<ul style="list-style-type: none"> • Plans for further work are outlined in the body of the announcement which include analysis of the drill core and continued drilling of Dart Mining's planned locations.