

24 July 2026

Aurum extends BDT2 gold mineralisation beyond Boundiali resource

Aurum Resources (ASX: AUE, “Aurum” or “the Company”) is pleased to announce the latest gold intercepts from an ongoing 100,000m diamond drilling program at its 3.22Moz Boundiali Gold Project¹ in Côte d'Ivoire. These results, which are the final batch of drilling at the BDT2 deposit, comprise 10 holes for 3,565.05m of step-out and extensional drilling that has intersected gold mineralisation outside the current Mineral Resource and extended the deposit at depth.

Key drill intercepts from the **BDT2** deposit include²:

- **0.61m @ 47.60 g/t Au** from 189.39m (DSDD0477)
- **4.46m @ 4.23 g/t Au** from 90.00m inc. **0.50m @ 35.19 g/t Au** (DSDD0471)
- **39m @ 0.79 g/t Au** from 372.00m inc. **3m @ 5.76 g/t Au** (DSDD0461).

Highlights:

- **Resource growth potential:** Drilling confirms gold mineralisation outside of current MRE boundaries at BDT2; gold system remains open.
- **130,000m drilling planned for CY2026:** 16 Aurum-owned diamond drill rigs now operating to drive resource growth at Boundiali (100,000m) and Napié (30,000m).
- **Next Boundiali MRE update** is targeted for end Q3 CY2026.
- **Boundiali Definitive Feasibility Study (DFS)** expected late CY2026.
- Aurum has **4.4Moz gold combined group resources** including flagship **3.22Moz Boundiali Gold Project** and **1.16Moz Napié Gold Project**³.
- Aurum is well-funded for continued exploration success with **\$54.7M** cash (30 June 2026 unaudited).

Aurum’s Managing Director Dr Caigen Wang said: *“Our latest BDT2 results reinforce the momentum we continue to drive across the Boundiali deposits. This final batch of step-out drilling has pushed mineralisation beyond the current resource envelope and confirmed the system remains open at dept and highlight both grade and scale potential in areas previously untested.*

“With 16 diamond rigs owned by Aurum now active across Boundiali, we are executing one of the most aggressive and efficient drilling programs in the region. Aurum has grown the Boundiali resource to 3.22Moz in a remarkably short timeframe, and these new results will feed directly into a major resource update targeted for the end of Q3 CY2026.

“Our balance sheet remains strong with \$54.7M in cash, enabling us to advance drilling, studies and permitting in parallel. Environmental approval in May and the delivery of PFS and Maiden Ore Reserves in June have set a clear pathway toward Mining Licences and DFS completion later this year.

“Boundiali is rapidly evolving into a development opportunity of significant scale, and the results reported here further strengthen that trajectory. We look forward to achieving more progress on Boundiali exploration and development through the remainder of 2026.”

¹ “Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz” released to the Australian Securities Exchange on 14 May 2026 and available to view on www.asx.com.au

² Refer to tables accompanying this report for collar location information and assay results for the new drilling

³ “Napié Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au” released to the Australian Securities Exchange on 10 April 2026 and available to view on www.asx.com.au

New Drilling – Boundiali Gold Project⁴

Aurum has received assay results⁵ from 10 diamond drill (DD) holes totalling 3,565.05m, completed as step-out and extensional drilling on 100m line spacing across the **BDT2** deposit on the BD tenement (80% interest).

Drilling on the **BDT2** deposit form part of an ongoing 100,000m Boundiali drilling program aimed at increasing resources and improving resource confidence, and Aurum will incorporate results into the next MRE update, expected at the end of Q3 CY2026.

Details of drill collar locations and assay results and intercepts⁶ for the new drilling at Boundiali are provided in Table 1 and Table 2. Plans showing location of the Boundiali Gold Project are presented in Figure 1 and Figure 2, and project details in Figure 3. A detailed plan showing the latest assay results is presented in Figure 4. Example cross section of the latest results can be found presented in Figure 5.

BDT2

The 10 holes referenced in this announcement were drilled on 100m line spacing to test the limits of the deposit at depth and along strike and have intersected gold mineralisation outside the current Mineral Resource. Drilling returned multiple zones of thick gold intersections downhole; better results include:

- **39m @ 0.79 g/t Au** from 372.00m inc. **3m @ 5.76 g/t Au** (DSDD0461)
- **0.61m @ 47.60 g/t Au** from 189.39m (DSDD0477)
- **4.46m @ 4.23 g/t Au** from 90.00m inc. **0.50m @ 35.19 g/t Au** (DSDD0471)
- **3m @ 4.02 g/t Au** from 124.00m inc. **2.30m @ 5.16 g/t Au** (DSDD0483)
- **15m @ 0.73 g/t Au** from 116.00m inc. **1m @ 4.20 g/t Au** (DSDD0486)
- **1m @ 9.93 g/t Au** from 367.00m (DSDD0477)
- **12.63m @ 0.65 g/t Au** from 357.37m inc. **1m @ 3.12 g/t Au** (DSDD0481)
- **11.50m @ 0.69 g/t Au** from 382.00m inc. **1m @ 5.47 g/t Au** (DSDD0477)
- **18m @ 0.43 g/t Au** from 198.00m inc. **1m @ 1.81 g/t Au** (DSDD0477).

These new results are in addition to previous exploration drilling at **BDT2** that returned significant results⁷ including:

- **74m @ 1.00 g/t Au** from 167m inc. **1m @ 24.73 g/t Au** (DSDD044)
- **18m @ 3.93 g/t Au** from 198m inc. **5m @ 11.07 g/t Au** (DSDD0267)
- **40.60m @ 1.06 g/t Au** from 299.40m inc. **6m @ 2.77 g/t Au** (DSDD0437)
- **4.03m @ 10.22 g/t Au** from 13.5m inc. **1.5m @ 27.13 g/t Au** (DSDD0290)
- **28m @ 1.54 g/t Au** from 82m inc. **4m @ 7.51 g/t Au** (DSDD0265)
- **7.15m @ 4.71 g/t Au** from 121.15m inc. **1m @ 31.24 g/t Au** (DSDD00288)
- **16m @ 1.79 g/t Au** from 347m inc. **4m @ 6.36 g/t Au** (DSDD0235)
- **10.50m @ 2.39 g/t Au** from 43.50m inc. **1m @ 22.81 g/t Au** (DSDD0254)
- **15.78m @ 1.70 g/t Au** from 121.22m inc. **6m @ 2.99 g/t Au** (DSDD0110)
- **33m @ 0.84 g/t Au** from 146m inc. **1m @ 9.95 g/t Au** (DSDD0046)
- **18m @ 2.58 g/t Au** from 110m inc. **2m @ 28.90 g/t Au** (DSDD0038).

The **BDT2** gold deposit lies within an underexplored **13km by 3km mineralised corridor**. Gold mineralisation is hosted in a thick, north-south trending sandstone unit, positioned between hanging wall and footwall volcano-sedimentary rocks. The gold, which is free milling⁸, is associated with fine disseminated pyrite and an alteration assemblage of

⁴ Refer to About Aurum's Boundiali Gold Project

⁵ Refer to Table 1 for collar information and Table 2 for full assay results for the new drilling

⁶ All intercepts are reported as downhole lengths using a 0.2 g/t Au cut-off grade with up to 3m consecutive internal dilution and no top cut applied

⁷ ASX release dated 24 May 2024, 23 April 2024, 18 December 2024, 7 November 2025, 15 January 2026, 5 February 2026, 21 April 2026, 7 May 2026 and 29 June 2026

⁸ ASX release dated 11 June 2026, Boundiali PFS and Maiden Ore Reserve delivered



hematite, silica, chlorite, tourmaline, quartz veinlets, albite, and carbonate. True widths for these gold intercepts are estimated at about 60% - 85% of reported downhole lengths.

Gold mineralisation at BDT2 remains open along strike and at depth. This is the final batch of results from the current drilling campaign at **BDT2**; these holes will feed the next major Boundiali Mineral Resource update, and follow-up drilling to test the mineralisation identified outside the current resource is being planned. Aurum's drill rigs have now moved to the deposits on the neighbouring **BST** and **BM** tenements. So far, drilling at Boundiali has targeted the most obvious outcropping anomalies. Aurum believes there remains a high potential for blind discoveries, providing a clear pathway for continued resource growth in CY2026.

Next Steps

Aurum will continue to use its strong balance sheet and self-owned drill rig fleet to drive multi-rig drilling activity throughout CY2026 focussed on rapid resource conversion, resource growth and economic de-risking.

1. Boundiali: Moving to Development

- **Drilling (100,000m):** 16 diamond rigs to test strike and depth extensions across **BD, BM, and BST** tenements.
- **Resource Update:** Next major MRE update is targeted for end Q3 CY2026.
- **DFS Delivery:** Results from 2026 drilling and the PFS will be incorporated in a **DFS** expected in late 2026.

2. Napié: Scaling the Resource

- **Resource Expansion:** A **30,000m diamond drilling** program is planned to grow the 1.16Moz gold resource.
- **Drilling Efficiency:** Aurum is building an exploration camp close to the Napié gold deposits to reduce operating costs and improve access efficiency.

3. Regional Exploration & Discovery

- **Pipeline Generation:** Scout drilling is planned for the **BD, BM, and BST** tenements to test new targets identified via soil anomalies and geological mapping.
- **Early-Stage Growth:** Aurum is advancing its **Encore JV⁹** and **Major Star Plus¹⁰** partnership projects to identify new gold systems in the region.

This update has been authorised by the Board of Aurum Resources Limited.

ENDS

⁹ ASX release dated 27 May 2025, Aurum secures strategic Joint Venture to expand Boundiali Gold Project, summarised in "About" section

¹⁰ ASX release dated 1 September 2025, Aurum expands footprint of Boundiali and Napié Gold Projects, summarised in "About" section

FORWARD-LOOKING STATEMENTS

This ASX release contains forward-looking statements about Aurum Resources Limited's exploration activities, drilling programs, Mineral Resource Estimates, Ore Reserves, the Pre-Feasibility Study and potential Definitive Feasibility Study, project development timelines, and the potential for first gold production. Forward-looking statements are identified by words such as "target", "expected", "planned", "potential", "anticipated", "goal" and similar expressions. These statements are based on the Company's current expectations, assumptions, and estimates as at the date of this release, and are subject to risks and uncertainties that could cause actual results to differ materially from those expressed or implied. Key risks include, but are not limited to: exploration and drilling outcomes; resource and reserve estimation uncertainty; commodity price fluctuations, including the gold price; currency exchange rate movements; the ability to obtain and maintain required regulatory, environmental, and mining approvals; operational and project execution risks; capital and financing risks; geopolitical and sovereign risks associated with operations in Côte d'Ivoire; and broader economic and market conditions. The Ore Reserve and PFS outcomes referred to in this release were prepared in accordance with the JORC Code 2012 and the assumptions underlying those studies are summarised in the relevant ASX announcements (ASX:AUE, 11 June 2026). Those assumptions remain subject to change as the project advances toward a Definitive Feasibility Study and as new information becomes available. Investors and potential investors are cautioned not to place undue reliance on forward-looking statements, which reflect the Company's views only as at the date of this release. The Company undertakes no obligation to update forward-looking statements, whether as a result of new information, future events, or otherwise, except to the extent required by applicable law or ASX Listing Rules.

COMPETENT PERSON'S STATEMENT

The information in this release that relates to Exploration Targets and Exploration Results is based on information compiled by Mr Mark Strizek, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Strizek has been a Non-Executive Director of the Company since 1 February 2024 and joined as an Executive Director on 1 June 2024. Mr Strizek holds shares in Aurum Resources Limited and holds options and performance rights that have been approved by shareholders of the Company. Mr Strizek has sufficient experience relevant to the style of mineralisation and type of deposit under consideration, and to the activity being undertaken, to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Strizek consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears. Additionally, Mr Strizek confirms that the Company is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this release.

COMPLIANCE STATEMENT

The information in this release that relates to Boundiali Mineral Resources is extracted from the announcement "Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz" released to the Australian Securities Exchange on 14 May 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this release that relates to Boundiali Ore Reserves is extracted from the announcement "Boundiali PFS and Maiden Ore Reserve delivered" released to the Australian Securities Exchange on 11 June 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Ore Reserves, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this report that relates to Napié Mineral Resources is extracted from the announcement "Napie Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au" released to the Australian Securities Exchange on 10 April 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in

the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

PREVIOUSLY REPORTED INFORMATION

This report contains information extracted from ASX market announcements reported in accordance with the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" ("2012 JORC Code") and available for viewing at www.asx.com.au and includes results reported previously and published on ASX platform:

29 Jun 2026, Aurum hits 1.7m @ 70.35 g/t gold from 276.5m at BDT2 (ASX:AUE)
 17 Jun 2026, AUE adds key personnel to strengthen Boundiali development (ASX:AUE)
 11 Jun 2026, Boundiali PFS and Maiden Ore Reserve delivered (ASX:AUE)
 25 May 2026, Aurum Receives Environmental Approvals for Boundiali (ASX:AUE)
 14 May 2026, Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz (ASX:AUE)
 7 May 2026, Aurum hits thick gold intersections at BDT2 (ASX:AUE)
 28 Apr 2026, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 21 Apr 2026, Aurum hits multiple thick gold intersections at BDT2 (ASX:AUE)
 16 Apr 2026, Boundiali BST1 depth extension 220m below current MRE (ASX:AUE)
 10 Apr 2026, Napie Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au (ASX:AUE)
 23 Mar 2026, Aurum raises \$28.8M via Strategic Placement (ASX:AUE)
 13 Mar 2026, Half Yearly Report and Accounts (ASX:AUE)
 5 Mar 2026, Aurum Hits High-Grade Gold at Napie, Côte d'Ivoire (ASX:AUE)
 23 Feb 2026, Boundiali Resource Grows to 3Moz - Indicated Up 49% (ASX:AUE)
 16 Feb 2026, Boundiali extends strike and depth at BDT3 and BST1 (ASX:AUE)
 5 Feb 2026, High-Grade Extensions at BD Deposits for Resource Growth (ASX:AUE)
 28 Jan 2026, Further high-grade intercepts at BMT3 in Boundiali (ASX:AUE)
 14 Jan 2026, Boundiali Gold Project produces more good drilling results (ASX:AUE)
 7 Jan 2026, Aurum advances Boundiali development with 3 ML Applications (ASX:AUE)
 19 Dec 2025, More high grade gold intercepts at BMT3 in Boundiali (ASX:AUE)
 11 Dec 2025, Drilling at Napie Extends Gold Mineralisation to 400m Depth (ASX:AUE)
 28 Nov 2025, Aurum completes \$22.98M Montage share sale (ASX:AUE)
 18 Nov 2025, Aurum hits 3.10m @ 70.78 g/t gold from 112.90m at Boundiali (ASX:AUE)
 07 Nov 2025, Aurum hits 5m @ 11.07 g/t gold from outside BDT2 resources (ASX:AUE)
 06 Nov 2025, Addendum to the 2025 Annual Report (ASX:AUE)
 30 Oct 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 27 Oct 2025, Aurum hits 0.8m @ 350 g/t gold at Boundiali Gold Project (ASX:AUE)
 06 Oct 2025, Boundiali indicated gold resources grows by 53% in two month (ASX:AUE)
 29 Sep 2025, Aurum hits 1m @ 152.35 g/t gold from 96m at Boundiali (ASX:AUE)
 10 Sep 2025, Aurum hits 17m @ 9.38 g/t gold from 236m at Napie (ASX:AUE)
 01 Sep 2025, Aurum expands footprint of Boundiali and Napie Gold Projects (ASX:AUE)
 05 Aug 2025, Boundiali Gold Project Resource grows ~50% to 2.41Moz (ASX:AUE)
 29 Jul 2025, Encouraging Drilling Results at BD & BST (ASX:AUE)
 25 Jul 2025, Aurum hits 1.43m at 234.35 g/t gold from 107m at BMT3 (ASX:AUE)
 23 Jul 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 15 Jul 2025, 100 million share placement to strategic investors completed (ASX:AUE)
 27 Jun 2025, Aurum commenced 30,000m diamond drilling at Napie (ASX:AUE)
 17 Jun 2025, AUE hits 66m @ 1.07g/t gold from 33m @ Boundiali BD tenement (ASX:AUE)
 27 May 25, AUE expands Boundiali Gold Project exploration ground (ASX:AUE)
 21 May 25, AUE hits 34m @ 2.32g/t gold from 56m @ Boundiali BD tenement (ASX:AUE)
 13 May 25, Assay Results at Boundiali BM Tenement (Amended) (ASX:AUE)
 13 May 25, Aurum hits 73.10 g/t gold at Boundiali BM tenement (ASX:AUE)
 07 May 2025, Aurum to raise \$35.6 million from strategic investment (ASX:AUE)
 16 Apr 2025, AUE hits 89m @ 2.42 g/t gold at 1.59Moz Boundiali Project (ASX:AUE)
 08 Apr 2025, AUE to start diamond drilling at Boundiali South tenement (ASX:AUE)
 31 Mar 2025, AUE to commence environmental study - Boundiali Gold Project (ASX:AUE)
 27 Mar 2025, Aurum hits 83m@4.87 g/t Au at 1.59Moz Boundiali Project (ASX:AUE)
 19 Mar 2025, Hits 4m at 54.64 g/t Au outside 1.59Moz Boundiali MRE area (ASX:AUE)
 14 Mar 2025, Half Yearly Report and Accounts (ASX:AUE)
 7 Mar 25, Investor Presentation March 2025 (ASX:AUE)
 6 Mar 25, AUE Completes Acquisition of Mako Gold Limited (ASX:AUE)
 27 Feb 25, 12m at 22.02g/t from 145m outside 1.59Moz Boundiali MRE area (ASX:AUE)
 21 Feb 2025, 8m at 8.23g/t from 65m outside 1.59Moz Boundiali MRE area (ASX:AUE)
 4 Feb 2025, Napie Project Listing Rule 5.6 Disclosure (Amended) (ASX:AUE)
 3 Feb 2025, Mako Takeover Offer Closes (ASX:AUE)
 31 Jan 2025, Drill Collar Table Addendum (ASX:AUE)
 31 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
 31 Jan 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 30 Jan 2025, Aurum hits 150 g/t gold at Boundiali, Côte d'Ivoire (ASX:AUE)
 29 Jan 2025, MKG - Suspension of Trading and Delisting From ASX (ASX:AUE)
 24 Jan 2025, Compulsory Acquisition Notice Mako Takeover (ASX:AUE)
 24 Jan 2025, Non-Binding MoU with SANY Heavy Equipment Co (ASX:AUE)
 23 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
 9 Jan 2025, Best and Final offer for Mako Gold Limited (ASX:AUE)
 31 Dec 2024, Boundiali Project Maiden Resource delivers 1.6 Moz (amended) (ASX:AUE)
 30 Dec 2024, Boundiali Gold Project Maiden Resource delivers 1.6 Moz (ASX:AUE)
 24 Dec 2024, Change in substantial holding for MKG (ASX:AUE)
 23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali (ASX:AUE)
 18 Dec 2024, Aurum hits 277 g/t gold at Boundiali BM Target 3
 13 Dec 2024, Change of Directors and Addition of Joint Company Secretary (ASX:AUE & ASX:MKG)
 6 Dec 2024, AUE receives firm commitments for A\$10 million placement (ASX:AUE)
 29 Nov 2024, Aurum earns 80% interest in Boundiali BM tenement (ASX:AUE)
 28 Nov 2024, AUE appoints Mr. Steve Zaninovich as Non-Executive Director (ASX:AUE)
 22 Nov 2024, AUE Declares Takeover Offer for all MKG Shares Unconditional (ASX:AUE)
 15 Nov 2024, Supplementary Bidders Statement (ASX:AUE)
 11 Nov 2024, Aurum hits 36 g/t gold at BM T1 of 2.5km strike (ASX:AUE)
 30 Oct 2024, Bidders Statement (ASX:AUE)
 16 Oct 2024, Recommended Takeover of Mako Gold By Aurum Resources (ASX:AUE)
 09 Sep 2024, Aurum earns 51% interest in Boundiali BM tenement (ASX:AUE)
 05 Sep 2024, AUE hits 40m at 1.03 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 03 Sep 2024, Boundiali South Exploration Licence Renewed (ASX:AUE)
 07 Aug 2024, Aurum to advance met studies for Boundiali Gold Project (ASX:AUE)
 22 July 2024, Prelim metallurgical tests deliver up to 99% gold recovery (ASX:AUE)
 17 June 2024, Aurum hits 69m at 1.05 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 28 May 2024, AUE hits 163 g/t gold in 12m @ 14.56 g/t gold at BD Target 1 (ASX:AUE)
 24 May 2024, Aurum hits 74m @ 1.0 g/t gold at Boundiali BD Target 2 (ASX:AUE)
 15 May 2024, Aurum expands Boundiali Gold Project footprint (ASX:AUE)
 10 May 2024, AUE hits 90m @ 1.16 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 01 May 2024, Aurum Appoints Country Manager in Côte d'Ivoire (ASX:AUE)
 23 April 2024, AUE drilling hits up to 45 g/t gold at Boundiali BD Target 2 (ASX:AUE)
 19 March 2024, AUE signs binding term sheet for 100% of Boundiali South (ASX:AUE)
 12 March 2024, AUE hits 73m at 2.15g/t Inc. 1m at 72g/t gold at Boundiali (ASX:AUE)
 01 March 2024, Aurum hits 4m at 22 g/t gold in Boundiali diamond drilling (ASX:AUE)
 22 January 2024, Aurum hits shallow, wide gold intercepts at Boundiali, Côte d'Ivoire (ASX:AUE)
 21 December 2023, Rapid Drilling at Boundiali Gold Project (ASX:AUE)
 21 November 2023, AUE Acquisition Presentation (ASX:AUE)
 21 June 2021, Notice of General Meeting/Proxy Form (MSR:ASX)
 21 May 2021, PlusOr to Acquire 6194 sq kms Ground Position in Côte d'Ivoire (MSR:ASX)
 22 August 2019, Boundiali RC Drill Results Continue to Impress (PDI:ASX)
 15 July 2019, RC, Trench Results Grow Boundiali Potential In Côte D'Ivoire (PDI:ASX)
 27 May 2019, New Drill Results Strengthen Boundiali Project Côte D'Ivoire (PDI:ASX)
 16 January 2019, PDI-Toro JV Sharpens Focus with Major Drilling Program (PDI:ASX)
 26 November 2018, Boundiali North - Large Coherent Gold Anomalies in 14km Zone (PDI:ASX)

The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcements.




Figure 1: Location of Aurum's projects in Côte d'Ivoire




Figure 2: Location of Aurum's Boundiali and Napié gold projects in Côte d'Ivoire




Figure 3: Aurum's Boundiali Gold Project




Figure 4: Plan view showing new drill results (yellow) for BDT2¹¹

¹¹ Only showing new intercepts greater than 5 gold gram metres, full list of new intercepts included in assay results table




Figure 5: Cross Section looking north (+/-25m) showing new drill results (yellow) for BDT2¹²

¹² Only showing new intercepts greater than 5 gold gram metres, full list of new intercepts included in assay results table

Table 1: Drill collar information for holes drilled at Boundiali (BDT2)

Hole ID	UTM East Zone 29N	UTM North Zone 29N	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
DSDD0461	789,470	1,059,250	353	510.40	270	-50	BDT2	DD
DSDD0466	788,775	1,060,326	356	204.60	270	-50		
DSDD0468	789,375	1,060,125	352	400.00	270	-50		
DSDD0471	789,025	1,060,225	356	334.00	270	-55		
DSDD0472	789,025	1,060,425	353	252.70	270	-50		
DSDD0473	788,875	1,060,325	357	233.00	270	-50		
DSDD0477	789,325	1,060,225	352	453.50	270	-50		
DSDD0481	789,225	1,060,425	351	387.70	270	-50		
DSDD0483	789,175	1,060,325	353	317.65	270	-50		
DSDD0486	789,275	1,060,325	353	471.50	270	-50		
10 holes				3,565.05 m				

Table 2: Significant assay results for holes drilled at Boundiali (BDT2)¹³

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0461	1.69	2.19	0.50	0.206	0.50 m @ 0.21 g/t Au	0.1	
BDT2	DSDD0461	46.00	47.00	1.00	0.106			
BDT2	DSDD0461	120.00	121.00	1.00	0.162			
BDT2	DSDD0461	252.00	253.00	1.00	0.124			
BDT2	DSDD0461	260.00	261.00	1.00	0.190			
BDT2	DSDD0461	261.00	262.00	1.00	0.116			
BDT2	DSDD0461	265.00	266.00	1.00	0.121			
BDT2	DSDD0461	292.00	293.00	1.00	0.115			
BDT2	DSDD0461	293.00	294.00	1.00	0.155			
BDT2	DSDD0461	294.00	294.60	0.60	0.171			
BDT2	DSDD0461	294.60	296.00	1.40	0.234	1.40 m @ 0.23 g/t Au	0.3	
BDT2	DSDD0461	297.94	299.00	1.06	0.203	2.06 m @ 0.20 g/t Au	0.4	
BDT2	DSDD0461	299.00	300.00	1.00	0.202			
BDT2	DSDD0461	301.00	302.00	1.00	0.176			
BDT2	DSDD0461	302.00	303.00	1.00	0.252	1.00 m @ 0.25 g/t Au	0.3	
BDT2	DSDD0461	303.00	304.00	1.00	0.118			
BDT2	DSDD0461	304.00	304.61	0.61	0.117			
BDT2	DSDD0461	317.00	318.00	1.00	0.103			
BDT2	DSDD0461	319.00	319.65	0.65	0.101			
BDT2	DSDD0461	327.00	327.60	0.60	0.130			
BDT2	DSDD0461	329.00	330.00	1.00	0.121			
BDT2	DSDD0461	330.00	331.00	1.00	2.104	1.00 m @ 2.10 g/t Au	2.1	1.00 m @ 2.10 g/t Au
BDT2	DSDD0461	334.47	335.00	0.53	0.103			
BDT2	DSDD0461	335.00	336.00	1.00	0.159			
BDT2	DSDD0461	336.00	337.00	1.00	0.127			
BDT2	DSDD0461	344.00	345.00	1.00	0.324	12.00 m @ 0.26 g/t Au	3.1	
BDT2	DSDD0461	345.00	346.00	1.00	0.087			
BDT2	DSDD0461	346.00	347.00	1.00	0.671			
BDT2	DSDD0461	347.00	348.00	1.00	0.305			
BDT2	DSDD0461	348.00	349.00	1.00	0.147			
BDT2	DSDD0461	349.00	350.00	1.00	0.127			
BDT2	DSDD0461	350.00	351.00	1.00	0.256			
BDT2	DSDD0461	351.00	352.00	1.00	0.174			
BDT2	DSDD0461	352.00	353.00	1.00	0.360			
BDT2	DSDD0461	353.00	354.00	1.00	0.148			
BDT2	DSDD0461	354.00	355.00	1.00	0.158			
BDT2	DSDD0461	355.00	356.00	1.00	0.356			
BDT2	DSDD0461	356.00	357.00	1.00	0.104			
BDT2	DSDD0461	357.00	358.00	1.00	0.102			
BDT2	DSDD0461	358.00	359.00	1.00	0.173			
BDT2	DSDD0461	359.00	360.00	1.00	0.190			
BDT2	DSDD0461	360.00	361.00	1.00	0.298	7.75 m @ 0.56 g/t Au	4.4	
BDT2	DSDD0461	361.00	362.00	1.00	0.437			
BDT2	DSDD0461	362.00	363.00	1.00	0.588			
BDT2	DSDD0461	363.00	364.00	1.00	0.341			
BDT2	DSDD0461	364.00	365.00	1.00	0.370			
BDT2	DSDD0461	365.00	366.00	1.00	0.267			
BDT2	DSDD0461	366.00	367.00	1.00	0.762			
BDT2	DSDD0461	367.00	367.75	0.75	1.734			0.75 m @ 1.73 g/t Au
BDT2	DSDD0461	367.75	369.00	1.25	0.184			
BDT2	DSDD0461	372.00	373.00	1.00	1.207	39.00 m @ 0.79 g/t Au	30.8	1.00 m @ 1.21 g/t Au
BDT2	DSDD0461	373.00	374.00	1.00	0.204			
BDT2	DSDD0461	374.00	375.00	1.00	0.073			

¹³ 0.2 g/t Au cut off used with up to 3m consecutive internal dilution and no top cut applied

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0461	375.00	376.00	1.00	0.220			
BDT2	DSDD0461	376.00	377.00	1.00	0.139			
BDT2	DSDD0461	377.00	378.00	1.00	0.632			
BDT2	DSDD0461	378.00	379.00	1.00	0.480			
BDT2	DSDD0461	379.00	380.00	1.00	0.301			
BDT2	DSDD0461	380.00	381.00	1.00	0.106			
BDT2	DSDD0461	381.00	382.00	1.00	1.138			1.00 m @ 1.14 g/t Au
BDT2	DSDD0461	382.00	383.00	1.00	0.622			
BDT2	DSDD0461	383.00	384.00	1.00	0.507			
BDT2	DSDD0461	384.00	385.00	1.00	0.298			
BDT2	DSDD0461	385.00	386.00	1.00	0.381			
BDT2	DSDD0461	386.00	387.18	1.18	0.265			
BDT2	DSDD0461	387.18	388.00	0.82	0.360			
BDT2	DSDD0461	388.00	389.00	1.00	0.048			
BDT2	DSDD0461	389.00	390.00	1.00	0.585			
BDT2	DSDD0461	390.00	391.00	1.00	0.036			
BDT2	DSDD0461	391.00	392.00	1.00	0.016			
BDT2	DSDD0461	392.00	393.00	1.00	0.467			
BDT2	DSDD0461	393.00	394.00	1.00	0.059			
BDT2	DSDD0461	394.00	395.00	1.00	0.323			
BDT2	DSDD0461	395.00	396.00	1.00	0.035			
BDT2	DSDD0461	396.00	397.00	1.00	0.008			
BDT2	DSDD0461	397.00	398.00	1.00	0.053			
BDT2	DSDD0461	398.00	399.00	1.00	0.562			
BDT2	DSDD0461	399.00	400.00	1.00	0.566			
BDT2	DSDD0461	400.00	401.00	1.00	0.120			
BDT2	DSDD0461	401.00	402.00	1.00	0.080			
BDT2	DSDD0461	402.00	403.00	1.00	0.897			
BDT2	DSDD0461	403.00	404.00	1.00	0.384			
BDT2	DSDD0461	404.00	405.00	1.00	0.634			
BDT2	DSDD0461	405.00	406.00	1.00	14.690			3.00 m @ 5.76 g/t Au
BDT2	DSDD0461	406.00	407.00	1.00	1.227			
BDT2	DSDD0461	407.00	408.00	1.00	1.368			
BDT2	DSDD0461	408.00	409.00	1.00	0.858			
BDT2	DSDD0461	409.00	410.00	1.00	0.516			
BDT2	DSDD0461	410.00	411.00	1.00	0.326			
BDT2	DSDD0461	415.00	416.00	1.00	0.298	18.20 m @ 0.32 g/t Au	5.9	
BDT2	DSDD0461	416.00	417.00	1.00	0.195			
BDT2	DSDD0461	417.00	418.00	1.00	0.194			
BDT2	DSDD0461	418.00	419.33	1.33	0.423			
BDT2	DSDD0461	419.33	420.00	0.67	0.307			
BDT2	DSDD0461	420.00	421.00	1.00	0.389			
BDT2	DSDD0461	421.00	422.00	1.00	0.153			
BDT2	DSDD0461	422.00	423.00	1.00	0.203			
BDT2	DSDD0461	423.00	424.00	1.00	0.198			
BDT2	DSDD0461	424.00	425.00	1.00	0.245			
BDT2	DSDD0461	425.00	426.00	1.00	0.322			
BDT2	DSDD0461	426.00	427.00	1.00	0.063			
BDT2	DSDD0461	427.00	428.00	1.00	0.110			
BDT2	DSDD0461	428.00	429.00	1.00	0.727			
BDT2	DSDD0461	429.00	430.00	1.00	0.287			
BDT2	DSDD0461	430.00	431.00	1.00	0.640			
BDT2	DSDD0461	431.00	432.00	1.00	0.252			
BDT2	DSDD0461	432.00	433.20	1.20	0.678			
BDT2	DSDD0461	433.20	434.00	0.80	0.117			
BDT2	DSDD0461	436.00	437.00	1.00	0.173			
BDT2	DSDD0461	438.00	439.00	1.00	0.220	8.00 m @ 0.46 g/t Au	3.7	
BDT2	DSDD0461	439.00	440.00	1.00	0.178			
BDT2	DSDD0461	440.00	441.00	1.00	1.183			1.00 m @ 1.18 g/t Au

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0461	441.00	442.00	1.00	0.081			
BDT2	DSDD0461	442.00	443.00	1.00	0.347			
BDT2	DSDD0461	443.00	444.00	1.00	0.089			
BDT2	DSDD0461	444.00	445.00	1.00	0.226			
BDT2	DSDD0461	445.00	446.00	1.00	1.382			1.00 m @ 1.38 g/t Au
BDT2	DSDD0461	449.00	450.31	1.31	0.134	7.80 m @ 0.68 g/t Au	5.3	
BDT2	DSDD0461	450.31	451.00	0.69	2.272			0.69 m @ 2.27 g/t Au
BDT2	DSDD0461	451.00	452.00	1.00	0.283			
BDT2	DSDD0461	452.00	453.00	1.00	0.158			
BDT2	DSDD0461	453.00	454.00	1.00	1.236			1.00 m @ 1.24 g/t Au
BDT2	DSDD0461	454.00	455.00	1.00	0.041			
BDT2	DSDD0461	455.00	456.00	1.00	0.073			
BDT2	DSDD0461	456.00	457.00	1.00	0.227			
BDT2	DSDD0461	457.00	458.11	1.11	1.541			1.11 m @ 1.54 g/t Au
BDT2	DSDD0461	475.00	476.00	1.00	0.417	1.00 m @ 0.42 g/t Au	0.4	
BDT2	DSDD0461	484.00	485.00	1.00	0.390	7.00 m @ 0.31 g/t Au	2.2	
BDT2	DSDD0461	485.00	486.00	1.00	1.044			1.00 m @ 1.04 g/t Au
BDT2	DSDD0461	486.00	487.00	1.00	0.051			
BDT2	DSDD0461	487.00	488.00	1.00	0.020			
BDT2	DSDD0461	488.00	489.00	1.00	0.254			
BDT2	DSDD0461	489.00	490.00	1.00	0.022			
BDT2	DSDD0461	490.00	491.00	1.00	0.388			
BDT2	DSDD0461	494.35	495.00	0.65	6.320	1.65 m @ 2.61 g/t Au	4.3	0.65 m @ 6.32 g/t Au
BDT2	DSDD0461	495.00	496.00	1.00	0.201			
BDT2	DSDD0461	509.00	510.40	1.40	1.189	1.40 m @ 1.19 g/t Au	1.7	1.40 m @ 1.19 g/t Au
BDT2	DSDD0466	17.12	18.38	1.26	0.595	1.26 m @ 0.59 g/t Au	0.7	
BDT2	DSDD0466	59.00	60.00	1.00	0.102			
BDT2	DSDD0466	117.00	118.14	1.14	0.160			
BDT2	DSDD0466	144.00	145.00	1.00	0.121			
BDT2	DSDD0466	157.00	158.00	1.00	0.102			
BDT2	DSDD0468	4.50	5.43	0.93	0.125			
BDT2	DSDD0468	11.30	12.50	1.20	0.107			
BDT2	DSDD0468	15.50	16.50	1.00	0.322	1.00 m @ 0.32 g/t Au	0.3	
BDT2	DSDD0468	27.00	28.50	1.50	0.124			
BDT2	DSDD0468	28.50	30.00	1.50	0.424	2.54 m @ 0.83 g/t Au	2.1	
BDT2	DSDD0468	30.00	31.04	1.04	1.422			1.04 m @ 1.42 g/t Au
BDT2	DSDD0468	31.96	33.00	1.04	0.257	1.04 m @ 0.26 g/t Au	0.3	
BDT2	DSDD0468	33.00	33.91	0.91	0.112			
BDT2	DSDD0468	34.50	35.50	1.00	0.142			
BDT2	DSDD0468	59.00	60.00	1.00	0.312	2.00 m @ 0.47 g/t Au	0.9	
BDT2	DSDD0468	60.00	61.00	1.00	0.629			
BDT2	DSDD0468	61.00	62.00	1.00	0.178			
BDT2	DSDD0468	68.00	69.00	1.00	0.175			
BDT2	DSDD0468	69.00	70.00	1.00	0.249	1.00 m @ 0.25 g/t Au	0.2	
BDT2	DSDD0468	72.00	73.00	1.00	0.117			
BDT2	DSDD0468	77.00	78.00	1.00	3.200	2.00 m @ 1.78 g/t Au	3.6	1.00 m @ 3.20 g/t Au
BDT2	DSDD0468	78.00	79.00	1.00	0.358			
BDT2	DSDD0468	83.00	84.00	1.00	0.100			
BDT2	DSDD0468	89.00	90.00	1.00	0.116			
BDT2	DSDD0468	96.00	97.00	1.00	1.208	8.00 m @ 0.36 g/t Au	2.9	1.00 m @ 1.21 g/t Au
BDT2	DSDD0468	97.00	98.00	1.00	0.237			
BDT2	DSDD0468	98.00	99.00	1.00	0.018			
BDT2	DSDD0468	99.00	100.00	1.00	0.038			
BDT2	DSDD0468	100.00	101.00	1.00	0.251			
BDT2	DSDD0468	101.00	102.00	1.00	0.570			
BDT2	DSDD0468	102.00	103.00	1.00	0.068			
BDT2	DSDD0468	103.00	104.00	1.00	0.508			
BDT2	DSDD0468	132.00	133.00	1.00	0.380	1.90 m @ 0.30 g/t Au	0.6	
BDT2	DSDD0468	133.00	133.90	0.90	0.209			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0468	133.90	135.00	1.10	0.115			
BDT2	DSDD0468	140.00	141.00	1.00	0.505	1.78 m @ 0.46 g/t Au	0.8	
BDT2	DSDD0468	141.00	141.78	0.78	0.395			
BDT2	DSDD0468	141.78	143.00	1.22	0.107			
BDT2	DSDD0468	143.00	143.60	0.60	0.169			
BDT2	DSDD0468	152.00	152.60	0.60	0.131	27.40 m @ 0.35 g/t Au	9.6	
BDT2	DSDD0468	152.60	154.00	1.40	0.289			
BDT2	DSDD0468	154.00	155.00	1.00	0.063			
BDT2	DSDD0468	155.00	156.00	1.00	0.203			
BDT2	DSDD0468	156.00	157.00	1.00	0.084			
BDT2	DSDD0468	157.00	158.00	1.00	0.112			
BDT2	DSDD0468	158.00	158.60	0.60	0.287			
BDT2	DSDD0468	158.60	160.00	1.40	0.301			
BDT2	DSDD0468	160.00	161.00	1.00	0.102			
BDT2	DSDD0468	161.00	162.45	1.45	0.337			
BDT2	DSDD0468	162.45	163.00	0.55	0.254			
BDT2	DSDD0468	163.00	164.00	1.00	0.175			
BDT2	DSDD0468	164.00	165.00	1.00	0.490			
BDT2	DSDD0468	165.00	166.00	1.00	0.262			
BDT2	DSDD0468	166.00	167.00	1.00	0.327			
BDT2	DSDD0468	167.00	168.00	1.00	0.065			
BDT2	DSDD0468	168.00	169.00	1.00	0.219			
BDT2	DSDD0468	169.00	170.00	1.00	0.835			
BDT2	DSDD0468	170.00	171.00	1.00	0.633			
BDT2	DSDD0468	171.00	172.00	1.00	1.522			1.00 m @ 1.52 g/t Au
BDT2	DSDD0468	172.00	173.00	1.00	0.888			
BDT2	DSDD0468	173.00	174.00	1.00	0.431			
BDT2	DSDD0468	174.00	175.00	1.00	0.178			
BDT2	DSDD0468	175.00	176.00	1.00	0.327			
BDT2	DSDD0468	176.00	177.00	1.00	0.549			
BDT2	DSDD0468	177.00	178.00	1.00	0.138			
BDT2	DSDD0468	178.00	179.00	1.00	0.170			
BDT2	DSDD0468	179.00	180.00	1.00	0.242			
BDT2	DSDD0468	188.00	189.00	1.00	0.771	1.00 m @ 0.77 g/t Au	0.8	
BDT2	DSDD0468	193.00	194.00	1.00	0.254	5.00 m @ 0.22 g/t Au	1.1	
BDT2	DSDD0468	194.00	195.00	1.00	0.271			
BDT2	DSDD0468	195.00	196.00	1.00	0.192			
BDT2	DSDD0468	196.00	197.00	1.00	0.008			
BDT2	DSDD0468	197.00	198.00	1.00	0.358			
BDT2	DSDD0468	211.00	212.00	1.00	0.187			
BDT2	DSDD0468	219.00	220.00	1.00	0.206	1.00 m @ 0.21 g/t Au	0.2	
BDT2	DSDD0468	230.00	231.00	1.00	0.191			
BDT2	DSDD0468	233.00	234.40	1.40	0.762	1.40 m @ 0.76 g/t Au	1.1	
BDT2	DSDD0468	238.00	239.00	1.00	0.570	3.00 m @ 0.36 g/t Au	1.1	
BDT2	DSDD0468	239.00	240.00	1.00	0.135			
BDT2	DSDD0468	240.00	241.00	1.00	0.382			
BDT2	DSDD0468	241.00	242.00	1.00	0.184			
BDT2	DSDD0468	254.00	255.00	1.00	0.317	3.00 m @ 0.21 g/t Au	0.6	
BDT2	DSDD0468	255.00	256.00	1.00	0.050			
BDT2	DSDD0468	256.00	257.00	1.00	0.262			
BDT2	DSDD0468	261.00	262.00	1.00	3.564	1.00 m @ 3.56 g/t Au	3.6	1.00 m @ 3.56 g/t Au
BDT2	DSDD0468	262.00	263.00	1.00	0.168			
BDT2	DSDD0468	273.00	274.00	1.00	1.237	2.00 m @ 0.73 g/t Au	1.5	1.00 m @ 1.24 g/t Au
BDT2	DSDD0468	274.00	275.00	1.00	0.221			
BDT2	DSDD0468	300.00	301.00	1.00	0.338			
BDT2	DSDD0468	301.00	302.00	1.00	0.416	2.00 m @ 0.38 g/t Au	0.8	
BDT2	DSDD0468	303.00	304.00	1.00	0.101			
BDT2	DSDD0468	307.00	308.00	1.00	0.374	12.00 m @ 0.47 g/t Au	5.6	
BDT2	DSDD0468	308.00	309.50	1.50	0.062			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0468	309.50	310.00	0.50	0.147			
BDT2	DSDD0468	310.00	311.00	1.00	0.121			
BDT2	DSDD0468	311.00	312.00	1.00	0.689			
BDT2	DSDD0468	312.00	313.00	1.00	0.622			
BDT2	DSDD0468	313.00	314.00	1.00	0.319			
BDT2	DSDD0468	314.00	315.00	1.00	1.243			1.00 m @ 1.24 g/t Au
BDT2	DSDD0468	315.00	316.00	1.00	0.391			
BDT2	DSDD0468	316.00	317.00	1.00	0.211			
BDT2	DSDD0468	317.00	318.00	1.00	1.120			1.00 m @ 1.12 g/t Au
BDT2	DSDD0468	318.00	319.00	1.00	0.326			
BDT2	DSDD0468	324.30	325.00	0.70	1.907	5.70 m @ 0.46 g/t Au	2.6	0.70 m @ 1.91 g/t Au
BDT2	DSDD0468	325.00	326.00	1.00	0.338			
BDT2	DSDD0468	326.00	327.00	1.00	0.264			
BDT2	DSDD0468	327.00	328.00	1.00	0.119			
BDT2	DSDD0468	328.00	329.00	1.00	0.176			
BDT2	DSDD0468	329.00	330.00	1.00	0.379			
BDT2	DSDD0468	334.00	335.00	1.00	0.814			
BDT2	DSDD0468	335.00	336.00	1.00	0.474	2.00 m @ 0.64 g/t Au	1.3	
BDT2	DSDD0468	347.00	348.00	1.00	0.218	1.00 m @ 0.22 g/t Au	0.2	
BDT2	DSDD0468	355.00	356.00	1.00	0.185			
BDT2	DSDD0468	362.00	363.00	1.00	1.063	1.00 m @ 1.06 g/t Au	1.1	1.00 m @ 1.06 g/t Au
BDT2	DSDD0468	370.85	372.00	1.15	0.240	1.15 m @ 0.24 g/t Au	0.3	
BDT2	DSDD0468	372.00	373.10	1.10	0.112			
BDT2	DSDD0471	0.00	1.50	1.50	0.153			
BDT2	DSDD0471	3.00	4.50	1.50	1.952	1.50 m @ 1.95 g/t Au	2.9	1.50 m @ 1.95 g/t Au
BDT2	DSDD0471	6.00	7.50	1.50	0.139			
BDT2	DSDD0471	10.50	11.35	0.85	0.181			
BDT2	DSDD0471	16.50	18.00	1.50	0.902	1.50 m @ 0.90 g/t Au	1.4	
BDT2	DSDD0471	28.50	30.00	1.50	0.132			
BDT2	DSDD0471	30.59	31.50	0.91	0.215	0.91 m @ 0.21 g/t Au	0.2	
BDT2	DSDD0471	45.87	46.50	0.63	0.458	1.89 m @ 0.29 g/t Au	0.5	
BDT2	DSDD0471	46.50	47.76	1.26	0.202			
BDT2	DSDD0471	75.59	77.00	1.41	0.155			
BDT2	DSDD0471	82.00	83.00	1.00	0.235	1.00 m @ 0.23 g/t Au	0.2	
BDT2	DSDD0471	87.00	88.00	1.00	0.107			
BDT2	DSDD0471	88.00	89.00	1.00	0.133			
BDT2	DSDD0471	89.00	90.00	1.00	0.127			
BDT2	DSDD0471	90.00	91.00	1.00	0.316	4.46 m @ 4.23 g/t Au	18.8	
BDT2	DSDD0471	91.00	91.92	0.92	0.072			
BDT2	DSDD0471	91.92	92.50	0.58	0.444			
BDT2	DSDD0471	92.50	93.10	0.60	0.560			
BDT2	DSDD0471	93.10	93.60	0.50	35.191			0.50 m @ 35.19 g/t Au
BDT2	DSDD0471	93.60	94.46	0.86	0.321			
BDT2	DSDD0471	96.30	97.00	0.70	0.164			
BDT2	DSDD0471	111.00	112.00	1.00	0.229	7.10 m @ 0.54 g/t Au	3.9	
BDT2	DSDD0471	112.00	113.00	1.00	2.336			1.00 m @ 2.34 g/t Au
BDT2	DSDD0471	113.00	113.83	0.83	0.055			
BDT2	DSDD0471	113.83	115.00	1.17	0.378			
BDT2	DSDD0471	115.00	116.00	1.00	0.057			
BDT2	DSDD0471	116.00	117.00	1.00	0.363			
BDT2	DSDD0471	117.00	118.10	1.10	0.346			
BDT2	DSDD0471	129.00	130.00	1.00	0.201	8.04 m @ 0.29 g/t Au	2.3	
BDT2	DSDD0471	130.00	131.00	1.00	0.050			
BDT2	DSDD0471	131.00	131.94	0.94	0.039			
BDT2	DSDD0471	131.94	132.50	0.56	2.191			0.56 m @ 2.19 g/t Au
BDT2	DSDD0471	132.50	133.00	0.50	0.019			
BDT2	DSDD0471	133.00	134.00	1.00	0.017			
BDT2	DSDD0471	134.00	135.00	1.00	0.031			
BDT2	DSDD0471	135.00	136.00	1.00	0.248			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0471	136.00	137.04	1.04	0.456			
BDT2	DSDD0471	140.00	141.00	1.00	0.135			
BDT2	DSDD0471	143.00	144.00	1.00	0.533	1.00 m @ 0.53 g/t Au	0.5	
BDT2	DSDD0471	160.00	161.00	1.00	0.224	1.00 m @ 0.22 g/t Au	0.2	
BDT2	DSDD0471	195.20	196.41	1.21	0.145			
BDT2	DSDD0471	226.00	226.65	0.65	0.152			
BDT2	DSDD0471	226.65	227.60	0.95	0.621	3.35 m @ 0.27 g/t Au	0.9	
BDT2	DSDD0471	227.60	229.00	1.40	0.076			
BDT2	DSDD0471	229.00	230.00	1.00	0.204			
BDT2	DSDD0471	275.82	277.00	1.18	0.268	1.18 m @ 0.27 g/t Au	0.3	
BDT2	DSDD0471	286.76	288.00	1.24	0.893	4.64 m @ 0.39 g/t Au	1.8	
BDT2	DSDD0471	288.00	289.00	1.00	0.057			
BDT2	DSDD0471	289.00	290.00	1.00	0.073			
BDT2	DSDD0471	290.00	291.40	1.40	0.414			
BDT2	DSDD0471	307.00	308.00	1.00	0.727	3.00 m @ 0.36 g/t Au	1.1	
BDT2	DSDD0471	308.00	309.00	1.00	0.072			
BDT2	DSDD0471	309.00	310.00	1.00	0.269			
BDT2	DSDD0472	67.00	68.00	1.00	0.313	1.00 m @ 0.31 g/t Au	0.3	
BDT2	DSDD0472	72.00	73.00	1.00	0.435	1.00 m @ 0.43 g/t Au	0.4	
BDT2	DSDD0472	77.40	78.00	0.60	0.130			
BDT2	DSDD0472	88.25	89.00	0.75	1.160	8.06 m @ 0.70 g/t Au	5.7	1.75 m @ 1.27 g/t Au
BDT2	DSDD0472	89.00	90.00	1.00	1.354			
BDT2	DSDD0472	90.00	91.00	1.00	0.439			
BDT2	DSDD0472	91.00	92.00	1.00	0.072			
BDT2	DSDD0472	92.00	93.00	1.00	1.426			1.00 m @ 1.43 g/t Au
BDT2	DSDD0472	93.00	94.00	1.00	0.128			
BDT2	DSDD0472	94.00	95.00	1.00	0.807			
BDT2	DSDD0472	95.00	96.31	1.31	0.428	1.88 m @ 0.44 g/t Au	0.8	
BDT2	DSDD0472	103.12	104.00	0.88	0.385			
BDT2	DSDD0472	104.00	105.00	1.00	0.483			
BDT2	DSDD0472	179.00	180.00	1.00	0.113			
BDT2	DSDD0472	180.00	181.00	1.00	0.111			
BDT2	DSDD0472	181.00	182.00	1.00	0.172			
BDT2	DSDD0472	182.00	183.00	1.00	0.208	3.00 m @ 0.53 g/t Au	1.6	
BDT2	DSDD0472	183.00	184.00	1.00	0.033			
BDT2	DSDD0472	184.00	185.00	1.00	1.352			1.00 m @ 1.35 g/t Au
BDT2	DSDD0472	198.54	199.33	0.79	0.753	0.79 m @ 0.75 g/t Au	0.6	
BDT2	DSDD0472	199.33	200.00	0.67	0.104			
BDT2	DSDD0472	214.00	215.00	1.00	0.126			
BDT2	DSDD0472	215.00	216.12	1.12	0.481	1.12 m @ 0.48 g/t Au	0.5	
BDT2	DSDD0472	226.00	227.00	1.00	1.125	1.00 m @ 1.12 g/t Au	1.1	1.00 m @ 1.12 g/t Au
BDT2	DSDD0472	248.00	249.00	1.00	0.165			
BDT2	DSDD0473	52.50	54.00	1.50	0.174			
BDT2	DSDD0473	126.11	127.00	0.89	0.134			
BDT2	DSDD0473	145.00	146.00	1.00	0.139			
BDT2	DSDD0473	149.00	150.00	1.00	0.117			
BDT2	DSDD0473	164.00	164.94	0.94	0.217	0.94 m @ 0.22 g/t Au	0.2	
BDT2	DSDD0473	189.00	190.00	1.00	0.117			
BDT2	DSDD0473	195.00	196.00	1.00	0.207	1.00 m @ 0.21 g/t Au	0.2	
BDT2	DSDD0473	196.00	197.00	1.00	0.168			
BDT2	DSDD0477	4.50	6.00	1.50	0.244	1.50 m @ 0.24 g/t Au	0.4	
BDT2	DSDD0477	89.00	90.00	1.00	0.641	1.00 m @ 0.64 g/t Au	0.6	
BDT2	DSDD0477	134.00	135.00	1.00	0.239	1.00 m @ 0.24 g/t Au	0.2	
BDT2	DSDD0477	135.00	136.00	1.00	0.196			
BDT2	DSDD0477	160.00	161.00	1.00	0.153			
BDT2	DSDD0477	188.00	189.39	1.39	0.136			
BDT2	DSDD0477	189.39	190.00	0.61	47.603	0.61 m @ 47.60 g/t Au	29.0	0.61 m @ 47.60 g/t Au
BDT2	DSDD0477	197.00	198.00	1.00	0.124			
BDT2	DSDD0477	198.00	199.00	1.00	0.868	18.00 m @ 0.43 g/t Au	7.8	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0477	199.00	200.00	1.00	0.251			
BDT2	DSDD0477	200.00	201.00	1.00	0.228			
BDT2	DSDD0477	201.00	202.00	1.00	0.506			
BDT2	DSDD0477	202.00	203.00	1.00	0.384			
BDT2	DSDD0477	203.00	204.00	1.00	0.366			
BDT2	DSDD0477	204.00	205.00	1.00	0.141			
BDT2	DSDD0477	205.00	206.00	1.00	1.809			1.00 m @ 1.81 g/t Au
BDT2	DSDD0477	206.00	207.00	1.00	0.126			
BDT2	DSDD0477	207.00	208.00	1.00	0.103			
BDT2	DSDD0477	208.00	209.00	1.00	0.051			
BDT2	DSDD0477	209.00	210.00	1.00	0.274			
BDT2	DSDD0477	210.00	211.00	1.00	0.379			
BDT2	DSDD0477	211.00	212.00	1.00	0.519			
BDT2	DSDD0477	212.00	213.00	1.00	0.268			
BDT2	DSDD0477	213.00	214.00	1.00	0.856			
BDT2	DSDD0477	214.00	215.00	1.00	0.184			
BDT2	DSDD0477	215.00	216.00	1.00	0.441	1.00 m @ 0.48 g/t Au	0.5	
BDT2	DSDD0477	216.00	217.00	1.00	0.170			
BDT2	DSDD0477	239.00	240.00	1.00	0.480	6.00 m @ 0.31 g/t Au	1.9	
BDT2	DSDD0477	248.00	249.00	1.00	0.284			
BDT2	DSDD0477	249.00	250.00	1.00	0.662			
BDT2	DSDD0477	250.00	251.00	1.00	0.026			
BDT2	DSDD0477	251.00	252.28	1.28	0.015			
BDT2	DSDD0477	252.28	253.00	0.72	0.722			
BDT2	DSDD0477	253.00	254.00	1.00	0.341	1.00 m @ 0.50 g/t Au	0.5	
BDT2	DSDD0477	254.00	255.10	1.10	0.149			
BDT2	DSDD0477	260.00	261.00	1.00	0.504	1.10 m @ 0.49 g/t Au	0.5	
BDT2	DSDD0477	282.00	283.10	1.10	0.491	1.00 m @ 0.70 g/t Au	0.7	
BDT2	DSDD0477	290.00	291.00	1.00	0.703	4.00 m @ 0.79 g/t Au	3.2	
BDT2	DSDD0477	311.00	312.00	1.00	0.291			
BDT2	DSDD0477	329.00	330.00	1.00	0.833			
BDT2	DSDD0477	330.00	331.00	1.00	0.515			
BDT2	DSDD0477	331.00	332.00	1.00	0.053	1.00 m @ 0.23 g/t Au	0.2	1.00 m @ 1.76 g/t Au
BDT2	DSDD0477	332.00	333.00	1.00	1.761			
BDT2	DSDD0477	342.00	343.00	1.00	0.228			
BDT2	DSDD0477	357.00	358.00	1.00	0.122			
BDT2	DSDD0477	366.00	367.00	1.00	0.135	1.00 m @ 9.93 g/t Au	9.9	1.00 m @ 9.93 g/t Au
BDT2	DSDD0477	367.00	368.00	1.00	9.927			
BDT2	DSDD0477	368.00	369.00	1.00	0.193	11.50 m @ 0.69 g/t Au	8.0	1.00 m @ 5.47 g/t Au
BDT2	DSDD0477	381.00	382.00	1.00	0.111			
BDT2	DSDD0477	382.00	383.00	1.00	5.470			
BDT2	DSDD0477	383.00	384.00	1.00	0.475			
BDT2	DSDD0477	384.00	385.00	1.00	0.148			
BDT2	DSDD0477	385.00	386.00	1.00	0.295			
BDT2	DSDD0477	386.00	387.00	1.00	0.282			
BDT2	DSDD0477	387.00	388.00	1.00	0.038			
BDT2	DSDD0477	388.00	389.00	1.00	0.050			
BDT2	DSDD0477	389.00	390.00	1.00	0.028			
BDT2	DSDD0477	390.00	391.00	1.00	0.200			
BDT2	DSDD0477	391.00	392.00	1.00	0.441			
BDT2	DSDD0477	392.00	392.65	0.65	0.247			
BDT2	DSDD0477	392.65	393.50	0.85	0.467			
BDT2	DSDD0477	403.00	404.00	1.00	0.289	1.00 m @ 0.29 g/t Au	0.3	
BDT2	DSDD0477	422.00	423.00	1.00	0.105	6.23 m @ 0.40 g/t Au	2.5	
BDT2	DSDD0477	423.00	424.00	1.00	0.192			
BDT2	DSDD0477	425.00	426.00	1.00	0.174			
BDT2	DSDD0481	0.00	1.50	1.50	0.130			
BDT2	DSDD0481	10.50	12.00	1.50	0.457			
BDT2	DSDD0481	12.00	13.00	1.00	0.200			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0481	13.00	13.50	0.50	0.099			
BDT2	DSDD0481	13.50	15.00	1.50	0.410			
BDT2	DSDD0481	15.00	16.00	1.00	0.500			
BDT2	DSDD0481	16.00	16.73	0.73	0.573			
BDT2	DSDD0481	25.50	26.00	0.50	0.114			
BDT2	DSDD0481	26.00	27.00	1.00	0.236	7.15 m @ 0.29 g/t Au	2.1	
BDT2	DSDD0481	27.00	28.00	1.00	0.049			
BDT2	DSDD0481	28.00	29.00	1.00	0.048			
BDT2	DSDD0481	29.00	30.00	1.00	0.754			
BDT2	DSDD0481	30.00	31.00	1.00	0.174			
BDT2	DSDD0481	31.00	32.00	1.00	0.540			
BDT2	DSDD0481	32.00	33.15	1.15	0.218			
BDT2	DSDD0481	38.00	39.00	1.00	0.718			
BDT2	DSDD0481	39.00	40.33	1.33	0.198	29.25 m @ 0.33 g/t Au	9.6	
BDT2	DSDD0481	40.33	41.00	0.67	0.422			
BDT2	DSDD0481	41.00	42.00	1.00	0.404			
BDT2	DSDD0481	42.00	43.00	1.00	0.135			
BDT2	DSDD0481	43.00	44.00	1.00	0.496			
BDT2	DSDD0481	44.00	45.00	1.00	0.701			
BDT2	DSDD0481	45.00	45.60	0.60	1.376			0.60 m @ 1.38 g/t Au
BDT2	DSDD0481	45.60	46.20	0.60	0.169			
BDT2	DSDD0481	46.20	46.80	0.60	0.134			
BDT2	DSDD0481	46.80	47.50	0.70	0.222			
BDT2	DSDD0481	47.50	48.00	0.50	0.425			
BDT2	DSDD0481	48.00	49.00	1.00	0.026			
BDT2	DSDD0481	49.00	50.00	1.00	0.326			
BDT2	DSDD0481	50.00	51.00	1.00	0.171			
BDT2	DSDD0481	51.00	52.00	1.00	0.060			
BDT2	DSDD0481	52.00	53.00	1.00	0.135			
BDT2	DSDD0481	53.00	53.50	0.50	0.252			
BDT2	DSDD0481	53.50	54.00	0.50	0.017			
BDT2	DSDD0481	54.00	55.00	1.00	0.052			
BDT2	DSDD0481	55.00	56.00	1.00	0.126			
BDT2	DSDD0481	56.00	57.00	1.00	0.574			
BDT2	DSDD0481	57.00	58.00	1.00	0.225			
BDT2	DSDD0481	58.00	59.00	1.00	0.266			
BDT2	DSDD0481	59.00	60.00	1.00	1.105			1.00 m @ 1.10 g/t Au
BDT2	DSDD0481	60.00	61.00	1.00	0.377			
BDT2	DSDD0481	61.00	62.00	1.00	0.532			
BDT2	DSDD0481	62.00	63.00	1.00	0.098			
BDT2	DSDD0481	63.00	64.00	1.00	0.266			
BDT2	DSDD0481	64.00	64.68	0.68	0.313			
BDT2	DSDD0481	64.68	65.50	0.82	0.058			
BDT2	DSDD0481	65.50	66.17	0.67	0.072			
BDT2	DSDD0481	66.17	67.25	1.08	0.393			
BDT2	DSDD0481	68.00	69.00	1.00	0.114			
BDT2	DSDD0481	73.00	74.00	1.00	0.847	2.00 m @ 0.54 g/t Au	1.1	
BDT2	DSDD0481	74.00	75.00	1.00	0.229			
BDT2	DSDD0481	80.00	81.00	1.00	0.345	4.00 m @ 0.70 g/t Au	2.8	
BDT2	DSDD0481	81.00	82.00	1.00	0.025			
BDT2	DSDD0481	82.00	83.00	1.00	0.617			
BDT2	DSDD0481	83.00	84.00	1.00	1.801			1.00 m @ 1.80 g/t Au
BDT2	DSDD0481	88.00	88.70	0.70	0.118			
BDT2	DSDD0481	99.00	100.00	1.00	0.616	2.00 m @ 0.47 g/t Au	0.9	
BDT2	DSDD0481	100.00	101.00	1.00	0.326			
BDT2	DSDD0481	106.00	107.00	1.00	0.140			
BDT2	DSDD0481	107.00	108.00	1.00	0.735	2.00 m @ 1.12 g/t Au	2.2	
BDT2	DSDD0481	108.00	109.00	1.00	1.498			1.00 m @ 1.50 g/t Au
BDT2	DSDD0481	113.00	114.00	1.00	1.177	1.00 m @ 1.18 g/t Au	1.2	1.00 m @ 1.18 g/t Au

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0481	131.00	132.00	1.00	0.169			
BDT2	DSDD0481	132.00	132.63	0.63	0.181			
BDT2	DSDD0481	133.50	134.00	0.50	0.133			
BDT2	DSDD0481	134.00	135.00	1.00	0.267	8.00 m @ 0.30 g/t Au	2.4	1.00 m @ 1.16 g/t Au
BDT2	DSDD0481	135.00	136.00	1.00	0.169			
BDT2	DSDD0481	136.00	137.00	1.00	0.258			
BDT2	DSDD0481	137.00	138.00	1.00	1.155			
BDT2	DSDD0481	138.00	139.00	1.00	0.146			
BDT2	DSDD0481	139.00	140.00	1.00	0.129			
BDT2	DSDD0481	140.00	141.00	1.00	0.008			
BDT2	DSDD0481	141.00	142.00	1.00	0.229			
BDT2	DSDD0481	150.00	151.22	1.22	0.210	2.00 m @ 0.67 g/t Au	1.3	0.78 m @ 1.40 g/t Au
BDT2	DSDD0481	151.22	152.00	0.78	1.401			
BDT2	DSDD0481	152.00	153.00	1.00	0.161			
BDT2	DSDD0481	156.00	157.00	1.00	1.298	1.00 m @ 1.30 g/t Au	1.3	1.00 m @ 1.30 g/t Au
BDT2	DSDD0481	160.00	161.00	1.00	0.159			
BDT2	DSDD0481	169.69	170.50	0.81	0.727	1.31 m @ 0.55 g/t Au	0.7	
BDT2	DSDD0481	170.50	171.00	0.50	0.275			
BDT2	DSDD0481	171.00	172.24	1.24	0.148			
BDT2	DSDD0481	177.00	178.00	1.00	1.609	3.00 m @ 0.62 g/t Au	1.9	1.00 m @ 1.61 g/t Au
BDT2	DSDD0481	178.00	179.00	1.00	0.049			
BDT2	DSDD0481	179.00	180.00	1.00	0.203			
BDT2	DSDD0481	200.00	201.00	1.00	0.543	1.00 m @ 0.54 g/t Au	0.5	
BDT2	DSDD0481	274.00	275.00	1.00	0.147			
BDT2	DSDD0481	279.00	280.00	1.00	0.152			
BDT2	DSDD0481	280.00	281.00	1.00	0.491	2.00 m @ 0.53 g/t Au	1.1	
BDT2	DSDD0481	281.00	282.00	1.00	0.577			
BDT2	DSDD0481	287.00	288.00	1.00	0.225	1.00 m @ 0.23 g/t Au	0.2	
BDT2	DSDD0481	288.00	289.00	1.00	0.170			
BDT2	DSDD0481	291.00	292.00	1.00	0.193			
BDT2	DSDD0481	292.00	293.00	1.00	0.180			
BDT2	DSDD0481	300.00	301.00	1.00	0.173			
BDT2	DSDD0481	304.38	305.00	0.62	0.876	1.22 m @ 0.88 g/t Au	1.1	
BDT2	DSDD0481	305.00	305.60	0.60	0.894			
BDT2	DSDD0481	309.00	310.00	1.00	0.604	1.00 m @ 0.60 g/t Au	0.6	
BDT2	DSDD0481	336.00	337.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.2	
BDT2	DSDD0481	357.37	358.00	0.63	0.752	12.63 m @ 0.65 g/t Au	8.3	
BDT2	DSDD0481	358.00	359.00	1.00	0.052			
BDT2	DSDD0481	359.00	359.60	0.60	0.047			
BDT2	DSDD0481	359.60	361.00	1.40	0.087			
BDT2	DSDD0481	361.00	362.00	1.00	0.218			
BDT2	DSDD0481	362.00	363.00	1.00	0.035			
BDT2	DSDD0481	363.00	364.00	1.00	0.008			
BDT2	DSDD0481	364.00	365.00	1.00	0.234			
BDT2	DSDD0481	365.00	365.50	0.50	5.896			
BDT2	DSDD0481	365.50	366.00	0.50	0.778			
BDT2	DSDD0481	366.00	367.00	1.00	0.489			
BDT2	DSDD0481	367.00	367.52	0.52	0.239			
BDT2	DSDD0481	367.52	369.00	1.48	0.008			
BDT2	DSDD0481	369.00	370.00	1.00	3.124			
BDT2	DSDD0481	376.00	377.00	1.00	0.114			
BDT2	DSDD0481	383.00	384.00	1.00	0.156			
BDT2	DSDD0483	4.00	5.00	1.00	0.425	1.00 m @ 0.42 g/t Au	0.4	
BDT2	DSDD0483	5.00	6.00	1.00	0.185			
BDT2	DSDD0483	6.00	6.71	0.71	0.120			
BDT2	DSDD0483	10.50	12.00	1.50	0.331	2.56 m @ 0.35 g/t Au	0.9	
BDT2	DSDD0483	12.00	13.06	1.06	0.366			
BDT2	DSDD0483	14.19	15.00	0.81	1.020	6.81 m @ 0.65 g/t Au	4.4	2.31 m @ 1.32 g/t Au
BDT2	DSDD0483	15.00	16.00	1.00	0.824			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0483	16.00	16.50	0.50	2.795			
BDT2	DSDD0483	16.50	17.50	1.00	0.224			
BDT2	DSDD0483	17.50	18.50	1.00	0.474			
BDT2	DSDD0483	18.50	20.00	1.50	0.198			
BDT2	DSDD0483	20.00	21.00	1.00	0.381			
BDT2	DSDD0483	24.00	25.50	1.50	2.279	4.00 m @ 1.04 g/t Au	4.2	1.50 m @ 2.28 g/t Au
BDT2	DSDD0483	25.50	27.00	1.50	0.349			
BDT2	DSDD0483	27.00	28.00	1.00	0.209			
BDT2	DSDD0483	28.50	30.00	1.50	0.177			
BDT2	DSDD0483	30.00	31.10	1.10	0.451	1.10 m @ 0.45 g/t Au	0.5	
BDT2	DSDD0483	34.00	35.00	1.00	0.227	1.00 m @ 0.23 g/t Au	0.2	
BDT2	DSDD0483	40.00	41.00	1.00	0.305	1.66 m @ 0.32 g/t Au	0.5	
BDT2	DSDD0483	41.00	41.66	0.66	0.350			
BDT2	DSDD0483	45.00	46.25	1.25	1.126	6.00 m @ 0.36 g/t Au	2.2	1.25 m @ 1.13 g/t Au
BDT2	DSDD0483	46.25	47.00	0.75	0.146			
BDT2	DSDD0483	47.00	48.00	1.00	0.115			
BDT2	DSDD0483	48.00	49.00	1.00	0.326			
BDT2	DSDD0483	49.00	50.00	1.00	0.015			
BDT2	DSDD0483	50.00	51.00	1.00	0.203			
BDT2	DSDD0483	61.00	61.81	0.81	0.158			
BDT2	DSDD0483	61.81	63.00	1.19	0.329	1.19 m @ 0.33 g/t Au	0.4	
BDT2	DSDD0483	66.50	67.00	0.50	0.597	0.50 m @ 0.60 g/t Au	0.3	
BDT2	DSDD0483	70.00	71.00	1.00	0.214	1.00 m @ 0.21 g/t Au	0.2	
BDT2	DSDD0483	76.00	77.00	1.00	0.338	1.00 m @ 0.34 g/t Au	0.3	
BDT2	DSDD0483	80.00	81.00	1.00	0.118			
BDT2	DSDD0483	102.00	103.00	1.00	0.130	5.80 m @ 0.62 g/t Au	3.6	
BDT2	DSDD0483	113.00	114.43	1.43	0.349			
BDT2	DSDD0483	114.43	115.00	0.57	0.292			
BDT2	DSDD0483	115.00	116.15	1.15	0.941			
BDT2	DSDD0483	116.15	117.00	0.85	0.721			
BDT2	DSDD0483	117.00	118.00	1.00	0.421			
BDT2	DSDD0483	118.00	118.80	0.80	0.983			
BDT2	DSDD0483	118.80	120.00	1.20	0.140			
BDT2	DSDD0483	124.00	125.00	1.00	1.023	3.00 m @ 4.02 g/t Au	12.0	2.30 m @ 5.16 g/t Au
BDT2	DSDD0483	125.00	126.30	1.30	8.346			
BDT2	DSDD0483	126.30	127.00	0.70	0.250			
BDT2	DSDD0483	127.00	128.00	1.00	0.120			
BDT2	DSDD0483	131.00	132.00	1.00	0.790	1.00 m @ 0.79 g/t Au	0.8	
BDT2	DSDD0483	144.00	145.00	1.00	0.636	1.00 m @ 0.64 g/t Au	0.6	
BDT2	DSDD0483	159.00	160.50	1.50	0.150			
BDT2	DSDD0483	172.00	173.00	1.00	0.118			
BDT2	DSDD0483	173.00	174.00	1.00	0.227	4.00 m @ 1.66 g/t Au	6.6	
BDT2	DSDD0483	174.00	175.00	1.00	4.713			
BDT2	DSDD0483	175.00	176.00	1.00	0.193			3.00 m @ 2.14 g/t Au
BDT2	DSDD0483	176.00	177.00	1.00	1.515			
BDT2	DSDD0483	177.00	178.00	1.00	0.101	3.00 m @ 0.68 g/t Au	2.0	
BDT2	DSDD0483	200.00	201.10	1.10	0.609			
BDT2	DSDD0483	201.10	202.00	0.90	0.356			
BDT2	DSDD0483	202.00	203.00	1.00	1.042			1.00 m @ 1.04 g/t Au
BDT2	DSDD0483	208.89	210.00	1.11	0.920	1.11 m @ 0.92 g/t Au	1.0	
BDT2	DSDD0483	210.00	211.00	1.00	0.113			
BDT2	DSDD0483	212.00	213.00	1.00	0.137			
BDT2	DSDD0483	218.71	220.00	1.29	1.409	8.44 m @ 0.78 g/t Au	6.6	1.29 m @ 1.41 g/t Au
BDT2	DSDD0483	220.00	221.00	1.00	0.905			
BDT2	DSDD0483	221.00	222.00	1.00	0.027			
BDT2	DSDD0483	222.00	223.00	1.00	1.298			1.00 m @ 1.30 g/t Au
BDT2	DSDD0483	223.00	224.00	1.00	0.034			
BDT2	DSDD0483	224.00	225.20	1.20	0.019			
BDT2	DSDD0483	225.20	226.00	0.80	1.480			1.95 m @ 1.29 g/t Au

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0483	226.00	227.15	1.15	1.151			
BDT2	DSDD0483	233.40	234.50	1.10	0.177			
BDT2	DSDD0483	234.50	235.90	1.40	0.292	1.40 m @ 0.29 g/t Au	0.4	
BDT2	DSDD0483	250.00	251.00	1.00	0.269	1.00 m @ 0.27 g/t Au	0.3	
BDT2	DSDD0483	257.80	258.57	0.77	1.189	0.77 m @ 1.19 g/t Au	0.9	0.77 m @ 1.19 g/t Au
BDT2	DSDD0483	288.00	289.00	1.00	0.826	2.00 m @ 0.78 g/t Au	1.6	
BDT2	DSDD0483	289.00	290.00	1.00	0.739			
BDT2	DSDD0483	297.00	298.00	1.00	0.543	1.00 m @ 0.54 g/t Au	0.5	
BDT2	DSDD0483	302.00	303.00	1.00	0.161			
BDT2	DSDD0483	303.00	304.00	1.00	0.126			
BDT2	DSDD0483	306.00	307.00	1.00	0.109			
BDT2	DSDD0483	309.12	310.00	0.88	0.695	4.88 m @ 0.51 g/t Au	2.5	
BDT2	DSDD0483	310.00	311.00	1.00	0.752			
BDT2	DSDD0483	311.00	312.00	1.00	0.798			
BDT2	DSDD0483	312.00	313.00	1.00	0.089			
BDT2	DSDD0483	313.00	314.00	1.00	0.245			
BDT2	DSDD0483	314.00	315.20	1.20	0.162			
BDT2	DSDD0486	6.00	7.50	1.50	0.610	1.50 m @ 0.61 g/t Au	0.9	
BDT2	DSDD0486	10.50	12.00	1.50	0.110			
BDT2	DSDD0486	12.00	13.50	1.50	1.220	1.50 m @ 1.22 g/t Au	1.8	1.50 m @ 1.22 g/t Au
BDT2	DSDD0486	37.00	38.00	1.00	0.160			
BDT2	DSDD0486	54.37	55.00	0.63	1.020	7.63 m @ 0.51 g/t Au	3.9	1.63 m @ 2.02 g/t Au
BDT2	DSDD0486	55.00	56.00	1.00	2.650			
BDT2	DSDD0486	56.00	57.12	1.12	0.120			
BDT2	DSDD0486	57.12	58.00	0.88	0.010			
BDT2	DSDD0486	58.00	59.00	1.00	0.210			
BDT2	DSDD0486	59.00	60.00	1.00	0.010			
BDT2	DSDD0486	60.00	61.00	1.00	0.010			
BDT2	DSDD0486	61.00	62.00	1.00	0.230			
BDT2	DSDD0486	70.75	71.50	0.75	0.440	0.75 m @ 0.44 g/t Au	0.3	
BDT2	DSDD0486	84.00	85.00	1.00	0.540	2.00 m @ 0.40 g/t Au	0.8	
BDT2	DSDD0486	85.00	86.00	1.00	0.250			
BDT2	DSDD0486	89.00	90.00	1.00	0.140			
BDT2	DSDD0486	91.00	92.00	1.00	0.140			
BDT2	DSDD0486	93.00	94.00	1.00	0.130			
BDT2	DSDD0486	94.00	95.00	1.00	0.250	1.00 m @ 0.25 g/t Au	0.3	
BDT2	DSDD0486	99.00	100.45	1.45	0.210	4.00 m @ 0.25 g/t Au	1.0	
BDT2	DSDD0486	100.45	101.00	0.55	0.240			
BDT2	DSDD0486	101.00	102.00	1.00	0.370			
BDT2	DSDD0486	102.00	103.00	1.00	0.200			
BDT2	DSDD0486	103.00	103.50	0.50	0.190			
BDT2	DSDD0486	103.50	104.00	0.50	0.120			
BDT2	DSDD0486	105.00	106.22	1.22	0.120	5.78 m @ 0.57 g/t Au	3.3	
BDT2	DSDD0486	106.22	107.00	0.78	0.260			
BDT2	DSDD0486	107.00	108.00	1.00	0.310			
BDT2	DSDD0486	108.00	109.00	1.00	1.820			1.00 m @ 1.82 g/t Au
BDT2	DSDD0486	109.00	109.76	0.76	0.390			
BDT2	DSDD0486	109.76	110.50	0.74	0.330			
BDT2	DSDD0486	110.50	112.00	1.50	0.290			
BDT2	DSDD0486	112.00	113.00	1.00	0.100			
BDT2	DSDD0486	113.00	114.00	1.00	0.140			
BDT2	DSDD0486	114.00	115.00	1.00	0.120			
BDT2	DSDD0486	116.00	117.00	1.00	0.460	15.00 m @ 0.73 g/t Au	11.0	
BDT2	DSDD0486	117.00	118.00	1.00	0.640			
BDT2	DSDD0486	118.00	119.00	1.00	0.270			
BDT2	DSDD0486	119.00	120.00	1.00	0.230			
BDT2	DSDD0486	120.00	120.52	0.52	0.330			
BDT2	DSDD0486	120.52	121.50	0.98	0.350			
BDT2	DSDD0486	121.50	122.00	0.50	0.590			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0486	122.00	123.00	1.00	0.290			
BDT2	DSDD0486	123.00	124.00	1.00	4.200			1.00 m @ 4.20 g/t Au
BDT2	DSDD0486	124.00	125.00	1.00	0.810			
BDT2	DSDD0486	125.00	126.00	1.00	0.300			
BDT2	DSDD0486	126.00	127.00	1.00	0.100			
BDT2	DSDD0486	127.00	128.00	1.00	0.270			
BDT2	DSDD0486	128.00	129.00	1.00	0.970			
BDT2	DSDD0486	129.00	130.00	1.00	1.070			1.00 m @ 1.07 g/t Au
BDT2	DSDD0486	130.00	131.00	1.00	0.540			
BDT2	DSDD0486	134.00	135.00	1.00	0.160	1.00 m @ 0.41 g/t Au	0.4	
BDT2	DSDD0486	140.00	141.00	1.00	0.410			
BDT2	DSDD0486	144.00	145.00	1.00	0.170	8.00 m @ 0.44 g/t Au	3.5	
BDT2	DSDD0486	145.00	146.00	1.00	0.730			
BDT2	DSDD0486	146.00	147.00	1.00	0.040			
BDT2	DSDD0486	147.00	148.00	1.00	0.450			
BDT2	DSDD0486	148.00	149.00	1.00	1.030			1.00 m @ 1.03 g/t Au
BDT2	DSDD0486	149.00	150.00	1.00	0.120			
BDT2	DSDD0486	150.00	151.00	1.00	0.340			
BDT2	DSDD0486	151.00	152.00	1.00	0.580			
BDT2	DSDD0486	152.00	153.00	1.00	0.220			
BDT2	DSDD0486	153.00	154.00	1.00	0.140	1.00 m @ 0.36 g/t Au	0.4	
BDT2	DSDD0486	157.00	158.00	1.00	0.360			
BDT2	DSDD0486	159.00	160.00	1.00	0.120	2.00 m @ 0.29 g/t Au	0.6	
BDT2	DSDD0486	162.00	163.00	1.00	0.230			
BDT2	DSDD0486	163.00	164.00	1.00	0.350	1.00 m @ 0.42 g/t Au	0.4	
BDT2	DSDD0486	172.00	173.00	1.00	0.420			
BDT2	DSDD0486	178.00	179.00	1.00	0.140	2.00 m @ 0.41 g/t Au	0.8	
BDT2	DSDD0486	179.00	180.00	1.00	0.450			
BDT2	DSDD0486	180.00	181.00	1.00	0.360			
BDT2	DSDD0486	189.00	190.00	1.00	0.400	1.00 m @ 0.40 g/t Au	0.4	
BDT2	DSDD0486	192.00	193.00	1.00	0.100			
BDT2	DSDD0486	195.00	196.00	1.00	0.890	6.00 m @ 0.75 g/t Au	4.5	
BDT2	DSDD0486	196.00	197.00	1.00	1.440			2.00 m @ 1.25 g/t Au
BDT2	DSDD0486	197.00	198.00	1.00	1.050			
BDT2	DSDD0486	198.00	199.00	1.00	0.030			
BDT2	DSDD0486	199.00	200.00	1.00	0.130			
BDT2	DSDD0486	200.00	201.00	1.00	0.940			
BDT2	DSDD0486	203.00	204.00	1.00	0.120	1.00 m @ 0.24 g/t Au	0.2	
BDT2	DSDD0486	205.00	206.00	1.00	0.240			
BDT2	DSDD0486	206.00	207.00	1.00	0.100	3.00 m @ 0.69 g/t Au	2.1	
BDT2	DSDD0486	213.00	214.00	1.00	0.240			1.00 m @ 1.14 g/t Au
BDT2	DSDD0486	214.00	215.00	1.00	1.140			
BDT2	DSDD0486	215.00	216.00	1.00	0.700	2.00 m @ 0.58 g/t Au	1.2	
BDT2	DSDD0486	227.00	228.00	1.00	0.260			
BDT2	DSDD0486	228.00	229.00	1.00	0.910			
BDT2	DSDD0486	229.00	230.00	1.00	0.180			
BDT2	DSDD0486	254.00	255.00	1.00	0.150	2.00 m @ 0.80 g/t Au	1.6	
BDT2	DSDD0486	265.00	266.00	1.00	1.370			1.00 m @ 1.37 g/t Au
BDT2	DSDD0486	266.00	267.00	1.00	0.230			
BDT2	DSDD0486	273.00	274.00	1.00	0.180	1.00 m @ 2.19 g/t Au	2.2	
BDT2	DSDD0486	274.00	275.00	1.00	2.190			1.00 m @ 2.19 g/t Au
BDT2	DSDD0486	275.00	276.00	1.00	0.160	4.00 m @ 0.63 g/t Au	2.5	
BDT2	DSDD0486	286.00	287.00	1.00	1.200			1.00 m @ 1.20 g/t Au
BDT2	DSDD0486	287.00	288.00	1.00	0.280			
BDT2	DSDD0486	288.00	289.00	1.00	0.640			
BDT2	DSDD0486	289.00	290.00	1.00	0.390			
BDT2	DSDD0486	290.00	291.00	1.00	0.140			
BDT2	DSDD0486	291.00	292.00	1.00	0.140			
BDT2	DSDD0486	292.00	293.00	1.00	0.150			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0486	294.00	295.00	1.00	0.190			
BDT2	DSDD0486	295.00	296.00	1.00	1.630	5.00 m @ 0.48 g/t Au	2.4	1.00 m @ 1.63 g/t Au
BDT2	DSDD0486	296.00	297.00	1.00	0.010			
BDT2	DSDD0486	297.00	298.00	1.00	0.060			
BDT2	DSDD0486	298.00	299.00	1.00	0.080			
BDT2	DSDD0486	299.00	300.00	1.00	0.630			
BDT2	DSDD0486	306.00	307.00	1.00	0.110			
BDT2	DSDD0486	311.00	312.00	1.00	0.360	6.63 m @ 0.53 g/t Au	3.5	
BDT2	DSDD0486	312.00	313.00	1.00	1.150			1.00 m @ 1.15 g/t Au
BDT2	DSDD0486	313.00	314.00	1.00	0.170			
BDT2	DSDD0486	314.00	315.00	1.00	0.060			
BDT2	DSDD0486	315.00	316.00	1.00	0.010			
BDT2	DSDD0486	316.00	317.00	1.00	1.460			1.00 m @ 1.46 g/t Au
BDT2	DSDD0486	317.00	317.63	0.63	0.460	8.84 m @ 0.27 g/t Au	2.4	
BDT2	DSDD0486	331.00	331.62	0.62	0.850			
BDT2	DSDD0486	331.62	333.00	1.38	0.030			
BDT2	DSDD0486	333.00	334.00	1.00	0.120			
BDT2	DSDD0486	334.00	335.00	1.00	0.450			
BDT2	DSDD0486	335.00	336.05	1.05	0.040			
BDT2	DSDD0486	336.05	337.00	0.95	0.390			
BDT2	DSDD0486	337.00	338.00	1.00	0.330			
BDT2	DSDD0486	338.00	339.00	1.00	0.220			
BDT2	DSDD0486	339.00	339.84	0.84	0.340			
BDT2	DSDD0486	360.00	361.00	1.00	0.320	1.00 m @ 0.32 g/t Au	0.3	
BDT2	DSDD0486	386.00	387.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.2	
BDT2	DSDD0486	390.00	391.00	1.00	0.120			
BDT2	DSDD0486	395.00	396.00	1.00	3.970	1.00 m @ 3.97 g/t Au	4.0	1.00 m @ 3.97 g/t Au
BDT2	DSDD0486	396.00	397.00	1.00	0.120			
BDT2	DSDD0486	405.00	406.00	1.00	0.230	14.00 m @ 0.25 g/t Au	3.5	
BDT2	DSDD0486	406.00	407.00	1.00	0.070			
BDT2	DSDD0486	407.00	408.00	1.00	0.150			
BDT2	DSDD0486	408.00	409.00	1.00	0.790			
BDT2	DSDD0486	409.00	410.00	1.00	0.040			
BDT2	DSDD0486	410.00	411.00	1.00	0.140			
BDT2	DSDD0486	411.00	412.00	1.00	0.180			
BDT2	DSDD0486	412.00	413.00	1.00	0.580			
BDT2	DSDD0486	413.00	414.00	1.00	0.290			
BDT2	DSDD0486	414.00	415.00	1.00	0.040			
BDT2	DSDD0486	415.00	416.00	1.00	0.030			
BDT2	DSDD0486	416.00	417.00	1.00	0.200			
BDT2	DSDD0486	417.00	418.00	1.00	0.080			
BDT2	DSDD0486	418.00	419.00	1.00	0.690			
BDT2	DSDD0486	426.00	427.00	1.00	0.350	1.00 m @ 0.35 g/t Au	0.4	
BDT2	DSDD0486	427.00	428.00	1.00	0.120			
BDT2	DSDD0486	435.00	436.00	1.00	0.570	1.00 m @ 0.57 g/t Au	0.6	
BDT2	DSDD0486	440.00	441.00	1.00	1.120	1.00 m @ 1.12 g/t Au	1.1	1.00 m @ 1.12 g/t Au
BDT2	DSDD0486	446.00	447.00	1.00	0.310	14.00 m @ 0.43 g/t Au	6.0	
BDT2	DSDD0486	447.00	447.89	0.89	0.560			
BDT2	DSDD0486	447.89	449.00	1.11	0.040			
BDT2	DSDD0486	449.00	450.00	1.00	0.540			
BDT2	DSDD0486	450.00	451.00	1.00	0.910			
BDT2	DSDD0486	451.00	451.61	0.61	0.400			
BDT2	DSDD0486	451.61	453.00	1.39	0.060			
BDT2	DSDD0486	453.00	454.00	1.00	0.160			
BDT2	DSDD0486	454.00	454.62	0.62	2.720			0.62 m @ 2.72 g/t Au
BDT2	DSDD0486	454.62	456.00	1.38	0.480			
BDT2	DSDD0486	456.00	457.00	1.00	0.340			
BDT2	DSDD0486	457.00	458.00	1.00	0.060			
BDT2	DSDD0486	458.00	459.00	1.00	0.170			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0486	459.00	460.00	1.00	0.260			

For personal use only

About Aurum

Aurum Resources (ASX:AUE) is an Australian based gold exploration company focused on discovery and development of major gold projects in Côte d'Ivoire, West Africa. Aurum has 4.38 Moz gold resources coming from two gold projects, the 3.22 Moz Boundiali Gold Project and the 1.16 Moz Napié Gold Project. Aurum has 16 diamond drill rigs allowing it to explore faster and more cost effectively than its peers.

Group Mineral Resources and Reserves

The Mineral Resources and Ore Reserves are reported in accordance with the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code). The Mineral Resources are inclusive of the Ore Reserves. All figures are reported on a dry mass basis at 100% equity interest. Rounding may cause minor computational discrepancies. Ore Reserves are not precise calculations.

Table 3: Group Mineral Resources Statement for contained gold based on drilling as at 30 April 2026 (figures may not add up due to appropriate rounding)

Mineral Resources			Indicated			Inferred			Total Resources		
Project	Type	Cut-off	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)
Boundiali	Oxide	0.4 g/t Au above 300m depth and 1.5 g/t below 300m depth	3.1	0.9	0.09	2.3	0.8	0.06	5.4	0.9	0.15
	Transition		3.3	0.9	0.10	2.0	0.8	0.05	5.1	0.9	0.15
	Fresh		48.2	1.0	1.51	48.7	0.9	1.41	96.9	0.9	2.91
	Total		54.5	1.0	1.70	52.9	0.9	1.52	107.5	1.0	3.22
Napié	Oxide	0.3 g/t Au above 300m depth and 1.0 g/t below 300m depth	1.0	1.4	0.04	0.9	1.0	0.03	1.9	1.2	0.07
	Transition		0.8	1.2	0.03	1.3	0.9	0.04	2.1	1.0	0.07
	Fresh		7.1	1.2	0.27	19.0	1.2	0.74	26.1	1.2	1.01
	Total		8.9	1.2	0.35	21.2	1.2	0.82	30.0	1.2	1.16
Total			63.4	1.0	2.05	74.1	1.0	2.34	137.5	1.0	4.38

Table 4: Group Ore Reserve Statement as at 30 April 2026 (figures may not add up due to appropriate rounding)

Mining Area	Proved			Probable			Total		
	Quantity Mt	Au g/t	Au koz	Quantity Mt	Au g/t	Au koz	Quantity Mt	Au g/t	Au koz
BDT1	—	—	—	10.3	1.0	323	10.3	1.0	323
BDT2	—	—	—	17.5	0.6	354	17.5	0.6	354
BMT3	—	—	—	8.8	1.4	383	8.8	1.4	383
BST	—	—	—	5.5	0.8	145	5.5	0.8	145
TOTAL	—	—	—	42.1	0.9	1,210	42.1	0.9	1,210

Boundiali Gold Project (3.22 Moz)

The flagship Boundiali Gold Project is comprised of seven neighbouring exploration tenements and is located within the same greenstone belt as Resolute's large Syama (11.5Moz) gold mine and Perseus' Sissingué (1.4 Moz) gold mine to the north and Montage Gold's 6Moz Koné project located to the south. Atlantic Group's Tongon mine (5.0Moz) is located to the northeast:

BM gold project JV 80% interest - PR0893 ("BM"), 400km²

- Can earn 80-88% interest in future gold production company (Government receives 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry

BD gold project JV 80% interest - PR808 ("BD"), 260km²

- Can earn 80-88% interest in future gold production company (Government receives 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry

BST gold project 100% interest – Application No. 0781 ("BST") 100%, 167.34km²

- *Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025.*
- 90% interest in future gold production company (Government receives 10% free carry from Aurum interest)

BN gold project JV - PR283 ("BN"), 208.87km²

Aurum is earning interest through carrying out exploration to earn 70% interest in three stages:

- Stage 1: Aurum earns 35% interest by spending USD 1.2 million within 36 months of licence grant
- Stage 2: Aurum earns 51% interest by spending USD 2.5 million within 60 months of licence grant
- Stage 3: Aurum earns 70% interest upon completion of a pre-feasibility study on the tenement
- Diamond drilling conducted by Aurum will be valued at US\$140 per meter for expenditure calculations
- Upon grant of a mining exploitation licence, the ownership structure will be: Aurum (70%), GNRR (20%), Ivorian Government (10%)

Encore JV Project

- Applications (No. 1740 and No. 1745) totalling nearly 320km² are strategically located between Aurum's existing **BD** and **BST** tenements and south of **BM**, offering growth potential for its Boundiali Gold Project.

- Staged earn-in agreement aligns expenditure with milestones for each permit area:
 - Path to 51% interest: 4,000m diamond drilling.
 - Path to 80% interest: Additional 8,000m diamond drilling (total 12,000m) OR US\$2.5 million nominal expenditure.

Major Star Plus Partnership Projects

- Application (No. 0791), 114.53km², is strategically located on the immediate south and west of **BST** tenement, offering growth potential for its Boundiali Gold Project.
- Application (No. 0793), 99.12km², are structurally located on the immediate west of the Napié gold project, offering growth potential for its Napié Gold Project.
- 35% project interest from the Company's ownership of 35% registered share capital of Major Star Plus Sarl.
 - Path to 51% interest in an exploration permit: Either USD1.5 million normal expenditure or 7,000m diamond drilling.
 - Path to 80% interest in an exploration permit: Either USD3.0 million normal expenditure or 15,000m diamond drilling
 - Path to 95% interest in an exploration permit: Completion of Pre-Feasibility Study
 - 85.5~87% interest in a future production mine

Mako Gold Pty Ltd (1.16Moz)

Wholly owned subsidiary of Aurum and holds the following projects:

- 1.16Moz Napié Gold Project. 90% Mako and African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study.
- Korhogo Project (100%), significant manganese discovery
- Brobo Project (100%), prospective for lithium/rare earths

Section 1 of the JORC Code, 2012 Edition – Table 1

Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
<i>Sampling techniques</i>	- Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.	- Samples were collected using diamond drilling techniques generally angled at 50° on an azimuth designed to optimally intersect the mineralised zones. - Diamond core was logged both for geological and mineralised structures as noted above. The core was then cut in half using a diamond brick cutting saw on 1m intervals. Typically, the core was sampled to geological intervals as defined by the geologist within the even two metre sample intervals utilised. The right-hand side of the core was always submitted for analysis with the left side being stored in trays on site. - Sampling and QAQC procedures were carried out to industry standards. - Sample preparation and assay was completed by independent international accredited laboratory MSALABS. Following cutting or splitting, the samples were bagged by the Client employees and then sent to the laboratory for preparation. These samples were subsequently sent to MSALABS at Yamoussoukro for analysis via 500g Photon Assay.
Drilling techniques	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	Diamond drilling carried out with mostly NTW and some HQ sized equipment. PQ-size rods and casing were used at the top the holes to stabilise the collars although no samples were taken from the PQ size core.
Drill sample recovery	- Method of recording and assessing core and chip sample recoveries and results assessed. - Measures taken to maximise sample recovery and ensure representative nature of the samples. - Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	Diamond drilling core recoveries ranged between 85% and 100% for all holes with no significant issues noted.
Logging	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining	All holes were field logged by company geologists. Lithological, alteration and mineralogical nomenclature of the deposit as well as sulphide content were recorded.

Criteria	JORC Code explanation	Commentary
	studies and metallurgical studies. - Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. - The total length and percentage of the relevant intersections logged.	Metallurgical, Geotechnical and structural data has been recorded - Photography and recovery measurements were carried out by assistants under a geologist's supervision. - All drill holes were logged in full. - Logging was qualitative and quantitative in nature.
Sub-sampling techniques and sample preparation	- If core, whether cut or sawn and whether quarter, half or all core taken. - If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. - For all sample types, the nature, quality and appropriateness of the sample preparation technique. - Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. - Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. - Whether sample sizes are appropriate to the grain size of the material being sampled.	- NTW core cut in half using a core saw. Typically, the core was sampled to major geological intervals as defined by the geologist within the even two metre sample intervals utilised. All samples were collected from the same side of the core. - Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for Au. - The entire sample was crushed to 70% passing 2mm. - Crushed sample was split to produce 500g sample for analysis and the remaining reject kept for checks. - Field QC procedures involved the use of 2 types of certified reference materials (1 in 20) which is certified by Geostats Ltd, - Primary DD duplicate: Generated by cutting the remaining half core into a ¼ and sampled. - Coarse blank samples: Inserted 1 in every 20 samples - Laboratory Internal Duplicates and Standards - Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for gold
Quality of assay data and laboratory tests	- The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. - For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and	The analytical technique used is Chrysos™ PhotonAssay methodology. This uses a high-energy X-ray source that is used to irradiate large mineral samples, typically about 500g compared to the 50g of the fire assay. The X-rays induce short-lived changes in the structure of any gold nuclei present. As the excited gold nuclei return to

Criteria	JORC Code explanation	Commentary
	model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	their ground state, they emit a characteristic gamma-ray signature, the intensity of which is directly proportional to the concentration of gold. The penetrating nature of Chrysos™ PhotonAssay provides much higher energy than those used in conventional X-ray fluorescence (XRF), which provides a true bulk analysis of the entire sample. Samples are presented into a fully automatic process where samples are irradiated, measured, data collection and reporting. - No geophysical tools were used to determine any element concentrations used for this report. - Sample preparation checks for fineness were carried out by the laboratory as part of internal procedures to ensure the grind size was being attained. Laboratory QAQC includes the use of internal standards using certified reference material, and pulp replicates. No anomalous assays were noted in information provided to the Client. - The QAQC results confirm that acceptable levels of accuracy and precision have been established for the Classifications applied (exploration results only).
Verification of sampling and assaying	- The verification of significant intersections by either independent or alternative company personnel. - The use of twinned holes. - Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. - Discuss any adjustment to assay data.	- NA - No holes have been twinned - No adjustment to assay data - Logging records were mostly registered in physical format and were input into a digital format. The core photographs, collar coordinates and down the hole surveys were received in digital format. - Assay values that were below detection limit were adjusted to equal half of the detection limit value. Un-sampled intervals were assumed to have no mineralisation and they were therefore set to blank in the database, however these are minimal.
Location of data points	- Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. - Specification of the grid system used. - Quality and adequacy of topographic control.	- DD collar positions were initially located using a handheld GPS with a location error of +/-3m. - The datum employed is WGS84, Zone 29 - All drill hole locations are then surveyed utilising the differential GPS methods by both company and third-party surveyors. - DGPS system utilised is typically within a 10 cm accuracy range which is suitable for the classification applied.

Criteria	JORC Code explanation	Commentary
Data spacing and distribution	- Data spacing for reporting of Exploration Results. - Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. - Whether sample compositing has been applied.	- Drillholes were completed on variable line spacings (from 100m to 50m) and orientations. - The drill hole spacing and distribution is considered sufficient to establish the degree of continuity appropriate for the Inferred Mineral Resource estimation procedures. - The samples were not composited prior to assay.
Orientation of data in relation to geological structure	- Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. - If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	Drill holes were drilled approximately at right angles to the anticipated strike of the target geochemical anomaly and orthogonal to the interpreted mineralisation orientation.
Sample security	The measures taken to ensure sample security.	Chain of custody is managed by the Client's senior site geologists and geotechnicians. Samples are stored in a core shed at site and samples were delivered to the laboratory by client geologists. Client employees have no further involvement in the preparation or analysis of the samples.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	Detailed reviews of sampling techniques were carried out on the site visit by RPM in October 2024 and follow up visit in March 2025.

• Section 2 of the JORC Code, 2012 Edition – Table 1

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	- Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. - The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.	- Exploration results are from the Boundiali project area - PR893 (BM), 400km², holder Minex West Africa, of which Aurum has earned 80% interest and can earn up to 88% in a mining licence through its fully owned subsidiary Plusor Global Pty Ltd ("Plusor"). Boundiali DS tenement PR808 ("BD"), 260km², holder DS Resources Joint Venture Company, of which Aurum is 80% share capital owner through its fully owned subsidiary Plusor. BST mining licence application of which Aurum is 100% owner. - There are no impediments to working in the area.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	- The exploration results reported in this announcement are from work undertaken by PlusOr a wholly owned subsidiary of Aurum Resources Limited - The license area is known as a prospective region for gold and recent artisanal workings revealed the presence of primary gold mineralisation in artisanal pits and small-scale underground mining.
Geology	Deposit type, geological setting and style of mineralisation.	- The Boundiali Deposits are located within the Proterozoic Birimian rocks of the Man shield. It is situated on, 100km west of Korhogo in the northern part of the Côte d'Ivoire. They are located in the Bagoué-Syama shear zone within the sedimentary rock with minor associated intrusions of mafic dykes and late-stage granitoids. The various rock units trend NS to NNE similar to the regional metamorphic grade. The regional trend is NE to N. - The Boundiali deposits resemble typical shear zone deposits of the West African granite-greenstone terrane. The deposits themselves are associated with a major regional shear zone and are developed in a sandstone. Mineralisation may be spatially related to the emplacement of intrusives. The gold mineralisation is mesothermal in origin and occurs as free gold in quartz vein stockworks and zones of silicification, associated with pyrite and chalcopyrite. The gold mineralisation is found in linear zones with the contacts showing evidence of shearing. Free gold is

• Criteria	• JORC Code explanation	• Commentary
		frequently observed. Alteration is weak to strong depending on the development of the system typically being sericite. Two types of deformation are present in the drill cores: ductile deformation and brittle deformation. The gold mineralisation is related to deformed sandstone and graywacke, in shear zones, with sulphides (mainly pyrite and minor chalcopyrite) associated with visible gold. Alteration is characterized by chlorite, sericite, calcite, secondary quartz and disseminated pyrite. This assemblage is well developed in schistose, foliated rocks with presence of quartz veins or veinlets.
Drill hole information	- A summary of all information material to the under-standing of the exploration results including a tabulation of the following information for all Material drill holes: - easting and northing of the drill hole collar - elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar - dip and azimuth of the hole - down hole length and interception depth - hole length - If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	- Complete drill hole data has been provided. - Drill hole collar locations are shown in figures in main body of announcement.
Data aggregation methods	- In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. - Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. - The assumptions used for any reporting of metal equivalent values should be clearly stated.	- Assay Intervals are shown in detail. Drilling intervals are predominantly 1m. - Metal equivalent values are not being reported.
Relationship between mineralisation	These relationships are particularly important in the reporting of Exploration Results.	True widths are estimated at approximately 60–85% of reported downhole, based on the interpreted

• Criteria	• JORC Code explanation	• Commentary
• widths and intercept lengths	• If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. • If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').	geometry of the mineralised zones. • The holes were drilled to test a steeply east dipping foliation in the limited rock exposures seen in the area. The mineralisation lies within what has been interpreted to be a ductile shear zone which would suggest that mineralisation should lie parallel to foliation.
• Diagrams	• Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	• Appropriate diagrams relevant to material results are shown in the body of this announcement.
• Balanced Reporting	• Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. • Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	• All drill hole and trench collar locations were surveyed utilising handheld GPS methods. Exploration results only being reported. • Drilling teams utilised the Reflex EZ-shot instrument to measure deviations in azimuth and inclination angles for all holes; however, vertical holes were not surveyed. The first measurement is taken at 6 m depth, and then at approximately every 30m depth interval and at the end of the hole being reported.
• Other substantive exploration data	• Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	• All relevant exploration data is either reported in this announcement or has been reported previously by Aurum, Randgold or Predictive Discovery and is referred to in the announcement.
• Further work	• The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling). • Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	• The Company intends to continue exploration on the project and this work will include auger, aircore, RC and diamond core drilling, along with further geophysical surveys and geochemical sampling programs. • Diagrams included in body of report as deemed appropriate by competent person