

Definition of significant gold system at Alice River continues to advance

Multiple new targets identified for 2025 programmes

HIGHLIGHTS

RECALCULATION OF HISTORIC DRILL INTERVALS

- **Recalculation of previous drilling supports large bulk tonnage model at Alice River; reinterpreted and recalculated intervals at the Central Target include:**
- ARDH044 intersected **114m @ 1.8g/t Au from 242m^{1 2}**
- ARDH007 intersected **30m @ 3.0 g/t Au from 103m²**
- ARDH036 intersected **55m @ 1.5g/t Au from 85m²**
- ARDH025 intersected **91m @ 0.9g/t Au from 274m²**

NEW DRILLING 2024

- **CENTRAL TARGET (F1a)** – ARDH091 - **88m @ 0.6g/t Au** from 49m including **10m @ 1.7g/t Au** from 60m and a second new zone of **11m @ 1.5g/t Au** from 126m, extends known vein stockwork 300m to north of main Central F1a zone mineralisation, opens up significant infill potential.
- **SOUTHERN TARGET** – STDH014 intersected **50m @ 0.80g/t Au** from 53m downhole inc. **16m @ 1.0g/t Au** from 63m and **14m @ 1.0g/t Au** from 89m; replication of large gold-mineralised envelope at Central Target, hosted by coherent vein stockwork.
- **THE SHADOWS** - First pass RC drilling of The Shadows Prospect intersected gold in five of six holes on fences 600m apart, significant results include **SDHD005 23m @ 0.3 Au g/t** from 80m; style of mineralisation identical to Central and Southern vein stockwork hosted zones, validates exploration targeting model utilising IP and aircore geochemistry.
- **NORTHERN TARGET** - Aircore drilling has defined five coherent Au-As-Sb anomalies with a **combined strike extent of 6km.**

Queensland focused gold explorer, Pacgold Limited (**ASX: PGO**) ('Pacgold' or 'the Company') is pleased to announce the initial results for the Q4 2024 regional reverse circulation (**RC**) and the second batch of assay results for the aircore drill campaigns at the Company's 100% owned Alice River Gold Project ('the Project'), 300km northwest of Cairns, North Queensland.

A total of 2,212 RC samples and 2,312 aircore samples have now been reported.

A recalculation and reinterpretation of the gold mineralisation within previously drilled RC and diamond holes on the Central Target has also been carried out due to a more in depth understanding of the extents of structurally controlled sheeted vein hosted mineralisation, and a significantly higher

¹ with 8.2m of samples in drillhole ARDH044 within interval attributed zero grade and currently being resampled for assay, drillhole previously released with shorter reported interval to ASX on 2 Aug 2022

² Drillholes previously released with shorter reported intervals in PGO ASX releases dated 14 Feb 2022, 2 Aug 2022, 2 Nov 2021

prevailing gold price (previous interpretation in 2021). This has clearly defined the potential for a very large bulk tonnage gold system at Alice River.

Pacgold's Managing Director, Matthew Boyes, commented:

"Results from the latest drilling campaign at Alice River are consistent with a very large gold system, with considerable scale continuing to be revealed and clear potential for significant further expansion. With the team now focused on defining the bulk tonnage potential delineated by the sheeted veining corridor at the Central and now the Southern target, we believe we can quickly and significantly expand the footprint of what is already a very large gold system. The recalculation of previously drilled intervals in this higher prevailing gold price environment adds compelling potential to the bulk tonnage story at the project".

"The RC results from the Southern Target clearly demonstrate the potential for a second very large discovery within the overall 30km+ of strike of the Alice River system. 50m of continuous mineralisation at nearly 1g/t Au is a compelling result. The Shadows has also reported some very impressive first pass RC results in previously unexplored terrain, and notably 20 of the 24 RC holes from the latest campaign intercepting anomalous gold. The mineralised systems at both Southern Target and The Shadows looks to be replications of the Central zone mineralisation with grade and width increasing with depth.

"I believe the aircore programme completed late last year marks a very important milestone in the exploration completed to date at Alice River. This programme has already delineated multiple mineralised anomalies in excess of 5km of strike along a fertile structure, with 55% of the assays still pending reporting for the southern section Victoria and Jerry Dodds target areas.

"2025 has started extremely well and with a strong cash balance Pacgold is well positioned to start the drill season and capitalise on these exceptional results."

Reverse Circulation (RC) Drilling

All assays have now been received for the 24-hole programme completed in December 2024. Although only a limited area was covered due to time, Pacgold was able to test four key prospects including new target The Shadows, previously untested by RC drilling.

Importantly, 20 of the 24 holes intersected anomalous Au-bearing mineralisation both within the main ARFZ (IP resistivity corridor) and the Jerry Dodds regional structure. Four prospects were tested in this program.

The Central Target (F1a) Zone - six RC holes were completed on the northern section of the known F1a structure to determine the shallow Au potential and investigate the interpretation that the F1a quartz lode has 'rolled over' and was dipping to the east in this location.

Drilling intersected the F1A in three of the six holes, with holes ARDH091 and ARDH092 returning significant Au mineralisation including **ARDH091: 88m @ 0.6 g/t Au from 60m including 10m @ 1.7g/t Au** from 60m downhole, and **ARDH092: 8m @ 1.1g/t Au from 6m**. Drillhole ARDH091 also intersected an interpreted new mineralised zone on the western footwall of the F1a also containing significant gold mineralisation - **11m @ 1.5g/t Au from 126m downhole**. Refer to Figures 1,4 and 5 and the results table below.




Figure 1; Gold grade-metre contoured long section of Central Target zone showing Pacgold (2021 – 2023) and 2024 November programme results, along with historic results




Figure 2; Cross Section C-C'-8292440N showing drillhole intersections and interpreted mineralised outline




Figure 3; Cross Section B-B'-8292500N showing drillhole intersections and interpreted mineralised outline

For personal use only




Figure 4; Plan view of drillhole traces at the Central Target zone with drillhole intersections and trace of mineralised body projected to surface overlain on satellite image




Figure 5; Cross Section D-D'-8292840N showing drillhole intersections and interpreted mineralised outline of the northern most section recently completed at the Central area

The Shadows Prospect

Six RC holes were completed on two traverses spaced 600m apart as a first-pass investigation of the strong Au-As-Sb anomalism generated from the recent aircore drilling program³ as outlined above.

All drillholes returned variable levels of quartz veining hosted by intensely altered granodiorite, similar in nature to that observed at both the Central and Southern Targets, and five of the six holes returned gold intersections.

Drillholes SHDH003 and 005 defined a robust and coherent vein stockwork quartz vein system dipping steeply west and hosted within the main ARFZ as defined by the IP low resistivity, with results including **SHDH005: 8m 0.6gt Au from 11m including 2m @ 1.4g/t Au from 12m**, and **SHDH003: 23m @ 0.3g/t Au from 80m, incl. 1m @ 1.2g/t Au from 86m**. Refer to Figures 6 and 7.




Figure 6: "The Shadows" northern area showing recently drilled Aircore anomaly




Figure 7: "The Shadows" cross section with 2024 RC programme demonstrating grades and mineralisation thickening with depth

The Southern Target (Alice) Prospect

Nine drillholes were completed on four sections spaced at 100m on the Alice Prospect located on the Southern ML's. Drilling was undertaken to follow up on the gold intersections in previous holes STDH003 (4.9m @ 3.3g/t Au) and STDH006 (26.8m @ 0.6g/t Au) drilled in 2023³.

Drilling intersected significant veining and gold mineralisation in four holes, with a standout intersection in drillhole **STDH014 of 50m @ 0.8g/t Au from 53m downhole, including 16m @ 1g/t Au from 63m and 14m @ 1g/t Au from 89m**. Individual assays to 4.9g/t Au over single metre samples were returned within these zones. Refer to Figures 8, 10 and long section Figure 9.




Figure 8; Plan view of Southern target area showing broad interval from 2024 RC programme overlain on Satellite image

³ PGO:ASX Releases 29 May 2023 and 11 July 2023




Figure 10; Southern Target section A-A' showing RC hole STDH014

Interpretation of these results is underway and indicates that the gold zones in both STDH006 and 014 are located on a north-south to northwest structural jog in the IP resistivity data, on the western margin of the main resistivity low corridor. Further modelling and follow up drilling is required to confirm this.

The Jerry Dodds Prospect - Three drillholes were completed on the Jerry Dodds Prospect located 1.2km south of the Southern Target ML's and hosted by a regional gold-mineralised structure that can be mapped intermittently at surface over 2.5km strike, with **surface rock chip samples returning values including 47.4g/t Au, 24.7g/t Au, 13.2g/t Au and 6.1g/t Au.**

RC drilling was focused on the western end of the structure and planned to follow up on drilling completed in late 2023⁴, including drillhole JDDH002, which intersected 16m @ 0.6g/t Au from 16m incl. 1m @ 2.6g/t Au from 23m and 4m @ 1.3g/t Au from 26m.

Drillhole JDDH005 confirmed the gold zone hosted in quartz veining in JDDH002 and extended the subsurface mineralisation 160m along strike to the ESE, with drillhole **JDDH006 intersecting 1m @ 2.6g/t Au from 25m and 1m @ 2.4g/t Au from 44m downhole.**

The third hole JDDH010 was designed to test the lode system at depth below JDDH002 and 005, however the hole was terminated prematurely due to high water inflows and failed to reach target depth.

Significant results are summarised in the table below.

Table 1: Alice River RC Drilling – Significant Results

PROSPECT	HOLE ID	From (m)	To (m)	Downhole Intersection (m)	Au (g/t)
Central Target (F1a)	ARDH091	13	14	1	1.5
	ARDH091	49	137	88	0.6
	incl.	60	70	10	1.7
		126	137	11	1.5
	ARDH092	6	14	8	1.1
		136	165	29	0.2
	ARDH093	145	162	17	0.2
	ARDH094	212	235	23	0.3
	incl.	217	220	3	1.3
	ARDH095	190	191	1	1.1
		<i>Hole terminated before reaching target</i>			
ARDH096	<i>Hole terminated before reaching target</i>				NSR
Southern Target (Alice)	STDH010				NSR
	STDH011	70	74	4	0.6
	Incl.	73	74	1	2.2
	STDH012	117	118	1	0.8
	STDH013				NSR
	STDH014	37	41	4	0.7
		53	103	50	0.8
	Incl.	63	79	16	1.0
	Incl.	63	65	2	3.5
	and	89	103	14	1.0
	STDH015	6	38	32	0.2
	Incl.	37	38	1	0.9
	STDH016				NSR

⁴ PGO:ASX Release 8 February 2024

	STDH017				NSR
	STDH018				NSR
Northern Target (Shadows)	SHDH003	80	103	23	0.3
	Incl.	86	87	1	1.2
	SHDH004				NSR
	SHDH005	11	19	8	0.6
	Incl.	12	14	2	1.4
	SHDH011	7	8	1	0.7
		14	17	3	0.7
	SHDH012	67	72	5	0.4
	SHDH014	20	21	1	0.5
Jerry Dodds	JDDH005	36	38	2	1.6
		55	56	1	0.8
	JDDH006	24	26	2	1.5
	Incl.	25	26	1	2.6
		44	45	1	2.4
		65	67	2	1.1
	JDDH010	Hole terminated before reaching target			

Table 2: Recalculated historic RC intervals – Significant Intervals

PROSPECT	HOLE ID	From (m)	To (m)	Downhole Intersection (m)	Au (g/t)
Central Target (F1a)	ARDH044	242	336	114	1.8
	ARDH007	103	133	30	3
	ARDH039	47	82	35	0.8
	ARDH069	86	119	33	1
	ARDH057	127	181	54	0.7
	ARDH058	303	332	29	0.6
	ARDH036	85	140	55	1.5
	ARDH004	131	224	93	0.8
	ARDH025	274	365	91	0.9

Aircore Drilling Program

As previously reported, the regional aircore drilling programme was completed in early December and covered approximately 14km of interpreted strike of the Alice River Fault Zone (ARFZ), defined by the IP resistivity low corridor. All samples generated from the programme have been submitted for laboratory analysis with assays returned for 325 of 749 holes, from the Northern Target to the northern extent of the Southern target. Remaining holes are pending.

The Northern Target area contains no appreciable basement outcrop and is characterised by shallow extensive granite-derived sand cover 0.5m to 2m in thickness. The Au-As-Sb geochemical anomalism is generated from weathered to semi-fresh granite and dolerite basement containing visible hydrothermal alteration and quartz veining similar in nature to that observed at the Central and Southern Targets. The aircore drilling has defined four significant geochemical anomalies to date at the Northern Target, with a combined strike extent of 6km (refer Figure 11).




Figure 11; Regional Aircore anomaly from the Northern Target extending to the Southern Target area delineated by 2024 Aircore programme

'The Shadows' Prospect⁵ is a consistent linear zone of Au-As-Sb anomalism with an interpreted strike length in excess of 1.4km and up to 250m wide, and open to the north and south. The most southerly drill section with assay results on The Shadows reports the highest grades and thickest widths of alteration and Au-As-Sb mineralisation associated with zones of quartz veining.

⁵ PGO:ASX Release 11 December 2024

The **'Atlantis' Anomaly**⁵ (previously 'Apache') is located 300m to the west of The Shadows and is a gold anomaly defined over 400m of interpreted strike on two drilling traverses, including two holes with greater than 1g/t Au intersections. Atlantis is interpreted to be parallel to The Shadows and is located on a marked inflection on the western margin of the IP Resistivity low corridor (Alice River Fault Zone), interpreted to be spatially related to intrusive mafic units.

The **'Posie South' Anomaly** is located 850m west of The Shadows and is a broad, single-traverse anomaly with several holes returning >20ppb Au, a peak value of 93ppb Au and with associated anomalous As and Sb. The anomaly is located along strike of and 1km south of the Posie Prospect⁶ and is considered to be on the same structural trend as Posie. The anomaly is open to the north and south.

The **'Solon' Anomaly** is located 200m west of The Shadows and is similar to Atlantis in that it is an interpreted linear geochemical anomaly that tracks along the western margin of the IP Resistivity low corridor (Alice River Fault Zone). The anomaly is defined by three drill traverses over an interpreted strike of 11k and is open to the south and to the west. A number of holes returned consistent values above 20ppb Au with supporting As and Sb, with a peak Au value of 131ppb Au.

The **'F1a North' Anomaly** is located along strike of, and immediately north of the Central Target ML's and represents a 500m extension of the known F1a gold mineralisation. Four aircore holes returned values greater than 160ppb Au, with a peak of 1.01g/t Au.

Aircore drilling between the Central and Southern Target ML's has also defined consistent Au-As-Sb anomalism over an interpreted 2km strike, hosted by the ARFZ and within the IP resistivity low corridor. Significant results for the program to date are summarised below.

Table 3: Alice River Aircore Drilling - Significant Results

PROSPECT	HOLE ID	From (m)	To (m)	Downhole Intersection (m)	(Au ppm)	(As ppm)
Solon	ARAC139	16	21	5	0.08	32
	ARAC177	9	11	2	0.1	35
F1a North	ARAC243	7	8	1	0.24	108
	ARAC267	0	30	30	0.14	366
	Incl.	11	12	1	1.01	838
		22	26	4	0.31	817
	ARAC268	11	13	2	0.16	369
	ARAC269	2	5	3	0.11	104
	ARAC270	6	8	2	0.11	92
F1a South	ARAC310	1	3	2	0.11	180
	ARAC321	4	15	11	0.05	113
	ARAC326	6	15	9	0.08	272
	ARAC336	3	9	6	0.12	52

50% of the results for the 7,185m aircore program are still pending for Southern, Victoria and Jerry Dodds prospects over some of the strongest and widest zones of known IP resistivity anomalies.

⁶ PGO:ASX Release 8 February 2024

Next Steps

The remainder of the aircore results for the Southern area are expected by the end of January following which a full programme for 2025 will be designed with the focus on initiating RC and aircore drilling on pre-existing cleared sites, in conjunction with geophysical programmes to continue the delineation of the IP resistivity zones at Alice River. Pacgold is scheduling the recommencement of drilling in April 2025.

Follow up RC and diamond drilling in the southern licences to extend known mineralisation from STDH014 will be a priority given the considerable strike length remaining open. Further diamond drilling at the Central Target and RC drilling on The Shadows, Victoria and Jerry Dodds prospect areas will also be designed to follow in Q2.

Details of the drill collars are presented in Appendix 1 and the JORC Table is presented in Appendix 2.

This announcement is approved by the Pacgold Limited Board of Directors.

For more information contact:

Matthew Boyes

Managing Director

mboyes@pacgold.com.au


+61 (0) 498 189 338

About Pacgold Limited:

Pacgold is an ASX-listed minerals exploration company (ASX: PGO) focused on the Alice River Gold Project situated at the northern end of the Northeast Queensland Mineral Province. This gold-rich Province contains several multi-million-oz gold deposits including Pajingo, Mt Leyshon, Kidston, and Ravenswood.

Pacgold has a 100% interest in the Alice River Gold Project, covering an historical high-grade goldfield and open pit mine with eight mining leases and five exploration permits over an area spanning 377km².

Since establishment in 2021, Pacgold has completed more than 27,000m of drilling which has confirmed district-scale opportunity.



Competent Persons Statement

The information in this announcement that relates to Exploration Results is based on, and fairly represents, information compiled or reviewed by Mr Geoff Lowe, who is a Member of the Australasian Institute of Mining and Metallurgy. Mr Lowe is the Company's Exploration Manager and holds shares and options in the Company. Mr Lowe has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Lowe consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

APPENDIX 1: DRILL COLLARS

Table 4: Drillhole Collar table for aircore program

Hole_ID	Prospect	Status	AMGE	AMGN	Hole Type	Depth (m)	Dip
ARAC001	Northern Target	Complete	742962	8295750	Aircore	9	-90
ARAC002	Northern Target	Complete	742989	8295746	Aircore	14	-90
ARAC003	Northern Target	Complete	743019	8295740	Aircore	9	-90
ARAC004	Northern Target	Complete	743041	8295758	Aircore	9	-90
ARAC005	Northern Target	Complete	743061	8295775	Aircore	9	-90
ARAC006	Northern Target	Complete	743070	8295802	Aircore	9	-90
ARAC007	Northern Target	Complete	743104	8295826	Aircore	9	-90
ARAC008	Northern Target	Complete	743124	8295831	Aircore	9	-90
ARAC009	Northern Target	Complete	743153	8295839	Aircore	8	-90
ARAC010	Northern Target	Complete	743171	8295863	Aircore	9	-90
ARAC011	Northern Target	Complete	743211	8295872	Aircore	9	-90
ARAC012	Northern Target	Complete	743232	8295896	Aircore	9	-90
ARAC013	Northern Target	Complete	743244	8295916	Aircore	9	-90
ARAC014	Northern Target	Complete	743281	8295927	Aircore	9	-90
ARAC015	Northern Target	Complete	743309	8295940	Aircore	9	-90
ARAC016	Northern Target	Complete	743335	8295954	Aircore	9	-90
ARAC017	Northern Target	Complete	743354	8295961	Aircore	9	-90
ARAC018	Northern Target	Complete	743387	8295984	Aircore	8	-90
ARAC019	Northern Target	Complete	743406	8295992	Aircore	9	-90
ARAC020	Northern Target	Complete	743433	8296011	Aircore	6	-90
ARAC021	Northern Target	Complete	743455	8296024	Aircore	9	-90
ARAC022	Northern Target	Complete	743478	8296038	Aircore	9	-90
ARAC023	Northern Target	Complete	743498	8296049	Aircore	12	-90
ARAC024	Northern Target	Complete	743525	8296067	Aircore	15	-90
ARAC025	Northern Target	Complete	743548	8296080	Aircore	12	-90
ARAC026	Northern Target	Complete	743565	8296100	Aircore	14	-90
ARAC027	Northern Target	Complete	743601	8296106	Aircore	11	-90
ARAC028	Northern Target	Complete	743622	8296118	Aircore	12	-90
ARAC029	Northern Target	Complete	743652	8296134	Aircore	10	-90
ARAC030	Northern Target	Complete	743668	8296148	Aircore	10	-90
ARAC031	Northern Target	Complete	743683	8296164	Aircore	10	-90
ARAC032	Northern Target	Complete	743706	8296175	Aircore	8	-90
ARAC033	Northern Target	Complete	743731	8296180	Aircore	12	-90
ARAC034	Northern Target	Complete	743760	8296204	Aircore	8	-90
ARAC035	Northern Target	Complete	743783	8296209	Aircore	9	-90
ARAC036	Northern Target	Complete	743807	8296231	Aircore	9	-90
ARAC037	Northern Target	Complete	743823	8296242	Aircore	9	-90
ARAC038	Northern Target	Complete	743591	8295688	Aircore	9	-90
ARAC039	Northern Target	Complete	743617	8295691	Aircore	9	-90
ARAC040	Northern Target	Complete	743640	8295705	Aircore	9	-90
ARAC041	Northern Target	Complete	743663	8295716	Aircore	9	-90

Hole_ID	Prospect	Status	AMGE	AMGN	Hole Type	Depth (m)	Dip
ARAC042	Northern Target	Complete	743685	8295734	Aircore	9	-90
ARAC043	Northern Target	Complete	743707	8295749	Aircore	9	-90
ARAC044	Northern Target	Complete	743733	8295763	Aircore	14	-90
ARAC045	Northern Target	Complete	743758	8295771	Aircore	9	-90
ARAC046	Northern Target	Complete	743782	8295785	Aircore	12	-90
ARAC047	Northern Target	Complete	743804	8295799	Aircore	9	-90
ARAC048	Northern Target	Complete	743828	8295809	Aircore	9	-90
ARAC049	Northern Target	Complete	743853	8295822	Aircore	9	-90
ARAC050	Northern Target	Complete	743880	8295836	Aircore	9	-90
ARAC051	Northern Target	Complete	743908	8295848	Aircore	9	-90
ARAC052	Northern Target	Complete	743931	8295870	Aircore	9	-90
ARAC053	Northern Target	Complete	743951	8295885	Aircore	9	-90
ARAC054	Northern Target	Complete	743964	8295893	Aircore	9	-90
ARAC057	Northern Target	Complete	744063	8295942	Aircore	9	-90
ARAC058	Northern Target	Complete	744087	8295959	Aircore	11	-90
ARAC059	Northern Target	Complete	744107	8295963	Aircore	9	-90
ARAC060	Northern Target	Complete	744130	8295983	Aircore	9	-90
ARAC061	Northern Target	Complete	743662	8295479	Aircore	9	-90
ARAC062	Northern Target	Complete	743687	8295505	Aircore	9	-90
ARAC063	Northern Target	Complete	743708	8295509	Aircore	9	-90
ARAC064	Northern Target	Complete	743736	8295519	Aircore	9	-90
ARAC065	Northern Target	Complete	743764	8295540	Aircore	9	-90
ARAC066	Northern Target	Complete	743791	8295553	Aircore	9	-90
ARAC067	Northern Target	Complete	743812	8295566	Aircore	9	-90
ARAC068	Northern Target	Complete	743838	8295578	Aircore	9	-90
ARAC069	Northern Target	Complete	743856	8295591	Aircore	9	-90
ARAC070	Northern Target	Complete	743876	8295603	Aircore	9	-90
ARAC071	Northern Target	Complete	743901	8295618	Aircore	9	-90
ARAC072	Northern Target	Complete	743923	8295631	Aircore	9	-90
ARAC073	Northern Target	Complete	743948	8295645	Aircore	9	-90
ARAC074	Northern Target	Complete	743968	8295658	Aircore	9	-90
ARAC075	Northern Target	Complete	743987	8295672	Aircore	9	-90
ARAC076	Northern Target	Complete	744009	8295682	Aircore	9	-90
ARAC077	Northern Target	Complete	744031	8295696	Aircore	9	-90
ARAC078	Northern Target	Complete	744054	8295708	Aircore	9	-90
ARAC079	Northern Target	Complete	744081	8295725	Aircore	9	-90
ARAC080	Northern Target	Complete	744099	8295737	Aircore	9	-90
ARAC081	Northern Target	Complete	744128	8295750	Aircore	11	-90
ARAC082	Northern Target	Complete	743763	8295306	Aircore	9	-90
ARAC083	Northern Target	Complete	743787	8295319	Aircore	9	-90
ARAC084	Northern Target	Complete	743810	8295338	Aircore	9	-90
ARAC085	Northern Target	Complete	743834	8295356	Aircore	9	-90
ARAC086	Northern Target	Complete	743852	8295369	Aircore	9	-90

Hole_ID	Prospect	Status	AMGE	AMGN	Hole Type	Depth (m)	Dip
ARAC087	Northern Target	Complete	744001	8295446	Aircore	12	-90
ARAC088	Northern Target	Complete	744024	8295461	Aircore	13	-90
ARAC089	Northern Target	Complete	744049	8295478	Aircore	11	-90
ARAC090	Northern Target	Complete	744075	8295494	Aircore	12	-90
ARAC091	Northern Target	Complete	744096	8295504	Aircore	9	-90
ARAC092	Northern Target	Complete	744122	8295518	Aircore	9	-90
ARAC093	Northern Target	Complete	744145	8295532	Aircore	9	-90
ARAC094	Northern Target	Complete	744170	8295545	Aircore	9	-90
ARAC095	Northern Target	Complete	744194	8295558	Aircore	9	-90
ARAC096	Northern Target	Complete	743995	8295230	Aircore	9	-90
ARAC097	Northern Target	Complete	744021	8295238	Aircore	9	-90
ARAC098	Northern Target	Complete	744042	8295244	Aircore	9	-90
ARAC099	Northern Target	Complete	744065	8295249	Aircore	7	-90
ARAC100	Northern Target	Complete	744083	8295257	Aircore	15	-90
ARAC101	Northern Target	Complete	744106	8295272	Aircore	9	-90
ARAC102	Northern Target	Complete	744127	8295286	Aircore	9	-90
ARAC103	Northern Target	Complete	744141	8295309	Aircore	9	-90
ARAC104	Northern Target	Complete	744165	8295321	Aircore	9	-90
ARAC105	Northern Target	Complete	744188	8295333	Aircore	7	-90
ARAC106	Northern Target	Complete	744214	8295347	Aircore	12	-90
ARAC107	Northern Target	Complete	744239	8295366	Aircore	18	-90
ARAC108	Northern Target	Complete	744263	8295373	Aircore	9	-90
ARAC109	Northern Target	Complete	744287	8295386	Aircore	8	-90
ARAC110	Northern Target	Complete	744309	8295397	Aircore	9	-90
ARAC111	Northern Target	Complete	744337	8295405	Aircore	7	-90
ARAC112	Northern Target	Complete	744358	8295413	Aircore	9	-90
ARAC113	Northern Target	Complete	744382	8295430	Aircore	6	-90
ARAC114	Northern Target	Complete	744039	8295057	Aircore	10	-90
ARAC115	Northern Target	Complete	744066	8295054	Aircore	12	-90
ARAC116	Northern Target	Complete	744083	8295070	Aircore	6	-90
ARAC117	Northern Target	Complete	744111	8295075	Aircore	6	-90
ARAC118	Northern Target	Complete	744126	8295050	Aircore	12	-90
ARAC119	Northern Target	Complete	744154	8295055	Aircore	7	-90
ARAC120	Northern Target	Complete	744169	8295078	Aircore	6	-90
ARAC121	Northern Target	Complete	744170	8295106	Aircore	9	-90
ARAC122	Northern Target	Complete	744200	8295116	Aircore	9	-90
ARAC123	Northern Target	Complete	744228	8295114	Aircore	9	-90
ARAC124	Northern Target	Complete	744251	8295114	Aircore	12	-90
ARAC125	Northern Target	Complete	744274	8295122	Aircore	12	-90
ARAC126	Northern Target	Complete	744299	8295141	Aircore	9	-90
ARAC127	Northern Target	Complete	744313	8295164	Aircore	22	-90
ARAC128	Northern Target	Complete	744330	8295189	Aircore	36	-90
ARAC129	Northern Target	Complete	744356	8295198	Aircore	34	-90

Hole_ID	Prospect	Status	AMGE	AMGN	Hole Type	Depth (m)	Dip
ARAC130	Northern Target	Complete	744377	8295210	Aircore	10	-90
ARAC131	Northern Target	Complete	744396	8295227	Aircore	21	-90
ARAC132	Northern Target	Complete	744422	8295239	Aircore	9	-90
ARAC133	Northern Target	Complete	744446	8295250	Aircore	9	-90
ARAC134	Northern Target	Complete	744471	8295265	Aircore	8	-90
ARAC135	Northern Target	Complete	744493	8295279	Aircore	9	-90
ARAC136	Northern Target	Complete	744522	8295292	Aircore	9	-90
ARAC137	Northern Target	Complete	744543	8295306	Aircore	6	-90
ARAC138	Northern Target	Complete	744200	8294398	Aircore	15	-90
ARAC139	Northern Target	Complete	744225	8294410	Aircore	23	-90
ARAC140	Northern Target	Complete	744243	8294426	Aircore	9	-90
ARAC141	Northern Target	Complete	744264	8294440	Aircore	9	-90
ARAC142	Northern Target	Complete	744286	8294457	Aircore	9	-90
ARAC143	Northern Target	Complete	744313	8294469	Aircore	9	-90
ARAC144	Northern Target	Complete	744341	8294478	Aircore	7	-90
ARAC145	Northern Target	Complete	744365	8294488	Aircore	9	-90
ARAC146	Northern Target	Complete	744397	8294498	Aircore	11	-90
ARAC147	Northern Target	Complete	744411	8294513	Aircore	8	-90
ARAC148	Northern Target	Complete	744421	8294536	Aircore	8	-90
ARAC149	Northern Target	Complete	744443	8294555	Aircore	10	-90
ARAC150	Northern Target	Complete	744470	8294569	Aircore	10	-90
ARAC151	Northern Target	Complete	744492	8294575	Aircore	7	-90
ARAC152	Northern Target	Complete	744512	8294587	Aircore	8	-90
ARAC153	Northern Target	Complete	744536	8294601	Aircore	7	-90
ARAC154	Northern Target	Complete	744563	8294602	Aircore	8	-90
ARAC155	Northern Target	Complete	744580	8294618	Aircore	8	-90
ARAC156	Northern Target	Complete	744596	8294640	Aircore	8	-90
ARAC157	Northern Target	Complete	744615	8294656	Aircore	15	-90
ARAC158	Northern Target	Complete	744637	8294676	Aircore	8	-90
ARAC159	Northern Target	Complete	744659	8294684	Aircore	11	-90
ARAC160	Northern Target	Complete	744682	8294694	Aircore	12	-90
ARAC161	Northern Target	Complete	744702	8294709	Aircore	9	-90
ARAC162	Northern Target	Complete	744725	8294716	Aircore	18	-90
ARAC163	Northern Target	Complete	744751	8294728	Aircore	9	-90
ARAC164	Northern Target	Complete	744776	8294741	Aircore	9	-90
ARAC165	Northern Target	Complete	744800	8294746	Aircore	7	-90
ARAC166	Northern Target	Complete	744827	8294752	Aircore	7	-90
ARAC167	Northern Target	Complete	744851	8294758	Aircore	8	-90
ARAC168	Northern Target	Complete	744873	8294775	Aircore	6	-90
ARAC169	Northern Target	Complete	744889	8294790	Aircore	7	-90
ARAC170	Northern Target	Complete	744917	8294808	Aircore	6	-90
ARAC171	Northern Target	Complete	744948	8294814	Aircore	7	-90
ARAC172	Northern Target	Complete	744219	8294304	Aircore	10	-90

Hole_ID	Prospect	Status	AMGE	AMGN	Hole Type	Depth (m)	Dip
ARAC173	Northern Target	Complete	744248	8294299	Aircore	10	-90
ARAC174	Northern Target	Complete	744272	8294296	Aircore	12	-90
ARAC175	Northern Target	Complete	744297	8294289	Aircore	15	-90
ARAC176	Northern Target	Complete	744325	8294280	Aircore	14	-90
ARAC177	Northern Target	Complete	744346	8294275	Aircore	22	-90
ARAC178	Northern Target	Complete	744372	8294298	Aircore	9	-90
ARAC179	Northern Target	Complete	744387	8294301	Aircore	9	-90
ARAC180	Northern Target	Complete	744595	8294382	Aircore	6	-90
ARAC181	Northern Target	Complete	744619	8294411	Aircore	6	-90
ARAC182	Northern Target	Complete	744641	8294427	Aircore	8	-90
ARAC183	Northern Target	Complete	744660	8294448	Aircore	8	-90
ARAC184	Northern Target	Complete	744671	8294467	Aircore	8	-90
ARAC185	Northern Target	Complete	744960	8294583	Aircore	8	-90
ARAC186	Northern Target	Complete	744981	8294601	Aircore	7	-90
ARAC187	Northern Target	Complete	744999	8294612	Aircore	7	-90
ARAC188	Northern Target	Complete	745019	8294623	Aircore	9	-90
ARAC189	Northern Target	Complete	745045	8294635	Aircore	6	-90
ARAC190	Northern Target	Complete	745060	8294649	Aircore	9	-90
ARAC191	Northern Target	Complete	744713	8293777	Aircore	6	-90
ARAC192	Northern Target	Complete	744739	8293797	Aircore	6	-90
ARAC193	Northern Target	Complete	744768	8293815	Aircore	6	-90
ARAC194	Northern Target	Complete	744790	8293830	Aircore	6	-90
ARAC195	Northern Target	Complete	744815	8293841	Aircore	8	-90
ARAC196	Northern Target	Complete	744841	8293853	Aircore	8	-90
ARAC197	Northern Target	Complete	744865	8293868	Aircore	8	-90
ARAC198	Northern Target	Complete	744890	8293882	Aircore	6	-90
ARAC199	Northern Target	Complete	744917	8293895	Aircore	12	-90
ARAC200	Northern Target	Complete	744943	8293920	Aircore	6	-90
ARAC201	Northern Target	Complete	744970	8293928	Aircore	9	-90
ARAC202	Northern Target	Complete	744998	8293944	Aircore	8	-90
ARAC203	Northern Target	Complete	745023	8293959	Aircore	6	-90
ARAC204	Northern Target	Complete	745051	8293974	Aircore	7	-90
ARAC205	Northern Target	Complete	745074	8293990	Aircore	6	-90
ARAC206	Northern Target	Complete	745095	8294005	Aircore	9	-90
ARAC207	Northern Target	Complete	745123	8294015	Aircore	9	-90
ARAC218	Northern Target	Complete	744736	8293561	Aircore	9	-90
ARAC219	Northern Target	Complete	744761	8293571	Aircore	9	-90
ARAC220	Northern Target	Complete	744785	8293583	Aircore	9	-90
ARAC221	Northern Target	Complete	744801	8293593	Aircore	12	-90
ARAC222	Northern Target	Complete	744973	8293696	Aircore	11	-90
ARAC223	Northern Target	Complete	744989	8293709	Aircore	9	-90
ARAC224	Northern Target	Complete	745011	8293718	Aircore	9	-90
ARAC225	Northern Target	Complete	745038	8293731	Aircore	10	-90

Hole_ID	Prospect	Status	AMGE	AMGN	Hole Type	Depth (m)	Dip
ARAC226	Northern Target	Complete	745063	8293736	Aircore	15	-90
ARAC227	Northern Target	Complete	745088	8293758	Aircore	9	-90
ARAC228	Northern Target	Complete	745116	8293770	Aircore	9	-90
ARAC229	Northern Target	Complete	745142	8293785	Aircore	9	-90
ARAC230	Northern Target	Complete	745178	8293801	Aircore	9	-90
ARAC231	Northern Target	Complete	745189	8293817	Aircore	9	-90
ARAC232	Northern Target	Complete	745217	8293840	Aircore	7	-90
ARAC233	Northern Target	Complete	745243	8293850	Aircore	7	-90
ARAC234	Northern Target	Complete	745270	8293868	Aircore	6	-90
ARAC235	Northern Target	Complete	745290	8293877	Aircore	8	-90
ARAC236	Northern Target	Complete	745318	8293892	Aircore	6	-90
ARAC237	Northern Target	Complete	745338	8293905	Aircore	6	-90
ARAC238	Northern Target	Complete	745360	8293924	Aircore	11	-90
ARAC239	Northern Target	Complete	745388	8293934	Aircore	15	-90
ARAC240	Northern Target	Complete	745412	8293946	Aircore	15	-90
ARAC241	Northern Target	Complete	745439	8293961	Aircore	12	-90
ARAC242	Northern Target	Complete	745459	8293973	Aircore	12	-90
ARAC243	Northern Target	Complete	745000	8293476	Aircore	12	-90
ARAC244	Northern Target	Complete	745023	8293492	Aircore	12	-90
ARAC245	Northern Target	Complete	745042	8293504	Aircore	15	-90
ARAC246	Northern Target	Complete	745066	8293524	Aircore	12	-90
ARAC247	Northern Target	Complete	745091	8293531	Aircore	12	-90
ARAC248	Northern Target	Complete	745113	8293553	Aircore	12	-90
ARAC249	Northern Target	Complete	745139	8293566	Aircore	12	-90
ARAC250	Northern Target	Complete	745161	8293572	Aircore	15	-90
ARAC251	Northern Target	Complete	745179	8293586	Aircore	30	-90
ARAC252	Northern Target	Complete	745203	8293608	Aircore	15	-90
ARAC254	Northern Target	Complete	745113	8293304	Aircore	15	-90
ARAC255	Northern Target	Complete	745133	8293315	Aircore	12	-90
ARAC256	Northern Target	Complete	745147	8293322	Aircore	10	-90
ARAC257	Northern Target	Complete	745195	8293183	Aircore	11	-90
ARAC258	Northern Target	Complete	745215	8293193	Aircore	12	-90
ARAC259	Northern Target	Complete	745242	8293209	Aircore	21	-90
ARAC260	Northern Target	Complete	745261	8293228	Aircore	12	-90
ARAC261	Northern Target	Complete	745286	8293237	Aircore	9	-90
ARAC262	Northern Target	Complete	745312	8293252	Aircore	8	-90
ARAC263	Northern Target	Complete	745340	8293262	Aircore	9	-90
ARAC264	Northern Target	Complete	745363	8293278	Aircore	9	-90
ARAC265	Northern Target	Complete	745385	8293291	Aircore	11	-90
ARAC266	Northern Target	Complete	745401	8293306	Aircore	15	-90
ARAC267	Northern Target	Complete	745167	8293069	Aircore	30	-90
ARAC268	Northern Target	Complete	745188	8293069	Aircore	13	-90
ARAC269	Northern Target	Complete	745214	8293071	Aircore	11	-90

Hole_ID	Prospect	Status	AMGE	AMGN	Hole Type	Depth (m)	Dip
ARAC270	Northern Target	Complete	745236	8293071	Aircore	10	-90
ARAC271	Northern Target	Complete	745264	8293076	Aircore	9	-90
ARAC283	Central Target	Complete	745355	8292714	Aircore	15	-90
ARAC304	Central Target	Complete	744929	8292386	Aircore	12	-90
ARAC305	Central Target	Complete	744955	8292385	Aircore	9	-90
ARAC306	Central Target	Complete	744983	8292381	Aircore	8	-90
ARAC307	Central Target	Complete	745009	8292397	Aircore	7	-90
ARAC308	Central Target	Complete	745036	8292389	Aircore	6	-90
ARAC309	Central Target	Complete	745060	8292378	Aircore	7	-90
ARAC310	Central Target	Complete	745082	8292370	Aircore	8	-90
ARAC311	Central Target	Complete	745112	8292358	Aircore	10	-90
ARAC312	Central Target	Complete	745139	8292349	Aircore	8	-90
ARAC313	Central Target	Complete	745162	8292341	Aircore	10	-90
ARAC317	Central Target	Complete	745134	8292054	Aircore	15	-90
ARAC318	Central Target	Complete	745149	8292045	Aircore	13	-90
ARAC319	Central Target	Complete	745178	8292044	Aircore	13	-90
ARAC320	Central Target	Complete	745210	8292049	Aircore	13	-90
ARAC321	Central Target	Complete	745235	8292049	Aircore	15	-90
ARAC322	Central Target	Complete	745261	8292054	Aircore	15	-90
ARAC323	Central Target	Complete	745416	8291670	Aircore	18	-90
ARAC324	Central Target	Complete	745384	8291666	Aircore	18	-90
ARAC325	Central Target	Complete	745358	8291653	Aircore	18	-90
ARAC326	Central Target	Complete	745324	8291654	Aircore	21	-90
ARAC327	Central Target	Complete	745300	8291665	Aircore	16	-90
ARAC328	Southern Target	Complete	745276	8291655	Aircore	16	-90
ARAC329	Southern Target	Complete	745647	8290915	Aircore	9	-90
ARAC330	Southern Target	Complete	745670	8290920	Aircore	9	-90
ARAC331	Southern Target	Complete	745697	8290939	Aircore	9	-90
ARAC332	Southern Target	Complete	745718	8290961	Aircore	9	-90
ARAC333	Southern Target	Complete	745739	8290974	Aircore	9	-90
ARAC334	Southern Target	Complete	745762	8290983	Aircore	9	-90
ARAC335	Southern Target	Complete	745769	8291011	Aircore	9	-90
ARAC336	Southern Target	Complete	745792	8291030	Aircore	9	-90
ARAC337	Southern Target	Complete	745814	8291028	Aircore	11	-90
ARAC338	Southern Target	Complete	745812	8291051	Aircore	9	-90
ARAC339	Southern Target	Complete	745833	8291083	Aircore	9	-90
ARAC340	Southern Target	Complete	745843	8291101	Aircore	15	-90
ARAC341	Southern Target	Complete	745869	8291118	Aircore	9	-90
ARAC342	Southern Target	Complete	745935	8290900	Aircore	7	-90
ARAC343	Southern Target	Complete	745947	8290917	Aircore	9	-90
ARAC344	Southern Target	Complete	745970	8290929	Aircore	9	-90
ARAC345	Southern Target	Complete	745988	8290944	Aircore	9	-90
ARAC346	Southern Target	Complete	746007	8290961	Aircore	9	-90

Hole_ID	Prospect	Status	AMGE	AMGN	Hole Type	Depth (m)	Dip
ARAC347	Southern Target	Complete	746024	8290976	Aircore	15	-90
ARAC348	Southern Target	Complete	746037	8290997	Aircore	12	-90
ARAC349	Southern Target	Complete	746055	8291012	Aircore	7	-90
ARAC350	Southern Target	Complete	746086	8291038	Aircore	9	-90
ARAC351	Southern Target	Complete	746109	8291053	Aircore	12	-90
ARAC352	Southern Target	Complete	746113	8291077	Aircore	12	-90
ARAC353	Southern Target	Complete	746129	8291100	Aircore	12	-90
ARAC354	Southern Target	Complete	746156	8291112	Aircore	9	-90
ARAC355	Southern Target	Complete	746177	8291126	Aircore	7	-90
ARAC356	Southern Target	Complete	746543	8290044	Aircore	9	-90
ARAC357	Southern Target	Complete	746563	8290064	Aircore	11	-90
ARAC358	Southern Target	Complete	746582	8290084	Aircore	9	-90
ARAC359	Southern Target	Complete	746591	8290107	Aircore	9	-90
ARAC360	Southern Target	Complete	746627	8290112	Aircore	9	-90
ARAC361	Southern Target	Complete	746641	8290125	Aircore	8	-90
ARAC362	Southern Target	Complete	746679	8290129	Aircore	7	-90
ARAC363	Southern Target	Complete	746703	8290143	Aircore	11	-90
ARAC364	Southern Target	Complete	746718	8290160	Aircore	9	-90
ARAC365	Southern Target	Complete	746797	8289543	Aircore	10	-90
ARAC366	Southern Target	Complete	746810	8289569	Aircore	11	-90
ARAC367	Southern Target	Complete	746823	8289598	Aircore	9	-90
ARAC368	Southern Target	Complete	746842	8289616	Aircore	8	-90
ARAC369	Southern Target	Complete	746865	8289632	Aircore	12	-90
ARAC370	Southern Target	Complete	746889	8289645	Aircore	13	-90
ARAC371	Southern Target	Complete	746912	8289659	Aircore	15	-90
ARAC372	Southern Target	Complete	746934	8289678	Aircore	8	-90
ARAC373	Southern Target	Complete	746952	8289696	Aircore	6	-90
ARAC374	Southern Target	Complete	746953	8289736	Aircore	8	-90
ARAC375	Southern Target	Complete	746974	8289757	Aircore	7	-90
ARAC376	Southern Target	Complete	746991	8289774	Aircore	6	-90
ARAC377	Southern Target	Complete	747015	8289795	Aircore	6	-90
ARAC378	Southern Target	Complete	747057	8289839	Aircore	7	-90
ARAC379	Southern Target	Complete	747061	8289855	Aircore	7	-90
ARAC380	Southern Target	Complete	747067	8289879	Aircore	9	-90
ARAC381	Southern Target	Complete	747083	8289902	Aircore	8	-90
ARAC382	Southern Target	Complete	747098	8289924	Aircore	5	-90
ARAC383	Southern Target	Complete	747108	8289948	Aircore	6	-90
ARAC384	Southern Target	Complete	746893	8289336	Aircore	9	-90
ARAC385	Southern Target	Complete	746909	8289358	Aircore	10	-90
ARAC386	Southern Target	Complete	746927	8289378	Aircore	9	-90
ARAC387	Southern Target	Complete	746945	8289400	Aircore	11	-90
ARAC388	Southern Target	Complete	746956	8289421	Aircore	7	-90
ARAC389	Southern Target	Complete	746982	8289444	Aircore	8	-90

Hole_ID	Prospect	Status	AMGE	AMGN	Hole Type	Depth (m)	Dip
ARAC390	Southern Target	Complete	747001	8289460	Aircore	9	-90
ARAC391	Southern Target	Complete	747026	8289472	Aircore	9	-90
ARAC392	Southern Target	Complete	747045	8289492	Aircore	6	-90
ARAC393	Southern Target	Complete	747061	8289515	Aircore	14	-90
ARAC394	Southern Target	Complete	747081	8289534	Aircore	12	-90
ARAC395	Southern Target	Complete	747093	8289553	Aircore	10	-90
ARAC396	Southern Target	Complete	747134	8289616	Aircore	7	-90
ARAC397	Southern Target	Complete	747146	8289639	Aircore	7	-90
ARAC398	Southern Target	Complete	747166	8289660	Aircore	6	-90
ARAC399	Southern Target	Complete	747162	8289692	Aircore	9	-90
ARAC400	Southern Target	Complete	747199	8289751	Aircore	7	-90
ARAC401	Southern Target	Complete	747214	8289773	Aircore	7	-90
ARAC402	Southern Target	Complete	747236	8289793	Aircore	6	-90
ARAC403	Southern Target	Complete	747254	8289813	Aircore	4	-90
ARAC404	Southern Target	Complete	747272	8289835	Aircore	3	-90
ARAC405	Southern Target	Complete	747303	8289858	Aircore	9	-90
ARAC406	Southern Target	Complete	747324	8289871	Aircore	8	-90
ARAC407	Southern Target	Complete	747336	8289896	Aircore	6	-90
ARAC408	Southern Target	Complete	747048	8289182	Aircore	10	-90
ARAC409	Southern Target	Complete	747067	8289207	Aircore	9	-90
ARAC410	Southern Target	Complete	747081	8289223	Aircore	9	-90
ARAC411	Southern Target	Complete	747097	8289251	Aircore	14	-90
ARAC412	Southern Target	Complete	747105	8289271	Aircore	11	-90
ARAC413	Southern Target	Complete	747118	8289289	Aircore	14	-90
ARAC414	Southern Target	Complete	747140	8289312	Aircore	15	-90
ARAC415	Southern Target	Complete	747156	8289333	Aircore	14	-90
ARAC416	Southern Target	Complete	747170	8289347	Aircore	14	-90
ARAC417	Southern Target	Complete	747186	8289368	Aircore	17	-90
ARAC418	Southern Target	Complete	747202	8289392	Aircore	11	-90
ARAC419	Southern Target	Complete	747215	8289417	Aircore	12	-90
ARAC420	Southern Target	Complete	747236	8289431	Aircore	11	-90
ARAC421	Southern Target	Complete	747238	8289455	Aircore	12	-90
ARAC422	Southern Target	Complete	747294	8289496	Aircore	8	-90
ARAC423	Southern Target	Complete	747307	8289514	Aircore	6	-90
ARAC424	Southern Target	Complete	747316	8289538	Aircore	5	-90
ARAC425	Southern Target	Complete	747327	8289561	Aircore	6	-90
ARAC426	Southern Target	Complete	747337	8289578	Aircore	6	-90
ARAC427	Southern Target	Complete	747360	8289605	Aircore	5	-90
ARAC428	Southern Target	Complete	747375	8289628	Aircore	4	-90
ARAC429	Southern Target	Complete	747387	8289648	Aircore	6	-90
ARAC430	Southern Target	Complete	747405	8289672	Aircore	6	-90
ARAC431	Southern Target	Complete	747425	8289697	Aircore	6	-90
ARAC432	Southern Target	Complete	747447	8289721	Aircore	6	-90

Hole_ID	Prospect	Status	AMGE	AMGN	Hole Type	Depth (m)	Dip
ARAC433	Southern Target	Complete	747456	8289738	Aircore	6	-90
ARAC434	Southern Target	Complete	747471	8289759	Aircore	5	-90
ARAC435	Southern Target	Complete	747482	8289775	Aircore	7	-90
ARAC436	Southern Target	Complete	747496	8289445	Aircore	7	-90
ARAC437	Southern Target	Complete	747510	8289469	Aircore	6	-90
ARAC438	Southern Target	Complete	747525	8289492	Aircore	3	-90
ARAC440	Southern Target	Complete	747572	8289536	Aircore	6	-90
ARAC441	Southern Target	Complete	747596	8289564	Aircore	4	-90
ARAC442	Southern Target	Complete	747610	8289591	Aircore	7	-90
ARAC443	Southern Target	Complete	747622	8289609	Aircore	8	-90
ARAC444	Southern Target	Complete	747645	8289627	Aircore	8	-90
ARAC445	Southern Target	Complete	747674	8289639	Aircore	6	-90
ARAC446	Victoria	Complete	747323	8288919	Aircore	15	-90
ARAC447	Victoria	Complete	747337	8288935	Aircore	12	-90
ARAC448	Victoria	Complete	747350	8288944	Aircore	15	-90
ARAC449	Victoria	Complete	747370	8288969	Aircore	12	-90
ARAC450	Victoria	Complete	747386	8288995	Aircore	9	-90
ARAC451	Victoria	Complete	747404	8289018	Aircore	9	-90
ARAC452	Victoria	Complete	747419	8289042	Aircore	9	-90
ARAC453	Victoria	Complete	747441	8289061	Aircore	7	-90
ARAC454	Victoria	Complete	747459	8289073	Aircore	9	-90
ARAC455	Victoria	Complete	747472	8289095	Aircore	9	-90
ARAC456	Victoria	Complete	747485	8289120	Aircore	9	-90
ARAC457	Victoria	Complete	747494	8289144	Aircore	10	-90
ARAC458	Victoria	Complete	747509	8289165	Aircore	10	-90
ARAC459	Victoria	Complete	747533	8289184	Aircore	12	-90
ARAC460	Victoria	Complete	747540	8289204	Aircore	9	-90
ARAC461	Victoria	Complete	747536	8289225	Aircore	9	-90
ARAC462	Victoria	Complete	747534	8289253	Aircore	9	-90
ARAC463	Victoria	Complete	747657	8289271	Aircore	9	-90
ARAC464	Victoria	Complete	747675	8289301	Aircore	12	-90
ARAC465	Victoria	Complete	747687	8289330	Aircore	9	-90
ARAC466	Victoria	Complete	747790	8289171	Aircore	9	-90
ARAC467	Victoria	Complete	747804	8289196	Aircore	10	-90
ARAC468	Victoria	Complete	747818	8289216	Aircore	8	-90
ARAC469	Victoria	Complete	747836	8289243	Aircore	9	-90
ARAC470	Victoria	Complete	747852	8289266	Aircore	15	-90
ARAC471	Victoria	Complete	747866	8289287	Aircore	8	-90
ARAC472	Victoria	Complete	747886	8289306	Aircore	9	-90
ARAC473	Victoria	Complete	747907	8289333	Aircore	9	-90
ARAC474	Victoria	Complete	747923	8289354	Aircore	9	-90
ARAC475	Victoria	Complete	747932	8289380	Aircore	10	-90
ARAC476	Victoria	Complete	747961	8289399	Aircore	9	-90

Hole_ID	Prospect	Status	AMGE	AMGN	Hole Type	Depth (m)	Dip
ARAC477	Victoria	Complete	747821	8288894	Aircore	12	-90
ARAC478	Victoria	Complete	747841	8288908	Aircore	12	-90
ARAC479	Victoria	Complete	747859	8288926	Aircore	12	-90
ARAC480	Victoria	Complete	747879	8288944	Aircore	15	-90
ARAC481	Victoria	Complete	747895	8288960	Aircore	15	-90
ARAC482	Victoria	Complete	747910	8288980	Aircore	20	-90
ARAC483	Victoria	Complete	747937	8289042	Aircore	12	-90
ARAC484	Victoria	Complete	747952	8289072	Aircore	8	-90
ARAC485	Victoria	Complete	747966	8289095	Aircore	10	-90
ARAC486	Victoria	Complete	747988	8289119	Aircore	9	-90
ARAC487	Victoria	Complete	748015	8289138	Aircore	9	-90
ARAC488	Victoria	Complete	748036	8289156	Aircore	9	-90
ARAC489	Victoria	Complete	748052	8289180	Aircore	9	-90
ARAC490	Victoria	Complete	748079	8289196	Aircore	6	-90
ARAC491	Victoria	Complete	748082	8289227	Aircore	6	-90
ARAC492	Victoria	Complete	748103	8289252	Aircore	9	-90
ARAC493	Victoria	Complete	748125	8289279	Aircore	6	-90
ARAC494	Victoria	Complete	747825	8288873	Aircore	20	-90
ARAC495	Victoria	Complete	747842	8288850	Aircore	11	-90
ARAC496	Victoria	Complete	747819	8288839	Aircore	3	-90
ARAC497	Victoria	Complete	747797	8288824	Aircore	6	-90
ARAC498	Victoria	Complete	747776	8288815	Aircore	9	-90
ARAC499	Victoria	Complete	747761	8288794	Aircore	10	-90
ARAC500	Victoria	Complete	747746	8288775	Aircore	9	-90
ARAC501	Victoria	Complete	747737	8288750	Aircore	10	-90
ARAC502	Victoria	Complete	747713	8288741	Aircore	17	-90
ARAC503	Victoria	Complete	747692	8288722	Aircore	5	-90
ARAC504	Victoria	Complete	747691	8288698	Aircore	6	-90
ARAC505	Victoria	Complete	748065	8288886	Aircore	10	-90
ARAC506	Victoria	Complete	748038	8288876	Aircore	13	-90
ARAC507	Victoria	Complete	748042	8288853	Aircore	19	-90
ARAC508	Victoria	Complete	748035	8288831	Aircore	17	-90
ARAC509	Victoria	Complete	748022	8288811	Aircore	15	-90
ARAC510	Victoria	Complete	748005	8288788	Aircore	12	-90
ARAC511	Victoria	Complete	747987	8288768	Aircore	12	-90
ARAC512	Victoria	Complete	747966	8288755	Aircore	12	-90
ARAC513	Victoria	Complete	747949	8288737	Aircore	12	-90
ARAC514	Victoria	Complete	747941	8288715	Aircore	13	-90
ARAC515	Victoria	Complete	747932	8288689	Aircore	9	-90
ARAC516	Victoria	Complete	748131	8288614	Aircore	10	-90
ARAC517	Victoria	Complete	748151	8288634	Aircore	9	-90
ARAC518	Victoria	Complete	748166	8288656	Aircore	9	-90
ARAC519	Victoria	Complete	748177	8288679	Aircore	10	-90

Hole_ID	Prospect	Status	AMGE	AMGN	Hole Type	Depth (m)	Dip
ARAC520	Victoria	Complete	748193	8288705	Aircore	18	-90
ARAC521	Victoria	Complete	748206	8288726	Aircore	16	-90
ARAC522	Victoria	Complete	748218	8288747	Aircore	12	-90
ARAC523	Victoria	Complete	748233	8288763	Aircore	11	-90
ARAC524	Victoria	Complete	748242	8288784	Aircore	15	-90
ARAC525	Victoria	Complete	748252	8288812	Aircore	9	-90
ARAC526	Victoria	Complete	748261	8288830	Aircore	12	-90
ARAC527	Victoria	Complete	748279	8288845	Aircore	9	-90
ARAC528	Victoria	Complete	748295	8288868	Aircore	14	-90
ARAC529	Victoria	Complete	748318	8288888	Aircore	12	-90
ARAC530	Victoria	Complete	748360	8288607	Aircore	24	-90
ARAC531	Victoria	Complete	748383	8288623	Aircore	14	-90
ARAC532	Victoria	Complete	748409	8288643	Aircore	11	-90
ARAC533	Victoria	Complete	748416	8288668	Aircore	9	-90
ARAC534	Victoria	Complete	748424	8288695	Aircore	12	-90
ARAC535	Victoria	Complete	748435	8288721	Aircore	9	-90
ARAC536	Victoria	Complete	748440	8288741	Aircore	9	-90
ARAC537	Victoria	Complete	748456	8288765	Aircore	12	-90
ARAC538	Victoria	Complete	748478	8288796	Aircore	9	-90
ARAC539	Victoria	Complete	748485	8288817	Aircore	11	-90
ARAC540	Victoria	Complete	748503	8288836	Aircore	12	-90
ARAC541	Victoria	Complete	748522	8288859	Aircore	12	-90
ARAC542	Victoria	Complete	748531	8288889	Aircore	11	-90
ARAC543	Victoria	Complete	748673	8288864	Aircore	9	-90
ARAC544	Victoria	Complete	748671	8288831	Aircore	9	-90
ARAC545	Victoria	Complete	748668	8288805	Aircore	9	-90
ARAC546	Victoria	Complete	748653	8288782	Aircore	11	-90
ARAC547	Victoria	Complete	748645	8288758	Aircore	11	-90
ARAC548	Victoria	Complete	748636	8288732	Aircore	9	-90
ARAC549	Victoria	Complete	748629	8288707	Aircore	9	-90
ARAC550	Victoria	Complete	748602	8288694	Aircore	9	-90
ARAC551	Victoria	Complete	748584	8288681	Aircore	10	-90
ARAC552	Victoria	Complete	748569	8288662	Aircore	10	-90
ARAC553	Victoria	Complete	748577	8288633	Aircore	10	-90
ARAC554	Victoria	Complete	748569	8288606	Aircore	9	-90
ARAC555	Victoria	Complete	748546	8288609	Aircore	12	-90
ARAC556	Victoria	Complete	748525	8288598	Aircore	10	-90
ARAC557	Victoria	Complete	748497	8288591	Aircore	12	-90
ARAC558	Victoria	Complete	748478	8288571	Aircore	9	-90
ARAC559	Victoria	Complete	748471	8288545	Aircore	10	-90
ARAC560	Victoria	Complete	748466	8288521	Aircore	9	-90
ARAC561	Victoria	Complete	748463	8288495	Aircore	18	-90
ARAC562	Victoria	Complete	748452	8288473	Aircore	16	-90

Hole_ID	Prospect	Status	AMGE	AMGN	Hole Type	Depth (m)	Dip
ARAC563	Victoria	Complete	748443	8288444	Aircore	21	-90
ARAC564	Victoria	Complete	748437	8288418	Aircore	15	-90
ARAC565	Victoria	Complete	748430	8288397	Aircore	12	-90
ARAC566	Victoria	Complete	748420	8288371	Aircore	9	-90
ARAC567	Victoria	Complete	748396	8288357	Aircore	10	-90
ARAC568	Victoria	Complete	748492	8288227	Aircore	9	-90
ARAC569	Victoria	Complete	748509	8288245	Aircore	9	-90
ARAC570	Victoria	Complete	748524	8288266	Aircore	9	-90
ARAC571	Victoria	Complete	748540	8288289	Aircore	12	-90
ARAC572	Victoria	Complete	748568	8288299	Aircore	9	-90
ARAC573	Victoria	Complete	748582	8288321	Aircore	9	-90
ARAC574	Victoria	Complete	748590	8288348	Aircore	21	-90
ARAC575	Victoria	Complete	748600	8288372	Aircore	12	-90
ARAC576	Victoria	Complete	748608	8288396	Aircore	9	-90
ARAC577	Victoria	Complete	748619	8288419	Aircore	9	-90
ARAC578	Victoria	Complete	748626	8288438	Aircore	6	-90
ARAC579	Victoria	Complete	748649	8288451	Aircore	9	-90
ARAC580	Victoria	Complete	748649	8288475	Aircore	9	-90
ARAC581	Victoria	Complete	748662	8288498	Aircore	12	-90
ARAC582	Victoria	Complete	748675	8288511	Aircore	8	-90
ARAC583	Victoria	Complete	748688	8288529	Aircore	9	-90
ARAC584	Jerry Dodds South	Complete	747207	8288752	Aircore	9	-90
ARAC585	Jerry Dodds South	Complete	747184	8288737	Aircore	15	-90
ARAC586	Jerry Dodds South	Complete	747166	8288716	Aircore	7	-90
ARAC587	Jerry Dodds South	Complete	747149	8288697	Aircore	9	-90
ARAC588	Jerry Dodds South	Complete	747130	8288677	Aircore	8	-90
ARAC589	Jerry Dodds South	Complete	747133	8288651	Aircore	6	-90
ARAC590	Jerry Dodds South	Complete	747106	8288640	Aircore	9	-90
ARAC591	Jerry Dodds South	Complete	747081	8288627	Aircore	9	-90
ARAC592	Jerry Dodds South	Complete	747060	8288609	Aircore	8	-90
ARAC593	Jerry Dodds South	Complete	747038	8288592	Aircore	7	-90
ARAC594	Jerry Dodds South	Complete	747027	8288568	Aircore	7	-90
ARAC595	Jerry Dodds South	Complete	747021	8288544	Aircore	9	-90
ARAC596	Jerry Dodds South	Complete	747004	8288522	Aircore	9	-90
ARAC597	Jerry Dodds South	Complete	747520	8288528	Aircore	9	-90
ARAC598	Jerry Dodds South	Complete	747518	8288506	Aircore	11	-90
ARAC599	Jerry Dodds South	Complete	747493	8288489	Aircore	7	-90
ARAC600	Jerry Dodds South	Complete	747471	8288478	Aircore	10	-90
ARAC601	Jerry Dodds South	Complete	747442	8288476	Aircore	5	-90
ARAC602	Jerry Dodds South	Complete	747427	8288459	Aircore	4	-90
ARAC603	Jerry Dodds South	Complete	747402	8288441	Aircore	5	-90
ARAC604	Jerry Dodds South	Complete	747375	8288427	Aircore	4	-90
ARAC605	Jerry Dodds South	Complete	747351	8288423	Aircore	6	-90

Hole_ID	Prospect	Status	AMGE	AMGN	Hole Type	Depth (m)	Dip
ARAC606	Jerry Dodds South	Complete	747323	8288413	Aircore	6	-90
ARAC607	Jerry Dodds South	Complete	747300	8288402	Aircore	5	-90
ARAC608	Jerry Dodds South	Complete	747277	8288390	Aircore	6	-90
ARAC609	Jerry Dodds South	Complete	747263	8288371	Aircore	6	-90
ARAC610	Jerry Dodds South	Complete	747239	8288361	Aircore	7	-90
ARAC611	Jerry Dodds South	Complete	747209	8288356	Aircore	9	-90
ARAC612	Jerry Dodds South	Complete	747188	8288346	Aircore	8	-90
ARAC613	Jerry Dodds South	Complete	747163	8288329	Aircore	7	-90
ARAC614	Jerry Dodds South	Complete	747142	8288313	Aircore	8	-90
ARAC615	Jerry Dodds South	Complete	747120	8288306	Aircore	7	-90
ARAC616	Jerry Dodds South	Complete	747083	8288293	Aircore	6	-90
ARAC617	Jerry Dodds South	Complete	747076	8288273	Aircore	6	-90
ARAC618	Jerry Dodds South	Complete	747070	8288256	Aircore	6	-90
ARAC619	Jerry Dodds South	Complete	747723	8288469	Aircore	9	-90
ARAC620	Jerry Dodds South	Complete	747745	8288481	Aircore	5	-90
ARAC621	Jerry Dodds South	Complete	747707	8288437	Aircore	6	-90
ARAC622	Jerry Dodds South	Complete	747693	8288409	Aircore	5	-90
ARAC623	Jerry Dodds South	Complete	747674	8288391	Aircore	6	-90
ARAC624	Jerry Dodds South	Complete	747656	8288375	Aircore	6	-90
ARAC625	Jerry Dodds South	Complete	747643	8288349	Aircore	7	-90
ARAC626	Jerry Dodds South	Complete	747633	8288327	Aircore	5	-90
ARAC627	Jerry Dodds South	Complete	747618	8288305	Aircore	5	-90
ARAC628	Jerry Dodds South	Complete	747600	8288286	Aircore	4	-90
ARAC629	Jerry Dodds South	Complete	747584	8288257	Aircore	7	-90
ARAC630	Jerry Dodds South	Complete	747567	8288248	Aircore	7	-90
ARAC631	Jerry Dodds South	Complete	747546	8288224	Aircore	6	-90
ARAC632	Jerry Dodds South	Complete	747527	8288201	Aircore	6	-90
ARAC633	Jerry Dodds South	Complete	747508	8288177	Aircore	8	-90
ARAC634	Jerry Dodds South	Complete	747495	8288160	Aircore	9	-90
ARAC635	Jerry Dodds South	Complete	747486	8288137	Aircore	11	-90
ARAC636	Jerry Dodds South	Complete	747464	8288126	Aircore	5	-90
ARAC637	Jerry Dodds South	Complete	747452	8288103	Aircore	6	-90
ARAC638	Jerry Dodds South	Complete	747445	8288081	Aircore	6	-90
ARAC639	Jerry Dodds South	Complete	747446	8288060	Aircore	7	-90
ARAC640	Jerry Dodds South	Complete	747424	8288054	Aircore	9	-90
ARAC641	Jerry Dodds South	Complete	747395	8288050	Aircore	6	-90
ARAC642	Jerry Dodds South	Complete	747383	8288021	Aircore	7	-90
ARAC643	Jerry Dodds South	Complete	747380	8287993	Aircore	9	-90
ARAC644	Jerry Dodds South	Complete	747374	8287968	Aircore	6	-90
ARAC645	Jerry Dodds South	Complete	747372	8287943	Aircore	7	-90
ARAC646	Jerry Dodds South	Complete	747355	8287918	Aircore	7	-90
ARAC647	Jerry Dodds South	Complete	747346	8287895	Aircore	6	-90
ARAC648	Jerry Dodds South	Complete	747322	8287881	Aircore	7	-90

Hole_ID	Prospect	Status	AMGE	AMGN	Hole Type	Depth (m)	Dip
ARAC649	Jerry Dodds South	Complete	747320	8287853	Aircore	9	-90
ARAC650	Jerry Dodds South	Complete	747348	8287866	Aircore	7	-90
ARAC651	Jerry Dodds South	Complete	747380	8287870	Aircore	6	-90
ARAC652	Jerry Dodds South	Complete	747402	8287875	Aircore	7	-90
ARAC653	Jerry Dodds South	Complete	747427	8287876	Aircore	9	-90
ARAC654	Jerry Dodds South	Complete	747450	8287876	Aircore	9	-90
ARAC655	Jerry Dodds South	Complete	747474	8287859	Aircore	12	-90
ARAC656	Jerry Dodds South	Complete	747500	8287867	Aircore	7	-90
ARAC657	Jerry Dodds South	Complete	747924	8288362	Aircore	9	-90
ARAC658	Jerry Dodds South	Complete	747938	8288377	Aircore	6	-90
ARAC659	Jerry Dodds South	Complete	747952	8288398	Aircore	8	-90
ARAC660	Jerry Dodds South	Complete	747967	8288420	Aircore	4	-90
ARAC661	Jerry Dodds South	Complete	747901	8288348	Aircore	9	-90
ARAC662	Jerry Dodds South	Complete	748094	8288266	Aircore	6	-90
ARAC663	Jerry Dodds South	Complete	748108	8288285	Aircore	7	-90
ARAC664	Jerry Dodds South	Complete	748131	8288300	Aircore	7	-90
ARAC665	Jerry Dodds South	Complete	748064	8288249	Aircore	9	-90
ARAC666	Jerry Dodds South	Complete	748050	8288228	Aircore	11	-90
ARAC667	Jerry Dodds South	Complete	748030	8288208	Aircore	6	-90
ARAC668	Sea Lavender	Complete	749256	8287267	Aircore	10	-90
ARAC669	Sea Lavender	Complete	749267	8287291	Aircore	10	-90
ARAC670	Sea Lavender	Complete	749286	8287314	Aircore	11	-90
ARAC671	Sea Lavender	Complete	749302	8287333	Aircore	6	-90
ARAC672	Sea Lavender	Complete	749313	8287356	Aircore	11	-90
ARAC673	Sea Lavender	Complete	749322	8287386	Aircore	9	-90
ARAC674	Sea Lavender	Complete	749323	8287409	Aircore	8	-90
ARAC675	Sea Lavender	Complete	749331	8287429	Aircore	5	-90
ARAC676	Sea Lavender	Complete	749341	8287454	Aircore	6	-90
ARAC677	Sea Lavender	Complete	749359	8287482	Aircore	9	-90
ARAC678	Sea Lavender	Complete	749368	8287508	Aircore	9	-90
ARAC679	Sea Lavender	Complete	749388	8287527	Aircore	11	-90
ARAC680	Sea Lavender	Complete	749394	8287546	Aircore	9	-90
ARAC681	Sea Lavender	Complete	749425	8287554	Aircore	9	-90
ARAC682	Sea Lavender	Complete	749444	8287577	Aircore	10	-90
ARAC683	Sea Lavender	Complete	749454	8287604	Aircore	9	-90
ARAC684	Sea Lavender	Complete	749466	8287622	Aircore	12	-90
ARAC685	Sea Lavender	Complete	749488	8287640	Aircore	8	-90
ARAC686	Sea Lavender	Complete	749507	8287652	Aircore	17	-90
ARAC687	Sea Lavender	Complete	749693	8287880	Aircore	9	-90
ARAC688	Sea Lavender	Complete	749707	8287904	Aircore	12	-90
ARAC689	Sea Lavender	Complete	749713	8287936	Aircore	12	-90
ARAC690	Sea Lavender	Complete	749725	8287959	Aircore	15	-90
ARAC691	Sea Lavender	Complete	749740	8287984	Aircore	9	-90

Hole_ID	Prospect	Status	AMGE	AMGN	Hole Type	Depth (m)	Dip
ARAC692	Sea Lavender	Complete	749759	8288003	Aircore	11	-90
ARAC693	Sea Lavender	Complete	749786	8288025	Aircore	9	-90
ARAC694	Sea Lavender	Complete	749798	8288036	Aircore	8	-90
ARAC695	Sea Lavender	Complete	749818	8288048	Aircore	12	-90
ARAC696	Sea Lavender	Complete	749637	8287111	Aircore	15	-90
ARAC697	Sea Lavender	Complete	749654	8287135	Aircore	9	-90
ARAC698	Sea Lavender	Complete	749673	8287152	Aircore	8	-90
ARAC699	Sea Lavender	Complete	749698	8287169	Aircore	9	-90
ARAC700	Sea Lavender	Complete	749716	8287176	Aircore	11	-90
ARAC701	Sea Lavender	Complete	749731	8287209	Aircore	9	-90
ARAC702	Sea Lavender	Complete	749728	8287236	Aircore	9	-90
ARAC703	Sea Lavender	Complete	749745	8287257	Aircore	6	-90
ARAC704	Sea Lavender	Complete	749764	8287278	Aircore	6	-90
ARAC705	Sea Lavender	Complete	749778	8287303	Aircore	12	-90
ARAC706	Sea Lavender	Complete	749790	8287316	Aircore	12	-90
ARAC707	Sea Lavender	Complete	749806	8287336	Aircore	9	-90
ARAC708	Sea Lavender	Complete	749823	8287367	Aircore	9	-90
ARAC709	Sea Lavender	Complete	749832	8287387	Aircore	9	-90
ARAC710	Sea Lavender	Complete	749834	8287412	Aircore	12	-90
ARAC711	Sea Lavender	Complete	749837	8287439	Aircore	12	-90
ARAC712	Sea Lavender	Complete	749852	8287467	Aircore	9	-90
ARAC713	Sea Lavender	Complete	749866	8287493	Aircore	9	-90
ARAC714	Sea Lavender	Complete	749888	8287507	Aircore	9	-90
ARAC715	Sea Lavender	Complete	749908	8287532	Aircore	9	-90
ARAC716	Sea Lavender	Complete	749926	8287549	Aircore	9	-90
ARAC717	Sea Lavender	Complete	749952	8287563	Aircore	6	-90
ARAC718	Sea Lavender	Complete	749974	8287586	Aircore	8	-90
ARAC719	Sea Lavender	Complete	749996	8287605	Aircore	9	-90
ARAC720	Sea Lavender	Complete	750008	8287629	Aircore	9	-90
ARAC721	Sea Lavender	Complete	750014	8287658	Aircore	7	-90
ARAC722	Sea Lavender	Complete	750025	8287679	Aircore	6	-90
ARAC723	Sea Lavender	Complete	750030	8287706	Aircore	9	-90
ARAC724	Sea Lavender	Complete	750042	8287728	Aircore	6	-90
ARAC725	Sea Lavender	Complete	750043	8287759	Aircore	9	-90
ARAC726	Sea Lavender	Complete	750056	8287780	Aircore	12	-90
ARAC727	Sea Lavender	Complete	750072	8287805	Aircore	8	-90
ARAC728	Sea Lavender	Complete	750082	8287826	Aircore	11	-90
ARAC729	Sea Lavender	Complete	750095	8287849	Aircore	9	-90
ARAC730	Sea Lavender	Complete	750104	8287872	Aircore	9	-90
ARAC731	Sea Lavender	Complete	750114	8287886	Aircore	9	-90
ARAC734	Sea Lavender	Complete	750585	8286440	Aircore	9	-90
ARAC735	Sea Lavender	Complete	750592	8286457	Aircore	9	-90
ARAC736	Sea Lavender	Complete	750601	8286490	Aircore	9	-90

Hole_ID	Prospect	Status	AMGE	AMGN	Hole Type	Depth (m)	Dip
ARAC737	Sea Lavender	Complete	750618	8286510	Aircore	9	-90
ARAC738	Sea Lavender	Complete	750637	8286526	Aircore	15	-90
ARAC739	Sea Lavender	Complete	750660	8286544	Aircore	11	-90
ARAC740	Sea Lavender	Complete	750679	8286565	Aircore	7	-90
ARAC741	Sea Lavender	Complete	750707	8286573	Aircore	6	-90
ARAC742	Sea Lavender	Complete	750725	8286598	Aircore	11	-90
ARAC743	Sea Lavender	Complete	750744	8286620	Aircore	8	-90
ARAC744	Sea Lavender	Complete	750764	8286638	Aircore	9	-90
ARAC745	Sea Lavender	Complete	750782	8286659	Aircore	8	-90
ARAC746	Sea Lavender	Complete	750797	8286680	Aircore	9	-90
ARAC747	Sea Lavender	Complete	750807	8286706	Aircore	15	-90
ARAC748	Sea Lavender	Complete	750819	8286727	Aircore	9	-90
ARAC749	Sea Lavender	Complete	750837	8286747	Aircore	6	-90
ARAC750	Sea Lavender	Complete	750852	8286771	Aircore	9	-90
ARAC751	Sea Lavender	Complete	750862	8286791	Aircore	7	-90
ARAC752	Sea Lavender	Complete	750871	8286815	Aircore	9	-90
ARAC753	Sea Lavender	Complete	750885	8286840	Aircore	7	-90
ARAC754	Sea Lavender	Complete	750896	8286866	Aircore	6	-90
ARAC755	Sea Lavender	Complete	750909	8286890	Aircore	6	-90
ARAC756	Sea Lavender	Complete	750932	8286907	Aircore	6	-90
ARAC757	Sea Lavender	Complete	750955	8286923	Aircore	9	-90
ARAC758	Sea Lavender	Complete	750967	8286940	Aircore	6	-90
ARAC759	Sea Lavender	Complete	750979	8286972	Aircore	6	-90
ARAC760	Sea Lavender	Complete	750997	8286994	Aircore	7	-90
ARAC761	Sea Lavender	Complete	751006	8287012	Aircore	7	-90
ARAC762	Sea Lavender	Complete	751032	8287033	Aircore	7	-90
ARAC763	Sea Lavender	Complete	751050	8287055	Aircore	8	-90
ARAC764	Sea Lavender	Complete	751070	8287077	Aircore	8	-90
ARAC765	Sea Lavender	Complete	751076	8287102	Aircore	12	-90
ARAC766	Sea Lavender	Complete	751091	8287122	Aircore	9	-90
ARAC767	Sea Lavender	Complete	751104	8287136	Aircore	9	-90
ARAC768	Sea Lavender	Complete	751120	8287155	Aircore	9	-90
ARAC769	Sea Lavender	Complete	751131	8287176	Aircore	12	-90
ARAC776	Sea Lavender	Complete	751143	8286491	Aircore	7	-90
ARAC777	Sea Lavender	Complete	751167	8286505	Aircore	12	-90
ARAC778	Sea Lavender	Complete	751174	8286531	Aircore	11	-90
ARAC779	Sea Lavender	Complete	751190	8286554	Aircore	7	-90
ARAC780	Sea Lavender	Complete	751209	8286569	Aircore	7	-90
ARAC781	Sea Lavender	Complete	751219	8286593	Aircore	6	-90
ARAC782	Sea Lavender	Complete	751229	8286618	Aircore	7	-90
ARAC783	Sea Lavender	Complete	751243	8286635	Aircore	6	-90
ARAC784	Sea Lavender	Complete	751252	8286662	Aircore	6	-90
ARAC785	Sea Lavender	Complete	751267	8286683	Aircore	8	-90

Hole_ID	Prospect	Status	AMGE	AMGN	Hole Type	Depth (m)	Dip
ARAC786	Sea Lavender	Complete	751275	8286707	Aircore	12	-90
ARAC787	Sea Lavender	Complete	751276	8286731	Aircore	8	-90
ARAC788	Sea Lavender	Complete	751288	8286755	Aircore	11	-90
ARAC789	Sea Lavender	Complete	751308	8286768	Aircore	9	-90
ARAC790	Sea Lavender	Complete	751326	8286785	Aircore	9	-90
ARAC791	Sea Lavender	Complete	751350	8286803	Aircore	12	-90
ARAC792	Sea Lavender	Complete	751371	8286817	Aircore	9	-90
ARAC793	Sea Lavender	Complete	751388	8286839	Aircore	10	-90
ARAC794	Sea Lavender	Complete	751393	8286860	Aircore	9	-90
ARAC795	Sea Lavender	Complete	751394	8286880	Aircore	9	-90
ARAC796	Sea Lavender	Complete	751404	8286904	Aircore	9	-90
ARAC797	Sea Lavender	Complete	751415	8286922	Aircore	9	-90
ARAC798	Sea Lavender	Complete	751434	8286945	Aircore	9	-90
ARAC799	Sea Lavender	Complete	751463	8286949	Aircore	11	-90
ARAC800	Sea Lavender	Complete	751478	8286959	Aircore	9	-90
ARAC801	Sea Lavender	Complete	751502	8286972	Aircore	9	-90
ARAC802	Sea Lavender	Complete	751522	8286988	Aircore	12	-90
ARAC803	Sea Lavender	Complete	751532	8287013	Aircore	8	-90
ARAC804	Sea Lavender	Complete	751532	8287043	Aircore	8	-90
ARAC805	Sea Lavender	Complete	751551	8287064	Aircore	9	-90

Table 5: Drillhole Collar table for RC program

Hole_ID	Prospect	Status	AMGE	AMGN	Hole Type	Depth(m)	Azimuth	Dip
ARDH091	Central Target	Complete	745240	8292831	RC	144	266	-60
ARDH092	Central Target	Complete	745279	8292839	RC	181	266	-60
ARDH093	Central Target	Complete	745311	8292847	RC	235	266	-60
ARDH094	Central Target	Complete	745291	8292932	RC	252	255	-62
ARDH095	Central Target	Complete	745286	8292972	RC	205	260	-64
ARDH096	Central Target	Complete	745329	8292977	RC	126	260	-63
STDH010	Southern Target	Complete	746120	8290652	RC	84	238	-55
STDH011	Southern Target	Complete	746145	8290663	RC	140	238	-60
STDH012	Southern Target	Complete	746040	8290725	RC	160	238	-60
STDH013	Southern Target	Complete	746087	8290752	RC	144	238	-60
STDH014	Southern Target	Complete	746136	8290785	RC	144	238	-60
STDH015	Southern Target	Complete	746038	8290807	RC	108	238	-55
STDH016	Southern Target	Complete	746188	8290558	RC	120	238	-60
STDH017	Southern Target	Complete	746229	8290579	RC	120	238	-60
STDH018	Southern Target	Complete	746282	8290613	RC	120	238	-60
JDDH005	Jerry Dodds	Complete	746908	8288983	RC	78	218	-62
JDDH006	Jerry Dodds	Complete	747036	8288897	RC	90	218	-60
JDDH010	Jerry Dodds	Complete	746934	8289025	RC	126	218	-70
SHDH003	Shadows	Complete	743972	8295659	RC	126	60	-60
SHDH004	Shadows	Complete	743929	8295633	RC	114	60	-60
SHDH005	Shadows	Complete	744014	8295683	RC	84	60	-60
SHDH011	Shadows	Complete	744359	8295193	RC	90	60	-60
SHDH012	Shadows	Complete	744318	8295162	RC	110	60	-60
SHDH014	Shadows	Complete	744401	829522	RC	90	60	-60

APPENDIX 2. JORC CODE TABLE 1

Section 1: Sampling Techniques and Data

CRITERIA	JORC Code explanation	Commentary
SAMPLING TECHNIQUES	<p>Nature and quality of sampling (e.g., cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</p>	<p>Sampling methods have included surface rock chip samples.</p> <p>Geochemistry from rock chip samples is used semi-quantitatively to guide further exploration and is not used for Mineral Resource estimation.</p> <p>The accuracy of rock chip geochemistry is generally high, but these samples are often spot samples and generally not used in Mineral Resource estimation.</p> <p>Diamond drilling (DD), Reverse circulation (RC) drilling and Aircore drilling (AC) was used to obtain samples for geological logging and assaying.</p> <p>Aircore drilling was completed to sample shallow basement.</p> <p>Reverse circulation drilling (precollars) was used to obtain 1m samples where quartz veining is noted and 3m composite riffle split samples for zones with no substantial quartz veining.</p> <p>Diamond core was halved with a core saw through zones where alteration and quartz veining were present and sampled at 1m intervals or at other intervals to match the veining and geology.</p> <p>The drill holes were sited to test geophysical targets/surface geochemical targets as well as previous drilling results.</p>
	<p>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</p>	<p>No information is available documenting measures to ensure sample representativity for surface sampling methods and open hole percussion drilling methods. These methods are not used for Mineral Resource estimation.</p> <p>1m to 3m AC samples were collected using a spear of samples collected from the drillholes.</p> <p>1m RC samples were automatically split using a cyclone-mounted cone splitter. 3m RC samples were automatically split as 1m samples using a cyclone-mounted cone splitter, then manually composited to 3m samples using a riffle splitter. The splitter cleaned after each interval with a compressed air gun.</p> <p>Core and RC samples were submitted to the laboratory and sample preparation consisted of the drying of the sample, the entire sample being crushed to 70% passing 6mm and pulverized to 85% passing 75 microns in a ring and puck pulveriser. All samples are assayed for gold by 50g fire assay with AAS finish. Multielement analysis is completed using an ICP-MS analysis.</p> <p>Screen fire analysis is completed on zones which contain multiple visible gold occurrences. 1kg pulp wet or dry</p>

CRITERIA	JORC Code explanation	Commentary
		<p>screened to 75 microns. Duplicate 30g assay on screen undersize. Assay of entire oversize fraction.</p>
	<p>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g., 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g., submarine nodules) may warrant disclosure of detailed information.</p>	<p>Economic gold mineralisation is measured in terms of parts per million and therefore rigorous sampling techniques must be adopted to ensure quantitative, precise measurements of gold concentration. If gold is present as medium – coarse grains, the entire sampling, sub-sampling, and analytical process must be more stringent.</p> <p>At Alice River, gold can be visible and therefore there may be inherent sampling problems. Procedures used to manage this problem are documented elsewhere in relevant sub-sections of this table.</p>
DRILLING TECHNIQUES	<p>Drill type (e.g., core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g., core diameter, triple or standard tube, depth of diamond tails, face-sampling bit, or other type, whether core is oriented and if so, by what method, etc).</p>	<p>RC drilling used a 5.5" face sampling RC hammer.</p> <p>AC drilling used NQ-size face sampling AC blade.</p> <p>Diamond drilling was all HQ or NQ3 (triple tube) drill diameter.</p> <p>Some core holes were diamond tails using RC pre-collars, others are diamond drilled from surface.</p> <p>Orientation gear (diamond drilling) – Electronic digital core orientation system</p> <p>Survey Gear – Electronic digital north-seeking gyroscope</p>
DRILL SAMPLE RECOVERY	<p>Method of recording and assessing core and chip sample recoveries and results assessed.</p>	<p>For diamond core drilling core recoveries are measured by reconstructing core into continuous runs on an angle iron cradle for orientation marking. An average core recovery of greater than 98% has been achieved.</p> <p>No additional measures were required as core recoveries are deemed to be high, and samples considered to be representative.</p> <p>For RC and AC sample recoveries of less than approximately 80% are noted in the geological/sampling log with a visual estimate of the actual recovery. Very few samples were recorded with recoveries of less than 80%. No wet RC samples were recovered.</p> <p>No relationship has been observed between sample recovery and grade.</p>
	<p>Measures taken to maximise sample recovery and ensure</p>	<p>Use experienced driller, appropriate drilling fluids and reputable drilling company</p>

CRITERIA	JORC Code explanation	Commentary
	representative nature of the samples.	
	Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	No assessment has been completed to determine if there is a relationship between sample recovery and grade, and whether there is any potential for sample bias associated with the different drilling methods used to date.
LOGGING	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.	Geological logging was carried out on all diamond core and RC and AC chips. This included lithology, alteration, sulphide percentages and vein per, AC centages. For diamond core structure type is recorded along with structural orientation data (alpha and beta measurements) where the drill core is orientated. Geological logging of alteration type, alteration intensity, vein type and textures, % of veining, and sulphide composition. All drill core and RC and AC chip trays are photographed.
	Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.	Logging of the core is both qualitative and quantitative in nature. Photographs of rock chips are also collected
	The total length and percentage of the relevant intersections logged.	All drill holes are logged in full.
SUB-SAMPLING TECHNIQUES AND SAMPLE PREPARATION	If core, whether cut or sawn and whether quarter, half or all core taken.	All the core is half core sampled within zones of visible alteration. Where the core is orientated the left-hand side / half of the core is sampled so that the core orientation line remains in the core tray.
	If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.	RC samples are split using a cyclone mounted rotary cone splitter 87.5%:12.5% on one metre samples. In zones where visual alteration is not present three metre sample composites are created using the one metre sample via a riffle splitter. Compressed air was used to clean the splitter after each sample interval. Duplicated samples were collected in visual ore zones and at a frequency of at least 1 in 20. AC samples were collected with a spear of each sample on one metre samples and composited over the length of the basement rocks intersected.
	For all sample types, the nature, quality, and appropriateness of the sample preparation technique.	ALS Townville completed the analysis, and the samples preparation methods are considered appropriate.

CRITERIA	JORC Code explanation	Commentary
	Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.	No sub-sampling is undertaken.
	Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.	Information is collected /logged regarding they type of sample collected (grab or channel) Laboratory duplicate sampling has been completed for the Diamond RC and AC drilling.
	Whether sample sizes are appropriate to the grain size of the material being sampled.	No formal assessment has been undertaken to quantify the appropriate sample size required for good quality determination of gold content, given the nature of the gold mineralisation.
QUALITY OF ASSAY DATA AND LABORATORY TESTS	The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.	Rock chip samples collected by Pacgold were assayed by ALS Townsville and analysed by fire assay and AAS finish 50g charge. Multielement analysis was completed by four acid digest with ICP-MS finish. Drill core RC and AC chips are analysed by ALS Townsville and analysed by fire assay and AAS finish 50g charge. Multielement analysis is completed by four acid digest with ICP-MS finish.
	For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.	No geophysical tools, spectrometers, or handheld XRF instruments have been used to date to determine chemical composition at a semi-quantitative level of accuracy.
	Nature of quality control procedures adopted (e.g., standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e., lack of bias) and precision have been established.	Certified Reference Material (CRM's) standards and blanks are purchased from an external manufacturer, and these are inserted into the sample batches sent to the laboratory at a frequency of 1 in 15.
VERIFICATION OF SAMPLING AND ASSAYING	The verification of significant intersections by either independent or alternative company personnel.	No verification completed
	The use of twinned holes.	No twinned holes have been completed

CRITERIA	JORC Code explanation	Commentary
	Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.	<p>Pacgold has collated the drilling database and created the Alice River Gold Project Access database. This database was imported into Micromine 3d software and validated against old maps and data.</p> <p>Pacgold collects all logging data in a digital format and the data is combined with project database. Logging data is checked and validated in Micromine 3d software.</p> <p>Pacgold geologists have verified the digital database from the previous drilling reports and/or original laboratory reports. Digital data has been compiled from quality scanned tables and plans included in the statutory reports.</p> <p>Pacgold staff have completed field checks and confirmed the location of some drillhole collars and areas of prior gold mining with a standard GPS.</p>
	Discuss any adjustment to assay data.	No adjustments to assay data have been made.
LOCATION OF DATA POINTS	Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.	<p>All PGO drill holes are surveyed using a DGPS to an accuracy (x,y,z) of <10cm.</p> <p>Surface sample data is located using a GPS to an accuracy of +/-5m</p>
	Specification of the grid system used.	The co-ordinate system used in the Pacgold database is MGA zone 54, GDA94 Datum.
	Quality and adequacy of topographic control.	Quality of the topographic control data is poor and is currently reliant on public domain data
DATA SPACING AND DISTRIBUTION	Data spacing for reporting of Exploration Results.	Rock chips were collected where outcrop was present.
	Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.	<p>There are no Mineral Resources or Ore Reserves.</p> <p>The most densely drilled prospect is AQ (Central Target). With further drilling, data spacing and distribution may support Mineral Resource estimation.</p>
	Whether sample compositing has been applied.	All reported results are part of either 1m sample intervals or 3m composites as described above.
ORIENTATION OF DATA IN RELATION TO GEOLOGICAL STRUCTURE	Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is	Rock chip samples were collected where outcrops were present. Often the quartz veins are more resistant and outcrop.

CRITERIA	JORC Code explanation	Commentary
	known, considering the deposit type.	
	If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	No sampling bias has been identified in connection with the orientation of the drilling.
SAMPLE SECURITY	The measures taken to ensure sample security.	Samples are securely transported by Pacgold staff to a commercial transport Company who transport the samples to ALS Townsville.
AUDITS OR REVIEWS	The results of any audits or reviews of sampling techniques and data.	Pacgold has not completed a review of the actual sampling techniques, as this is not possible. Pacgold has reviewed company reports describing sampling techniques. Pacgold has reviewed and where practical validated the database it has compiled.

Section 2: Reporting of Exploration Results

CRITERIA	JORC Code explanation	Commentary
MINERAL TENEMENT AND LAND TENURE STATUS	Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.	<p>Refer to Solicitor's report in Company's IPO Prospectus released to ASX on 6 July 2021.</p> <p>The Alice River Gold Project is secured by 13 tenements, including 8 granted Mining Leases (MLs), and 5 Exploration Permits for Minerals (EPMs), for total of approximately 377 square kilometres.</p>
	The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	<p>Refer to Solicitor's report in Company's IPO Prospectus released to ASX on 6 July 2021All tenements are in good standing.</p>
EXPLORATION DONE BY OTHER PARTIES	Acknowledgment and appraisal of exploration by other parties.	<p>Refer to IGR in Company's IPO Prospectus released to ASX on 6 July 2021. A summary of previous exploration and mining is presented below.</p> <p>1903: Gold mining commenced at Alice River Gold Project.</p> <p>1903 – 1917: Production of 3,244 oz Au at grade of around 38 g/t Au.</p> <p>1987 – 1998: Cyprus, Beckstar, Golden Plateau, Goldminco and Subloo International completed regional geochemical sampling programs, rock chip sampling, RAB/auger drilling, airtrack drilling, ground magnetic surveys, IP and VLF-EM geophysical surveys, costeaning programs, and numerous drilling programmes (RC and diamond drilling). Several estimates of the tonnage and grade of mineralisation, not compliant with the JORC Code were made.</p> <p>1999 – 2000: A total of 2,745 oz gold was produced from 36,000 t of ore by Beckstar.</p> <p>2001: Beckstar entered Administration and Tinpitch acquired the project.</p> <p>2017: Spitfire entered a joint venture deal with Tinpitch and completed RC drilling.</p> <p>The historical drilling and trenching data from Posie have been included in the Pacgold database and assessed to determine the relevance of the information to the current drilling program. The accuracy of the positions of historical drillholes at Posie is not reliable in the database and therefore all Posie drillholes have</p>

CRITERIA	JORC Code explanation	Commentary
		been removed from maps or cross sections in publicly released information.
GEOLOGY	Deposit type, geological setting, and style of mineralisation.	<p>The Alice River Gold Project lies within the Alice-Palmer Structural Zone. Gold mineralisation is focused along regional northwest shear zones. The shear zones are largely hosted within the Imooya Granite, a pale grey to white mica-biotite leucogranite (commonly referred in the old reports as an adamellite), of the Siluro-Devonian Kintore Supersuite. At the north end of the Project area the shears intersect gneisses and schists of the Sugarbag Creek Quartzite, which forms the lower part of the Mesoproterozoic Holroyd Metamorphics.</p> <p>Mineralisation is considered to be Intrusion Related Gold – epithermal style. The gold-bearing shear zones extend episodically for approximately 50 km strike length. Gold mineralisation is generally hosted in quartz veins, and minor quartz breccias, up to 10 – 15 m wide in places. Gold mineralisation is focused in linear zones up to 150 m strike length.</p> <p>Gold occurs as both fine free gold in quartz or associated with arsenopyrite and stibnite. Green-white quartz-sericite-epidote alteration zones extend 50 – 70 m around the mineralised veins at some deposits but generally the quartz veins display narrow alteration selvages. The weathered (oxide) zones at surface are around 10 – 20 m deep.</p>
DRILL HOLE INFORMATION	<p>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</p> <p>Easting and northing of the drill hole collar.</p> <p>Elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar.</p> <p>Dip and azimuth of the hole.</p> <p>Down hole length and interception depth.</p> <p>Hole length.</p>	<p>Drill hole details completed and in progress are presented in Table 1</p>
	If the exclusion of this information is justified on the basis that the information is not Material	Historical drilling and trenching data from Posie have been included in the Pacgold database and assessed to determine the relevance of the information to the current drilling program. The accuracy of the positions

CRITERIA	JORC Code explanation	Commentary
	and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	of historical drillholes at Posie is not reliable in the database and therefore all Posie drillholes have been removed from maps or cross sections in publicly released information.
DATA AGGREGATION METHODS	In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g., cutting of high grades) and cut-off grades are usually Material and should be stated.	<p>Unless specified otherwise, a nominal 0.1g/t Au lower cut-off has been applied incorporating up to 6m of internal dilution below the reporting cut-off grade to highlight zones of gold mineralisation. Refer Table 1 and 2.</p> <p>Pacgold have previously been reporting intercepts at 0.3 g/t Au and at 0.5 g/t Au lower cut-offs as well as highlighting >10 g/t Au high grade zones. These cut-offs were selected to highlight the mineralisation results that occur as narrow higher-grade veins, within broader mineralisation zones comprising minor veins and alteration zones. In 2025 the interpretation of gold mineralisation intersected in drilling on the Central and Southern Targets has been reassessed and recalculated using a 0.1g/t Au lower cut-off as it is considered that near surface mineralisation presents as an open pit target where 0.1 to 0.2 g/t Au presents a reasonable possible economic cut-off for bulk mining.</p> <p>Deeper drilling by Pacgold has also defined areas on the Central Target where underground mining may be expected as the preferred mining method. Such mining might target both the narrow high-grade zones or allow larger scale bulk stoping underground mining methods. Pacgold will continue drill testing the extent of the mineralisation and continuity of both the high-grade veins and the broader lower-grade gold mineralisation zone to determine the most likely open pit to underground interface and also the scale and likely cut-off for potential underground mine development. It is expected that exploration reporting cut-offs and criteria will be refined when these development aspects become clearer or after the initial Mineral Resource assessment refines the cut-off and thickness selections.</p>
	Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.	High grade gold intervals internal to broader zones of mineralisation are reported as included intervals. A nominal 1g/t Au cut-off has been applied to reporting high grade gold intervals contained within broader zones of mineralisation. These are routinely specified in the summary results tables.
	The assumptions used for any reporting of metal	No metal equivalents are reported.

CRITERIA	JORC Code explanation	Commentary
	equivalent values should be clearly stated.	
RELATIONSHIP BETWEEN MINERALISATION WIDTHS AND INTERCEPT LENGTHS	<p>These relationships are particularly important in the reporting of Exploration Results.</p> <p>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</p> <p>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g., 'down hole length, true width not known').</p>	The orientation of the drilling is generally perpendicular to the strike of the mineralisation but not perpendicular to the dip on the mineralisation. Generally, the true width of the mineralisation is approximately half the intercept width but until we have additional drilling to confirm the exact geometry of the mineralisation the true width is uncertain.
DIAGRAMS	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	See body of this ASX announcement for appropriate diagrams.
BALANCED REPORTING	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	Comprehensive reporting of the drill hole information has been included.
OTHER SUBSTANTIVE EXPLORATION DATA	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock	<p>The Alice River Gold Project includes a large amount of exploration data collected by previous companies, including regional stream sediment geochemical data, soil sample and rock chip data, geological mapping data, open hole percussion drilling data, ground magnetics, IP and VLF-EM geophysical survey data, and costean data. Much of this data has been captured and validated into a GIS database.</p> <p>Metallurgical tests of selected mineralised samples including bottle roll cyanide leach tests were conducted by Golden Plateau in 1994, Goldminco in 1999, and by</p>

CRITERIA	JORC Code explanation	Commentary
	characteristics; potential deleterious or contaminating substances.	Tinpitch in 2005 and 2006. Gravity concentration tests were also carried out by Goldminco in 1999. Bottle roll cyanide leach testing work produced variable results. Some samples returned low recoveries, whilst other samples produced high recoveries up to 90%. Further metallurgical work is warranted. Further information is in the IGR of the Company's IPO Prospectus released to ASX on 6 July 2021.
FURTHER WORK	The nature and scale of planned further work (e.g., tests for lateral extensions or depth extensions or large-scale step-out drilling).	Pacgold plans to conduct further surface geological mapping and geochemistry, ground geophysics and Aircore, RC and Diamond drilling across three high-priority target areas over the next two years.
	Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	See body of this ASX announcement.