

ASX Release 26 March 2025

Boss Energy Honeymoon Analyst Site Visit Presentation

Boss Energy Limited (ASX: BOE; OTCQX: BQSSF) advises that today, on 26 March 2025, it is hosting a site visit for 14 equity research analysts at the Honeymoon Uranium mine, South Australia. The following presentation will be delivered at Honeymoon by site management.

This presentation includes an update on Honeymoon's quarterly production to date.

This ASX announcement was approved and authorised by the CEO on behalf of the Board of Boss Energy.

For further information, contact:

Duncan Craib
Chief Executive Officer
P: +61 (8) 6263 4494
E: boss@bossenergy.com

For media enquiries, contact:

Paul Armstrong
Read Corporate
P: +61 (8) 9388 1474
E: info@readcorporate.com

FOR FURTHER INFORMATION PLEASE CONTACT:

Boss Energy Limited
ABN 38 116 834 336

Level 1, 420 Hay Street, Subiaco
Western Australia 6008

Duncan Craib - Managing Director/ CEO
+61 (08) 6263 4494

Paul Armstrong – Public Relations
+61 (08) 9388 1474

ASX: BOE
OTCQX: BQSSF

www.bossenergy.com
[X@Boss_Energy](https://twitter.com/Boss_Energy)

For personal use only



A global multi-mine Uranium producer

First mover advantage in a rising Uranium market

Honeymoon Analyst Site Visit

26 March 2025

ASX: BOE | OTCQX: BQSSF

bossenergy.com

ersonal use only




Honeymoon Site Visit

1

Production Results (3Q25)

Production Results

Honeymoon March Quarterly Production¹



Notes:

1. Actual production to 23 March 2025. Forecast production from 24 March 2025 to 31 March 2025

- **Strong expected quarter on quarter growth** in IX production and U₃O₈ drummed
- **Remain on track** to deliver 850k lbs U₃O₈ drummed for FY25
- U₃O₈ drummed exceeded IX production as a portion of the inventory accumulated in previous quarters was processed through the drying and packing stage.
- Challenges with the kiln and baghouse (which form a part of the drying and packing stage) have resulted in some unplanned downtime during the quarter. These issues continue to be resolved but are not expected to impact ramp up targets.
- Despite challenges noted above, annualised run rate of 3Q25 is forecast to be ~1.18m lbs U₃O₈ drummed per annum, which positions Boss to continue to ramp up beyond FY25.






Honeymoon Site Visit


2

Wellfields

Honeymoon Wellfields



Honeymoon Current Wellfield Configuration



Honeymoon Wellfield Development

Steps	Key Activity	Description	Indicative Timeframe
1	Resource Delineation	Resource delineation drilling is completed on typical spacing of 40m x 40m. Key for resource delineation drilling is the use of the BMR and PFN probe	Typical drilling rates are ~300m/day
2	Wellfield Design	Wellfield design is based on 5 –spot patterns with 30-40 m between extraction and injection wells. Each wellfield is comprised of 16 extraction wells and ~20-30 injection wells. Methodology is to put as much resource under leach as possible whilst remaining above cut-off grades.	1 month
3	Wellfield Drilling and installation	Well drilling comprised of: a) 1st stage drilling, b) geophysical logging, c) casing, d) 2nd stage drilling, e) 2nd stage logging, f) airlifting, g) QAQC logging, h) integrity testing	2 days (1st and 2nd stages not completed straight after one-another)
4	Wellfield construction and commissioning	Installation: a) Installation of submersible pumps (12 week lead time) b) trunk lines and spider lines c) wellhouses d) filter skid e) connection f) electrical and instrumentation g) commissioning	3 months
5	Flushing / Conditioning	Acidified water injected into new wellfield and extracted groundwater sent to water treatment plant. Wellfield is flushed with clean acidified to remove Ca and Cl prior to brining on to production whilst also preparing ore for leaching	1-2 months



Wellfield available for production

Honeymoon Wellfield Resource Delineation

Down Hole Probes

Prompt Fission Neutron (PFN) Direct measurement of Uranium (^{235}U)

Borehole Magnetic Resonance (BMR) Total Porosity (mobile and bound fluid)
Primary lithological tool



Induction Useful at picking lithological boundaries
Identifies sulphides

Resistivity Useful at picking lithological boundaries

Gamma Indirect measurement of Uranium –
measures all radio nucleotides (K, Th, U,
 ^{214}Bi , ^{214}Pb)

Caliper Borehole size and QAQC


Deviation Borehole orientation



Personal use only


Honeymoon Wellfield Development

Honeymoon Lower Domain – Wellfields Design



Honeymoon Wellfield Key Assumptions

Key Consideration	Description
1 Overall Recovery	Assumed from EFS of 70% overall recovery of U ₃ O ₈ equivalent from all wellfields - B1 and B2 performing as expected
2 % Recovery per Pore Volume Exchange (PVE)	Forecast production rate is based on the % recovery per PVE from a wellfield. The EFS assumes a 70% resource recovery over 70 PVE. B1 – Tracking close to projected recovery (B1 was partially leached by Uranium One and why recovery profile different to that of B2) B2 – Recovery per PVE much higher than forecasted leading to quicker overall recovery
3 Flow Rates	Flow rates through wellfields also drive how quickly the resource can be recovered. Flow rates through wellfields are in-line with forecasted rates




Honeymoon Wellfield Opportunities

	Opportunity	Description	Outcome
1	Modular Wellhouse	Currently in construction of V2.0 wellhouse design (incl. VSDs) as a modular unit fabricated offsite. Potential to adopt 'modular construction model'	Capital and operational cost improvements
2	Ferric Sulphate	Use of ferric sulphate above planned dosing concentrations increased uranium wellhouse head-grade. There is an opportunity to use ferric to increase grade as an option to extend wellfield life (and total recovery)	Quicker recovery and improved cost per lb U ₃ O ₈
3	First Fill Recovery/ Reuse	First fill for the wellfields consists of ferric sulphate and sulphuric acid. Work is in progress on determining the optimal path in regards to recovery of the first fill lixiviants	Cost savings
4	Centralise Filtration Plant	Commenced costing and studies on a centralised filtration plant for B6 – B9 versus individual filter skids at each wellhouse with the aim of reducing cost and improved productivity/operational efficiency	Productivity and cost improvements

Honeymoon Wellfield Resource Delineation

Wellfields	Current Status	Scheduled Date for Production
B1 & B2	Currently in production	In production
B3	Available for production (flushing completed)	4QFY25
B4	Currently refurbishing wellhouse with poly and trunk line installation scheduled to commence shortly. Scheduled for commissioning 1QFY26	1QFY26
B5	Wellhouse in construction (offsite) with poly and trunk line installation scheduled to commence shortly. Scheduled for commissioning 1QFY26	2QFY26
B6 (Far East Kallaroo)	Well installation with purchasing of long lead items. Trunk line installation scheduled for commencement 4QFY25. Scheduled for commissioning 2QFY26	3QFY26






Honeymoon Site Visit

3

Process Plant

Honeymoon Key Stages of Processing



Wellfield Insitu Leach

Filtered groundwater with acid (sulphuric acid), oxidant (hydrogen peroxide) and iron (ferric sulphate) called the Leaching Lixiviant is injected into the uranium hosted sand orebody through a series of injector wells. The uranium is dissolved and uranium rich groundwater (pregnant solution) is pumped to surface through a series of extractor wells.

Ion Exchange & Stripping

NIMCIX continuous ion exchange technology uses synthetic resin beads to purify and concentrate the uranium solution. In the first stage, the uranium from the pregnant solution is absorbed on the resin beads. In the second stage, the loaded resin is then stripped of uranium as part of the elution process with saline water.

Precipitation

Precipitation of uranium from solution to convert back into solid form. Honeymoon uses hydrogen peroxide precipitation method which produces a very pure product Uranyl Peroxide (Yellowcake) in slurry form.

Drying & Calcination

The Yellowcake is washed and dewatered through centrifuge before calcination via electric kilns to U_3O_8 (Blackcake).

Drumming & Packing

U_3O_8 is placed into steel drums before being packed shipping containers.

Logistics

The containers are road freighted from Honeymoon for shipping to conversion facilities.

Technical Improvements since Uranium One


Seeing the benefits from the Technical Improvements since Uranium One

Key Area	Uranium One	Boss Energy Improvements	Proven Outcomes
Lixiviant Stability	Low Fe	High Fe (2g/l)	Improved leaching efficiency
	pH - 2	pH - 1.4	
Operating Cost	Large Bleed Treatment	Groundwater pre-treatment	Cost effective Ca/Cl removal
	Solvent Extraction	NIMCIX	Enables higher throughput at lower unit costs
Product Quality	Organic SX contamination	Eliminated via NIMCIX	Improved product safety
	Iron contamination	Iron does not load on IX	Lower probability of product rejection
	Low product washing capability	2 stage product re-pulp	Improved product wash efficiency
	Vacuum Dryer (UO ₄)	Calciner (U ₃ O ₈)	Higher packing density Improved customer acceptance
Environmental	Potential for solvent loss to wellfield	Eliminated through IX	Lower environmental impact


Honeymoon Processing - Recovery

Process Area	EFS (assumed)	Actual (average)	Commentary
✓ IX Recovery	98%	98%	<ul style="list-style-type: none"> Resin loading higher than EFS life-of-mine assumption at an average of 35g/l compared to 26.7-27.3g/l – resin performing at higher head grades Recovery achieved as per EFS parameters, attributed to the optimisation of the resin loading cycle times and resin transfer rates Important to note that IX Recovery loss is reprocessed back through wellfields and hence is not lost from total circuit
✓ Precipitation Recovery	98%	99%	<ul style="list-style-type: none"> In the event of reduced recovery events in the circuit, losses are mitigated by redirecting thickener overflow to PLS pond for recovery Optimisation of reagent usage versus recovery has not yet been completed

Achieving strong recovery performance to date even during ramp-up and commissioning phases



Honeymoon Key Milestones



* Forecast date




Honeymoon Site Visit

4

Operating Costs

C1 Costs

Honeymoon C1 Cost Breakdown (2H25)¹



Reagent	Proportion	Sourced	Use
Sodium Carbonate	31%	Adelaide	Water Treatment, Ion Exchange
Hydrogen Peroxide	16%	Sydney	Wellfield Lixiviant, Precipitation
Sodium Hydroxide	16%	Adelaide	Water Treatment, Precipitation
Ferric Sulphate	13%	Adelaide	Wellfield Lixiviant
Sulphuric Acid	10%	Port Pirie	Water Treatment, Wellfield Lixiviant, Precipitation
Sodium Chloride	8%	Melbourne	Ion Exchange
Synthetic Resin	5%	International	Ion Exchange

- **C1 Costs** continue to track in line with guidance of AU\$37/lb – A\$41 per pound for 2H25, based on 2H25 half to February 2025 results.
- **Most cost types are materially in line with expectations** with some small one-off (mainly site general and admin) savings being offset by some small one-off unexpected additional commissioning costs (mainly labour).
- Further detail on financial performance will be provided as a part of the March quarterly report.

Honeymoon Resource Tables

HONEYMOON JORC EXPLORATION TARGETS AND MINERAL RESOURCE

The information in this Presentation relating to the Enhanced Feasibility Study (EFS) is extracted from the announcement entitled 'Updated Feasibility Study identifies lower costs and increased financial returns' dated 21st June 2021. Boss Energy confirms that all the material assumptions underpinning the production targets, and forecast financial information derived from the production targets, continue to apply and have not materially changed. As the EFS utilises a portion of Inferred Mineral Resources, the ASX Listing Rules (Listing Rules) require a cautionary statement to be included in this Presentation. The EFS is based on a Mineral Resources Estimate in accordance with the JORC 2012 guidelines (ASX: 149% Increase in Measured and Indicated Resources at Honeymoon date 25 February 2019). The Company advises that the EFS uses a portion of Inferred Resources; in the first 3 years (less than 1%), in the first 5 years (5%) and over the 11-year life of mine (19%). The Company confirms that the use of Inferred Resources is not a determining factor to the Honeymoon Project's economic viability. There is a low level of geological confidence associated with Inferred Resources and there is no certainty that further exploration or evaluation work will result in the determination of Indicated Resources or that the production targets reported in this announcement will be realised.

The mineral resource estimate and exploration target in this Presentation were reported by the Company in accordance with Listing Rules 5.8 and 5.7 (respectively) on 25 February 2019 and 25 March 2019, respectively. The Company confirms it is not aware of any new information or data that materially affects the information included in the previous announcement and that all material assumptions and technical parameters underpinning the estimates in the previous announcement continue to apply and have not materially changed. In relation to the exploration target, this does not include areas of the existing mineral resource and the potential quantity and grade reported are conceptual only in nature. Insufficient exploration has been conducted to estimate a mineral resource and it is uncertain whether future exploration will lead to the estimation of a mineral resource in the defined areas.

	Tonnes (Mt)	Grade (%U ₃ O ₈)	Contained U ₃ O ₈ (Mlbs)
Measured	3.1	0.110	7.6
Indicated	18.4	0.063	25.5
Inferred	30.9	0.057	38.5
Total	52.4	0.062	71.6

Disclaimer and Important Notices

IMPORTANT: You must read the following before continuing.

This investor presentation ("Presentation") has been prepared by Boss Energy Limited (ACN 116 834 336) (**Boss Energy or Company**). NOT INVESTMENT ADVICE

This Presentation does not constitute in any way an offer or invitation to subscribe for securities in Boss Energy pursuant to the Corporations Act 2001 (Cth) and has not been lodged with the Australian Securities and Investment Commission.

This Presentation does not constitute investment advice and has been prepared by Boss Energy without taking into account the recipient's investment objectives, financial circumstances or particular needs. Each recipient must make his/her own independent assessment and investigation of Boss Energy and its business and assets when deciding if an investment is appropriate and should not rely on any statement or the adequacy and accuracy of any information. This Presentation is in summary form and does not purpose to be exhaustive. This Presentation should be read in conjunction with Boss Energy's periodic and continuous disclosure announcements lodged with the Australian Securities Exchange, which are available to download at www.asx.com.au.

Boss Energy makes no representation or warranty (either expressed or implied) as to the accuracy, reliability or completeness of the Information. Boss Energy and its directors, employees, agents and consultants shall have no liability (including liability to any person by reason of negligence or negligent misstatement) for any statements, opinions, information or matters (express or implied) arising out of, contained in or derived from, or for any omissions from the Presentation, except liability under statute that can not be excluded.

FORWARD LOOKING STATEMENTS

All dollar amounts are in Australian dollars unless otherwise indicated. This announcement may contain certain statements and projections provided by or on behalf of Boss Energy Limited with respect to the anticipated future undertakings. These forward-looking statements reflect various assumptions by or on behalf of Boss Energy. Accordingly, these statements are subject to significant business, economic and competitive uncertainties and contingencies associated with the mining industry which may be beyond the control of Boss Energy which could cause actual results or trends to differ materially, including but not limited to price and currency fluctuations, geotechnical factors, drilling and production results, development progress, operating results, reserve estimates, legislative, fiscal and regulatory developments, economic and financial market conditions in various countries, approvals and cost estimates, environmental risks, ability to meet funding requirements, share price volatility. Accordingly, there can be no assurance that such statements and projections will be realised. Boss Energy makes no representations as to the accuracy or completeness of any such statement of projections or that any forecasts will be achieved. Additionally, Boss Energy makes no representation or warranty, express or implied, in relation to, and no responsibility or liability (whether for negligence, under statute or otherwise) is or will be accepted by Boss Energy or by any of their respective officers, directors, shareholders, partners, employees, or advisers as to or in relation to the accuracy or completeness of the information, statements, opinions or matters (express or implied) arising out of, contained in or derived from this announcement or any omission from this announcement or of any other written or oral information or opinions provided now or in the future to any interested party or its advisers. In furnishing this announcement, Boss Energy undertakes no obligation to provide any additional or updated information whether as a result of new information, future events or results or otherwise. Nothing in this material should be construed as either an offer to sell or a solicitation of an offer to buy or sell securities. It does not include all available information and should not be used in isolation as a basis to invest in Boss Energy.

The information in this document relating to the **Enhanced Feasibility Study ("EFS")** is extracted from the announcement entitled 'Updated Feasibility Study identifies lower costs and increased financial returns' dated 21 June 2021. Boss Energy confirms that all the material assumptions underpinning the production targets, and forecast financial information derived from the production targets, continue to apply and have not materially changed.

As the EFS utilises a portion of Inferred Mineral Resources, the ASX Listing Rules require a cautionary statement to be included in this presentation. The EFS is based on a Mineral Resources Estimate in accordance with JORC guidelines 2012 (ASX:149% Increase in Measured and Indicated Resources at Honeymoon dated 25 February 2019).

The Company advises that the EFS uses a portion of Inferred Resources in the first 3 years (less than 1%), in the first 5 years (5%) and over the 11-year life of mine (19%). The Company confirms that the use of Inferred Resources is not a determining factor to the Honeymoon Project's economic viability. There is a low level of geological confidence associated with Inferred Resources and there is no certainty that further exploration or evaluation work will result in the determination of Indicated Resources or that the production targets reported in this announcement will be realised.

REFERENCE TO PREVIOUS ASX ANNOUNCEMENTS

The mineral resource estimate and exploration target in this announcement were reported by the Company in accordance with listing rules 5.8 and 5.7 (respectively) on 25 February 2019 and 25 March 2019, respectively. The Company confirms it is not aware of any new information or data that materially affects the information included in the previous announcement and that all material assumptions and technical parameters underpinning the estimates in the previous announcement continue to apply and have not materially changed.

In relation to the exploration target, this does not include areas of the existing mineral resource and the potential quantity and grade reported are conceptual only in nature. Insufficient exploration has been conducted to estimate a mineral resource and it is uncertain whether future exploration will lead to the estimation of a mineral resource in the defined areas.

EFFECT OF ROUNDING

A number of figures, amounts, percentages, estimates, calculations of value and fractions in this Presentation are subject to the effect of rounding. Accordingly, the actual calculation of these figures may differ from the figures set out in this Presentation.

PAST PERFORMANCE

Past performance information, including past share price performance of Boss Energy and pro forma financial information, given in this Presentation is given for illustrative purposes only and should not be relied upon as (and is not) an indication of Boss Energy's (or anyone else's) views on Boss Energy's future financial performance or condition. Past performance of Boss Energy cannot be relied upon as an indicator of (and provides no guidance as to) the future performance of Boss Energy. Nothing contained in this Presentation nor any information made available to you is, or shall be relied upon as a promise, representation, warranty or guarantee, whether as to the past, present or future.

JORC CODE

It is a requirement of the Listing Rules that the reporting of ore reserves and mineral resources in Australia comply with the Joint Ore Reserves Committee's Australasian Code for Reporting of Mineral Resources and Ore Reserves ("JORC Code"). Investors outside Australia should note that while ore reserve and mineral resource estimates of the Company in this Presentation comply with the JORC Code (such JORC Code-compliant ore reserves and mineral resources being "Ore Reserves" and "Mineral Resources" respectively), they may not comply with the relevant guidelines in other countries and, in particular, do not comply with (i) National Instrument 43-101 (Standards of Disclosure for Mineral Projects) of the Canadian Securities Administrators (the "Canadian NI 43-101 Standards"); or (ii) Item 1300 of Regulation S-K, which governs disclosures of mineral reserves in registration statements filed with the SEC. Information contained in this document describing mineral deposits may not be comparable to similar information made public by companies subject to the reporting and disclosure requirements of Canadian or US securities laws.

This ASX announcement was approved and authorised by the CEO on behalf of the Board of Boss Energy.

ersonal use only



Boss Energy Limited

**Honeymoon Analyst Site
Visit Presentation**

Keep in touch

+61 (8) 6263 4494

boss@bossenergy.com

ASX: BOE | OTCQX: BQSSF