

## NEW THESEUS GOLD & COPPER PROJECT SECURED LACHLAN FOLD BELT, NSW




Figure 1 Project Location Map significant operating mines\*, selected neighbours and others (grey)

### Summary

- **Copper Search has secured a strategic 944km<sup>2</sup> ground position in the Macquarie Arc – Lachlan Fold Belt, NSW**
- **The Theseus Project is prospective for epi-thermal gold and Cu-Au porphyry deposits, and is located 25km east of the operating Cowal Gold Mine in the southern Macquarie Arc of the Lachlan Fold Belt, NSW**
- The Theseus Project is secured via an exclusive six-month option to purchase outright the Rimfire Pacific Mining Limited's 455km<sup>2</sup> (ASX: RIM) Cowal Project, and via a new CUS tenement application of 489km<sup>2</sup>
- During the 6-month Option period, the Company will use mineral geochemistry analysis on historical core, consolidate all historical data to validate drill targets, verify access with landowners, and inform a decision to purchase outright for \$200k (+ additional milestone payments) and the next steps on the ELA6903 once granted.
- Field crews are continuing exploration on the Byrock Project, NSW

\* Deposit sizes source: company websites, Newmont, Evolution and Alkane, see references.

### BOARD & MANAGEMENT

Chris Sutherland – *Chair*  
Duncan Chessell – *MD, CEO*  
Peter McIntyre – *NED*  
Greg Hall – *NED*  
Dr Tony Belperio – *NED*  
Jarek Kopias – *Co Sec, CFO*

### Technical Advisory Panel

John Main – *Chair*  
Dr Tony Belperio  
Duncan Chessell

### Expert Consultants

Dr Paul Kitto  
Professor Bruce Schaefer  
Dr David Rawlings  
Michael Rodda  
Theo Aravanis  
Neil Hughes  
AMC Mining Group

### CAPITAL STRUCTURE

Ordinary Shares:  
Issued 119M

Options:  
22M

Performance Rights:  
3M

### CONTACT

**Adelaide Office**  
21 Sydenham Road  
Norwood SA 5067  
Australia

info@coppersearch.com.au  
www.coppersearch.com.au



I'm pleased to share with investors the next step in expanding our pipeline of drill targets across the Lachlan Fold Belt in New South Wales - the addition of the Theseus Gold and Copper Project.

Copper Search has been actively assessing opportunities in the district because it meets several of our key selection criteria: a strong mining jurisdiction, proximity to operating mines, and demonstrated economic scale potential.

Historical drilling confirmed the project's prospectivity, particularly around the Porters Mount Prospect, where there is clear evidence of gold-bearing epithermal mineralisation and associated textures. So, when the opportunity to acquire this ground arose, we moved quickly to secure it.

Our exclusive option over the southern half of the Theseus Project was made possible because the current holder, Rimfire Pacific Mining, is fully focused on its Scandium Project. The EL application over the northern half was lodged immediately after Newmont released the ground, and we look forward to assessing that opportunity, particularly their data, as it becomes available.

Our next step is to combine the large amount of historical data and leverage our strong technical team, as well as our proprietary machine learning techniques, to identify targets for final verification.

Importantly, the structure of the deal gives us the flexibility to make a fully informed decision — either to proceed with drilling or to walk away — before deploying significant amounts of shareholder capital.

We believe discovery success is the key to creating maximum shareholder value, and I look forward to the rest of 2025 as we continue to identify, secure, validate and develop our pipeline of drill targets across Australia and North America.

**- Managing Director Duncan Chessell**



Figure 2 Epi-thermal style mineralisation, coliform banded vein breccia and Ginguro bands from historical diamond core drill hole ID PMD001. Half core shown from down hole depth 748-749m with lab assays returning 0.65g/t gold, 0.25% Arsenic and 2.2g/t silver over 1m, typical of epi-thermal systems. (picture and description - supplied by Rimfire).

**Copper Search Ltd (ASX: CUS) (CUS, Copper Search or the Company)** is very pleased to announce the signing of an exclusive option to purchase agreement with Rimfire Pacific Mining Limited (ASX: RIM or Rimfire) which allows CUS a 6-month exclusive option to purchase the Rimfire “Cawal Project” outright with certain milestone payments and royalties. Material terms are set out below. The new combined Theseus Project covers a total of 944km<sup>2</sup> comprised of a 100% owned Copper Search ELA 6903 (489km<sup>2</sup>) and Rimfire’s “Cawal Project” tenements (455km<sup>2</sup>) EL8329, EL8804 and EL9397. Located 320km west of Sydney, NSW. The region is part of the Lachlan Fold Belt, which includes the Macquarie Arc, containing multiple profitable operating gold and base metal mines. The Macquarie Arc is Australia’s premier porphyry copper-gold province, host to several world-class mines, such as Newcrest Mining’s Cadia mine, Evolution Mining’s Northparkes and Cawal gold mines.

### **Prospectivity of the Theseus Project**

Crucially, the project is in the well-endowed Junee – Narromine Volcanic Belt (JNVB) of the Ordovician to Early Silurian Age Macquarie Arc. Evolution’s Cawal Operations with 8.9Moz gold in resource and North Parkes Operation with resources of 2.6Moz gold and 2.3Mt copper, exploit the same JNVB geological formation. While younger sequences overlying most of the target formation, much of the heavy lifting to obtain basement samples has been done with over 31,000m of drilling data collected since 1970, to build our geological model. Our geology team will conduct a gap analysis of historical works, apply modern mineral geochemistry to determine fertility to A/ inform a decision to purchase outright and B/ on the positive decision to purchase; plan next steps to validate with geophysics or air core drilling to build a priority list of drill targets.

Previous explorers have identified multiple prospects – **Porters Mount and LFB022** as two examples. **However multiple other historical results and new magnetics and gravity data leave the exploration space not fully tested.**

Rimfire proposed a drill program for the LFB022 Prospect but did not commence the program due to success elsewhere. **LFB022 is a 1.5 x 3.5km area of anomalous in copper mineralisation from air core drilling - maximum of 1,320ppm Cu** (Hole ID CBAC022), see Figure 3 and Figure 5. The project is prospective for copper-porphyry style mineralisation.

The Porters Mount Prospect has both shallow air core drill testing and a deep diamond core drill hole (ID: PMD001) to 890m. The deeper hole intersected typical epi-thermal textures and gold, silver, and arsenic mineralisation, demonstrating the fertility of the prospect (see Figure 2). This identification of epi-thermal mineralisation at depth leaves a large untested zone of the project between positive results from shallow air core drilling and high-grade mineralisation at depth, for high-grade gold vein mineralisation.

**Porters Mount** shallow drilling highlights include

- **20m @ 0.73 g/t Au** from 6m, Hole ID TARRA61
- 36m @ 0.43 g/t Au from 48m, Hole ID TARD84
- 26m @ 0.35 g/t Au from 22m, Hole ID TARD86
- **2m @ 1.76 g/t Au** from 20m, Hole ID TARP81
- **2m @ 2.75 g/t Au** from 76m, Hole ID TARRA45

**Porters Mount** deep drilling highlights include

- **78m @ 0.37 g/t Au and 0.5% As** from 740m, Hole ID PMD001
  - Including 1m @ 0.63 g/t Au and 7% Arsenic from 703m

**Material Terms of the Rimfire Cowal Project Agreement**

Copper Search, through its wholly owned subsidiary, Altitude Gold Pty Ltd (Altitude), has entered into a binding agreement granting CUS an exclusive option to purchase the Cowal Project from Rimfire on terms as set out in the table below.

Event	Consideration Shares to RIM	Consideration Cash to RIM	Total Consideration
6-month Option Period	Nil	\$50,000	\$50,000
Outright Purchase	\$100,000 shares*	\$100,000	\$200,000
First JORC MRE (Deposit) Milestone	\$100,000 shares*	\$100,000	\$200,000
First Production Milestone	Nil	\$250,000	\$250,000
<b>Total</b>			<b>\$700,000</b>

\* The issue of shares is at CUS's election in lieu of cash and will be subject to future shareholder approval – the number of shares will be calculated based on the 20-Day VWAP immediately before the issue.

Under the terms of the Agreement, Copper Search will pay \$50,000 in cash to secure an exclusive 6-month option to assess the Rimfire Pacific Cowal Project within ten (10) business days of the waiver of Sandfire Resources' Right of First Refusal (ROFR) over one of the Cowal Project tenements - EL8329 (75km<sup>2</sup>). Sandfire has 30 business days to make an election to exercise its ROFR. NSW granted Tenements included are EL8329, EL8804 and EL9397 (total 455km<sup>2</sup>). During the exclusive option period, CUS intends on a best endeavours basis to complete relogging of drill core and investigate mineral geochemistry studies to determine fertility and potential vectors to mineralisation using innovative trace element analysis developed by the Centre for Ore Deposit Exploration Studies (CODES), University of Tasmania. CUS also intends to compile and re-analyse all previous exploration data in detail using the latest mineralisation models and new technology innovations available. See Map below (Figure 3).

**Purchase**

- At CUS's call, during the exclusive 6-month option period, CUS may purchase the project outright for \$200,000 in cash or, at CUS's election, up to 50% shares.
- The option period may be extended by a maximum of 3 months by paying a cash consideration of \$10,000 per month of extension.

**Royalties**

- 2% NSR in favour of Sandfire Resources Limited (ASX: SFR) is held over EL8329.

**Milestone Payments**

- First JORC Mineral Resource Estimate (MRE) (inferred or better) announced triggers a further payment of \$200,000 to Rimfire, as cash or at CUS election up to 50% shares.
- First production of at least 50,000 oz of gold or gold equivalent triggers a final payment of \$250,000 cash to Rimfire within 30 days of first production.

CUS will fund initial expenditure from existing funds and has sufficient funds to complete the outright purchase. Shareholder approvals are not required to proceed with this transaction.

Rimfire Pacific Mining Limited is an ASX-listed explorer, Stock Code RIM, with advanced Scandium Projects in NSW. CUS has conducted due diligence on the standing of the tenements and the Company.

For personal use only

## Tenements, Prospects, Royalty, ROFR and Drill Collars Map




Figure 3 Tenement Map, prospects, operating mines and significant deposits, historical drill collars by type

For personal use only

# HOW **COPPER** SEARCH HAS REFINED THE TARGET SELECTION PROCESS

POTENTIAL PROJECT IDENTIFIED

**STEP 1. REVIEW LOCATION & HISTORICAL DATA**

- Right Jurisdiction
- Right Commodity
- Existing Profitable Mines

**STEP 2. EVALUATE PROJECT USING CUTTING EDGE TECHNOLOGY**


- Machine Learning
- Quantify economic scale potential
- Mineral systems approach
- Target Ranking

**STEP 3. VERIFY DRILL TARGETS**

- Commodity Matter experts
- Technical Review Committee
- Boots-on-ground review
- Geophysics to confirm the target

NEW DRILL TARGET ADDED TO THE PIPELINE

The key to executing Copper Search's strategy is successfully sifting through the mountain of projects out there and identifying the best drill targets. Targets that have the scale potential to host economic discoveries and can be made ready for drill testing with only a few months of low-cost fieldwork. To do this, Copper Search has set up a very specific selection process that harnesses the power of historical data, cutting-edge technology and our team of highly credentialed geoscientists and consultants.



**Corporate Summary**

- In parallel, the team is carefully assessing gold, copper and uranium opportunities and the Company intends to continue to build out a pipeline of large-scale Drill Targets
- The Company intends to seek shareholder approval to change the Company Name to Altitude Minerals Ltd at the next shareholder meeting to reflect the broader commodity exploration strategy the company is now pursuing
- We continue to seek alternative mechanisms to progress the promising Douglas Creek IOCG Prospect at the Peake Project, SA
- The Company is actively exploring its northern NSW Byrock Copper and Gold Project.

**Authorised for release by the board of Copper Search Limited.**

For further information, please get in touch.

Duncan Chessell  
Managing Director, CEO  
[duncan@coppersearch.com.au](mailto:duncan@coppersearch.com.au)  
Copper Search Limited  
+61 414 804 055

Julian Harvey  
Investor Relations  
[jharvey@coppersearch.com.au](mailto:jharvey@coppersearch.com.au)  
Copper Search Limited  
+61 404 897 584

For personal use only

## JORC CODE (2012) Information

### Competent Person Statement

The information in this report related to Exploration Results is based on data compiled by Mr Duncan Chessell, a member of the Australasian Institute of Mining and Metallurgy (MAusIMM) and Australian Institute of Geoscientists (MAIG). Mr Chessell is a full-time employee of the Company. As previously disclosed, Mr Chessell holds Shares, Performance Rights and Options in the Company. Mr Chessell has sufficient experience relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr Chessell consents to the inclusion in the report of the matters based on his information in the form it appears.

Exploration results are disclosed according to the JORC (2012) Code in this report and have been reviewed by the Company's Competent Person.

### Proximity Statement

This announcement contains references to exploration results derived by other parties either nearby or proximate to the Company's tenements and includes references to topographical or geological similarities to those of the Company's tenements. It is important to note that such discoveries or geological similarities do not guarantee that the Company will have any success or similar successes in delineating a JORC compliant Mineral Resource on the Company's tenements.

### General comments

This report includes data from NSW Government websites and includes historical reports referenced in the drill collar file which is public data and state-owned merged geophysics and surface geochemistry data. The Company confirms that it is unaware of any new information or data that materially affects the information included in these announcements or historical reports.

References to neighbouring projects have been obtained from company websites, reports and/or ASX announcements referenced in the body of this report and/or listed below. The Company confirms that it is unaware of any new information or data that materially affects the information included in cross-referenced announcements. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original announcements.

### Abbreviations

Au = Gold, Ag = Silver, Cu = Copper, Mo = Molybdenum, As = Arsenic, K = Potassium, Pb = Lead, U = Uranium, Zn = Zinc, Bi = Bismuth, Te = Tellurium

ppm = parts per million, ppb = parts per billion, g/t = grams per tonne, % = percentage

1ppm = 1g/t

NSI = No Significant Interval

oz = ounce, t = tonne, m = metre, km = kilometre, k = 1,000M = 1,000,000

For personal use only

### Selected Operating Mines – Macquarie Arc – Lachlan Fold Belt, NSW

Operation	Company	Gold Moz	Copper Mt	Reported Date
Cowal	Evolution	8.9	-	31 Dec 2023
Cadia Valley	Newmont	20.6	4.7	31 Dec 2023
North Parkes	Evolution	2.6	2.3	31 Dec 2023
Tomingley	Alkane	1.6	-	30 June 2024

### Selected Deposits – Macquarie Arc – Lachlan Fold Belt, NSW – not in production

Deposits	Company	Gold Moz	Copper Mt	Reference
Marsden	Evolution	1.0	0.5	Company Website
Boda-Kaiser	Alkane	8.3	1.5	29/4/2024 ASX: ALK

### References

Alkane, Company website <https://alkane.com.au> and ASX Announcement (ALK) 29/4/2024

Evolution, <https://evolutionmining.com.au/reservesresources/>

Newmont, <https://operations.newmont.com/reserves-and-resources/>



# LFB022 Prospect Map




Figure 5: The LFB022 Prospect, historical drill collars.

## Significant drilling intervals – Rimfire Tenements Page 1 of 2

Hole ID	Interval	From	To	Au_ppm	Cu_ppm	Mo_ppm	Ag_ppm	As_ppm	Sampled	Year
CBAC020		27	105	132	0.00	566	1.4	0.14	19.5 chips_ac	2009
CBAC022		30	87	117	0.00	775	1.98	0.18	19.5 chips_ac	2009
	Including	5	102	107	0.00	1020	1.71	0.21	18 chips_ac	2009
CBAC024		10	95	105	0.00	665	1.58	0.14	22.6 chips_ac	2009
CBAC030		15	35	50	0.00	63	19.2	0.19	71.6 chips_ac	2009
CBAC032		5	95	100	0.00	597	0.96	0.25	16.7 chips_ac	2009
CBAC035		10	75	85	0.00	635	1.4	0.2	9.8 chips_ac	2009
CBAC040		5	100	105	0.19	162	0.61	0.14	63.3 chips_ac	2009
CBAC044		6	116	122	0.00	850	9.6	0.18	48 chips_ac	2012
	including	2	116	118	0.00	1390	1.71	0.07	20.9 chips_ac	2012
CBAC045		36	98	134	0.00	667	0.72	0.11	19 chips_ac	2012
CBAC046		28	112	140	0.00	705	1.74	0.14	19.4 chips_ac	2012
CBAC048		1.0	106	107	0.00	109	15.65	0.08	337 chips_ac	2012
CBMD001		2	154	156	0.00	177	12.35	0.06	106 core	2013
PM1		2	34	36	0.10	170		2	420 chips_rc	1982
PM2		6	94	100	-0.10	890		96	153 chips_rc	1982
		2	110	112	-0.10	980		107	360 chips_rc	1982
PM3		2	24	26	0.20	50		1	280 chips_rc	1982
		2	64	66	0.10	30		2	100 chips_rc	1982
		2	96	98	0.10	50		3	1800 chips_rc	1982
PM4		10	80	90	0.15	65		4.6	27680 chips_rc	1982
		2	102	104	0.10	15		2	4200 chips_rc	1982
		4	142	146	0.10	50		4	920 chips_rc	1982
PM5		4	36	40	0.10	48		1	120 chips_rc	1982
		2	170	172	0.10	115		21	8400 chips_rc	1982
		2	186	188	0.10	55		5	320 chips_rc	1982
PMAC009		8	26	34	0.11	76	2	0.5	103 chips_ac	2010
PMD001		2	142	144	0.01	149	14	0.3	5 core	2008
		1.3	494	495.3	0.01	528	1	0.8	65 core	2008
		4.4	530.9	535.3	0.23	266	-1	25	6679 core	2008
		22	702	724	0.21	66	-1	1.0	8892 core	2008
	Including	1	703	704	0.63	550	1	2.4	70800 core	2008
		78	740	818	0.37	46	0.3	1.1	5324 core	2008
		2	872	874	0.11	22	-1	-0.2	734 core	2008
PMRC001		2	16	18	0.13	83	2	0.9	1430 chips_rc	2010
		2	28	30	0.11	25	-1	0.4	1600 chips_rc	2010
PMRC002		4	22	26	1.31	33	-1	0.7	462 chips_rc	2010
		2	32	34	0.25	26	-1	0.3	451 chips_rc	2010
		9	60	69	0.46	47	-1	2.8	5338 chips_rc	2010
PMRC003		12	16	28	0.22	25	0	0.35	1396 chips_rc	2010
PMRC004		10	8	18	0.47	141	-0.2	0.50	1329 chips_rc	2010
PMRC005		22	36	58	0.64	57	2	1.6	2254 chips_rc	2010
PMRC006		12	10	22	0.23	23	1.5	-0.2	495 chips_rc	2010
PMRC006		14	46	60	0.19	28.14	1.43	1.41	407.29 chips_rc	2010
TARD65		2	40	42	0.30	47		-1	184 hcore	1997
		6	64	70	0.24	16		0.3	431 hcore	1997
		2	90	92	-0.01	667		41	682 hcore	1997
		30	118	148	0.22	109	7	7	4751 hcore	1997
		6	162	168	0.21	36	-1	-1	7643 hcore	1997
		4	174	178	0.17	95	-1	1	2240 hcore	1997
		14	192	206	0.28	38	-1	-1	2519 hcore	1997
	Resample vein	0.1	197.64	197.74	9.24	24		1	9220 spot core	1998
		2	224	226	0.13	-5	-1	-1	7640 hcore	1997
TARD82		10	8	18	0.15	60		-1	520 hcore	1997
		2	31	33	0.10	48		-1	510 hcore	1997
		2	39	41	0.19	40		-1	1150 hcore	1997
		4	49	53	0.14	35		-1	1112 hcore	1997
		2	63	65	0.12	15		-1	974 hcore	1997
		2	75	77	0.25	427		3	5750 hcore	1997
		2	89	91	0.26	57		-1	6170 hcore	1997

Note TARD65 (diamond core) drilled in 1997 was resampled in 1998 by Climax Mining for petrology and alteration studies. **A 10cm vein from 197.64m down hole depth returned assays of 9.24g/t Au and 8.3g/t Au (rerun), Hole ID TARD65.** (NSW Report Book R00020560 page 72). The significance of this narrow high-grade vein observed at 197m is yet to be fully assessed, but will be investigated during the Option Period.

## Significant drilling intervals – Rimfire Tenements Page 2 of 2

Hole ID	Interval	From	To	Au_ppm	Cu_ppm	Mo_ppm	Ag_ppm	As_ppm	Sampled	Year
TARD83	2.0	46	48	0.16	61		2	1270	hcore	1997
	2.0	128	130	0.03	2640		126	284	hcore	1997
	2.0	132	134	0.10	43		1	3250	hcore	1997
	6.0	146	152	0.20	47		1	161	hcore	1997
TARD84	2.0	16	18	0.16	47		-1	997	hcore	1997
	3.0	18	21	1.08	38		-1	1110	hcore	1997
	36.0	48	84	0.43	23		-1	1427	hcore	1997
TARD85	12.0	14.00	26.00	0.46	40		-1	1282	hcore	1997
	1.4	30.6	32	0.23	40		1	2340	hcore	1997
	2.0	32	34	0.90	34		-1	1920	hcore	1997
TARD86	26.0	22	48	0.35	59		-1	2024	hcore	1997
	2.0	86	88	0.18	21		-1	2200	hcore	1997
	2.0	100	102	0.13	53		-1	1420	hcore	1997
TARP81	2.0	6	8	1.20	66		-1	1500	chips_ac	1997
	2.0	16	18	0.10	605		-1	837	chips_ac	1997
	2.0	18	20	-0.01	722		-1	993	chips_ac	1997
	2.0	20	22	1.76	357		-1	2300	chips_ac	1997
TARP87	2.0	30	32	0.23	56	-1	3.8	2880	chips_rc	2002
	2.0	54	56	0.12	13	2	1.6	5370	chips_rc	2002
	2.0	56	58	0.26	37	2	6.2	14000	chips_rc	2002
	2.0	126	128	0.13	45	3	3	6400	chips_rc	2002
	2.0	170	172	0.05	639	-1	107	1700	chips_rc	2002
	2.0	176	178	0.29	134	-1	17.4	126	chips_rc	2002
	2.0	186	188	0.11	68	-1	1.2	2160	chips_rc	2002
TARP88	2.0	8	10	0.11	11	6	1.5	256	chips_rc	2002
TARP89	2.0	130	132	1.14	4960	108	5.9	33	chips_rc	2002
TARRA10	2.0	48	50	-0.01	539		-1	208	chips_ac	1996
TARRA12	2.0	50	52	0.44	13		-1	24	chips_ac	1996
TARRA18	2.0	26	28	0.23	52		-1	853	chips_ac	1996
TARRA19	2.0	32	34	0.21	20		-1	99	chips_ac	1996
	1.0	38	39	0.10	19		-1	84	chips_ac	1996
TARRA20	2.0	30	32	0.14	28		-1	194	chips_ac	1996
	2.0	34	36	0.10	22		1	326	chips_ac	1996
	4.0	46	50	0.27	19		-1	727	chips_ac	1996
	6.0	68	74	0.85	20		-1	485	chips_ac	1996
TARRA41	14.0	28	42	0.38	22		-1	517	chips_ac	1996
	2.0	48	50	0.12	27		-1	458	chips_ac	1996
	2.0	56	58	0.17	55		-1	813	chips_ac	1996
TARRA44	2.0	102	104	0.16	66	-5	-1	631	chips_ac	1996
TARRA45	12.0	38	50	0.15	7	-5	-1	389	chips_ac	1996
	2.0	76	78	2.75	16	-5	-1	496	chips_ac	1996
TARRA48	2.0	46	48	0.14	-5	-5	-1	633	chips_ac	1996
	2.0	54	56	0.20	10	-5	-1	622	chips_ac	1996
	2.0	56	58	0.18	15	-5	-1	734	chips_ac	1996
TARRA50	6.0	32	38	0.24	7	-5	-1	111	chips_ac	1996
TARRA51	4.0	30	34	0.12	6	-5	-1	255	chips_ac	1996
TARRA56	2.0	16	18	0.34	37	-5	-1	749	chips_ac	1996
TARRA58	2.0	28	30	0.22	17	-5	-1	319	chips_ac	1996
	2.0	56	58	0.18	450	-5	-1	161	chips_ac	1996
TARRA59	2.0	24	26	0.31	28	-5	-1	1190	chips_ac	1996
	2.0	40	42	0.94	49	-5	-1	2510	chips_ac	1996
TARRA60	2.0	10	12	0.18	27	-5	-1	613	chips_ac	1996
TARRA61	20.0	6	26	0.73	148	-5	-1	1439	chips_ac	1996
TARRA70	2.0	10	12	0.40	69		7	9370	chips_ac	1997
TARRA72	2.0	12	14	1.54	33		-1	486	chips_ac	1997
TARRA74	2.0	12	14	0.13	23		-1	154	chips_ac	1997
	2.0	40	42	0.12	23		-1	691	chips_ac	1997
TARRA80	2.0	14	16	0.17	92		3	148	chips_ac	1997
49	0.35	87.15	87.5	0.10	5	-1	-0.5		core	1983

Significant drilling intervals – Copper Search ELA6903 Page 1 of 2

Hole ID	Interval	From	To	Au_ppm	Cu_ppm	Mo_ppm	Type	Year
ACDCH001	6	38	44	0.16	93	1	core	2007
ACDCH001	1	58	59	0.14	18	-1	core	2007
ACDCH001	1	68	69	0.11	31	-1	core	2007
ACDCH001	4	138	142	0.01	1004	43	core	2007
ACDCH001	1	153	154	0.01	106	26	core	2007
ACDCH001	1	182	183	-0.01	129	11	core	2007
ACDCH001	1	237	238	0.19	-1	1	core	2007
ACDCH001	1	284	285	0.34	11	-1	core	2007
ACDCH001	1	308	309	0.14	4	1	core	2007
ACDCH001	1	396	397	-0.01	1	10	core	2007
ACDCH001	1	399	400	-0.01	-1	26	core	2007
ACDCH001	1	401	402	-0.01	2	11	core	2007
ACDCH001	1	455	456	0.15	4	-1	core	2007
ACDCH001	1	456	457	0.13	2	-1	core	2007
ACDCH001	1	461	462	0.5	9	1	core	2007
ACDCH001	1	475	476	-0.01	6	34	core	2007
ACDCH001	5	506	511	0.29	2	1	core	2007
ACDCH001	1	545	546	-0.01	5	11	core	2007
WP80	4	104	108	0.004	26	10	chips_rc	1998
CHD005	2	171	173	-0.001	63	12	core	1998
CHD005	2	210	212	-0.001	30	10	core	1998
CHD005	4	341	345	-0.001	144	13	core	1998
CHD005	50	367	417	0.0025	29	12.6	core	1998
CHD005	4	429	433	-0.001	30	46	core	1998
CHD005	2	441	443	-0.001	31	12	core	1998
CHD005	2	131	133	-0.001	38	10	core	1998
CHD005	0.5	193	193.5	0.001	40	26	core	1998
CHD007	2	169	171	-0.001	41	12	core	1998
CHD008	2	64	66	0.002	36	12	core	1999
CHD008	0.2	98.5	98.7	-0.001	589	8	core	1999
CHD009	4	36	40	-0.001	12	10	chips_rc	1999
CHD009	4	40	44	-0.001	12	10	chips_rc	1999
CHD009	2	162	164	-0.001	5	10	core	1999
CHD009	1	274	275	-0.001	5	10	core	1999
CHD009	2	327	329	-0.001	11	12	core	1999
CHD009	2	333	335	-0.001	6	13	core	1999
CHD009	2	339	341	0.001	9	12	core	1999
CHD009	2.8	369	371.8	0.003	194	10	core	1999
CHD009	1.2	371.8	373	0.002	63	6	core	1999
CHD009	2	373	375	-0.001	57	11	core	1999
CHD009	1	375	376	0.002	55	6	core	1999
CHD009	1	376	377	0.003	846	13	core	1999
CHD009	1	377	378	0.005	519	5	core	1999
CHD009	1	378	379	0.006	654	8	core	1999
CHD009	1	379	380	0.004	259	18	core	1999
CHD009	2	380	382	0.003	171	12	core	1999
CHD009	2	382	384	0.003	108	14	core	1999
CHD009	2	384	386	0.002	35	13	core	1999
CHD009	2	386	388	0.003	66	-5	core	1999
CHD009	2	388	390	0.002	75	10	core	1999
CHD009	2	390	392	0.003	85	10	core	1999
CHD009	2	392	394	0.002	48	5	core	1999
CHD009	1	394	395	0.003	118	5	core	1999
CHD009	1	395	396	0.002	76	15	core	1999
CHD009	1	396	397	0.002	67	6	core	1999
CHD009	2	397	399	0.004	118	8	core	1999
CHD009	2	399	401	-0.001	97	10	core	1999

For personal use only

## Significant drilling intervals – Copper Search ELA6903 Page 2 of 2

Hole ID	Interval	From	To	Au_ppm	Cu_ppm	Mo_ppm	Type	Year
WWP-1	2	26	28	-0.02	35	34	chips_oh	1984
WWP-1	2	28	30	-0.02	23	10	chips_oh	1984
WWP-1	2	80	82	-0.02	17	11	chips_oh	1984
WWP-1	2	86	88	-0.02	16	11	chips_oh	1984
WWP-2	2	2	4	-0.02	48	24	chips_oh	1984
WWP-2	2	8	10	-0.02	47	11	chips_oh	1984
WWP-2	2	76	78	-0.02	13	24	chips_oh	1984
WWP-3	2	2	4	-0.02	26	12	chips_oh	1984
WWP-3	2	32	34	-0.02	38	26	chips_oh	1984
WWP-4	2	0	2	-0.02	36	26	chips_oh	1984
WWP-4	2	2	4	-0.02	26	10	chips_oh	1984
WWP-4	2	8	10	-0.02	36	14	chips_oh	1984
WWP-4	2	74	76	-0.02	49	18	chips_oh	1984
WWP-4	2	76	78	-0.02	60	11	chips_oh	1984
WWP-4	2	78	80	-0.02	40	14	chips_oh	1984
WWP-5	4	24	28	-0.02	26	15	chips_oh	1984
WWP-5	4	56	60	-0.02	57	16	chips_oh	1984
WWP-5	2	74	76	-0.02	42	23	chips_oh	1984
WWP-5	30	90	120	-0.02	55	16	chips_oh	1984
WWP-5	1	130	131	-0.02	34	13	chips_oh	1984
RAB 37	2	0	2	0.1	30	n/r	chips_oh	1986
16	0.35	90.3	90.65	0.01	15	12	core	1982
AC95WY021	3	30	33	0.01	16	11	chips	1995
AC95WY021	3	33	36	-0.01	28	14	chips	1995
AC95WY025	1	33	34	-0.01	616	-5	chips	1995
AC96WY056	3	9	12	-0.01	21	20	chips	1996
AC96WY058	1	33	34	-0.01	43	25	chips	1996
AC96WY070	3	33	36	-0.01	607	-5	chips	1996
DD96CH001	21	54	75	-0.01	13	12	hcore	1996
DD96CH001	6	96	102	-0.01	15	23	hcore	1996
DD96CH001	2	139	141	-0.01	26	10	hcore	1996
DD96CH002	3	84	87	-0.01	22	35	chips_rc	1996
DD96CH002	5.2	210	215.2	-0.001	15	77	chips_rc	1996
RC96CH003	3	0	3	0.01	22	10	chips_rc	1996
RC96CH003	3	3	6	-0.01	15	12	chips_rc	1996
RC96CH003	3	30	33	-0.01	74	16	chips_rc	1996
RC96CH003	3	96	99	-0.01	80	15	chips_rc	1996
RC96CH004	3	0	3	-0.01	33	19	chips_rc	1996
RC96CH004	3	3	6	-0.01	33	13	chips_rc	1996

### Notes for the Significant drilling intervals table

An accurate dip and strike, and the controls on mineralisation, are yet to be determined, and the true width of the intercepts is not yet known. No other significant intervals have been identified on the property.

- Coordinates GDA94, Zone 55
- Elevation & Hole Depth are in metres, Dip is in degrees, Azimuth is in degrees Grid North
- Cut-off grades 0.1ppm Au (0.1g/t Au), 500ppm Cu (0.05% Cu), 10ppm Mo
- Depth and Intervals of Air Core, RC, RAB holes rounded to 1.0 metres
- No more than 5m of internal dilution; n/r = Not reported (not analysed)

### Drill collar locations – RIMFIRE TENEMENTS: EL8329, EL8804 and EL9397

HOLE ID	YEAR	OPERATOR	DRILL TYPE	East	North	DEPTH	RL (SRTM)	Dip	Azi	Technical Report - NSW Minview
CBMD001	2013	Clancy Exploration Limited	Diamond	559324	6248465	184	222	-90	0	RE0004783
CBMD002	2013	Clancy Exploration Limited	Diamond	559514	6249042	183	224	-90	0	RE0004783
CBMD003	2013	Clancy Exploration Limited	Diamond	560107	6249648	160	224	-90	0	RE0004783
CBMD005	2013	Clancy Exploration Limited	Diamond	561274	6247246	168	234	-90	0	RE0004783
CBMD006	2013	Clancy Exploration Limited	Diamond	561550	6251346	146	227	-90	0	RE0004783
CBMD007	2013	Clancy Exploration Limited	Diamond	560674	6251634	138	221	-90	0	RE0004783
B004	2012	Centius Gold Limited	Air core	571862	6242158	138	241	-90	0	RE0003183
B005	2012	Centius Gold Limited	Air core	571450	6241350	121	247	-90	0	RE0003183
B006	2012	Centius Gold Limited	Air core	571528	6240557	110	240	-90	0	RE0003183
ACW11022	2011	Sumitomo	Air core	566980	6264396	61	220	-90	0	RE0001502, RE0002447, RE0003639
ACW11023	2011	Sumitomo	Air core	565703	6264241	114	217	-90	0	RE0001502, RE0002447, RE0003639
ACW11034	2011	Sumitomo	Air core	566430	6264120	84	218	-90	0	RE0001502, RE0002447, RE0003639
PMAC007	2010	Capital Mining Pty Ltd	Air core	561400	6266886	44	214	-60	259	RE0000490
PMAC008	2010	Capital Mining Pty Ltd	Air core	561368	6266886	80	213	-60	259	RE0000490
PMAC009	2010	Capital Mining Pty Ltd	Air core	561338	6268302	72	211	-60	259	RE0000490
PMAC010	2010	Capital Mining Pty Ltd	Air core	561161	6268887	61	211	-60	258	RE0000490
PMAC011	2010	Capital Mining Pty Ltd	Air core	561181	6268934	38	213	-90	0	RE0000490
PMAC012	2010	Capital Mining Pty Ltd	Air core	559950	6270891	103	208	-60	259	RE0000490
PMAC013	2010	Capital Mining Pty Ltd	Air core	559948	6270792	100	208	-60	259	RE0000490
PMRC001	2010	Capital Mining Pty Ltd	RC	560846	6266822	55	215	-60	258	RE0000490
PMRC002	2010	Capital Mining Pty Ltd	RC	560881	6266800	69	215	-60	259	RE0000490
PMRC003	2010	Capital Mining Pty Ltd	RC	560922	6266826	74	213	-60	259	RE0000490
PMRC004	2010	Capital Mining Pty Ltd	RC	560820	6266884	53	213	-60	259	RE0000490
PMRC005	2010	Capital Mining Pty Ltd	RC	560852	6266884	62	214	-60	259	RE0000490
PMRC006	2010	Capital Mining Pty Ltd	RC	560882	6266883	60	215	-60	258	RE0000490
CBAC042	2009	Clancy Exploration Limited	Air core	557580	6246961	137	224	-90	0	RE0000770, RE0003856

<b>CBAC043</b>	2009	Clancy Exploration Limited	Air core	558467	6248251	110	223	-90	0	RE0000770, RE0003856
<b>CBAC044</b>	2009	Clancy Exploration Limited	Air core	559288	6248425	128	223	-90	0	RE0000770, RE0003856
<b>CBAC045</b>	2009	Clancy Exploration Limited	Air core	559549	6248815	144	220	-90	0	RE0000770, RE0003856
<b>CBAC046</b>	2009	Clancy Exploration Limited	Air core	559744	6249032	140	223	-90	0	RE0000770, RE0003856
<b>CBAC047</b>	2009	Clancy Exploration Limited	Air core	560168	6248559	125	222	-90	0	RE0000770, RE0003856
<b>CBAC048</b>	2009	Clancy Exploration Limited	Air core	558800	6249850	107	223	-90	0	RE0000770, RE0003856
<b>CBAC049</b>	2009	Clancy Exploration Limited	Air core	560175	6251640	112	221	-90	0	RE0000770, RE0003856
<b>CBAC050</b>	2009	Clancy Exploration Limited	Air core	561392	6251343	126	228	-90	0	RE0000770, RE0003856
<b>CBAC051</b>	2009	Clancy Exploration Limited	Air core	561349	6252460	93	223	-90	0	RE0000770, RE0003856
<b>CBAC052</b>	2009	Clancy Exploration Limited	Air core	560507	6253140	123	221	-90	0	RE0000770, RE0003856
<b>CBAC053</b>	2009	Clancy Exploration Limited	Air core	559256	6252362	105	219	-90	0	RE0000770, RE0003856
<b>CBAC054</b>	2009	Clancy Exploration Limited	Air core	560072	6254580	111	222	-90	0	RE0000770, RE0003856
<b>ACME001</b>	2008	Newcrest	Air core	554735	6259743	144	214	-90	0	R00079557
<b>CBAC001</b>	2008	Clancy Exploration Limited	Air core	559217	6245288	48	228	-90	0	R00036118
<b>CBAC002</b>	2008	Clancy Exploration Limited	Air core	559528	6245649	43	232	-90	0	R00036118
<b>CBAC003</b>	2008	Clancy Exploration Limited	Air core	558830	6245863	54	224	-90	0	R00036118
<b>CBAC004</b>	2008	Clancy Exploration Limited	Air core	558613	6246671	114	228	-90	0	R00036118
<b>CBAC005</b>	2008	Clancy Exploration Limited	Air core	559327	6246417	46	229	-90	0	R00036118
<b>CBAC006</b>	2008	Clancy Exploration Limited	Air core	558073	6247209	105	222	-90	0	R00036118
<b>CBAC007</b>	2008	Clancy Exploration Limited	Air core	560641	6247265	41	233	-90	0	R00036118
<b>CBAC008</b>	2008	Clancy Exploration Limited	Air core	558812	6247232	102	223	-90	0	R00036118
<b>CBAC009</b>	2008	Clancy Exploration Limited	Air core	559837	6247213	58	226	-90	0	R00036118
<b>CBAC010</b>	2008	Clancy Exploration Limited	Air core	559997	6246498	96	223	-90	0	R00036118
<b>CBAC011</b>	2008	Clancy Exploration Limited	Air core	560709	6246367	69	226	-90	0	R00036118
<b>CBAC013</b>	2008	Clancy Exploration Limited	Air core	557723	6247661	111	221	-90	0	R00036118
<b>CBAC014</b>	2008	Clancy Exploration Limited	Air core	556969	6247805	81	220	-90	0	R00036118
<b>CBAC015</b>	2008	Clancy Exploration Limited	Air core	557823	6248452	91	222	-90	0	R00036118

<b>CBAC016</b>	2008	Clancy Exploration Limited	Air core	558644	6248325	119	224	-90	0	R00036118
<b>CBAC017</b>	2008	Clancy Exploration Limited	Air core	559310	6248121	106	222	-90	0	R00036118
<b>CBAC018</b>	2008	Clancy Exploration Limited	Air core	559993	6248064	116	226	-90	0	R00036118
<b>CBAC019</b>	2008	Clancy Exploration Limited	Air core	560716	6247916	61	233	-90	0	R00036118
<b>CBAC020</b>	2008	Clancy Exploration Limited	Air core	559551	6248815	132	220	-90	0	R00036118
<b>CBAC021</b>	2008	Clancy Exploration Limited	Air core	560124	6248871	114	222	-90	0	R00036118
<b>CBAC022</b>	2008	Clancy Exploration Limited	Air core	559994	6249343	125	225	-90	0	R00036118
<b>CBAC023</b>	2008	Clancy Exploration Limited	Air core	559403	6249431	140	223	-90	0	R00036118
<b>CBAC024</b>	2008	Clancy Exploration Limited	Air core	558897	6249069	119	221	-90	0	R00036118
<b>CBAC025</b>	2008	Clancy Exploration Limited	Air core	558504	6249587	100	224	-90	0	R00036118
<b>CBAC026</b>	2008	Clancy Exploration Limited	Air core	560958	6248954	123	224	-90	0	R00036118
<b>CBAC027</b>	2008	Clancy Exploration Limited	Air core	561075	6248713	116	223	-90	0	R00036118
<b>CBAC028</b>	2008	Clancy Exploration Limited	Air core	561124	6248242	127	226	-90	0	R00036118
<b>CBAC029</b>	2008	Clancy Exploration Limited	Air core	561506	6247869	118	227	-90	0	R00036118
<b>CBAC030</b>	2008	Clancy Exploration Limited	Air core	561099	6247333	73	234	-90	0	R00036118
<b>CBAC031</b>	2008	Clancy Exploration Limited	Air core	561492	6247166	93	231	-90	0	R00036118
<b>CBAC032</b>	2008	Clancy Exploration Limited	Air core	560833	6250848	125	220	-90	0	R00036118
<b>CBAC033</b>	2008	Clancy Exploration Limited	Air core	560052	6250987	114	223	-90	0	R00036118
<b>CBAC034</b>	2008	Clancy Exploration Limited	Air core	559534	6250258	115	223	-90	0	R00036118
<b>CBAC035</b>	2008	Clancy Exploration Limited	Air core	560326	6250164	88	223	-90	0	R00036118
<b>CBAC036</b>	2008	Clancy Exploration Limited	Air core	560904	6249751	108	225	-90	0	R00036118
<b>CBAC037</b>	2008	Clancy Exploration Limited	Air core	559371	6251078	120	222	-90	0	R00036118
<b>CBAC038</b>	2008	Clancy Exploration Limited	Air core	558582	6251212	101	221	-90	0	R00036118
<b>CBAC039</b>	2008	Clancy Exploration Limited	Air core	558817	6250395	130	220	-90	0	R00036118
<b>CBAC040</b>	2008	Clancy Exploration Limited	Air core	558703	6252181	110	221	-90	0	R00036118
<b>CBAC041</b>	2008	Clancy Exploration Limited	Air core	559554	6251604	110	219	-90	0	R00036118
<b>PMD001</b>	2008	Capital Mining Pty Ltd	Diamond	561575	6266885	890.5	215	-75	259	R00079770
<b>TARP87</b>	2002	Mim Exploration Pty Ltd	RC	560831	6267582	250	252	-60	235	R00032977

<b>TARP88</b>	2002	Mim Exploration Pty Ltd	RC	560882	6267859	226	253	-60	235	R00032977
<b>TARP89</b>	2002	Mim Exploration Pty Ltd	RC	560448	6267957	154	213	-90	0	R00032977
<b>TARD83</b>	1997	North Mining Limited	Diamond	560813	6266836	159	214	-60	280	R00002242, R00002803, R00003003
<b>TARD84</b>	1997	North Mining Limited	Diamond	560924	6266825	99	213	-60	270	R00002242, R00002803, R00003003
<b>TARD85</b>	1997	North Mining Limited	Diamond	560812	6266735	99	212	-60	275	R00002242, R00002803, R00003003
<b>TARD86</b>	1997	North Mining Limited	Diamond	560957	6266725	149.5	214	-60	275	R00002242, R00002803, R00003003
<b>TARP81</b>	1997	North Mining Limited	Air core	560813	6266875	34	213	-90	0	R00002242, R00002803, R00003003
<b>4729RA1</b>	1996	North Mining Limited	Air core	563013	6264685	117	216	-90	0	R00002463, R00002866
<b>4729RA10</b>	1996	North Mining Limited	Air core	566113	6262085	114	220	-90	0	R00002463, R00002866
<b>4729RA11</b>	1996	North Mining Limited	Air core	566413	6262085	77	218	-90	0	R00002463, R00002866
<b>4729RA12</b>	1996	North Mining Limited	Air core	566573	6262085	82	220	-90	0	R00002463, R00002866
<b>4729RA13</b>	1996	North Mining Limited	Air core	567213	6263285	105	220	-90	0	R00002463, R00002866
<b>4729RA14</b>	1996	North Mining Limited	Air core	567613	6263285	98	219	-90	0	R00002463, R00002866
<b>4729RA15</b>	1996	North Mining Limited	Air core	568013	6263285	33	221	-90	0	R00002463, R00002866
<b>4729RA2</b>	1996	North Mining Limited	Air core	562613	6264685	92	217	-90	0	R00002463, R00002866
<b>4729RA3</b>	1996	North Mining Limited	Air core	562213	6264685	123	214	-90	0	R00002463, R00002866
<b>4729RA4</b>	1996	North Mining Limited	Air core	565763	6263985	135	217	-90	0	R00002463, R00002866
<b>4729RA5</b>	1996	North Mining Limited	Air core	566163	6263985	114	221	-90	0	R00002463, R00002866
<b>4729RA6</b>	1996	North Mining Limited	Air core	566563	6263985	105	217	-90	0	R00002463, R00002866
<b>4729RA7</b>	1996	North Mining Limited	Air core	566513	6262935	118	217	-90	0	R00002463, R00002866
<b>4729RA8</b>	1996	North Mining Limited	Air core	566113	6262935	120	216	-90	0	R00002463, R00002866
<b>4729RA9</b>	1996	North Mining Limited	Air core	565713	6262935	126	217	-90	0	R00002463, R00002866
<b>TARD65</b>	1996	North Mining Limited	Diamond	560763	6266335	250	211	-60	90	R00002242, R00002803, R00003003
<b>TARD82</b>	1996	North Mining Limited	Diamond	560892	6266935	113	212	-60	280	R00002242, R00002803, R00003003
<b>TARP73</b>	1996	North Mining Limited	Air core	560813	6266975	25	211	-90	0	R00002242, R00002803, R00003003
<b>TARP78</b>	1996	North Mining Limited	Air core	560613	6266985	10	214	-90	0	R00002242, R00002803, R00003003
<b>TARP79</b>	1996	North Mining Limited	Air core	560713	6266985	26	211	-90	0	R00002242, R00002803, R00003003
<b>TARRA1</b>	1996	North Mining Limited	Air core	561613	6268385	44	211	-90	0	R00002242, R00002803, R00003003

TARRA10	1996	North Mining Limited	Air core	561513	6268185	69	214	-90	0	R00002242, R00002803, R00003003
TARRA11	1996	North Mining Limited	Air core	561613	6267985	72	213	-90	0	R00002242, R00002803, R00003003
TARRA12	1996	North Mining Limited	Air core	561713	6267785	81	217	-90	0	R00002242, R00002803, R00003003
TARRA13	1996	North Mining Limited	Air core	561913	6267785	75	216	-90	0	R00002242, R00002803, R00003003
TARRA14	1996	North Mining Limited	Air core	562113	6267785	84	212	-90	0	R00002242, R00002803, R00003003
TARRA15	1996	North Mining Limited	Air core	562013	6267985	90	215	-90	0	R00002242, R00002803, R00003003
TARRA16	1996	North Mining Limited	Air core	561813	6267985	44	214	-90	0	R00002242, R00002803, R00003003
TARRA17	1996	North Mining Limited	Air core	560913	6267185	57	216	-90	0	R00002242, R00002803, R00003003
TARRA18	1996	North Mining Limited	Air core	560913	6266785	32	214	-90	0	R00002242, R00002803, R00003003
TARRA19	1996	North Mining Limited	Air core	560713	6266385	39	211	-90	0	R00002242, R00002803, R00003003
TARRA2	1996	North Mining Limited	Air core	561913	6268185	79	212	-90	0	R00002242, R00002803, R00003003
TARRA20	1996	North Mining Limited	Air core	560913	6266385	93	210	-90	0	R00002242, R00002803, R00003003
TARRA21	1996	North Mining Limited	Air core	561113	6266385	31	216	-90	0	R00002242, R00002803, R00003003
TARRA22	1996	North Mining Limited	Air core	560513	6266385	48	213	-90	0	R00002242, R00002803, R00003003
TARRA23	1996	North Mining Limited	Air core	560713	6266785	3	217	-90	0	R00002242, R00002803, R00003003
TARRA24	1996	North Mining Limited	Air core	560513	6266785	2	214	-90	0	R00002242, R00002803, R00003003
TARRA25	1996	North Mining Limited	Air core	560313	6266785	78	210	-90	0	R00002242, R00002803, R00003003
TARRA26	1996	North Mining Limited	Air core	560313	6267185	129	212	-90	0	R00002242, R00002803, R00003003
TARRA27	1996	North Mining Limited	Air core	560513	6267185	45	211	-90	0	R00002242, R00002803, R00003003
TARRA28	1996	North Mining Limited	Air core	560713	6267185	79	214	-90	0	R00002242, R00002803, R00003003
TARRA29	1996	North Mining Limited	Air core	561513	6267785	41	229	-90	0	R00002242, R00002803, R00003003
TARRA3	1996	North Mining Limited	Air core	561813	6268385	84	215	-90	0	R00002242, R00002803, R00003003
TARRA30	1996	North Mining Limited	Air core	561613	6267585	42	226	-90	0	R00002242, R00002803, R00003003
TARRA31	1996	North Mining Limited	Air core	561813	6267585	96	213	-90	0	R00002242, R00002803, R00003003
TARRA32	1996	North Mining Limited	Air core	561113	6265985	3.5	212	-90	0	R00002242, R00002803, R00003003
TARRA33	1996	North Mining Limited	Air core	560913	6265985	31	213	-90	0	R00002242, R00002803, R00003003
TARRA34	1996	North Mining Limited	Air core	560713	6265985	75	213	-90	0	R00002242, R00002803, R00003003
TARRA35	1996	North Mining Limited	Air core	560513	6265985	77	211	-90	0	R00002242, R00002803, R00003003

TARRA36	1996	North Mining Limited	Air core	560513	6266185	93	210	-90	0	R00002242, R00002803, R00003003
TARRA37	1996	North Mining Limited	Air core	560713	6266185	71	208	-90	0	R00002242, R00002803, R00003003
TARRA38	1996	North Mining Limited	Air core	560913	6266185	45	213	-90	0	R00002242, R00002803, R00003003
TARRA39	1996	North Mining Limited	Air core	561113	6266185	18	211	-90	0	R00002242, R00002803, R00003003
TARRA4	1996	North Mining Limited	Air core	561713	6268185	48	212	-90	0	R00002242, R00002803, R00003003
TARRA40	1996	North Mining Limited	Air core	561113	6266585	68	214	-90	0	R00002242, R00002803, R00003003
TARRA41	1996	North Mining Limited	Air core	560913	6266585	78	211	-90	0	R00002242, R00002803, R00003003
TARRA42	1996	North Mining Limited	Air core	560713	6266585	7	212	-90	0	R00002242, R00002803, R00003003
TARRA43	1996	North Mining Limited	Air core	561013	6266285	53	210	-90	0	R00002242, R00002803, R00003003
TARRA44	1996	North Mining Limited	Air core	560913	6266285	104	215	-90	0	R00002242, R00002803, R00003003
TARRA45	1996	North Mining Limited	Air core	560813	6266285	105	212	-90	0	R00002242, R00002803, R00003003
TARRA46	1996	North Mining Limited	Air core	560713	6266285	56	210	-90	0	R00002242, R00002803, R00003003
TARRA47	1996	North Mining Limited	Air core	560613	6266385	36	211	-90	0	R00002242, R00002803, R00003003
TARRA48	1996	North Mining Limited	Air core	560813	6266385	98	213	-90	0	R00002242, R00002803, R00003003
TARRA49	1996	North Mining Limited	Air core	561013	6266385	49	214	-90	0	R00002242, R00002803, R00003003
TARRA5	1996	North Mining Limited	Air core	561313	6268345	18	211	-90	0	R00002242, R00002803, R00003003
TARRA50	1996	North Mining Limited	Air core	561013	6266485	45	213	-90	0	R00002242, R00002803, R00003003
TARRA51	1996	North Mining Limited	Air core	560913	6266485	94	211	-90	0	R00002242, R00002803, R00003003
TARRA52	1996	North Mining Limited	Air core	560813	6266485	87	212	-90	0	R00002242, R00002803, R00003003
TARRA53	1996	North Mining Limited	Air core	560713	6266485	20	212	-90	0	R00002242, R00002803, R00003003
TARRA54	1996	North Mining Limited	Air core	560613	6266485	23	209	-90	0	R00002242, R00002803, R00003003
TARRA55	1996	North Mining Limited	Air core	560813	6266585	87	214	-90	0	R00002242, R00002803, R00003003
TARRA56	1996	North Mining Limited	Air core	560813	6266685	37	213	-90	0	R00002242, R00002803, R00003003
TARRA57	1996	North Mining Limited	Air core	561013	6266585	29	210	-90	0	R00002242, R00002803, R00003003
TARRA58	1996	North Mining Limited	Air core	561013	6266685	58	213	-90	0	R00002242, R00002803, R00003003
TARRA59	1996	North Mining Limited	Air core	560913	6266685	49	214	-90	0	R00002242, R00002803, R00003003
TARRA6	1996	North Mining Limited	Air core	561413	6268385	23	212	-90	0	R00002242, R00002803, R00003003
TARRA60	1996	North Mining Limited	Air core	560813	6266785	26	213	-90	0	R00002242, R00002803, R00003003

TARRA61	1996	North Mining Limited	Air core	560813	6266885	45	213	-90	0	R00002242, R00002803, R00003003
TARRA62	1996	North Mining Limited	Air core	560913	6266885	9	215	-90	0	R00002242, R00002803, R00003003
TARRA63	1996	North Mining Limited	Air core	561013	6266885	24	211	-90	0	R00002242, R00002803, R00003003
TARRA64	1996	North Mining Limited	Air core	561013	6266785	57	211	-90	0	R00002242, R00002803, R00003003
TARRA66	1996	North Mining Limited	Air core	561313	6268235	20	213	-90	0	R00002242, R00002803, R00003003
TARRA67	1996	North Mining Limited	Air core	561213	6268235	38	216	-90	0	R00002242, R00002803, R00003003
TARRA68	1996	North Mining Limited	Air core	561313	6268135	30	217	-90	0	R00002242, R00002803, R00003003
TARRA69	1996	North Mining Limited	Air core	560913	6266985	13	212	-90	0	R00002242, R00002803, R00003003
TARRA7	1996	North Mining Limited	Air core	561213	6268245	8	216	-90	0	R00002242, R00002803, R00003003
TARRA70	1996	North Mining Limited	Air core	560813	6266985	12	211	-90	0	R00002242, R00002803, R00003003
TARRA71	1996	North Mining Limited	Air core	560923	6267085	50	211	-90	0	R00002242, R00002803, R00003003
TARRA72	1996	North Mining Limited	Air core	560913	6266975	27	212	-90	0	R00002242, R00002803, R00003003
TARRA74	1996	North Mining Limited	Air core	560813	6267185	74	217	-90	0	R00002242, R00002803, R00003003
TARRA75	1996	North Mining Limited	Air core	560793	6267085	68	212	-90	0	R00002242, R00002803, R00003003
TARRA76	1996	North Mining Limited	Air core	560713	6267085	47	214	-90	0	R00002242, R00002803, R00003003
TARRA77	1996	North Mining Limited	Air core	560613	6267085	28	210	-90	0	R00002242, R00002803, R00003003
TARRA8	1996	North Mining Limited	Air core	561313	6268245	8	213	-90	0	R00002242, R00002803, R00003003
TARRA80	1996	North Mining Limited	Air core	560708	6266885	45	215	-90	0	R00002242, R00002803, R00003003
TARRA9	1996	North Mining Limited	Air core	561313	6268145	2	217	-90	0	R00002242, R00002803, R00003003
CA01	1992	Newcrest Mining Limited	Air core	561353	6252825	59	217	-90	0	R00003357
CA02	1992	Newcrest Mining Limited	Air core	559743	6258225	64	216	-90	0	R00003357
3618RA9	1991	Geopeko Ltd	RAB	571588	6241303	117	244	-90	0	R00003335
RAB-40	1985	BHP Minerals Limited	RAB	564763	6260485	99	219	-90	0	R00008607, R00014027
RAB-41	1985	BHP Minerals Limited	RAB	565313	6260335	66	220	-90	0	R00008607, R00014027
RAB-42	1985	BHP Minerals Limited	RAB	566463	6261435	102	222	-90	0	R00008607, R00014027
49	1983	Samedan Oil Corporation	RAB	561595	6268156	88	213	-90	0	R00005786
63	1983	Samedan Oil Corporation	RAB	561120	6267022	67	211	-90	0	R00005786
64	1983	Samedan Oil Corporation	RAB	561079	6264458	142	214	-90	0	R00005786

65	1983	Samedan Oil Corporation	RAB	561255	6265882	49	207	-90	0	R00005786
66	1983	Samedan Oil Corporation	RAB	561921	6270500	155	215	-90	0	R00005786
33	1982	Samedan Oil Corporation	RAB	562661	6267127	100	213	-90	0	R00005786
50	1982	Samedan Oil Corporation	RAB	561643	6267958	103	215	-90	0	R00005786
51	1982	Samedan Oil Corporation	RAB	561452	6267058	73	213	-90	0	R00005786
52	1982	Samedan Oil Corporation	RAB	561391	6266860	108	214	-90	0	R00005786
53	1982	Samedan Oil Corporation	RAB	561330	6266490	170	215	-90	0	R00005786
54	1982	Samedan Oil Corporation	RAB	561072	6266724	102	211	-90	0	R00005786
55	1982	Samedan Oil Corporation	RAB	561214	6266798	94	214	-90	0	R00005786
56	1982	Samedan Oil Corporation	RAB	561113	6266922	55	210	-90	0	R00005786
57	1982	Samedan Oil Corporation	RAB	560965	6266850	49	212	-90	0	R00005786
58	1982	Samedan Oil Corporation	RAB	560818	6266987	62	212	-90	0	R00005786
59	1982	Samedan Oil Corporation	RAB	561011	6267155	68	214	-90	0	R00005786
60	1982	Samedan Oil Corporation	RAB	561209	6267111	61	213	-90	0	R00005786
61	1982	Samedan Oil Corporation	RAB	561873	6267489	86	211	-90	0	R00005786
62	1982	Samedan Oil Corporation	RAB	562458	6266710	107	215	-90	0	R00005786
PM1	1982	Samedan Oil Corporation	RAB	561113	6267805	240	246	-60	280	R00005785, R00012664, R00014922
PM2	1982	Samedan Oil Corporation	RAB	561033	6267645	152	250	-60	275	R00005785, R00012664, R00014922
PM3	1982	Samedan Oil Corporation	RAB	561023	6267455	150	230	-60	284	R00005785, R00012664, R00014922
PM4	1982	Samedan Oil Corporation	RAB	561023	6267755	154	250	-60	265	R00005785, R00012664, R00014922
PM5	1982	Samedan Oil Corporation	RAB	561023	6267545	202	241	-60	300	R00005785, R00012664, R00014922
RAB19	1982	Samedan Oil Corporation	RAB	561028	6268270	62	216	-90	0	R00005785, R00012664, R00014922
RAB20	1982	Samedan Oil Corporation	RAB	561190	6268257	62	214	-90	0	R00005785, R00012664, R00014922
RAB21	1982	Samedan Oil Corporation	RAB	561438	6268225	56	210	-90	0	R00005785, R00012664, R00014922
RAB22	1982	Samedan Oil Corporation	RAB	561209	6267111	24	213	-90	0	R00005785, R00012664, R00014922
RAB31	1982	Samedan Oil Corporation	RAB	561503	6269695	50	209	-90	0	R00005785, R00012664, R00014922
RAB32	1982	Samedan Oil Corporation	RAB	561894	6270138	114	214	-90	0	R00005785, R00012664, R00014922
RAB38	1982	Samedan Oil Corporation	RAB	566113	6264235	96	223	-90	0	R00005786, R00012664, R00014922

<b>RAB39</b>	1982	Samedan Oil Corporation	RAB	566413	6262285	77	220	-90	0	R00005786, R00012664, R00014922
<b>ACH1549-1</b>	1981	Geopeko Ltd	Diamond	555393	6261325	106	211	-90	0	R00003357, R00012199, R00015087
<b>ACH1549-2</b>	1981	Geopeko Ltd	Diamond	555843	6248935	133	216	-90	0	R00003357, R00012199, R00015087
<b>ACH1549-3A</b>	1981	Geopeko Ltd	Diamond	558463	6249135	110	222	-90	0	R00003357, R00012199, R00015087
<b>ACH1549-3B</b>	1981	Geopeko Ltd	Diamond	558463	6249136	104	222	-90	0	R00003357, R00012199, R00015087
<b>ACH1549-4</b>	1981	Geopeko Ltd	Diamond	559653	6248925	139	220	-90	0	R00003357, R00012199, R00015087
<b>ACH1549-5</b>	1981	Geopeko Ltd	Diamond	561013	6248375	100	225	-90	0	R00003357, R00012199, R00015087
<b>ACH1579-4</b>	1981	Geopeko Ltd	Diamond	569293	6244445	150	238	-90	0	R00003357, R00012199, R00015087
<b>RCH1579-5</b>	1981	Geopeko Ltd	Diamond	559053	6245185	151	226	-90	0	R00003357, R00010615, R00012199
<b>WW251/1</b>	1970	Sedimentary Uranium NL	Rotary mud	564573	6255305	134	222	-90	0	R00026587
<b>WW251/2</b>	1970	Sedimentary Uranium NL	Rota mud	567053	6264545	91	218	-90	0	R00026587

### Drill collar locations – Copper Search Limited ELA6903 (100% interest)

Hole ID	Year	OPERATOR	Drill Type	East	North	Depth	RL	DIP	AZI	Technical Report - NSW Govt (Minview)
ACW11001	2011	Sumitomo	Air core	571332	6280080	45	249	-90	0	RE0001502, RE0002447, RE0003639
ACW11002	2011	Sumitomo	Air core	571597	6280088	57	245	-90	0	RE0001502, RE0002447, RE0003639
ACW11003	2011	Sumitomo	Air core	571852	6280064	73	242	-90	0	RE0001502, RE0002447, RE0003639
ACW11004	2011	Sumitomo	Air core	572099	6280041	72	242	-90	0	RE0001502, RE0002447, RE0003639
ACW11005	2011	Sumitomo	Air core	572384	6280007	51	242	-90	0	RE0001502, RE0002447, RE0003639
ACW11006	2011	Sumitomo	Air core	572764	6280073	24	243	-90	0	RE0001502, RE0002447, RE0003639
ACW11007	2011	Sumitomo	Air core	573082	6280025	54	244	-90	0	RE0001502, RE0002447, RE0003639
ACW11008	2011	Sumitomo	Air core	573509	6279962	61	243	-90	0	RE0001502, RE0002447, RE0003639
ACW11009	2011	Sumitomo	Air core	574060	6279868	74	240	-90	0	RE0001502, RE0002447, RE0003639
ACW11010	2011	Sumitomo	Air core	574435	6279809	62	241	-90	0	RE0001502, RE0002447, RE0003639
ACW11011	2011	Sumitomo	Air core	574316	6276680	48	250	-90	0	RE0001502, RE0002447, RE0003639
ACW11012	2011	Sumitomo	Air core	574474	6277686	23	250	-90	0	RE0001502, RE0002447, RE0003639
ACW11013	2011	Sumitomo	Air core	574555	6278179	28	253	-90	0	RE0001502, RE0002447, RE0003639
ACW11014	2011	Sumitomo	Air core	574630	6278671	36	254	-90	0	RE0001502, RE0002447, RE0003639
ACW11015	2011	Sumitomo	Air core	574709	6279152	76	254	-90	0	RE0001502, RE0002447, RE0003639
ACW11016	2011	Sumitomo	Air core	574783	6279636	83	243	-90	0	RE0001502, RE0002447, RE0003639
ACW11017	2011	Sumitomo	Air core	574506	6269239	51	250	-90	0	RE0001502, RE0002447, RE0003639
ACW11018	2011	Sumitomo	Air core	573783	6268162	75	240	-90	0	RE0001502, RE0002447, RE0003639
ACW11019	2011	Sumitomo	Air core	573604	6267205	108	232	-90	0	RE0001502, RE0002447, RE0003639
ACW11020	2011	Sumitomo	Air core	573441	6266263	65	228	-90	0	RE0001502, RE0002447, RE0003639
ACW11021	2011	Sumitomo	Air core	573341	6265704	135	232	-90	0	RE0001502, RE0002447, RE0003639
ACW11024	2011	Sumitomo	Air core	571283	6265486	86	226	-90	0	RE0001502, RE0002447, RE0003639
ACW11025	2011	Sumitomo	Air core	572251	6265363	117	230	-90	0	RE0001502, RE0002447, RE0003639
ACW11027	2011	Sumitomo	Air core	570689	6273654	12	250	-90	0	RE0002447, RE0003639
ACW11028	2011	Sumitomo	Air core	570906	6273621	6	250	-90	0	RE0002447, RE0003639
ACW11029	2011	Sumitomo	Air core	571099	6273590	2	250	-90	0	RE0002447, RE0003639
ACW11030	2011	Sumitomo	Air core	571298	6273559	20	250	-90	0	RE0002447, RE0003639

<b>ACW11031</b>	2011	Sumitomo	Air core	571476	6273531	54	250	-90	0	RE0002447, RE0003639
<b>ACW11032</b>	2011	Sumitomo	Air core	571304	6273901	43	259	-90	0	RE0002447, RE0003639
<b>ACW11033</b>	2011	Sumitomo	Air core	571129	6273927	7	259	-90	0	RE0002447, RE0003639
<b>ACDCH001</b>	2007	Newcrest Mining	Diamond	569106	6275204	576.3	280	-60	270	RE0000201
<b>CHD008</b>	1999	Resolute Limited	Diamond	570162	6274360	246	272	-60	242	R00042264
<b>CHD009</b>	1999	Resolute Limited	Diamond	570071	6274319	474	285	-57	242	R00042264
<b>WP76</b>	1998	Resolute Limited	RC	566961	6275240	79	230	-90	0	R00042264
<b>WP77</b>	1998	Resolute Limited	RC	567159	6275225	79	230	-90	0	R00042264
<b>WP78</b>	1998	Resolute Limited	RC	567064	6275232	79	224	-90	0	R00042264
<b>WP79</b>	1998	Resolute Limited	Diamond	566513	6277785	155.6	230	-90	0	R00042264
<b>WP80</b>	1998	Resolute Limited	RC	566913	6277785	115	230	-90	0	R00042264
<b>WP81</b>	1998	Resolute Limited	RC	567013	6277485	91	230	-90	0	R00042264
<b>WP82</b>	1998	Resolute Limited	RC	566263	6276995	60	230	-90	0	R00042264
<b>WP83</b>	1998	Resolute Limited	RC	566488	6276875	91	230	-90	0	R00042264
<b>WP84</b>	1998	Resolute Limited	RC	570443	6281635	109	262	-60	225	R00042264
<b>CHD005</b>	1998	Resolute Limited	Diamond	569643	6274095	462.3	263	-60	45	R00042264
<b>CHD006</b>	1998	Resolute Limited	Diamond	568363	6276655	528.5	239	-60	45	R00042264
<b>CHD007</b>	1998	Resolute Limited	Diamond	569644	6275255	275	322	-60	252	R00042264
<b>AC96WY055</b>	1996	CRA Exploration	Air core	566463	6275305	47	224	-90	0	R00000176, R00002479
<b>AC96WY056</b>	1996	CRA Exploration	Air core	566663	6275265	45	226	-90	0	R00000176, R00002479
<b>AC96WY057</b>	1996	CRA Exploration	Air core	566863	6275235	37	224	-90	0	R00000176, R00002479
<b>AC96WY058</b>	1996	CRA Exploration	Air core	567063	6275235	34	224	-90	0	R00000176, R00002479
<b>AC96WY059</b>	1996	CRA Exploration	Air core	567263	6275205	7	227	-90	0	R00000176, R00002479
<b>AC96WY060</b>	1996	CRA Exploration	Air core	567443	6275165	36	231	-90	0	R00000176, R00002479
<b>AC96WY061</b>	1996	CRA Exploration	Air core	566363	6274905	14	225	-90	0	R00000176, R00002479
<b>AC96WY062</b>	1996	CRA Exploration	Air core	566563	6274885	10	226	-90	0	R00000176, R00002479
<b>AC96WY063</b>	1996	CRA Exploration	Air core	566763	6274865	23	225	-90	0	R00000176, R00002479
<b>AC96WY064</b>	1996	CRA Exploration	Air core	566963	6274835	15	224	-90	0	R00000176, R00002479
<b>AC96WY065</b>	1996	CRA Exploration	Air core	567163	6274815	31	228	-90	0	R00000176, R00002479

<b>AC96WY066</b>	1996	CRA Exploration	Air core	566093	6274505	63	227	-90	0	R00000176, R00002479
<b>AC96WY067</b>	1996	CRA Exploration	Air core	566283	6274485	46	226	-90	0	R00000176, R00002479
<b>AC96WY068</b>	1996	CRA Exploration	Air core	566463	6274455	41	227	-90	0	R00000176, R00002479
<b>AC96WY069</b>	1996	CRA Exploration	Air core	566663	6274435	49	227	-90	0	R00000176, R00002479
<b>AC96WY070</b>	1996	CRA Exploration	Air core	566863	6274405	47	226	-90	0	R00000176, R00002479
<b>AC96WY071</b>	1996	CRA Exploration	Air core	567063	6274385	47	227	-90	0	R00000176, R00002479
<b>AC96WY072</b>	1996	CRA Exploration	Air core	567413	6273985	53	227	-90	0	R00000176, R00002479
<b>AC96WY073</b>	1996	CRA Exploration	Air core	567613	6273955	26	230	-90	0	R00000176, R00002479
<b>AC96WY074</b>	1996	CRA Exploration	Air core	567813	6273915	34	230	-90	0	R00000176, R00002479
<b>AC96WY075</b>	1996	CRA Exploration	Air core	568013	6273885	41	231	-90	0	R00000176, R00002479
<b>RC96CH003</b>	1996	Resolute Limited	Air core	569813	6274185	150	282	-60	270	R00000176, R00002479
<b>RC96CH004</b>	1996	Resolute Limited	Air core	569563	6274185	102	263	-60	90	R00000176, R00002479
<b>DD96CH001</b>	1996	Resolute Limited	Air core	569443	6275285	263	336	-60	214	R00002479
<b>DD96CH002</b>	1996	Resolute Limited	Air core	569648	6275235	215.2	324	-60	250	R00002479
<b>AC95WY008</b>	1995	CRA Exploration	Air core	569213	6280585	34	220	-90	0	R00000176
<b>AC95WY009</b>	1995	CRA Exploration	Air core	563963	6279435	51	220	-90	0	R00000176
<b>AC95WY010</b>	1995	CRA Exploration	Air core	564463	6279335	75	220	-90	0	R00000176
<b>AC95WY011</b>	1995	CRA Exploration	Air core	564963	6279285	78	220	-90	0	R00000176
<b>AC95WY012</b>	1995	CRA Exploration	Air core	565463	6279435	69	220	-90	0	R00000176
<b>AC95WY013</b>	1995	CRA Exploration	Air core	565913	6279635	66	220	-90	0	R00000176
<b>AC95WY014</b>	1995	CRA Exploration	Air core	566363	6279835	64	220	-90	0	R00000176
<b>AC95WY015</b>	1995	CRA Exploration	Air core	566863	6280035	69	220	-90	0	R00000176
<b>AC95WY016</b>	1995	CRA Exploration	Air core	567313	6280235	36	220	-90	0	R00000176
<b>AC95WY017</b>	1995	CRA Exploration	Air core	567763	6280435	42	220	-90	0	R00000176
<b>AC95WY018</b>	1995	CRA Exploration	Air core	568213	6280635	60	220	-90	0	R00000176
<b>AC95WY019</b>	1995	CRA Exploration	Air core	568713	6280685	78	220	-90	0	R00000176
<b>AC95WY020</b>	1995	CRA Exploration	Air core	563763	6277385	30	220	-90	0	R00000176
<b>AC95WY021</b>	1995	CRA Exploration	Air core	564263	6277285	69	220	-90	0	R00000176
<b>AC95WY022</b>	1995	CRA Exploration	Air core	564763	6277235	63	220	-90	0	R00000176

<b>AC95WY023</b>	1995	CRA Exploration	Air core	565263	6277135	39	220	-90	0	R00000176
<b>AC95WY024</b>	1995	CRA Exploration	Air core	565763	6277085	51	220	-90	0	R00000176
<b>AC95WY025</b>	1995	CRA Exploration	Air core	566263	6276985	34	220	-90	0	R00000176
<b>AC95WY026</b>	1995	CRA Exploration	Air core	566763	6276935	63	220	-90	0	R00000176
<b>AC95WY027</b>	1995	CRA Exploration	Air core	566413	6276335	13	220	-90	0	R00000176
<b>AC95WY028</b>	1995	CRA Exploration	Air core	566313	6275835	51	220	-90	0	R00000176
<b>AC95WY029</b>	1995	CRA Exploration	Air core	566263	6275335	63	220	-90	0	R00000176
<b>AC95WY030</b>	1995	CRA Exploration	Air core	566163	6274785	43	220	-90	0	R00000176
<b>2737-1</b>	1988	Geopeko	RAB	564303	6277305	72	221	-90	0	R00008406
<b>2737-2</b>	1988	Geopeko	RAB	564503	6277285	68	218	-90	0	R00008406
<b>2737-3</b>	1988	Geopeko	RAB	564873	6277185	53	220	-90	0	R00008406
<b>2737-4</b>	1988	Geopeko	RAB	565633	6277055	50	223	-90	0	R00008406
<b>2737-5</b>	1988	Geopeko	RAB	566853	6276925	56	221	-90	0	R00008406
<b>2737-6</b>	1988	Geopeko	RAB	567623	6276805	74	228	-90	0	R00008406
<b>2737-7</b>	1988	Geopeko	RAB	565873	6279535	99	215	-90	0	R00008406
<b>2737-8</b>	1988	Geopeko	RAB	566783	6279935	90	216	-90	0	R00008406
<b>RAB-37</b>	1986	BHP Minerals Limited	RAB	573113	6293685	52	225	-90	0	R00005537
<b>RAB-38</b>	1986	BHP Minerals Limited	RAB	572863	6294535	42	227	-90	0	R00005537
<b>RAB-39</b>	1985	BHP Minerals Limited	RAB	568113	6282585	57	227	-90	0	R00005537, R00008607
<b>WWP1</b>	1984	BP Minerals Australia	PERC	567663	6275545	99	233	-60	85	R00009535
<b>WWP2</b>	1984	BP Minerals Australia	PERC	567763	6275545	81	238	-60	85	R00009535
<b>WWP3</b>	1984	BP Minerals Australia	PERC	568873	6274915	123	266	-60	85	R00009535
<b>WWP4</b>	1984	BP Minerals Australia	PERC	569113	6274985	141	278	-60	85	R00009535
<b>WWP5</b>	1984	BP Minerals Australia	PERC	570153	6274964	131	286	-60	265	R00009535
<b>RAB6</b>	1982	Samedan Oil Corporation	RAB	570612	6288101	30	234	-90	0	R00005785, R00012664, R00014922
<b>RAB17</b>	1982	Samedan Oil Corporation	RAB	572697	6280029	30	242	-90	0	R00005785, R00012664, R00014922
<b>RAB26</b>	1982	Samedan Oil Corporation	RAB	569473	6272648	52	243	-90	0	R00005785, R00012664, R00014922
<b>RAB1</b>	1982	Samedan Oil Corporation	RAB	566349	6270461	2	240	-90	0	R00005786, R00012664, R00014922
<b>RAB2</b>	1982	Samedan Oil Corporation	RAB	568063	6272885	50	230	-90	0	R00005786, R00012664, R00014922

<b>RAB3</b>	1982	Samedan Oil Corporation	RAB	566013	6273305	46	226	-90	0	R00005786, R00012664, R00014922
<b>RAB4</b>	1982	Samedan Oil Corporation	RAB	563663	6273735	50	224	-90	0	R00005786, R00012664, R00014922
<b>RAB5</b>	1982	Samedan Oil Corporation	RAB	566053	6274415	63	225	-90	0	R00005786, R00012664, R00014922
<b>RAB7</b>	1982	Samedan Oil Corporation	RAB	568863	6275605	2	258	-90	0	R00005786, R00012664, R00014922
<b>RAB8</b>	1982	Samedan Oil Corporation	RAB	568513	6275725	2	241	-90	0	R00005786, R00012664, R00014922
<b>RAB9</b>	1982	Samedan Oil Corporation	RAB	569353	6280685	31	225	-90	0	R00005786, R00012664, R00014922
<b>RAB10</b>	1982	Samedan Oil Corporation	RAB	567193	6276845	74	226	-90	0	R00005786, R00012664, R00014922
<b>RAB11</b>	1982	Samedan Oil Corporation	RAB	566433	6276765	32	223	-90	0	R00005786, R00012664, R00014922
<b>RAB12</b>	1982	Samedan Oil Corporation	RAB	566653	6278135	68	221	-90	0	R00005786, R00012664, R00014922
<b>RAB13</b>	1982	Samedan Oil Corporation	RAB	563893	6277385	44	223	-90	0	R00005786, R00012664, R00014922
<b>RAB14</b>	1982	Samedan Oil Corporation	RAB	565663	6283535	53	232	-90	0	R00005786, R00012664, R00014922
<b>RAB15</b>	1982	Samedan Oil Corporation	RAB	565213	6284185	6	249	-90	0	R00005786, R00012664, R00014922
<b>PDH18</b>	1982	Samedan Oil Corporation	PERC	569733	6284135	91	256	-90	0	R00005786, R00012664, R00014922
<b>RAB23</b>	1982	Samedan Oil Corporation	RAB	565313	6284425	3	257	-90	0	R00005786, R00012664, R00014922
<b>RAB24</b>	1982	Samedan Oil Corporation	RAB	565413	6284635	3	263	-90	0	R00005786, R00012664, R00014922
<b>RAB25</b>	1982	Samedan Oil Corporation	RAB	568663	6274185	29	241	-90	0	R00005786, R00012664, R00014922
<b>RAB27</b>	1982	Samedan Oil Corporation	RAB	568893	6272885	7	239	-90	0	R00005786, R00012664, R00014922
<b>RAB34</b>	1982	Samedan Oil Corporation	RAB	566013	6275405	74	225	-90	0	R00005786, R00012664, R00014922
<b>RAB35</b>	1982	Samedan Oil Corporation	RAB	564583	6279425	67	213	-90	0	R00005786, R00012664, R00014922
<b>RAB36</b>	1982	Samedan Oil Corporation	RAB	568863	6278245	69	225	-90	0	R00005786, R00012664, R00014922
<b>RAB37</b>	1982	Samedan Oil Corporation	RAB	569013	6275825	50	259	-90	0	R00005786, R00012664, R00014922
<b>PDH41</b>	1982	Samedan Oil Corporation	PERC+DH	569473	6282285	86.1	233	-90	0	R00005786, R00012664, R00014922
<b>PDH42</b>	1982	Samedan Oil Corporation	PERC+DH	568893	6274985	102.6	268	-90	0	R00005786, R00012664, R00014922
<b>PDH43</b>	1982	Samedan Oil Corporation	PERC+DH	569093	6276485	58.7	247	-90	0	R00005786, R00012664, R00014922
<b>PDH67</b>	1982	Samedan Oil Corporation	PERC+DH	569513	6282635	101.1	235	-90	0	R00005786, R00012664, R00014922
<b>16</b>	1982	Samedan Oil Corporation	PERC+DH	570574	6288000	90.7	233	-90	0	R00005786
<b>40</b>	1982	Samedan Oil Corporation	PERC+DH	571159	6290488	65	233	-90	0	R00005786
<b>45</b>	1982	Samedan Oil Corporation	PERC+DH	572522	6265355	110.5	235	-90	0	R00005786
<b>47</b>	1982	Samedan Oil Corporation	PERC+DH	572583	6279983	134.2	245	-90	0	R00005786

48	1982	Samedan Oil Corporation	PERC+DH	563331	6268238	65	214	-90	0	R00005786
----	------	-------------------------	---------	--------	---------	----	-----	-----	---	-----------

Historical Company Annual Technical Reports are available from the [Geological Survey NSW Government website - DIGS](#)

personal use only

## JORC Code, 2012 Edition – Table 1 report template

### Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> <li>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</li> </ul>	<ul style="list-style-type: none"> <li>As per the ASX announcement to which this table is appended, Copper Search Limited has an exclusive Option, to purchase the Cowal Project from vendor Rimfire Pacific Mining Limited over the Cowal Project tenements EL8329, EL8804 and EL9397. The vendor has not completed any material exploration on these tenements. Historical data has been sourced from the NSW State Government Minview website.</li> <li>ELA6903 (100% Copper Search) was recently (May 2025) dropped by Newmont and we will assess the open file report once it is released.</li> </ul> <p><b><u>Historical Work Statement</u></b> Copper Search cannot attest the nature or accuracy of previous work although it is reasonable to consider that the work was conducted to industry standards of the time. The majority of the previous exploration was completed by reputable larger companies and the annual reports reviewed conveyed a high quality of professionalism and the results in Minview have been taken to be accurate. Noting that drilling was conducted from 1970-2013 and some earlier annual reports did not require as much detail as is current practice. This Statement holds for all subsequent sections of this Table.</p>
	<ul style="list-style-type: none"> <li>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</li> </ul>	<ul style="list-style-type: none"> <li><u>Historical work</u>: see historical work statement above.</li> </ul>
	<ul style="list-style-type: none"> <li>Aspects of the determination of mineralisation that are Material to the Public Report.</li> </ul>	<ul style="list-style-type: none"> <li>At this stage of exploration, no modifying factors or limitations are known.</li> </ul>
	<ul style="list-style-type: none"> <li>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</li> </ul>	<ul style="list-style-type: none"> <li>Historical work: see historical work statement above.</li> </ul>

Criteria	JORC Code explanation	Commentary
Drilling techniques	<ul style="list-style-type: none"> <li>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</li> </ul>	<ul style="list-style-type: none"> <li>See drill collar table for drill type and NSW Government referenced Annual Technical Reports (ATR) numbers.</li> <li><u>Historical</u>: See historical work statement above.</li> </ul>
Drill sample recovery	<ul style="list-style-type: none"> <li>Method of recording and assessing core and chip sample recoveries and results assessed.</li> </ul>	<ul style="list-style-type: none"> <li><u>Historical Work</u>: Largely unknown. However, see drill collar table for drill type and NSW Government referenced ATRs.</li> </ul>
	<ul style="list-style-type: none"> <li>Measures taken to maximise sample recovery and ensure representative nature of the samples.</li> </ul>	<ul style="list-style-type: none"> <li><u>Historical work</u>: Unknown, see historical work statement above.</li> </ul>
	<ul style="list-style-type: none"> <li>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</li> </ul>	<ul style="list-style-type: none"> <li><u>Historical work</u>: Unknown, see historical work statement above. It is unknown if there is a relationship between recovery and grade, as insufficient historical data was recorded.</li> </ul>
Logging	<ul style="list-style-type: none"> <li>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</li> </ul>	<ul style="list-style-type: none"> <li><u>Historical work</u>: See historical work statement above. Limited historic data is of sufficient detail to support a MRE or mining study, no ore zone material is available for metallurgical studies.</li> </ul>
	<ul style="list-style-type: none"> <li>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li> </ul>	<ul style="list-style-type: none"> <li><u>Historical work</u>: Unknown, see historical work statement above. No core photography is recorded</li> </ul>
	<ul style="list-style-type: none"> <li>The total length and percentage of the relevant intersections logged.</li> </ul>	<ul style="list-style-type: none"> <li><u>Historical work</u>: Unknown, see historical work statement above. The historical reports indicate a geologist logged the majority of the holes. Commonly holes were drilled using rotatory mud water bore rigs to basement and a short bottom of hole core sample collected.</li> </ul>
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> <li>If core, whether cut or sawn and whether quarter, half or all core taken.</li> </ul>	<ul style="list-style-type: none"> <li><u>Historical work</u>: see historical work statement above. Most of the work completed from the mid 1990s describes standard current practice of half core sampling, often without details, but prior reports did not capture this information.</li> </ul>
	<ul style="list-style-type: none"> <li>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li> </ul>	<ul style="list-style-type: none"> <li><u>Historical work</u>: Unknown, see historical work statement above.</li> </ul>
	<ul style="list-style-type: none"> <li>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> </ul>	<ul style="list-style-type: none"> <li><u>Historical work</u>: Unknown, see historical work statement above.</li> </ul>
	<ul style="list-style-type: none"> <li>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li> </ul>	<ul style="list-style-type: none"> <li><u>Historical work</u>: Unknown, see historical work statement above.</li> </ul>
	<ul style="list-style-type: none"> <li>Measures taken to ensure that the sampling is representative of the in situ</li> </ul>	<ul style="list-style-type: none"> <li>Unknown, see <u>Historical work</u> statement above.</li> </ul>

Criteria	JORC Code explanation	Commentary
	<p><i>material collected, including for instance results for field duplicate/second-half sampling.</i></p> <ul style="list-style-type: none"> <li>• <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i></li> </ul>	<ul style="list-style-type: none"> <li>• <u>Historical work</u>: Unknown, see historical work statement above.</li> </ul>
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> <li>• <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i></li> </ul>	<ul style="list-style-type: none"> <li>• <u>Historical work</u>: The Majority is Unknown, see historical work statement above. Some very early work was focused on Cu-porphyry discovery and did not assay for gold in all cases, prior to the realisation of litho-cap exploration model and pre-discovery of the Cowal gold deposit. However work was undertaken in most cases by highly competent exploration companies who used the latest technology available – at the time. However, introduction of more accurate ICPMS analytical machines began use in the late 1980's with widespread use from the the mid 1990's, with a subsequent significant improvement in detection limits and trace element in 2010, later than most of the work undertaken. Most exploration from 2001 used a sufficient multi-element suite to detect pathfinder for the likely mineralisation systems expected.</li> </ul>
	<ul style="list-style-type: none"> <li>• <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i></li> </ul>	<ul style="list-style-type: none"> <li>• <u>Historical work</u>: Unknown, see historical work statement above.</li> </ul>
	<ul style="list-style-type: none"> <li>• <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i></li> </ul>	<ul style="list-style-type: none"> <li>• <u>Historical work</u>: Unknown, see historical work statement above.</li> </ul>
Verification of sampling and assaying	<ul style="list-style-type: none"> <li>• <i>The verification of significant intersections by either independent or alternative company personnel.</i></li> </ul>	<ul style="list-style-type: none"> <li>• No new drilling results are presented in this report. Two geologists have verified all significant intervals based on historical reports.</li> </ul>
	<ul style="list-style-type: none"> <li>• <i>The use of twinned holes.</i></li> </ul>	<ul style="list-style-type: none"> <li>• No twinned holes were observed in the available Historical Work. No new drilling is presented.</li> </ul>
	<ul style="list-style-type: none"> <li>• <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></li> </ul>	<ul style="list-style-type: none"> <li>• <u>Historical work</u>: Primary data collection was paper records and these have been viewed in PDF format. However it is unknown what further protocol or data entry procedures, see historical work statement above.</li> </ul>
	<ul style="list-style-type: none"> <li>• <i>Discuss any adjustment to assay data.</i></li> </ul>	<ul style="list-style-type: none"> <li>• <u>Historical work</u>: Unknown, see historical work statement above. No changes were made to the assay data downloaded from NSW Government Minview</li> </ul>

Criteria	JORC Code explanation	Commentary
		website by Copper Search.
Location of data points	<ul style="list-style-type: none"> <li>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> </ul>	<ul style="list-style-type: none"> <li>n/a as no MRE is estimated. <u>Historical work</u>: see historical work statement above. Unknown. Drilling records date back to 1970, prior to GPS.</li> </ul>
	<ul style="list-style-type: none"> <li>Specification of the grid system used.</li> </ul>	<ul style="list-style-type: none"> <li>GDA94 Zone 55.</li> </ul>
	<ul style="list-style-type: none"> <li>Quality and adequacy of topographic control.</li> </ul>	<ul style="list-style-type: none"> <li>RLs have been calculated using SRTM DEM. This is adequate for the early stage of exploration contemplated.</li> </ul>
Data spacing and distribution	<ul style="list-style-type: none"> <li>Data spacing for reporting of Exploration Results.</li> </ul>	<ul style="list-style-type: none"> <li>Spacing is highly variable across the properties. <u>Historical work</u>: The spacing over some prospects is useful as a first pass, but some areas remain untested.</li> </ul>
	<ul style="list-style-type: none"> <li>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</li> </ul>	<ul style="list-style-type: none"> <li>No, there is insufficient data to support geological and grade continuity to support an MRE - no MRE is declared.</li> </ul>
	<ul style="list-style-type: none"> <li>Whether sample compositing has been applied.</li> </ul>	<ul style="list-style-type: none"> <li><u>Historical work</u>: see historical work statement above. Not recorded for most early exploration.</li> </ul>
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> <li>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</li> </ul>	<ul style="list-style-type: none"> <li>The relationship between drilling orientation and the orientation of key mineralised structures has not been confirmed due to the limited number of deeper drill holes.</li> </ul>
	<ul style="list-style-type: none"> <li>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</li> </ul>	<ul style="list-style-type: none"> <li>The relationship between drilling orientation and the orientation of key mineralised structures has not been confirmed. <u>Historical work</u>: see historical work statement above. Unknown.</li> </ul>
Sample security	<ul style="list-style-type: none"> <li>The measures taken to ensure sample security.</li> </ul>	<ul style="list-style-type: none"> <li><u>Historical work</u>: Unknown, see historical work statement above.</li> </ul>
Audits or reviews	<ul style="list-style-type: none"> <li>The results of any audits or reviews of sampling techniques and data.</li> </ul>	<ul style="list-style-type: none"> <li>No separate audit has been completed. <u>Historical work</u>: Unknown, see historical work statement above.</li> </ul>

## Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> <li>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> </ul>	<ul style="list-style-type: none"> <li>As per the ASX announcement to which this table is appended, Copper Search Limited has an exclusive Option, to purchase the Cowal Project from vendor Rimfire Pacific Mining Limited over the Cowal Project tenements EL8329, EL8804 and EL9397 for \$200,000 cash or up to 50% scrip at CUS Election. Milestone payments on first JORC inferred Mineral Resource Estimate of \$200,000 to Rimfire and a final cash payment of \$250,000 on first production. A pre-existing 2% NSR Royalty in favour of Sandfire Resources (ASX: SFR) is in place for EL8329. Native title has been extinguished and no other impediments are known at this time.</li> <li>ELA6903 held 100% Copper Search via subsidiary Altitude Gold Pty Ltd and has no encumbrances to third parties. There is a 15km<sup>2</sup> Carawandool State Forest within the 489km<sup>2</sup> ELA6903, which allows for mineral exploration subject to certain conditions (3% of ELA). Within the Rimfire tenements there is three similar classified small state forest reserves, which are identified in diagrams in the body of the report (shaded green).</li> </ul>
	<ul style="list-style-type: none"> <li>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</li> </ul>	<ul style="list-style-type: none"> <li>The tenure has been independently verified by a Tenement Management Company and is in good standing with EL9397 undergoing renewal. A tenement renewal application has been submitted to the Department in respect of EL 9397, and which remains pending as at the date of this announcement. However, the tenement is large enough that some non-prospective ground could be relinquished should a reduction of tenure be required. A Land Access Agreements (LAA) is in place for some of the Rimfire Cowal Project area which should be sufficient to conduct due diligence during the Option period. New LAA will need to be obtained to access the ground after grant of the ELA.</li> </ul>
Exploration done by other parties	<ul style="list-style-type: none"> <li>Acknowledgment and appraisal of exploration by other parties.</li> </ul>	<ul style="list-style-type: none"> <li>The following companies are reported to have operated drilling programs on the project and most company conducting surface geochemical sampling and various forms of geophysics, most of which has been merged into the NSW state database. <ul style="list-style-type: none"> <li><b>Rimfire Tenements EL8329, EL8804 and EL9397</b></li> <li>1970 Sedimentary Uranium: 2 Rotary Mud 225m</li> <li>1981 Geopeko: 8 Auger/Core 993m</li> <li>1982-3 Samedan Oil Corporation: 32 RAB 3178m</li> </ul> </li> </ul>

Criteria	JORC Code explanation	Commentary
		<p>1983-5 BHP Minerals: 3 RAB 267m                      1991 Geopeko: 1 RAB 117m                      1992 Newcrest: 2 Aircore 123m; 1 DDH 250m                      1996-7 North Mining: 95 Air Core 6,377m; 6 DDH 869.5m                      2002 MIM Exploration: 3 RC 718m                      2008 Newcrest: 1 Aircore 144m                      2008-09 Clancy Mining: 53 Aircore; 5523m                      2008 Capital Mining: 1 DDH 890.5m                      2010 Capital Mining: 7 Aircore 498m; 6 RC 373m                      2011 Sumintomo: 3 Air Core 259m                      2012 Centius Gold: 3 Air Core 369m                      2013 Clancy Mining: 6 DDH 979m  <b>Total 20,946m</b></p> <p><b>ELA6903 (100% Copper Search)</b>                      1982-3 Samedan Oil Corporation: 25 RAB 937m; 1 Percussion 93m; 9                      Percussion with bottom hole Core 813.9m                      1984 BP Minerals: 5 Percussion 1,301m                      1986 BHP Minerals: 3 Air Core 679m                      1988 Geopeko: 8 RAB 562m                      1995-6 CRA Exploration: 44 Air Core 1,987m                      1996-9 Resolute Mining: 10 RC 955m; 8 DDH 2,619.6m                      2007 Newcrest Mining: 1 DDH 576.3m                      2011 Sumitomo: 30 Air Core 1648m                      2018-2025 Newmont – Unknown data not released yet  <b>Total 10,916m</b></p> <p>NSW Government public records show previous exploration from 1970-2013 collected 3,168 surface geochemical samples on ELA9603 and 525 on the Rimfire Tenements. Further analysis of these data set will be undertaken under Option subject to ROFR waiver from Sandfire and in conjunction with any additional samples from recent Newmont work.                      Gravity data - ground based combined all previous exploration companies and state survey data has been merged by NSW Government. Falcon Airborne Gravity Gradiometry (AGG) was flown by Xcalibur Multiphysics on a north-south orientation, with 2000m spaced flight lines by the NSW</p>

Criteria	JORC Code explanation	Commentary
		<p>Government.</p> <p>Historical merged magnetic surveys have been downloaded from the NSW Government, merged and processed e.g. RTP Reduced to Pole.</p> <p>Previous companies collected at least 13 Line km of IP over 7 lines over the Porters Mount Prospect, acquiring original data, reprocessing of this and other historical IP surveys, 3D inversions of magnetics and full 3D workspace build out will be undertaken once the ROFR is waiver from Sandfire is received to allow the Option to purchase agreement to proceed.</p>
Geology	<ul style="list-style-type: none"> <li>• <i>Deposit type, geological setting and style of mineralisation.</i></li> </ul>	<ul style="list-style-type: none"> <li>• The project is prospective for large-scale epi-thermal gold and Cu-Au porphyry deposits in the Macquarie Arc Junee-Narromine Volcanic Belt – Lachlan Fold Belt.</li> </ul>
Drill hole Information	<ul style="list-style-type: none"> <li>• <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> <ul style="list-style-type: none"> <li>○ <i>easting and northing of the drill hole collar</i></li> <li>○ <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i></li> <li>○ <i>dip and azimuth of the hole</i></li> <li>○ <i>down hole length and interception depth</i></li> <li>○ <i>hole length.</i></li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>• A table of all historical drill collars is presented in a table in the body of the report which takes up all the recommended data.</li> </ul>
	<ul style="list-style-type: none"> <li>• <i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i></li> </ul>	<ul style="list-style-type: none"> <li>• All data available in the public record and current tenement holder has been collated and all significant intersections presented. No information has been excluded that would materially detract from the understanding of the project.</li> </ul>
Data aggregation methods	<ul style="list-style-type: none"> <li>• <i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i></li> </ul>	<ul style="list-style-type: none"> <li>• Standard length weighted averaging techniques were used for recent and historical significant intersection calculations. No top cut has been applied as no high grade results. Lower cut off grades are stated adjacent to the significant intervals table and are appropriate to exploration stage.</li> </ul>
	<ul style="list-style-type: none"> <li>• <i>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i></li> </ul>	<ul style="list-style-type: none"> <li>• All aggregate drill intercepts are length weighted and internal dilution applicable is stated below the significant interval table(s).</li> </ul>

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> <li>The assumptions used for any reporting of metal equivalent values should be clearly stated.</li> </ul>	<ul style="list-style-type: none"> <li>No metal equivalents have been reported</li> </ul>
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> <li>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</li> </ul>	<ul style="list-style-type: none"> <li>No oriented core was reported in any drilling programs, Down hole intercept length has been reported. True width is not known.</li> </ul>
Diagrams	<ul style="list-style-type: none"> <li>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</li> </ul>	<ul style="list-style-type: none"> <li>Maps and diagrams are included in the body of the report or immediately above the JORC Table 1. No cross sections are provided due to wide spacing of drilling and/or insignificant results, no reporting of MRE. It is the intention of the Company during the Option period to build out a comprehensive 3D model and provide cross section at that time if appropriate.</li> </ul>
Balanced reporting	<ul style="list-style-type: none"> <li>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</li> </ul>	<ul style="list-style-type: none"> <li>The report is considered balanced, as all known significant assays are reported. All known drill collars are reported.</li> </ul>
Other substantive exploration data	<ul style="list-style-type: none"> <li>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</li> </ul>	<ul style="list-style-type: none"> <li>None known.</li> </ul>
Further work	<ul style="list-style-type: none"> <li>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</li> </ul>	<ul style="list-style-type: none"> <li>Further planned works is detailed in the body of this report and includes desktop review, relogging historical core and merging all previous data to rank prospects and determine next steps.</li> </ul>
	<ul style="list-style-type: none"> <li>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</li> </ul>	<ul style="list-style-type: none"> <li>Until further desktop studies and review of historical core are completed, the potential extensions to prospects have cannot be determined.</li> </ul>