

29 July 2025

## Aurum reports high-grade gold results from BD and BST deposits at Boundiali

Aurum Resources (ASX: AUE) reports further gold intercepts from diamond drilling at its 1.59Moz Boundiali Gold Project in Côte d'Ivoire as it continues towards completing 100,000m drilling program at Boundiali in CY2025.

### Highlights

- Assay results from exploration diamond drilling at the **BD** tenement (57 holes for 13,836.80m) and **BST** tenement (14 holes for 2,499.65m) have returned encouraging gold intercepts<sup>1</sup> including:
  - **BDT1**
    - DSDD0203
      - **6m @ 30.68 g/t Au from 410.00m inc. 4m @ 45.91 g/t Au (inc. 1m @ 181.20 g/t Au)**
    - DSDD0192
      - **2.34m @ 67.21 g/t Au from 189.00m inc. 1.34m @ 117.15 g/t Au**
  - **BDT2**
    - DSDD0240
      - **5m @ 2.46 g/t Au from 148.00m inc. 1m @ 8.88 g/t Au**
      - **6m @ 2.53 g/t Au from 214.00m inc. 1m @ 14.16 g/t Au**
      - **2m @ 22.86 g/t Au from 297.00m**
    - DSDD0218
      - **2m @ 16.67 g/t Au from 29.50m**
  - **BDT3**
    - DSDD0226
      - **1.50m @ 32.51 g/t Au from 155.50m inc. 0.99m @ 48.83 g/t Au**
    - DSDD0189
      - **26m @ 0.90 g/t Au from 249.00m inc. 6m @ 2.00 g/t Au**
  - **BST1**
    - BSDD0004
      - **11m @ 3.31 g/t Au from 112m inc. 3m @ 8.66 g/t Au**
      - **10m @ 0.66 g/t Au from 133 m inc. 1.95m @ 1.83 g/t Au**
    - BSDD0001
      - **3m @ 4.34 g/t Au from 213m inc. 1m @ 12.23 g/t Au**
      - **8m @ 2.81 g/t Au from 224m inc. 1m @ 15.97 g/t Au**
- These results demonstrate the **emerging potential** and **continued upside** of the Boundiali project, with gold mineralisation **remaining open** along strike and at depth.
- Eight of Aurum's self-owned diamond rigs **continue to drill** at Boundiali with **100,000m** targeted in CY2025.
- **Two MRE updates** planned in **CY2025** to grow the maiden **1.59Moz Boundiali Mineral Resource Estimate**<sup>2</sup>.
- Aurum has commenced a **Boundiali Pre-Feasibility Study**, due for completion by **end of CY2025**.
- 30,000m drill program underway at **Napié Gold Project**, aiming to grow its existing **0.87Moz MRE**<sup>3</sup>.
- **Aurum is well-funded with \$46.9M cash and value of Montage shares (unaudited)**<sup>4</sup> for continued exploration success.

<sup>1</sup> Refer to Table 1 and Table 3 for collar information and Table 2 and Table 4 for assay results for the new drilling

<sup>2</sup> "Aurum delivers 1.6Moz Maiden JORC Resource at Boundiali Gold Project" released to the Australian Securities Exchange on 30 December 2024 and amended on 31 December 2024 and available to view on [www.asx.com.au](http://www.asx.com.au)

<sup>3</sup> "Napie Project Listing Rule 5.6 Disclosure (Amended)" released to the Australian Securities Exchange on 4 February 2025 and available to view on [www.asx.com.au](http://www.asx.com.au).

<sup>4</sup> ASX release dated 23/07/2025 June Quarterly Report

**Aurum's Managing Director Dr. Caigen Wang** said: *"It is my pleasure to announce further high-grade gold intercepts at the Boundiali project. This time at BDT1 where our drills hit **6m @ 30.68 g/t Au** from 410m inc. **4m @ 45.91 g/t Au** inc. **1m @ 181.20 g/t Au**. This great result confirms extensions to north plunging high-grade shoots at BDT1 and these remain open.*

*Aurum is on track to complete 100,000m of diamond drilling at Boundiali in 2025. These new drill results from multiple deposits will be incorporated into our first MRE update, which we plan to release imminently, and build upon the current **1.59Moz** Boundiali MRE. A second update, planned for late in CY25, will incorporate results from planned drilling at the **BD, BM, and BST** deposits, as well as numerous untested gold-in-soil anomalies.*

*Aurum's use of its own drill rigs, with our fleet of 10 rigs, provides for cost-effective and accelerated exploration, underpinning our objective of significant resource growth at Boundiali in 2025 and beyond, ultimately contributing to a Pre-Feasibility Study expected by year-end.*

*A 30,000m diamond drilling program is underway at the Napié project, targeting expansion of the current **0.87Moz MRE**, with an updated MRE anticipated by year-end.*

*With a combined **2.5Moz of gold** across Boundiali and Napié, and substantial drilling programs now in play for both projects, Aurum is well-positioned for significant resource growth and further value creation in 2025."*

## BD - Latest Drill Results

Aurum is reporting new assay results from diamond drilling (57 holes for 13,836.80m). These results are from the **BDT1** deposit (20 holes for 5,773.00m), the **BDT2** deposit (19 holes for 4,200.00m), and the **BDT3** prospect (18 holes for 3,863.60m) on Boundiali's **BD** tenement, where Aurum holds an 80% project interest<sup>5</sup>. Best assay results from the new drilling includes<sup>6</sup>:

### BD Target 1 (BDT1)

- **2.34m @ 67.21 g/t Au** from 189.00m inc. **1.34m @ 117.15 g/t Au** (DSDD0192)
- **53.45m @ 0.96 g/t Au** from 501.00m inc. **3.00m @ 6.94 g/t Au** (DSDD0193)
- **19.76m @ 0.88 g/t Au** from 554.00m inc. **3.76m @ 2.87 g/t Au** (DSDD0207)
- **6.00m @ 30.68 g/t Au** from 410.00m inc. **4.00m @ 45.91 g/t Au** (inc. **1m @ 181.20 g/t Au**) (DSDD0203)
- **7.00m @ 2.54 g/t Au** from 82.00m inc. **5.00m @ 3.12 g/t Au** (DSDD0201)
- **2.00m @ 0.51 g/t Au** from 299.00m (DSDD0196)
- **22.00m @ 0.54 g/t Au** from 412.00m inc. **3.00m @ 1.80 g/t Au** (DSDD0198)
- **6.00m @ 0.54 g/t Au** from 82.00m inc. **1.00m @ 1.50 g/t Au** (DSDD0187)
- **15.00m @ 0.79 g/t Au** from 309.00m inc. **2.00m @ 2.38 g/t Au** (DSDD0211)
- **2.00m @ 0.55 g/t Au** from 217.00m (DSDD0224)
- **4.00m @ 0.41 g/t Au** from 129.00m (DSDD0230)
- **4.00m @ 0.61 g/t Au** from 5.00m (DSDD0241)
- **2.00m @ 7.87 g/t Au** from 125.00m (DSDD0242)
- **1.00m @ 0.52 g/t Au** from 67.00m (DSDD0245)
- **10.00m @ 0.33 g/t Au** from 16.00m (DSDD0247).

<sup>5</sup> Refer to About Aurum's Boundiali Gold Project

<sup>6</sup> Refer to Table 1 for collar information and Table 3 for full assay results for the new drilling

**BD Target 2 (BDT2)**

- **16.00m @ 1.79 g/t Au** from 347.00m inc. **4.00m @ 6.36 g/t Au** (DSDD0235)
- **18.15m @ 0.80 g/t Au** from 190.85m inc. **4.00m @ 2.53 g/t Au** (DSDD0243)
- **2.00m @ 22.86 g/t Au** from 297.00m (DSDD0240)
- **1.50m @ 1.19 g/t Au** from 4.50m (DSDD0216)
- **2.00m @ 16.67 g/t Au** from 29.50m (DSDD0218)
- **1.00m @ 0.87 g/t Au** from 109.00m (DSDD0220)
- **3.82m @ 0.72 g/t Au** from 24.00m inc. **1.00m @ 1.99 g/t Au** (DSDD0222)
- **7.00m @ 1.69 g/t Au** from 8.00m inc. **4.00m @ 2.55 g/t Au** (DSDD0223)
- **1.21m @ 1.72 g/t Au** from 38.33m (DSDD0225)
- **1.00m @ 7.88 g/t Au** from 107.00m (DSDD0227)
- **3.00m @ 1.83 g/t Au** from 55.00m inc. **0.90m @ 5.00 g/t Au** (DSDD0228)
- **9.60m @ 0.58 g/t Au** from 122.00m inc. **1.45m @ 1.63 g/t Au** (DSDD0231)
- **4.00m @ 1.31 g/t Au** from 37.00m inc. **1.00m @ 3.91 g/t Au** (DSDD0234)
- **4.00m @ 1.09 g/t Au** from 163.00m (DSDD0236)
- **26.91m @ 0.47 g/t Au** from 51.31m inc. **1.00m @ 3.28 g/t Au** (DSDD0237)
- **2.00m @ 1.14 g/t Au** from 147.00m inc. **1.00m @ 2.07 g/t Au** (DSDD0246)
- **2.00m @ 0.83 g/t Au** from 167.00m inc. **1.00m @ 1.02 g/t Au** (DSDD0248)
- **1.00m @ 0.82 g/t Au** from 86.00m (DSDD0249).

**BD Target 3 (BDT3)**

- **26.00m @ 0.90 g/t Au** from 249.00m inc. **6.00m @ 2.00 g/t Au** (DSDD0189)
- **1.50m @ 32.51 g/t Au** from 155.50m inc. **0.99m @ 48.83 g/t Au** (DSDD0226)
- **18.59m @ 0.90 g/t Au** from 27.00m inc. **7.00m @ 1.44 g/t Au** (DSDD0208)
- **1.00m @ 1.58 g/t Au** from 86.00m (DSDD0191)
- **1.29m @ 0.39 g/t Au** from 32.21m (DSDD0194)
- **1.00m @ 12.27 g/t Au** from 140.00m (DSDD0195)
- **6.00m @ 0.32 g/t Au** from 318.00m (DSDD0199)
- **5.00m @ 1.90 g/t Au** from 140.00m inc. **3.00m @ 2.74 g/t Au** (DSDD0202)
- **1.00m @ 0.62 g/t Au** from 34.00m (DSDD0204)
- **1.24m @ 0.44 g/t Au** from 9.76m (DSDD0205)
- **1.00m @ 9.39 g/t Au** from 85.00m (DSDD0210)
- **1.00m @ 7.87 g/t Au** from 100.00m (DSDD0217)
- **3.00m @ 1.02 g/t Au** from 160.00m inc. **1.24m @ 1.82 g/t Au** (DSDD0219)
- **7.00m @ 0.35 g/t Au** from 120.00m inc. **1.00m @ 1.60 g/t Au** (DSDD0229)
- **25.00m @ 0.35 g/t Au** from 140.00m inc. **2.00m @ 1.07 g/t Au** (DSDD0233).

These new results are in addition to diamond holes drilled and reported<sup>7</sup> by Aurum at **BD**, which include:

- **83m @ 4.87 g/t Au** from 106m inc. **6.29m @ 34.94 g/t Au & 8m @ 14.81 g/t Au** (DSDD0148)

<sup>7</sup> Refer to Compliance Statement for details on previous reporting on ASX

For personal use only

- **12m @ 22.02 g/t Au** from 145m inc. **2m @ 35.59 g/t Au** & **7m @ 27.50 g/t Au** (DSDD0136 – BDT3 outside MRE)
- **89m @ 2.42 g/t Au** from 213m inc. **7m @ 14.46 g/t Au** & **6m @ 9.01 g/t Au** (DSDD0150)
- **73m @ 2.15g/t Au** from 172m inc. **4m @ 18.63g/t Au** (DSDD0012)
- **22.71m @ 4.78 g/t Au** from 177.59m inc. **5.41m @ 12.66 g/t Au** & **10m @ 3.60 g/t Au** (DSDD0162 – BDT3 outside MRE)
- **90m @ 1.16 g/t Au** from 143m inc. **51m @ 1.04 g/t Au** and **35m @ 1.47 g/t Au** (DSDD0050)
- **59m @ 1.42 g/t Au** from 68m inc. **13m @ 3.92 g/t Au** (DSDD0010)
- **36m @ 2.53 g/t Au** from 104m inc. **16m @ 5.03 g/t Au** (DSDD0011)
- **4m @ 22.35 g/t Au** from 226m (173m below surface) (DSDD0004)
- **12.22m @ 14.56 g/t Au** from 275m inc. **1m @ 163.42 g/t Au** (DSDD0051)
- **34m @ 2.32 g/t Au** from 56m inc. **9m @ 5.44 g/t Au** (DSDD0157)
- **69m @ 1.05 g/t Au** from 195m inc. **12m @ 2.28 g/t Au** (DSDD0060A)
- **40m @ 1.03 g/t Au** from 136m inc. **5m @ 1.70 g/t Au** (DSDD0076).

The **BDT1**, **BDT2** gold deposits, and **BDT3** gold prospect lie within an underexplored **13km by 3km mineralised corridor**. Gold mineralisation is hosted in a thick, north-south trending sandstone unit, positioned between hanging wall and footwall volcano-sedimentary rocks. The gold which is free milling<sup>8</sup> is associated with fine disseminated pyrite and an alteration assemblage of hematite, silica, chlorite, tourmaline, quartz veinlets, albite, and carbonate.

Drilling is ongoing at **BDT1**, **BDT2** and **BDT3** with more assays pending. True widths for these shallow, wide gold intercepts are estimated at about 65% - 80% of reported downhole lengths.

Details of drill collar location and assay results for the new drilling at **BDT1**, **BDT2** and **BDT3** is provided in Table 1 and respectively. Plans showing location of the Boundiali Gold Project and the assay results are presented in the following figures, general locations in Figure 1 and Figure 2, project details in Figure 3, and plans showing assay results in Figure 4 (**BDT1**), Figure 6 (**BDT2**), Figure 8 (**BDT3**), and example cross sections in Figure 5 (**BDT1**), Figure 7 (**BDT2**), and Figure 9 (**BDT3**).

Gold mineralisation remains open along strike and at depth on all deposits and prospects at the Boundiali Gold Project. With Aurum's 100,000m drilling program ongoing in CY 2025, further work is planned to follow up these encouraging results.

<sup>8</sup> ASX release dated 23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali

### BST - Latest Drill Results

Aurum is reporting new assay results from step out diamond drilling (14 holes for 2,499.65m) at the **BST1** deposit on Boundiali's **BST** tenement, where Aurum holds a 100% project interest<sup>9</sup>. Best assay results from the new drilling includes<sup>10</sup>:

#### BST Target 1 (BST1)

- **8.00m @ 2.81 g/t Au** from 224.00m inc. **1.00m @ 15.97 g/t Au** (BSDD0001)
- **11.00m @ 3.31 g/t Au** from 112.00m inc. **3.00m @ 8.66 g/t Au** (BSDD0004)
- **4.00m @ 3.17 g/t Au** from 219.00m (BSDD0010)
- **9.00m @ 1.04 g/t Au** from 137.00m inc. **1.00m @ 6.40 g/t Au** (BSDD0013)
- **3.00m @ 2.04 g/t Au** from 101.00m inc. **1.00m @ 5.07 g/t Au** (BSDD0014)
- **1.00m @ 0.46 g/t Au** from 0.00m (BSDD0002)
- **18.25m @ 0.40 g/t Au** from 91.00m inc. **2.25m @ 1.38 g/t Au** (BSDD0003)
- **1.19m @ 0.81 g/t Au** from 119.00m (BSDD0005)
- **1.00m @ 0.33 g/t Au** from 62.00m (BSDD0006)
- **1.00m @ 4.82 g/t Au** from 222.00m (BSDD0007)
- **1.00m @ 2.56 g/t Au** from 121.00m (BSDD0009)
- **1.50m @ 3.27 g/t Au** from 0m (BSDD0011)
- **6.00m @ 0.70 g/t Au** from 174.00m inc. **1.00m @ 2.53 g/t Au** (BSDD0012)

These new results are in addition to previous exploration drilling at **BST1** has returned impressive results<sup>11</sup>:

- **20m @ 10.45g/t Au** from 38m (BRC0004S BIS)
- **30m @ 8.30g/t Au** from 39m (NDC007)
- **28m @ 4.04g/t Au** from 3m and **6m @ 3.29g/t Au** from 47m (BRC003)
- **9m @ 7.90g/t Au** from 99m (BRC006)
- **27m @ 2.42g/t Au** from 27m (BRC175)
- **20m @ 1.29g/t Au** from 211m (NDC016)
- **2m @ 13.57g/t Au** from 130m (NDC017).

The **BST1** gold deposit, located 19km to the south of **BDT1** on the Nyangboue shear zone, is hosted in a sedimentary package comprising alternating sandstones and shales with minor intraformational conglomerates. Broad zones of lower grade disseminated mineralisation envelope higher grade zones which are in some instances associated with quartz veining with visible gold. Gold mineralisation encountered occurs as discrete higher-grade zones within a broad low-grade envelope within a folded sedimentary package. Extensive sulphide and carbonate alteration occurs with higher grade zones being associated with structurally controlled zones of quartz veining. Oxidation extends to approximately 50m vertical depth and being a sedimentary protolith is soft and friable.

<sup>9</sup> Refer to About Aurum's Boundiali Gold Project

<sup>10</sup> Refer to Table 3 for collar information and Table 4 for full assay results for the new drilling

<sup>11</sup> Predictive Discovery ASX announcements dated 23 June 2016, 25 July 2016, 8 August 2016, 17 May 2017, 29 May 2017, 27 May 2019 and Turaco Gold's ASX Announcements dated 12 November 2021, 17 June 2022

Diamond drilling is ongoing at **BST1** with more assays pending. True widths for these shallow, wide gold intercepts are estimated at about 65% - 80% of reported downhole lengths. Details of drill collar location and assay results for the new drilling at **BST1** is provided in **Table 3** and **Table 4** respectively. A plan showing the location of the new assay results can be found in Figure 10 and an example cross section is in Figure 11.

Gold mineralisation remains open along strike and at depth on all deposit and prospects at Boundiali Gold Project. With Aurum's 100,000m drilling program ongoing in CY 2025, further work is planned to follow up these encouraging results.

#### Next Steps:

- **Aggressive cost-effective exploration at Boundiali:** Aurum is committed to a large-scale exploration program at Boundiali. This includes:
  - **100,000m diamond drilling<sup>12</sup>:** Up to eight diamond drill rigs will complete 100,000m of drilling at Boundiali in CY2025. The program aims to:
    - Increase the size and confidence of current resources at **BST**, **BD**, and **BM** (40,000m),
    - Advance known prospects (30,000m) for incorporation into two planned MRE updates in 2025.
    - Target new prospects identified through soil anomalies and geological mapping to drive resource growth into 2026 (30,000m).
  - **Resource expansion:** Drilling aims to expand the known resources at the **BD**, **BM**, and **BST** deposits.
  - **New discoveries:** Exploration and scout drilling is planned on **BD**, **BM**, and **BST** tenements to test new targets and create a pipeline of new discoveries to flow into resource growth.
  - **Resource updates:** Aurum plans to deliver **two MRE updates** for Boundiali in **CY2025**.
- **Boundiali Pre-Feasibility Study:** Aurum is working towards completing an open pit PFS for the Boundiali Gold Project by the end of CY2025. This will provide an evaluation of the project's economics and technical feasibility.
- **Napié exploration drilling:** A 30,000m diamond drilling program (CY2025) is underway at the Napié Gold designed to expand the existing 0.87Moz resource with an updated MRE for Napié expected by year-end.
- **Continued growth:** With a strong financial position backed by a recent \$35.6M private placement, Aurum is well-funded to execute these exploration and development plans. The company remains focused on delivering value for shareholders through resource growth and project advancement.

This update has been authorised by the Board of Aurum Resources Limited.

ENDS

<sup>12</sup> This program is indicative only and subject to change based on operational requirements and exploration results. Meterage allocations may be adjusted as new information becomes available. Investors should refer to company announcements for updates on the drilling program and be aware of the inherent risks associated with mineral exploration.

## FORWARD-LOOKING STATEMENTS

This ASX release contains forward-looking statements about Aurum Resources Limited's exploration activities, drilling programs, and potential Mineral Resource Estimate at the Boundiali and Napié Gold Projects. These statements are based on current expectations and are subject to risks and uncertainties inherent in mineral exploration and mining. Factors that could cause actual results to differ materially include exploration risks, drilling results, resource estimation, gold prices, operational risks, regulatory changes, and broader economic conditions. Investors should not place undue reliance on these forward-looking statements.

## COMPETENT PERSON'S STATEMENT

The information in this release that relates to Exploration Targets and Exploration Results is based on information compiled by Mr Mark Strizek, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Strizek has been a non-executive Director of the Company since 1 February 2024 and joined as an executive Director on 1 June 2024. Mr Strizek has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaking to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Strizek consents to the inclusion in the announcement of the matters based on his information in the form and context in which it appears. Additionally, Mr Strizek confirms that the entity is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this presentation.

## COMPLIANCE STATEMENT

The information in this report that relates to Boundiali Mineral Resources is extracted from the announcement "Aurum delivers 1.6Moz Maiden JORC Resource at Boundiali Gold Project" released to the Australian Securities Exchange on 30 December 2024 and amended on 31 December 2024 and available to view on [www.asx.com.au](http://www.asx.com.au). The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

The information in this report that relates to Napié Mineral Resources is extracted from the announcement "Napié Project Listing Rule 5.6 disclosure" released to the Australian Securities Exchange on 4 February 2025 and available to view on [www.asx.com.au](http://www.asx.com.au). The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

This report contains information extracted from ASX market announcements reported in accordance with the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" ("2012 JORC Code") and available for viewing at [www.asx.com.au](http://www.asx.com.au) and includes results reported previously and published on ASX platform:

25 Jul 2025, Aurum hits 1.43m at 234.35 g/t gold from 107m at BMT3 (ASX:AUE)  
 23 Jul 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)  
 15 Jul 2025, 100 million share placement to strategic investors completed (ASX:AUE)  
 27 Jun 2025, Aurum commenced 30,000m diamond drilling at Napié (ASX:AUE)  
 17 Jun 2025, AUE hits 66m @ 1.07g/t gold from 33m @ Boundiali BD tenement (ASX:AUE)  
 27 May 25, AUE expands Boundiali Gold Project exploration ground (ASX:AUE)  
 21 May 25, AUE hits 34m @ 2.32g/t gold from 56m @ Boundiali BD tenement (ASX:AUE)  
 13 May 25, Assay Results at Boundiali BM Tenement (Amended) (ASX:AUE)  
 13 May 25, Aurum hits 73.10 g/t gold at Boundiali BM tenement (ASX:AUE)  
 07 May 2025, Aurum to raise \$35.6 million from strategic investment (ASX:AUE)  
 16 Apr 2025, AUE hits 89m @ 2.42 g/t gold at 1.59Moz Boundiali Project (ASX:AUE)  
 08 Apr 2025, AUE to start diamond drilling at Boundiali South tenement (ASX:AUE)  
 31 Mar 2025, AUE to commence environmental study - Boundiali Gold Project (ASX:AUE)  
 27 Mar 2025, Aurum hits 83m@4.87 g/t Au at 1.59Moz Boundiali Project (ASX:AUE)  
 19 Mar 2025, Hits 4m at 54.64 g/t Au outside 1.59Moz Boundiali MRE area (ASX:AUE)  
 14 Mar 2025, Half Yearly Report and Accounts (ASX:AUE)  
 7 Mar 25, Investor Presentation March 2025 (ASX:AUE)  
 6 Mar 25, AUE Completes Acquisition of Mako Gold Limited (ASX:AUE)  
 27 Feb 25, 12m at 22.02g/t from 145m outside 1.59Moz Boundiali MRE area (ASX:AUE)  
 21 Feb 2025, 8m at 8.23g/t from 65m outside 1.59Moz Boundiali MRE area (ASX:AUE)  
 4 Feb 2025, Napié Project Listing Rule 5.6 Disclosure (Amended) (ASX:AUE)  
 3 Feb 2025, Mako Takeover Offer Closes (ASX:AUE)  
 31 Jan 2025, Drill Collar Table Addendum (ASX:AUE)  
 31 Jan 2025, Change in substantial holding for MKG (ASX:AUE)  
 31 Jan 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)  
 30 Jan 2025, Aurum hits 150 g/t gold at Boundiali, Cote d'Ivoire (ASX:AUE)  
 29 Jan 2025, MKG - Suspension of Trading and Delisting From ASX (ASX:AUE)  
 24 Jan 2025, Compulsory Acquisition Notice Mako Takeover (ASX:AUE)  
 24 Jan 2025, Non-Binding MoU with SANY Heavy Equipment Co (ASX:AUE)  
 23 Jan 2025, Change in substantial holding for MKG (ASX:AUE)  
 9 Jan 2025, Best and Final offer for Mako Gold Limited (ASX:AUE)  
 31 Dec 2024, Boundiali Project Maiden Resource delivers 1.6 Moz (amended) (ASX:AUE)  
 30 Dec 2024, Boundiali Gold Project Maiden Resource delivers 1.6 Moz (ASX:AUE)  
 24 Dec 2024, Change in substantial holding for MKG (ASX:AUE)

23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali (ASX:AUE)  
 18 Dec 2024, Aurum hits 277 g/t gold at Boundiali BM Target 3  
 13 Dec 2024, Change of Directors and Addition of Joint Company Secretary (ASX:AUE & ASX:MKG)  
 6 Dec 2024, AUE receives firm commitments for A\$10 million placement (ASX:AUE)  
 29 Nov 2024, Aurum earns 80% interest in Boundiali BM tenement (ASX:AUE)  
 28 Nov 2024, AUE appoints Mr. Steve Zaninovich as Non-Executive Director (ASX:AUE)  
 22 Nov 2024, AUE Declares Takeover Offer for all MKG Shares Unconditional (ASX:AUE)  
 15 Nov 2024, Supplementary Bidders Statement (ASX:AUE)  
 11 Nov 2024, Aurum hits 36 g/t gold at BM T1 of 2.5km strike (ASX:AUE)  
 30 Oct 2024, Bidders Statement (ASX:AUE)  
 16 Oct 2024, Recommended Takeover of Mako Gold By Aurum Resources (ASX:AUE)  
 09 Sep 2024, Aurum earns 51% interest in Boundiali BM tenement (ASX:AUE)  
 05 Sep 2024, AUE hits 40m at 1.03 g/t gold at Boundiali BD Target 1 (ASX:AUE)  
 03 Sep 2024, Boundiali South Exploration Licence Renewed (ASX:AUE)  
 07 Aug 2024, Aurum to advance met studies for Boundiali Gold Project (ASX:AUE)  
 22 July 2024, Prelim metallurgical tests deliver up to 99% gold recovery (ASX:AUE)  
 17 June 2024, Aurum hits 69m at 1.05 g/t gold at Boundiali BD Target 1 (ASX:AUE)  
 28 May 2024, AUE hits 163 g/t gold in 12m @ 14.56 g/t gold at BD Target 1 (ASX:AUE)  
 24 May 2024, Aurum hits 74m @ 1.0 g/t gold at Boundiali BD Target 2 (ASX:AUE)  
 15 May 2024, Aurum expands Boundiali Gold Project footprint (ASX:AUE)  
 10 May 2024, AUE hits 90m @ 1.16 g/t gold at Boundiali BD Target 1 (ASX:AUE)  
 01 May 2024, Aurum Appoints Country Manager in Côte d'Ivoire (ASX:AUE)  
 23 April 2024, AUE drilling hits up to 45 g/t gold at Boundiali BD Target 2 (ASX:AUE)  
 19 March 2024, AUE signs binding term sheet for 100% of Boundiali South (ASX:AUE)  
 12 March 2024, AUE hits 73m at 2.15g/t incl 1m at 72g/t gold at Boundiali (ASX:AUE)  
 01 March 2024, Aurum hits 4m at 22 g/t gold in Boundiali diamond drilling (ASX:AUE)  
 22 January 2024, Aurum hits shallow, wide gold intercepts at Boundiali, Côte d'Ivoire (ASX:AUE)  
 21 December 2023, Rapid Drilling at Boundiali Gold Project (ASX:AUE)  
 21 November 2023, AUE Acquisition Presentation (ASX:AUE)  
 21 June 2021, Notice of General Meeting/Proxy Form (MSR.ASX)  
 21 May 2021, PlusOr to Acquire 6194 sq kms Ground Position in Côte d'Ivoire (MSR.ASX)  
 22 August 2019, Boundiali RC Drill Results Continue to Impress (PDI.ASX)  
 15 July 2019, RC, Trench Results Grow Boundiali Potential In Côte D'Ivoire (PDI.ASX)  
 27 May 2019, New Drill Results Strengthen Boundiali Project Côte D'Ivoire (PDI.ASX)  
 16 January 2019, PDI-Toro JV Sharpens Focus with Major Drilling Program (PDI.ASX)  
 26 November 2018, Boundiali North - Large Coherent Gold Anomalies in 14km Zone (PDI.ASX)

The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcements.

For personal use only




Figure 1: Location of Aurum's projects in Côte d'Ivoire




Figure 2: Location of Aurum's Boundiali and Napié gold projects in Côte d'Ivoire

For personal use only




Figure 3: Aurum's Boundiali Gold Project




Figure 4: Plan view showing new drilling results (yellow) at BD Target 1<sup>13</sup>

<sup>13</sup> Only showing intercepts greater than 5 gold gram metres. Full details of assays making up intercepts included in results table.

For personal use only




Figure 5: Cross Section looking north (+/-25m) showing new drill results DSDD0203 – BD Target 1

For personal use only




Figure 6: Plan view showing new drilling results (yellow) at BD Target 2<sup>14</sup>

<sup>14</sup> Only showing intercepts greater than 2.5 gold gram metres. Full details of assays making up intercepts included in results table.

For personal use only




Figure 7: Cross Section looking north (+/-25m) showing new drill results DSD0240 – BD Target 2

For personal use only




Figure 8: Plan view showing new drilling results (yellow) at BD Target 3<sup>15</sup>

<sup>15</sup> Only showing intercepts greater than 2.5 gold gram metres. Full details of assays making up intercepts included in results table.

For personal use only




Figure 9: Cross Section looking north (+/-25m) showing new drill results DSD0226 – BD Target 3

For personal use only




Figure 10: Plan view showing new drilling results (yellow) at BST Target 1<sup>16</sup>

<sup>16</sup> Only showing intercepts greater than 2.5 gold gram metres. Full details of assays making up intercepts included in results table.




Figure 11: Cross Section looking north (+/-25m) showing new drill results BSDD0004 – BST Target 1

**Table 1: Drill Collar Information for the BD tenement**

Hole ID	UTM East	UTM North	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
DSDD0187	787,780	1,054,175	378	233.05	270	-55	BDT1	DD
DSDD0192	787,711	1,054,325	383	203.40	270	-60	BDT1	DD
DSDD0193	788,051	1,054,374	386	558.30	270	-65	BDT1	DD
DSDD0196	787,900	1,054,173	381	305.50	270	-55	BDT1	DD
DSDD0197A	787,656	1,054,375	385	150.00	270	-60	BDT1	DD
DSDD0198	788,037	1,054,225	377	550.00	270	-60	BDT1	DD
DSDD0201	787,707	1,054,427	386	189.20	270	-60	BDT1	DD
DSDD0203	788,000	1,054,575	389	491.00	270	-60	BDT1	DD
DSDD0207	788,091	1,054,428	390	642.00	270	-62	BDT1	DD
DSDD0211	787,955	1,054,625	394	385.50	270	-60	BDT1	DD
DSDD0214	787,950	1,054,575	394	410.90	270	-60	BDT1	DD
DSDD0221	787,802	1,054,578	388	206.20	270	-52	BDT1	DD
DSDD0224	787,852	1,054,674	390	252.00	270	-60	BDT1	DD
DSDD0230	787,850	1,054,573	389	252.90	270	-58	BDT1	DD
DSDD0232	787,800	1,054,725	391	175.15	270	-60	BDT1	DD
DSDD0238A	787,751	1,054,772	393	98.25	270	-57	BDT1	DD
DSDD0241	787,849	1,054,724	392	112.00	270	-60	BDT1	DD
DSDD0242	787,797	1,054,774	393	161.05	270	-52	BDT1	DD
DSDD0245	787,924	1,054,823	395	120.60	270	-52	BDT1	DD
DSDD0247	787,891	1,054,775	396	276.00	270	-52	BDT1	DD
<b>20 holes</b>				<b>5,773.00m</b>			<b>BDT1</b>	<b>DD</b>
DSDD0216	789,100	1,058,998	355	305.60	270	-50	BDT2	DD
DSDD0218	788,951	1,059,150	360	178.70	270	-50	BDT2	DD
DSDD0220	788,899	1,059,198	362	135.85	270	-50	BDT2	DD
DSDD0222	789,048	1,059,149	358	281.10	270	-50	BDT2	DD
DSDD0223	789,000	1,059,201	359	208.45	270	-50	BDT2	DD
DSDD0225	788,899	1,059,248	362	129.30	270	-50	BDT2	DD
DSDD0227	789,048	1,059,248	359	208.00	270	-50	BDT2	DD
DSDD0228	789,101	1,059,199	357	227.90	270	-50	BDT2	DD
DSDD0231	788,801	1,059,293	364	151.70	270	-50	BDT2	DD
DSDD0234	789,103	1,059,350	361	161.00	270	-50	BDT2	DD
DSDD0235	789,534	1,059,599	352	492.20	270	-50	BDT2	DD
DSDD0236	788,901	1,059,295	363	192.10	270	-50	BDT2	DD

Hole ID	UTM East	UTM North	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
DSDD0237	789,146	1,059,251	358	258.00	270	-50	BDT2	DD
DSDD0240	789,003	1,059,449	363	315.60	270	-50	BDT2	DD
DSDD0243	789,258	1,060,047	356	250.20	270	-50	BDT2	DD
DSDD0244A	788,900	1,059,850	366	153.50	270	-50	BDT2	DD
DSDD0246	789,001	1,059,299	361	170.00	270	-50	BDT2	DD
DSDD0248	789,199	1,059,997	358	180.00	270	-50	BDT2	DD
DSDD0249	789,100	1,059,300	359	201.00	270	-50	BDT2	DD
<b>19 holes</b>				<b>4,200.00m</b>			<b>BDT2</b>	<b>DD</b>
DSDD0189	785,597	1,053,838	374	336.20	270	-50	BDT3	DD
DSDD0191	785,440	1,053,903	377	176.50	270	-55	BDT3	DD
DSDD0194	785,203	1,051,230	389	250.60	270	-55	BDT3	DD
DSDD0195	785,523	1,053,610	367	184.10	270	-55	BDT3	DD
DSDD0199	785,558	1,053,959	378	343.50	270	-55	BDT3	DD
DSDD0202	785,535	1,053,518	366	182.80	270	-55	BDT3	DD
DSDD0204	785,458	1,053,427	366	201.00	270	-55	BDT3	DD
DSDD0205	785,514	1,053,322	366	150.00	270	-55	BDT3	DD
DSDD0208	785,670	1,053,247	369	180.40	105	-50	BDT3	DD
DSDD0209	785,508	1,053,426	365	245.30	270	-55	BDT3	DD
DSDD0210	785,612	1,053,031	373	175.60	105	-50	BDT3	DD
DSDD0212	785,617	1,052,434	389	175.10	105	-55	BDT3	DD
DSDD0213	785,705	1,052,236	387	202.70	105	-55	BDT3	DD
DSDD0217	785,523	1,052,259	387	187.50	105	-55	BDT3	DD
DSDD0219	785,455	1,054,033	380	219.80	270	-55	BDT3	DD
DSDD0226	785,422	1,054,198	381	219.00	270	-55	BDT3	DD
DSDD0229	785,410	1,054,298	382	221.80	270	-55	BDT3	DD
DSDD0233	785,385	1,054,398	384	211.70	270	-55	BDT3	DD
<b>18 holes</b>				<b>3,863.60m</b>			<b>BDT3</b>	<b>DD</b>
<b>57 holes</b>				<b>13,836.80m</b>			<b>TOTAL</b>	<b>DD</b>

**Table 2: Significant assay results for holes reported in this release from BD tenement<sup>17</sup>**

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0187	22.14	23.00	0.86	0.583	0.86 m @ 0.58 g/t Au	0.5	
	79.00	80.34	1.34	<b>1.409</b>	1.34 m @ 1.41 g/t Au	1.9	<b>1.34 m @ 1.41 g/t Au</b>
	82.00	83.00	1.00	0.841	6.00 m @ 0.54 g/t Au	3.2	
	83.00	84.00	1.00	0.019			
	84.00	85.00	1.00	0.136			
	85.00	86.00	1.00	0.029			
	86.00	87.00	1.00	<b>1.499</b>			<b>1.00 m @ 1.50 g/t Au</b>
	87.00	88.00	1.00	0.712			
	146.00	147.00	1.00	0.333	2.00 m @ 0.39 g/t Au	0.8	
	147.00	148.00	1.00	0.456			
197.00	198.00	1.00	0.250	2.00 m @ 0.31 g/t Au	0.6		
198.00	199.00	1.00	0.370				
DSDD0189	40.00	41.00	1.00	<b>1.563</b>	1.00 m @ 1.56 g/t Au	1.6	<b>1.00 m @ 1.56 g/t Au</b>
	249.00	250.00	1.00	0.589	26.00 m @ 0.90 g/t Au	23.5	
	250.00	251.00	1.00	0.816			
	251.00	252.00	1.00	0.456			
	252.00	253.00	1.00	0.869			
	253.00	254.00	1.00	0.272			
	254.00	255.00	1.00	0.859			
	255.00	256.00	1.00	0.132			
	256.00	257.00	1.00	0.421			
	257.00	258.00	1.00	0.616			
	258.00	259.00	1.00	<b>2.091</b>			
	259.00	260.00	1.00	<b>3.282</b>			
	260.00	261.00	1.00	<b>1.925</b>			
	261.00	262.00	1.00	0.911			
	262.00	263.00	1.00	<b>2.177</b>			
	263.00	264.00	1.00	<b>1.626</b>			
	264.00	265.00	1.00	0.652			
	265.00	266.00	1.00	0.668			
	266.00	267.00	1.00	0.294			
	267.00	268.00	1.00	0.720			
268.00	269.00	1.00	0.732				
269.00	270.00	1.00	0.422				
270.00	271.00	1.00	0.405				
271.00	272.00	1.00	<b>1.103</b>				
272.00	273.00	1.00	0.175				
273.00	274.00	1.00	0.278				
274.00	275.00	1.00	<b>1.018</b>				
DSDD0191	86.00	87.00	1.00	<b>1.580</b>	1.00 m @ 1.58 g/t Au	1.6	<b>1.00 m @ 1.58 g/t Au</b>
DSDD0192	46.50	47.49	0.99	0.245	0.99 m @ 0.24 g/t Au	0.2	
	104.85	106.00	1.15	0.452	1.15 m @ 0.45 g/t Au	0.5	
	114.00	115.00	1.00	<b>2.969</b>	9.00 m @ 1.05 g/t Au	9.4	<b>3.00 m @ 1.55 g/t Au</b>
	115.00	116.00	1.00	0.423			
	116.00	117.00	1.00	<b>1.253</b>			
	117.00	118.00	1.00	0.575			
	118.00	119.00	1.00	0.421			
	119.00	120.00	1.00	0.338			
	120.00	121.00	1.00	0.504			
121.00	122.44	1.44	<b>1.945</b>			<b>1.44 m @ 1.95 g/t Au</b>	
122.44	123.00	0.56	0.251				

<sup>17</sup> 0.2 g/t Au cut off used with 3m internal dilution and no top cut applied

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au		
	130.00	131.00	1.00	1.226	1.00 m @ 1.23 g/t Au	1.2	1.00 m @ 1.23 g/t Au		
	145.00	146.00	1.00	1.320	1.00 m @ 1.32 g/t Au	1.3	1.00 m @ 1.32 g/t Au		
	160.00	161.00	1.00	0.262	2.00 m @ 0.51 g/t Au	1.0			
	161.00	162.00	1.00	0.762					
	165.50	166.67	1.17	1.311	1.17 m @ 1.31 g/t Au	1.5	1.17 m @ 1.31 g/t Au		
	189.00	190.00	1.00	0.301	2.34 m @ 67.21 g/t Au	157.3	1.34 m @ 117.15 g/t Au		
	190.00	191.34	1.34	117.149					
DSD0193	313.00	314.00	1.00	0.362	5.00 m @ 0.55 g/t Au	2.8			
	314.00	315.00	1.00	0.733					
	315.00	316.00	1.00	0.948					
	316.00	317.00	1.00	0.386					
	317.00	318.00	1.00	0.329					
	326.00	327.00	1.00	0.363				1.00 m @ 0.36 g/t Au	0.4
	335.00	336.00	1.00	0.223	1.00 m @ 0.22 g/t Au	0.2			
	344.00	345.00	1.00	0.207	1.00 m @ 0.21 g/t Au	0.2			
	353.00	354.00	1.00	0.785	1.00 m @ 0.79 g/t Au	0.8			
	391.40	392.00	0.60	0.428	0.60 m @ 0.43 g/t Au	0.3			
	452.00	453.00	1.00	0.216	12.00 m @ 0.25 g/t Au	3.0			
	453.00	454.00	1.00	0.008					
	454.00	454.80	0.80	0.201					
	454.80	456.00	1.20	0.743					
	456.00	457.00	1.00	0.218					
	457.00	458.00	1.00	0.142					
	458.00	459.00	1.00	0.221					
	459.00	460.00	1.00	0.234					
	460.00	461.00	1.00	0.142					
	461.00	462.00	1.00	0.223					
	462.00	463.00	1.00	0.340					
	463.00	464.00	1.00	0.234					
	471.30	472.00	0.70	0.245	17.70 m @ 0.64 g/t Au	11.3			
	472.00	473.00	1.00	0.038					
	473.00	474.00	1.00	7.311				1.00 m @ 7.31 g/t Au	
	474.00	475.00	1.00	0.254					
	475.00	476.00	1.00	0.294					
	476.00	477.00	1.00	0.195					
	477.00	478.00	1.00	0.436					
	478.00	479.00	1.00	0.143					
	479.00	480.00	1.00	0.659					
	480.00	481.00	1.00	0.008					
	481.00	482.00	1.00	0.639					
	482.00	483.00	1.00	0.008					
	483.00	484.00	1.00	0.075					
	484.00	485.00	1.00	0.775					
	485.00	486.00	1.00	0.088					
	486.00	487.00	1.00	0.018					
	487.00	488.00	1.00	0.008					
	488.00	489.00	1.00	0.223					
	501.00	502.00	1.00	0.274	53.45 m @ 0.96 g/t Au	51.2			
	502.00	503.00	1.00	0.839					
503.00	504.00	1.00	1.212	1.00 m @ 1.21 g/t Au					
504.00	505.00	1.00	0.261						
505.00	506.00	1.00	0.100						
506.00	507.00	1.00	0.544						
507.00	508.00	1.00	0.348						
508.00	509.00	1.00	0.151						
509.00	510.00	1.00	0.201						

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
	510.00	511.00	1.00	0.385			
	511.00	512.00	1.00	<b>1.016</b>			1.00 m @ 1.02 g/t Au
	512.00	513.00	1.00	0.160			
	513.00	514.00	1.00	0.173			
	514.00	515.00	1.00	0.466			
	515.00	516.00	1.00	0.143			
	516.00	517.00	1.00	0.347			
	517.00	518.00	1.00	0.334			
	518.00	519.00	1.00	0.473			
	519.00	520.00	1.00	0.522			
	520.00	521.00	1.00	0.767			
	521.00	522.00	1.00	0.560			
	522.00	523.00	1.00	0.424			
	523.00	524.00	1.00	0.228			
	524.00	525.00	1.00	<b>11.959</b>			1.00 m @ 11.96 g/t Au
	525.00	526.00	1.00	0.165			
	526.00	527.00	1.00	0.154			
	527.00	528.00	1.00	0.095			
	528.00	529.00	1.00	0.251			
	529.00	530.00	1.00	0.129			
	530.00	531.00	1.00	0.514			
	531.00	532.00	1.00	0.274			
	532.00	533.00	1.00	0.728			
	533.00	534.00	1.00	0.464			
	534.00	535.00	1.00	<b>18.415</b>			3.00 m @ 6.94 g/t Au
	535.00	536.00	1.00	0.199			
	536.00	537.00	1.00	<b>2.200</b>			
	537.00	538.00	1.00	0.595			
	538.00	539.00	1.00	0.639			
	539.00	540.00	1.00	0.537			
	540.00	541.00	1.00	0.207			
	541.00	542.00	1.00	0.114			
	542.00	543.00	1.00	0.105			
	543.00	544.00	1.00	0.371			
	544.00	545.00	1.00	0.246			
	545.00	546.00	1.00	0.974			
	546.00	547.00	1.00	0.206			
	547.00	548.00	1.00	0.319			
	548.00	549.00	1.00	0.367			
	549.00	550.00	1.00	0.066			
	550.00	551.00	1.00	0.288			
	551.00	552.00	1.00	0.141			
	552.00	553.00	1.00	0.173			
	553.00	554.45	1.45	0.243			
DSDD0194	32.21	33.50	1.29	0.385	1.29 m @ 0.39 g/t Au	0.5	
	71.00	72.00	1.00	0.228	1.00 m @ 0.23 g/t Au	0.2	
	84.00	85.00	1.00	0.235		0.2	
	92.00	93.00	1.00	0.304	1.00 m @ 0.30 g/t Au	0.3	
DSDD0195	1.50	3.00	1.50	0.284	1.50 m @ 0.28 g/t Au	0.4	
	99.00	100.00	1.00	<b>1.398</b>	2.00 m @ 1.19 g/t Au	2.4	1.00 m @ 1.40 g/t Au
	100.00	101.00	1.00	0.983			
	140.00	141.00	1.00	<b>12.265</b>	1.00 m @ 12.27 g/t Au	<b>12.3</b>	1.00 m @ 12.27 g/t Au
DSDD0196	165.00	166.00	1.00	0.248	1.00 m @ 0.25 g/t Au	0.2	
	247.00	248.00	1.00	0.380	1.00 m @ 0.38 g/t Au	0.4	
	299.00	300.00	1.00	0.606	2.00 m @ 0.51 g/t Au	1.0	
	300.00	301.00	1.00	0.420			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0197A	24.00	25.50	1.50	0.270	1.50 m @ 0.27 g/t Au	0.4	
	186.00	187.00	1.00	0.380	1.00 m @ 0.38 g/t Au	0.4	
	334.00	335.00	1.00	0.210	2.00 m @ 0.26 g/t Au	0.5	
	335.00	336.00	1.00	0.300			
	402.00	403.00	1.00	0.590	6.00 m @ 0.27 g/t Au	1.6	
	403.00	404.00	1.00	0.160			
	404.00	405.00	1.00	0.130			
	405.00	406.00	1.00	0.300			
	406.00	407.00	1.00	0.150			
	407.00	408.00	1.00	0.310			
	412.00	413.00	1.00	0.220			
	413.00	414.00	1.00	0.120	22.00 m @ 0.54 g/t Au	11.9	
	414.00	415.00	1.00	0.005			
	415.00	416.00	1.00	0.005			
	416.00	417.00	1.00	0.270			
	417.00	418.00	1.00	0.170			
	418.00	419.00	1.00	0.060			
	419.00	420.00	1.00	0.170			
	420.00	421.00	1.00	0.250			
	421.00	422.00	1.00	0.120			
	422.00	423.00	1.00	0.630			
	423.00	424.00	1.00	<b>3.140</b>			
	424.00	425.00	1.00	0.530			
	425.00	426.00	1.00	<b>1.720</b>			
	426.00	427.00	1.00	0.070			
	427.00	428.00	1.00	0.070			
	428.00	429.00	1.00	0.380			
429.00	430.00	1.00	0.860				
DSDD0198	430.00	431.00	1.00	0.160	3.00 m @ 1.80 g/t Au		
	431.00	432.00	1.00	0.660			
	432.00	433.00	1.00	<b>1.150</b>			
	433.00	434.00	1.00	<b>1.120</b>			
	443.00	444.00	1.00	0.230		1.00 m @ 0.23 g/t Au	0.2
	447.00	448.00	1.00	0.450		1.00 m @ 0.45 g/t Au	0.5
	455.00	455.80	0.80	0.490		22.00 m @ 0.38 g/t Au	8.3
	455.80	457.00	1.20	0.490			
	457.00	458.00	1.00	0.130			
	458.00	459.00	1.00	0.440			
	459.00	460.00	1.00	<b>1.080</b>			
	460.00	461.00	1.00	0.190			
	461.00	462.00	1.00	0.070			
	462.00	463.00	1.00	0.070			
	463.00	464.00	1.00	0.460			
	464.00	465.00	1.00	0.160			
	465.00	466.00	1.00	0.190			
	466.00	467.00	1.00	0.580			
	467.00	468.00	1.00	0.220			
	468.00	469.00	1.00	0.200			
469.00	470.00	1.00	0.430				
470.00	471.00	1.00	0.220				
471.00	472.00	1.00	0.650				
472.00	473.00	1.00	0.470				
473.00	474.00	1.00	0.510				
474.00	475.00	1.00	0.520				
475.00	476.00	1.00	0.520				
476.00	477.00	1.00	0.240				

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au			
	490.70	492.00	1.30	0.290	11.30 m @ 0.31 g/t Au	3.5				
	492.00	493.00	1.00	0.670						
	493.00	494.00	1.00	0.470						
	494.00	495.00	1.00	0.070						
	495.00	496.00	1.00	0.070						
	496.00	497.00	1.00	0.110						
	497.00	498.00	1.00	0.710						
	498.00	499.00	1.00	0.120						
	499.00	500.00	1.00	0.040						
	500.00	501.00	1.00	0.080						
	501.00	502.00	1.00	0.820						
	507.00	508.00	1.00	0.210						
	508.00	509.00	1.00	0.590						
	519.00	520.00	1.00	0.300	1.00 m @ 0.30 g/t Au	0.3				
	209.50	211.00	1.50	0.790	1.50 m @ 0.79 g/t Au	1.2				
	258.00	259.00	1.00	0.490	1.00 m @ 0.49 g/t Au	0.5				
	280.00	281.00	1.00	0.510	1.00 m @ 0.51 g/t Au	0.5				
	313.00	314.00	1.00	0.700	1.00 m @ 0.70 g/t Au	0.7				
	318.00	319.00	1.00	0.940	6.00 m @ 0.32 g/t Au	1.9				
	319.00	320.00	1.00	0.270						
	320.00	321.00	1.00	0.060						
	321.00	322.00	1.00	0.160						
	322.00	323.00	1.00	0.120						
	323.00	324.00	1.00	0.390						
	73.00	74.00	1.00	0.260				1.00 m @ 0.26 g/t Au	0.3	
	DSDD0201	76.00	77.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2			
82.00		83.15	1.15	<b>1.180</b>	7.00 m @ 2.54 g/t Au	17.7	1.15 m @ 1.18 g/t Au			
83.15		84.00	0.85	0.940						
84.00		85.00	1.00	<b>4.940</b>						
85.00		86.00	1.00	0.590						
86.00		87.00	1.00	0.860						
87.00		88.00	1.00	<b>1.380</b>						
88.00		89.00	1.00	<b>7.820</b>						
DSDD0202		165.00	166.00	1.00	0.430	1.00 m @ 0.43 g/t Au	0.4			
		6.00	7.00	1.00	0.270	1.00 m @ 0.27 g/t Au	0.3			
	65.00	66.35	1.35	0.420	1.35 m @ 0.42 g/t Au	0.6				
	120.00	121.00	1.00	<b>6.760</b>	2.00 m @ 3.50 g/t Au	7.0	1.00 m @ 6.76 g/t Au			
	121.00	122.00	1.00	0.240	5.00 m @ 1.90 g/t Au	9.5	3.00 m @ 2.74 g/t Au			
	140.00	141.00	1.00	<b>1.850</b>						
	141.00	142.00	1.00	0.210						
	142.00	143.00	1.00	<b>6.170</b>						
143.00	144.00	1.00	0.990							
DSDD0203	144.00	145.00	1.00	0.300	8.00 m @ 0.34 g/t Au	2.7	1.00 m @ 1.57 g/t Au			
	3.00	4.00	1.00	<b>3.643</b>				1.00 m @ 3.64 g/t Au	3.6	1.00 m @ 3.64 g/t Au
	5.12	6.50	1.38	0.961				1.38 m @ 0.96 g/t Au	1.3	
	149.00	150.00	1.00	0.563				1.00 m @ 0.56 g/t Au	0.6	
	208.00	209.00	1.00	0.210				1.00 m @ 0.21 g/t Au	0.2	
	315.00	316.00	1.00	<b>1.575</b>				8.00 m @ 0.34 g/t Au	2.7	1.00 m @ 1.57 g/t Au
	316.00	317.00	1.00	0.254						
	317.00	318.00	1.00	0.104						
	318.00	319.00	1.00	0.088						
	319.00	320.00	1.00	0.085						
	320.00	321.00	1.00	0.270						
	321.00	322.00	1.00	0.145						
	322.00	323.00	1.00	0.212						
327.00	328.00	1.00	0.348	1.00 m @ 0.35 g/t Au	0.3					

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
	356.00	357.00	1.00	0.225	1.00 m @ 0.23 g/t Au	0.2	1.00 m @ 1.17 g/t Au
	370.00	371.00	1.00	<b>1.174</b>	5.00 m @ 0.38 g/t Au	1.9	
	371.00	372.00	1.00	0.186			
	372.00	373.00	1.00	0.058			
	373.00	373.80	0.80	0.203			
	373.80	375.00	1.20	0.279			
	380.00	381.00	1.00	0.218	5.00 m @ 0.33 g/t Au	1.7	
	381.00	382.00	1.00	0.115			
	382.00	382.50	0.50	0.845			
	382.50	383.80	1.30	0.227			
	383.80	385.00	1.20	0.500			
	389.83	391.00	1.17	0.558	16.17 m @ 0.57 g/t Au	9.2	2.00 m @ 1.72 g/t Au
	391.00	392.00	1.00	<b>2.259</b>			
	392.00	393.00	1.00	<b>1.178</b>			
	393.00	394.00	1.00	0.436			
	394.00	395.00	1.00	0.245			
	395.00	396.00	1.00	0.256			
	396.00	397.00	1.00	0.409			
	397.00	398.00	1.00	0.516			
	398.00	399.50	1.50	0.296			
	399.50	401.00	1.50	0.075			
	401.00	402.00	1.00	0.102			
	402.00	403.00	1.00	0.823			
	403.00	404.00	1.00	0.028			
	404.00	405.00	1.00	<b>1.282</b>	1.00 m @ 1.28 g/t Au		
	405.00	406.00	1.00	0.428			
410.00	411.00	1.00	0.385	6.00 m @ 30.68 g/t Au	184.1	4.00 m @ 45.91 g/t Au	
411.00	412.00	1.00	0.049				
412.00	413.00	1.00	<b>181.204</b>				
413.00	414.00	1.00	0.599				
414.00	415.00	1.00	0.171				
415.00	416.00	1.00	<b>1.653</b>				
449.00	450.00	1.00	0.483			1.00 m @ 0.48 g/t Au	0.5
DSDD0204	34.00	35.00	1.00			0.620	1.00 m @ 0.62 g/t Au
DSDD0205	9.76	11.00	1.24	0.440	1.24 m @ 0.44 g/t Au	0.5	
DSDD0207	356.47	357.80	1.33	0.450	1.33 m @ 0.45 g/t Au	0.6	4.00 m @ 0.34 g/t Au
	363.00	364.00	1.00	0.300			
	364.00	365.00	1.00	0.170	4.00 m @ 1.23 g/t Au	4.9	
	365.00	366.00	1.00	0.680			
	366.00	367.00	1.00	0.220			
	384.00	385.00	1.00	<b>4.060</b>			
	385.00	386.00	1.00	0.120			
	386.00	387.00	1.00	0.160	2.00 m @ 0.33 g/t Au	0.7	
	387.00	388.00	1.00	0.580			
	480.00	481.00	1.00	0.320	5.40 m @ 0.35 g/t Au	1.9	
	481.00	482.00	1.00	0.330			
	512.60	513.60	1.00	0.300			
	513.60	515.00	1.40	0.280			
	515.00	516.00	1.00	0.200			
	516.00	517.00	1.00	0.490	23.00 m @ 0.43 g/t Au	10.0	
	517.00	518.00	1.00	0.490			
	524.00	525.00	1.00	<b>2.650</b>			
	525.00	526.00	1.00	0.380			
526.00	527.00	1.00	0.480				
527.00	528.00	1.00	0.300	1.00 m @ 2.65 g/t Au			
528.00	529.00	1.00	0.330				

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0208	529.00	530.00	1.00	0.250	19.76 m @ 0.88 g/t Au	17.3	1.00 m @ 1.56 g/t Au
	530.00	531.00	1.00	0.110			
	531.00	532.00	1.00	0.070			
	532.00	533.00	1.00	0.150			
	533.00	534.00	1.00	0.260			
	534.00	535.00	1.00	0.140			
	535.00	536.00	1.00	0.130			
	536.00	537.00	1.00	0.070			
	537.00	538.00	1.00	1.560			
	538.00	539.00	1.00	0.450			
	539.00	540.00	1.00	0.130			
	540.00	541.00	1.00	0.160			
	541.00	542.00	1.00	0.005			
	542.00	543.00	1.00	0.260			
	543.00	544.00	1.00	0.150			
	544.00	545.00	1.00	0.590			
	545.00	546.00	1.00	0.330			
	546.00	547.00	1.00	1.040			
	554.00	555.00	1.00	1.290			
	555.00	556.00	1.00	0.050			
	556.00	557.00	1.00	0.010			
	557.00	558.00	1.00	0.005			
	558.00	559.00	1.00	0.340			
	559.00	560.00	1.00	0.150			
	560.00	561.00	1.00	0.230			
	561.00	562.00	1.00	0.120			
	562.00	563.00	1.00	0.170			
	563.00	564.00	1.00	0.640			
	564.00	565.00	1.00	0.660			
565.00	566.00	1.00	1.360				
566.00	567.00	1.00	0.250				
567.00	568.00	1.00	0.340				
568.00	569.00	1.00	0.640				
569.00	570.00	1.00	0.260				
570.00	571.00	1.00	5.950				
571.00	572.00	1.00	0.290				
572.00	573.00	1.00	0.320				
573.00	573.76	0.76	5.560				
582.00	583.00	1.00	0.810	11.00 m @ 0.66 g/t Au	7.3	1.00 m @ 1.25 g/t Au	
583.00	584.00	1.00	0.360				
584.00	585.00	1.00	1.250				
585.00	586.00	1.00	0.610				
586.00	587.00	1.00	0.410				
587.00	588.00	1.00	0.730				
588.00	589.00	1.00	0.280				
589.00	590.00	1.00	0.750				
590.00	591.00	1.00	0.150				
591.00	592.00	1.00	1.640				
592.00	593.00	1.00	0.260				
593.00	594.00	1.00	0.260				
DSDD0208	18.00	19.00	1.00	0.420	6.00 m @ 0.52 g/t Au	3.1	1.00 m @ 1.64 g/t Au
	19.00	20.00	1.00	0.980			
	20.00	21.00	1.00	0.210			
	21.00	22.00	1.00	0.210			
	22.00	23.00	1.00	0.660			
	23.00	24.00	1.00	0.620			
24.70	25.81	1.11	0.860	1.11 m @ 0.86 g/t Au	1.0		

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0209	27.00	28.00	1.00	1.070	18.59 m @ 0.90 g/t Au	16.8	7.00 m @ 1.44 g/t Au
	28.00	29.00	1.00	2.400			
	29.00	30.00	1.00	0.560			
	30.00	31.00	1.00	3.020			
	31.00	32.00	1.00	0.460			
	32.00	33.00	1.00	1.050			
	33.00	34.00	1.00	1.520			
	34.00	35.00	1.00	0.370			
	35.00	36.00	1.00	0.600			
	36.00	37.00	1.00	0.160			
	37.00	38.00	1.00	4.150			
	38.00	39.00	1.00	0.100			
	39.00	40.00	1.00	0.490			
	40.00	41.00	1.00	0.120			
	41.00	42.00	1.00	0.200			
	42.00	43.00	1.00	0.020			
	43.00	44.00	1.00	0.090			
44.00	45.00	1.00	0.120				
45.00	45.59	0.59	0.440				
47.80	48.67	0.87	0.230	0.87 m @ 0.23 g/t Au	0.2		
161.00	162.00	1.00	0.390	1.00 m @ 0.39 g/t Au	0.4		
DSDD0209	34.00	35.00	1.00	0.250	1.00 m @ 0.25 g/t Au	0.3	
	36.00	37.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.2	
DSDD0210	34.00	35.00	1.00	0.277	1.00 m @ 0.28 g/t Au	0.3	
	78.35	79.00	0.65	0.247	0.65 m @ 0.25 g/t Au	0.2	
	85.00	86.00	1.00	9.391	1.00 m @ 9.39 g/t Au	9.4	1.00 m @ 9.39 g/t Au
	96.00	97.00	1.00	0.216	9.00 m @ 0.34 g/t Au	3.0	
	97.00	98.00	1.00	0.171			
	98.00	99.00	1.00	0.273			
	99.00	100.00	1.00	0.713			
	100.00	101.00	1.00	0.098			
	101.00	102.00	1.00	0.569			
	102.00	103.00	1.00	0.144			
103.00	104.00	1.00	0.366				
104.00	105.00	1.00	0.469				
DSDD0211	25.00	26.00	1.00	0.270			
	263.00	264.00	1.00	0.550	1.00 m @ 0.55 g/t Au	0.6	
	309.00	310.00	1.00	0.350	15.00 m @ 0.79 g/t Au	11.8	
	310.00	311.00	1.00	0.200			
	311.00	312.00	1.00	0.520			
	312.00	313.00	1.00	0.140			
	313.00	314.00	1.00	0.130			
	314.00	315.00	1.00	1.260			
	315.00	316.00	1.00	3.500			
	316.00	317.00	1.00	0.530			
	317.00	318.00	1.00	0.030			
	318.00	319.00	1.00	0.060			
	319.00	320.00	1.00	0.170			
	320.00	321.00	1.00	0.810			
	321.00	322.00	1.00	0.150			
	322.00	323.00	1.00	3.120			
	323.00	324.00	1.00	0.860			
	332.00	333.00	1.00	0.560			
	333.00	334.00	1.00	0.230			
	334.00	335.00	1.00	0.320			
335.00	336.00	1.00	0.200	10.00 m @ 0.40 g/t Au	4.0		
							2.00 m @ 2.38 g/t Au
							1.00 m @ 3.12 g/t Au

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
	336.00	337.00	1.00	0.140			<b>1.00 m @ 1.03 g/t Au</b>	
	337.00	338.00	1.00	0.320				
	338.00	339.00	1.00	0.030				
	339.00	340.00	1.00	<b>1.030</b>				
	340.00	341.00	1.00	0.580				
	341.00	342.00	1.00	0.620				
	350.00	351.00	1.00	0.440				
	351.00	352.00	1.00	0.350				
	383.00	384.00	1.00	0.410	2.00 m @ 0.40 g/t Au	0.8		
DSDD0212	13.00	14.00	1.00	0.220	1.00 m @ 0.41 g/t Au	0.4		
DSDD0213	0.00	202.70	202.70		1.00 m @ 0.22 g/t Au	0.2		
					NSI			
	214.00	215.00	1.00	0.305	6.00 m @ 0.34 g/t Au	2.0		
	215.00	216.20	1.20	0.342				
	216.20	217.00	0.80	0.146				
	217.00	218.00	1.00	0.056				
	218.00	219.00	1.00	0.352				
	219.00	220.00	1.00	0.787				
	231.00	232.00	1.00	0.403				
	232.00	233.00	1.00	0.348	2.00 m @ 0.38 g/t Au	0.8		
	251.00	252.00	1.00	<b>1.724</b>	2.00 m @ 1.00 g/t Au	2.0	<b>1.00 m @ 1.72 g/t Au</b>	
	252.00	253.00	1.00	0.270				
	266.00	267.00	1.00	0.487	1.00 m @ 0.49 g/t Au	0.5		
	274.00	275.00	1.00	0.492		0.5		
	281.00	282.00	1.00	0.228	1.00 m @ 0.23 g/t Au	0.2		
	304.38	305.00	0.62	0.810	<b>34.62 m @ 0.26 g/t Au</b>	<b>9.0</b>		
	305.00	306.00	1.00	0.335				
	306.00	307.00	1.00	0.403				
	307.00	308.00	1.00	0.098				
	308.00	309.00	1.00	0.076				
	309.00	310.00	1.00	0.389				
	310.00	311.00	1.00	0.429				
	311.00	312.00	1.00	0.171				
	312.00	313.00	1.00	0.154				
	DSDD0214	313.00	314.00	1.00				0.031
		314.00	315.00	1.00				0.272
		315.00	316.00	1.00				0.209
		316.00	317.00	1.00				0.139
		317.00	318.00	1.00				0.435
	318.00	319.00	1.00	0.060				
	319.00	320.00	1.00	0.043				
	320.00	321.00	1.00	0.127				
	321.00	322.00	1.00	0.257				
	322.00	323.00	1.00	0.700				
	323.00	324.00	1.00	0.508				
	324.00	325.00	1.00	0.915				
	325.00	326.00	1.00	0.234				
	326.00	327.00	1.00	0.120				
	327.00	328.00	1.00	0.055				
	328.00	329.00	1.00	0.242				
	329.00	330.00	1.00	0.273				
	330.00	331.00	1.00	0.147				
	331.00	332.00	1.00	0.400				
	332.00	333.00	1.00	0.175				
	333.00	334.00	1.00	0.100				
	334.00	335.00	1.00	0.105				
	335.00	336.00	1.00	0.249				

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au				
	336.00	337.00	1.00	0.167	2.00 m @ 0.33 g/t Au	0.7					
	337.00	338.00	1.00	0.235							
	338.00	339.00	1.00	0.246							
	348.00	349.00	1.00	0.407							
	349.00	350.00	1.00	0.250	3.00 m @ 0.30 g/t Au	0.9					
	360.00	361.00	1.00	0.497							
	361.00	362.00	1.00	0.053							
	362.00	363.00	1.00	0.340	4.45 m @ 0.39 g/t Au	1.8					
	388.00	389.00	1.00	0.318							
	389.00	390.00	1.00	0.181							
	390.00	391.00	1.00	0.532							
	391.00	392.45	1.45	0.496							
DSDD0216	4.50	6.00	1.50	<b>1.191</b>	1.50 m @ 1.19 g/t Au	1.8	<b>1.50 m @ 1.19 g/t Au</b>				
	83.00	84.00	1.00	0.275	1.00 m @ 0.28 g/t Au	0.3					
	224.00	225.00	1.00	0.380	2.00 m @ 0.60 g/t Au	1.2					
	225.00	226.00	1.00	0.826							
	259.00	260.00	1.00	0.207	1.00 m @ 0.21 g/t Au	0.2					
	288.00	289.00	1.00	0.322	2.00 m @ 0.26 g/t Au	0.5					
	289.00	290.00	1.00	0.206							
DSDD0217	12.00	12.88	0.88	0.440	0.88 m @ 0.44 g/t Au	0.4					
	14.02	15.00	0.98	0.304	0.98 m @ 0.30 g/t Au	0.3					
	73.00	74.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.3					
	76.00	77.00	1.00	0.217	1.00 m @ 0.22 g/t Au	0.2					
	78.00	79.00	1.00	0.247	1.00 m @ 0.25 g/t Au	0.2					
	100.00	101.00	1.00	<b>7.872</b>	<b>1.00 m @ 7.87 g/t Au</b>	<b>7.9</b>		<b>1.00 m @ 7.87 g/t Au</b>			
	107.00	108.00	1.00	<b>2.088</b>	1.00 m @ 2.09 g/t Au	2.1		<b>1.00 m @ 2.09 g/t Au</b>			
	167.00	168.00	1.00	0.414	1.00 m @ 0.41 g/t Au	0.4					
184.00	185.00	1.00	<b>1.470</b>	1.00 m @ 1.47 g/t Au	1.5	<b>1.00 m @ 1.47 g/t Au</b>					
DSDD0218	0.00	1.00	1.00	0.277	1.00 m @ 0.28 g/t Au	0.3					
	26.71	27.71	1.00	0.494	1.00 m @ 0.49 g/t Au	0.5					
	29.50	30.00	0.50	<b>1.524</b>	2.00 m @ 16.67 g/t Au	33.3		2.00 m @ 16.67 g/t Au			
	30.00	31.50	1.50	<b>21.721</b>							
	32.58	33.78	1.20	<b>2.827</b>	1.20 m @ 2.83 g/t Au	3.4		<b>1.20 m @ 2.83 g/t Au</b>			
	39.00	39.84	0.84	0.639	0.84 m @ 0.64 g/t Au	0.5					
	41.05	42.10	1.05	0.835	1.05 m @ 0.83 g/t Au	0.9					
	47.00	48.00	1.00	0.200	2.00 m @ 0.22 g/t Au	0.4					
	48.00	49.00	1.00	0.249							
	59.00	60.00	1.00	0.592	1.00 m @ 0.59 g/t Au	0.6					
	80.00	81.00	1.00	0.310	6.20 m @ 0.37 g/t Au	2.3					
	81.00	82.50	1.50	0.008							
	82.50	83.00	0.50	<b>1.222</b>					<b>0.50 m @ 1.22 g/t Au</b>		
	83.00	84.00	1.00	0.761							
	84.00	85.00	1.00	0.197	11.00 m @ 0.42 g/t Au	4.7					
	85.00	86.20	1.20	0.353							
	116.00	117.00	1.00	<b>2.756</b>					1.00 m @ 2.76 g/t Au	2.8	<b>1.00 m @ 2.76 g/t Au</b>
	125.00	126.00	1.00	0.550							
	126.00	126.60	0.60	0.008							
	126.60	128.00	1.40	0.373							
128.00	129.00	1.00	0.038								
129.00	130.00	1.00	0.066								
130.00	131.00	1.00	0.972								
131.00	132.00	1.00	0.094								
132.00	133.00	1.00	0.531								
133.00	134.00	1.00	0.475								
134.00	135.00	1.00	0.659								
	135.00	136.00	1.00	0.749							

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0219	160.00	160.76	0.76	0.654	3.00 m @ 1.02 g/t Au	3.1	1.24 m @ 1.82 g/t Au
	160.76	162.00	1.24	<b>1.824</b>			
	162.00	163.00	1.00	0.306			
	189.00	190.00	1.00	<b>1.040</b>	2.00 m @ 0.93 g/t Au	1.9	1.00 m @ 1.04 g/t Au
	190.00	191.00	1.00	0.814			
DSDD0220	1.00	2.00	1.00	0.670	1.00 m @ 0.67 g/t Au	0.7	
	45.00	46.06	1.06	0.223	1.06 m @ 0.22 g/t Au	0.2	
	96.00	97.00	1.00	0.728	1.00 m @ 0.73 g/t Au	0.7	
	109.00	110.00	1.00	0.870	1.00 m @ 0.87 g/t Au	0.9	
DSDD0221	6.00	7.50	1.50	0.270	5.50 m @ 0.65 g/t Au	3.6	1.50 m @ 1.52 g/t Au
	7.50	9.00	1.50	0.410			
	9.00	10.50	1.50	<b>1.520</b>			
	10.50	11.50	1.00	0.250			
	45.00	46.00	1.00	0.260	20.00 m @ 0.23 g/t Au	4.5	
	46.00	47.00	1.00	0.190			
	47.00	48.00	1.00	0.140			
	48.00	49.00	1.00	0.250			
	49.00	50.00	1.00	0.330			
	50.00	51.00	1.00	0.240			
	51.00	52.00	1.00	0.290			
	52.00	53.00	1.00	0.010			
	53.00	54.00	1.00	0.030			
	54.00	55.00	1.00	0.380			
	55.00	56.00	1.00	0.080			
	56.00	57.00	1.00	0.040			
	57.00	58.00	1.00	0.810			
	58.00	59.00	1.00	0.210			
	59.00	60.00	1.00	0.140			
	60.00	61.00	1.00	0.010			
	61.00	62.00	1.00	0.290			
	62.00	63.00	1.00	0.140			
	63.00	64.00	1.00	0.320			
	64.00	65.00	1.00	0.350			
	164.00	165.00	1.00	0.340	1.00 m @ 0.34 g/t Au	0.3	
194.80	196.00	1.20	0.640	1.20 m @ 0.64 g/t Au	0.8		
DSDD0222	7.00	8.00	1.00	<b>1.410</b>	1.00 m @ 1.41 g/t Au	1.4	1.00 m @ 1.41 g/t Au
	11.40	12.36	0.96	0.430	0.96 m @ 0.43 g/t Au	0.4	
	14.00	15.00	1.00	0.970	1.00 m @ 0.97 g/t Au	1.0	
	16.07	17.29	1.22	0.520	1.22 m @ 0.52 g/t Au	0.6	
	24.00	25.00	1.00	0.240	3.82 m @ 0.72 g/t Au	2.8	1.00 m @ 1.99 g/t Au
	25.00	26.00	1.00	<b>1.990</b>			
	26.00	27.00	1.00	0.090			
	27.00	27.82	0.82	0.530			
	28.50	29.00	0.50	0.650	1.50 m @ 0.48 g/t Au	0.7	
	29.00	30.00	1.00	0.390			
	33.00	34.04	1.04	0.310	1.04 m @ 0.31 g/t Au	0.3	
	49.00	50.20	1.20	0.340	1.20 m @ 0.34 g/t Au	0.4	
	193.00	194.00	1.00	0.440	4.00 m @ 0.26 g/t Au	1.0	
	194.00	195.00	1.00	0.010			
	195.00	196.00	1.00	0.020			
	196.00	197.00	1.00	0.570			
	213.00	214.00	1.00	0.350	1.00 m @ 0.35 g/t Au	0.4	
219.00	220.00	1.00	0.470	2.00 m @ 0.57 g/t Au	1.1		
220.00	221.00	1.00	0.670				
230.00	231.00	1.00	0.300	1.00 m @ 0.30 g/t Au	0.3		
DSDD0223	8.00	9.00	1.00	0.670	<b>7.00 m @ 1.69 g/t Au</b>	<b>11.8</b>	

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
	9.00	10.00	1.00	0.390			<b>4.00 m @ 2.55 g/t Au</b>
	10.00	11.00	1.00	<b>4.160</b>			
	11.00	12.00	1.00	0.560			
	12.00	13.00	1.00	<b>1.210</b>			
	13.00	14.00	1.00	<b>4.280</b>			
	14.00	15.00	1.00	0.560	2.00 m @ 0.45 g/t Au	0.9	
	21.00	22.00	1.00	0.420			
	22.00	23.00	1.00	0.480	4.00 m @ 0.28 g/t Au	1.1	
	55.00	56.00	1.00	0.360			
	56.00	57.00	1.00	0.020			
	57.00	58.00	1.00	0.020			
	58.00	59.00	1.00	0.710	7.00 m @ 0.24 g/t Au	1.7	
	99.00	100.00	1.00	0.700			
	100.00	101.00	1.00	0.200			
	101.00	102.00	1.00	0.270			
	102.00	103.00	1.00	0.060			
	103.00	104.00	1.00	0.010			
	104.00	105.00	1.00	0.240			
	105.00	106.00	1.00	0.220	1.00 m @ 0.29 g/t Au	0.3	
	132.00	133.00	1.00	0.290			
138.00	139.00	1.00	0.280	1.00 m @ 0.28 g/t Au	0.3		
144.00	145.00	1.00	<b>2.070</b>	6.00 m @ 0.51 g/t Au	3.1	<b>1.00 m @ 2.07 g/t Au</b>	
145.00	146.00	1.00	0.080				
146.00	147.00	1.00	0.040				
147.00	148.00	1.00	0.130				
148.00	149.00	1.00	0.270				
149.00	150.00	1.00	0.490				
177.00	178.00	1.00	0.360			1.00 m @ 0.36 g/t Au	0.4
DSDD0224	217.00	218.00	1.00	0.280	2.00 m @ 0.55 g/t Au	1.1	
	218.00	219.00	1.00	0.810			
DSDD0225	3.90	4.61	0.71	0.930	0.71 m @ 0.93 g/t Au	0.7	
	26.50	27.64	1.14	<b>1.220</b>	1.14 m @ 1.22 g/t Au	1.4	<b>1.14 m @ 1.22 g/t Au</b>
	38.33	39.54	1.21	<b>1.720</b>	1.21 m @ 1.72 g/t Au	2.1	<b>1.21 m @ 1.72 g/t Au</b>
	78.30	79.63	1.33	<b>1.130</b>	1.33 m @ 1.13 g/t Au	1.5	<b>1.33 m @ 1.13 g/t Au</b>
	88.21	89.50	1.29	0.840	3.79 m @ 0.39 g/t Au	1.5	
	89.50	91.00	1.50	0.050			
	91.00	92.00	1.00	0.310			
DSDD0226	75.00	76.00	1.00	0.400	1.00 m @ 0.40 g/t Au	0.4	
	84.00	85.27	1.27	0.220	1.27 m @ 0.22 g/t Au	0.3	
	95.08	96.00	0.92	0.600	1.92 m @ 0.56 g/t Au	1.1	
	96.00	97.00	1.00	0.520			
	102.00	103.37	1.37	0.310	1.37 m @ 0.31 g/t Au	0.4	
	125.00	126.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.2	
	129.50	130.00	0.50	<b>1.240</b>	1.50 m @ 0.63 g/t Au	0.9	<b>0.50 m @ 1.24 g/t Au</b>
	130.00	131.00	1.00	0.320			
	142.00	143.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.2	
	155.50	156.49	0.99	<b>48.830</b>	<b>1.50 m @ 32.51 g/t Au</b>	<b>48.8</b>	<b>0.99 m @ 48.83 g/t Au</b>
	156.49	157.00	0.51	0.830			
	195.00	196.00	1.00	0.330	1.00 m @ 0.33 g/t Au	0.3	
198.00	199.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2		
DSDD0227	107.00	108.00	1.00	<b>7.880</b>	<b>1.00 m @ 7.88 g/t Au</b>	<b>7.9</b>	<b>1.00 m @ 7.88 g/t Au</b>
	121.00	122.00	1.00	<b>2.090</b>	1.00 m @ 2.09 g/t Au	2.1	<b>1.00 m @ 2.09 g/t Au</b>
	153.54	155.00	1.46	0.220	2.46 m @ 0.24 g/t Au	0.6	
	155.00	156.00	1.00	0.270			
	160.70	162.00	1.30	<b>1.680</b>	1.30 m @ 1.68 g/t Au	2.2	<b>1.30 m @ 1.68 g/t Au</b>
	173.00	174.00	1.00	0.300	14.21 m @ 0.35 g/t Au	4.9	

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au		
	174.00	175.00	1.00	0.950					
	175.00	176.00	1.00	0.010					
	176.00	177.00	1.00	0.210					
	177.00	177.59	0.59	0.110					
	177.59	179.00	1.41	0.280					
	179.00	180.00	1.00	0.260					
	180.00	181.00	1.00	0.090					
	181.00	182.00	1.00	0.120					
	182.00	183.00	1.00	0.880					
	183.00	184.00	1.00	0.110					
	184.00	185.00	1.00	0.300					
	185.00	186.00	1.00	0.330					
	186.00	187.21	1.21	0.750					
	193.00	194.00	1.00	<b>1.120</b>				2.00 m @ 0.66 g/t Au	1.3
194.00	195.00	1.00	0.200						
DSDD0228	3.00	4.50	1.50	0.210	3.00 m @ 0.24 g/t Au	0.7			
	4.50	6.00	1.50	0.280					
	9.00	9.65	0.65	0.460	0.65 m @ 0.46 g/t Au	0.3			
	10.90	12.00	1.10	0.320	1.10 m @ 0.32 g/t Au	0.4			
	36.43	37.50	1.07	0.760	1.07 m @ 0.76 g/t Au	0.8			
	55.00	56.10	1.10	0.480	<b>3.00 m @ 1.83 g/t Au</b>	<b>5.5</b>	<b>0.90 m @ 5.00 g/t Au</b>		
	56.10	57.00	0.90	<b>5.000</b>					
	57.00	58.00	1.00	0.460					
	76.00	77.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.3			
	99.00	100.00	1.00	0.670	1.00 m @ 0.67 g/t Au	0.7			
	109.00	110.00	1.00	0.250	1.00 m @ 0.25 g/t Au	0.3			
	113.00	114.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2			
	136.00	137.00	1.00	0.300	1.00 m @ 0.30 g/t Au	0.3			
	148.00	149.20	1.20	0.550	1.20 m @ 0.55 g/t Au	0.7			
	160.00	161.00	1.00	<b>4.230</b>	1.00 m @ 4.23 g/t Au	4.2	<b>1.00 m @ 4.23 g/t Au</b>		
	200.00	201.00	1.00	0.350	1.00 m @ 0.35 g/t Au	0.4			
	209.00	210.00	1.00	0.470	1.00 m @ 0.47 g/t Au	0.5			
	214.00	215.00	1.00	0.290	5.00 m @ 0.25 g/t Au	1.3			
	215.00	216.00	1.00	0.030					
	216.00	217.00	1.00	0.070					
217.00	218.00	1.00	0.240						
218.00	219.00	1.00	0.620						
42.00	42.80	0.80	0.610	0.80 m @ 0.61 g/t Au				0.5	
109.00	110.30	1.30	0.210	1.30 m @ 0.21 g/t Au	0.3				
120.00	121.00	1.00	0.240	7.00 m @ 0.35 g/t Au	2.5				
121.00	122.00	1.00	0.070						
122.00	122.50	0.50	0.180						
122.50	123.00	0.50	0.520						
123.00	124.00	1.00	0.090						
124.00	125.00	1.00	0.010						
125.00	126.00	1.00	0.090						
126.00	127.00	1.00	<b>1.600</b>						
133.00	134.00	1.00	0.230				1.00 m @ 0.23 g/t Au	0.2	
137.00	137.91	0.91	0.420				0.91 m @ 0.42 g/t Au	0.4	
142.00	143.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.2				
154.00	155.00	1.00	0.380	1.00 m @ 0.38 g/t Au	0.4				
203.00	204.00	1.00	<b>2.240</b>	1.00 m @ 2.24 g/t Au	2.2	<b>1.00 m @ 2.24 g/t Au</b>			
37.50	38.00	0.50	0.430	0.50 m @ 0.43 g/t Au	0.2				
83.78	85.00	1.22	0.280	6.22 m @ 0.22 g/t Au	1.3				
85.00	86.00	1.00	0.130						
86.00	87.00	1.00	0.110						

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
	87.00	88.00	1.00	0.340	1.00 m @ 0.34 g/t Au	0.3	
	88.00	89.00	1.00	0.150			
	89.00	90.00	1.00	0.270			
	96.00	97.00	1.00	0.340			
	129.00	130.00	1.00	0.330			
	130.00	131.00	1.00	0.330			
	131.00	132.00	1.00	0.580			
	132.00	133.00	1.00	0.380			
	157.00	158.00	1.00	0.230			
165.00	166.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2		
DSDD0231	0.00	1.00	1.00	<b>3.580</b>	1.00 m @ 3.58 g/t Au	3.6	<b>1.00 m @ 3.58 g/t Au</b>
	3.00	4.50	1.50	<b>2.970</b>	1.50 m @ 2.97 g/t Au	4.5	<b>1.50 m @ 2.97 g/t Au</b>
	10.12	10.83	0.71	<b>3.260</b>	0.71 m @ 3.26 g/t Au	2.3	<b>0.71 m @ 3.26 g/t Au</b>
	45.00	45.96	0.96	<b>2.060</b>	0.96 m @ 2.06 g/t Au	2.0	<b>0.96 m @ 2.06 g/t Au</b>
	46.50	48.00	1.50	0.470	1.50 m @ 0.47 g/t Au	0.7	
	109.40	110.85	1.45	0.430	2.60 m @ 0.51 g/t Au	1.3	
	110.85	112.00	1.15	0.610			
	122.00	123.30	1.30	0.280	<b>9.60 m @ 0.58 g/t Au</b>	<b>5.6</b>	<b>1.33 m @ 1.00 g/t Au</b>
	123.30	124.63	1.33	<b>1.000</b>			
	124.63	126.00	1.37	0.520			
	126.00	127.00	1.00	0.260			
	127.00	128.00	1.00	0.410			
	128.00	129.00	1.00	0.030			
	129.00	130.15	1.15	0.100			
	130.15	131.60	1.45	<b>1.630</b>			<b>1.45 m @ 1.63 g/t Au</b>
	135.90	137.00	1.10	0.590	1.10 m @ 0.59 g/t Au	0.6	
	141.00	142.00	1.00	0.350	5.00 m @ 0.38 g/t Au	1.9	
	142.00	143.10	1.10	0.030			
	143.10	144.00	0.90	0.170			
144.00	145.00	1.00	0.990				
145.00	146.00	1.00	0.380				
150.00	151.00	1.00	0.340	2.00 m @ 0.28 g/t Au			
151.00	152.00	1.00	0.220				
DSDD0233	2.00	3.46	1.46	0.320	1.46 m @ 0.32 g/t Au	0.5	
	62.00	63.00	1.00	0.720	1.00 m @ 0.72 g/t Au	0.7	
	73.00	74.00	1.00	0.700	1.00 m @ 0.70 g/t Au	0.7	
	78.00	79.00	1.00	0.990	6.30 m @ 0.29 g/t Au	1.8	
	79.00	80.00	1.00	0.030			
	80.00	81.08	1.08	0.030			
	81.08	82.50	1.42	0.280			
	82.50	83.00	0.50	0.160			
	83.00	84.30	1.30	0.220			
	95.00	96.00	1.00	0.550	7.00 m @ 0.24 g/t Au	1.7	
	96.00	97.00	1.00	0.090			
	97.00	98.00	1.00	0.070			
	98.00	98.51	0.51	0.030			
	98.51	100.00	1.49	0.210			
	100.00	101.17	1.17	0.030			
	101.17	102.00	0.83	0.710			
	114.00	115.00	1.00	<b>2.090</b>	1.00 m @ 2.09 g/t Au	2.1	<b>1.00 m @ 2.09 g/t Au</b>
	130.00	131.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.2	
	140.00	141.00	1.00	0.240	<b>25.00 m @ 0.35 g/t Au</b>	<b>8.8</b>	
141.00	142.00	1.00	0.560				
142.00	143.00	1.00	0.860				
143.00	144.00	1.00	0.140				
144.00	145.00	1.00	0.030				

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0234	145.00	146.00	1.00	0.150	9.00 m @ 0.31 g/t Au	2.8	2.00 m @ 1.07 g/t Au
	146.00	147.00	1.00	0.390			
	147.00	148.00	1.00	0.200			
	148.00	149.00	1.00	0.050			
	149.00	150.00	1.00	0.430			
	150.00	151.00	1.00	0.090			
	151.00	152.00	1.00	0.270			
	152.00	153.00	1.00	0.060			
	153.00	154.00	1.00	0.160			
	154.00	155.00	1.00	1.000			
	155.00	156.00	1.00	1.140			
	156.00	157.00	1.00	0.250			
	157.00	158.00	1.00	0.890			
	158.00	159.00	1.00	0.070			
	159.00	160.00	1.00	0.040			
	160.00	161.00	1.00	0.840			
	161.00	162.00	1.00	0.350			
	162.00	163.00	1.00	0.050			
	163.00	164.00	1.00	0.210			
	164.00	165.00	1.00	0.340			
169.00	170.00	1.00	1.210	9.00 m @ 0.31 g/t Au	2.8	1.00 m @ 1.21 g/t Au	
170.00	171.00	1.00	0.510				
171.00	172.00	1.00	0.040				
172.00	173.00	1.00	0.040				
173.00	174.00	1.00	0.220				
174.00	175.00	1.00	0.200				
175.00	176.00	1.00	0.080				
176.00	177.00	1.00	0.250				
177.00	178.00	1.00	0.260				
184.00	185.00	1.00	0.310			1.00 m @ 0.31 g/t Au	0.3
12.00	13.00	1.00	0.230	2.40 m @ 0.22 g/t Au	0.5	1.00 m @ 3.91 g/t Au	
13.00	14.40	1.40	0.210	2.00 m @ 0.26 g/t Au	0.5		
15.00	16.00	1.00	0.270	3.82 m @ 0.27 g/t Au	1.0		
16.00	17.00	1.00	0.240				
24.00	25.00	1.00	0.360				
25.00	26.00	1.00	0.470				
26.00	27.00	1.00	0.050	1.50 m @ 0.59 g/t Au	0.9		
27.00	27.82	0.82	0.200				
28.50	30.00	1.50	0.590	1.50 m @ 0.59 g/t Au	0.9		
32.00	33.44	1.44	0.650	1.44 m @ 0.65 g/t Au	0.9		
37.00	38.00	1.00	0.840	4.00 m @ 1.31 g/t Au	5.2		
38.00	39.00	1.00	0.100				
39.00	40.00	1.00	0.380				
40.00	41.00	1.00	3.910				
45.00	46.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.2		
50.00	51.00	1.00	0.440	1.00 m @ 0.44 g/t Au	0.4		
54.00	55.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.3		
57.00	58.00	1.00	0.310	5.00 m @ 0.21 g/t Au	1.0		
58.00	59.00	1.00	0.130				
59.00	60.00	1.00	0.020				
60.00	61.00	1.00	0.140				
61.00	62.00	1.00	0.430				
DSDD0235	1.00	2.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
	6.00	7.00	1.00	0.260	7.10 m @ 0.91 g/t Au	6.4	
	7.00	8.00	1.00	0.130			
	8.00	9.00	1.00	0.060			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
	9.00	10.00	1.00	0.410			
	10.00	11.00	1.00	<b>2.790</b>			2.00 m @ 2.67 g/t Au
	11.00	12.00	1.00	<b>2.540</b>			
	12.00	13.10	1.10	0.230			
	17.69	18.68	0.99	<b>1.290</b>	0.99 m @ 1.29 g/t Au	1.3	0.99 m @ 1.29 g/t Au
	26.43	27.37	0.94	0.210	0.94 m @ 0.21 g/t Au	0.2	
	31.50	33.00	1.50	0.810	1.50 m @ 0.81 g/t Au	1.2	
	44.00	45.50	1.50	0.360	1.50 m @ 0.36 g/t Au	0.5	
	69.75	71.00	1.25	0.420			
	71.00	72.00	1.00	0.140			
	72.00	73.00	1.00	<b>9.690</b>			2.00 m @ 5.71 g/t Au
	73.00	74.00	1.00	<b>1.730</b>			
	74.00	75.00	1.00	0.290	9.25 m @ 1.42 g/t Au	13.2	
	75.00	76.00	1.00	0.400			
	76.00	77.00	1.00	0.050			
	77.00	78.00	1.00	0.030			
	78.00	79.00	1.00	0.310			
	89.00	90.00	1.00	0.490			
	90.00	91.00	1.00	0.320	3.00 m @ 0.39 g/t Au	1.2	
	91.00	92.00	1.00	0.360			
	96.00	97.00	1.00	0.270			
	97.00	98.00	1.00	0.300	2.00 m @ 0.28 g/t Au	0.6	
	100.00	101.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.3	
	117.00	118.00	1.00	0.210			
	118.00	119.00	1.00	0.050	3.00 m @ 0.21 g/t Au	0.6	
	119.00	120.00	1.00	0.360			
	308.00	309.00	1.00	0.240			
	309.00	310.00	1.00	<b>1.850</b>			1.00 m @ 1.85 g/t Au
	310.00	311.00	1.00	0.240			
	311.00	312.00	1.00	0.010			
	312.00	313.00	1.00	0.040			
	313.00	314.00	1.00	0.030			
	314.00	315.00	1.00	<b>1.050</b>	13.00 m @ 0.38 g/t Au	5.0	1.00 m @ 1.05 g/t Au
	315.00	316.00	1.00	0.010			
	316.00	317.00	1.00	0.500			
	317.00	318.00	1.00	0.160			
	318.00	319.00	1.00	0.450			
	319.00	320.00	1.00	0.060			
	320.00	321.00	1.00	0.360			
	325.00	326.00	1.00	<b>2.090</b>			
	326.00	327.00	1.00	0.030			3.00 m @ 1.18 g/t Au
	327.00	328.00	1.00	<b>1.410</b>			
	328.00	329.00	1.00	0.270			
	329.00	330.00	1.00	0.880			
	330.00	331.00	1.00	0.010			
	331.00	332.00	1.00	0.010			
	332.00	333.00	1.00	0.930	14.00 m @ 1.07 g/t Au	15.0	
	333.00	334.00	1.00	0.770			
	334.00	335.00	1.00	0.030			
	335.00	336.00	1.00	0.420			
	336.00	337.00	1.00	<b>7.490</b>			1.00 m @ 7.49 g/t Au
	337.00	338.00	1.00	0.030			
	338.00	339.00	1.00	0.670			
	347.00	348.00	1.00	<b>1.070</b>			
	348.00	349.00	1.00	0.490	16.00 m @ 1.79 g/t Au	28.6	4.00 m @ 6.36 g/t Au
	349.00	350.00	1.00	0.430			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
	350.00	351.00	1.00	23.440			
	351.00	352.00	1.00	0.270			
	352.00	353.00	1.00	0.340			
	353.00	354.15	1.15	0.700			
	354.15	355.00	0.85	0.290			
	355.00	356.00	1.00	0.220			
	356.00	357.00	1.00	0.130			
	357.00	358.00	1.00	0.110			
	358.00	359.00	1.00	0.150			
	359.00	360.00	1.00	0.230			
	360.00	361.00	1.00	0.090			
	361.00	362.00	1.00	0.220			
	362.00	363.00	1.00	0.350			
	384.00	385.00	1.00	0.610			
	385.00	386.00	1.00	0.190			
	386.00	387.00	1.00	0.270			
	387.00	388.00	1.00	0.710			
	388.00	389.00	1.00	0.350			
	389.00	390.00	1.00	0.180			
	390.00	391.00	1.00	0.030			
	391.00	392.00	1.00	0.400			
	392.00	393.00	1.00	0.490			
	393.00	394.00	1.00	0.420			
	394.00	395.00	1.00	0.140			
	395.00	396.00	1.00	0.160			
	396.00	397.00	1.00	0.160			
	397.00	398.00	1.00	2.850			1.00 m @ 2.85 g/t Au
	398.00	399.00	1.00	0.400			
	399.00	400.00	1.00	0.340			
	400.00	401.00	1.00	0.410			
	414.00	415.00	1.00	0.420			
	415.00	416.00	1.00	2.170	2.00 m @ 1.29 g/t Au	2.6	1.00 m @ 2.17 g/t Au
	429.00	430.00	1.00	0.680			
	430.00	431.00	1.00	0.570			
	431.00	432.00	1.00	0.060			
	432.00	433.00	1.00	0.150			
	433.00	434.00	1.00	0.360			
	434.00	435.00	1.00	0.050			
	435.00	436.00	1.00	0.040			
	436.00	437.00	1.00	0.580			
	437.00	438.00	1.00	1.070			2.00 m @ 1.51 g/t Au
	438.00	439.00	1.00	1.950			
	439.00	440.00	1.00	0.640			
	440.00	441.00	1.00	0.360			
	441.00	442.00	1.00	0.140			
	442.00	443.00	1.00	0.150			
	443.00	444.00	1.00	0.120			
	444.00	445.00	1.00	0.560			
	445.00	446.00	1.00	0.940			
	446.00	447.00	1.00	0.570			
	447.00	448.00	1.00	0.210			
	448.00	449.00	1.00	0.900			
	449.00	450.00	1.00	0.360			
	450.00	451.00	1.00	0.110			
	451.00	452.00	1.00	0.380			
	452.00	453.00	1.00	0.320			
					17.00 m @ 0.48 g/t Au	8.1	
							43.00 m @ 0.42 g/t Au

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0236	453.00	454.00	1.00	0.190			
	454.00	455.00	1.00	0.310			
	455.00	456.00	1.00	0.200			
	456.00	457.00	1.00	0.170			
	457.00	458.00	1.00	0.060			
	458.00	459.00	1.00	0.080			
	459.00	460.00	1.00	0.230			
	460.00	461.00	1.00	0.170			
	461.00	462.00	1.00	0.420			
	462.00	463.00	1.00	0.210			
	463.00	464.00	1.00	0.330			
	464.00	465.00	1.00	<b>1.000</b>			
	465.00	466.00	1.00	<b>2.410</b>			
	466.00	467.00	1.00	0.110			
	467.00	468.00	1.00	0.120			
	468.00	469.00	1.00	0.210			
	469.00	470.00	1.00	0.040			
	470.00	471.00	1.00	0.310			
	471.00	472.00	1.00	0.400			
	476.00	477.00	1.00	0.250			
	477.00	478.00	1.00	0.560			
	478.00	479.00	1.00	0.250			
	479.00	480.00	1.00	0.380			
	480.00	481.00	1.00	0.570			
	481.00	482.00	1.00	0.330			
	482.00	483.00	1.00	0.310			
	483.00	484.00	1.00	0.500			
	484.00	485.00	1.00	0.470			
485.00	486.00	1.00	0.770				
486.00	487.00	1.00	0.150				
487.00	488.00	1.00	0.100				
488.00	489.00	1.00	0.120				
489.00	489.70	0.70	0.720				
DSDD0236	8.47	9.41	0.94	0.260	0.94 m @ 0.26 g/t Au	0.2	
	11.62	12.20	0.58	0.340	0.58 m @ 0.34 g/t Au	0.2	
	21.00	22.08	1.08	0.250	1.08 m @ 0.25 g/t Au	0.3	
	70.00	71.00	1.00	0.260	3.08 m @ 0.60 g/t Au	1.9	
	71.00	72.00	1.00	<b>1.120</b>			
	72.00	73.08	1.08	0.440	2.00 m @ 0.27 g/t Au	0.5	
	81.00	82.00	1.00	0.240			
	82.00	83.00	1.00	0.290	1.00 m @ 0.23 g/t Au	0.2	
	95.00	96.00	1.00	0.230	1.00 m @ 0.20 g/t Au	0.2	
	98.00	99.00	1.00	0.200	2.00 m @ 0.38 g/t Au	0.8	
	104.00	105.00	1.00	0.280	9.00 m @ 0.34 g/t Au	3.1	
	105.00	106.00	1.00	0.480			
	118.00	119.00	1.00	0.360			
	119.00	120.00	1.00	0.010			
	120.00	121.00	1.00	0.010			
	121.00	122.00	1.00	0.020			
	122.00	123.00	1.00	0.230			
	123.00	124.00	1.00	0.200			
	124.00	125.00	1.00	0.860			
	125.00	125.83	0.83	0.200			
125.83	127.00	1.17	<b>1.030</b>	4.00 m @ 0.51 g/t Au	2.1		
134.20	135.50	1.30	0.300				
135.50	136.80	1.30	0.880				

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au		
DSDD0237	136.80	138.20	1.40	0.370	7.50 m @ 0.42 g/t Au	3.2			
	141.50	142.21	0.71	0.950					
	142.21	143.00	0.79	0.040					
	143.00	144.00	1.00	0.920					
	144.00	145.00	1.00	0.010					
	145.00	146.00	1.00	0.040					
	146.00	146.67	0.67	0.060					
	146.67	147.91	1.24	0.660					
	147.91	149.00	1.09	0.590					
	153.00	154.37	1.37	0.620	6.00 m @ 0.55 g/t Au	3.3			
	154.37	155.00	0.63	0.050					
	155.00	156.30	1.30	0.340					
	156.30	157.00	0.70	0.970					
	157.00	158.00	1.00	0.200					
	158.00	159.00	1.00	<b>1.100</b>				<b>1.00 m @ 1.10 g/t Au</b>	
	163.00	164.00	1.00	<b>1.680</b>	4.00 m @ 1.09 g/t Au	4.4		<b>4.00 m @ 1.09 g/t Au</b>	
	164.00	165.00	1.00	0.180					
	165.00	166.00	1.00	0.520					
166.00	167.00	1.00	<b>1.980</b>						
22.50	23.50	1.00	0.270	1.00 m @ 0.27 g/t Au	0.3				
51.31	52.25	0.94	0.470	26.91 m @ 0.47 g/t Au	12.7				
52.25	53.60	1.35	0.260						
53.60	55.00	1.40	0.190						
55.00	56.00	1.00	0.690						
56.00	57.00	1.00	0.320						
57.00	58.00	1.00	0.260						
58.00	59.00	1.00	0.210						
59.00	60.00	1.00	0.030						
60.00	61.00	1.00	0.330						
61.00	62.00	1.00	0.450						
62.00	63.00	1.00	0.510						
63.00	64.00	1.00	<b>1.050</b>						<b>1.00 m @ 1.05 g/t Au</b>
64.00	65.00	1.00	0.100						
65.00	66.00	1.00	0.230						
66.00	67.00	1.00	0.320						
67.00	68.00	1.00	0.310						
68.00	69.00	1.00	0.300						
69.00	70.00	1.00	0.340						
70.00	71.00	1.00	0.080						
71.00	72.00	1.00	<b>3.280</b>					<b>1.00 m @ 3.28 g/t Au</b>	
72.00	73.00	1.00	0.190						
73.00	74.00	1.00	0.090						
74.00	75.00	1.00	0.040						
75.00	76.00	1.00	<b>1.130</b>			<b>1.00 m @ 1.13 g/t Au</b>			
76.00	77.00	1.00	0.470						
77.00	78.22	1.22	0.730						
85.00	86.00	1.00	<b>8.130</b>	<b>1.00 m @ 8.13 g/t Au</b>	<b>8.1</b>	<b>1.00 m @ 8.13 g/t Au</b>			
90.20	91.43	1.23	0.220	1.23 m @ 0.22 g/t Au	0.3				
97.00	98.00	1.00	<b>3.210</b>	1.00 m @ 3.21 g/t Au	3.2	<b>1.00 m @ 3.21 g/t Au</b>			
142.00	143.00	1.00	0.280	1.00 m @ 0.28 g/t Au	0.3				
170.00	171.00	1.00	0.310	1.00 m @ 0.31 g/t Au	0.3				
176.00	177.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2				
187.00	188.00	1.00	0.320	1.00 m @ 0.32 g/t Au	0.3				
DSDD0238A	67.00	68.00	1.00	0.290	1.00 m @ 0.29 g/t Au	0.3			
DSDD0240	141.00	142.00	1.00	0.270	1.00 m @ 0.27 g/t Au	0.3			
	148.00	149.00	1.00	<b>8.880</b>	<b>5.00 m @ 2.46 g/t Au</b>	<b>12.3</b>	<b>1.00 m @ 8.88 g/t Au</b>		

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
	149.00	150.00	1.00	0.770				
	150.00	151.00	1.00	0.070				
	151.00	152.00	1.00	0.040				
	152.00	153.00	1.00	<b>2.540</b>				1.00 m @ 2.54 g/t Au
	158.00	159.00	1.00	0.220	7.00 m @ 0.21 g/t Au	1.5		
	159.00	160.00	1.00	0.260				
	160.00	161.00	1.00	0.020				
	161.00	162.00	1.00	0.450				
	162.00	163.00	1.00	0.110				
	163.00	164.30	1.30	0.130				
	164.30	165.00	0.70	0.390				
	172.00	173.00	1.00	0.660				
	173.00	174.00	1.00	0.160	4.00 m @ 0.60 g/t Au	2.4		
	174.00	175.00	1.00	0.350				
	175.00	176.00	1.00	<b>1.240</b>				1.00 m @ 1.24 g/t Au
	214.00	215.00	1.00	0.590	6.00 m @ 2.53 g/t Au	15.2		
	215.00	216.00	1.00	<b>14.160</b>				1.00 m @ 14.16 g/t Au
	216.00	217.00	1.00	0.070				
	217.00	218.00	1.00	0.020				
	218.00	219.00	1.00	0.010				
	219.00	220.00	1.00	0.350				
	232.00	233.00	1.00	0.580				9.00 m @ 0.35 g/t Au
	233.00	234.00	1.00	0.260				
	234.00	235.00	1.00	0.970				
	235.00	236.00	1.00	0.220				
	236.00	237.00	1.00	0.220				
	237.00	238.00	1.00	0.210				
	238.00	239.00	1.00	0.420				
	239.00	240.00	1.00	0.070				
	240.00	241.00	1.00	0.200				
	248.00	249.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.2		
	264.00	265.00	1.00	0.380	2.00 m @ 0.34 g/t Au	0.7		
	265.00	266.00	1.00	0.300	2.00 m @ 22.86 g/t Au	45.7	2.00 m @ 22.86 g/t Au	
297.00	298.00	1.00	<b>41.740</b>					
298.00	299.00	1.00	<b>3.980</b>	11.00 m @ 0.69 g/t Au	7.6			
303.00	304.00	1.00	0.730					
304.00	305.00	1.00	0.320					
305.00	306.00	1.00	<b>4.160</b>				1.00 m @ 4.16 g/t Au	
306.00	307.10	1.10	0.790					
307.10	308.00	0.90	0.140					
308.00	309.00	1.00	0.200					
309.00	310.00	1.00	0.200					
310.00	311.00	1.00	0.220					
311.00	312.00	1.00	0.240					
312.00	313.00	1.00	0.250					
313.00	314.00	1.00	0.300					
DSDD0241	5.00	6.00	1.00				0.430	4.00 m @ 0.61 g/t Au
	6.00	7.00	1.00	0.850				
	7.00	8.00	1.00	0.800				
	8.00	9.00	1.00	0.380				
DSDD0242	125.00	126.00	1.00	<b>7.150</b>	2.00 m @ 7.87 g/t Au	15.7	2.00 m @ 7.87 g/t Au	
	126.00	127.00	1.00	<b>8.580</b>				
DSDD0243	5.30	6.00	0.70	<b>3.450</b>	0.70 m @ 3.45 g/t Au	2.4	0.70 m @ 3.45 g/t Au	
	190.85	191.50	0.65	0.410	18.15 m @ 0.80 g/t Au	14.5		
	191.50	192.00	0.50	0.490				
	192.00	193.00	1.00	0.260				

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
	193.00	194.00	1.00	0.400			
	194.00	195.00	1.00	0.210			
	195.00	196.00	1.00	0.150			
	196.00	197.00	1.00	0.260			
	197.00	198.00	1.00	0.440			
	198.00	199.00	1.00	0.300			
	199.00	200.00	1.00	0.140			
	200.00	201.00	1.00	<b>8.460</b>			
	201.00	202.00	1.00	0.320			
	202.00	203.00	1.00	0.300			
	203.00	204.00	1.00	<b>1.050</b>			
	204.00	205.00	1.00	0.280			
	205.00	206.00	1.00	0.300			
	206.00	207.00	1.00	0.330			
	207.00	208.00	1.00	0.040			
	208.00	209.00	1.00	0.710			
232.00	233.00	1.00	0.380	2.00 m @ 0.33 g/t Au	0.7		
233.00	234.00	1.00	0.270				
DSDD0244A	70.00	71.00	1.00	0.270	4.00 m @ 0.21 g/t Au	0.9	
	71.00	72.00	1.00	0.090			
	72.00	73.00	1.00	0.190			
	73.00	74.00	1.00	0.310			
DSDD0245	67.00	68.00	1.00	0.520	1.00 m @ 0.52 g/t Au	0.5	
DSDD0246	4.30	5.60	1.30	0.270	1.30 m @ 0.27 g/t Au	0.4	
	54.00	55.00	1.00	0.220	2.00 m @ 0.24 g/t Au	0.5	
	55.00	56.00	1.00	0.260			
	96.00	97.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
	120.00	121.00	1.00	0.960	2.00 m @ 0.80 g/t Au	1.6	
	121.00	122.00	1.00	0.640			
	139.00	140.00	1.00	0.390	4.00 m @ 0.36 g/t Au	1.5	
	140.00	141.00	1.00	0.030			
	141.00	142.00	1.00	0.030			
	142.00	143.00	1.00	<b>1.010</b>			
147.00	148.00	1.00	<b>2.070</b>	2.00 m @ 1.14 g/t Au	2.3	1.00 m @ 1.01 g/t Au	
148.00	149.00	1.00	0.200			1.00 m @ 2.07 g/t Au	
DSDD0247	10.00	11.00	1.00	0.550	1.00 m @ 0.55 g/t Au	0.6	
	16.00	17.00	1.00	0.550	10.00 m @ 0.33 g/t Au	3.3	
	17.00	18.00	1.00	0.110			
	18.00	19.00	1.00	0.060			
	19.00	20.00	1.00	0.250			
	20.00	21.00	1.00	0.510			
	21.00	22.00	1.00	0.070			
	22.00	23.00	1.00	0.250			
	23.00	24.00	1.00	0.060			
	24.00	25.00	1.00	0.670			
	25.00	26.00	1.00	0.810			
	28.41	29.00	0.59	0.250	1.26 m @ 0.55 g/t Au	0.7	
	29.00	29.67	0.67	0.820	1.00 m @ 0.29 g/t Au	0.3	
	31.00	32.00	1.00	0.290	0.50 m @ 0.34 g/t Au	0.2	
	38.50	39.00	0.50	0.340	5.00 m @ 0.22 g/t Au	1.1	
	112.00	113.00	1.00	0.550			
	113.00	114.00	1.00	0.040			
114.00	115.00	1.00	0.050				
115.00	116.00	1.00	0.260				
116.00	117.00	1.00	0.200	7.00 m @ 0.39 g/t Au	2.7		
211.00	212.00	1.00	0.990				

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
	212.00	213.00	1.00	0.080				
	213.00	214.00	1.00	0.010				
	214.00	215.00	1.00	0.100				
	215.00	216.00	1.00	0.300				
	216.00	217.00	1.00	0.300				
	217.00	218.00	1.00	0.940				
DSDD0248	7.00	8.00	1.00	0.960	1.00 m @ 0.96 g/t Au	1.0		
	37.00	38.00	1.00	0.430	2.00 m @ 0.42 g/t Au	0.9		
	38.00	39.00	1.00	0.420				
	118.00	119.00	1.00	0.270	1.00 m @ 0.27 g/t Au	0.3		
	126.55	128.00	1.45	0.380	1.45 m @ 0.38 g/t Au	0.6		
	135.00	136.00	1.00	0.320	1.00 m @ 0.32 g/t Au	0.3		
	167.00	168.00	1.00	<b>1.020</b>	2.00 m @ 0.83 g/t Au	1.7		<b>1.00 m @ 1.02 g/t Au</b>
	168.00	169.00	1.00	0.650				
DSDD0249	86.00	87.00	1.00	0.820	1.00 m @ 0.82 g/t Au	0.8		

**Table 3: Drill Collar Information for the BST tenement**

Hole ID	UTM East	UTM North	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
BSDD0001	784,562	1,035,007	431	269.30	90	-60	BST1	DD
BSDD0002	784,505	1,035,516	406	154.00	90	-55	BST1	DD
BSDD0003	784,585	1,035,515	408	150.40	90	-55	BST1	DD
BSDD0004	784,594	1,035,688	408	150.50	90	-55	BST1	DD
BSDD0005	784,636	1,035,882	411	150.10	90	-55	BST1	DD
BSDD0006	784,577	1,036,013	412	150.00	90	-55	BST1	DD
BSDD0007	784,586	1,035,882	410	237.60	90	-55	BST1	DD
BSDD0008	784,647	1,035,688	408	122.00	90	-55	BST1	DD
BSDD0009	784,648	1,035,797	410	165.30	90	-55	BST1	DD
BSDD0010	784,543	1,035,689	410	245.40	90	-55	BST1	DD
BSDD0011	784,610	1,035,300	411	160.90	90	-55	BST1	DD
BSDD0012	784,623	1,035,500	410	213.65	90	-55	BST1	DD
BSDD0013	784,627	1,035,261	411	166.40	90	-55	BST1	DD
BSDD0014	784,605	1,035,399	411	164.10	90	-55	BST1	DD
<b>14 holes</b>				<b>2,499.65m</b>			BST1	<b>DD</b>

**Table 4: Significant assay results for holes reported in this release from BST tenement<sup>18</sup>**

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BSDD0001	0.00	1.07	1.07	0.236	1.92 m @ 0.23 g/t Au	0.4	
	1.07	1.92	0.85	0.223			
	10.38	11.00	0.62	0.527			
	64.00	65.00	1.00	0.270	1.00 m @ 0.27 g/t Au	0.3	
	84.00	85.00	1.00	0.770	2.00 m @ 0.57 g/t Au	1.1	
	85.00	86.00	1.00	0.374			
	112.00	113.00	1.00	0.352	1.00 m @ 0.35 g/t Au	0.4	
	154.00	155.00	1.00	0.693	2.00 m @ 1.03 g/t Au	2.1	1.00 m @ 1.38 g/t Au
	155.00	156.00	1.00	<b>1.377</b>			
	171.00	172.00	1.00	0.276	1.00 m @ 0.28 g/t Au	0.3	
	185.00	186.00	1.00	0.404	<b>4.00 m @ 0.99 g/t Au</b>	<b>4.0</b>	<b>1.00 m @ 3.04 g/t Au</b>
	186.00	187.00	1.00	0.019			
	187.00	188.00	1.00	<b>3.037</b>			
	188.00	189.00	1.00	0.501			
	213.00	214.00	1.00	0.333	<b>3.00 m @ 4.34 g/t Au</b>	<b>13.0</b>	
	214.00	215.00	1.00	0.462			
	215.00	216.00	1.00	<b>12.230</b>			
	221.00	222.00	1.00	0.323			
	224.00	225.00	1.00	0.210	<b>8.00 m @ 2.81 g/t Au</b>	<b>22.5</b>	<b>1.00 m @ 15.97 g/t Au</b>
	225.00	226.50	1.50	0.034			
	226.50	227.00	0.50	0.025			
	227.00	228.00	1.00	<b>15.967</b>			
	228.00	229.00	1.00	0.008			
	229.00	230.00	1.00	0.583			
	230.00	231.00	1.00	0.331			
	231.00	232.00	1.00	<b>5.344</b>			
	235.00	236.00	1.00	0.402	1.00 m @ 0.40 g/t Au	0.4	
	248.00	249.00	1.00	<b>2.717</b>	<b>5.00 m @ 0.89 g/t Au</b>	<b>4.4</b>	<b>3.00 m @ 1.30 g/t Au</b>
	249.00	250.00	1.00	0.045			
	250.00	251.00	1.00	<b>1.137</b>			
251.00	252.00	1.00	0.173				
252.00	253.00	1.00	0.370				
259.00	260.00	1.00	0.846				
267.00	268.00	1.00	0.855	1.00 m @ 0.85 g/t Au	0.8		
					0.9		
BSDD0002	0.00	1.00	1.00	0.460	1.00 m @ 0.46 g/t Au	0.5	
	17.00	18.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.2	
	146.00	147.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.2	
BSDD0003	3.00	4.00	1.00	<b>1.260</b>	1.00 m @ 1.26 g/t Au	1.3	1.00 m @ 1.26 g/t Au
	19.00	20.19	1.19	0.710	1.19 m @ 0.71 g/t Au	0.8	
	46.00	47.00	1.00	0.380	1.00 m @ 0.38 g/t Au	0.4	
	52.00	53.00	1.00	0.340	1.00 m @ 0.34 g/t Au	0.3	
	87.00	88.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.2	
	91.00	92.00	1.00	0.360	<b>18.25 m @ 0.40 g/t Au</b>	<b>7.2</b>	
	92.00	93.25	1.25	0.030			
	93.25	94.00	0.75	0.030			
	94.00	95.00	1.00	0.660			
	95.00	96.00	1.00	0.020			
	96.00	96.80	0.80	0.350			
	96.80	97.50	0.70	0.220			
97.50	98.00	0.50	0.005				

<sup>18</sup> 0.2 g/t Au cut off used with 3m internal dilution and no top cut applied

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BSDD0004	98.00	99.00	1.00	0.340			
	99.00	100.00	1.00	0.180			
	100.00	101.00	1.00	0.730			
	101.00	102.00	1.00	0.290			
	102.00	103.00	1.00	0.240			
	103.00	104.00	1.00	0.020			
	104.00	105.00	1.00	0.550			
	105.00	106.00	1.00	0.040			
	106.00	107.00	1.00	0.210			
	107.00	108.00	1.00	<b>1.380</b>			
	108.00	109.25	1.25	<b>1.380</b>			<b>2.25 m @ 1.38 g/t Au</b>
	114.00	115.00	1.00	<b>1.600</b>	1.00 m @ 1.60 g/t Au	1.6	1.00 m @ 1.60 g/t Au
	132.00	133.00	1.00	0.280	1.00 m @ 0.28 g/t Au	0.3	
	136.00	137.00	1.00	0.550			
137.00	138.00	1.00	0.740	3.00 m @ 0.71 g/t Au	2.1		
138.00	139.00	1.00	0.840				
146.00	147.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.2		
45.00	46.00	1.00	0.498	1.00 m @ 0.50 g/t Au	0.5		
69.00	70.00	1.00	0.262				
70.00	71.00	1.00	0.033	4.00 m @ 0.25 g/t Au	1.0		
71.00	72.00	1.00	0.018				
72.00	73.00	1.00	0.693				
112.00	113.00	1.00	<b>1.433</b>				
113.00	114.00	1.00	<b>4.705</b>			<b>3.00 m @ 8.66 g/t Au</b>	
114.00	115.00	1.00	<b>19.846</b>				
115.00	116.00	1.00	0.194				
116.00	117.00	1.00	<b>1.121</b>				
117.00	118.00	1.00	0.412	11.00 m @ 3.31 g/t Au	36.4	4.00 m @ 2.35 g/t Au	
118.00	119.00	1.00	0.046				
119.00	120.00	1.00	<b>7.821</b>				
120.00	121.00	1.00	0.160				
121.00	122.00	1.00	0.233				
122.00	123.00	1.00	0.433				
126.00	127.00	1.00	0.713	1.00 m @ 0.71 g/t Au	0.7		
133.00	134.00	1.00	0.217				
134.00	135.00	1.00	<b>1.075</b>			<b>1.00 m @ 1.07 g/t Au</b>	
135.00	136.00	1.00	0.161				
136.00	137.00	1.00	0.123				
137.00	138.40	1.40	0.548				
138.40	139.00	0.60	<b>1.728</b>	10.00 m @ 0.66 g/t Au	6.6	1.95 m @ 1.83 g/t Au	
139.00	140.35	1.35	<b>1.881</b>				
140.35	141.00	0.65	0.329				
141.00	142.00	1.00	0.079				
142.00	143.00	1.00	0.398				
148.00	149.00	1.00	0.204	1.00 m @ 0.20 g/t Au	0.2		
BSDD0005	115.50	116.00	0.50	0.296	0.50 m @ 0.30 g/t Au	0.1	
	119.00	120.19	1.19	0.811	1.19 m @ 0.81 g/t Au	1.0	
BSDD0006	62.00	63.00	1.00	0.330	1.00 m @ 0.33 g/t Au	0.3	
BSDD0007	179.00	180.00	1.00	0.700			
	180.00	181.00	1.00	0.230	4.00 m @ 0.31 g/t Au	1.2	
	181.00	182.00	1.00	0.090			
	182.00	183.00	1.00	0.210			
	195.00	196.00	1.00	<b>1.500</b>	1.00 m @ 1.50 g/t Au	1.5	1.00 m @ 1.50 g/t Au
	208.00	209.00	1.00	<b>1.620</b>	1.00 m @ 1.62 g/t Au	1.6	1.00 m @ 1.62 g/t Au
	216.00	217.00	1.00	0.520			
217.00	218.00	1.00	0.900	2.00 m @ 0.71 g/t Au	1.4		

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
	222.00	223.00	1.00	<b>4.820</b>	<b>1.00 m @ 4.82 g/t Au</b>	<b>4.8</b>	<b>1.00 m @ 4.82 g/t Au</b>	
	227.00	228.00	1.00	<b>2.400</b>	1.00 m @ 2.40 g/t Au	2.4	1.00 m @ 2.40 g/t Au	
BSDD0008	0.00	122.00	122.00		NSI			
BSDD0009	21.00	22.00	1.00	0.383	1.00 m @ 0.38 g/t Au	0.4		
	71.00	72.00	1.00	0.519	1.00 m @ 0.52 g/t Au	0.5		
	121.00	122.00	1.00	<b>2.562</b>	<b>1.00 m @ 2.56 g/t Au</b>	<b>2.6</b>	<b>1.00 m @ 2.56 g/t Au</b>	
BSDD0010	195.00	196.00	1.00	0.238	1.00 m @ 0.24 g/t Au	0.2		
	219.00	220.00	1.00	<b>1.288</b>	<b>4.00 m @ 3.17 g/t Au</b>	<b>12.7</b>	<b>4.00 m @ 3.17 g/t Au</b>	
	220.00	221.00	1.00	0.008				
	221.00	222.00	1.00	<b>4.842</b>				
	222.00	223.00	1.00	<b>6.562</b>				
	228.00	229.00	1.00	0.213	<b>6.00 m @ 0.43 g/t Au</b>	<b>2.6</b>	<b>1.00 m @ 1.02 g/t Au</b>	
	229.00	230.00	1.00	<b>1.016</b>				
	230.00	231.00	1.00	0.008				
	231.00	232.00	1.00	0.070				
	232.00	233.00	1.00	0.200				
	233.00	234.00	1.00	<b>1.073</b>				
	BSDD0011	0.00	1.50	1.50	<b>3.275</b>	<b>1.50 m @ 3.27 g/t Au</b>	<b>4.9</b>	<b>1.50 m @ 3.27 g/t Au</b>
		10.50	12.00	1.50	0.282	2.00 m @ 0.28 g/t Au	0.6	
12.00		12.50	0.50	0.283	0.63 m @ 0.43 g/t Au	0.3		
15.87		16.50	0.63	0.429				
124.83		126.00	1.17	0.218	2.79 m @ 0.33 g/t Au	0.9		
126.00		127.00	1.00	0.418				
127.00		127.62	0.62	0.406				
135.00		136.00	1.00	0.741	3.00 m @ 0.53 g/t Au	1.6		
136.00		137.00	1.00	0.104				
137.00		138.00	1.00	0.749				
141.00		142.00	1.00	0.283	2.00 m @ 0.38 g/t Au	0.8		
142.00		143.00	1.00	0.485				
148.00		149.00	1.00	0.554	1.00 m @ 0.55 g/t Au	0.6		
152.00		153.40	1.40	<b>3.025</b>	<b>2.00 m @ 2.22 g/t Au</b>	<b>4.4</b>	<b>1.40 m @ 3.02 g/t Au</b>	
153.40		154.00	0.60	0.357				
BSDD0012	164.00	165.00	1.00	0.204	1.00 m @ 0.20 g/t Au	0.2		
	168.00	169.00	1.00	0.219	2.00 m @ 0.46 g/t Au	0.9		
	169.00	170.00	1.00	0.698				
	174.00	175.00	1.00	0.291	<b>6.00 m @ 0.70 g/t Au</b>	<b>4.2</b>	<b>1.00 m @ 2.53 g/t Au</b>	
	175.00	176.00	1.00	0.122				
	176.00	177.00	1.00	<b>2.534</b>				
	177.00	177.73	0.73	0.246				
	177.73	179.00	1.27	0.100				
179.00	180.00	1.00	0.945					
BSDD0013	11.50	12.70	1.20	0.249	1.20 m @ 0.25 g/t Au	0.3		
	83.00	84.00	1.00	0.816	<b>5.00 m @ 0.95 g/t Au</b>	<b>4.8</b>	<b>2.00 m @ 1.39 g/t Au</b>	
	84.00	85.00	1.00	0.729				
	85.00	86.00	1.00	<b>1.134</b>				
	86.00	87.00	1.00	<b>1.651</b>				
	87.00	88.00	1.00	0.427				
	120.00	121.00	1.00	0.702	<b>3.00 m @ 2.21 g/t Au</b>	<b>6.6</b>	<b>2.00 m @ 2.96 g/t Au</b>	
	121.00	122.00	1.00	<b>1.234</b>				
	122.00	123.00	1.00	<b>4.686</b>				
	127.00	128.00	1.00	0.235	<b>7.00 m @ 0.25 g/t Au</b>	<b>1.8</b>		
	128.00	129.00	1.00	0.549				
	129.00	130.00	1.00	0.030				
	130.00	131.00	1.00	0.008				
131.00	132.00	1.00	0.242					
132.00	133.00	1.00	0.254					

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
	133.00	134.00	1.00	0.444	<b>9.00 m @ 1.04 g/t Au</b>	<b>9.4</b>	<b>1.00 m @ 6.40 g/t Au</b>
	137.00	138.00	1.00	<b>6.397</b>			
	138.00	139.00	1.00	0.355			
	139.00	140.00	1.00	0.471			
	140.00	141.00	1.00	0.601			
	141.00	142.00	1.00	0.410			
	142.00	143.00	1.00	0.243			
	143.00	144.00	1.00	0.250			
	144.00	145.00	1.00	0.384			
BSDD0014	145.00	146.00	1.00	0.260	<b>2.00 m @ 0.28 g/t Au</b>	0.6	
	8.00	9.00	1.00	0.280			
	9.00	10.00	1.00	0.285	<b>1.50 m @ 3.23 g/t Au</b>	<b>4.8</b>	<b>1.50 m @ 3.23 g/t Au</b>
	24.00	25.50	1.50	<b>3.226</b>	1.50 m @ 1.21 g/t Au	1.8	1.50 m @ 1.21 g/t Au
	30.00	31.50	1.50	<b>1.213</b>	1.00 m @ 0.53 g/t Au	0.5	
	67.00	68.00	1.00	0.531	1.00 m @ 0.33 g/t Au	0.3	
	73.00	74.00	1.00	0.333	1.00 m @ 0.21 g/t Au	0.2	
	75.00	76.00	1.00	0.212	3.00 m @ 0.35 g/t Au	1.0	
	88.00	89.00	1.00	0.653	<b>3.00 m @ 2.04 g/t Au</b>	<b>6.1</b>	
	89.00	90.00	1.00	0.020			
	90.00	91.00	1.00	0.367	<b>7.00 m @ 0.28 g/t Au</b>	2.0	
	101.00	102.00	1.00	0.557			
	102.00	103.00	1.00	<b>5.073</b>			
	103.00	104.00	1.00	0.497			
	114.00	115.00	1.00	0.727			
	115.00	116.00	1.00	0.262			
	116.00	117.00	1.00	0.151			
	117.00	118.00	1.00	0.364			
	118.00	119.00	1.00	0.049	<b>1.00 m @ 0.22 g/t Au</b>	0.2	
119.00	120.00	1.00	0.101				
120.00	121.00	1.00	0.327				
	145.00	146.00	1.00	0.224			

## About Aurum

Aurum Resources (ASX:AUE) is an Australian based gold exploration company focused on discovery and development of major gold projects in Côte d'Ivoire, West Africa. Aurum has 2.47Moz gold resources coming from two gold projects, the 1.6Moz Boundiali Gold Project and the 0.87Moz Napié Gold Project. Aurum owns and runs eight (8) diamond drill rigs allowing it to explore faster and more cost effectively than its peers.

**Statement of Boundiali Mineral Resources by Deposit as at 29 December 2024. Reported at 0.5 g/t Au cut off within pit shells; and 1.0 g/t Au cut off below the pit shells<sup>19</sup>**

Area	Class	Oxide			Transition			Fresh			Total		
		Quantity (Mt)	Au (g/t)	Au (Oz)	Quantity (Mt)	Au (g/t)	Au (KOz)	Quantity (Mt)	Au (g/t)	Au (KOz)	Quantity (Mt)	Au (g/t)	Au (KOz)
BST	Indicated	0.8	1.1	30,000	0.7	1.2	30,000	2.4	1.0	80,000	3.9	1.1	130,000
	Inferred	0.6	1.0	20,000	1.3	1.0	40,000	5.1	1.0	160,000	7.1	1.0	220,000
	Sub Total	1.4	1.1	50,000	2.0	1.0	70,000	7.6	1.0	240,000	11.0	1.0	360,000
BDT1	Indicated												
	Inferred	0.8	0.9	20,000	0.3	0.9	10,000	10.8	0.9	310,000	11.9	0.9	340,000
	Sub Total	0.8	0.9	20,000	0.3	0.9	10,000	10.8	0.9	310,000	11.9	0.9	340,000
BDT2	Indicated												
	Inferred	0.1	0.8	3,000	2.1	0.8	60,000	14.1	0.8	380,000	16.3	0.8	440,000
	Sub Total	0.1	0.8	3,000	2.1	0.8	60,000	14.1	0.8	380,000	16.3	0.8	440,000
BMT1	Indicated												
	Inferred	0.3	1.0	10,000	0.1	1.0	3,000	7.1	1.3	288,000	7.5	1.2	300,000
	Sub Total	0.3	1.0	10,000	0.1	1.0	3,000	7.1	1.3	288,000	7.5	1.2	300,000
BMT3	Indicated												
	Inferred	0.2	1.1	10,000	0.3	1.1	10,000	3.8	1.1	130,000	4.2	1.1	150,000
	Sub Total	0.2	1.1	10,000	0.3	1.1	10,000	3.8	1.1	130,000	4.2	1.1	150,000
All	Indicated	0.8	1.2	30,000	0.7	1.3	30,000	2.4	1.0	80,000	3.9	1.0	130,000
	Inferred	2.0	1.0	60,000	4.1	0.9	120,000	40.8	1.0	1,270,000	47.0	1.0	1,450,000
	Total	2.8	1.0	90,000	4.8	1.0	150,000	43.3	1.0	1,350,000	50.9	1.0	1,590,000

**Napié Mineral Resource Estimate;** On 14 June 2022, a maiden Mineral Resource Estimate was reported in accordance with JORC (2012) comprising two deposits, Tchaga and Gogbala.<sup>20</sup>

Deposit	Category	Tonnes (Mt)	Grade (g/t Au)	Au (koz)
Tchaga	Inferred	14.6	1.16	545
Gogbala	Inferred	7.8	1.29	323
<b>Global Resource</b>	<b>Total</b>	<b>22.5</b>	<b>1.20</b>	<b>868</b>

Resources reported at a cut-off grade of 0.6g/t gold. Differences may occur in totals due to rounding.

<sup>19</sup> "Aurum delivers 1.6Moz Maiden JORC Resource at Boundiali Gold Project" released to the Australian Securities Exchange on 30 December 2024 and amended on 31 December 2024 and available to view on [www.asx.com.au](http://www.asx.com.au).

<sup>20</sup> "Napié Project Listing Rule 5.6 Disclosure (Amended)" released to the Australian Securities Exchange on 4 February 2025 and available to view on [www.asx.com.au](http://www.asx.com.au).

## Boundiali Gold Project (1.6Moz)

The flagship 1.6Moz Boundiali Gold Project is comprised of four neighbouring exploration tenements and is located within the same greenstone belt as Resolute's large Syama (11.5Moz) gold mine and Perseus' Sissingué (1.4 Moz) gold mine to the north and Montage Gold's 4.5Moz Koné project located to the south. Barrick's Tongon mine (5.0Moz) is located to the northeast (Figure 1 and Figure 2):

- 1) Boundiali Minex Tenement PR0893 ("BM"), 400km<sup>2</sup>, holder Minex West Africa, of which Aurum holds 80% (through its fully owned subsidiary Plusor Global Pty Ltd "Plusor") and can hold interest of between 80-88% in a mining licence.
- 2) Boundiali DS tenement PR808 ("BD"), 260km<sup>2</sup>, holder DS Resources Joint Venture Company, of which Aurum is 80% share capital owner through its fully owned subsidiary Plusor.
- 3) Boundiali South tenement ("BST") 100%, 167.34km<sup>2</sup> is located directly south of Aurum's **BD** and **BM** tenement. Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025.
- 4) Boundiali North tenement PR283 ("BN"), 208.87km<sup>2</sup>, under renewal, Aurum to earn up to 70% interest through its wholly owned subsidiary Plusor.

### BM gold project JV 80% interest

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
  - 80% if local partner contributes 11% capex
  - 85% if local partner does not contribute capex – they go to 5% free carry
  - 88% if local partner sells us 3% of their interest they go to 2% free carry

### BD gold project JV 80% interest

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
  - 80% if local partner contributes 11% capex
  - 85% if local partner does not contribute capex – they go to 5% free carry
  - 88% if local partner sells us 3% of their interest they go to 2% free carry

### BST gold project 100% interest

- *Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025.*
- 90% interest in future gold production company (Government get 10% free carry from Aurum interest)

### BN gold project JV

Aurum is earning interest through carrying out exploration to earn 70% interest in three stages:

- Stage 1: Aurum earns 35% interest by spending USD 1.2 million within 36 months of license grant
- Stage 2: Aurum earns 51% interest by spending USD 2.5 million within 60 months of license grant



- Stage 3: Aurum earns 70% interest upon completion of a pre-feasibility study on the tenement.
- Diamond drilling conducted by Aurum will be valued at US\$140 per meter for expenditure calculations
- Upon grant of a mining exploitation license, the ownership structure will be: Aurum (70%), GNRR (20%), Ivorian Government (10%)

#### **Encore JV Project**

- Applications (No. 1740 and No. 1745) totalling nearly 320km<sup>2</sup> are strategically located between Aurum's existing BD and BST tenements and south of BM, offering growth potential for its 1.6Moz Boundiali Gold Project.
- Staged earn-in agreement aligns expenditure with milestones for each permit area:
  - Path to 51% interest: 4,000m diamond drilling.
  - Path to 80% interest: Additional 8,000m diamond drilling (total 12,000m) OR US\$2.5 million nominal expenditure.

#### **Mako Gold**

Wholly owned subsidiary of Aurum and holds the following projects:

- 0.87Moz Napié Gold Project. 90% Mako and African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study.
- Korhogo Project (100%), significant manganese discovery
- Brobo Project (100%), prospective for lithium/rare earths

Section 1 of the JORC Code, 2012 Edition – Table 1

Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> <li>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</li> <li>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</li> <li>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</li> </ul>	<ul style="list-style-type: none"> <li>Samples were collected using diamond drilling techniques generally angled at 50° towards north-northwest to optimally intersect the mineralised zones.</li> <li>Diamond core was logged both for geological and mineralised structures as noted above. The core was then cut in half using a diamond brick cutting saw on 1m intervals. Typically the core was sampled to geological intervals as defined by the geologist within the even two metre sample intervals utilised. The right-hand side of the core was always submitted for analysis with the left side being stored in trays on site.</li> <li>Sampling and QAQC procedures were carried out to industry standards.</li> <li>Sample preparation and assay was completed by independent international accredited laboratory MSALABS. Following cutting or splitting, the samples were bagged by the Client employees and then sent to the laboratory for preparation. These samples were subsequently sent to MSALABS at Yamousoukro for analysis via 500g Photon Assay.</li> </ul>
Drilling techniques	<ul style="list-style-type: none"> <li>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</li> </ul>	<ul style="list-style-type: none"> <li>Diamond drilling carried out with mostly NTW and some HQ sized equipment. PQ-size rods and casing were used at the top the holes to stabilise the collars although no samples were taken from the PQ size core.</li> </ul>
Drill sample recovery	<ul style="list-style-type: none"> <li>Method of recording and assessing core and chip sample recoveries and results assessed.</li> <li>Measures taken to maximise sample recovery and ensure representative nature of the samples.</li> <li>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</li> </ul>	<ul style="list-style-type: none"> <li>Diamond drilling core recoveries ranged between 85% and 100% for all holes with no significant issues noted.</li> </ul>
Logging	<ul style="list-style-type: none"> <li>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining</li> </ul>	<ul style="list-style-type: none"> <li>All holes were field logged by company geologists. Lithological, alteration and mineralogical nomenclature of the deposit as well as sulphide content were recorded.</li> </ul>

For personal use only

Criteria	JORC Code explanation	Commentary
	<p>studies and metallurgical studies.</p> <ul style="list-style-type: none"> <li>• Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li> <li>• The total length and percentage of the relevant intersections logged.</li> </ul>	<p>Metallurgical, Geotechnical and structural data has been recorded</p> <ul style="list-style-type: none"> <li>• Photography and recovery measurements were carried out by assistants under a geologist's supervision.</li> <li>• All drill holes were logged in full.</li> <li>• Logging was qualitative and quantitative in nature.</li> </ul>
<ul style="list-style-type: none"> <li>• <b>Sub-sampling techniques and sample preparation</b></li> </ul>	<ul style="list-style-type: none"> <li>• If core, whether cut or sawn and whether quarter, half or all core taken.</li> <li>• If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li> <li>• For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> <li>• Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li> <li>• Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</li> <li>• Whether sample sizes are appropriate to the grain size of the material being sampled.</li> </ul>	<ul style="list-style-type: none"> <li>• NTW core cut in half using a core saw. Typically, the core was sampled to major geological intervals as defined by the geologist within the even two metre sample intervals utilised. All samples were collected from the same side of the core.</li> <li>• Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for Au.</li> <li>• The entire sample was crushed to 70% passing 2mm.</li> <li>• Crushed sample was split to produce 500g sample for analysis and the remaining reject kept for checks.</li> <li>• Field QC procedures involved the use of 2 types of certified reference materials (1 in 20) which is certified by Geostats Ltd,</li> <li>• Primary DD duplicate: Generated by cutting the remaining half core into a ¼ and sampled.</li> <li>• Coarse blank samples: Inserted 1 in every 20 samples</li> <li>• Laboratory Internal Duplicates and Standards</li> <li>• Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for gold</li> </ul>
<ul style="list-style-type: none"> <li>• <b>Quality of assay data and laboratory tests</b></li> </ul>	<ul style="list-style-type: none"> <li>• The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> <li>• For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and</li> </ul>	<ul style="list-style-type: none"> <li>• The analytical technique used is Chryso<sup>TM</sup> PhotonAssay methodology. This uses a high-energy X-ray source that is used to irradiate large mineral samples, typically about 500g compared to the 50g of the fire assay. The X-rays induce short-lived changes in the structure of any gold nuclei present. As the excited gold nuclei return to</li> </ul>

For personal use only

Criteria	JORC Code explanation	Commentary
	<p>model, reading times, calibrations factors applied and their derivation, etc.</p> <ul style="list-style-type: none"> <li>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</li> </ul>	<p>their ground state, they emit a characteristic gamma-ray signature, the intensity of which is directly proportional to the concentration of gold. The penetrating nature of Chryso<sup>TM</sup> PhotonAssay provides much higher energy than those used in conventional X-ray fluorescence (XRF), which provides a true bulk analysis of the entire sample. Samples are presented into a fully automatic process where samples are irradiated, measured, data collection and reporting.</p> <ul style="list-style-type: none"> <li>No geophysical tools were used to determine any element concentrations used for this report.</li> <li>Sample preparation checks for fineness were carried out by the laboratory as part of internal procedures to ensure the grind size was being attained. Laboratory QAQC includes the use of internal standards using certified reference material, and pulp replicates. No anomalous assays were noted in information provided to the Client.</li> <li>The QAQC results confirm that acceptable levels of accuracy and precision have been established for the Classifications applied (exploration results only).</li> </ul>
<ul style="list-style-type: none"> <li><b>Verification of sampling and assaying</b></li> </ul>	<ul style="list-style-type: none"> <li>The verification of significant intersections by either independent or alternative company personnel.</li> <li>The use of twinned holes.</li> <li>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</li> <li>Discuss any adjustment to assay data.</li> </ul>	<ul style="list-style-type: none"> <li>NA</li> <li>No holes have been twinned</li> <li>No adjustment to assay data</li> <li>Logging records were mostly registered in physical format and were input into a digital format. The core photographs, collar coordinates and down the hole surveys were received in digital format.</li> <li>Assay values that were below detection limit were adjusted to equal half of the detection limit value. Un-sampled intervals were assumed to have no mineralisation and they were therefore set to blank in the database, however these are minimal.</li> </ul>
<ul style="list-style-type: none"> <li><b>Location of data points</b></li> </ul>	<ul style="list-style-type: none"> <li>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> <li>Specification of the grid system used.</li> <li>Quality and adequacy of topographic control.</li> </ul>	<ul style="list-style-type: none"> <li>DD collar positions were initially located using a handheld GPS with a location error of +/-3m.</li> <li>The datum employed is WGS84, Zone 29</li> <li>All drill hole locations are then surveyed utilising the differential GPS methods by both company and third party surveyors.</li> <li>DGPS system utilised is typically within a 10 cm accuracy range which is suitable for the classification applied.</li> </ul>

For personal use only

Criteria	JORC Code explanation	Commentary
<ul style="list-style-type: none"> <li><b>Data spacing and distribution</b></li> </ul>	<ul style="list-style-type: none"> <li>Data spacing for reporting of Exploration Results.</li> <li>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</li> <li>Whether sample compositing has been applied.</li> </ul>	<ul style="list-style-type: none"> <li>Drillholes were completed on variable line spacings (from 100m to 50m) and orientations.</li> <li>The drill hole spacing and distribution is considered sufficient to establish the degree of continuity appropriate for the Inferred Mineral Resource estimation procedures.</li> <li>The samples were not composited prior to assay.</li> </ul>
<ul style="list-style-type: none"> <li><b>Orientation of data in relation to geological structure</b></li> </ul>	<ul style="list-style-type: none"> <li>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</li> <li>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</li> </ul>	<ul style="list-style-type: none"> <li>Drill holes were drilled approximately at right angles to the anticipated strike of the target geochemical anomaly and orthogonal to the interpreted mineralisation orientation.</li> </ul>
<ul style="list-style-type: none"> <li><b>Sample security</b></li> </ul>	<ul style="list-style-type: none"> <li>The measures taken to ensure sample security.</li> </ul>	<ul style="list-style-type: none"> <li>Chain of custody is managed by the Client's senior site geologists and geotechnicians. Samples are stored in a core shed at site and samples were delivered to the laboratory by client geologists. Client employees have no further involvement in the preparation or analysis of the samples.</li> </ul>
<ul style="list-style-type: none"> <li><b>Audits or reviews</b></li> </ul>	<ul style="list-style-type: none"> <li>The results of any audits or reviews of sampling techniques and data.</li> </ul>	<ul style="list-style-type: none"> <li>Detailed reviews of sampling techniques were carried out on the site visit by RPM in October 2024 and follow up visit in March 2025.</li> </ul>

• Section 2 of the JORC Code, 2012 Edition – Table 1

• Criteria	• JORC Code explanation	• Commentary
<ul style="list-style-type: none"> <li>• <b>Mineral tenement and land tenure status</b></li> </ul>	<ul style="list-style-type: none"> <li>• Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>• The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.</li> </ul>	<ul style="list-style-type: none"> <li>• Exploration results are from the Boundiali project area</li> <li>• PR893 (BM), 400km<sup>2</sup>, holder Minex West Africa, of which Aurum has earned 80% interest and can earn up to 88% in a mining licence through its fully owned subsidiary Plusor Global Pty Ltd (“Plusor”). Boundiali DS tenement PR808 (“BD”), 260km<sup>2</sup>, holder DS Resources Joint Venture Company, of which Aurum is 80% share capital owner through its fully owned subsidiary Plusor. BST mining licence application of which Aurum is 100% owner.</li> <li>• There are no impediments to working in the area.</li> </ul>
<ul style="list-style-type: none"> <li>• <b>Exploration done by other parties</b></li> </ul>	<ul style="list-style-type: none"> <li>• Acknowledgment and appraisal of exploration by other parties.</li> </ul>	<ul style="list-style-type: none"> <li>• The exploration results reported in this announcement are from work undertaken by PlusOr a wholly owned subsidiary of Aurum Resources Limited</li> <li>• The license area is known as a prospective region for gold and recent artisanal workings revealed the presence of primary gold mineralisation in artisanal pits and small-scale underground mining.</li> </ul>
<ul style="list-style-type: none"> <li>• <b>Geology</b></li> </ul>	<ul style="list-style-type: none"> <li>• Deposit type, geological setting and style of mineralisation.</li> </ul>	<ul style="list-style-type: none"> <li>• The Boundiali Deposits are located within the Proterozoic Birimian rocks of the Man shield. It is situated on, 100km west of from the Korhogo in the northern part of the Côte d'Ivoire. They are located in the Bagoué- Syama shear zone within the sedimentary rock with minor associated intrusions of mafic dykes and late-stage granitoids. The various rock units trend NS to NNE similar to the regional metamorphic grade. The regional trend is NE to N.</li> <li>• The Boundiali deposits resemble typical shear zone deposits of the West African granite-greenstone terrane. The deposits themselves are associated with a major regional shear zone and are developed in a sandstone. Mineralisation may be spatially related to the emplacement of intrusives. The gold mineralisation is mesothermal in origin and occurs as free gold in quartz vein stockworks and zones of silicification, associated with pyrite and chalcopyrite. The gold mineralisation is found in linear zones with the contacts</li> </ul>

For personal use only

For personal use only

• Criteria	• JORC Code explanation	• Commentary
		<p>showing evidence of shearing. Free gold is frequently observed. Alteration is weak to strong depending on the development of the system typically being sericite.</p> <ul style="list-style-type: none"> <li>Two types of deformation are present in the drill cores: ductile deformation and brittle deformation. The gold mineralisation is related to deformed sandstone and graywacke, in shear zones, with sulphides (mainly pyrite and minor chalcopyrite) associated with visible gold. Alteration is characterized by chlorite, sericite, calcite, secondary quartz and disseminated pyrite. This assemblage is well developed in schistose, foliated rocks with presence of quartz veins or veinlets.</li> </ul>
<ul style="list-style-type: none"> <li><b>Drill hole information</b></li> </ul>	<ul style="list-style-type: none"> <li>A summary of all information material to the under-standing of the exploration results including a tabulation of the following information for all Material drill holes:               <ul style="list-style-type: none"> <li>easting and northing of the drill hole collar</li> <li>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</li> <li>dip and azimuth of the hole</li> <li>down hole length and interception depth</li> <li>hole length</li> </ul> </li> <li>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</li> </ul>	<ul style="list-style-type: none"> <li>Complete drill hole data has been provided.</li> <li>Drill hole collar locations are shown in figures in main body of announcement.</li> </ul>
<ul style="list-style-type: none"> <li><b>Data aggregation methods</b></li> </ul>	<ul style="list-style-type: none"> <li>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</li> <li>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</li> <li>The assumptions used for any reporting of metal equivalent values should be clearly stated.</li> </ul>	<ul style="list-style-type: none"> <li>Assay Intervals are shown in detail. Drilling intervals are predominantly 1m.</li> <li>Metal equivalent values are not being reported.</li> </ul>
<ul style="list-style-type: none"> <li><b>Relationship between</b></li> </ul>	<ul style="list-style-type: none"> <li>These relationships are particularly important in the reporting of Exploration</li> </ul>	<ul style="list-style-type: none"> <li>True widths have not been estimated as the geological controls on mineralisation</li> </ul>

For personal use only

• Criteria	• JORC Code explanation	• Commentary
<p><b>mineralisation widths and intercept lengths</b></p>	<p>Results.</p> <ul style="list-style-type: none"> <li>• If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</li> <li>• If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').</li> </ul>	<p>in these initial drill holes into the prospect are not yet well understood.</p> <ul style="list-style-type: none"> <li>• The holes were drilled from east to west to test a steeply east dipping foliation in the limited rock exposures seen in the area. The mineralisation lies within what has been interpreted to be a ductile shear zone which would suggest that mineralisation should lie parallel to foliation.</li> </ul>
<p><b>Diagrams</b></p>	<ul style="list-style-type: none"> <li>• Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</li> </ul>	<ul style="list-style-type: none"> <li>• Appropriate diagrams relevant to material results are shown in the body of this announcement.</li> </ul>
<p><b>Balanced Reporting</b></p>	<ul style="list-style-type: none"> <li>• Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> <li>• Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</li> </ul>	<ul style="list-style-type: none"> <li>• All drill hole and trench collar locations were surveyed utilising handheld GPS methods. Exploration results only being reported.</li> <li>• Drilling teams utilised the Reflex EZ-shot instrument to measure deviations in azimuth and inclination angles for all holes; however, vertical holes were not surveyed. The first measurement is taken at 6 m depth, and then at approximately every 30m depth interval and at the end of the hole. being reported</li> </ul>
<p><b>Other substantive exploration data</b></p>	<ul style="list-style-type: none"> <li>• Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</li> </ul>	<ul style="list-style-type: none"> <li>• All relevant exploration data is either reported in this announcement or has been reported previously by Aurum, Randgold or Predictive Discovery and is referred to in the announcement.</li> </ul>
<p><b>Further work</b></p>	<ul style="list-style-type: none"> <li>• The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling).</li> <li>• Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</li> </ul>	<ul style="list-style-type: none"> <li>• The Company intends to continue exploration on the project and this work will include auger, aircore, RC and diamond core drilling, along with further geophysical surveys and geochemical sampling programs.</li> <li>• Diagrams included in body of report as deemed appropriate by competent person</li> </ul>