

## ~\$3.3 MILLION DIVESTMENT OF NON-CORE ASSETS SHARPENS FOCUS ON KAMEELBURG

### Highlights

- Aldoro has entered into dual sale agreements to divest its non-core assets being the Niobe, Narndee and Wyemandoo Projects, as well as EPL 7895 in Namibia.
- The divestments allows Aldoro to focus all its attention and resources on its flagship Kameelburg Niobium-REE Carbonatite Project, hosted on EPL 7372 and 7373.
- The core divestment will see Aldoro receive 286.4 million shares in Sultan Resources Limited with Aldoro shareholders to receive a 1:1 in-specie distribution of Sultan shares with Aldoro holding the balance.
- Aldoro option holders who exercise options prior to the record date will be eligible to receive 1:1 Sultan shares.

Aldoro Resources Ltd (“Aldoro”, “the Company”) (ASX: ARN) refers to its announcement of 26 May 2024, regarding a strategic review to be undertaken in respect of its non-core exploration portfolio, and is pleased to advise that it has entered into sale agreements to divest its non-core assets; the Niobe, Narndee and Wyemandoo Projects, as well as EPL 7895 in Namibia, being part of the Kameelburg Project that is outside of Aldoro’s area of focus (“Divestments”).

The Divestments will allow Aldoro to focus its attention on its flagship Kameelburg Niobium-REE Carbonatite Project, hosted on EPL 7372 and 7373, each of which are being retained post-Divestment.

Further details of the Divestments are as follows:

### 1. Sultan Resources Sale Agreement

Aldoro has entered into a sale agreement with Sultan Resources Ltd (ASX: SLZ) (“Sultan”), pursuant to which Aldoro has agreed to sell 100% of its interest in the Niobe Project, Narndee Project and EPL 7895, to Sultan (“Sultan Sale Agreement”). Under the Sultan Sale Agreement, the Company will sell 100% of the issued capital in Gunex Pty Ltd (“Gunex”), which holds the Narndee Project, to Sultan.

Pursuant to the Sultan Sale Agreement, Sultan has agreed to:

- pay Aldoro a \$50,000 cash deposit;
- issue 286,449,355 Sultan shares (“Sultan Consideration Shares”), which are to be distributed to Aldoro shareholders on a one for one basis (currently 217,727,310 Sultan Consideration Shares based on existing Aldoro shares on issue) with the balance to be

retained by Aldoro (currently being 68,722,045 Sultan Consideration Shares) (“**In-Specie Distribution**”); and

- (c) pay Aldoro deferred cash payments of \$1.5 million, as follows:
- (i) \$750,000 payable upon achievement of a Mineral Resource Estimate of at least 25 million tonnes at an average grade equal to or greater than 0.8% Ni from the Projects; and
  - (ii) \$750,000 upon a decision to mine being made at any of the projects, each within 36 months following completion.

Further details of the Sultan Consideration Shares is set out below in this announcement.

## 2. **Coppermoly Sale Agreement**

Aldoro has entered into a sale agreement with Coppermoly Limited (**ASX: COY**) (“**Coppermoly**”), pursuant to which Aldoro has agreed to sell 100% of its interest in the Wyemdandoo Project to Coppermoly via the sale of its directly held interest in the Project and 100% of the issued capital in Altilium Metals Pty Ltd (being the holder of the remaining interest in the Wyemdandoo Project) (“**Coppermoly Sale Agreement**”).

Pursuant to the Coppermoly Sale Agreement, Coppermoly has agreed to pay \$100,000 in cash to Aldoro.

The Sultan Sale Agreement and Coppermoly Sale Agreement are subject to satisfaction (or waiver) of standard condition precedent including due diligence, regulatory and third-party approvals (including assignment and assumption deeds).

The Sultan Sale Agreement is also subject to Sultan shareholders approving the allotment and issue of the Sultan Consideration Shares to Aldoro, and Aldoro shareholders approving the In-Specie Distribution of Sultan Consideration Shares.

The Coppermoly Sale Agreement is subject to the disposal of Gunex under the Sultan Sale Agreement.

The Sultan Sale Agreement and Coppermoly Sale Agreement are otherwise on customary terms and conditions for agreements of their nature.

### **Aldoro Chairperson Quinn Li commented:**

*“It is very pleasing to see the completion of this clean and well-structured disposal of our non-core assets. The Board has taken the necessary time to carefully review, adjust, and confirm Aldoro Resources’ current and future strategic direction. This process was influenced by the results of our Phase 1 drilling program and by the Company’s positioning within today’s highly dynamic critical minerals market, particularly in the rare earth element (REE) and niobium categories.*

*With these non-core assets now divested, Aldoro can sharpen its focus on our upcoming Phase 2 campaigns at the Kameelburg Project. This includes the upcoming exploration and drilling work at the Omuronga EPL 7373 targeting heavy rare earths, and further drilling at Kameelburg EPL 7372, where high-grade niobium zones have recently been identified. Together, these programs are designed to build a more consolidated resource and reserve base, unlocking the significant potential value within our portfolio.*

*The Board and management are confident that this strategic repositioning will enable Aldoro Resources to take the next major step forward, positioning the Company for future transaction and value creation for all shareholders.”*

### **In-Specie Distribution of Sultan Consideration Shares**

As noted above, the Sultan Sale Agreement is subject to Aldoro shareholders approving the In-Specie Distribution of Sultan Consideration Shares.

Aldoro will seek shareholder approval for the In-Specie Distribution at a general meeting of Aldoro shareholders to be held on or around 22 October 2025 (“**General Meeting**”).

Subject to receipt of shareholder approval at the General Meeting, Aldoro will make the In-Specie Distribution to those Aldoro shareholders registered on the Record Date (as set out in the timetable below) on a one for one basis through it nominating eligible shareholder as the direct recipients of Sultan Consideration Shares. It is currently anticipated that Aldoro shareholders with registered addresses in Australia and New Zealand will be eligible to participate in the In-Specie Distribution (“**Eligible Shareholders**”). Aldoro shareholders that are not Eligible Shareholders (“**Ineligible Shareholders**”) will receive proceeds from a nominee on their behalf.

For avoidance of doubt, Aldoro will not issue any additional securities as a result of the In-Specie Distribution.

Further details will be set out in the notice of meeting to the General Meeting.

#### Indicative Timetable

<b>Event</b>	<b>Date</b>
Company announces the Divestments	17 September 2025
Company despatches notice of meeting for General Meeting	22 September 2025
General Meeting Aldoro Shareholders approve the In-Specie Distribution	22 October 2025
Effective date	23 October 2025
Last day for trading in “cum return of capital” securities	24 October 2025
Trading in the re-organised securities on an “ex return of capital” basis commences	25 October 2025
Record Date for the In-Specie Distribution	28 October 2025
Completion of Sultan Sale Agreement and Coppermoly Sale Agreement and Distribution to Aldoro Shareholders of the Sultan Consideration Shares and dispatch of holding statements	By no later than 12:00 pm (Sydney time) on 4 November 2025

*The above dates are indicative only and are subject to change at the Board’s discretion in accordance with the Corporations Act and Listing Rules.*

## Drilling Update & Rig Arrival

Aldoro has been advised that its two new diamond drilling rigs will arrive in Namibia the week commencing 22<sup>nd</sup> September. Post custom clearance, the Nock 600 and Nock 800 rigs will mobilise to Kameelburg.

Assays for exploratory scout hole DD006C (453m) has been received and encountered anomalous mineralisation to test an inferred fault zone.

*Please refer to Appendix 1 for full assay details.*

The mineralisation appears to be controlled by semi massive to massive magnetite zones, crustal contaminations where mafic fragment/xenoliths are significant and incorporated in the Beforsite carbonatite.

*Authorised for and behalf of the Board,*

**Sarah Smith**  
**Company Secretary**

### About Aldoro Resources

Aldoro Resources Ltd is an ASX-listed (**ASX: ARN**) mineral exploration and development company. Aldoro has a portfolio of critical minerals including rare earth, lithium, rubidium and base metal projects. The Company's suite of projects include the Kameelburg REE & Niobium Project in Namibia, the Wyemandoo lithium-rubidium-tungsten project, the Niobe lithium-rubidium-tantalum project and the Nardee Igneous Complex project in Western Australia. Following the Disposals, the Kameelburg REE & Niobium Project in Namibia will be ARN's sole project.

### Disclaimer

Some of the statements appearing in this announcement may be in the nature of forward-looking statements. You should be aware that such statements are only predictions and are subject to inherent risks and uncertainties. Those risks and uncertainties include factors and risks specific to the industries in which Aldoro operates and proposes to operate as well as general economic conditions, prevailing exchange rates and interest rates and conditions in the financial markets, among other things. Actual events or results may differ materially from the events or results expressed or implied in any forward-looking statement. No forward-looking statement is a guarantee or representation as to future performance or any other future matters, which will be influenced by a number of factors and subject to various uncertainties and contingencies, many of which will be outside Aldoro's control.

Aldoro does not undertake any obligation to update publicly or release any revisions to these forward-looking statements to reflect events or circumstances after today's date or to reflect the occurrence of unanticipated events. No representation or warranty, express or implied, is made as to the fairness, accuracy, completeness or correctness of the information, opinions or conclusions contained in this announcement. To the maximum extent permitted by law, none of Aldoro, its Directors, employees, advisors or agents, nor any other person, accepts any liability for any loss arising from the use of the information contained in this announcement. You are cautioned not to place undue reliance on any forward-looking statement. The forward-looking statements in this announcement reflect views held only as of the date of this announcement.

This announcement is not an offer, invitation or recommendation to subscribe for or purchase securities by Aldoro. Nor does this announcement constitute investment or financial product advice (nor tax, accounting or legal advice) and is not intended to be used for the basis of making an investment decision. Investors should obtain their own advice before making any investment decision.

### **Competent Person Statement**

The information in this announcement that relates to Exploration Results and other technical information is based on information compiled by Dr Minlu Fu (a non-executive director of the Company) and complies with the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code). It has been reviewed by Mr Jeremy Clark and Mr Mark Mitchell.

Mr. Mark Mitchell is a Member of the Australasian Institute of Geoscientists (AIG). Mr Mitchell is an independent consultant and not an employee of Aldoro and has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the JORC Code. Mr Mitchell consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears.

For personal use only

Appendix 1: Down hole assays – Lanthanides, Yttrium, Niobium and Molybdenite

Drill Collar DD006A (Dominant Mineralisation highlighted REE Nb)

Depth From	Depth To (m)	Ce ppm	Dy ppm	Er ppm	Eu ppm	Gd ppm	Ho ppm	La ppm	Lu ppm	Nd ppm	Pr ppm	Sm ppm	Tb ppm	Tm ppm	Y ppm	Yb ppm	Nb ppm	Mo ppm	TREO%	Nb2O5%	NdPr%
0	1	4071.5	21.7	6.9	32.5	63.8	3.3	2106	0.5	1175	390.5	132.7	6	0.8	85.8	4.5	439	330	0.95	0.06	19.26%
1	2	802.9	20.2	6.3	10.2	25.6	3.3	443.1	0.5	262.2	83.1	35.3	3.8	0.7	89.2	3.7	367	79	0.21	0.05	19.17%
2	4	419.4	8.2	2.7	5.9	13.4	1.2	247	0.2	158.8	47.8	21.8	1.5	<0.5	34.7	1.9	86	35	0.11	0.01	21.31%
4	7	596.8	11.3	3.9	8.3	19.7	1.9	409	0.4	205.2	63.7	29.8	2.3	0.6	50.6	3.1	380	11	0.17	0.05	19.02%
7	9	2873	20.7	6.8	20.7	46	3.2	2248	0.5	724.3	246.3	81.2	5	0.9	85.2	4.5	769	85	0.75	0.11	15.19%
9	10	739.1	11.5	3.6	11.1	24.6	1.8	505	0.3	281.6	83.3	38.7	2.7	0.5	51	2.8	429	20	0.21	0.06	20.67%
10	11	740.1	10.3	3.5	10.4	22.7	1.6	461	0.3	275.4	82	40.2	2.3	0.5	44.7	2.8	488	15	0.20	0.07	20.96%
11	14	856.7	23.4	9.3	16.3	39.6	3.9	475.6	1	354.9	99.2	59.1	4.8	1.4	106.8	8.5	1703	13	0.24	0.24	21.91%
14	15.8	922.8	18.6	6.9	14	33.2	3	558.6	0.7	324.6	95.3	50.1	3.9	1	79.6	5.4	702	15	0.25	0.10	19.73%
15.8	17	564	45.3	19.6	17.6	48.4	8.6	296.5	1.7	244.6	67.1	53.6	7.1	2.8	232.8	13.9	1444	9	0.19	0.21	18.96%
17	18	792.5	29.4	12.7	15.7	39.5	5.6	409.1	1.2	343.8	93.7	57.2	5.1	1.8	148	9.6	1669	16	0.23	0.24	22.09%
17	18	690.9	32.6	14.1	16.1	41.4	6	353.9	1.2	304.4	82.2	54.4	5.4	2	168.6	10.2	1474	14	0.21	0.21	21.48%
18	20	1470.6	21.8	7.9	21.1	43.3	3.9	743.2	0.7	568.5	158.5	80.1	4.4	1	101.1	5.8	1283	6	0.38	0.18	22.39%
20	21	1477.8	30.3	10.6	22.5	49.8	5.1	748.2	1	550.6	156.5	83.2	6	1.5	134	8	1365	12	0.39	0.20	21.41%
21	22	1883.8	27.4	11.4	22	50.3	5	1037	1	622	186.2	86.3	5.9	1.4	133.8	8	906	28	0.48	0.13	19.71%
22	23	1858.1	36.1	18.1	20.8	49.2	7.3	1058	1.9	586.7	181.1	82.8	6.2	2.9	205.1	16.1	571	30	0.49	0.08	18.48%
23	24	2122.5	24.6	8.5	21.5	49.5	3.9	1355	0.8	644	200.5	87.8	5.4	1.1	106.4	6.4	811	29	0.54	0.12	18.13%
24	25.25	3688	38.7	15	34.6	79.4	6.4	2437	1.6	1084	345.6	137.5	8.5	2.2	174.5	13.6	1028	122	0.95	0.15	17.65%
25.25	27.1	4217.8	25.6	9.4	28.8	61.4	3.9	3113	0.8	1022	356.3	113.8	6.5	1.2	102.2	6.7	2209	227	1.06	0.32	15.14%
27.1	28	2785	87.1	41.1	35	94.2	17	1853	3.5	865.4	265.8	124.8	13.5	5.6	482.8	29.2	1153	101	0.79	0.16	16.74%
28	30	1448.6	97.9	68.3	20.1	65.3	24.4	820.6	6.5	446.6	136.9	66.8	11.8	11.3	713.4	54.4	696	51	0.47	0.10	14.38%
30	31	2630.2	51.4	38.8	21.3	50.2	13.5	2243	3.4	633	217.7	75.2	7	5.8	401.9	28.2	1142	28	0.76	0.16	13.15%
31	32.1	1585.8	69.3	37.1	21.4	59.1	15.7	932.4	2.6	469.9	144.8	68.9	9.4	4.8	441.6	21.5	927	100	0.46	0.13	15.65%
32.1	33	737.1	91.6	72.7	16.1	51.1	25.6	393.4	5.9	299.8	83.8	54.5	9.1	10.7	765.5	48.9	836	45	0.32	0.12	14.05%
32.1	33	706.8	86.2	67.7	15.9	48	24.2	378.5	5.6	295.9	80.9	49.3	8.9	10.1	725.2	46.9	855	45	0.30	0.12	14.43%
33	34	1990.1	16.6	8.1	14.4	31	3.3	1296	0.7	548.4	181	62	3.3	1.1	92.7	5.5	620	71	0.50	0.09	17.07%
34	35	731	23.6	11.3	10.9	25.9	4.9	401.7	0.8	280	79.5	39.1	3.6	1.4	139.1	7	596	24	0.21	0.09	20.26%
35	36	879.2	30.1	8.4	16.8	42.5	4.7	440.2	0.6	383.8	103.5	62.3	5.7	0.9	123.1	4.7	696	15	0.25	0.10	22.98%
36	37	921.2	17.5	4.5	12.8	31.6	2.5	553.2	0.4	341.1	101	48.5	3.7	0.6	67.6	3.7	622	45	0.25	0.09	20.85%
37	38	4872	58.6	18.4	50.1	113.5	9.1	3265	1.1	1413	449.3	192	12.4	2	233.4	9.1	1299	237	1.25	0.19	17.33%
38	39	5797.6	22.3	7	38.9	77.9	3	3736	0.6	1593	531.6	175.9	6.7	0.8	78.8	4.6	1722	180	1.41	0.25	17.54%
39	40	3043.7	40.7	11.1	41.6	89.6	5.9	1623	0.7	1162	327.7	162.5	9.1	1.2	151.9	5.5	2324	47	0.78	0.33	22.23%
40	41	2331.2	36.7	11.2	33.3	71.9	5.9	1109	0.7	893.1	249.4	128.5	8	1.2	149.4	5.5	1474	15	0.59	0.21	22.59%
41	41.9	1691.2	35.5	12.2	25.9	58.9	6	780.3	0.8	665.3	182.8	93.7	6.9	1.3	154.9	6.4	1137	18	0.44	0.16	22.66%
41.9	43	1482	28.4	8.9	23	50.5	4.4	724	0.5	553.8	155.2	83.8	5.8	0.9	117.3	4.3	875	17	0.38	0.13	21.76%
43	44	676.2	37.1	12.2	19.3	49.7	6.5	320.4	0.6	327.1	83.7	61.9	6.5	1.3	169	5.2	750	21	0.21	0.11	22.91%
43	44	687.3	40.7	12.9	19.7	50.4	6.9	325	0.6	333.8	83.7	63	6.7	1.3	176.3	5.2	772	21	0.21	0.11	22.81%
44	45	335.7	20.5	6.6	11.3	28.3	3.4	173.3	0.3	149.5	40.1	33.3	3.6	0.7	95.5	2.6	721	24	0.11	0.10	20.75%
45	46	608.1	27.6	10.3	13.3	34.7	5	346.9	0.6	240.2	68	44.9	4.6	1.1	139.6	4.9	812	93	0.18	0.12	19.71%
46	46.8	389.6	8.9	2.7	8.4	17.9	1.4	234.4	0.2	154.4	43.6	27	1.7	<0.5	38.8	1.3	670	259	0.11	0.10	21.17%
46.8	47.8	487.8	13.4	4.1	10.3	24	2.2	288.2	0.2	200	55.3	38.3	2.6	<0.5	56.9	1.7	611	453	0.14	0.09	21.42%
47.8	48.5	512.9	21.8	6.3	14.8	35.6	3.7	292.7	0.3	225.1	59.3	49.7	4.3	0.6	91.3	2.3	531	509	0.16	0.08	21.38%
48.5	49.5	1209	14.6	4.5	16.8	33.4	2.2	655.1	0.2	428.5	123.4	65.2	3.3	<0.5	63.9	1.8	933	241	0.31	0.13	20.96%
49.5	50.5	905.9	11.3	3.8	11.1	21.8	1.9	511.9	0.2	335.6	98.2	45.3	2.3	<0.5	52.7	1.5	819	148	0.23	0.12	21.56%
50.5	51.8	1409	23	8.4	16.7	37.7	4.1	799	0.5	461.2	136.4	63.3	4.3	1.1	110.7	4.4	814	39	0.36	0.12	19.30%
51.8	52.6	2157.1	74.5	33.3	35.8	87.1	15.4	1069	2.2	817.1	228.2	129.6	11.6	4	413.6	17.9	1260	20	0.60	0.18	20.34%
52.6	54	2630.2	81.4	31.8	39.5	99.3	14.9	1446	2.2	955.8	270.2	144	13.2	3.9	401.3	17.9	1582	31	0.72	0.23	19.78%
44	55	2446.2	74.7	26.6	39.4	98.4	13.3	1148	1.6	968.9	265.8	145.8	12.9	3.1	351.7	13	1772	7	0.66	0.25	21.86%
55	56	852.6	27.2	7.3	17.7	44.1	4	418	0.4	377.5	101.6	63.3	5.4	0.8	105.7	3.6	1145	168	0.24	0.16	23.47%
55	56	679.1	18.5	5.1	13.2	32.2	2.9	343.6	0.3	292.2	78.9	47.7	3.7	0.6	77.6	2.7	996	122	0.19	0.14	23.09%
56	57	1200.2	14.1	4.5	16.5	34.8	2.1	759.1	0.3	374.3	107.9	62.5	3.4	0.5	59.8	2.8	1271	278	0.31	0.18	18.17%
57	58	255.3	11.8	3.5	7.4	18.9	1.8	139	0.3	106.8	29.3	21	2.4	<0.5	52.2	2.5	871	130	0.08	0.12	20.70%
58	59	1035	19	5.5	13.1	32.7	3	713.9	0.4	270	85.8	43.7	3.9	0.7	80.7	3.6	667	67	0.27	0.10	15.32%
59	60	1992.4	28.1	8	24.3	56.9	4.2	1372	0.7	553.5	176.3	86.1	6.4	1	107.9	5.7	2930	315	0.52	0.42	16.43%
60	61	4399.4	41.2	11.7	42.5	95.1	6.1	2958	0.9	1276	404.3	166.7	9.8	1.3	156.3	7.4	1548	45	1.12	0.22	17.48%
61	62.6	2114.9	53.6	16.4	34.4	88.6	8.4	1165	1.1	710.4	207.7	117.5	10.6	2	218.6	9.1	1269	92	0.56	0.18	19.18%
62.6	64	598.7	18.3	5.3	11.7	27.9	3	334.1	0.3	228.2	66	39.3	3.4	0.6	77.4	2.8	686	26	0.17	0.10	20.63%
64	65	4052.3	50.4	13.2	39.1	92.4	7.5	2818	0.8	1094	353.6	145	11.1	1.3	186.2	6.5	1546	55	1.04	0.22	16.24%
65	66	723.1	66.7	16.4	54.8	131.6	9.5	5442	1	1791	610.3	210.2	15.1	1.6	234.4	8.2	2121	72	1.85	0.30	15.12%
66	67.1	10527	86.6	20.4	82.1	191.5	12	7947	1	2522	875.2	307.7	20.8	1.9	277.3	8.7	2502	167	2.68	0.36	14.79%
67.1	68	333	13.5	3.1	7.4	19.4	2	193.7	0.2	128.1	36.7	24.1	2.3	<0.5	52.2	1.9	661	163	0.10	0.09	20.02%
68	69	3364.7	26.5	7.2	27	58.5	3.8	2415	0.5	851.2	288.5	105.9	6.1								

For personal use only

Hole_ID	Sample No	Depth From	Depth To (m)	Ce ppm	Dy ppm	Er ppm	Eu ppm	Gd ppm	Ho ppm	La ppm	Lu ppm	Nd ppm	Pr ppm	Sm ppm	Tb ppm	Tm ppm	Y ppm	Yb ppm	Nb ppm	Mo ppm	TREO%	Nb2O5%	NdPr%
DD006A	DD006A-082	83	83.85	317.7	5.1	1.9	5	10.7	0.9	167.4	0.2	123.7	36.4	18	1.2	<0.5	22.4	1.4	560	33	0.08	0.08	22.38%
DD006A	DD006A-083	83.85	84.7	479.6	10.3	3.3	7.9	17.6	1.6	297	0.2	170.9	49.6	27.7	2	<0.5	44.7	2.1	559	80	0.13	0.08	19.68%
DD006A	DD006A-084	84.7	85.6	574	11.7	4.2	9.6	22.5	2	372.1	0.4	197.2	57.6	33.7	2.5	0.6	52.9	3.5	658	68	0.16	0.09	18.85%
DD006A	DD006A-085	85.6	86.3	1465.8	11.1	3.7	15.4	32.3	1.6	895.3	0.4	436.8	134.7	60.9	3	0.5	44.5	3.2	901	126	0.36	0.13	18.31%
DD006A	DD006A-086	86.3	87.1	308.1	6	2.1	6	13.8	1	173.6	0.2	131.2	36	23.8	1.4	<0.5	26.3	1.4	1568	55	0.09	0.22	22.77%
DD006A	DD006A-087	87.1	88	368.2	7.6	2	7.3	16.9	1.1	203.7	0.2	157.9	42.8	29.8	1.7	<0.5	29.9	1.4	1266	251	0.10	0.18	22.95%
DD006A	DD006A-088	88	89	421.7	8.9	3.2	7.7	17.1	1.5	229.9	0.2	193.1	50.5	32.9	1.8	<0.5	44.4	1.9	1869	240	0.12	0.27	23.87%
DD006A	DD006A-089	89	90	694.7	20.4	5.2	17.6	43.4	2.8	437.9	0.3	272.7	75	56.3	4.6	0.6	79.9	2.6	1753	120	0.20	0.25	20.17%
DD006A	DD006A-090	90	91	434.9	6.2	2.1	5.7	13.6	1	271.6	0.1	180	50	25.5	1.5	<0.5	26.6	1.2	1006	519	0.12	0.14	22.45%
DD006A	DD006A-091	91	92	588.6	9	2.9	10.1	21.2	1.2	360.8	0.2	248.1	69	39	2	<0.5	38.2	1.4	952	1255	0.16	0.14	22.69%
DD006A	DD006A-092	91	92	518.6	5.7	1.9	7.5	14.9	0.9	296.6	0.1	215.3	59.9	32	1.4	<0.5	24.5	1	1374	1623	0.14	0.20	23.23%
DD006A	DD006A-093	92	93	306.4	5.7	2.1	6	12.6	0.9	165.3	0.2	146.9	38	24.5	1.3	<0.5	28.7	1.7	469	991	0.09	0.07	24.85%
DD006A	DD006A-094	93	94	433.6	11.2	3.7	9	21.3	1.7	264.6	0.3	168.2	47.8	32.4	2.2	<0.5	48.6	2.8	960	1210	0.12	0.14	20.51%
DD006A	DD006A-095	94	95	1158.6	8.2	2.9	9.8	18.8	1.4	689	0.2	350.4	107.2	44.4	1.9	<0.5	37.2	1.7	1017	159	0.28	0.15	18.75%
DD006A	DD006A-096	95	96	360.1	18.2	8.3	11.9	28.8	3.5	203.8	0.6	164.8	42.7	37.7	3.4	1.1	98.8	5.1	860	95	0.12	0.12	20.79%
DD006A	DD006A-097	96	97	266.4	3.1	1.2	4	8.3	0.5	160.5	0.1	106.9	29	16.8	0.8	<0.5	14.1	0.9	732	194	0.07	0.10	22.09%
DD006A	DD006A-098	97	98	245.1	7.3	2.5	5.1	12.4	1.1	143	0.3	96.7	26.7	16.7	1.5	<0.5	32.4	2.4	900	27	0.07	0.13	20.67%
DD006A	DD006A-099	98	99	263.7	6.8	2.3	6.4	14.7	1.1	157	0.2	102.7	28.4	21.1	1.7	<0.5	28.6	1.9	1039	98	0.07	0.15	20.48%
DD006A	DD006A-100	99	100.5	407.6	5.6	2.6	6.4	13.7	0.9	218.5	0.6	164.6	44.8	26.2	1.3	0.6	24.1	4.9	553	11	0.11	0.08	22.61%
DD006A	DD006A-102	100.5	101.4	929.5	9.1	2.9	9.9	22.2	1.4	589.8	0.2	321.1	95.4	41.4	2.3	<0.5	37.7	1.8	720	152	0.24	0.10	20.09%
DD006A	DD006A-103	101.4	102.15	4224.3	15.3	4.3	30.1	60.1	2.1	2785	0.2	1191	377.8	138.3	4.7	<0.5	49.6	2	541	142	0.08	0.08	17.60%
DD006A	DD006A-104	102.15	103.1	419.3	7.2	2.6	5.9	12.6	1.3	237	0.2	175.1	48.2	26.7	1.4	<0.5	35.6	1.4	624	566	0.11	0.09	22.80%
DD006A	DD006A-105	103.1	104	437	11.7	4.4	8.1	19.1	2	256.4	0.4	167.4	47.6	29.6	2.2	0.6	55.1	3.1	677	376	0.12	0.10	20.45%
DD006A	DD006A-106	103.1	104	436.5	11.3	4	7.4	18.4	1.9	256.7	0.3	163.7	47.2	28.8	2	0.5	54.5	2.9	670	416	0.12	0.10	20.23%
DD006A	DD006A-107	104	105.2	248.2	7.6	2.3	5.1	12.4	1.4	135.1	0.1	105	28.7	18.4	1.6	<0.5	35.6	1.2	568	122	0.07	0.08	22.04%
DD006A	DD006A-108	105.2	106.1	3611.9	14.2	4.3	23	46.6	2	2509	0.3	862.7	304.9	99.5	4.1	<0.5	50.6	2.3	957	152	0.88	0.14	15.44%
DD006A	DD006A-109	106.1	107	567.2	12	3.8	34.3	63.6	1.6	3805	0.3	1396	482.1	151.9	4.4	<0.5	42.3	2.3	492	104	1.37	0.07	16.04%
DD006A	DD006A-111	107	108	6891.1	23.6	5.9	41.3	82.8	3.1	4824	0.3	1519	554.2	173.3	7.2	0.5	71.3	2.7	1594	225	1.66	0.23	14.55%
DD006A	DD006A-112	108	108.7	5277.5	8.9	3	29.2	53.6	1.1	3718	0.2	1258	436.6	133.3	3.9	<0.5	25.5	1.5	466	80	1.28	0.07	15.43%
DD006A	DD006A-113	108.7	110	3269.8	20.6	5.3	24.9	57.2	2.8	2431	0.3	780.8	268.7	101.7	5.4	0.6	67.8	2.7	1113	67	0.82	0.16	14.86%
DD006A	DD006A-114	110	111	430.1	24.6	6.7	13	35	4	245.2	0.4	181.4	49	38.5	4.6	0.8	98	3.6	447	67	0.13	0.06	20.13%
DD006A	DD006A-115	111	112	344	5.4	1.6	4.9	10.3	0.9	195.5	<0.1	141.8	39	21.3	1.1	<0.5	23.2	0.7	345	298	0.09	0.05	22.79%
DD006A	DD006A-116	112	113	901.5	13.2	4.4	10.7	22	2.2	558.5	0.3	323.3	94.2	45.9	2.4	<0.5	58.8	2.7	499	82	0.24	0.07	20.37%
DD006A	DD006A-117	113	114	348.5	12.9	3.7	10	23.3	2.2	194.4	0.2	165.8	42.7	33	2.6	<0.5	51.8	1.8	422	186	0.10	0.06	23.20%
DD006A	DD006A-118	114	115	266	5.9	1.9	5.1	11	1	142.9	0.1	129.1	33.6	18.6	1.3	<0.5	26.8	0.9	347	369	0.08	0.05	25.12%
DD006A	DD006A-119	114	115	270.6	6.1	1.7	5.3	10.6	1	138.1	0.1	124.9	32.4	19.5	1.2	<0.5	26.6	1	347	368	0.07	0.05	24.48%
DD006A	DD006A-120	115	116	810.8	10.6	4	9.9	20.8	1.9	360	0.3	360.4	99.9	43.5	2.2	0.5	52.7	2.7	600	430	0.21	0.09	25.74%
DD006A	DD006A-121	116	117	916.2	21.2	8.1	15.8	37.5	3.5	476.2	0.8	379.3	104.4	59.2	4.1	1.1	97.1	6.6	990	155	0.25	0.14	22.57%
DD006A	DD006A-122	117	118	255	5.6	1.7	5.1	10.5	0.8	138.6	0.1	114.4	30.1	20.7	1.1	<0.5	23	0.9	1127	199	0.07	0.16	23.66%
DD006A	DD006A-123	118	119	292.5	6	1.9	5.2	11.2	1	164.6	0.1	132	34.1	22.3	1.1	<0.5	28	1.2	1050	117	0.08	0.15	23.56%
DD006A	DD006A-124	119	120	619.9	15	4	13	31.3	2.2	342.9	0.3	266.1	71.2	45.9	3.4	0.5	60	2.1	838	204	0.17	0.12	22.71%
DD006A	DD006A-125	120	121	1139.7	7.4	2.7	9.9	19.1	1.4	640.7	0.2	385	110.6	49.5	1.7	<0.5	33.7	1.6	854	96	0.28	0.12	20.55%
DD006A	DD006A-126	121	122	751.4	35.5	14.1	18.6	48.1	6.3	386.3	1.3	318.4	86.9	59.1	6.3	2	177.1	10.7	500	24	0.23	0.07	20.90%
DD006A	DD006A-127	122	123	1241.3	35.6	12.7	22.6	58.1	6.1	657.5	1	463.3	125.9	84.7	6.8	1.7	168.1	8.6	483	101	0.34	0.07	20.23%
DD006A	DD006A-128	123	124	1057.4	27.7	10.5	18.8	45.3	4.5	544.9	1	420	110.4	71.2	5.3	1.5	129.7	8.3	488	107	0.29	0.07	21.46%
DD006A	DD006A-129	124	125	511.6	36	13.9	19.6	54.7	6.2	230	1.4	263.8	64.5	62.6	6.4	2	172.5	11.7	319	7	0.17	0.05	22.30%
DD006A	DD006A-130	125	125.6	608.8	4.8	1.7	8	16.5	0.7	318.7	0.3	242.2	68.3	34.1	1.4	<0.5	19.3	2.3	602	11	0.16	0.09	23.32%
DD006A	DD006A-131	125.6	126.6	624.5	32.8	15.1	17.8	48.3	6.2	302.9	1.4	287.8	74.2	59.2	6	2.2	172.3	12	650	11	0.20	0.09	21.56%
DD006A	DD006A-132	125.6	126.6	703	30.7	13.2	17.4	46.5	5.9	349.2	1.4	313.4	81.7	56.8	5.8	2.1	163.5	11.5	613	14	0.21	0.09	21.73%
DD006A	DD006A-133	126.6	127.7	610	30	12.8	14.5	39.9	5.3	308.6	1.3	257.3	69	47.7	5.4	1.8	151.4	10.6	774	35	0.18	0.11	20.65%
DD006A	DD006A-134	127.7	128.4	174	7.9	2.5	4.7	12.2	1.4	102.9	0.3	72.3	19.2	14.2	1.6	<0.5	35.8	2.3	510	31	0.05	0.07	20.11%
DD006A	DD006A-135	128.4	129.16	300.5	5.9	1.8	4.9	10.2	1	181.3	0.2	115.5	32.1	17.6	1.1	<0.5	26.8	1.6	573	27	0.08	0.08	20.96%
DD006A	DD006A-136	129.16	130.5	1762.2	11.6	3.5	25.9	47.1	1.7	566.3	0.2	901.9	228.9	123	3.7	<0.5	44.6	1.9	327	786	0.44	0.05	30.29%
DD006A	DD006A-137	130.5	132	774.5	11.7	3.8	15.2	31.5	1.8	322.3	0.3	426.7	107.4	64.3	3	<0.5	48.9	2.5	618	2034	0.21	0.09	29.33%
DD006A	DD006A-138	132	133	269.8	4	1.5	4.6	9.5	0.7	122.2	0.2	149	37.2	21.1	0.9	<0.5	20.7	1.4	432	1160	0.08	0.06	28.84%
DD00																							

For personal use only

Hole_ID	Sample No	Depth From	Depth To (m)	Ce ppm	Dy ppm	Er ppm	Eu ppm	Gd ppm	Ho ppm	La ppm	Lu ppm	Nd ppm	Pr ppm	Sm ppm	Tb ppm	Tm ppm	Y ppm	Yb ppm	Nb ppm	Mo ppm	TREO%	Nb2O5%	NdPr%
DD006A	DD006A-173	164	165	334.4	5.8	2.3	5.3	12	1	195.2	0.2	121.1	34.9	19.1	1.3	<0.5	26.3	1.5	1068	203	0.09	0.15	20.41%
DD006A	DD006A-174	165	166	285.8	9.3	3.1	6.8	15.3	1.5	157	0.3	119.8	32.2	22.7	1.9	<0.5	37.5	2.2	1236	309	0.08	0.18	21.73%
DD006A	DD006A-175	166	167	189.6	3.6	1.2	3.7	7.2	0.6	96.3	0.1	84.8	22	13.3	0.8	<0.5	15.2	1	610	169	0.05	0.09	24.19%
DD006A	DD006A-176	167	168	247.9	6.3	1.9	5.2	11.8	0.9	132.8	0.1	104.8	28.3	19	1.4	<0.5	26.7	1.3	678	85	0.07	0.10	22.50%
DD006A	DD006A-177	168	169	413.4	7.1	2.4	8.1	16.1	1	231.9	0.2	180.8	48.1	30.4	1.7	<0.5	29.8	1.5	1701	132	0.11	0.24	23.43%
DD006A	DD006A-178	169	170	576.4	10.9	3.5	9.9	22.2	1.5	312.6	0.2	234.3	63.5	37.2	2.4	<0.5	42.1	1.9	1007	103	0.15	0.14	22.48%
DD006A	DD006A-179	170	171	518.7	8.9	2.6	7.7	16.7	1.3	294.7	0.2	213.7	59.8	32.2	2	<0.5	35.1	1.4	1098	148	0.14	0.16	22.78%
DD006A	DD006A-180	171	172	720	15.5	4.1	13.2	30.6	2.4	407.8	0.2	303.8	80.1	49.2	3.5	<0.5	60.3	2.1	1219	183	0.20	0.17	22.57%
DD006A	DD006A-182	172	173	1188.3	17.9	4.9	15.7	35.6	2.6	697.8	0.3	435.2	125.9	62.5	4	0.5	68.7	2.8	943	236	0.31	0.13	20.98%
DD006A	DD006A-183	173	174	717.1	14.2	3.8	11.8	25.9	2	334.5	0.3	324.7	86.5	47.2	3	<0.5	50.2	2.4	718	248	0.19	0.10	25.22%
DD006A	DD006A-184	174	175.16	544.3	8.3	3.2	8.9	18.4	1.3	265.1	0.3	248.8	65.6	37.1	1.9	<0.5	36.3	2.9	727	75	0.15	0.10	25.20%
DD006A	DD006A-185	175.16	176	2089.4	36.2	11.1	34.2	77.5	5.3	1041	0.7	906.4	241.5	134.6	8.2	1.3	139	5.8	1697	184	0.55	0.24	24.15%
DD006A	DD006A-186	175.16	176	2146.1	37.9	11.7	35.5	80.7	6	1065	0.7	932.8	248.5	137	8.8	1.2	146	6.5	1808	193	0.57	0.26	24.18%
DD006A	DD006A-187	176	177	1264.5	43.7	16.2	26.6	67.6	7	607.5	1.2	559.5	145	93.8	8.6	2	187.3	10.4	1508	15	0.36	0.22	23.01%
DD006A	DD006A-188	177	178	1923.3	34.6	12	28.4	64.5	5.3	1103	0.9	701.6	202.5	102.5	7.5	1.4	146.5	8.1	1214	151	0.51	0.17	20.72%
DD006A	DD006A-189	178	179	1919	50.4	20.1	32.5	80.1	8.6	943.7	1.4	803.4	217.2	118.1	10.1	2.6	233.7	12.7	2222	25	0.52	0.32	22.78%
DD006A	DD006A-191	179	180	1263.5	17.3	6.1	21	40.9	2.6	595.5	0.5	634.1	157.1	93.4	3.9	0.7	74.5	4.3	815	249	0.34	0.12	27.03%
DD006A	DD006A-192	180	181	2507.8	38.2	13.5	30.9	71.8	5.9	1428	1	909.8	265.1	123.6	8.3	1.7	161.4	8.6	1153	76	0.65	0.16	20.97%
DD006A	DD006A-193	181	182	1804.9	58.9	24.9	29.6	79.2	10.8	946.2	2.1	683.9	196.4	102.4	11	3.3	287.4	18.1	1122	108	0.50	0.16	20.52%
DD006A	DD006A-194	182	183	1651.4	28.6	10.8	24.1	51.9	4.7	769.4	0.9	720.2	193.5	96.6	5.7	1.5	124.7	8.1	650	252	0.43	0.09	24.63%
DD006A	DD006A-195	183	184	1279.7	31.6	13.1	22.5	51.7	5.6	626.4	1	556.4	148.2	84.3	6.4	1.6	147.4	9.1	1359	132	0.35	0.19	23.47%
DD006A	DD006A-196	184	185	3135	33	12.5	27.3	60.1	5.5	1839	0.9	957.6	309.6	105.8	7	1.6	147.9	7.9	1197	41	0.78	0.17	18.97%
DD006A	DD006A-197	185	186	4809	13.9	6.7	19.8	36.5	2.4	2667	0.5	1273	463.5	100.9	3.4	0.7	66.7	4.3	623	10	1.11	0.09	18.28%
DD006A	DD006A-198	186	187	961.7	65.9	23.6	25.7	77	11.2	472.1	1.6	403	108.6	76.9	11.9	2.8	286.9	14	1886	35	0.30	0.27	19.91%
DD006A	DD006A-199	186	187	942.3	66	24.7	25	77.5	11.5	456.8	1.5	403.2	107.2	77.9	11.7	2.9	292.3	13.5	1978	28	0.30	0.28	20.09%
DD006A	DD006A-200	187	188	2152.7	39.5	13.5	30	69	6.3	1118	0.8	891.2	240.9	119.6	8.1	1.5	161.7	7.5	1466	115	0.57	0.21	23.18%
DD006A	DD006A-201	188	189	2539	33.1	10.4	27.9	62.7	5.2	1643	0.7	835.9	254.4	109.5	7.2	1.2	130.3	6.2	974	136	0.66	0.14	19.16%
DD006A	DD006A-202	189	190	379.7	10	3.4	8.6	19.4	1.5	197.6	0.3	163.9	43.3	28.8	2.2	<0.5	41.4	2.7	665	75	0.11	0.10	22.83%
DD006A	DD006A-203	190	191	1325.3	17.5	6.8	15.4	35.2	3.2	768.5	0.7	452.1	134	58.2	4	0.9	83.9	5.9	499	96	0.34	0.07	20.04%
DD006A	DD006A-204	191	192	899.3	16.8	5.6	12.3	29.6	2.7	532.2	0.4	312.9	91.9	46.7	3.8	0.7	71	3.7	622	49	0.24	0.09	19.84%
DD006A	DD006A-205	192	193	642.5	13	3.5	10.7	26.6	1.9	339	0.2	249.5	67.8	39.3	3	<0.5	47.3	2.1	738	97	0.17	0.11	21.84%
DD006A	DD006A-206	193	194	312.1	8.4	2.8	6.3	14.8	1.4	156.3	0.2	129.3	36.7	21.9	1.8	<0.5	35.6	1.8	836	78	0.09	0.12	22.63%
DD006A	DD006A-207	194	195	900.4	22.8	6.4	16.2	39.2	3.4	466.9	0.4	357.7	99	57.4	4.7	0.8	86.1	3.4	1205	105	0.24	0.17	22.00%
DD006A	DD006A-208	195	196	1372.6	32	9.7	23	56.9	4.8	692.9	0.6	552.3	154.4	85	6.8	1	119.8	5.2	1279	47	0.37	0.18	22.56%
DD006A	DD006A-209	196	197	701.2	12.3	4.5	9.8	23.6	2.1	372.1	0.4	268.3	75.2	36.8	2.6	0.6	56.8	3.7	1132	53	0.18	0.16	21.77%
DD006A	DD006A-210	197	198	637.3	19.3	7.3	11	27.7	3.2	348.7	0.6	232.2	65.9	37.6	3.6	0.9	84	5	1358	24	0.17	0.19	19.95%
DD006A	DD006A-211	198	199	643.2	16.3	6.7	10.8	26.3	2.7	327.7	0.5	249.6	70.3	40.4	3.2	0.8	70.8	4.8	851	11	0.17	0.12	21.58%
DD006A	DD006A-212	198	199	549.7	14.1	5.9	9.4	22.4	2.3	282	0.5	215.3	59.9	34.3	2.8	0.7	63	4.3	914	10	0.15	0.13	21.60%
DD006A	DD006A-213	199	200	1670	33.6	10.4	26	60.4	5.1	873.1	0.7	666.5	183.5	93.8	7.3	1.2	127.1	6.1	1068	84	0.44	0.15	22.47%
DD006A	DD006A-214	200	201	2697.4	53.9	17.2	42.1	100.2	7.9	1430	1	1047	293	152.7	11.9	1.8	205	8.8	1750	10	0.71	0.25	21.97%
DD006A	DD006A-215	201	202	2799.2	54.2	17.4	45.2	106.3	8.5	1488	1	1109	309.3	164.7	12.1	1.9	208.2	8.9	2218	27	0.74	0.32	22.29%
DD006A	DD006A-216	202	203	3019.6	46.3	15.1	37.6	86.9	7.3	1751	0.9	1069	309.1	145	10	1.8	175.4	8.2	1984	59	0.78	0.28	20.53%
DD006A	DD006A-217	203	204.5	2487.6	52.5	16.6	40.5	96.6	8.2	1285	1	994.1	276.8	146.6	11.6	1.8	202	9.2	2237	30	0.66	0.32	22.46%
DD006A	DD006A-218	204.5	205.8	1549.4	24.3	9.7	17.5	41.4	4.3	941	0.7	486.6	148.2	63.4	5	1.1	107.3	6.2	915	79	0.40	0.13	18.55%
DD006A	DD006A-219	205.8	207	2827.7	43.8	13.7	36.5	84.1	6.4	1556	0.8	1069	304.5	140.4	9.7	1.3	164.5	7.4	1754	71	0.73	0.25	21.82%
DD006A	DD006A-220	207	208	2951.5	59.1	20.8	43.1	101.2	9.5	1606	1.3	1140	321.6	160.6	11.8	2.3	232.6	11.2	2405	73	0.78	0.34	21.80%
DD006A	DD006A-221	208	209	889.5	21.7	8.4	14.1	35.3	3.6	469.1	0.7	337.8	94.4	50.9	4.4	1.1	94	6.4	702	19	0.24	0.10	21.16%
DD006A	DD006A-222	209	210	1147.9	20.5	8.4	14	33.7	3.7	592.6	0.9	411.6	121.4	53.4	4	1.2	93.5	7.7	1157	81	0.30	0.17	21.09%
DD006A	DD006A-223	210	211	571.4	9.4	3.5	7.9	18	1.5	293.1	0.3	241.3	65.3	31.9	2	<0.5	39.9	2.7	801	99	0.15	0.11	23.69%
DD006A	DD006A-224	211	212	204.7	16.5	7.8	7.6	21.1	3	91.3	0.5	107.9	25.9	21.3	2.9	0.9	77.9	4.7	633	18	0.07	0.09	22.27%
DD006A	DD006A-225	212	213	1911.7	38.7	14.5	26.3	64.1	6.4	1065	1	700.4	198.2	98.8	7.5	1.8	165.5	8.9	1268	16	0.51	0.18	20.75%
DD006A	DD006A-226	212	213	2008.5	40.3	15	29.4	70.4	6.6	1055	1	764.6	214.6	109.9	8.5	1.6	170.3	8.9	1563	11	0.53	0.22	21.63%
DD006A	DD006A-227	213	213.9	1154.8	19.3	6.6	14.3	32.5	3	708.1	0.5	403.3	114.8	56.6	3.9	0.8	76.6	4.1	1054	102	0.30	0.15	19.84%
DD006A	DD006A-228	213.9	214.7	810.7	8.6	3.5	6.8	15.8	1.4	577.2	0.3	219.8	71.7	25.7	1.9	<0.5	37.5	3	740	48	0.21	0.11	16.27%
DD006A	DD006A-229	214.7	216	754.8	7.4	2.9	6.6	13.9	1.3	504.9	0.2	214.9	67.5	25.7	1.7								

For personal use only

Hole_ID	Sample No	Depth From	Depth To (m)	Ce ppm	Dy ppm	Er ppm	Eu ppm	Gd ppm	Ho ppm	La ppm	Lu ppm	Nd ppm	Pr ppm	Sm ppm	Tb ppm	Tm ppm	Y ppm	Yb ppm	Nb ppm	Mo ppm	TREO%	Nb2O5%	NdPr%
DD006A	DD006A-271	251	252	788.7	13.7	5.9	10.1	25.9	2.2	474.8	0.6	259.7	76.9	37.7	3	0.9	59.3	5.6	933	122	0.21	0.13	18.98%
DD006A	DD006A-272	252	253	214	8.7	3.9	5.2	14	1.6	120.7	0.4	81.1	22.2	15.3	1.6	0.5	40.6	3.6	791	44	0.06	0.11	19.22%
DD006A	DD006A-273	253	254	568.1	5.5	2.3	6.1	12.2	0.8	344.7	0.3	206.5	59.4	26.6	1.3	<0.5	27.4	2.4	702	55	0.15	0.10	20.96%
DD006A	DD006A-274	254	255	1215.6	23.8	10.9	18.8	44.3	4.3	662.6	1.2	443.1	123.7	67.4	5	1.8	115.8	10.5	624	47	0.32	0.09	20.51%
DD006A	DD006A-275	255	256	1227.5	23.3	12.5	18.6	43.9	4.4	604.6	1.4	481.8	132.2	71.6	5	2	125.2	12.2	943	53	0.32	0.13	22.07%
DD006A	DD006A-276	256	257	1495	19.7	8.5	20.2	45.7	3.4	784	0.8	560.6	158.1	83	4.7	1.2	94.4	6.7	2575	21	0.39	0.37	21.77%
DD006A	DD006A-277	257	258	310.9	9	6	5.1	12.6	2	176	0.6	120.9	33.2	18.2	1.6	1	58.6	5	609	19	0.09	0.09	20.09%
DD006A	DD006A-278	258	259	159.5	5.8	3.5	3.3	7.5	1.2	90.9	0.4	59.6	17	10.6	1	0.5	37.3	3.1	648	49	0.05	0.09	18.92%
DD006A	DD006A-279	258	259	207.8	5.2	3.6	3.7	8.3	1.2	112.3	0.3	83.6	22.8	12.1	1	0.6	34.1	2.8	670	59	0.06	0.10	21.15%
DD006A	DD006A-280	259	260	1260	21.2	12.1	12.4	30.7	4.4	835.6	0.8	349.7	113.2	45.2	3.7	1.6	127.8	7.4	584	30	0.33	0.08	16.28%
DD006A	DD006A-281	260	261	446	11.2	6.2	6.6	16.4	2.3	276.9	0.5	151.2	44.6	22.8	2.1	0.8	65.1	4.7	856	23	0.12	0.12	18.39%
DD006A	DD006A-282	261	262	614	18	10.5	10.6	26.6	3.7	353.7	0.7	215.2	63	34	3.2	1.4	106.8	5.9	665	19	0.17	0.10	18.81%
DD006A	DD006A-283	262	263	352.6	6.9	3.4	5.1	10.8	1.4	208	0.3	120	35.6	17.7	1.3	<0.5	38.4	2.3	784	40	0.09	0.11	19.24%
DD006A	DD006A-284	263	264	304.8	7.5	3.8	4.3	12	1.4	172.3	0.3	104.4	31.6	16	1.4	<0.5	40.4	3	1001	30	0.08	0.14	19.21%
DD006A	DD006A-285	264	265	1027	14.5	6.4	13.4	32.1	2.5	535	0.4	383.3	111	52.9	3.3	0.7	67.3	3.3	748	55	0.26	0.11	21.84%
DD006A	DD006A-286	265	266	768.2	16.8	7.6	10.6	26	3.2	441	0.5	262.8	79.2	38.7	3	0.9	87	4.6	732	61	0.21	0.10	19.42%
DD006A	DD006A-287	266	267	1544.1	12.3	5.4	9.4	22.7	2.3	1112	0.5	360.5	126.8	39.3	2.6	0.7	58.5	4.3	1021	42	0.39	0.15	14.70%
DD006A	DD006A-288	267	268	2173.4	8.9	3.8	8.7	19.6	1.4	1829	0.3	472.6	178.9	39.6	2	<0.5	37.9	2.5	1333	106	0.56	0.19	13.59%
DD006A	DD006A-289	268	269	2866.8	15.7	6.8	13.4	31.9	2.9	2278	0.5	621	229.1	57.4	3.4	0.8	72.7	4.3	1604	155	0.73	0.23	13.65%
DD006A	DD006A-290	269	270	843.3	15.8	7.3	10.3	24.7	2.8	534.2	0.5	277.1	83.2	36.9	2.8	0.8	82	4.3	584	94	0.23	0.08	18.60%
DD006A	DD006A-291	270	271.08	657.5	12.1	6.2	10.6	23.7	2.3	358.8	0.5	260.4	72.2	39	2.4	0.7	63.4	4.1	1041	60	0.18	0.15	21.85%
DD006A	DD006A-292	270	271.08	495.8	9.9	5.3	7.5	18.6	2	277.6	0.5	193.2	52	28	2.1	0.7	54.7	4.1	921	55	0.14	0.13	21.16%
DD006A	DD006A-293	271.08	272.08	331.5	8.9	3.8	4.9	12.9	1.7	214.2	0.3	106.6	31.7	16.7	1.6	<0.5	43.5	2.4	988	17	0.09	0.14	17.60%
DD006A	DD006A-294	272.08	273	345.9	7.5	3.7	4.8	11.7	1.5	221.5	0.4	110.6	34.2	17.3	1.4	0.6	42.1	3.7	727	15	0.09	0.10	17.83%
DD006A	DD006A-295	273	274.25	428.4	15	7.7	7.8	20.7	2.9	258.2	0.6	152.7	44.7	26.2	2.6	0.9	86.1	5.6	612	26	0.12	0.09	18.46%
DD006A	DD006A-296	274.25	275	247.3	5.9	3	4.5	10.1	1	145.9	0.3	91	25.3	14.4	1.2	<0.5	31	2.6	1193	25	0.07	0.17	19.81%
DD006A	DD006A-297	275	276	869.2	18.1	7.7	13.1	31	3.3	456.2	0.6	346.2	93.6	48.4	3.5	0.9	89	5.3	943	196	0.23	0.13	22.02%
DD006A	DD006A-298	270	277	389.5	5.8	2.7	5.6	12	0.9	250.2	0.3	156.6	42.2	21.5	1.3	<0.5	29.6	2.6	2300	69	0.11	0.33	21.49%
DD006A	DD006A-299	277	277.9	764.6	7	2.8	8.2	17.4	1.2	435.7	0.2	287.3	83.4	37.1	1.6	<0.5	31.4	1.9	1880	808	0.20	0.27	21.98%
DD006A	DD006A-300	277.9	279.8	501.5	11.7	4.6	8.8	21.3	1.9	272.3	0.3	192.6	55	30.4	2.4	0.5	49.5	2.8	1191	235	0.14	0.17	21.31%
DD006A	DD006A-301	279.8	281	459.7	11.4	4.7	7.3	20.4	2.1	278.6	0.4	170.2	48.9	28.7	2.4	0.7	54.1	3.8	1866	106	0.13	0.27	19.92%
DD006A	DD006A-302	281	282	585.7	14.2	6.2	8.4	21.8	2.5	386.2	0.5	183.3	55.8	29.4	2.8	0.8	63.7	4.6	1624	39	0.16	0.23	17.40%
DD006A	DD006A-303	282	283	499.3	10.5	4.3	6.8	17.3	1.7	313.6	0.4	159.3	48.1	24.2	2	0.6	47.5	3.8	1186	85	0.13	0.17	18.10%
DD006A	DD006A-304	283	284	369.1	15.9	7	7.3	20.5	2.9	234.7	0.6	118.5	35.5	21.5	3.1	0.9	77	4.9	1383	102	0.11	0.20	16.61%
DD006A	DD006A-305	284	285	293.7	10.3	4.1	5.4	14.7	1.8	169.6	0.4	103.2	29.9	17.8	1.9	0.6	46.8	3.7	1484	33	0.08	0.21	18.77%
DD006A	DD006A-306	284	285	303.8	10.1	4.4	5.5	15.1	1.8	182.3	0.4	107.7	31.2	17.3	1.9	0.6	49.5	3.9	1538	34	0.09	0.22	18.75%
DD006A	DD006A-307	285	285.75	124.3	13.1	6.1	4.8	14.9	2.4	67.4	0.5	50	13.2	12.2	2.2	0.8	65	4.3	893	13	0.05	0.13	16.34%
DD006A	DD006A-308	285.75	286.8	1052.1	24.4	8.7	16.1	39.6	4.3	570.2	0.5	371.3	107.6	59.6	5.2	1	107.9	4.5	1003	388	0.28	0.14	20.07%
DD006A	DD006A-309	286.8	288	291.9	9.2	4	5.3	13.8	1.5	170	0.3	105.5	29.9	17.9	1.8	<0.5	42.8	2.6	1128	38	0.08	0.16	19.31%
DD006A	DD006A-311	288	289	374.6	8.7	3.6	5.1	13.6	1.3	254.5	0.3	119.3	36.4	17.7	1.8	<0.5	39.5	2.5	638	59	0.10	0.09	17.61%
DD006A	DD006A-312	289	290	215.2	7.6	3.8	3.8	10.1	1.6	127.4	0.4	78.7	21.7	12.3	1.3	0.5	41.8	3.5	501	25	0.06	0.07	18.80%
DD006A	DD006A-313	290	291	425.5	22.6	17.6	11.3	29.7	5.3	218.5	2.1	189.4	49.3	37.4	3.7	2.8	160.7	18.7	616	183	0.14	0.09	19.74%
DD006A	DD006A-314	291	291.6	316.7	10.5	4.1	6.9	17.3	1.9	164.1	0.4	131.7	36.6	23	2.1	0.6	48.8	3.2	845	619	0.09	0.12	21.77%
DD006A	DD006A-315	291.6	293	174.9	10.1	4.2	4.4	13.1	1.9	90.7	0.4	71.7	20	14.6	1.8	0.5	49	3.2	589	78	0.05	0.08	19.72%
DD006A	DD006A-316	293	294	379.8	9.8	4.6	6.1	16.3	1.8	193	0.4	142.5	41.2	22.5	1.9	0.7	48.4	3.9	751	19	0.10	0.11	20.91%
DD006A	DD006A-317	294	294.7	2957.3	19.7	8.2	26.8	55.3	3.2	1225	0.8	1071	328.4	119.2	5.3	1	81.4	6.9	606	122	0.69	0.09	23.61%
DD006A	DD006A-318	294.7	296	654.2	12.5	5.1	8.8	21.5	2.2	419.2	0.4	217.5	65	29.8	2.6	0.6	55.9	3.2	579	67	0.18	0.08	18.75%
DD006A	DD006A-319	294.7	296	828.5	14.9	5.7	10.2	25	2.4	523.4	0.4	263.8	78.5	37.6	3	0.7	62.7	3.6	623	76	0.22	0.09	18.31%
DD006A	DD006A-320	296	297	522.3	11.5	5.2	7.8	19	2.2	306.8	0.3	183.1	55.1	26.6	2.2	0.6	56.8	3	867	54	0.14	0.12	19.69%
DD006A	DD006A-321	297	298	476.8	7.3	3.1	5.2	13.3	1.3	309.1	0.2	146.9	45.8	19.6	1.6	<0.5	35.3	2	785	59	0.13	0.11	17.96%
DD006A	DD006A-322	298	299	474.8	5.8	2.2	3.6	9.1	1	349.2	0.1	113.1	39.4	13.3	1.2	<0.5	25.8	1.3	778	37	0.12	0.11	14.60%
DD006A	DD006A-323	299	300	188.9	4.5	1.7	2.4	6.7	0.8	125.3	0.2	56.3	17.5	9.3	0.7	<0.5	20.1	1.5	786	43	0.05	0.11	16.83%
DD006A	DD006A-324	300	301	2088.1	16.1	7.1	13.1	31.9	2.8	1547	0.6	497.6	174.2	54	3.5	0.9	75.6	5	820	96	0.53	0.12	14.81%
DD006A	DD006A-325	301	302	597.3	17.9	7.6	9.7	24.6	3.2	358.5	0.6	209.4	59.6	32.5	3.1	1	85.3	4.9	1063	42	0.17	0.15	18.88%
DD006A	DD006A-326	302	303	465.1	8	3.4	5.5	13.7	1.5	316.9	0.3	140.6	43.1	19.2	1.6	<0.5	38	2.5	984	67	0.12	0.14	17.25%
DD006A	DD006A-327	303	304	1012.5	9.6	3.9																	

For personal use only

Hole_ID	Sample No	Depth From	Depth To (m)	Ce ppm	Dy ppm	Er ppm	Eu ppm	Gd ppm	Ho ppm	La ppm	Lu ppm	Nd ppm	Pr ppm	Sm ppm	Tb ppm	Tm ppm	Y ppm	Yb ppm	Nb ppm	Mo ppm	TREO%	Nb2O5%	NdPr%
DD006A	DD006A-360	331	332	1742.6	90.7	61.6	29.4	75.4	21.5	835.3	6.8	760.1	200.4	109.2	11.7	9.4	612.3	55.5	297	2	0.55	0.04	20.53%
DD006A	DD006A-361	332	333	1823.6	131.3	85.1	33	90.3	31.2	924.2	8.3	744.9	201.8	111.2	15.6	12.2	877.3	67.5	495	17	0.61	0.07	18.08%
DD006A	DD006A-362	333	334	1661.7	138.1	97.2	28.9	82.2	35.3	811.1	9	694.7	184.4	101.8	15.6	13.6	994.9	73.1	831	5	0.59	0.12	17.48%
DD006A	DD006A-363	334	335	1575.3	199.2	157.6	26.4	88.3	54.1	923.5	15.2	554.2	157.8	81.2	19.7	23.5	1550	122.9	830	55	0.66	0.12	12.53%
DD006A	DD006A-364	335	336	1244.4	34.4	19.4	13.7	35.4	7.5	723.6	2	421.5	124.3	53.5	5.2	3	209.1	16.4	679	24	0.34	0.10	18.59%
DD006A	DD006A-365	336	337	173.2	12.7	6.3	4.2	11.6	2.5	94.8	0.6	67.5	19.2	12.8	1.9	0.9	70.1	5	430	10	0.06	0.06	17.71%
DD006A	DD006A-366	337	338.33	253.5	12.5	5.6	4.7	13	2.4	139.7	0.5	91	27.5	14.3	1.9	0.7	64.7	3.9	573	32	0.07	0.08	18.45%
DD006A	DD006A-367	338.33	339.33	2046.2	95.8	53.1	32	82.7	20.4	1097.4	4.5	776	220.7	114.5	12.8	6.7	590.5	36.1	1344	19	0.61	0.19	19.04%
DD006A	DD006A-368	339.33	340.57	2849.7	84.4	44.2	29.3	75.1	18.3	1860	3.4	848.3	271.3	103.8	11.7	5.6	507.2	27.9	840	11	0.79	0.12	16.47%
DD006A	DD006A-369	340.57	341.23	4283.4	58.9	23.6	43.7	94.8	10.5	2763	2	1378	423.7	163.1	11.5	2.9	269.8	16.2	2389	4	1.12	0.34	18.78%
DD006A	DD006A-370	341.23	342	1486.6	44.9	17	23.8	57.8	8.2	686.6	1.7	650.1	171.3	91.2	7.6	2.1	200.8	13.7	2216	3	0.41	0.32	23.56%
DD006A	DD006A-371	342	343	1711.4	118.3	52.9	36	97.8	22.7	805.1	5.4	750.4	197.2	118.2	17.2	7.4	589.8	43.4	1198	2	0.54	0.17	20.48%
DD006A	DD006A-372	342	343	1711.1	105.4	47.2	32.9	90.9	20.3	800.1	4.7	746.4	195.1	113	15.7	6.5	527.5	38.1	1498	2	0.53	0.21	20.90%
DD006A	DD006A-373	343	344	1848.1	114	49.7	34.4	90.9	22.4	874.8	4.1	806.1	211.4	124.1	15.2	6	572.3	33.3	1243	1	0.57	0.18	20.93%
DD006A	DD006A-374	344	345	1836.7	91.7	49.2	31.8	80.1	20.9	873.1	4.1	802.6	210.1	118.4	12.5	6.3	548.3	33.1	851	2	0.56	0.12	21.23%
DD006A	DD006A-375	345	346	1878.4	91.4	47.7	36.2	92.7	18.8	892.7	4.3	805.5	215.3	125.3	13.7	6.4	518.1	34.8	897	2	0.56	0.13	21.13%
DD006A	DD006A-376	346	347	1615.9	28.5	11.5	26	55.6	5.2	755.9	1.6	677.9	183.8	100.5	5.4	1.7	130.4	12.6	3356	2	0.42	0.48	23.74%
DD006A	DD006A-377	347	348	1791.3	34	12.4	32.7	68.9	5.6	808.3	1	808.7	211.7	120.7	7.4	1.6	145.7	8.5	898	2	0.48	0.13	25.02%
DD006A	DD006A-378	348	349	3336	64.7	17	23.8	57.8	8.2	686.6	1.7	650.1	171.3	91.2	7.6	2.1	200.8	13.7	2216	3	0.41	0.32	23.56%
DD006A	DD006A-379	349	350.47	2658.6	41.8	20.6	34.4	74.5	7.9	1545	2.6	922	271.2	127.5	8.1	3.4	208.3	20.7	827	23	0.70	0.12	19.96%
DD006A	DD006A-380	350.47	351.2	613.4	5.9	1.5	9.3	18.7	0.8	362.5	0.2	206.9	61.6	32.2	1.7	<0.5	20.1	1.3	753	229	0.16	0.11	20.03%
DD006A	DD006A-381	351.2	352	184.5	6.8	2.5	4.2	10.1	1.2	100.6	0.2	72.3	20	13.3	1.4	<0.5	31.7	1.8	458	75	0.05	0.07	20.33%
DD006A	DD006A-382	352	353	287.3	8.8	3.2	5.4	12.8	1.5	163.7	0.3	108.5	30.2	17.4	1.7	<0.5	40.8	2.3	493	59	0.08	0.07	20.14%
DD006A	DD006A-383	353	354	483.2	11.7	3.7	7.9	19.4	1.9	283.8	0.3	172.5	49	25.7	2.2	<0.5	48.2	2.4	669	105	0.13	0.10	19.81%
DD006A	DD006A-384	354	355	609.1	17	6.2	9.8	24.8	2.9	354.4	0.5	214.2	62.5	31.2	3.2	0.8	74	4.4	1068	201	0.17	0.15	19.43%
DD006A	DD006A-385	355	356	341.7	10.2	4.3	5.3	13.3	1.8	197.4	0.5	128.3	35.5	19.6	1.8	0.7	48.5	4.1	434	12	0.10	0.06	20.01%
DD006A	DD006A-386	355	356	324.2	9.7	4.7	5.1	13.5	1.9	191.2	0.6	118.1	34	18.3	1.9	0.7	51.9	4.7	445	14	0.09	0.06	19.35%
DD006A	DD006A-387	356	357	457.2	7.8	2.5	6.3	15.6	1.3	264.5	0.2	160.9	45.9	24.8	1.8	<0.5	32.5	1.6	808	48	0.12	0.12	20.12%
DD006A	DD006A-388	357	358	1521.4	22.7	7.3	18.2	42.4	3.5	897.4	0.6	492.5	149.7	67.3	5.1	0.9	93.9	4.9	728	133	0.39	0.10	19.21%
DD006A	DD006A-389	358	359	876.7	18.7	6.7	13.8	34	3.1	927.4	0.5	297.5	87.4	47	4.2	0.9	78.7	4.3	658	84	0.23	0.09	19.13%
DD006A	DD006A-391	359	360	554	7.3	2.6	6.5	15.3	1.2	326.4	0.2	187.6	55.8	23.6	1.7	<0.5	31.3	1.9	439	114	0.14	0.06	19.94%
DD006A	DD006A-392	360	361	556	5.8	1.8	5	10.9	0.9	342.6	0.2	162.1	52.1	18.5	1.3	<0.5	21.2	1.2	456	26	0.14	0.07	18.09%
DD006A	DD006A-393	361	362	541.8	6	1.6	5	11.9	0.8	323.8	0.2	175.8	54.5	21.2	1.3	<0.5	21	1.3	488	70	0.14	0.07	19.67%
DD006A	DD006A-394	362	363.57	407.5	7.3	2.7	6	14.5	1.2	225.9	0.3	149.4	42.1	21.4	1.5	<0.5	30.4	2.7	482	46	0.11	0.07	20.88%
DD006A	DD006A-395	363.57	364.57	468.4	10.4	4.7	7.5	18.5	1.8	240.6	0.7	188.1	51.4	27.3	2.2	0.8	47.4	5.6	623	21	0.13	0.09	22.15%
DD006A	DD006A-396	364.57	365.55	494	10	4.4	7.7	18.9	1.8	256	0.7	194.3	54.3	30.1	2.1	0.8	44.4	6	552	8	0.13	0.08	21.98%
DD006A	DD006A-397	365.55	367	326.4	5.1	2.2	3.9	9.3	1	192.9	0.3	112	32.6	13.9	1	<0.5	23.9	2.3	546	15	0.09	0.08	19.80%
DD006A	DD006A-398	367	368	523.4	8.6	3.4	6.4	14.7	1.5	312.6	0.3	172	51.7	24.9	1.7	0.5	37.4	2.8	537	1194	0.14	0.08	19.16%
DD006A	DD006A-399	367	368	689.5	6.5	2.5	6.7	14.5	1.2	418.8	0.3	216.2	67.1	26.3	1.5	<0.5	27.7	2.3	524	751	0.17	0.07	19.05%
DD006A	DD006A-400	368	369	604.6	13.2	8	7	18.1	2.8	351.5	0.8	201.4	60.5	26.7	2.3	1.2	76.2	6.7	870	19	0.16	0.12	18.84%
DD006A	DD006A-401	369	370	587.2	14.9	7.7	8.7	19.9	2.8	321.6	0.7	213.4	62.2	31.3	2.5	1.1	77.8	6	777	17	0.16	0.11	20.16%
DD006A	DD006A-402	370	371	644.1	12.2	5.1	9.2	19.4	2.1	353.6	0.7	240.7	68.2	32.4	2.4	0.8	59.7	5.3	678	23	0.17	0.10	21.10%
DD006A	DD006A-403	371	372	928.7	25.8	13.2	15.1	37.1	5.1	515	1.2	350.2	96.8	52.4	4.8	1.9	140.9	9.8	715	41	0.26	0.10	20.19%
DD006A	DD006A-404	372	373	183.8	4.6	2.2	2.8	6.3	0.9	108.9	0.2	66.2	18.8	9.1	0.7	<0.5	23	1.7	574	16	0.05	0.08	19.68%
DD006A	DD006A-405	373	374	795.3	43.5	24.6	15.1	41	9.4	412	2.7	317.1	86.7	51.3	6.3	3.6	263.8	21.7	696	13	0.25	0.10	19.06%
DD006A	DD006A-406	374	375	366	12.5	8.4	5.6	14	2.9	192.1	0.9	145.1	39.8	21.5	2.1	1.3	81.9	7.3	506	17	0.11	0.07	20.33%
DD006A	DD006A-407	375	376	1148	36.2	22.5	16.9	39.9	8.5	590.1	2.8	454.2	125.3	61.7	5.5	3.6	234.4	22.4	298	5	0.33	0.04	20.73%
DD006A	DD006A-408	376	377	763.1	94.9	67.3	20.5	64.5	23.6	368.9	7	348.5	90.6	63.5	11.4	10.4	665.1	56.7	680	33	0.32	0.10	16.19%
DD006A	DD006A-409	377	378	914.5	106.7	83.4	23.2	73.2	28.3	433.6	8.7	415.9	108.1	74.4	12.6	13.1	807.4	70.7	710	33	0.38	0.10	16.16%
DD006A	DD006A-410	378	379	574.1	30.7	27.3	9	24.8	8.6	346.5	3.3	203.5	57.8	31	3.9	4.6	258	26.7	412	26	0.19	0.06	16.00%
DD006A	DD006A-411	379	380	675.2	49.7	35.3	11.9	37.4	12	410.2	3.7	237.5	68.4	41.2	6.2	5.3	345.4	29.7	433	21	0.23	0.06	15.30%
DD006A	DD006A-412	379	380	653.2	39.8	26.8	11.2	32.2	9.6	405.4	2.8	225.8	66	36.7	5.2	4.1	272.2	22.5	426	21	0.21	0.06	15.87%
DD006A	DD006A-413	380	381	804	110.6	70.7	27.5	87.9	25.7	372.3	7	386.2	97.3	77.1	14.8	10.6	710.8	56.7	410	17	0.34	0.06	15.75%
DD006A	DD006A-414	381	382	1210.1	89.5	57.5	24.9	75.3	20.9	617.6	6.4	480.7	131.2	79.7	11.8	9.1	589.9	51.9	375	18	0.41	0.05	17.44%
DD006A	DD006A-415	382	383	1025.8	34.3	15.8	20.9	52.9	6.7	4													

Hole ID	Sample No	Depth From	Depth To (m)	Ce ppm	Dy ppm	Er ppm	Eu ppm	Gd ppm	Ho ppm	La ppm	Lu ppm	Nd ppm	Pr ppm	Sm ppm	Tb ppm	Tm ppm	Y ppm	Yb ppm	Nb ppm	Mo ppm	TREO%	Nb2O5%	NdPr%
DD006A	DD006A-448	411	412	571.8	37	20.6	9.8	29.1	7.8	322.1	1.8	210.9	58.9	32.5	5	2.8	223.2	14.5	501	29	0.18	0.07	17.20%
DD006A	DD006A-449	412	413	536.6	50.8	24.7	11	36.1	10.3	302.7	1.8	196.8	56.3	34.9	6.6	3	272.1	14.5	784	60	0.18	0.11	15.99%
DD006A	DD006A-450	413	414	1594	38.4	16	20.1	48.1	7.3	894.1	1.5	567.5	162	80.4	6.7	2.2	193.3	12	697	25	0.43	0.10	19.89%
DD006A	DD006A-451	414	415	259.7	16.8	9.9	4.9	14.1	3.9	146.9	0.8	89.5	26.7	14.5	2.3	1.3	106.9	6.1	798	14	0.08	0.11	16.27%
DD006A	DD006A-452	414	415	258.2	15.1	8.3	4.5	12.9	3.3	146.5	0.7	89.6	26.5	14.7	2.1	1	93.7	5.5	755	16	0.08	0.11	16.79%
DD006A	DD006A-453	415	416	492.8	28.7	15	7.8	23.8	5.9	271.6	1.4	171.5	51.8	24.9	3.9	2.1	167.6	11.1	982	28	0.15	0.14	17.23%
DD006A	DD006A-454	416	417	216.5	9	5.5	3.2	8.4	2.1	124.9	0.5	74	21.8	10.6	1.3	0.8	59.7	4.1	640	96	0.06	0.09	17.47%
DD006A	DD006A-455	417	418	212.6	12.8	7.8	4.5	12.5	3.2	120.8	0.7	78.4	22.3	13.3	1.9	1	86.7	5.4	609	19	0.07	0.09	17.01%
DD006A	DD006A-456	418	419	470.4	14.7	9.7	6.6	17.1	3.2	286	1	152.1	46.8	22.5	2.3	1.4	92.9	8.2	666	16	0.13	0.10	17.38%
DD006A	DD006A-457	419	420	1015.8	21.9	15.3	12	30.6	4.7	598.3	2.2	348.7	100.7	46.4	3.8	2.8	135.6	17.9	583	23	0.28	0.08	18.94%
DD006A	DD006A-458	420	421	1067.7	20	9.3	12.8	31.9	3.6	644.2	1.2	349.1	102.4	48.5	3.6	1.6	95.8	9.7	601	37	0.28	0.09	18.70%
DD006A	DD006A-459	421	422	793	15.2	7.1	10.1	24.7	3	496	0.8	258.1	78.8	34.2	2.9	1.1	73.3	6.8	575	31	0.21	0.08	18.56%
DD006A	DD006A-460	422	423	718.7	12.9	6.3	8.3	21.3	2.4	441.7	0.8	233.3	69.8	31	2.5	1	62.6	6.1	563	45	0.19	0.08	18.62%
DD006A	DD006A-461	423	424	1063	23.5	12.1	15.1	35.9	4.7	582.6	1.3	384.5	109.1	53.1	4.4	1.7	122.5	10.2	466	12	0.28	0.07	20.24%
DD006A	DD006A-462	424	425	389.9	15.6	7.9	7.1	18.1	2.9	200.2	0.9	154.3	42.7	23.2	2.5	1.2	79.5	7.1	547	12	0.11	0.08	20.50%
DD006A	DD006A-463	425	426	317.2	18.2	9.6	7.5	21.4	3.6	153.3	1.2	138.5	36.4	24.5	3.1	1.6	98.9	9.6	643	4	0.10	0.09	20.49%
DD006A	DD006A-464	426	426.8	726.7	24.9	12.8	13.8	35.4	4.9	357.3	1.4	309.5	81.8	46.3	4.8	1.9	132.6	11.3	490	9	0.21	0.07	21.99%
DD006A	DD006A-465	426.8	427.6	829.8	24.7	11.1	14.5	37.1	4.5	414.1	1.1	338.5	92.6	51.4	4.7	1.6	118.5	9.1	681	10	0.23	0.10	21.92%
DD006A	DD006A-466	426.8	427.6	836.8	24.5	10.9	15.3	36.8	4.6	415.9	1.1	344.8	93.5	52.2	4.5	1.5	113.6	8.9	612	10	0.23	0.09	22.16%
DD006A	DD006A-467	427.6	428.6	360	11	5.2	5.5	13.6	2	214.8	0.6	116.6	35.4	17.4	1.9	0.8	50.7	4.8	451	23	0.10	0.06	17.97%
DD006A	DD006A-468	428.6	429.9	416.3	11.6	5.4	6.1	15.6	2.1	247.4	0.6	133.1	39.9	20.1	2.1	0.8	55.9	4.6	428	8	0.11	0.06	17.87%
DD006A	DD006A-469	429.9	430.58	4837.7	64	26.1	49.3	113.2	10.9	2947	2.2	1571	484.7	187.5	12.9	3.3	287.9	18	476	7	1.24	0.07	19.28%
DD006A	DD006A-471	430.58	431.5	495.5	18.1	6.9	7.9	21.5	3.1	292.1	0.7	168.5	50.3	25.2	3.2	1	82.6	5.3	441	7	0.14	0.06	18.37%
DD006A	DD006A-472	431.5	433	509.1	11	5.2	6.5	15.6	2.2	302.3	0.6	165.7	50.2	22.5	2.2	0.8	56.3	4.9	493	132	0.14	0.07	18.58%
DD006A	DD006A-473	433	434	1039.6	17.9	7.3	10.1	25.5	3.2	610.5	0.7	312.5	98.7	39.4	3.3	1	87.4	5.6	504	83	0.27	0.07	18.07%
DD006A	DD006A-474	434	435	1348.4	73.5	41	25	71	15.7	725.8	3.6	485	139.4	78.9	11.5	5.9	425	29.2	1092	31	0.41	0.16	17.74%
DD006A	DD006A-475	435	436	875.1	27	13.8	13.6	33.8	5.7	467.1	1.3	326.9	92.4	46.6	4.7	2	148.9	10.7	716	21	0.24	0.10	20.10%
DD006A	DD006A-476	436	437.2	649.5	16.2	7.4	10.1	23.2	3.1	367.3	0.7	241.2	67.6	37	3	1	82	5.3	601	29	0.18	0.09	20.26%
DD006A	DD006A-477	437.2	438	492	16.9	7.8	7.5	20.2	3.4	295.2	0.6	161.2	49.2	25.5	2.9	1	90.1	5.2	489	12	0.14	0.07	17.70%
DD006A	DD006A-478	438	439	513.6	12.5	5.2	6.6	16.6	2.4	315.9	0.5	157.1	49.7	22	2.3	0.7	57.9	4.2	445	17	0.14	0.06	17.61%
DD006A	DD006A-479	438	439	506.2	12.8	4.7	6.7	16.1	2.2	311.4	0.5	162.9	50	23.5	2.3	0.6	58.3	3.9	445	16	0.14	0.06	18.21%
DD006A	DD006A-480	439	440	845.9	11.6	4.5	8.7	20.5	2	524.3	0.5	295.4	88.4	38.3	2.4	0.6	47.7	4.2	414	14	0.22	0.06	20.17%
DD006A	DD006A-481	440	441	566.4	8.9	3.7	6.4	14.5	1.8	364	0.5	172.2	54.1	24	1.8	0.6	41.5	4.3	343	16	0.15	0.05	17.80%
DD006A	DD006A-482	441	442	544.8	9.1	4.1	6.2	15.1	1.6	350.1	0.5	163.8	52.2	21.7	1.9	0.6	42.7	3.8	368	18	0.14	0.05	17.64%
DD006A	DD006A-483	442	443	482.5	9.9	4.2	5.5	15	1.9	307.1	0.5	146.4	45.8	20	1.9	0.7	47	4	459	10	0.13	0.07	17.49%
DD006A	DD006A-484	443	444	411.5	10.8	4.9	5.1	13.6	2	262.9	0.6	126.2	39.3	16.6	1.8	0.7	50.8	4.5	475	11	0.11	0.07	17.28%
DD006A	DD006A-485	444	445	255.8	7.3	3.7	4.4	11.1	1.4	139.6	0.4	93.9	27.5	14.4	1.4	0.5	37.9	3.1	426	3	0.07	0.06	20.01%
DD006A	DD006A-486	445	446.1	365.3	11.5	5.5	5.8	15.2	2.3	210.9	0.6	120	36.9	19.4	2.3	0.8	57.4	4.7	455	18	0.10	0.07	18.14%
DD006A	DD006A-487	446.1	447	791.7	14.4	6.1	10.3	23.9	2.6	482.7	0.6	242.2	76.7	34.1	2.8	0.9	67.4	5.2	440	62	0.21	0.06	18.01%
DD006A	DD006A-488	447	448	290.8	7.2	3.3	4.2	10.8	1.2	169.3	0.4	98.9	30	14.6	1.4	<0.5	34.3	3	389	6	0.08	0.06	19.14%
DD006A	DD006A-489	448	449	425.2	7.6	3.7	5.7	12.8	1.4	244	0.5	145.7	42.4	21.4	1.5	0.6	39.3	3.8	389	132	0.11	0.06	19.58%
DD006A	DD006A-490	449	450	658	13.4	5.8	10	23	2.3	370.8	0.6	232.4	68	34.3	2.5	0.9	62.1	5	474	52	0.17	0.07	20.06%
DD006A	DD006A-491	450	451	302.4	6.6	4.1	4.2	10.5	1.5	168.6	0.5	109.6	31.9	16.1	1.2	0.6	39	4	524	10	0.08	0.07	20.06%
DD006A	DD006A-492	450	451	254.1	5.9	3.2	3.4	8.5	1.3	138.8	0.4	91.7	26.8	12.9	1.2	0.5	32.2	3.1	562	8	0.07	0.08	20.16%
DD006A	DD006A-493	451	452	575	9.5	4.5	7.2	16.8	1.8	329.4	0.4	204.1	59.4	26.1	2	0.6	43.7	3.6	473	13	0.15	0.07	20.42%
DD006A	DD006A-494	452	453.07	399.1	7.9	3.3	5.7	13.7	1.3	249.8	0.4	130.9	39.9	20.1	1.6	0.5	35	3.3	436	37	0.11	0.06	18.62%