

NEW HIGH-GRADE GOLD/ANTIMONY TARGETS IDENTIFIED AT HURRICANE

Field sampling and mapping has confirmed multiple new high-grade gold–antimony prospects across the Hurricane Project with all new veins sampled returning significant gold and/or antimony mineralisation in rock chips at surface.

| High Grade Gold Targets | High Grade Gold/Antimony Targets |
|---|--|
| Nor'easter Prospect 25.78 g/t Au (IRX00180) 9.57 g/t Au (IRX00179) 8.05 g/t Au (IRX00182) | Howling Prospect 22.08% Sb and 1.77 g/t Au (IRX00117) 20.69% Sb and 0.78 g/t Au (IRX00114) 15.90% Sb and 0.74 g/t Au (IRX00235) 10.95% Sb and 0.93 g/t Au (IRX00237) 6.82% Sb and 3.11 g/t Au (IRX00236) |
| Twister Prospect 20.11 g/t Au (IRX00300) 8.23 g/t Au (IRX00293) 7.74 g/t Au (IRX00287) | Gale Prospect 18.26% Sb and 1.64 g/t Au (IRX00116) 15.28% Sb and 0.66 g/t Au (IRX00124) 13.35% Sb and 1.34 g/t Au (IRX00119) |
| Hurricane Prospect 9.61 g/t Au (IRX00385) | |
| Squall Prospect 6.91 g/t Au (IRX00350) | |

High-grade gold is now confirmed across at least 20 prospects at Hurricane (incl. Nor'easter, Twister, Hurricane, Squall, Gale) highlighting a district-scale mineralised system.

Rokeby Resources Limited (ASX: RKB) ("Rokeby" or "the Company") is pleased to announce assay results from its latest field mapping and sampling program at the 100% owned Hurricane Project in northern Queensland.

To assist with determining drill hole locations for the phase 2 drilling program at Hurricane, the Company completed further mapping and sampling of several key areas of the project, resulting in the identification of ten new prospects — Nor'easter, Twister, Howling, Gale, Squall, Blizzard, Thermal, Scud, Willy-willy and Buster. Assay results confirm numerous new zones of gold–antimony mineralisation across the broader Hurricane Project area.

Multiple rock chip samples returned multi-gram gold and double-digit antimony values, with peak assays of 25.78 g/t Au (IRX00180) from Nor'easter and 22.08% Sb with 1.77 g/t Au (IRX00117) from Howling. These results build on previous work and demonstrate the widespread distribution of mineralised veins throughout the project area, highlighting the scale and continuity of the orogenic gold–antimony system at Hurricane.

Follow-up work is underway to further refine drill targets and define the extent of high-grade mineralisation across these newly identified prospects.




Figure 1. Regional view of the Hurricane Project area, showing gold-in-rock assay results across key targets. Circles represent results reported previously (ASX: 5 & 13 February 2025), while squares show the latest sampling results.

RESULTS AND INTERPRETATION

Rock chip assays confirm that high-grade gold and antimony mineralisation occurs within multiple newly identified veins (including Nor'easter, Twister, Squall and Howling) within broader alteration zones developed along key structural trends.

Gold dominant Highlights include (full results in Appendix 1):

- 25.78 g/t Au (IRX00180) – Nor'easter Prospect
- 20.11 g/t Au (IRX00300) – Twister Prospect
- 9.61 g/t Au (IRX00385) – Hurricane Prospect
- 9.57 g/t Au (IRX00179) – Nor'easter Prospect
- 8.23 g/t Au (IRX00293) – Twister Prospect
- 8.05 g/t Au (IRX00182) – Nor'easter Prospect
- 7.74 g/t Au (IRX00287) – Twister Prospect
- 6.91 g/t Au (IRX00350) – Squall Prospect
- 3.90 g/t Au and 1.44% Sb (IRX00231) – Howling Prospect
- 3.88 g/t Au (IRX00372) – Blizzard Prospect

Antimony-rich samples from Howling and Gale contain up to 22.08% Sb, with associated multi-gram gold, defining a strong Sb–As–Au–Ag geochemical association typical of sediment-hosted orogenic gold systems. Vein mineralisation is primarily localised along sandstone–mudstone contacts, where rheology contrast and fault-related dilation have focused quartz–stibnite veining and brecciation.

Gold/Antimony Highlights include (full results in Appendix 1):

- 22.08% Sb and 1.77 g/t Au (IRX00117) – Howling Prospect
- 20.69% Sb and 0.78 g/t Au (IRX00114) – Howling Prospect
- 18.26% Sb and 1.64 g/t Au (IRX00116) – Gale Prospect
- 15.90% Sb and 0.74 g/t Au (IRX00235) – Howling
- 15.28% Sb and 0.66 g/t Au (IRX00124) – Gale Prospect
- 13.35% Sb and 1.34 g/t Au (IRX00119) – Gale Prospect
- 10.95% Sb and 0.93 g/t Au (IRX00237) – Howling Prospect
- 6.82% Sb and 3.11 g/t Au (IRX00236) – Howling Prospect
- 2.00% Sb and 0.71 g/t Au (IRX00153) – Thermal Prospect
- 1.73% Sb and 2.80 g/t Au (IRX00122) – Gale Prospect




Figure 2. Rock chip gold assay results from the Gale–Howling–Bouncer area, circles represent results reported previously (ASX: 5 & 13 February 2025), while squares show the latest sampling results.

STRUCTURAL REVIEW

In addition to the sampling program the Company completed structural mapping across the Hurricane Project to assess vein geometries, host lithologies, and structural controls on mineralisation. The work confirmed that the Hurricane and Retina Faults form a major sinistral fault pair that act as a first-order control on fluid flow, with dilation along NE-trending fold axes promoting the emplacement of multiple mineralised vein sets. These faults, together with a network of secondary splays and linking structures, host extensive quartz–sulphide vein systems across the project.

Vein styles mapped include sheeted and laminated shear veins, extensional quartz veins, and multi-stage breccia veins. These occur mainly in coarse sandstone units, commonly at lithological boundaries with mudstone. The rheological contrast between sandstone and mudstone is a key control, with the most developed sheeted and breccia vein systems occurring in the more competent sandstone layers.

At a district scale, the Gale–Howling–Bouncer area defines an antimony-rich structural domain, with NW–SE-trending fault splays off the Hurricane Fault providing the main controls on vein orientation and mineralisation.

The central area, encompassing Willy-willy, Thermal, Tornado, Cyclone, Holmes, Scud, Typhoon, Hurricane, Hurricane South, Squall and Monsoon, hosts extensive gold occurrences associated with Hurricane and Retina fault–fold network. This zone is situated within a dilational hinge zone across a NE-trending kink fold, a geometry highly favourable for fluid focusing and vein repetition.

The rock chip and structural data define a complex orogenic gold–antimony system developed within the Hodgkinson Province, displaying geological characteristics analogous to turbidite-hosted gold systems like Bendigo and Fosterville (VIC).




Figure 3. Structural setting of the Hurricane project showing Hurricane and Retina fault–fold network and dilational hinge zone along the Holmes/Typhoon corridor.

NEXT STEPS

Plans are being finalised for a Phase 2 reverse circulation (RC) drilling program at the Hurricane Project to refine target ranking systematic analysis is being undertaken, including:

- Detailed regolith mapping to identify areas of colluvium or thick soil cover that may conceal mineralisation.
- Reconnaissance soil lines across main vein corridors to assess pathfinder dispersion and determine whether gold halos extend beyond exposed veins.
- Expansion to a wider soil grid if broad geochemical halos are identified, to refine drill targeting and prioritise new areas for follow-up.

It is anticipated that Phase 2 drilling will build on the systematic analysis being undertaken and previous work that confirmed widespread gold and antimony mineralisation across multiple prospects including:

- Utilising results from structural interpretation to test for wide zones of mineralisation
- Testing for high-grade shoots within existing lodes at Bouncer South, Tornado and Holmes.
- Evaluating vein continuity in fresh rock where earlier drilling was restricted to weathered profiles.
- Conducting first-pass drilling at new high priority prospects to assess vein geometry and grade.

ABOUT THE HURRICANE PROJECT

The Hurricane Project is located in the Hodgkinson Province of northeastern Queensland, a structurally complex terrane within the Mossman Orogen and host to the historic Hodgkinson Goldfield.

The province is underlain by metamorphosed Siluro-Devonian turbiditic metasediments that have undergone multiple deformation events, including folding, thrusting, and brittle-ductile shearing — key controls on gold mineralisation.

Gold systems in the region are typical of orogenic deposits, with mineralisation hosted in quartz veins, breccias, and stockworks along reactivated fault zones. Mineralising fluids are interpreted to have originated from deep crustal sources.

At Hurricane, mineralisation is consistent with sediment-hosted orogenic gold systems, marked by a core Sb–As–Au–Ag geochemical signature. This association is shared with globally significant deposits such as Macraes (NZ) and Fosterville (VIC).

With favourable structural architecture, a well-established mineralising environment, and large areas still untested, the Hurricane Project offers strong potential for the discovery of new high-grade gold systems in a historically productive but underexplored district.




Figure 4. Location of the Hurricane Project in northeastern Queensland, approximately 125 km nor-northwest of Cairns. The project lies within the historically productive Hodgkinson Province and is surrounded by numerous past-producing gold mines and prospects.

This announcement has been authorised for release by the Board of Rokeby Resources Limited.

Investor Enquiries:

Trevor Benson
Chief Executive Officer
(08) 6263 4738
Info@rokebyresources.com.au

Media:

Peter Taylor
NWR Communications
0412 036 231
Peter@nwrcommunications.com.au

COMPETENT PERSON STATEMENT

The information in this report that relates to Data and Exploration Results is based on information compiled and reviewed by Mr. Gregor Bennett a Competent Person who is a Member of the Australian Institute of Geoscientists (AIG) and Exploration Manager at Rokeby Resources Limited. Mr. Bennett has sufficient experience relevant to the style of mineralisation and type of deposit under consideration and to the activity which he has undertaken to qualify as a Competent Person as defined in the 2012 Edition of the Australasian Code for the Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr. Bennett consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

Appendix 1

Table 1: Sample Locations and Assay Results (GDA94 Zone 55) – (NSR = no significant result)

| Sample | Prospect | Easting | Northing | RL | Au | Sb % |
|----------|---------------|---------|----------|-----|------|-------|
| IRX00094 | Bouncer South | 249787 | 8152330 | 327 | NSR | NSR |
| IRX00095 | Bouncer South | 249791 | 8152327 | 327 | NSR | NSR |
| IRX00096 | Bouncer South | 249837 | 8152271 | 327 | NSR | NSR |
| IRX00097 | Bouncer South | 249820 | 8152266 | 325 | NSR | NSR |
| IRX00098 | Bouncer South | 249640 | 8152145 | 318 | NSR | NSR |
| IRX00099 | Bouncer South | 249617 | 8152135 | 313 | 0.03 | NSR |
| IRX00100 | Bouncer South | 249592 | 8152160 | 308 | NSR | NSR |
| IRX00101 | Bouncer South | 249599 | 8152135 | 309 | 0.01 | NSR |
| IRX00102 | Bouncer South | 249596 | 8152151 | 309 | NSR | NSR |
| IRX00103 | Bouncer South | 249569 | 8152113 | 299 | NSR | NSR |
| IRX00104 | Bouncer South | 249476 | 8152103 | 288 | NSR | NSR |
| IRX00105 | Bouncer South | 249718 | 8152360 | 320 | 0.2 | NSR |
| IRX00106 | Bouncer South | 249741 | 8152382 | 325 | 0.07 | NSR |
| IRX00107 | Howling | 249929 | 8152361 | 311 | NSR | NSR |
| IRX00108 | Howling | 249955 | 8152417 | 313 | NSR | NSR |
| IRX00109 | Howling | 250063 | 8152461 | 328 | NSR | NSR |
| IRX00110 | Howling | 250051 | 8152565 | 331 | 0.01 | NSR |
| IRX00111 | Howling | 250072 | 8152591 | 331 | 0.14 | NSR |
| IRX00112 | Howling | 250074 | 8152610 | 330 | 0.01 | NSR |
| IRX00113 | Howling | 249991 | 8152707 | 309 | 0.01 | NSR |
| IRX00114 | Howling | 249810 | 8152780 | 326 | 0.78 | 20.69 |
| IRX00115 | Howling | 249787 | 8152794 | 321 | 0.11 | NSR |
| IRX00116 | Gale | 249277 | 8153394 | 281 | 1.64 | 18.26 |
| IRX00117 | Howling | 249772 | 8152799 | 318 | 1.77 | 22.08 |
| IRX00118 | Howling | 249778 | 8152786 | 317 | 0.13 | NSR |
| IRX00119 | Gale | 249288 | 8153390 | 280 | 1.34 | 13.35 |
| IRX00120 | Gale | 249294 | 8153372 | 284 | 3.29 | 0.17 |
| IRX00121 | Gale | 249261 | 8153422 | 276 | 0.07 | NSR |
| IRX00122 | Gale | 249257 | 8153439 | 274 | 2.8 | 1.73 |
| IRX00123 | Gale | 249285 | 8153429 | 274 | 1.17 | 0.178 |
| IRX00124 | Gale | 249293 | 8153443 | 273 | 0.66 | 15.28 |
| IRX00125 | Gale | 249148 | 8153452 | 281 | 0.02 | NSR |
| IRX00126 | Hurricane | 254845 | 8149908 | 383 | 0.02 | NSR |
| IRX00127 | Hurricane | 254786 | 8149926 | 382 | 0.02 | NSR |
| IRX00128 | Hurricane | 254843 | 8149967 | 373 | 0.01 | NSR |
| IRX00129 | Hurricane | 254468 | 8149983 | 428 | 0.15 | NSR |
| IRX00130 | Hurricane | 253981 | 8150039 | 475 | 0.01 | NSR |
| IRX00131 | Hurricane | 254364 | 8149982 | 442 | NSR | NSR |
| IRX00132 | Hurricane | 254185 | 8149927 | 461 | NSR | NSR |
| IRX00133 | Hurricane | 253892 | 8149689 | 503 | NSR | NSR |
| IRX00134 | Tornado | 253827 | 8149439 | 510 | NSR | NSR |
| IRX00135 | Tornado | 253840 | 8149132 | 494 | NSR | NSR |
| IRX00136 | Tornado | 253802 | 8148592 | 504 | NSR | NSR |
| IRX00137 | Cyclone | 252857 | 8148315 | 476 | 0.02 | NSR |
| IRX00138 | Cyclone | 252885 | 8148374 | 478 | 0.01 | NSR |
| IRX00139 | Cyclone | 252924 | 8148468 | 481 | 0.02 | NSR |
| IRX00140 | Thermal | 252881 | 8149079 | 457 | NSR | NSR |
| IRX00141 | Thermal | 252865 | 8149108 | 462 | NSR | NSR |
| IRX00142 | Thermal | 252607 | 8149137 | 459 | NSR | NSR |
| IRX00143 | Thermal | 252600 | 8149148 | 458 | 0.01 | NSR |
| IRX00144 | Thermal | 252762 | 8149270 | 488 | 0.02 | NSR |

| Sample | Prospect | Easting | Northing | RL | Au | Sb % |
|----------|-------------|---------|----------|-----|-------|------|
| IRX00145 | Thermal | 252757 | 8149282 | 490 | 0.04 | NSR |
| IRX00146 | Thermal | 252754 | 8149294 | 493 | 0.23 | NSR |
| IRX00147 | Thermal | 252752 | 8149308 | 496 | 1.79 | NSR |
| IRX00148 | Thermal | 252742 | 8149321 | 498 | 2.57 | NSR |
| IRX00149 | Thermal | 252717 | 8149317 | 498 | 1.72 | NSR |
| IRX00150 | Thermal | 252699 | 8149316 | 501 | 0.59 | NSR |
| IRX00151 | Thermal | 252675 | 8149310 | 496 | 0.18 | NSR |
| IRX00152 | Thermal | 252662 | 8149308 | 494 | 1.33 | NSR |
| IRX00153 | Thermal | 252641 | 8149312 | 488 | 0.71 | 2 |
| IRX00154 | Thermal | 252607 | 8149315 | 479 | 0.01 | NSR |
| IRX00155 | Thermal | 252595 | 8149322 | 475 | NSR | NSR |
| IRX00156 | Thermal | 252671 | 8149391 | 490 | 0.02 | NSR |
| IRX00157 | Thermal | 252658 | 8149414 | 491 | 1 | NSR |
| IRX00158 | Thermal | 252628 | 8149416 | 491 | 0.01 | NSR |
| IRX00159 | Thermal | 252911 | 8149364 | 480 | 0.02 | NSR |
| IRX00160 | Thermal | 252928 | 8149364 | 481 | 0.57 | NSR |
| IRX00161 | Thermal | 252906 | 8149296 | 476 | 0.01 | NSR |
| IRX00162 | Thermal | 252893 | 8149317 | 480 | 0.01 | NSR |
| IRX00163 | Nor'easter | 254771 | 8152028 | 306 | NSR | NSR |
| IRX00164 | Nor'easter | 254179 | 8152256 | 330 | 0.04 | NSR |
| IRX00165 | Nor'easter | 254166 | 8152269 | 331 | NSR | NSR |
| IRX00166 | Nor'easter | 254145 | 8152286 | 331 | NSR | NSR |
| IRX00167 | Nor'easter | 254117 | 8152312 | 333 | 0.01 | NSR |
| IRX00168 | Nor'easter | 254103 | 8152330 | 335 | NSR | NSR |
| IRX00170 | Nor'easter | 253988 | 8152416 | 317 | 0.02 | NSR |
| IRX00171 | Nor'easter | 254008 | 8152400 | 321 | NSR | NSR |
| IRX00172 | Nor'easter | 254036 | 8152409 | 325 | 0.01 | NSR |
| IRX00173 | Nor'easter | 254026 | 8152381 | 326 | NSR | NSR |
| IRX00174 | Nor'easter | 254042 | 8152376 | 330 | NSR | NSR |
| IRX00175 | Nor'easter | 254066 | 8152373 | 335 | NSR | NSR |
| IRX00176 | Nor'easter | 254211 | 8152350 | 313 | NSR | NSR |
| IRX00177 | Nor'easter | 253506 | 8152162 | 355 | 1.01 | NSR |
| IRX00178 | Nor'easter | 253485 | 8152280 | 351 | 0.02 | NSR |
| IRX00179 | Nor'easter | 253476 | 8152294 | 352 | 9.57 | NSR |
| IRX00180 | Nor'easter | 253475 | 8152305 | 352 | 25.78 | NSR |
| IRX00181 | Nor'easter | 253464 | 8152317 | 354 | 0.07 | NSR |
| IRX00182 | Nor'easter | 253452 | 8152349 | 355 | 8.05 | NSR |
| IRX00183 | Nor'easter | 253444 | 8152363 | 352 | 3.12 | NSR |
| IRX00184 | Nor'easter | 253430 | 8152373 | 348 | 0.7 | NSR |
| IRX00185 | Nor'easter | 253418 | 8152383 | 343 | 0.23 | NSR |
| IRX00186 | Willy-willy | 252346 | 8149936 | 420 | 0.04 | NSR |
| IRX00187 | Willy-willy | 252228 | 8149842 | 411 | NSR | NSR |
| IRX00188 | Willy-willy | 252489 | 8150303 | 464 | 1.01 | NSR |
| IRX00189 | Willy-willy | 252544 | 8150323 | 458 | 0.07 | NSR |
| IRX00190 | Willy-willy | 252635 | 8150393 | 461 | 0.05 | NSR |
| IRX00191 | Willy-willy | 252664 | 8150390 | 448 | 0.1 | NSR |
| IRX00192 | Willy-willy | 252344 | 8150356 | 440 | 0.02 | NSR |
| IRX00193 | Willy-willy | 252243 | 8150343 | 422 | 0.1 | NSR |
| IRX00194 | Willy-willy | 252178 | 8150325 | 415 | NSR | NSR |
| IRX00195 | Willy-willy | 252180 | 8150309 | 412 | 0.1 | NSR |
| IRX00196 | Willy-willy | 252205 | 8150306 | 414 | NSR | NSR |
| IRX00197 | Willy-willy | 252165 | 8150331 | 413 | 0.02 | NSR |
| IRX00198 | Willy-willy | 252189 | 8150125 | 437 | 0.21 | NSR |
| IRX00199 | Willy-willy | 252171 | 8150157 | 434 | 1.01 | NSR |

| Sample | Prospect | Easting | Northing | RL | Au | Sb % |
|----------|---------------|---------|----------|-----|------|-------|
| IRX00200 | Willy-willy | 252037 | 8150136 | 449 | 0.34 | NSR |
| IRX00201 | Willy-willy | 252011 | 8150127 | 444 | 0.12 | NSR |
| IRX00202 | Willy-willy | 251879 | 8150214 | 409 | 0.18 | NSR |
| IRX00203 | Willy-willy | 251895 | 8150297 | 404 | 0.01 | NSR |
| IRX00204 | Willy-willy | 251856 | 8150305 | 399 | 0.05 | NSR |
| IRX00205 | Willy-willy | 251803 | 8150346 | 389 | NSR | NSR |
| IRX00206 | Willy-willy | 251522 | 8150502 | 373 | 0.01 | NSR |
| IRX00207 | Willy-willy | 251510 | 8150511 | 378 | 0.06 | NSR |
| IRX00208 | Willy-willy | 251399 | 8150672 | 384 | 0.09 | NSR |
| IRX00209 | Willy-willy | 251351 | 8150711 | 382 | NSR | NSR |
| IRX00210 | Willy-willy | 251219 | 8150679 | 352 | NSR | NSR |
| IRX00211 | Willy-willy | 251247 | 8150909 | 361 | 0.31 | NSR |
| IRX00212 | Willy-willy | 251254 | 8150915 | 359 | 0.05 | NSR |
| IRX00213 | Willy-willy | 251228 | 8150659 | 350 | NSR | NSR |
| IRX00214 | Willy-willy | 251263 | 8150903 | 362 | 1.17 | NSR |
| IRX00215 | Willy-willy | 251283 | 8150902 | 357 | 0.18 | NSR |
| IRX00216 | Willy-willy | 251285 | 8150887 | 360 | 3.8 | NSR |
| IRX00217 | Willy-willy | 251346 | 8151570 | 405 | 0.23 | NSR |
| IRX00218 | Willy-willy | 251326 | 8151713 | 395 | NSR | NSR |
| IRX00219 | Willy-willy | 251357 | 8151729 | 396 | 0.02 | NSR |
| IRX00220 | Willy-willy | 251374 | 8151725 | 392 | NSR | NSR |
| IRX00221 | Howling | 250817 | 8152276 | 363 | NSR | NSR |
| IRX00223 | Howling | 250803 | 8152319 | 363 | NSR | NSR |
| IRX00224 | Howling | 250729 | 8152250 | 366 | NSR | NSR |
| IRX00225 | Howling | 250713 | 8152434 | 357 | NSR | NSR |
| IRX00226 | Howling | 250784 | 8152321 | 361 | NSR | NSR |
| IRX00227 | Howling | 250765 | 8152264 | 362 | NSR | NSR |
| IRX00228 | Howling | 250428 | 8152192 | 328 | NSR | NSR |
| IRX00229 | Howling | 250746 | 8152285 | 362 | NSR | NSR |
| IRX00230 | Howling | 250157 | 8152190 | 310 | 0.05 | NSR |
| IRX00231 | Howling | 250135 | 8152200 | 309 | 3.9 | 1.44 |
| IRX00232 | Howling | 250130 | 8152216 | 305 | 2.71 | NSR |
| IRX00233 | Howling | 250126 | 8152229 | 299 | 1.09 | NSR |
| IRX00234 | Howling | 250116 | 8152238 | 297 | 1.4 | NSR |
| IRX00235 | Howling | 250109 | 8152281 | 300 | 0.74 | 15.9 |
| IRX00236 | Howling | 250116 | 8152274 | 298 | 3.11 | 6.82 |
| IRX00237 | Howling | 250114 | 8152286 | 299 | 0.93 | 10.95 |
| IRX00238 | Howling | 250385 | 8152273 | 320 | 0.01 | 0.24 |
| IRX00239 | Howling | 250385 | 8152273 | 320 | 0.04 | NSR |
| IRX00240 | Bouncer South | 249818 | 8152044 | 284 | NSR | NSR |
| IRX00241 | Howling | 250024 | 8151866 | 310 | 0.01 | NSR |
| IRX00242 | Howling | 250248 | 8151789 | 350 | 0.02 | NSR |
| IRX00243 | Bouncer South | 249539 | 8152101 | 294 | NSR | NSR |
| IRX00244 | Bouncer South | 249134 | 8152367 | 289 | NSR | NSR |
| IRX00245 | Tornado | 253711 | 8148422 | 497 | 0.02 | NSR |
| IRX00246 | Hurricane | 255031 | 8149861 | 344 | 3.23 | NSR |
| IRX00247 | Scud | 253796 | 8148092 | 518 | 1.31 | NSR |
| IRX00248 | Scud | 253799 | 8148087 | 516 | 3.02 | NSR |
| IRX00250 | Scud | 253794 | 8148086 | 515 | 1.15 | NSR |
| IRX00251 | Scud | 253796 | 8148080 | 512 | 0.17 | NSR |
| IRX00252 | Scud | 253799 | 8148072 | 507 | 0.64 | NSR |
| IRX00253 | Scud | 253799 | 8148067 | 504 | 0.24 | NSR |
| IRX00254 | Scud | 253797 | 8148075 | 509 | 0.12 | NSR |
| IRX00255 | Scud | 253831 | 8148046 | 490 | 0.01 | NSR |

| Sample | Prospect | Easting | Northing | RL | Au | Sb % |
|----------|-----------|---------|----------|-----|-------|------|
| IRX00256 | Scud | 253855 | 8148098 | 518 | 0.01 | NSR |
| IRX00257 | Scud | 253826 | 8148092 | 518 | NSR | NSR |
| IRX00258 | Scud | 253826 | 8148088 | 516 | NSR | NSR |
| IRX00259 | Scud | 253810 | 8148083 | 513 | 0.02 | NSR |
| IRX00260 | Scud | 253790 | 8148098 | 517 | 0.33 | NSR |
| IRX00261 | Scud | 253780 | 8148094 | 513 | 0.76 | NSR |
| IRX00262 | Scud | 253772 | 8148092 | 510 | 0.12 | NSR |
| IRX00263 | Scud | 253771 | 8148083 | 509 | 0.12 | NSR |
| IRX00264 | Scud | 253780 | 8148085 | 512 | 1.13 | NSR |
| IRX00265 | Scud | 253788 | 8148094 | 516 | 1.48 | NSR |
| IRX00266 | Scud | 253581 | 8147879 | 459 | 0.36 | NSR |
| IRX00267 | Scud | 253468 | 8147887 | 470 | NSR | NSR |
| IRX00268 | Scud | 253436 | 8147871 | 479 | NSR | NSR |
| IRX00269 | Scud | 253581 | 8147879 | 459 | NSR | NSR |
| IRX00270 | Scud | 253396 | 8147864 | 477 | NSR | NSR |
| IRX00271 | Scud | 253749 | 8148058 | 505 | 0.42 | NSR |
| IRX00273 | Scud | 254007 | 8148225 | 503 | NSR | NSR |
| IRX00274 | Hurricane | 256250 | 8150332 | 309 | NSR | NSR |
| IRX00275 | Hurricane | 256088 | 8150401 | 318 | NSR | NSR |
| IRX00276 | Hurricane | 256058 | 8150355 | 316 | 0.01 | NSR |
| IRX00277 | Hurricane | 256034 | 8150275 | 312 | NSR | NSR |
| IRX00278 | Hurricane | 255533 | 8150336 | 330 | NSR | NSR |
| IRX00279 | Tornado | 253575 | 8149245 | 438 | NSR | NSR |
| IRX00280 | Tornado | 253889 | 8149389 | 498 | NSR | NSR |
| IRX00281 | Tornado | 253776 | 8149401 | 502 | NSR | NSR |
| IRX00282 | Tornado | 253795 | 8149383 | 503 | 0.02 | NSR |
| IRX00283 | Tornado | 253794 | 8149379 | 501 | 0.09 | NSR |
| IRX00284 | Twister | 255999 | 8148335 | 341 | 0.01 | NSR |
| IRX00285 | Twister | 256295 | 8148002 | 413 | NSR | NSR |
| IRX00286 | Twister | 256252 | 8147417 | 445 | NSR | NSR |
| IRX00287 | Twister | 256440 | 8147167 | 418 | 7.74 | NSR |
| IRX00288 | Twister | 256327 | 8147276 | 456 | 0.01 | NSR |
| IRX00289 | Twister | 256340 | 8147273 | 458 | 0.05 | NSR |
| IRX00290 | Twister | 256364 | 8147243 | 453 | 0.06 | NSR |
| IRX00291 | Twister | 256373 | 8147233 | 451 | 0.19 | NSR |
| IRX00292 | Twister | 256380 | 8147221 | 447 | 0.03 | NSR |
| IRX00293 | Twister | 256422 | 8147169 | 424 | 8.23 | NSR |
| IRX00294 | Twister | 256332 | 8147283 | 459 | 0.07 | NSR |
| IRX00295 | Twister | 256442 | 8147140 | 405 | 0.21 | NSR |
| IRX00296 | Twister | 256435 | 8147146 | 410 | 0.78 | NSR |
| IRX00297 | Twister | 256445 | 8147138 | 403 | 1.18 | NSR |
| IRX00298 | Twister | 256445 | 8147130 | 399 | 0.87 | NSR |
| IRX00299 | Twister | 256458 | 8147130 | 394 | 0.01 | NSR |
| IRX00300 | Twister | 256452 | 8147124 | 394 | 20.11 | NSR |
| IRX00301 | Twister | 256448 | 8147117 | 391 | 0.26 | NSR |
| IRX00302 | Twister | 256450 | 8147107 | 385 | 0.11 | NSR |
| IRX00303 | Twister | 256207 | 8147441 | 429 | 0.04 | NSR |
| IRX00304 | Twister | 256189 | 8147470 | 412 | 0.03 | NSR |
| IRX00305 | Twister | 256185 | 8147437 | 435 | NSR | NSR |
| IRX00306 | Twister | 256184 | 8147434 | 437 | NSR | NSR |
| IRX00307 | Twister | 256219 | 8147427 | 436 | NSR | NSR |
| IRX00308 | Twister | 256232 | 8147426 | 440 | NSR | NSR |
| IRX00309 | Twister | 256272 | 8147419 | 437 | NSR | NSR |
| IRX00310 | Twister | 256272 | 8147419 | 437 | 0.01 | NSR |

| Sample | Prospect | Easting | Northing | RL | Au | Sb % |
|----------|----------|---------|----------|-----|------|------|
| IRX00311 | Twister | 256267 | 8147432 | 438 | NSR | NSR |
| IRX00312 | Twister | 256085 | 8147198 | 482 | 0.01 | NSR |
| IRX00313 | Twister | 256089 | 8147200 | 483 | NSR | NSR |
| IRX00314 | Twister | 256088 | 8147204 | 486 | 0.02 | NSR |
| IRX00315 | Twister | 256091 | 8147206 | 487 | NSR | NSR |
| IRX00316 | Twister | 256083 | 8147208 | 489 | NSR | NSR |
| IRX00317 | Twister | 256213 | 8147434 | 433 | NSR | NSR |
| IRX00318 | Twister | 256085 | 8147217 | 495 | NSR | NSR |
| IRX00319 | Twister | 256076 | 8147227 | 501 | NSR | NSR |
| IRX00320 | Twister | 256081 | 8147220 | 497 | NSR | NSR |
| IRX00321 | Twister | 256066 | 8147223 | 499 | 0.01 | NSR |
| IRX00322 | Twister | 256063 | 8147232 | 503 | 0.03 | NSR |
| IRX00323 | Twister | 256053 | 8147246 | 501 | NSR | NSR |
| IRX00324 | Twister | 256058 | 8147312 | 462 | 0.9 | NSR |
| IRX00325 | Twister | 256066 | 8147309 | 463 | 0.01 | NSR |
| IRX00326 | Twister | 256066 | 8147309 | 463 | 0.11 | NSR |
| IRX00327 | Twister | 256078 | 8147299 | 469 | 0.22 | 0.34 |
| IRX00328 | Twister | 256077 | 8147299 | 469 | 0.04 | NSR |
| IRX00329 | Twister | 256725 | 8147465 | 385 | NSR | NSR |
| IRX00330 | Buster | 256235 | 8146458 | 481 | NSR | NSR |
| IRX00331 | Buster | 256317 | 8146394 | 477 | 0.01 | NSR |
| IRX00332 | Buster | 256098 | 8146453 | 491 | 0.7 | NSR |
| IRX00333 | Buster | 255985 | 8146687 | 508 | 0.4 | NSR |
| IRX00334 | Buster | 256223 | 8146468 | 478 | NSR | NSR |
| IRX00335 | Buster | 256211 | 8146478 | 472 | 0.01 | NSR |
| IRX00336 | Buster | 256201 | 8146483 | 470 | NSR | NSR |
| IRX00337 | Buster | 256148 | 8146449 | 493 | 0.01 | NSR |
| IRX00338 | Buster | 256142 | 8146405 | 489 | NSR | NSR |
| IRX00339 | Buster | 255981 | 8146697 | 509 | 0.94 | NSR |
| IRX00340 | Buster | 255937 | 8146716 | 529 | 0.05 | NSR |
| IRX00341 | Buster | 255933 | 8146728 | 531 | 0.01 | NSR |
| IRX00342 | Buster | 255894 | 8146727 | 531 | 0.4 | NSR |
| IRX00343 | Buster | 255701 | 8146490 | 496 | 0.31 | NSR |
| IRX00344 | Buster | 255696 | 8146479 | 493 | 2.8 | NSR |
| IRX00345 | Buster | 255748 | 8146507 | 496 | 0.26 | NSR |
| IRX00346 | Buster | 255775 | 8146491 | 492 | 0.04 | NSR |
| IRX00347 | Buster | 255951 | 8146163 | 488 | 0.01 | NSR |
| IRX00348 | Buster | 255955 | 8146155 | 488 | NSR | NSR |
| IRX00349 | Buster | 255866 | 8146661 | 502 | 1.48 | NSR |
| IRX00350 | Squall | 255342 | 8148792 | 359 | 6.91 | NSR |
| IRX00351 | Squall | 255334 | 8148814 | 355 | 0.08 | NSR |
| IRX00352 | Squall | 255349 | 8148767 | 353 | 0.07 | NSR |
| IRX00353 | Scud | 253685 | 8147531 | 444 | 0.01 | NSR |
| IRX00354 | Buster | 255697 | 8146433 | 488 | NSR | NSR |
| IRX00355 | Buster | 255659 | 8146422 | 487 | 0.02 | NSR |
| IRX00356 | Scud | 253769 | 8147313 | 448 | NSR | NSR |
| IRX00357 | Scud | 253770 | 8147001 | 418 | NSR | NSR |
| IRX00358 | Blizzard | 254738 | 8147340 | 522 | NSR | NSR |
| IRX00359 | Blizzard | 254923 | 8147296 | 519 | 0.14 | NSR |
| IRX00360 | Blizzard | 254928 | 8147272 | 517 | 0.06 | NSR |
| IRX00361 | Blizzard | 254928 | 8147260 | 514 | 0.05 | NSR |
| IRX00362 | Blizzard | 254921 | 8147307 | 515 | 0.08 | NSR |
| IRX00363 | Blizzard | 255659 | 8147112 | 531 | NSR | NSR |
| IRX00364 | Blizzard | 255725 | 8147056 | 537 | 0.18 | 0.2 |

| Sample | Prospect | Easting | Northing | RL | Au | Sb % |
|----------|-------------|---------|----------|-----|------|------|
| IRX00365 | Blizzard | 255697 | 8147062 | 547 | 0.56 | 0.22 |
| IRX00366 | Blizzard | 255705 | 8147049 | 543 | 0.68 | 0.17 |
| IRX00367 | Blizzard | 255723 | 8147056 | 538 | 0.01 | NSR |
| IRX00368 | Blizzard | 255693 | 8147077 | 543 | 2.69 | 0.25 |
| IRX00369 | Blizzard | 255626 | 8147125 | 526 | 1.77 | NSR |
| IRX00370 | Blizzard | 255617 | 8147129 | 527 | 3.43 | NSR |
| IRX00371 | Blizzard | 255611 | 8147136 | 526 | 2.15 | NSR |
| IRX00372 | Blizzard | 255594 | 8147146 | 527 | 3.88 | NSR |
| IRX00373 | Blizzard | 255586 | 8147153 | 529 | 1.54 | 0.44 |
| IRX00374 | Blizzard | 255617 | 8147120 | 528 | 0.01 | NSR |
| IRX00375 | Blizzard | 255572 | 8147154 | 529 | 0.01 | NSR |
| IRX00376 | Blizzard | 255564 | 8147167 | 530 | 0.44 | NSR |
| IRX00377 | Blizzard | 255548 | 8147171 | 529 | 1.14 | NSR |
| IRX00378 | Blizzard | 255537 | 8147182 | 526 | 0.59 | NSR |
| IRX00379 | Blizzard | 255556 | 8147168 | 530 | 1.57 | NSR |
| IRX00380 | Hurricane | 256156 | 8149285 | 333 | 0.11 | NSR |
| IRX00381 | Hurricane | 256155 | 8149285 | 333 | 0.49 | NSR |
| IRX00382 | Hurricane | 256154 | 8149284 | 333 | 0.1 | NSR |
| IRX00383 | Hurricane | 256153 | 8149284 | 333 | 0.02 | NSR |
| IRX00384 | Hurricane | 255479 | 8149815 | 348 | NSR | NSR |
| IRX00385 | Hurricane | 255505 | 8149818 | 343 | 9.61 | NSR |
| IRX00386 | Hurricane | 255508 | 8149820 | 343 | 0.02 | NSR |
| IRX00388 | Hurricane | 255028 | 8149854 | 346 | 0.02 | NSR |
| IRX00389 | Hurricane | 255030 | 8149860 | 345 | 0.01 | NSR |
| IRX00390 | Hurricane | 255031 | 8149861 | 344 | 0.82 | NSR |
| IRX00391 | Hurricane | 255032 | 8149863 | 344 | 0.03 | NSR |
| IRX00392 | Willy-willy | 252305 | 8150108 | 438 | NSR | NSR |

Appendix 2

JORC Code, 2012 Edition – Table 1

Section 1. Sampling Techniques and Data

| Criteria | JORC Code explanation | Commentary |
|-----------------------|--|--|
| Sampling techniques | <p><i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i></p> <p><i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></p> <p><i>Aspects of the determination of mineralisation that are Material to the Public Report.</i></p> <p><i>In cases where ‘industry standard’ work has been done this would be relatively simple (eg ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i></p> | <p>Samples were obtained from in-situ rock chip sampling conducted by Rokeby during geological reconnaissance at the Hurricane Project.</p> <p>Sampling was conducted across visibly mineralised outcrop, targeting quartz veining and associated alteration zones.</p> <p>Industry-standard sampling protocols and internal QAQC procedures were followed.</p> <p>All samples were submitted to Intertek Laboratories in Townsville for analysis using fire assay (for gold) and multi-element ICP-OES/ICP-MS techniques.</p> |
| Drilling techniques | <p><i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i></p> | Not applicable – No drilling reported in this release. |
| Drill sample recovery | <p><i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></p> <p><i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></p> | Not applicable – No drilling reported in this release. |

| Criteria | JORC Code explanation | Commentary |
|--|---|--|
| | <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i> | |
| Logging | <p><i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i></p> <p><i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i></p> <p><i>The total length and percentage of the relevant intersections logged.</i></p> | <p>Rock chip sample locations and geological observations were recorded in field notebooks and digitised into the company database.</p> <p>Logging included lithology, alteration style, veining, oxidation state, and visible mineralisation.</p> <p>Field logging was qualitative in nature, supported by handheld GPS and photographic records.</p> |
| Sub-sampling techniques and sample preparation | <p><i>If core, whether cut or sawn and whether quarter, half or all core taken.</i></p> <p><i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i></p> <p><i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i></p> <p><i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i></p> <p><i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i></p> <p><i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i></p> | <p>Approximately 1–3 kg rock chip samples were placed in labelled calico bags and transported to Intertek Townsville.</p> <p>At the laboratory, samples were dried, crushed to 10 mm, then pulverised to 85% passing 75 µm using LM5 or equivalent mills.</p> <p>Sample preparation followed Intertek’s internal protocols aligned with industry best practice.</p> <p>The sample size and preparation methods are considered appropriate for reconnaissance-scale rock chip sampling.</p> |
| Quality of assay data and laboratory tests | <p><i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i></p> <p><i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i></p> | <p>All samples were analysed at Intertek Townsville.</p> <p>Samples were subjected to 50 g fire assay with ICP-MS finish for gold.</p> <p>Multi-element analysis was performed by four-acid digest and ICP-OES/ICP-MS.</p> <p>Internal QAQC at the lab included standards, blanks, and duplicates.</p> <p>Assay data were reviewed by Rokeby staff, and no issues with assay quality or laboratory performance were identified.</p> |

| Criteria | JORC Code explanation | Commentary |
|--|---|--|
| | <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i> | |
| <i>Verification of sampling and assaying</i> | <p><i>The verification of significant intersections by either independent or alternative company personnel.</i></p> <p><i>The use of twinned holes.</i></p> <p><i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></p> <p><i>Discuss any adjustment to assay data.</i></p> | <p>Significant rock chip results were reviewed and verified by Rokeby technical staff.</p> <p>No external check assays or twin samples were submitted at this stage.</p> <p>Assay data were received from Intertek in digital format and imported into Rokeby's geological database.</p> <p>Geological logging and sample descriptions were recorded in the field using standard templates.</p> <p>No adjustments were made to the assay data.</p> |
| <i>Location of data points</i> | <p><i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></p> <p><i>Specification of the grid system used.</i></p> <p><i>Quality and adequacy of topographic control.</i></p> | <p>Sample locations were recorded using a handheld GPS, with accuracy generally within ± 3 m.</p> <p>Locations are reported in GDA94, MGA Zone 55.</p> <p>This is considered sufficient for early-stage reconnaissance exploration.</p> |
| <i>Data spacing and distribution</i> | <p><i>Data spacing for reporting of Exploration Results.</i></p> <p><i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></p> <p><i>Whether sample compositing has been applied.</i></p> | <p>Rock chip samples were collected at irregular intervals based on outcrop availability and visual prospectivity.</p> <p>This spacing is considered appropriate for reconnaissance exploration.</p> <p>No compositing of samples has been undertaken.</p> |
| <i>Orientation of data in relation to geological structure</i> | <p><i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i></p> <p><i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></p> | <p>Rock chip sampling is reconnaissance in nature and not designed to systematically test mineralised structures.</p> <p>Mapping indicates that mineralised quartz veins at the Bouncer prospect dip $\sim 40^\circ$ to the southwest, while Bouncer South structures dip $\sim 60^\circ$ west.</p> <p>No orientation-based sampling bias is known at this stage, but further work will be required to assess structural controls and optimise sample orientation.</p> |

| Criteria | JORC Code explanation | Commentary |
|-------------------|--|--|
| Sample security | <i>The measures taken to ensure sample security.</i> | <p>Sample security was maintained by Rokeby personnel from collection through to laboratory delivery.</p> <p>Samples were placed in calico bags, then sealed in polyweave sacks for transport.</p> <p>Samples were delivered directly to Intertek Townsville by company staff.</p> |
| Audits or reviews | <i>The results of any audits or reviews of sampling techniques and data.</i> | No external audits or reviews of sampling techniques or data have been completed at this time. |

Section 2. Reporting of Exploration Results.

| Criteria | JORC Code explanation | Commentary |
|---|---|--|
| Mineral tenement and land tenure status | <p><i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i></p> <p><i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i></p> | <p>The Hurricane Project is located in north Queensland and comprises three granted Exploration Permits for Minerals (EPMs): EPM 27518, EPM 25855, and EPM 19437.</p> <p>The tenements are held 100% by Rokeby Resources Limited through its wholly owned subsidiary, Placer Gold Pty Ltd.</p> <p>The project area covers parts of Hurricane Station and Nychum Station, both of which are freehold properties.</p> <p>Rokeby has secured land access agreements with both landholders in accordance with the Queensland Land Access Code.</p> <p>The area is subject to native title interests and ILUA agreements. Rokeby Resources is actively engaged with relevant stakeholders and has protocols in place for cultural heritage management and access.</p> <p>At the time of reporting, all tenements are in good standing, and there are no known impediments to ongoing exploration.</p> |
| Exploration done by other parties | <i>Acknowledgment and appraisal of exploration by other parties.</i> | <p>Historical exploration over the Hurricane Project area has been undertaken by several companies, notably Homestake Gold of Australia, Sanworth Pty Ltd, Pan Australian Exploration Pty Ltd, and others between the late 1980s and mid-1990s.</p> <p>Work focused on evaluating gold and antimony mineralisation associated with quartz breccia veins and structural corridors related to the Hurricane and Retina Fault systems.</p> <p>Sanworth Pty Ltd carried out regional stream sediment and rock chip sampling, identifying multiple gold and antimony anomalies within the project area. While some follow-up was completed, the work remained largely first-pass in nature.</p> <p>Homestake undertook more detailed field programs including mapping, rock chip sampling across multiple vein systems (Hurricane, Typhoon, Bouncer, Pedersen).</p> |

| Criteria | JORC Code explanation | Commentary |
|----------|--|---|
| | | <p>This work contributed to early interpretations of vein geometries and mineralisation styles, though no drilling was completed.</p> <p>Pan Australian compiled historical exploration data across the broader Hodgkinson Province and conducted regional geochemical reviews, identifying additional target areas based on multielement anomalies.</p> <p>Several other companies held overlapping or adjacent tenure but conducted only limited fieldwork, focusing on desktop assessments.</p> <p>The historical datasets, though fragmented and largely unvalidated, were later consolidated and reassessed by Placer Gold and Rokeby Resources to inform modern exploration strategies and target generation.</p> |
| Geology | <i>Deposit type, geological setting and style of mineralisation.</i> | <p>The Hurricane Project is located within the Hodgkinson Province of northeastern Queensland, a geologically complex terrane within the Mossman Orogen. The province hosts the historic Hodgkinson Goldfield, which produced approximately 9.7 tonnes of gold between 1875 and 1924 at an average grade of 37 g/t Au.</p> <p>The Hodgkinson Province is characterised by metamorphosed Siluro-Devonian turbiditic metasediments that have undergone multiple deformation events. These events resulted in tight folding, regional thrusting, and the development of brittle-ductile shear zones, which serve as primary controls on gold mineralisation.</p> <p>Gold systems in the region are typical of orogenic deposits, with mineralisation hosted in quartz veins, breccias, and stockwork vein arrays formed along reactivated fault zones. The mineralising fluids are interpreted to have originated from deep crustal sources, migrating upward along major structural conduits.</p> <p>Mineralisation at the Hurricane Project is consistent with sediment-hosted orogenic gold systems, defined by a core geochemical signature of Sb-As-Au-Ag. This association is common to several globally significant deposits, including Macraes (New Zealand) and Fosterville (Victoria).</p> <p>With favourable structural architecture, a well-established mineralising environment, and significant portions of the project area remaining untested by modern exploration, the Hurricane Project offers strong potential for the discovery of new high-grade gold systems in a historically productive but underexplored district.</p> |

| Criteria | JORC Code explanation | Commentary |
|---|---|--|
| <i>Drill hole Information</i> | <p><i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i></p> <p><i>easting and northing of the drill hole collar</i></p> <p><i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i></p> <p><i>dip and azimuth of the hole</i></p> <p><i>down hole length and interception depth</i></p> <p><i>hole length.</i></p> <p><i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i></p> | <p>No drilling results are reported in this announcement.</p> <p>Sampling relates solely to surface rock chip samples collected during field reconnaissance.</p> <p>Drill hole information is not applicable.</p> |
| <i>Data aggregation methods</i> | <p><i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i></p> <p><i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i></p> <p><i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i></p> | <p>No data aggregation or averaging techniques have been applied to the rock chip results.</p> <p>Individual sample assays are reported as received from the laboratory.</p> <p>No top-cuts have been applied.</p> <p>No metal equivalent values have been used or reported.</p> |
| <i>Relationship between mineralisation widths and intercept lengths</i> | <p><i>These relationships are particularly important in the reporting of Exploration Results.</i></p> <p><i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i></p> <p><i>If it is not known and only the down hole lengths are reported, there</i></p> | <p>Not applicable – no drilling results are reported in this announcement.</p> <p>Rock chip samples represent point data and do not reflect true widths of mineralisation.</p> |

| Criteria | JORC Code explanation | Commentary |
|---|--|---|
| | <i>should be a clear statement to this effect (eg 'down hole length, true width not known').</i> | |
| <i>Diagrams</i> | <i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i> | Relevant maps, sample locations and geological figures are provided in the main text of the announcement and associated appendices. |
| <i>Balanced reporting</i> | <i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i> | All rock chip assay results from the sampling program are reported, including both elevated and background values. No selective reporting of high-grade results has occurred. |
| <i>Other substantive exploration data</i> | <i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i> | All material exploration data, including geological context, sampling methods, and relevant historical information, has been included in the body of the announcement. Previous historical exploration work is referenced where applicable. |
| <i>Further work</i> | <i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i> | Further work will include additional geological mapping, infill and extension rock chip sampling, and planning of targeted drilling across priority vein systems. Specific focus areas include the Hurricane, Tornado, Holmes, and Bouncer vein sets where high-grade gold and antimony values have been identified. |