

9<sup>th</sup> December 2025

## **Maverick Springs Resource increased by 59Moz AgEq to 539Moz AgEq at 71g/t AgEq**

Strategic exploration, including re-assays and 2025 extensional drilling, has expanded the Maverick Springs Resource, increasing ounces and grade.

### Highlights:

- **Maverick Springs Resource increased by 59Moz AgEq to 539Moz AgEq at 71g/t AgEq (347.2Moz Ag at 45.5g/t Ag and 2.25Moz Au at 0.30g/t Au), driven by the 2025 drill campaign and extensive historical re-assay program.**
- **Silver-only Resource increased to 347.2Moz at 45.5g/t, an increase in both ounces and grade.**
- **Sun Silver has now delivered three Mineral Resource upgrades in under two years, demonstrating strong technical momentum and continuous value creation.**
- **The Maverick Springs system remains open in all directions, with 2024–2025 extensional drilling delivering some of the widest intercepts on the Mineral Resource boundary, paving the way for further significant growth.**
- **Silver was recently added to the 2025 U.S. Department of the Interior Critical Minerals List, enhancing U.S. and Australian government interest in Maverick Springs.**
- **China's new silver export controls and tax changes signal a shift toward resource sovereignty, further elevating the strategic importance of large-scale U.S. silver projects like Maverick Springs.**

Sun Silver Limited (ASX: SS1) ("**Sun Silver**" or "**the Company**") is pleased to report an updated Mineral Resource estimate for its **Maverick Springs Silver-Gold Project** in Nevada, USA ("**Maverick Springs**" or "**the Project**"), with the total Inferred Mineral Resource increasing by **59Moz** to **539Moz** silver equivalent.

### **Sun Silver Managing Director, Andrew Dornan, said:**

*"Delivering our third Mineral Resource upgrade in under two years highlights Maverick Springs' emergence as one of the most strategically important undeveloped silver assets in the United States. Our 2025 drill program and extensive re-assay work have added a further 59Moz AgEq, increasing the Resource to 539Moz AgEq at a higher grade of 71g/t AgEq, an 85% increase to the size of the Mineral Resource since listing. With silver now on the U.S. Critical Minerals List and China moving to restrict exports, the need for secure Western supply has never been clearer. Maverick Springs is exceptionally positioned to support domestic U.S. supply as we continue to expand and increase confidence in a system that remains open to the north and south."*



Sun Silver Limited

1/1 Tully Road, East Perth  
Western Australia 6004

info@sunsilver.com.au  
www.sunsilver.com.au

**Table 1 – Maverick Springs JORC Resource Upgrade**

| Classification | Cut-off<br>(g/t AgEq) | Tonnes<br>(Mt) | AgEq<br>(Moz) | AgEq (g/t) | Ag<br>(Moz) | Ag (g/t) | Au (Moz) | Au (g/t) |
|----------------|-----------------------|----------------|---------------|------------|-------------|----------|----------|----------|
| Inferred       | 30                    | 237.3          | 539           | 71         | 347.2       | 45.5     | 2.25     | 0.30     |

Cadre Geology and Mining was engaged by the Company for the completion and verification of the Mineral Resource upgrade.

Sun Silver's third Mineral Resource upgrade in under two years since listing continues to reinforce Maverick Springs' emergence as a strategically significant U.S. silver asset. The Project's scale, jurisdiction, and rapid growth trajectory position it at the centre of an increasingly important North American supply chain story.

The recent inclusion of silver on the 2025 U.S. Department of the Interior Critical Minerals List further elevates its strategic relevance, drawing heightened interest from both Australian federal agencies and U.S. government stakeholders. This designation underscores the essential role domestic silver supply will play in supporting clean energy technologies, electronics, defence applications, and economic security.

At the same time, China has introduced export controls on silver, removed key tax offsets, and tightened oversight on precious-metal exports. These actions mark a clear strategic pivot away from open commodity trade toward resource sovereignty and supply-chain leverage mirroring the pattern seen in prior rare earth restrictions. As global markets adjust to this shift, Maverick Springs stands out as a large-scale, U.S. based growth project capable of contributing meaningfully to Western supply-chain resilience.

The updated Mineral Resource estimate incorporates data from Sun Silver's 2025 extensional and infill drill holes and results from the multi-element re-assay program for silver and gold only (antimony not included in the Mineral Resource upgrade). Further infill drilling results remain outstanding and will be released as they are received in the coming months.

### **Multi-Element Re-Assay Program**

As part of Sun Silver's broader strategy to unlock the full multi-commodity potential of the Maverick Springs Project, the Company has completed an extensive re-assay campaign. The program targeted historical pulp samples held in storage, and where unavailable, remaining drill core and coarse rejects. These materials, previously analysed for silver and gold only, underwent comprehensive multi-element testing via four acid digest methods at American Assay Laboratories ("AAL").

Over 65 historical holes and 5,000 pulps were submitted to AAL for multi-element assay along with 200 pulps from 4 historical holes to ALS for additional third-party checks which validated the findings. Grade distribution plots (see Figure 1) were produced comparing multiple grade ranges and isolating drill sample types, and similar grade differences were noticed across the board. Mean comparisons were over 20% higher silver grades. Assays performed at ALS showed good agreement with AAL results and a similar uplift over the original regression data.

The pulp re-assays were performed using a four-acid digest method, with gravimetric fire assay applied to samples exceeding 100 g/t silver. Results have been benchmarked against the existing database values,

originally derived from Pre-2002 assays (1 assay ton (30g) fire assay) which were additionally subject to the regression calculation detailed in previous resource reports<sup>1</sup>.




Figure 1: QQ Grade Distribution Plots for silver mineralisation with four acid digest (left) and gravimetric fire assay (right) in re-analysed pulps (Y) compared to the supplied database with regression calculation (X).

Four-acid digest, which is widely regarded as a near-total digestion method suitable for silver and associated multi-element analysis, has been used by Sun Silver to reflect industry standards and recommendations by IMO in their recent metallurgical review of the Project<sup>2</sup>. Compared to the previously used two-acid digest (2002 to 2008 drilling), the four-acid method provides a more complete breakdown of minerals, leading to improved recovery and more accurate silver grade reporting. While fire assay (used at the project for pre-2002 assay analysis) remains the industry standard for precious metal determination, particularly at high grades, four-acid digest is commonly used in silver-dominant deposits due to its balance of accuracy across mineralisation styles, grade ranges, cost-effectiveness, and compatibility with large-scale resource work. The Company uses 4 acid digest for silver analysis with gravimetric fire assay for high grade (+100g/t Ag) as a current best-fit for the Project.

Analysis of the results initially look to be a consequence of a difference in analysis method (4 acid digest compared to fire assay), but when comparing the over limit +100g/t Ag results, which also undergo fire assay there is still a +20% uplift, which suggests a variation across the historic data set implying redundant application of a silver regression. The Pre-2002 drilling accounts for 136 of the 221 drilled holes (not including 2025 drilling) at the Project and includes diamond and reverse circulation (“RC”) drilling.

Through the resource modelling process, a cut-off grade of 30g/t AgEq was applied, broadly reflecting the economic viability of Nevada assets at lower grades due to their large-scale, bulk-tonnage nature, which supports cost-effective open-pit mining and efficient processing.

<sup>1</sup> Refer to Company Replacement Prospectus released 13 May 2024 and ASX announcement dated 26 March 2025.

<sup>2</sup> Refer to the Company's ASX announcement 6 May 2025 Metallurgical review highlights strong recovery potential.

As with previous Mineral Resource updates, Maverick Springs retains the flexibility to increase cut-off grades while maintaining its position as the largest pre-production primary silver asset<sup>3</sup> on the ASX and within the United States, as shown in Table 2, with full cut-off grade details provided in Table 3.

**Table 2 – Maverick Springs JORC Resource at Various Cut-off Grades**

| Cut-off<br>(g/t AgEq) | Million<br>Tonnes | AgEq (g/t) | AgEq (Moz) | Ag (g/t)    | Ag (Moz)     | Au (g/t)    | Au (Moz)    |
|-----------------------|-------------------|------------|------------|-------------|--------------|-------------|-------------|
| <b>30</b>             | <b>237.3</b>      | <b>71</b>  | <b>539</b> | <b>45.5</b> | <b>347.2</b> | <b>0.30</b> | <b>2.25</b> |
| 55                    | 134.6             | 92         | 399        | 63.0        | 272.8        | 0.34        | 1.48        |
| 65                    | 104.6             | 101        | 341        | 70.9        | 238.4        | 0.36        | 1.21        |

Highlighted drill holes from the 2025 drill campaign included within this Mineral Resource upgrade, include:

- MR25-211 – **70m at 160g/t AgEq** (144.5g/t Ag, 0.179g/t Au), including **22.4m at 460g/t AgEq** (440.5g/t Ag, 0.226g/t Au)<sup>4</sup>
- MR25-212 – **54.1m at 137g/t AgEq** (116.7g/t Ag, 0.23g/t Au), including **6.3m at 506g/t AgEq** (484.8g/t Ag, 0.25g/t Au)<sup>5</sup>

References to metal equivalents (**AgEq**) are based on an equivalency ratio of 85, which is derived from a gold price of USD\$2,433 and a silver price of USD\$28.50 per ounce, being derived from the average monthly metal pricing for the past three years, and average metallurgical recovery. Therefore:

$\text{AgEq} = \text{Silver grade} + (\text{Gold Grade} \times ((\text{Gold Price} \times \text{Gold Recovery}) / (\text{Silver Price} \times \text{Silver Recovery})))$  or,

$\text{AgEq (g/t)} = \text{Ag (g/t)} + (\text{Au (g/t)} \times ((2,433 \times 0.85) / (28.50 \times 0.85)))$

Metallurgical recoveries of 85% have been assumed for both silver and gold. Preliminary metallurgical recoveries were disclosed in the Company's prospectus dated 17 April 2024, which included a review of metallurgical test work completed by the prior owners of Maverick Springs. Metallurgical recoveries for both gold and silver were recorded in similar ranges, with maximum metallurgical recoveries of up to 97.5% in preliminary historical metallurgical testing in respect of silver and up to 95.8% in respect of gold. Gold recoveries were commonly recorded in the range of 80% - 90%, and the midpoint of this range has been adopted at present in respect of both silver and gold. It is the Company's view that both elements referenced in the silver and gold equivalent calculations have a reasonable potential of being recovered and sold.

Two long sections (Figure 2 and Figure 3) below highlight continuation of mineralisation along the hinge and mineralised intercepts above and below the current resource model.

<sup>3</sup> "largest" refers to ounces of silver contained in a mineral resource estimate reported in accordance with JORC or another recognised industry code. 'primary silver asset' is defined as silver being the primary commodity contained within the resource and makes up the majority percentage of the silver equivalent resource.

<sup>4</sup> For previously reported drillhole intercept see the Company's ASX announcement dated 2 July 2025

<sup>5</sup> For previously reported drillhole intercept see the Company's ASX announcement dated 3 September 2025




Figure 2 – Oblique Long Section Line A showing the Mineral Resource extent, near-surface mineralisation not included in this Mineral Resource upgrade (NAD83)<sup>6</sup>

<sup>6</sup> For previously reported drillhole intercepts see the Company's ASX announcements dated 24 September 2024 (MR24-190), 14 January 2025 (MR24-199), 26 March 2025 (Historic Drillhole Intercepts), 2 July 2025 (MR25-211) and 15 October 2025 (MR25-214).




Figure 3 – Oblique Long Section Line B showing the Mineral Resource extensions, near-surface mineralisation not included in this Mineral Resource upgrade (NAD83)<sup>7</sup>

<sup>7</sup> For previously reported drillhole intercepts see the Company's ASX announcements dated 12 September 2024 (MR24-191), 26 March 2025 (Historic Drillhole Intercepts), 20 November 2025 (MR25-250) and 26 November 2025 (MR25-230)..






Figure 4 - Plan View of drilling and mineralisation model.<sup>8</sup>

<sup>8</sup> For previously reported drillhole intercepts see the Company's ASX announcements dated 26 March 2025 (Historic Drillhole Intercepts), 3 September 2025 (MR25-212) and 15 October 2025 (MR25-218).

The Maverick Springs Project offers significant potential for further resource growth, with the mineralisation remaining open in all directions. The high-grade results detailed above and recorded within the north-west corner of the current Mineral Resource are significant. Not only do these results indicate a continuation of wide zones of mineralisation in that direction, but they also indicate grades that are higher than the current resource average and the thickness of the Mineral Resource continues along the hinge. This highlights the potential both to further expand the size of the Mineral Resource and to further increase the grade in the north-west section of the property.

Maverick Springs is located proximal to the Carlin Trend and displays characteristics similar to Carlin Style Deposits (refer to the Geology and geological interpretation below which outlines the basis of Maverick Springs geological interpretation). These proximal Carlin Style deposits and Maverick Springs are characterised by their fine dissemination of microscopic silver/gold particles within sedimentary rock formations. The mineralisation is typically hosted within carbonate rocks, such as limestone or dolomite, and associated with certain minerals like pyrite, arsenopyrite, and other sulfides.

The significance of Carlin-type geology lies in its potential for profitable low-grade mining, for the following key reasons:

1. **Large-Scale Deposits:** Carlin-type deposits tend to occur in clusters, containing multiple deposits in close proximity. These deposits can extend over significant areas, allowing for large-scale mining operations.
2. **Low-Grade Ore:** The softer host rocks and sheer volume of mineralisation often makes these deposits economically viable at a lower-grade compared to traditional vein deposits, although viability is not guaranteed.
3. **Cost-Effective Mining:** Due to their bulk-tonnage nature, Carlin-type deposits can be mined using open-pit methods, which are generally less expensive than underground mining. Additionally, advancements in processing techniques, such as heap leaching and cyanide extraction, have further lowered operating costs.
4. **Stable Production:** Carlin-type deposits typically have relatively consistent grades over large areas, providing stable production profiles for mining companies once production begins.

Overall, Carlin-type geology offers the opportunity for sustainable and profitable mining operations, even at lower ore grades, due to the large-scale, soft host rocks and consistent nature of these deposits, coupled with advancements in mining and extraction technologies.



## Summary of Resource Estimate and Reporting Criteria

Pursuant to ASX Listing Rule 5.8 and the 2012 JORC reporting guidelines, a summary of material information used to estimate the Mineral Resource is detailed below. For additional details, please refer to JORC Table 1, Sections 1 to 3 annexed to this announcement.

## Geology and Geological Interpretation

The Maverick Springs Project is located in northeast Nevada and sits just off the south-eastern extension of the world-renowned Carlin Trend. Previous Technical Reports have identified the Maverick Springs mineralisation as a Carlin-type or sediment/carbonate-hosted disseminated silver-gold deposit. Recent reviews by SGS in 2022 are of the opinion that the deposit has more affinity with a low-sulphidation, epithermal Au-Ag deposit. Recent fieldwork notes similarities to a Carbonate Replacement Deposit (CRD). Regardless, the geological setting remains the same. The mineralisation is hosted in Permian sediments (limestones, dolomites). The sediments have been intruded locally by Cretaceous acidic to intermediate igneous rocks and overlain by Tertiary volcanics, tuffs and sediments and underlain by Paleozoic sediments.

Mineralisation in the silty limestones and calcareous clastic sediments is characterised by pervasive decalcification, weak to intense silicification and weak alunitic argillisation alteration, dominated by micron sized silver and gold with related pyrite, stibiconite, stibnite, acanthite, and arsenic sulphides associated with intense fracturing and brecciation. Theories of mineralising events propose early-stage gold and silver coincident with decalcification and silicification of host rock, producing conditions for later stage brittle fracturing and vein-controlled silver mineralisation resulting in localised high-grade zones. Transitional zones with sulphides are intercalated with oxidised zones, and often overprinted by silicification, closer to the fresh rock interface which is generally 300m below surface with local variations.

The mineralisation body has been modelled as a large, continuous, sub-horizontal gently folded antiform from 120m below surface which dips more steeply towards the east to over 500m below surface. The thicker hinge runs approximately north-south. Separate modelling of the silver and gold mineralisation were undertaken for interpretation and targeting but are considered to occur together. The silver is interpreted as two closely stacked bodies, while the gold model appears broader and more uniform with some areas of internal dilution. The resource model is based on the silver equivalent grade to encompass both metals. Shallow mineralised strings were constructed during the earlier modelling process in 2025 revealing low grade material but are not included in the resource model. These are not considered reliable enough for resource modelling (CH and CR drill holes) but warrant additional exploration or validation by RC and diamond drilling.

## Drilling techniques

Numerous operators have spent time drilling the Maverick Springs Project throughout its history with records showing shallow conventional rotary and hammer drilling from 1987. This was eventually replaced by RC drilling in 1988-1989, with the addition of diamond core drilling (often with RC precollars) up to 1991. Additional RC drilling continued in 1998 sporadically through to 2008. Pre-2024, a total 195 holes were drilled at the Project for approximately 57,530m. Historic records are patchy in detail, especially prior to 2002 which are grouped as the Pre-2002 drilling category and are described as following industry standards at the time. Diamond drilling is recorded as HQ and NQ and RC drilling is expected to be by a face-sampling bit utilising wet drilling, but this is assumed and not specifically stated for Pre-2002 drilling. Post 2002 shows more

records, and includes standard 5-5.5" drill bits, the use of tricone bits, hammer bits and crossover subs, water injection, cyclones and splitters on track-mounted RC rigs.

The 2024 RC drill program was completed by Alford Drilling out of Elko, Nevada, using a track mounted rig drilling 5" holes. Drilling of the first two holes tested centre face sampling, vs traditional hammer, vs tricone bit above mineralisation depths for recovery and sample quality, with drilling since then and all mineralised intervals sampled via a traditional hammer setup (2ft lead between the bit interface and the sample return) which has shown the most reliable recovery of sample throughout the drill holes. Water injection is used to maximise sample recovery due to ground conditions and is typical to the area. Wet drilling has the potential to introduce sampling grade bias but this has not been observed yet and field duplicates have shown good reconciliation.

Drilling in 2025 continued with RC and diamond drilling by Alford and Wayfinder Drilling and typically involved RC precollars with diamond tails. RC drilling followed 2024 methods, while diamond drilling (triple tube HQ, and minor NQ) was considered to follow industry standards. Two PQ holes were drilled to supply material for metallurgical test work. Diamond core was cut longitudinally down its axis for sample intervals from 0.12 to 2m length, with sampling around intervals of core loss. Core was photographed wet and dry prior to sampling along with logging of RQDs, recoveries, SG, and geology.

The majority of the Pre-2002 drill holes were not surveyed down hole and have been given nominal dip and azimuth readings, while later 2002-2008 drilling (115 of the 195) used gyroscopic tools surveying on average every 50ft. The 2024 and 2025 drilling utilised downhole gyros during drilling with little movement noticed in vertical drill holes. Rare cases where the drill string deviated early were abandoned and re-drilled. Two angled extensional holes showed a drop in dip with depth and resulted in perpendicular interception with the mineralised body. Collars between 2002 and 2008 were surveyed via a handheld Magellan Meridian Platinum GPS with a reported accuracy of about 2ft (0.6m), while prior surveys methods are not known apart from coordinates in the provided database. 2024 collars and locatable historic collars were picked up by DGPS early in 2025 with some discrepancies noticed in the historic data coordinates. These changes have not had a material effect on resource modelling due to current drill spacing. The Mineral Resource incorporates drill results up to 5 December 2025. It does not include the more recently drilled 2025 drill collars. All coordinates are recorded or converted to be in NAD 83 UTM, Zone 11 for the resource estimation in metric units.

### **Sampling and sub-sampling techniques**

Historic database records show RC sampling was done almost exclusively at standard 5ft intervals (1.52m), while diamond sampling varied in length up to 10ft (~3.05m) and samples split longitudinally via manual percussion splitter in historic core sampling. The historic drilling database does not record individual sample recoveries and issues of low recovery in fractured ground have been raised in previous drilling. Some paper logs have been found recording recovery which are being compiled digitally by Sun Silver for reconciliation checks. From 2002 onwards attempts to improve sample recovery in broken ground and minimise loss of fines in RC drilling were made by implementing the use of wet drilling and collection through a cyclone and rotary wet splitter often with an added flocculent.

2024 and 2025 RC drill samples were recovered via a rotary wet splitter collecting wet samples at 5ft intervals. Drilling utilised a traditional hammer setup (2ft lead between the bit interface and the sample return) which reduced blockages. RC sample recoveries are estimated qualitatively. Diamond core sampling is up to 2m in length and sawn in half for assay. 2025 drill recoveries are measured quantitatively from the recovered drill core along with RQD measurements.

A regression calculation was applied to gold and silver values for all Pre-2002 drill holes based on pulp analysis of 1,174 samples in 2002. The original assays were analysed by 1 assay tonne fire assay, and the pulp re-analysis investigation is assumed to have used the same method. The conclusion was the original Angst assays were over-estimating silver and gold. Sun Silver has shown that the regression applied is underestimating silver grades compared to four acid digest analysis of the pulps. During 2025, Sun Silver analysed over 5,000 pulps from Angst drilling at AAL, with 200 check samples sent to ALS. Grade distribution and statistical analysis showed consistent underestimation in the historic silver data of over 20% compared to the new pulp re-assays across all grade ranges and led to the final decision to remove the 15% regression that had been applied to the silver grades in the database. The gold regression remains in place.

The 2002 to 2008 drilling by Vista and Silver Standard implemented consistent QAQC protocols including insertion of standards, blanks and duplicates in the field, and check analysis at other laboratories. These eras utilise 2 acid digest for silver analysis which appears to show lower silver grades compared to 2024 twin RC drilling utilising 4 acid digest methods. The gold by fire assays is comparable. Further investigation into this is warranted but as the grades are lower in the 2002-2008 results there doesn't appear to be risk of overestimation.

2024 and 2025 RC and diamond drilling included the insertion of blanks, standards and duplicates into the assay stream at a rate of approximately 1 in 20 and showed acceptable results. Rare, failed blanks had surrounding pulps reanalysed and were rectified with acceptable results. All standards were within three standard deviations from the mean, with majority within two. Duplicates showed good repeatability from RC and Diamond sampling for gold and silver.

Pre-2002 analysis underwent standard 1 assay ton fire assay with AA finish for gold and silver, and later Post 2002 drilling included aqua regia leach with AA finish for silver. Any silver value over 100ppm was re-run by 1 assay ton fire assay with a gravimetric finish. Only the 2008 drilling analysed by ALS had an additional 33 multi element ICP-AES analysis whereby silver was analysed by fire assay if detection was over 100ppm.

2024 and 2025 drill assay analysis included standard preparation circuit of dry, crush, split, and pulverise. Analysis of silver and multi-elements was by 4 acid digest with ICP-MS/OES finish, over limit silver (+100g/t) was analysed by gravimetric fire assay and gold was analysed by 50g fire assay with ICP-OES finish at AAL.

## **Estimation Methodology**

Since the Mineral Resource estimate reported on 26 March 2025, drilling in 2025 has added 29 holes to the Mineral Resource including two extensional holes, two metallurgical holes and multiple infill and pre-collared preparation holes awaiting diamond tail (with no assays). Estimation was via Inverse Distance Squared and using the block modelling function in Surpac. Variography was not deemed sufficient for geostatistical analysis. Estimation was carried out in metric units as per the updated database. Estimation was done on 1.52m (5-foot) composites, created digitally in Surpac, to represent drill sample intervals. Top cutting was employed on silver and gold composites to reduce the effect of high-grade assay outliers and their spatial influence. The empty block model was filled by ID<sup>2</sup> estimation restricted to the mineralisation domain in the block model separately for both silver and gold cut composite grades utilising search ellipses. AgEq was calculated in the block model from the ID<sup>2</sup> estimate for each metal using the equation  $AgEq = Ag + Au \cdot 85$ .

Parent block size for the estimation was at 120 x 120 x 60m in X, Y, Z dimensions. Sub blocking was allowed to 7.5 x 7.5 x 3.75m for volume resolution. One continuous wireframe was modelled on a section-by-section

basis with the silver and gold grades primarily driving the shape of the wireframe. Broad geological units were taken into consideration with mineralisation restricted to the Rib Hill Formation and not extending into the overlying tertiary cover.

Bulk Density assignment has been updated with field measurements taken on drill core in 2025. In total, 192 samples from 7 core (HQ) holes have been measured via water immersion utilising wet and dry weights. The core was classified by oxidation logged and averages produced from oxide, transitional, and fresh material. The drilling is restricted to the south-central part of the deposit, but the data is considered more comprehensive than the previous value derived from nine pycnometric measurements. The average readings produced a density of 2.48g/cm<sup>3</sup> for Oxide, 2.47g/cm<sup>3</sup> for Transitional material, and 2.33g/cm<sup>3</sup> for Fresh material. As the Transitional and Oxide material showed similar values and their spatial distinction is not clear cut at this stage, the lower value of 2.47g/cm<sup>3</sup> has been used for all material in the mineralisation model above fresh rock. This is ~5% increase for material above fresh rock, and a 0.85% decrease for fresh material compared to the previous estimate which used a blanket 2.35g/cm<sup>3</sup> for all material. The value is still conservative compared to the density reported historically of 2.58g/cm<sup>3</sup> and will be refined with further sampling. No assumptions regarding recovery of bi-products and no estimation of deleterious elements have been made.

### **Mineral Resource Classification**

The Mineral Resource remains classified as Inferred in accordance with the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC,2012). Determining classification involved consideration of multiple factors, with key factors including confidence in the geological interpretation and the historical data, the current drill hole coverage and previous estimates. Recommendations to increase drill density, verification of historic data and undertake additional metallurgical testwork remain a priority for future confidence upgrades.

### **Cut-off grades and modifying factors**

The Mineral Resource Estimate is reported at a cut-off grade of 30g/t AgEq. Table 3 demonstrates the sensitivity at various cut-off grades. The database has been updated with 2025 drilling up to 5 December 2025, replacement of silver and addition of multi-element analysis for ~5,000 pulps from Pre 2002 drilling, and the removal of the silver regression on original Pre-2002 drilling assays. Additionally, the new SG values have resulted in an increase in tonnes compared to previous estimates. SG has been modelled broadly from oxidation type, but measurements have been assessed for oxidation state, lithology and alteration type, and require more data points for refined modelling. The reporting of the global resource is under the assumption that deeper mineralisation could be amenable to underground mining methods in the future once an open pit mine has been completed and mining infrastructure established, and would be favoured by future, higher commodity prices. A grade tonnage curve is presented below to visually represent the details in Table 3. Swath plot analysis showed general smoothing of block grades and removal of outliers compared to composite grades, and only minor overestimation in the south where there is limited sampling, and only limited tonnes affected.

Investigations of metallurgy were undertaken at the Project in 2002, 2004 and 2006 and are still at the preliminary stages. Recoveries for gold and silver vary depending on grind size, reagent consumption and leaching retention time. Flotation tests did not appear to have a positive impact, while grind size and leach



time were the main factors affecting recoveries but are yet to be optimised. Early 2002 work on 15 composites samples tested showed recoveries between 28% and 65% for gold and 5% and 52% for silver. The 2004 study showed maximum recoveries from 63-97% for Silver and 35.7-97.1%, but more commonly in the 80-90%, range for gold. 2006 recoveries showed the best recoveries on ground material and ranged from 34-96% for gold, averaging 83% and 18-90% for silver, averaging 72%. The test work from 2002 stated preg-robbing from carbon was not a factor. A recovery of 85% is currently assumed for both gold and silver in respect of the Mineral Resource. Material collected in 2025 will undergo metallurgical tests to further investigate silver and gold recovery across different material and oxidation states which will influence future resource updates.




Figure 5 - Grade Tonnage Curve of Maverick Springs 2025 Mineral Resource Upgrade <150g/t AgEq cutoff (ID² Estimate)

**Table 3 – Maverick Springs JORC Resource at Various Cut off Grades**

| <b>Cut-off<br/>(g/t AgEq)</b> | <b>Million<br/>Tonnes</b> | <b>AgEq (g/t)</b> | <b>AgEq (Moz)</b> | <b>Ag (g/t)</b> | <b>Ag (Moz)</b> | <b>Au (g/t)</b> | <b>Au (Moz)</b> |
|-------------------------------|---------------------------|-------------------|-------------------|-----------------|-----------------|-----------------|-----------------|
| 20                            | 276.2                     | 64                | 570               | 40.9            | 363.1           | 0.27            | 2.44            |
| 22.5                          | 267.4                     | 66                | 564               | 41.8            | 359.7           | 0.28            | 2.41            |
| 25                            | 258.3                     | 67                | 557               | 42.9            | 356.5           | 0.28            | 2.36            |
| 27.5                          | 247.3                     | 69                | 548               | 44.3            | 352             | 0.29            | 2.30            |
| 30                            | 237.3                     | 71                | 539               | 45.5            | 347.2           | 0.30            | 2.25            |
| 32.5                          | 228.9                     | 72                | 530               | 46.5            | 342.5           | 0.30            | 2.21            |
| 35                            | 216.6                     | 74                | 517               | 48.2            | 335.6           | 0.31            | 2.13            |
| 37.5                          | 205.2                     | 76                | 504               | 49.8            | 328.5           | 0.31            | 2.06            |
| 40                            | 193.4                     | 79                | 489               | 51.7            | 321.6           | 0.32            | 1.97            |
| 42.5                          | 184.4                     | 80                | 477               | 53.2            | 315.2           | 0.32            | 1.90            |
| 45                            | 174.8                     | 82                | 464               | 54.8            | 308.2           | 0.33            | 1.83            |
| 47.5                          | 164.4                     | 85                | 448               | 56.7            | 299.9           | 0.33            | 1.74            |
| 50                            | 154.7                     | 87                | 433               | 58.5            | 290.8           | 0.34            | 1.67            |
| 52.5                          | 144.4                     | 90                | 416               | 60.8            | 282.3           | 0.34            | 1.57            |
| 55                            | 134.6                     | 92                | 399               | 63.0            | 272.8           | 0.34            | 1.48            |
| 57.5                          | 128.4                     | 94                | 388               | 64.7            | 266.9           | 0.34            | 1.42            |
| 60                            | 120.7                     | 96                | 373               | 66.5            | 257.9           | 0.35            | 1.36            |
| 62.5                          | 113.4                     | 98                | 359               | 68.4            | 249.6           | 0.35            | 1.29            |
| 65                            | 104.6                     | 101               | 341               | 70.9            | 238.4           | 0.36            | 1.21            |
| 67.5                          | 97.6                      | 104               | 326               | 73.0            | 228.9           | 0.36            | 1.14            |
| 70                            | 91.1                      | 106               | 311               | 74.9            | 219.3           | 0.37            | 1.08            |
| 72.5                          | 83.3                      | 110               | 294               | 77.8            | 208.4           | 0.37            | 1.00            |
| 75                            | 79.2                      | 112               | 284               | 79.3            | 201.8           | 0.38            | 0.96            |
| 77.5                          | 75.4                      | 113               | 275               | 80.8            | 196             | 0.38            | 0.93            |
| 80                            | 70.2                      | 116               | 262               | 83.1            | 187.7           | 0.38            | 0.87            |
| 82.5                          | 64.0                      | 119               | 245               | 86.3            | 177.6           | 0.39            | 0.80            |
| 85                            | 60.9                      | 121               | 237               | 87.8            | 171.9           | 0.39            | 0.76            |
| 87.5                          | 55.2                      | 125               | 221               | 90.8            | 161.2           | 0.40            | 0.71            |
| 90                            | 52.3                      | 127               | 213               | 92.0            | 154.7           | 0.41            | 0.69            |
| 92.5                          | 49.1                      | 129               | 203               | 94.0            | 148.3           | 0.41            | 0.65            |
| 95                            | 45.5                      | 132               | 193               | 95.9            | 140.4           | 0.42            | 0.62            |
| 97.5                          | 42.9                      | 134               | 185               | 97.9            | 134.9           | 0.42            | 0.58            |
| 100                           | 40.3                      | 136               | 176               | 99.7            | 129.2           | 0.43            | 0.56            |

## Maverick Springs Project

Sun Silver's cornerstone asset, the Maverick Springs Project, is located 85km from the fully serviced mining town of Elko in Nevada and is surrounded by several world-class gold and silver mining operations including Barrick's Carlin Mine.




Figure 6 – Sun Silver's Maverick Springs asset location and surrounding operators.

Nevada is a globally recognised mining jurisdiction which was rated as the Number 1 mining jurisdiction in the world by the Fraser Institute in 2022.

The Project, which is proximal to the prolific Carlin Trend, hosts a JORC Inferred Mineral Resource of approximately 237.3Mt grading 45.5g/t Ag and 0.3g/t Au for 347.2Moz of contained silver and 2.3Moz of contained gold (539Moz of contained silver equivalent).

The deposit itself remains open along strike and at depth, with multiple mineralised intercepts located outside of the current resource constrained model.

This announcement is authorised for release by the Board of Sun Silver Limited.

**ENDS**

**For more information:**

**Investors:**

Andrew Dornan  
Managing Director  
Sun Silver  
[info@sunsilver.com.au](mailto:info@sunsilver.com.au)

**Media:**

Nicholas Read  
Read Corporate  
P: +61 419 929 046  
E: [nicholas@readcorporate.com.au](mailto:nicholas@readcorporate.com.au)

**Forward-looking statements**

*This announcement may contain certain forward-looking statements, guidance, forecasts, estimates or projections in relation to future matters (**Forward Statements**) that involve risks and uncertainties, and which are provided as a general guide only. Forward Statements can generally be identified by the use of forward-looking words such as “anticipate”, “estimate”, “will”, “should”, “could”, “may”, “expects”, “plans”, “forecast”, “target” or similar expressions and include, but are not limited to, indications of, or guidance or outlook on, future earnings or financial position or performance of the Company. The Company can give no assurance that these expectations will prove to be correct. You are cautioned not to place undue reliance on any forward-looking statements. None of the Company, its directors, employees, agents or advisers represent or warrant that such Forward Statements will be achieved or prove to be correct or gives any warranty, express or implied, as to the accuracy, completeness, likelihood of achievement or reasonableness of any Forward Statement contained in this announcement. Actual results may differ materially from those anticipated in these forward-looking statements due to many important factors, risks and uncertainties. The Company does not undertake any obligation to release publicly any revisions to any “forward- looking statement” to reflect events or circumstances after the date of this announcement, except as may be required under applicable laws.*

**Competent Person Statement**

*The information in this announcement that relates to exploration results or estimates of mineral resources at the Maverick Springs Project are based on, and fairly represent, information and supporting documentation reviewed, and approved by Mr Brodie Box, MAIG. Mr Box is a geologist at Cadre Geology and Mining Ltd and has adequate professional experience with the exploration and geology of the style of mineralisation and types of deposits under consideration to qualify as a Competent Person as defined in the 2012 Edition of the Joint Ore Reserves Committee (JORC) Australasian Code for reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr Box consents to the form and context in which the results are presented in this announcement.*

*The information in this announcement that relates to previously reported exploration results at the Maverick Springs Project is extracted from the Company’s Replacement Prospectus dated 17 April 2024 (**Prospectus**) and ASX announcements dated 12 September 2024, 24 September 2024, 14 January 2025, 26 March 2025, 6 May 2025, 2 July 2025, 3 September 2025, 15 October 2025, 20 November 2025 and 26 November 2025 (**Original Announcements**). The Company confirms that it is not aware of any new information or data that materially affects the relevant information contained in the Prospectus and Original Announcements.*



## Appendix A – Drill Collar Database

| DHID  | DEPTH (m) | EAST (m) | NORTH (m) | ELEV (m) | AZM | DIP |
|-------|-----------|----------|-----------|----------|-----|-----|
| HP-1  | 129.54    | 644,777  | 4,444,421 | 2,185    | 0   | -90 |
| HP-2  | 116.74    | 644,282  | 4,445,261 | 2,289    | 0   | -90 |
| MR001 | 74.68     | 644,762  | 4,443,989 | 2,188    | 0   | -90 |
| MR002 | 91.44     | 644,791  | 4,443,991 | 2,195    | 0   | -90 |
| MR003 | 54.86     | 644,822  | 4,443,988 | 2,202    | 0   | -90 |
| MR004 | 92.96     | 643,782  | 4,444,005 | 2,208    | 0   | -90 |
| MR005 | 27.43     | 643,814  | 4,443,992 | 2,206    | 0   | -90 |
| MR006 | 9.14      | 644,914  | 4,443,909 | 2,215    | 0   | -90 |
| MR007 | 56.39     | 644,915  | 4,443,916 | 2,214    | 0   | -90 |
| MR008 | 99.06     | 644,983  | 4,443,864 | 2,225    | 0   | -90 |
| MR009 | 99.06     | 644,974  | 4,443,859 | 2,226    | 0   | -90 |
| MR010 | 103.63    | 644,975  | 4,443,861 | 2,225    | 0   | -90 |
| MR011 | 42.67     | 644,915  | 4,443,918 | 2,216    | 0   | -90 |
| MR012 | 99.06     | 644,828  | 4,443,931 | 2,201    | 0   | -90 |
| MR013 | 68.58     | 644,800  | 4,443,930 | 2,195    | 0   | -90 |
| MR014 | 88.39     | 644,690  | 4,443,986 | 2,177    | 0   | -90 |
| MR015 | 156.97    | 644,907  | 4,444,303 | 2,233    | 0   | -90 |
| MR016 | 167.64    | 644,957  | 4,444,333 | 2,229    | 0   | -90 |
| MR017 | 91.44     | 644,963  | 4,444,283 | 2,232    | 0   | -90 |
| MR018 | 48.77     | 644,894  | 4,444,360 | 2,222    | 0   | -90 |
| MR019 | 109.73    | 644,974  | 4,444,005 | 2,219    | 0   | -90 |
| MR020 | 7.62      | 644,873  | 4,444,045 | 2,213    | 0   | -90 |
| MR021 | 15.24     | 644,969  | 4,444,139 | 2,231    | 0   | -90 |
| MR022 | 60.96     | 644,907  | 4,444,170 | 2,233    | 0   | -90 |
| MR023 | 24.38     | 644,919  | 4,444,024 | 2,218    | 0   | -90 |
| MR024 | 18.29     | 644,931  | 4,444,018 | 2,217    | 0   | -90 |
| MR025 | 80.77     | 645,025  | 4,443,984 | 2,218    | 0   | -90 |
| MR026 | 35.05     | 645,037  | 4,444,350 | 2,202    | 0   | -90 |
| MR027 | 27.43     | 645,070  | 4,444,350 | 2,197    | 0   | -90 |
| MR028 | 30.48     | 645,160  | 4,444,721 | 2,165    | 0   | -90 |
| MR029 | 67.06     | 645,377  | 4,444,613 | 2,150    | 0   | -90 |
| MR030 | 25.91     | 645,269  | 4,444,667 | 2,156    | 0   | -90 |
| MR031 | 27.43     | 645,154  | 4,444,590 | 2,165    | 0   | -90 |
| MR032 | 48.77     | 645,383  | 4,444,482 | 2,165    | 0   | -90 |
| MR033 | 115.82    | 642,985  | 4,445,065 | 2,166    | 0   | -90 |
| MR034 | 59.44     | 643,028  | 4,444,992 | 2,169    | 0   | -90 |
| MR035 | 117.35    | 642,701  | 4,443,710 | 2,093    | 0   | -90 |
| MR036 | 111.25    | 642,706  | 4,443,642 | 2,108    | 0   | -90 |
| MR037 | 38.1      | 642,702  | 4,443,595 | 2,113    | 0   | -90 |
| MR038 | 128.02    | 645,843  | 4,445,719 | 2,130    | 0   | -90 |
| MR039 | 103.63    | 646,787  | 4,446,253 | 2,067    | 0   | -90 |
| MR040 | 182.88    | 645,676  | 4,444,969 | 2,137    | 0   | -90 |
| MR041 | 141.73    | 644,811  | 4,443,947 | 2,200    | 0   | -90 |
| MR042 | 164.59    | 644,700  | 4,443,997 | 2,178    | 0   | -90 |
| MR043 | 195.07    | 644,985  | 4,443,993 | 2,220    | 0   | -90 |
| MR044 | 85.34     | 645,018  | 4,443,975 | 2,218    | 0   | -90 |
| MR045 | 188.98    | 644,973  | 4,443,866 | 2,226    | 0   | -90 |
| MR046 | 175.26    | 644,585  | 4,444,055 | 2,165    | 0   | -90 |
| MR047 | 64.01     | 644,928  | 4,444,020 | 2,217    | 0   | -90 |
| MR048 | 115.82    | 644,616  | 4,444,175 | 2,169    | 0   | -90 |
| MR049 | 171.6     | 644,935  | 4,444,015 | 2,218    | 0   | -90 |
| MR050 | 213.66    | 644,503  | 4,443,960 | 2,160    | 0   | -90 |
| MR051 | 206.35    | 644,612  | 4,443,905 | 2,173    | 0   | -90 |

| DHID  | DEPTH (m) | EAST (m) | NORTH (m) | ELEV (m) | AZM | DIP |
|-------|-----------|----------|-----------|----------|-----|-----|
| MR052 | 51.82     | 644,821  | 4,443,799 | 2,197    | 0   | -90 |
| MR053 | 201.17    | 645,092  | 4,443,799 | 2,207    | 0   | -90 |
| MR054 | 162.15    | 644,727  | 4,443,846 | 2,181    | 0   | -90 |
| MR055 | 201.17    | 644,930  | 4,443,742 | 2,211    | 0   | -90 |
| MR056 | 195.07    | 644,829  | 4,443,801 | 2,197    | 0   | -90 |
| MR057 | 140.36    | 644,725  | 4,444,122 | 2,182    | 0   | -90 |
| MR058 | 393.19    | 645,848  | 4,445,704 | 2,131    | 0   | -90 |
| MR059 | 502.16    | 644,498  | 4,443,963 | 2,160    | 91  | -90 |
| MR060 | 387.71    | 644,391  | 4,444,017 | 2,171    | 196 | -90 |
| MR061 | 609.6     | 644,458  | 4,442,980 | 2,195    | 0   | -90 |
| MR062 | 358.75    | 644,369  | 4,444,165 | 2,186    | 258 | -90 |
| MR063 | 312.42    | 644,471  | 4,444,115 | 2,171    | 259 | -89 |
| MR064 | 557.78    | 645,377  | 4,444,614 | 2,151    | 239 | -90 |
| MR065 | 316.99    | 644,593  | 4,444,051 | 2,166    | 274 | -90 |
| MR066 | 609.6     | 645,157  | 4,444,722 | 2,165    | 190 | -90 |
| MR067 | 286.51    | 645,105  | 4,444,054 | 2,195    | 0   | -90 |
| MR068 | 487.68    | 645,216  | 4,444,561 | 2,160    | 137 | -90 |
| MR069 | 324.22    | 644,723  | 4,443,860 | 2,182    | 8   | -90 |
| MR070 | 388.62    | 644,399  | 4,444,286 | 2,188    | 260 | -90 |
| MR071 | 396.24    | 645,273  | 4,444,394 | 2,162    | 0   | -90 |
| MR072 | 304.5     | 644,619  | 4,443,903 | 2,175    | 24  | -90 |
| MR073 | 324.22    | 644,512  | 4,444,229 | 2,176    | 246 | -90 |
| MR074 | 374.23    | 644,291  | 4,444,074 | 2,178    | 345 | -90 |
| MR075 | 330.71    | 645,050  | 4,444,361 | 2,199    | 317 | -90 |
| MR076 | 332.54    | 644,613  | 4,444,177 | 2,169    | 40  | -90 |
| MR077 | 329.18    | 645,051  | 4,444,228 | 2,207    | 214 | -90 |
| MR078 | 518.16    | 645,326  | 4,444,227 | 2,179    | 68  | -90 |
| MR079 | 548.64    | 645,378  | 4,444,884 | 2,162    | 20  | -90 |
| MR080 | 607.47    | 645,427  | 4,444,439 | 2,168    | 301 | -90 |
| MR081 | 516.64    | 645,322  | 4,445,047 | 2,158    | 349 | -90 |
| MR082 | 281.03    | 644,725  | 4,444,121 | 2,184    | 172 | -90 |
| MR083 | 615.7     | 645,545  | 4,444,930 | 2,152    | 291 | -90 |
| MR084 | 603.5     | 645,491  | 4,445,101 | 2,156    | 349 | -90 |
| MR085 | 145.3     | 645,110  | 4,444,074 | 2,195    | 0   | -90 |
| MR086 | 349       | 645,368  | 4,444,070 | 2,194    | 28  | -90 |
| MR087 | 617.22    | 645,772  | 4,444,835 | 2,143    | 347 | -90 |
| MR088 | 542.54    | 645,466  | 4,445,317 | 2,156    | 185 | -90 |
| MR089 | 322.78    | 645,052  | 4,444,349 | 2,199    | 5   | -90 |
| MR090 | 518.16    | 645,537  | 4,444,394 | 2,174    | 228 | -90 |
| MR091 | 296.88    | 644,836  | 4,444,065 | 2,201    | 352 | -89 |
| MR092 | 402.34    | 644,966  | 4,443,857 | 2,225    | 306 | -90 |
| MR093 | 576.07    | 645,427  | 4,444,724 | 2,147    | 177 | -90 |
| MR094 | 569.98    | 645,488  | 4,444,560 | 2,156    | 8   | -90 |
| MR095 | 365.15    | 644,826  | 4,444,343 | 2,203    | 0   | -90 |
| MR096 | 640.08    | 645,593  | 4,444,775 | 2,141    | 79  | -90 |
| MR097 | 308.46    | 644,890  | 4,443,628 | 2,204    | 0   | -90 |
| MR098 | 458.66    | 644,478  | 4,443,907 | 2,160    | 2   | -89 |
| MR099 | 443.18    | 644,475  | 4,443,906 | 2,158    | 311 | -89 |
| MR100 | 738.23    | 643,817  | 4,443,989 | 2,206    | 260 | -90 |
| MR101 | 492.86    | 644,419  | 4,443,801 | 2,155    | 280 | -89 |
| MR102 | 401.73    | 644,538  | 4,444,012 | 2,162    | 335 | -89 |
| MR103 | 419.16    | 644,533  | 4,444,081 | 2,165    | 200 | -89 |
| MR104 | 426.57    | 644,446  | 4,443,990 | 2,164    | 340 | -89 |
| MR105 | 396.36    | 644,928  | 4,444,018 | 2,218    | 242 | -89 |
| MR106 | 603.5     | 644,260  | 4,444,326 | 2,196    | 241 | -90 |

| DHID      | DEPTH (m) | EAST (m) | NORTH (m) | ELEV (m) | AZM | DIP |
|-----------|-----------|----------|-----------|----------|-----|-----|
| MR107     | 412.7     | 644,402  | 4,443,740 | 2,153    | 304 | -88 |
| MR108     | 633.98    | 643,683  | 4,444,009 | 2,224    | 340 | -89 |
| MR109     | 609.6     | 642,936  | 4,444,163 | 2,119    | 57  | -88 |
| MR110     | 505.97    | 642,744  | 4,443,716 | 2,095    | 280 | -90 |
| MR111     | 981.46    | 642,976  | 4,445,046 | 2,164    | 230 | -89 |
| MR112     | 609.6     | 646,370  | 4,445,662 | 2,091    | 35  | -87 |
| MR113     | 926.59    | 642,926  | 4,445,355 | 2,179    | 270 | -89 |
| MR114     | 589.79    | 645,790  | 4,444,954 | 2,131    | 266 | -89 |
| MR115     | 609.6     | 646,790  | 4,446,254 | 2,067    | 3   | -89 |
| MR116     | 356.77    | 644,965  | 4,444,274 | 2,232    | 169 | -88 |
| MR117     | 822.96    | 642,906  | 4,443,424 | 2,117    | 39  | -89 |
| MR118     | 387.1     | 644,448  | 4,443,852 | 2,156    | 116 | -45 |
| MR119     | 755.9     | 642,312  | 4,443,683 | 2,074    | 197 | -89 |
| MR120     | 655.32    | 643,547  | 4,442,960 | 2,099    | 123 | -89 |
| MR121     | 357.53    | 644,640  | 4,444,027 | 2,173    | 249 | -90 |
| MR122     | 421.39    | 644,447  | 4,443,852 | 2,156    | 118 | -67 |
| MR123     | 609.6     | 644,120  | 4,444,017 | 2,167    | 261 | -90 |
| MR124     | 351.13    | 644,673  | 4,443,882 | 2,179    | 121 | -89 |
| MR125     | 391.06    | 645,153  | 4,445,003 | 2,177    | 276 | -89 |
| MR126     | 314.55    | 644,760  | 4,443,967 | 2,187    | 45  | -88 |
| MR127     | 370.64    | 644,587  | 4,443,986 | 2,168    | 351 | -89 |
| MR128     | 405.32    | 644,446  | 4,443,854 | 2,156    | 294 | -69 |
| MR129     | 304.8     | 644,680  | 4,444,799 | 2,206    | 274 | -89 |
| MR130     | 304.8     | 644,572  | 4,444,578 | 2,196    | 186 | -89 |
| MR131     | 310.9     | 644,546  | 4,444,364 | 2,181    | 245 | -89 |
| MR132     | 304.8     | 644,610  | 4,444,362 | 2,179    | 284 | -89 |
| MR133     | 304.8     | 644,633  | 4,444,484 | 2,184    | 181 | -89 |
| MR134     | 304.8     | 644,785  | 4,444,598 | 2,190    | 0   | -90 |
| MR135     | 304.8     | 644,842  | 4,444,806 | 2,202    | 0   | -90 |
| MR03-136  | 298.7     | 644,681  | 4,444,261 | 2,175    | 11  | -89 |
| MR03-137  | 152.4     | 644,772  | 4,444,237 | 2,191    | 0   | -90 |
| MR03-137A | 286.51    | 644,771  | 4,444,241 | 2,191    | 83  | -89 |
| MR03-138  | 365.76    | 644,555  | 4,443,679 | 2,168    | 344 | -89 |
| MR03-139  | 335.28    | 644,700  | 4,445,284 | 2,208    | 289 | -89 |
| MR03-140  | 181.36    | 644,569  | 4,444,848 | 2,217    | 0   | -90 |
| MR03-140A | 304.8     | 644,569  | 4,444,848 | 2,217    | 241 | -89 |
| MR03-141  | 304.8     | 644,666  | 4,444,582 | 2,194    | 57  | -89 |
| MR03-142  | 286.51    | 644,509  | 4,444,497 | 2,194    | 172 | -88 |
| MR03-143  | 265.18    | 644,432  | 4,444,405 | 2,196    | 109 | -89 |
| MR03-144  | 304.8     | 644,817  | 4,444,477 | 2,193    | 27  | -89 |
| MR03-145  | 231.65    | 644,722  | 4,444,406 | 2,180    | 27  | -89 |
| MR03-146  | 210.31    | 644,902  | 4,444,565 | 2,194    | 0   | -90 |
| MR03-147  | 256.03    | 644,760  | 4,444,706 | 2,198    | 224 | -89 |
| MR03-148  | 297.18    | 644,880  | 4,444,686 | 2,192    | 147 | -89 |
| MR03-149  | 190.5     | 644,669  | 4,444,685 | 2,201    | 0   | -90 |
| MR04-150  | 304.8     | 644,823  | 4,444,910 | 2,213    | 164 | -88 |
| MR04-151  | 304.8     | 644,559  | 4,444,731 | 2,204    | 164 | -89 |
| MR04-152  | 304.8     | 644,671  | 4,444,696 | 2,202    | 60  | -89 |
| MR04-153  | 304.8     | 644,766  | 4,444,709 | 2,198    | 241 | -89 |
| MR04-154  | 304.8     | 644,897  | 4,444,571 | 2,189    | 175 | -89 |
| MR04-155  | 304.8     | 644,427  | 4,444,587 | 2,204    | 283 | -89 |
| MR04-156  | 310.9     | 644,425  | 4,444,707 | 2,215    | 221 | -89 |
| MR04-157  | 304.8     | 644,822  | 4,445,123 | 2,190    | 209 | -89 |
| MR04-158  | 304.8     | 644,326  | 4,444,600 | 2,214    | 272 | -89 |
| MR04-159  | 304.8     | 644,429  | 4,444,493 | 2,196    | 327 | -89 |

| DHID      | DEPTH (m) | EAST (m) | NORTH (m) | ELEV (m) | AZM | DIP |
|-----------|-----------|----------|-----------|----------|-----|-----|
| MR04-160  | 304.8     | 645,033  | 4,444,512 | 2,184    | 148 | -89 |
| MR04-161  | 304.8     | 644,923  | 4,444,800 | 2,202    | 0   | -89 |
| MR04-162  | 304.8     | 644,655  | 4,444,923 | 2,219    | 356 | -89 |
| MR06-163  | 304.8     | 644,920  | 4,444,940 | 2,226    | 60  | -89 |
| MR06-164  | 304.8     | 644,723  | 4,445,062 | 2,225    | 79  | -89 |
| MR06-165  | 304.8     | 644,804  | 4,444,989 | 2,218    | 332 | -89 |
| MR06-166  | 335.28    | 644,492  | 4,444,885 | 2,225    | 263 | -89 |
| MR06-167  | 316.99    | 644,419  | 4,444,792 | 2,223    | 50  | -89 |
| MR06-168  | 335.28    | 644,303  | 4,444,693 | 2,221    | 198 | -89 |
| MR06-169  | 280.42    | 644,272  | 4,443,605 | 2,147    | 0   | -90 |
| MR06-170  | 286.51    | 644,273  | 4,443,605 | 2,147    | 125 | -69 |
| MR06-171  | 316.99    | 644,270  | 4,444,526 | 2,214    | 34  | -89 |
| MR06-172  | 304.8     | 644,372  | 4,444,448 | 2,201    | 314 | -89 |
| MR06-173  | 260.6     | 644,922  | 4,444,473 | 2,205    | 134 | -89 |
| MR06-174  | 304.8     | 644,357  | 4,443,686 | 2,151    | 97  | -89 |
| MR06-175  | 310.9     | 644,930  | 4,443,744 | 2,213    | 185 | -89 |
| MR06-176  | 304.8     | 644,826  | 4,443,812 | 2,199    | 288 | -89 |
| MR06-177  | 158.5     | 642,980  | 4,445,373 | 2,187    | 18  | -89 |
| MR06-178  | 152.4     | 642,887  | 4,445,422 | 2,184    | 0   | -90 |
| MR06-179  | 152.4     | 642,960  | 4,445,305 | 2,178    | 0   | -90 |
| MR06-180  | 152.4     | 642,881  | 4,445,325 | 2,184    | 0   | -90 |
| MR08-181  | 341.38    | 644,417  | 4,444,782 | 2,226    | 338 | -70 |
| MR08-182  | 335.28    | 644,417  | 4,444,794 | 2,223    | 291 | -70 |
| MR08-183  | 341.38    | 644,450  | 4,444,936 | 2,234    | 31  | -89 |
| MR08-184  | 350.52    | 644,390  | 4,444,972 | 2,241    | 303 | -89 |
| MR08-185  | 256.03    | 644,555  | 4,445,004 | 2,233    | 90  | -89 |
| MR24-186  | 294.13    | 644,343  | 4,444,871 | 2,245    | 0   | -90 |
| MR24-187  | 178.31    | 644,424  | 4,444,783 | 2,226    | 120 | -70 |
| MR24-188  | 268.22    | 644,425  | 4,444,787 | 2,226    | 0   | -90 |
| MR24-189  | 68.58     | 644,298  | 4,445,054 | 2,252    | 0   | -90 |
| MR24-189A | 320.04    | 644,301  | 4,445,054 | 2,256    | 0   | -90 |
| MR24-190  | 304.8     | 644,452  | 4,444,925 | 2,235    | 0   | -90 |
| MR24-191  | 301.75    | 644,448  | 4,445,059 | 2,243    | 0   | -90 |
| MR24-192  | 326.14    | 644,280  | 4,444,767 | 2,240    | 0   | -90 |
| MR24-193  | 350.52    | 644,152  | 4,444,583 | 2,227    | 0   | -90 |
| MR24-194  | 320.04    | 644,335  | 4,444,606 | 2,214    | 0   | -90 |
| MR24-195  | 304.8     | 644,306  | 4,444,680 | 2,223    | 0   | -90 |
| MR24-196  | 295.66    | 644,200  | 4,444,681 | 2,240    | 0   | -90 |
| MR24-197  | 304.8     | 644,413  | 4,444,703 | 2,217    | 0   | -90 |
| MR24-198  | 352.04    | 644,400  | 4,445,185 | 2,268    | 0   | -90 |
| MR24-199  | 338.33    | 644,479  | 4,445,126 | 2,259    | 0   | -90 |
| MR24-200  | 304.8     | 644,643  | 4,445,092 | 2,242    | 0   | -90 |
| MR24-201  | 304.8     | 644,722  | 4,445,038 | 2,226    | 0   | -90 |
| MR24-202  | 320.04    | 644,806  | 4,444,980 | 2,219    | 0   | -90 |
| MR24-203  | 365.76    | 644,260  | 4,445,213 | 2,285    | 0   | -90 |
| MR24-204  | 335.28    | 644,219  | 4,445,119 | 2,270    | 0   | -90 |
| MR24-205  | 210.31    | 644,422  | 4,444,785 | 2,224    | 120 | -70 |
| MR24-206  | 326.14    | 644,387  | 4,444,959 | 2,245    | 0   | -90 |
| MR24-207  | 335.28    | 644,235  | 4,444,516 | 2,213    | 0   | -90 |
| MR24-208  | 320.04    | 644,552  | 4,444,991 | 2,235    | 0   | -90 |
| MR24-209  | 320.04    | 644,662  | 4,444,913 | 2,218    | 0   | -90 |
| MR24-210  | 252.98    | 644,567  | 4,444,845 | 2,217    | 0   | -90 |
| MR25-211  | 360.27    | 644,400  | 4,445,179 | 2,265    | 30  | -60 |
| MR25-212  | 357.53    | 644,481  | 4,445,137 | 2,257    | 30  | -60 |
| MR25-213  | 253.11    | 644,478  | 4,445,126 | 2,257    | 0   | -90 |

| DHID      | DEPTH (m) | EAST (m) | NORTH (m) | ELEV (m) | AZM   | DIP    |
|-----------|-----------|----------|-----------|----------|-------|--------|
| MR25-214  | 354.18    | 644,412  | 4,444,707 | 2,214    | 0     | -90    |
| MR25-215  | 201.17    | 644,794  | 4,445,151 | 2,195    | 30    | -70    |
| MR25-216  | 249.94    | 644,272  | 4,444,768 | 2,240    | 0     | -90    |
| MR25-217  | 219.46    | 644,335  | 4,444,868 | 2,243    | 300   | -65    |
| MR25-218  | 308.15    | 644,422  | 4,444,794 | 2,224    | 120   | -70    |
| MR25-219  | 274.32    | 644,194  | 4,444,678 | 2,240    | 0     | -90    |
| MR25-220  | 188.98    | 644,447  | 4,445,065 | 2,244    | 0     | -90    |
| MR25-221  | 360.27    | 644,259  | 4,445,218 | 2,289    | 30    | -60    |
| MR25-227  | 342.9     | 644,532  | 4,443,869 | 2,165    | 0     | -90    |
| MR25-228  | 152.4     | 644,485  | 4,443,900 | 2,160    | 300   | -86    |
| MR25-229  | 340.46    | 644,425  | 4,443,916 | 2,163    | 0     | -89    |
| MR25-230  | 335.28    | 644,511  | 4,443,936 | 2,163    | 110.3 | -75.35 |
| MR25-231  | 166.73    | 644,484  | 4,444,034 | 2,164    | 0     | -90    |
| MR25-232  | 140.21    | 644,795  | 4,443,797 | 2,196    | 300   | -82    |
| MR25-233  | 152.4     | 644,538  | 4,444,134 | 2,169    | 0     | -90    |
| MR25-234  | 335.28    | 644,610  | 4,444,112 | 2,168    | 300   | -86    |
| MR25-235  | 202.69    | 644,525  | 4,444,008 | 2,164    | 0     | -90    |
| MR25-237  | 246.28    | 644,701  | 4,443,985 | 2,177    | 0     | -90    |
| MR25-247  | 305.07    | 644,585  | 4,444,049 | 2,164    | 0     | -90    |
| MR25-248  | 48.77     | 644,852  | 4,443,830 | 2,198    | 0     | -90    |
| MR25-248a | 134.11    | 644,852  | 4,443,825 | 2,202    | 0     | -90    |
| MR25-249  | 164.59    | 644,903  | 4,443,892 | 2,210    | 300   | -80    |
| MR25-250  | 331.01    | 644,579  | 4,443,973 | 2,170    | 0     | -90    |
| MR25-253  | 59.44     | 644,913  | 4,443,920 | 2,211    | 300   | -85    |
| MR25-253a | 152.4     | 644,914  | 4,443,920 | 2,218    | 300   | -85    |
| MR25-253b | 134.11    | 644,914  | 4,443,920 | 2,218    | 300   | -85    |



## Appendix B – Resource Estimation Material Intercepts

| Hole ID | Interval (m) | Ag FA (g/t) | Au FA (g/t) | From (m) | To (m) |
|---------|--------------|-------------|-------------|----------|--------|
| MS005   | 13.72        | 58.9        | 0.59        | 236.22   | 249.94 |
| MR042   | 18.29        | 16.1        | 0.24        | 132.59   | 150.88 |
| MR043   | 3.05         | 17.2        | 0           | 190.5    | 193.55 |
| MR046   | 7.62         | 376.9       | 0.12        | 167.64   | 175.26 |
| MR050   | 28.49        | 38.5        | 0.72        | 185.17   | 213.66 |
| MR051   | 1.52         | 9.2         | 0.3         | 204.83   | 206.35 |
| MR054   | 33.22        | 8.5         | 0.29        | 128.93   | 162.15 |
| MR056   | 30.48        | 45.6        | 0.25        | 164.59   | 195.07 |
| MR057   | 17.37        | 29.4        | 0.08        | 120.7    | 138.07 |
| MR059   | 152.7        | 32.6        | 0.49        | 186.69   | 339.39 |
| MR060   | 44.19        | 31.8        | 0.26        | 278.89   | 323.08 |
| MR061   | 12.19        | 11.7        | 0.5         | 379.48   | 391.67 |
| MR062   | 11.73        | 5.8         | 0.55        | 276      | 287.73 |
| MR063   | 76.53        | 40.4        | 0.25        | 204.37   | 280.9  |
| MR064   | 22.86        | 13.4        | 0.14        | 374.9    | 397.76 |
| MR065   | 112.78       | 33.4        | 0.27        | 172.82   | 285.6  |
| MR066   | 54.86        | 43.5        | 0.29        | 263.65   | 318.51 |
| MR067   | 51.81        | 9.8         | 0.23        | 234.7    | 286.51 |
| MR068   | 42.67        | 45.2        | 0.34        | 309.37   | 352.04 |
| MR069   | 119.02       | 26.6        | 0.17        | 128.63   | 247.65 |
| MR070   | 12.19        | 41.6        | 0.23        | 277.22   | 289.41 |
| MR071   | 42.68        | 29.3        | 0.16        | 291.08   | 333.76 |
| MR072   | 61.84        | 53.8        | 0.36        | 202.54   | 264.38 |
| MR073   | 113.77       | 34.2        | 0.44        | 178.16   | 291.93 |
| MR075   | 97.53        | 47.1        | 0.16        | 173.74   | 271.27 |
| MR076   | 121.67       | 23.9        | 0.24        | 171.3    | 292.97 |
| MR077   | 65.54        | 24.4        | 0.21        | 199.64   | 265.18 |
| MR079   | 30.48        | 92.1        | 0.17        | 434.34   | 464.82 |
| MR080   | 22.86        | 63.5        | 0.04        | 431.29   | 454.15 |
| MR081   | 53.34        | 28.9        | 0.16        | 399.29   | 452.63 |
| MR082   | 107.6        | 50.4        | 0.28        | 120.09   | 227.69 |
| MR083   | 45.72        | 41.2        | 0.48        | 524.26   | 569.98 |
| MR084   | 59.43        | 37.2        | 0.07        | 544.07   | 603.5  |
| MR088   | 10.66        | 180.1       | 0.42        | 531.88   | 542.54 |
| MR089   | 86.72        | 54.6        | 0.29        | 178.43   | 265.15 |
| MR091   | 128.01       | 43.2        | 0.19        | 133.2    | 261.21 |
| MR092   | 54.86        | 25.8        | 0.24        | 222.5    | 277.36 |
| MR093   | 3.05         | 27.5        | 0           | 434.34   | 437.39 |
| MR093   | 1.52         | 17.8        | 0           | 440.44   | 441.96 |
| MR093   | 123.44       | 99.6        | 0.07        | 452.63   | 576.07 |
| MR094   | 1.53         | 6.9         | 0.22        | 496.82   | 498.35 |
| MR094   | 10.67        | 155.5       | 0           | 507.49   | 518.16 |
| MR095   | 103.02       | 37.6        | 0.16        | 134.42   | 237.44 |
| MR096   | 33.52        | 24.5        | 0.29        | 524.26   | 557.78 |
| MR097   | 42.68        | 12          | 0.34        | 245.36   | 288.04 |
| MR098   | 104.76       | 35.1        | 0.44        | 214.88   | 319.64 |
| MR099   | 104.24       | 34.6        | 0.3         | 216.1    | 320.34 |
| MR101   | 70.11        | 49.5        | 0.38        | 230.73   | 300.84 |
| MR102   | 115.79       | 27.3        | 0.36        | 175.17   | 290.96 |
| MR103   | 104.02       | 30.8        | 0.34        | 173.74   | 277.76 |
| MR103   | 6.4          | 2.6         | 0.21        | 286.18   | 292.58 |
| MR104   | 25.57        | 59.2        | 1.35        | 248.11   | 273.68 |
| MR104   | 7.98         | 5.4         | 0.15        | 279.23   | 287.21 |

| Hole ID   | Interval (m) | Ag FA (g/t) | Au FA (g/t) | From (m) | To (m) |
|-----------|--------------|-------------|-------------|----------|--------|
| MR105     | 107.2        | 16.9        | 0.28        | 167.64   | 274.84 |
| MR106     | 7.62         | 0           | 0.36        | 284.99   | 292.61 |
| MR107     | 62.79        | 15.9        | 0.5         | 236.52   | 299.31 |
| MR116     | 59.93        | 34.8        | 0.13        | 209.73   | 269.66 |
| MR118     | 35.84        | 36.5        | 0.39        | 260.91   | 296.75 |
| MR121     | 6.34         | 4.3         | 0.21        | 163.37   | 169.71 |
| MR121     | 73.31        | 52.3        | 0.25        | 181.72   | 255.03 |
| MR122     | 94.67        | 34          | 0.38        | 239.39   | 334.06 |
| MR124     | 117.9        | 45.4        | 0.23        | 135.85   | 253.75 |
| MR125     | 21.33        | 25.5        | 0.08        | 368.81   | 390.14 |
| MR126     | 136.67       | 35.4        | 0.14        | 125.58   | 262.25 |
| MR127     | 117.28       | 88.3        | 0.37        | 176.24   | 293.52 |
| MR128     | 21.19        | 40.6        | 0.5         | 296.11   | 317.3  |
| MR129     | 79.24        | 48.8        | 0.27        | 211.84   | 291.08 |
| MR130     | 62.48        | 132.7       | 0.25        | 196.6    | 259.08 |
| MR131     | 115.83       | 15.7        | 0.41        | 172.21   | 288.04 |
| MR132     | 99.06        | 17.7        | 0.37        | 182.88   | 281.94 |
| MR133     | 94.49        | 34.8        | 0.26        | 156.97   | 251.46 |
| MR134     | 67.06        | 24.3        | 0.26        | 179.83   | 246.89 |
| MR135     | 36.58        | 97.8        | 0.89        | 210.31   | 246.89 |
| MR03-136  | 44.19        | 41          | 0.32        | 178.31   | 222.5  |
| MR03-137A | 76.2         | 10.3        | 0.13        | 160.02   | 236.22 |
| MR03-138  | 48.77        | 60.5        | 0.38        | 248.41   | 297.18 |
| MR03-139  | 36.57        | 63.3        | 0.07        | 227.08   | 263.65 |
| MR03-140A | 123.44       | 15          | 0.27        | 158.5    | 281.94 |
| MR03-141  | 124.97       | 66          | 0.35        | 164.59   | 289.56 |
| MR03-142  | 118.87       | 25.6        | 0.38        | 167.64   | 286.51 |
| MR03-143  | 67.06        | 61.6        | 0.38        | 198.12   | 265.18 |
| MR03-144  | 103.64       | 31.1        | 0.38        | 161.54   | 265.18 |
| MR03-145  | 79.25        | 23.5        | 0.26        | 140.21   | 219.46 |
| MR03-146  | 27.43        | 73.6        | 0.54        | 182.88   | 210.31 |
| MR03-147  | 74.68        | 42.1        | 0.56        | 169.16   | 243.84 |
| MR03-148  | 32.01        | 35          | 0.36        | 222.5    | 254.51 |
| MR03-149  | 30.48        | 6.3         | 0.26        | 156.97   | 187.45 |
| MR04-150  | 41.14        | 15.5        | 0.35        | 188.98   | 230.12 |
| MR04-151  | 76.2         | 19.6        | 0.27        | 167.64   | 243.84 |
| MR04-152  | 117.34       | 27.4        | 0.22        | 158.5    | 275.84 |
| MR04-153  | 123.44       | 19.6        | 0.25        | 178.31   | 301.75 |
| MR04-154  | 47.25        | 106.4       | 0.56        | 207.26   | 254.51 |
| MR04-155  | 102.11       | 20.2        | 0.35        | 193.55   | 295.66 |
| MR04-156  | 92.96        | 23.8        | 0.29        | 190.5    | 283.46 |
| MR04-157  | 35.05        | 49          | 0.08        | 219.46   | 254.51 |
| MR04-158  | 54.86        | 20.1        | 0.24        | 249.94   | 304.8  |
| MR04-159  | 85.34        | 45.6        | 0.32        | 198.12   | 283.46 |
| MR04-160  | 39.62        | 43.8        | 0.25        | 190.5    | 230.12 |
| MR04-161  | 32           | 36.8        | 0.49        | 262.13   | 294.13 |
| MR04-162  | 44.2         | 71.3        | 0.31        | 207.26   | 251.46 |
| MR06-163  | 44.19        | 78.4        | 0.46        | 242.32   | 286.51 |
| MR06-164  | 48.77        | 19.1        | 0.19        | 222.5    | 271.27 |
| MR06-165  | 19.82        | 66          | 0.49        | 222.5    | 242.32 |
| MR06-166  | 108.2        | 112.3       | 0.16        | 173.74   | 281.94 |
| MR06-167  | 59.44        | 272.7       | 0.24        | 198.12   | 257.56 |
| MR06-168  | 36.58        | 29          | 0.25        | 260.6    | 297.18 |
| MR06-170  | 3.05         | 4.4         | 0.43        | 283.46   | 286.51 |
| MR06-171  | 42.68        | 0.3         | 0.05        | 252.98   | 295.66 |

| Hole ID   | Interval (m) | Ag FA (g/t) | Au FA (g/t) | From (m) | To (m) |
|-----------|--------------|-------------|-------------|----------|--------|
| MR06-172  | 50.3         | 24.3        | 0.3         | 237.74   | 288.04 |
| MR06-173  | 44.2         | 18.1        | 0.22        | 175.26   | 219.46 |
| MR06-174  | 32.01        | 8.1         | 0.3         | 256.03   | 288.04 |
| MR06-175  | 86.87        | 10          | 0.44        | 213.36   | 300.23 |
| MR06-176  | 91.43        | 32          | 0.35        | 163.07   | 254.5  |
| MR08-181  | 56.39        | 70.25       | 0.21        | 198.12   | 254.51 |
| MR08-182  | 54.87        | 278.41      | 0.29        | 227.07   | 281.94 |
| MR08-183  | 68.57        | 45.36       | 0.43        | 176.79   | 245.36 |
| MR08-184  | 29.03        | 57.85       | 0.28        | 217.86   | 246.89 |
| MR08-185  | 27.45        | 54.77       | 0.3         | 199.64   | 227.09 |
| MR24-186  | 41.15        | 112.3       | 0.17        | 231.65   | 272.8  |
| MR24-188  | 54.86        | 63.9        | 0.23        | 193.55   | 248.41 |
| MR24-189A | 12.19        | 72          | 0.29        | 281.94   | 294.13 |
| MR24-190  | 120.4        | 47.2        | 0.33        | 179.83   | 300.23 |
| MR24-191  | 88.39        | 61.7        | 0.21        | 211.84   | 300.23 |
| MR24-192  | 48.77        | 24.1        | 0.15        | 274.32   | 323.09 |
| MR24-193  | 30.48        | 11.6        | 0.39        | 303.28   | 333.76 |
| MR24-194  | 48.77        | 23.8        | 0.17        | 248.41   | 297.18 |
| MR24-195  | 41.15        | 27.9        | 0.22        | 259.08   | 300.23 |
| MR24-197  | 91.44        | 82          | 0.36        | 193.55   | 284.99 |
| MR24-198  | 50.29        | 43.9        | 0.31        | 248.41   | 298.7  |
| MR24-199  | 99.06        | 86.9        | 0.32        | 224.03   | 323.09 |
| MR24-200  | 42.68        | 58.9        | 0.21        | 245.36   | 288.04 |
| MR24-201  | 65.53        | 17.3        | 0.09        | 208.79   | 274.32 |
| MR24-202  | 21.33        | 111.2       | 0.4         | 219.46   | 240.79 |
| MR24-203  | 30.48        | 83.1        | 0.2         | 310.9    | 341.38 |
| MR24-204  | 15.24        | 3.9         | 0.13        | 320.04   | 335.28 |
| MR24-205  | 16.76        | 465.9       | 0.33        | 193.55   | 210.31 |
| MR24-206  | 59.44        | 74.2        | 0.26        | 214.88   | 274.32 |
| MR24-207  | 50.29        | 8           | 0.23        | 265.18   | 315.47 |
| MR24-208  | 100.58       | 46.8        | 0.2         | 204.22   | 304.8  |
| MR24-209  | 33.53        | 57.2        | 0.57        | 213.36   | 246.89 |
| MR24-210  | 94.48        | 24.9        | 0.29        | 158.5    | 252.98 |
| MR25-211  | 65.44        | 137.2       | 0.18        | 258.78   | 324.22 |
| MR25-212  | 93.88        | 74.7        | 0.17        | 230.12   | 324    |
| MR25-214  | 91.29        | 56.4        | 0.36        | 191.26   | 282.55 |
| MR25-218  | 89.61        | 29.1        | 0.18        | 191.72   | 281.33 |
| MR25-230  | 125.79       | 28.5        | 0.57        | 174.44   | 300.23 |
| MR25-247  | 115.73       | 31          | 0.3         | 169.01   | 284.74 |
| MR25-250  | 112.19       | 66.5        | 0.36        | 178.92   | 291.11 |

## Appendix C – New Pulp Re-assays

| Hole ID | From (m) | To (m) | Sample | Type | Ag (ppm) | Sb (ppm) |
|---------|----------|--------|--------|------|----------|----------|
| MR092   | 0        | 1.52   | Pulps  | RC   | 0.15     | 126      |
| MR092   | 1.52     | 3.05   | Pulps  | RC   | 0.15     | 70       |
| MR092   | 3.05     | 4.57   | Pulps  | RC   | 0.15     | 37       |
| MR092   | 4.57     | 6.1    | Pulps  | RC   | 2.6      | 41       |
| MR092   | 6.1      | 7.62   | Pulps  | RC   | 0.6      | 95       |
| MR092   | 7.62     | 9.14   | Pulps  | RC   | 6.5      | 65       |
| MR092   | 9.14     | 10.67  | Pulps  | RC   | 2        | 60       |
| MR092   | 10.67    | 12.19  | Pulps  | RC   | 0.15     | 41       |
| MR092   | 12.19    | 13.72  | Pulps  | RC   | 2.2      | 49       |
| MR092   | 13.72    | 15.24  | Pulps  | RC   | 0.3      | 58       |
| MR092   | 15.24    | 16.76  | Pulps  | RC   | 1.6      | 103      |

| Hole ID | From (m) | To (m) | Sample | Type | Ag (ppm) | Sb (ppm) |
|---------|----------|--------|--------|------|----------|----------|
| MR092   | 16.76    | 18.29  | Pulps  | RC   | 0.5      | 61       |
| MR092   | 18.29    | 19.81  | Pulps  | RC   | 0.8      | 57       |
| MR092   | 19.81    | 21.34  | Pulps  | RC   | 0.4      | 60       |
| MR092   | 21.34    | 22.86  | Pulps  | RC   | 1.5      | 59       |
| MR092   | 22.86    | 24.38  | Pulps  | RC   | 0.3      | 57       |
| MR092   | 24.38    | 25.91  | Pulps  | RC   | 0.7      | 75       |
| MR092   | 25.91    | 27.43  | Pulps  | RC   | 0.15     | 154      |
| MR092   | 27.43    | 28.96  | Pulps  | RC   | 0.6      | 129      |
| MR092   | 28.96    | 30.48  | Pulps  | RC   | 0.15     | 200      |
| MR092   | 30.48    | 32     | Pulps  | RC   | 1        | 142      |
| MR092   | 32       | 33.53  | Pulps  | RC   | 0.4      | 80       |

| Hole ID | From (m) | To (m) | Sample | Type | Ag (ppm) | Sb (ppm) |
|---------|----------|--------|--------|------|----------|----------|
| MR092   | 33.53    | 35.05  | Pulps  | RC   | 0.8      | 90       |
| MR092   | 35.05    | 36.58  | Pulps  | RC   | 0.3      | 69       |
| MR092   | 36.58    | 38.1   | Pulps  | RC   | 0.8      | 106      |
| MR092   | 38.1     | 39.62  | Pulps  | RC   | 0.5      | 118      |
| MR092   | 39.62    | 41.15  | Pulps  | RC   | 0.4      | 144      |
| MR092   | 41.15    | 42.67  | Pulps  | RC   | 0.15     | 172      |
| MR092   | 42.67    | 44.2   | Pulps  | RC   | 0.4      | 219      |
| MR092   | 44.2     | 45.72  | Pulps  | RC   | 0.5      | 159      |
| MR092   | 45.72    | 47.24  | Pulps  | RC   | 0.5      | 199      |
| MR092   | 47.24    | 48.77  | Pulps  | RC   | 0.15     | 317      |
| MR092   | 48.77    | 50.29  | Pulps  | RC   | 0.4      | 352      |
| MR092   | 50.29    | 51.82  | Pulps  | RC   | 0.5      | 377      |
| MR092   | 51.82    | 53.34  | Pulps  | RC   | 0.4      | 213      |
| MR092   | 53.34    | 54.86  | Pulps  | RC   | 0.15     | 153      |
| MR092   | 54.86    | 56.39  | Pulps  | RC   | 0.15     | 101      |
| MR092   | 56.39    | 57.91  | Pulps  | RC   | 0.15     | 58       |
| MR092   | 57.91    | 59.44  | Pulps  | RC   | 0.15     | 125      |
| MR092   | 59.44    | 60.96  | Pulps  | RC   | 0.4      | 188      |
| MR092   | 60.96    | 62.48  | Pulps  | RC   | 0.5      | 179      |
| MR092   | 62.48    | 64.01  | Pulps  | RC   | 0.4      | 181      |
| MR092   | 64.01    | 65.53  | Pulps  | RC   | 0.3      | 193      |
| MR092   | 65.53    | 67.06  | Pulps  | RC   | 0.6      | 238      |
| MR092   | 67.06    | 68.58  | Pulps  | RC   | 0.8      | 362      |
| MR092   | 68.58    | 70.1   | Pulps  | RC   | 0.6      | 134      |
| MR092   | 70.1     | 71.63  | Pulps  | RC   | 0.6      | 180      |
| MR092   | 71.63    | 73.15  | Pulps  | RC   | 0.8      | 235      |
| MR092   | 73.15    | 74.68  | Pulps  | RC   | 0.9      | 149      |
| MR092   | 74.68    | 76.2   | Pulps  | RC   | 1.2      | 243      |
| MR092   | 76.2     | 77.72  | Pulps  | RC   | 0.7      | 291      |
| MR092   | 77.72    | 79.25  | Pulps  | RC   | 0.9      | 193      |
| MR092   | 79.25    | 80.77  | Pulps  | RC   | 0.8      | 244      |
| MR092   | 80.77    | 82.3   | Pulps  | RC   | 1.4      | 209      |
| MR092   | 82.3     | 83.82  | Pulps  | RC   | 2.4      | 185      |
| MR092   | 83.82    | 85.34  | Pulps  | RC   | 2.7      | 120      |
| MR092   | 85.34    | 86.87  | Pulps  | RC   | 2.7      | 97       |
| MR092   | 86.87    | 88.39  | Pulps  | RC   | 1.2      | 103      |
| MR092   | 88.39    | 89.92  | Pulps  | RC   | 2.3      | 80       |
| MR092   | 89.92    | 91.44  | Pulps  | RC   | 3.1      | 85       |
| MR092   | 91.44    | 92.96  | Pulps  | RC   | 2.4      | 87       |
| MR092   | 92.96    | 94.49  | Pulps  | RC   | 1.2      | 89       |
| MR092   | 94.49    | 96.01  | Pulps  | RC   | 1.7      | 141      |
| MR092   | 96.01    | 97.54  | Pulps  | RC   | 1.3      | 107      |
| MR092   | 97.54    | 99.06  | Pulps  | RC   | 0.9      | 66       |
| MR092   | 99.06    | 100.58 | Pulps  | RC   | 0.6      | 63       |
| MR092   | 100.58   | 102.11 | Pulps  | RC   | 0.5      | 93       |
| MR092   | 102.11   | 103.63 | Pulps  | RC   | 0.4      | 85       |
| MR092   | 103.63   | 105.16 | Pulps  | RC   | 0.15     | 113      |
| MR092   | 105.16   | 106.68 | Pulps  | RC   | 0.3      | 124      |
| MR092   | 106.68   | 108.2  | Pulps  | RC   | 0.4      | 168      |
| MR092   | 108.2    | 109.73 | Pulps  | RC   | 0.4      | 157      |
| MR092   | 109.73   | 111.25 | Pulps  | RC   | 0.4      | 138      |
| MR092   | 111.25   | 112.78 | Pulps  | RC   | 0.5      | 152      |
| MR092   | 112.78   | 114.3  | Pulps  | RC   | 0.4      | 158      |
| MR092   | 114.3    | 115.82 | Pulps  | RC   | 0.3      | 150      |

| Hole ID | From (m) | To (m) | Sample | Type | Ag (ppm) | Sb (ppm) |
|---------|----------|--------|--------|------|----------|----------|
| MR092   | 115.82   | 117.35 | Pulps  | RC   | 0.4      | 162      |
| MR092   | 117.35   | 118.87 | Pulps  | RC   | 0.6      | 137      |
| MR092   | 118.87   | 120.4  | Pulps  | RC   | 0.5      | 202      |
| MR092   | 120.4    | 121.92 | Pulps  | RC   | 0.6      | 84       |
| MR092   | 121.92   | 123.44 | Pulps  | RC   | 0.4      | 81       |
| MR092   | 123.44   | 124.97 | Pulps  | RC   | 0.6      | 90       |
| MR092   | 124.97   | 126.49 | Pulps  | RC   | 0.5      | 90       |
| MR092   | 126.49   | 128.02 | Pulps  | RC   | 0.7      | 167      |
| MR092   | 128.02   | 129.54 | Pulps  | RC   | 0.6      | 139      |
| MR092   | 129.54   | 131.06 | Pulps  | RC   | 0.5      | 130      |
| MR092   | 131.06   | 132.59 | Pulps  | RC   | 0.6      | 163      |
| MR092   | 132.59   | 134.11 | Pulps  | RC   | 0.6      | 308      |
| MR092   | 134.11   | 135.64 | Pulps  | RC   | 0.5      | 207      |
| MR092   | 135.64   | 137.16 | Pulps  | RC   | 0.8      | 186      |
| MR092   | 137.16   | 138.68 | Pulps  | RC   | 0.5      | 166      |
| MR092   | 138.68   | 140.21 | Pulps  | RC   | 0.8      | 90       |
| MR092   | 140.21   | 141.73 | Pulps  | RC   | 0.5      | 122      |
| MR092   | 141.73   | 143.26 | Pulps  | RC   | 0.5      | 106      |
| MR092   | 143.26   | 144.78 | Pulps  | RC   | 0.5      | 79       |
| MR092   | 144.78   | 146.3  | Pulps  | RC   | 0.8      | 70       |
| MR092   | 146.3    | 147.83 | Pulps  | RC   | 0.9      | 61       |
| MR092   | 147.83   | 149.35 | Pulps  | RC   | 1        | 72       |
| MR092   | 149.35   | 150.88 | Pulps  | RC   | 0.6      | 81       |
| MR092   | 150.88   | 152.4  | Pulps  | RC   | 0.6      | 136      |
| MR092   | 152.4    | 153.92 | Pulps  | RC   | 0.7      | 202      |
| MR092   | 153.92   | 155.45 | Pulps  | RC   | 0.6      | 217      |
| MR092   | 155.45   | 156.97 | Pulps  | RC   | 1        | 394      |
| MR092   | 156.97   | 158.5  | Pulps  | RC   | 1.5      | 471      |
| MR092   | 158.5    | 160.02 | Pulps  | RC   | 1.2      | 152      |
| MR092   | 160.02   | 161.54 | Pulps  | RC   | 1        | 209      |
| MR092   | 161.54   | 163.07 | Pulps  | RC   | 0.8      | 215      |
| MR092   | 163.07   | 164.59 | Pulps  | RC   | 0.5      | 243      |
| MR092   | 164.59   | 166.12 | Pulps  | RC   | 0.7      | 88       |
| MR092   | 166.12   | 167.64 | Pulps  | RC   | 0.5      | 125      |
| MR092   | 167.64   | 169.16 | Pulps  | RC   | 0.4      | 99       |
| MR092   | 169.16   | 170.69 | Pulps  | RC   | 0.7      | 160      |
| MR092   | 170.69   | 172.21 | Pulps  | RC   | 0.5      | 138      |
| MR092   | 172.21   | 173.74 | Pulps  | RC   | 0.8      | 109      |
| MR092   | 173.74   | 175.26 | Pulps  | RC   | 0.8      | 72       |
| MR092   | 175.26   | 176.78 | Pulps  | RC   | 1        | 59       |
| MR095   | 1.83     | 2.9    | Pulps  | DD   | 0.15     | 51       |
| MR095   | 2.9      | 4.42   | Pulps  | DD   | 0.15     | 48       |
| MR095   | 4.42     | 5.64   | Pulps  | DD   | 0.15     | 46       |
| MR095   | 5.64     | 6.86   | Pulps  | DD   | 0.15     | 49       |
| MR095   | 6.86     | 7.47   | Pulps  | DD   | 0.15     | 79       |
| MR095   | 8.63     | 9.75   | Pulps  | DD   | 0.15     | 118      |
| MR095   | 9.75     | 10.82  | Pulps  | DD   | 0.3      | 95       |
| MR095   | 10.82    | 12.04  | Pulps  | DD   | 0.3      | 96       |
| MR095   | 12.04    | 13.56  | Pulps  | DD   | 0.4      | 58       |
| MR095   | 13.56    | 14.02  | Pulps  | DD   | 0.5      | 64       |
| MR095   | 14.02    | 14.94  | Pulps  | DD   | 0.7      | 69       |
| MR095   | 14.94    | 15.54  | Pulps  | DD   | 0.8      | 41       |
| MR095   | 15.54    | 16.61  | Pulps  | DD   | 1.1      | 70       |
| MR095   | 16.61    | 18.29  | Pulps  | DD   | 0.15     | 60       |

| Hole ID | From (m) | To (m) | Sample | Type | Ag (ppm) | Sb (ppm) |
|---------|----------|--------|--------|------|----------|----------|
| MR095   | 18.29    | 19.35  | Pulps  | DD   | 0.15     | 67       |
| MR095   | 19.35    | 20.88  | Pulps  | DD   | 0.15     | 100      |
| MR095   | 20.88    | 21.18  | Pulps  | DD   | 0.15     | 84       |
| MR095   | 21.18    | 22.25  | Pulps  | DD   | 0.15     | 84       |
| MR095   | 22.25    | 23.32  | Pulps  | DD   | 0.15     | 59       |
| MR095   | 23.32    | 24.84  | Pulps  | DD   | 0.5      | 58       |
| MR095   | 24.84    | 25.91  | Pulps  | DD   | 0.6      | 68       |
| MR095   | 25.91    | 27.43  | Pulps  | DD   | 1        | 81       |
| MR095   | 27.43    | 28.96  | Pulps  | DD   | 1.1      | 40       |
| MR095   | 28.96    | 29.87  | Pulps  | DD   | 0.6      | 32       |
| MR095   | 29.87    | 30.63  | Pulps  | DD   | 0.7      | 29       |
| MR095   | 30.63    | 31.85  | Pulps  | DD   | 0.5      | 32       |
| MR095   | 31.85    | 32.77  | Pulps  | DD   | 0.7      | 43       |
| MR095   | 32.77    | 34.14  | Pulps  | DD   | 0.3      | 18       |
| MR095   | 34.14    | 35.36  | Pulps  | DD   | 0.15     | 12       |
| MR095   | 35.36    | 35.97  | Pulps  | DD   | 0.7      | 35       |
| MR095   | 35.97    | 36.58  | Pulps  | DD   | 0.8      | 36       |
| MR095   | 36.58    | 38.1   | Pulps  | DD   | 0.4      | 30       |
| MR095   | 38.1     | 39.78  | Pulps  | DD   | 0.15     | 50       |
| MR095   | 39.78    | 40.08  | Pulps  | DD   | 0.4      | 33       |
| MR095   | 40.08    | 41.06  | Pulps  | DD   | 0.15     | 62       |
| MR095   | 41.06    | 42.06  | Pulps  | DD   | 0.4      | 44       |
| MR095   | 42.21    | 43.74  | Pulps  | DD   | 0.6      | 44       |
| MR095   | 43.74    | 45.42  | Pulps  | DD   | 0.4      | 34       |
| MR095   | 45.42    | 46.94  | Pulps  | DD   | 0.5      | 43       |
| MR095   | 46.94    | 48.16  | Pulps  | DD   | 0.7      | 44       |
| MR095   | 48.16    | 49.07  | Pulps  | DD   | 1        | 113      |
| MR095   | 49.07    | 49.83  | Pulps  | DD   | 0.7      | 42       |
| MR095   | 49.83    | 50.9   | Pulps  | DD   | 0.6      | 48       |
| MR095   | 50.9     | 51.51  | Pulps  | DD   | 0.3      | 91       |
| MR095   | 51.51    | 52.12  | Pulps  | DD   | 0.4      | 82       |
| MR095   | 52.12    | 52.88  | Pulps  | DD   | 0.6      | 73       |
| MR095   | 53.8     | 55.32  | Pulps  | DD   | 0.6      | 63       |
| MR095   | 55.32    | 57     | Pulps  | DD   | 1.8      | 47       |
| MR095   | 57       | 58.52  | Pulps  | DD   | 1        | 83       |
| MR095   | 58.52    | 60.05  | Pulps  | DD   | 0.15     | 48       |
| MR095   | 60.05    | 61.57  | Pulps  | DD   | 0.3      | 46       |
| MR095   | 61.57    | 62.64  | Pulps  | DD   | 0.15     | 18       |
| MR095   | 62.64    | 63.86  | Pulps  | DD   | 0.15     | 12       |
| MR095   | 64.89    | 65.53  | Pulps  | DD   | 0.15     | 37       |
| MR095   | 65.53    | 67.21  | Pulps  | DD   | 1.7      | 133      |
| MR095   | 67.21    | 68.73  | Pulps  | DD   | 0.6      | 276      |
| MR095   | 70.41    | 71.93  | Pulps  | DD   | 0.6      | 102      |
| MR095   | 71.93    | 73.46  | Pulps  | DD   | 1.9      | 68       |
| MR095   | 73.46    | 74.98  | Pulps  | DD   | 4.6      | 66       |
| MR095   | 76.66    | 78.18  | Pulps  | DD   | 0.8      | 118      |
| MR095   | 78.18    | 79.71  | Pulps  | DD   | 0.7      | 93       |
| MR095   | 79.71    | 81.38  | Pulps  | DD   | 0.4      | 37       |
| MR095   | 81.38    | 82.91  | Pulps  | DD   | 0.8      | 58       |
| MR095   | 82.91    | 84.43  | Pulps  | DD   | 0.9      | 59       |
| MR095   | 84.43    | 85.95  | Pulps  | DD   | 0.15     | 69       |
| MR095   | 85.95    | 87.48  | Pulps  | DD   | 0.15     | 18       |
| MR095   | 87.48    | 89.15  | Pulps  | DD   | 0.5      | 102      |
| MR095   | 89.15    | 90.68  | Pulps  | DD   | 0.4      | 64       |

| Hole ID | From (m) | To (m) | Sample | Type | Ag (ppm) | Sb (ppm) |
|---------|----------|--------|--------|------|----------|----------|
| MR095   | 90.68    | 92.35  | Pulps  | DD   | 0.6      | 69       |
| MR095   | 92.35    | 93.57  | Pulps  | DD   | 2.8      | 64       |
| MR095   | 93.57    | 95.1   | Pulps  | DD   | 1        | 45       |
| MR095   | 95.1     | 96.62  | Pulps  | DD   | 0.9      | 81       |
| MR095   | 96.62    | 98.15  | Pulps  | DD   | 2.1      | 130      |
| MR095   | 98.15    | 99.67  | Pulps  | DD   | 1.7      | 44       |
| MR095   | 99.67    | 100.74 | Pulps  | DD   | 0.7      | 32       |
| MR095   | 100.74   | 102.26 | Pulps  | DD   | 1        | 53       |
| MR095   | 102.26   | 103.78 | Pulps  | DD   | 0.6      | 32       |
| MR095   | 103.78   | 105.31 | Pulps  | DD   | 0.6      | 60       |
| MR095   | 105.31   | 106.83 | Pulps  | DD   | 0.9      | 47       |
| MR095   | 106.83   | 108.36 | Pulps  | DD   | 0.7      | 19       |
| MR095   | 108.36   | 109.88 | Pulps  | DD   | 0.5      | 40       |
| MR095   | 109.88   | 111.4  | Pulps  | DD   | 0.6      | 42       |
| MR095   | 111.4    | 112.93 | Pulps  | DD   | 1        | 68       |
| MR095   | 112.93   | 114.45 | Pulps  | DD   | 1        | 56       |
| MR095   | 114.45   | 115.98 | Pulps  | DD   | 0.8      | 35       |
| MR095   | 115.98   | 117.35 | Pulps  | DD   | 2.2      | 56       |
| MR095   | 117.35   | 119.02 | Pulps  | DD   | 1.5      | 37       |
| MR095   | 119.02   | 120.4  | Pulps  | DD   | 1.3      | 36       |
| MR095   | 120.4    | 122.07 | Pulps  | DD   | 1.4      | 44       |
| MR095   | 122.07   | 123.44 | Pulps  | DD   | 1.1      | 38       |
| MR095   | 123.44   | 125.12 | Pulps  | DD   | 2        | 51       |
| MR095   | 125.12   | 126.49 | Pulps  | DD   | 0.9      | 56       |
| MR095   | 126.49   | 128.17 | Pulps  | DD   | 1.3      | 49       |
| MR095   | 128.17   | 129.84 | Pulps  | DD   | 1.1      | 45       |
| MR095   | 129.84   | 131.37 | Pulps  | DD   | 0.8      | 34       |
| MR095   | 131.37   | 132.89 | Pulps  | DD   | 2        | 34       |
| MR095   | 132.89   | 134.42 | Pulps  | DD   | 1.3      | 34       |
| MR095   | 134.42   | 135.94 | Pulps  | DD   | 32.7     | 610      |
| MR095   | 135.94   | 137.46 | Pulps  | DD   | 64.7     | 100      |
| MR095   | 137.46   | 138.99 | Pulps  | DD   | 38.2     | 69       |
| MR095   | 138.99   | 140.51 | Pulps  | DD   | 8.4      | 63       |
| MR095   | 140.51   | 141.73 | Pulps  | DD   | 19.5     | 197      |
| MR095   | 141.73   | 143.71 | Pulps  | DD   | 15.5     | 625      |
| MR095   | 143.71   | 144.38 | Pulps  | DD   | 1084     | 2118     |
| MR095   | 144.38   | 145.02 | Pulps  | DD   | 288      | 819      |
| MR095   | 145.02   | 145.97 | Pulps  | DD   | 126      | 674      |
| MR095   | 145.97   | 146    | Pulps  | DD   | 19.3     | 131      |
| MR095   | 146      | 147.37 | Pulps  | DD   | 3.3      | 95       |
| MR095   | 149.05   | 150.48 | Pulps  | DD   | 5.7      | 63       |
| MR095   | 150.48   | 151.49 | Pulps  | DD   | 6.6      | 320      |
| MR095   | 151.49   | 151.64 | Pulps  | DD   | 1.9      | 137      |
| MR095   | 151.64   | 152.25 | Pulps  | DD   | 2.6      | 72       |
| MR095   | 152.25   | 153.77 | Pulps  | DD   | 5.2      | 53       |
| MR095   | 153.77   | 155.14 | Pulps  | DD   | 2.8      | 53       |
| MR095   | 155.14   | 156.67 | Pulps  | DD   | 2.3      | 82       |
| MR095   | 156.67   | 158.19 | Pulps  | DD   | 2.5      | 56       |
| MR095   | 158.19   | 159.11 | Pulps  | DD   | 1.9      | 97       |
| MR095   | 159.11   | 160.48 | Pulps  | DD   | 3        | 207      |
| MR095   | 160.48   | 162.15 | Pulps  | DD   | 2.6      | 62       |
| MR095   | 162.15   | 163.53 | Pulps  | DD   | 4.8      | 50       |
| MR095   | 163.53   | 165.05 | Pulps  | DD   | 8.9      | 66       |
| MR095   | 165.05   | 166.73 | Pulps  | DD   | 6.2      | 56       |



| Hole ID | From (m) | To (m) | Sample | Type | Ag (ppm) | Sb (ppm) |
|---------|----------|--------|--------|------|----------|----------|
| MR095   | 166.73   | 168.25 | Pulps  | DD   | 0.5      | 39       |
| MR095   | 168.25   | 169.93 | Pulps  | DD   | 10.2     | 133      |
| MR095   | 169.93   | 171.3  | Pulps  | DD   | 13.3     | 121      |
| MR095   | 171.3    | 172.82 | Pulps  | DD   | 23.7     | 111      |
| MR095   | 172.82   | 174.35 | Pulps  | DD   | 20.7     | 312      |
| MR095   | 174.35   | 176.02 | Pulps  | DD   | 9.5      | 114      |
| MR095   | 176.02   | 177.39 | Pulps  | DD   | 31.9     | 159      |
| MR095   | 177.39   | 178.61 | Pulps  | DD   | 57.6     | 141      |
| MR095   | 178.92   | 180.14 | Pulps  | DD   | 28.8     | 124      |
| MR095   | 180.14   | 181.66 | Pulps  | DD   | 28.6     | 132      |
| MR095   | 181.66   | 183.18 | Pulps  | DD   | 24.5     | 169      |
| MR095   | 183.18   | 184.4  | Pulps  | DD   | 33.6     | 179      |
| MR095   | 184.4    | 186.23 | Pulps  | DD   | 44       | 417      |
| MR095   | 186.23   | 187.3  | Pulps  | DD   | 24.4     | 1082     |
| MR095   | 187.3    | 188.52 | Pulps  | DD   | 11.6     | 252      |
| MR095   | 189.89   | 191.57 | Pulps  | DD   | 23.8     | 240      |
| MR095   | 191.57   | 194.77 | Pulps  | DD   | 18.4     | 413      |
| MR095   | 194.77   | 195.38 | Pulps  | DD   | 14.3     | 408      |
| MR095   | 196.75   | 197.66 | Pulps  | DD   | 24.6     | 499      |
| MR095   | 197.66   | 198.73 | Pulps  | DD   | 16.2     | 320      |
| MR095   | 198.73   | 200.41 | Pulps  | DD   | 4.5      | 223      |
| MR095   | 200.41   | 201.02 | Pulps  | DD   | 3.1      | 193      |
| MR095   | 201.02   | 202.54 | Pulps  | DD   | 9.9      | 269      |
| MR095   | 202.54   | 203.91 | Pulps  | DD   | 15.7     | 52       |
| MR095   | 203.91   | 204.52 | Pulps  | DD   | 13.3     | 42       |
| MR095   | 204.52   | 205.59 | Pulps  | DD   | 17.1     | 53       |
| MR095   | 205.59   | 206.81 | Pulps  | DD   | 36.3     | 90       |
| MR095   | 206.81   | 207.72 | Pulps  | DD   | 7.2      | 145      |
| MR095   | 207.72   | 209.25 | Pulps  | DD   | 1.9      | 66       |
| MR095   | 210.77   | 212.45 | Pulps  | DD   | 3.1      | 60       |
| MR095   | 212.45   | 213.97 | Pulps  | DD   | 2.8      | 45       |
| MR095   | 213.97   | 215.65 | Pulps  | DD   | 10.3     | 187      |
| MR095   | 215.65   | 217.17 | Pulps  | DD   | 37.4     | 705      |
| MR095   | 217.17   | 218.85 | Pulps  | DD   | 30.9     | 226      |
| MR095   | 218.85   | 219.76 | Pulps  | DD   | 70.6     | 490      |
| MR095   | 222.2    | 222.35 | Pulps  | DD   | 179      | 109      |
| MR095   | 222.35   | 222.66 | Pulps  | DD   | 332.23   | 143      |
| MR095   | 222.66   | 223.72 | Pulps  | DD   | 139      | 194      |
| MR095   | 223.72   | 224.94 | Pulps  | DD   | 32.2     | 54       |
| MR095   | 224.94   | 227.99 | Pulps  | DD   | 15.5     | 110      |
| MR095   | 228.6    | 229.51 | Pulps  | DD   | 10.9     | 100      |
| MR095   | 229.51   | 230.12 | Pulps  | DD   | 15.1     | 77       |
| MR095   | 231.04   | 232.71 | Pulps  | DD   | 44.7     | 79       |
| MR095   | 232.71   | 234.24 | Pulps  | DD   | 560      | 437      |
| MR095   | 234.24   | 235.92 | Pulps  | DD   | 61.4     | 64       |
| MR095   | 235.92   | 237.44 | Pulps  | DD   | 30       | 45       |
| MR095   | 237.44   | 238.96 | Pulps  | DD   | 3.4      | 24       |
| MR095   | 238.96   | 240.18 | Pulps  | DD   | 0.9      | 15       |
| MR095   | 241.86   | 243.54 | Pulps  | DD   | 0.4      | 35       |
| MR095   | 243.54   | 245.06 | Pulps  | DD   | 0.15     | 23       |
| MR095   | 245.06   | 246.58 | Pulps  | DD   | 0.5      | 32       |
| MR095   | 246.58   | 247.8  | Pulps  | DD   | 0.7      | 17       |
| MR095   | 247.8    | 249.48 | Pulps  | DD   | 0.8      | 44       |
| MR095   | 249.48   | 250.55 | Pulps  | DD   | 0.6      | 13       |

| Hole ID | From (m) | To (m) | Sample | Type | Ag (ppm) | Sb (ppm) |
|---------|----------|--------|--------|------|----------|----------|
| MR095   | 250.55   | 252.07 | Pulps  | DD   | 0.6      | 16       |
| MR095   | 252.07   | 253.59 | Pulps  | DD   | 1.2      | 26       |
| MR095   | 253.59   | 255.12 | Pulps  | DD   | 4.1      | 87       |
| MR095   | 255.12   | 256.64 | Pulps  | DD   | 94       | 436      |
| MR095   | 256.64   | 258.17 | Pulps  | DD   | 41.6     | 117      |
| MR095   | 258.17   | 259.69 | Pulps  | DD   | 50.9     | 79       |
| MR095   | 259.69   | 261.06 | Pulps  | DD   | 31       | 44       |
| MR095   | 261.06   | 262.74 | Pulps  | DD   | 6.2      | 47       |
| MR095   | 262.74   | 264.41 | Pulps  | DD   | 0.9      | 23       |
| MR095   | 264.41   | 265.94 | Pulps  | DD   | 1        | 66       |
| MR095   | 265.94   | 267.46 | Pulps  | DD   | 1.2      | 49       |
| MR095   | 267.46   | 268.99 | Pulps  | DD   | 2.9      | 86       |
| MR095   | 268.99   | 270.51 | Pulps  | DD   | 3.2      | 66       |
| MR095   | 270.51   | 272.03 | Pulps  | DD   | 4.8      | 173      |
| MR095   | 272.03   | 273.1  | Pulps  | DD   | 5.5      | 162      |
| MR095   | 273.1    | 274.62 | Pulps  | DD   | 7.4      | 56       |
| MR095   | 276.3    | 277.83 | Pulps  | DD   | 85.3     | 89       |
| MR095   | 277.83   | 279.5  | Pulps  | DD   | 35.7     | 74       |
| MR095   | 279.5    | 281.18 | Pulps  | DD   | 16.6     | 52       |
| MR095   | 281.18   | 282.7  | Pulps  | DD   | 7.1      | 49       |
| MR095   | 282.7    | 284.38 | Pulps  | DD   | 2.3      | 48       |
| MR095   | 284.38   | 285.9  | Pulps  | DD   | 2.3      | 45       |
| MR095   | 285.9    | 287.58 | Pulps  | DD   | 7.7      | 41       |
| MR095   | 287.58   | 289.1  | Pulps  | DD   | 9.1      | 103      |
| MR095   | 289.1    | 289.41 | Pulps  | DD   | 6.6      | 113      |
| MR095   | 289.41   | 291.24 | Pulps  | DD   | 2.8      | 48       |
| MR095   | 291.24   | 293.52 | Pulps  | DD   | 1.1      | 36       |
| MR095   | 293.52   | 294.59 | Pulps  | DD   | 1.6      | 31       |
| MR095   | 294.59   | 296.42 | Pulps  | DD   | 1.3      | 51       |
| MR095   | 296.42   | 297.64 | Pulps  | DD   | 0.5      | 18       |
| MR095   | 297.64   | 300.53 | Pulps  | DD   | 0.5      | 39       |
| MR095   | 300.53   | 301.45 | Pulps  | DD   | 2.4      | 51       |
| MR095   | 301.45   | 302.51 | Pulps  | DD   | 10.2     | 44       |
| MR095   | 302.51   | 304.19 | Pulps  | DD   | 0.15     | 54       |
| MR095   | 304.19   | 305.71 | Pulps  | DD   | 0.4      | 23       |
| MR095   | 305.71   | 307.24 | Pulps  | DD   | 0.15     | 23       |
| MR095   | 307.24   | 308.76 | Pulps  | DD   | 0.3      | 3        |
| MR095   | 308.76   | 310.44 | Pulps  | DD   | 0.7      | 12       |
| MR095   | 310.44   | 312.12 | Pulps  | DD   | 2.4      | 32       |
| MR095   | 312.12   | 313.64 | Pulps  | DD   | 7.3      | 56       |
| MR095   | 313.64   | 315.16 | Pulps  | DD   | 2.9      | 36       |
| MR095   | 315.16   | 316.23 | Pulps  | DD   | 0.15     | 15       |
| MR095   | 316.23   | 317.75 | Pulps  | DD   | 0.15     | 13       |
| MR095   | 317.75   | 319.28 | Pulps  | DD   | 0.15     | 14       |
| MR095   | 319.28   | 320.34 | Pulps  | DD   | 0.3      | 44       |
| MR095   | 320.34   | 321.87 | Pulps  | DD   | 0.15     | 22       |
| MR095   | 321.87   | 323.39 | Pulps  | DD   | 0.15     | 13       |
| MR095   | 323.39   | 325.07 | Pulps  | DD   | 0.15     | 11       |
| MR095   | 325.07   | 326.59 | Pulps  | DD   | 0.15     | 19       |
| MR095   | 326.59   | 327.36 | Pulps  | DD   | 0.15     | 19       |
| MR095   | 327.36   | 328.88 | Pulps  | DD   | 0.15     | 12       |
| MR095   | 328.88   | 330.56 | Pulps  | DD   | 3.1      | 16       |
| MR095   | 330.56   | 330.71 | Pulps  | DD   | 0.6      | 21       |
| MR097   | 153.92   | 155.45 | Pulps  | RC   | 0.6      | 67       |

| Hole ID | From (m) | To (m) | Sample | Type | Ag (ppm) | Sb (ppm) |
|---------|----------|--------|--------|------|----------|----------|
| MR097   | 155.45   | 156.97 | Pulps  | RC   | 0.8      | 106      |
| MR097   | 156.97   | 158.5  | Pulps  | RC   | 0.6      | 64       |
| MR097   | 158.5    | 160.02 | Pulps  | RC   | 0.6      | 65       |
| MR097   | 161.54   | 163.07 | Pulps  | RC   | 0.4      | 197      |
| MR097   | 163.07   | 164.59 | Pulps  | RC   | 0.7      | 172      |
| MR097   | 164.59   | 166.12 | Pulps  | RC   | 0.5      | 83       |
| MR097   | 166.12   | 167.64 | Pulps  | RC   | 0.7      | 169      |
| MR097   | 169.16   | 170.69 | Pulps  | RC   | 0.8      | 107      |
| MR097   | 170.69   | 172.21 | Pulps  | RC   | 0.7      | 140      |
| MR097   | 172.21   | 173.74 | Pulps  | RC   | 0.6      | 98       |
| MR097   | 173.74   | 175.26 | Pulps  | RC   | 0.7      | 87       |
| MR097   | 176.78   | 178.31 | Pulps  | RC   | 0.9      | 65       |
| MR097   | 178.31   | 179.83 | Pulps  | RC   | 1.2      | 61       |
| MR097   | 179.83   | 181.36 | Pulps  | RC   | 1.2      | 45       |
| MR097   | 181.36   | 182.88 | Pulps  | RC   | 0.9      | 53       |
| MR097   | 184.4    | 185.93 | Pulps  | RC   | 1        | 58       |
| MR097   | 185.93   | 187.45 | Pulps  | RC   | 0.9      | 59       |
| MR097   | 187.45   | 188.98 | Pulps  | RC   | 1        | 73       |
| MR097   | 188.98   | 190.5  | Pulps  | RC   | 0.8      | 90       |
| MR097   | 192.02   | 193.55 | Pulps  | RC   | 1.3      | 65       |
| MR097   | 193.55   | 195.07 | Pulps  | RC   | 1.2      | 142      |
| MR097   | 195.07   | 196.6  | Pulps  | RC   | 6.4      | 285      |
| MR097   | 196.6    | 198.12 | Pulps  | RC   | 3.8      | 201      |
| MR097   | 199.64   | 201.17 | Pulps  | RC   | 5.8      | 539      |
| MR097   | 201.17   | 202.69 | Pulps  | RC   | 5.3      | 789      |
| MR097   | 202.69   | 204.22 | Pulps  | RC   | 5.3      | 299      |
| MR097   | 204.22   | 205.74 | Pulps  | RC   | 5.4      | 266      |
| MR097   | 207.26   | 208.79 | Pulps  | RC   | 5.1      | 417      |
| MR097   | 208.79   | 210.31 | Pulps  | RC   | 4        | 324      |
| MR097   | 210.31   | 211.84 | Pulps  | RC   | 5.3      | 298      |
| MR097   | 211.84   | 213.36 | Pulps  | RC   | 6        | 346      |
| MR097   | 214.88   | 216.41 | Pulps  | RC   | 5.8      | 220      |
| MR097   | 216.41   | 217.93 | Pulps  | RC   | 5.6      | 245      |
| MR097   | 217.93   | 219.46 | Pulps  | RC   | 6.5      | 383      |
| MR097   | 219.46   | 220.98 | Pulps  | RC   | 6.4      | 422      |
| MR097   | 222.5    | 224.03 | Pulps  | RC   | 9.4      | 448      |
| MR097   | 224.03   | 225.55 | Pulps  | RC   | 11.3     | 539      |
| MR097   | 225.55   | 227.08 | Pulps  | RC   | 11.8     | 805      |
| MR097   | 227.08   | 228.6  | Pulps  | RC   | 9.3      | 1418     |
| MR097   | 228.6    | 230.12 | Pulps  | RC   | 8.5      | 1389     |
| MR099   | 190.5    | 192.02 | Pulps  | DD   | 0.15     | 3        |
| MR099   | 192.02   | 193.55 | Pulps  | DD   | 0.15     | 9        |
| MR099   | 193.55   | 195.07 | Pulps  | DD   | 0.15     | 9        |
| MR099   | 195.07   | 196.6  | Pulps  | DD   | 0.15     | 41       |
| MR099   | 196.6    | 198.12 | Pulps  | DD   | 0.9      | 100      |
| MR099   | 198.12   | 199.64 | Pulps  | DD   | 1.3      | 115      |
| MR099   | 199.64   | 201.17 | Pulps  | DD   | 0.4      | 15       |
| MR099   | 201.78   | 202.87 | Pulps  | DD   | 0.5      | 40       |
| MR099   | 202.87   | 204.37 | Pulps  | DD   | 0.8      | 49       |
| MR099   | 204.37   | 205.5  | Pulps  | DD   | 1.1      | 64       |
| MR099   | 205.5    | 206.65 | Pulps  | DD   | 1        | 90       |
| MR099   | 206.65   | 208.24 | Pulps  | DD   | 0.9      | 234      |
| MR099   | 208.24   | 209.85 | Pulps  | DD   | 0.7      | 146      |
| MR099   | 209.85   | 211.32 | Pulps  | DD   | 1.4      | 83       |

| Hole ID | From (m) | To (m) | Sample | Type | Ag (ppm) | Sb (ppm) |
|---------|----------|--------|--------|------|----------|----------|
| MR099   | 211.32   | 212.9  | Pulps  | DD   | 1.6      | 454      |
| MR099   | 212.9    | 214.58 | Pulps  | DD   | 1.3      | 428      |
| MR099   | 214.58   | 216.1  | Pulps  | DD   | 1.6      | 473      |
| MR099   | 216.1    | 217.35 | Pulps  | DD   | 3.9      | 182      |
| MR099   | 217.35   | 218.69 | Pulps  | DD   | 15.3     | 1953     |
| MR099   | 218.69   | 220.07 | Pulps  | DD   | 5.3      | 540      |
| MR099   | 220.07   | 221.74 | Pulps  | DD   | 5.5      | 165      |
| MR099   | 221.74   | 223.11 | Pulps  | DD   | 6.6      | 238      |
| MR099   | 223.11   | 224.79 | Pulps  | DD   | 7.8      | 495      |
| MR099   | 224.79   | 226.37 | Pulps  | DD   | 11.9     | 432      |
| MR099   | 226.37   | 227.99 | Pulps  | DD   | 11.9     | 584      |
| MR099   | 227.99   | 229.42 | Pulps  | DD   | 18       | 482      |
| MR099   | 229.42   | 230.89 | Pulps  | DD   | 15.6     | 678      |
| MR099   | 230.89   | 232.41 | Pulps  | DD   | 19.4     | 833      |
| MR099   | 232.41   | 233.93 | Pulps  | DD   | 37.6     | 757      |
| MR099   | 233.93   | 235.61 | Pulps  | DD   | 37.8     | 842      |
| MR099   | 235.61   | 237.13 | Pulps  | DD   | 13.9     | 376      |
| MR099   | 237.13   | 238.2  | Pulps  | DD   | 16.2     | 365      |
| MR099   | 238.2    | 239.73 | Pulps  | DD   | 13.5     | 276      |
| MR099   | 239.73   | 241.25 | Pulps  | DD   | 8.8      | 292      |
| MR099   | 241.25   | 242.62 | Pulps  | DD   | 6        | 270      |
| MR099   | 242.62   | 243.99 | Pulps  | DD   | 98       | 567      |
| MR099   | 243.99   | 245.27 | Pulps  | DD   | 11.8     | 457      |
| MR099   | 245.27   | 247.04 | Pulps  | DD   | 18.2     | 274      |
| MR099   | 247.04   | 248.47 | Pulps  | DD   | 15.7     | 215      |
| MR099   | 248.47   | 249.94 | Pulps  | DD   | 18.4     | 251      |
| MR099   | 249.94   | 251.28 | Pulps  | DD   | 4.4      | 322      |
| MR099   | 251.28   | 252.98 | Pulps  | DD   | 18.9     | 216      |
| MR099   | 252.98   | 253.14 | Pulps  | DD   | 5.7      | 111      |
| MR099   | 253.14   | 254.2  | Pulps  | DD   | 0.15     | 1        |
| MR099   | 254.2    | 255.73 | Pulps  | DD   | 9.5      | 119      |
| MR099   | 255.73   | 257.25 | Pulps  | DD   | 12.8     | 127      |
| MR099   | 257.25   | 258.93 | Pulps  | DD   | 8        | 162      |
| MR099   | 258.93   | 260.6  | Pulps  | DD   | 4.5      | 146      |
| MR099   | 260.6    | 263.19 | Pulps  | DD   | 0.15     | 1        |
| MR099   | 263.19   | 264.72 | Pulps  | DD   | 5.1      | 119      |
| MR099   | 264.72   | 266.09 | Pulps  | DD   | 8        | 491      |
| MR099   | 266.09   | 267.61 | Pulps  | DD   | 12.1     | 368      |
| MR099   | 267.61   | 268.83 | Pulps  | DD   | 15.9     | 1665     |
| MR099   | 268.83   | 270.66 | Pulps  | DD   | 6.3      | 436      |
| MR099   | 270.66   | 271.58 | Pulps  | DD   | 7.6      | 54       |
| MR099   | 272.8    | 274.47 | Pulps  | DD   | 5.3      | 52       |
| MR099   | 274.47   | 275.54 | Pulps  | DD   | 5.2      | 49       |
| MR099   | 275.54   | 276.45 | Pulps  | DD   | 3.2      | 42       |
| MR099   | 276.45   | 277.67 | Pulps  | DD   | 2.7      | 95       |
| MR099   | 277.67   | 278.89 | Pulps  | DD   | 1.9      | 72       |
| MR099   | 278.89   | 280.26 | Pulps  | DD   | 1.4      | 63       |
| MR099   | 280.26   | 281.33 | Pulps  | DD   | 1        | 38       |
| MR099   | 281.33   | 282.55 | Pulps  | DD   | 2.5      | 30       |
| MR099   | 282.55   | 284.07 | Pulps  | DD   | 1        | 31       |
| MR099   | 284.07   | 285.45 | Pulps  | DD   | 1.6      | 59       |
| MR099   | 285.45   | 287.27 | Pulps  | DD   | 2.7      | 33       |
| MR099   | 287.27   | 288.8  | Pulps  | DD   | 3        | 36       |
| MR099   | 288.8    | 289.71 | Pulps  | DD   | 3.7      | 45       |

| Hole ID | From (m) | To (m) | Sample | Type | Ag (ppm) | Sb (ppm) |
|---------|----------|--------|--------|------|----------|----------|
| MR099   | 289.71   | 291.24 | Pulps  | DD   | 4.2      | 44       |
| MR099   | 291.24   | 291.39 | Pulps  | DD   | 5.4      | 36       |
| MR099   | 291.39   | 293.07 | Pulps  | DD   | 4.9      | 45       |
| MR099   | 296.11   | 296.88 | Pulps  | DD   | 4.6      | 37       |
| MR099   | 296.88   | 297.94 | Pulps  | DD   | 3.8      | 58       |
| MR099   | 299.62   | 301.23 | Pulps  | DD   | 4.1      | 78       |
| MR099   | 301.23   | 302.82 | Pulps  | DD   | 9.3      | 88       |
| MR099   | 302.82   | 304.28 | Pulps  | DD   | 3.4      | 80       |
| MR099   | 304.28   | 305.71 | Pulps  | DD   | 10.5     | 68       |
| MR099   | 305.71   | 307.09 | Pulps  | DD   | 653      | 91       |
| MR099   | 308.76   | 310.07 | Pulps  | DD   | 33.1     | 38       |
| MR099   | 310.07   | 311.81 | Pulps  | DD   | 42.2     | 50       |
| MR099   | 311.81   | 312.57 | Pulps  | DD   | 4.6      | 31       |
| MR099   | 312.57   | 314.1  | Pulps  | DD   | 4.8      | 76       |
| MR099   | 314.1    | 315.62 | Pulps  | DD   | 3        | 52       |
| MR099   | 315.62   | 316.75 | Pulps  | DD   | 2.9      | 38       |
| MR099   | 316.75   | 318.06 | Pulps  | DD   | 43.8     | 48       |
| MR099   | 319.19   | 320.34 | Pulps  | DD   | 46.1     | 82       |
| MR099   | 320.34   | 321.75 | Pulps  | DD   | 9.2      | 108      |
| MR099   | 321.75   | 323.39 | Pulps  | DD   | 1.5      | 76       |
| MR099   | 323.39   | 325.28 | Pulps  | DD   | 3.1      | 159      |
| MR099   | 325.28   | 326.59 | Pulps  | DD   | 1.2      | 93       |
| MR099   | 329.18   | 330.4  | Pulps  | DD   | 2        | 46       |

| Hole ID | From (m) | To (m) | Sample | Type | Ag (ppm) | Sb (ppm) |
|---------|----------|--------|--------|------|----------|----------|
| MR099   | 330.4    | 331.47 | Pulps  | DD   | 1.2      | 55       |
| MR099   | 331.47   | 331.77 | Pulps  | DD   | 1.3      | 30       |
| MR099   | 331.77   | 333.3  | Pulps  | DD   | 1.5      | 64       |
| MR099   | 334.82   | 336.35 | Pulps  | DD   | 2        | 89       |
| MR099   | 336.35   | 337.87 | Pulps  | DD   | 5        | 148      |
| MR099   | 339.46   | 341.07 | Pulps  | DD   | 0.7      | 101      |
| MR118   | 217.63   | 219.46 | Pulps  | DD   | 0.3      | 26       |
| MR118   | 219.46   | 220.68 | Pulps  | DD   | 0.5      | 26       |
| MR118   | 220.68   | 222.2  | Pulps  | DD   | 1.6      | 29       |
| MR118   | 222.2    | 223.72 | Pulps  | DD   | 1.2      | 26       |
| MR118   | 223.72   | 225.25 | Pulps  | DD   | 1.4      | 39       |
| MR118   | 225.25   | 226.77 | Pulps  | DD   | 1.1      | 32       |
| MR118   | 226.77   | 228.3  | Pulps  | DD   | 0.7      | 25       |
| MR118   | 228.3    | 229.82 | Pulps  | DD   | 0.7      | 29       |
| MR118   | 229.82   | 231.34 | Pulps  | DD   | 0.7      | 22       |
| MR118   | 231.34   | 232.87 | Pulps  | DD   | 0.7      | 37       |
| MR118   | 232.87   | 234.39 | Pulps  | DD   | 0.8      | 29       |
| MR118   | 234.39   | 235.92 | Pulps  | DD   | 0.8      | 23       |
| MR118   | 235.92   | 237.44 | Pulps  | DD   | 0.8      | 36       |
| MR118   | 237.44   | 238.96 | Pulps  | DD   | 0.7      | 36       |
| MR118   | 238.96   | 241.1  | Pulps  | DD   | 0.7      | 55       |
| MR118   | 241.1    | 242.62 | Pulps  | DD   | 0.6      | 42       |
| MR118   | 242.62   | 244.14 | Pulps  | DD   | 0.8      | 48       |

## Appendix D – New Drill Results

| Hole ID  | From (m) | To (m) | Type | Au (ppm) | Ag (ppm) | Sb (ppm) |
|----------|----------|--------|------|----------|----------|----------|
| MR25-247 | 128.63   | 130.15 | Core | 0.005    | 0.15     | 1        |
| MR25-247 | 130.15   | 131.67 | Core | 0.003    | 0.15     | 2        |
| MR25-247 | 131.67   | 133.2  | Core | 0.003    | 0.15     | 1        |
| MR25-247 | 133.2    | 134.72 | Core | 0.003    | 0.15     | 1        |
| MR25-247 | 134.72   | 135.12 | Core | 0.004    | 0.15     | 1        |
| MR25-247 | 135.12   | 136.25 | Core | 0.005    | 0.15     | 1        |
| MR25-247 | 136.25   | 137.77 | Core | 0.003    | 0.15     | 1        |
| MR25-247 | 137.77   | 138.74 | Core | 0.007    | 0.15     | 1        |
| MR25-247 | 138.74   | 139.6  | Core | 0.004    | 0.15     | 17       |
| MR25-247 | 139.6    | 140.82 | Core | 0.004    | 0.15     | 5        |
| MR25-247 | 140.82   | 142.04 | Core | 0.0015   | 0.15     | 10       |
| MR25-247 | 142.04   | 142.34 | Core | 0.014    | 1        | 68       |
| MR25-247 | 142.34   | 143.26 | Core | 0.003    | 0.15     | 16       |
| MR25-247 | 143.26   | 144.48 | Core | 0.003    | 0.4      | 17       |
| MR25-247 | 144.48   | 145.39 | Core | 0.005    | 0.8      | 47       |
| MR25-247 | 145.39   | 146.18 | Core | 0.011    | 1.4      | 68       |
| MR25-247 | 146.18   | 146.91 | NS   | 0        | 0        | 0        |
| MR25-247 | 146.91   | 148.07 | Core | 0.02     | 2.3      | 63       |
| MR25-247 | 148.07   | 148.44 | NS   | 0        | 0        | 0        |
| MR25-247 | 148.44   | 149.96 | Core | 0.022    | 1.3      | 57       |
| MR25-247 | 149.96   | 151.33 | Core | 0.019    | 0.6      | 46       |
| MR25-247 | 151.33   | 151.49 | NS   | 0        | 0        | 0        |
| MR25-247 | 151.49   | 153.01 | Core | 0.015    | 0.7      | 50       |
| MR25-247 | 153.01   | 154.53 | Core | 0.01     | 0.4      | 40       |

| Hole ID  | From (m) | To (m) | Type | Au (ppm) | Ag (ppm) | Sb (ppm) |
|----------|----------|--------|------|----------|----------|----------|
| MR25-247 | 154.53   | 156.06 | Core | 0.008    | 0.7      | 49       |
| MR25-247 | 156.06   | 156.36 | Core | 0.005    | 2.1      | 74       |
| MR25-247 | 156.36   | 156.79 | Core | 0.01     | 0.15     | 211      |
| MR25-247 | 156.79   | 157.58 | Core | 0.008    | 0.5      | 31       |
| MR25-247 | 157.58   | 158.28 | Core | 0.01     | 0.9      | 62       |
| MR25-247 | 158.28   | 159.11 | Core | 0.017    | 1        | 691      |
| MR25-247 | 159.11   | 160.32 | Core | 0.009    | 0.8      | 51       |
| MR25-247 | 160.32   | 161.85 | Core | 0.003    | 1        | 23       |
| MR25-247 | 161.85   | 162.76 | Core | 0.009    | 1.9      | 11       |
| MR25-247 | 162.76   | 163.37 | Core | 0.015    | 1.1      | 40       |
| MR25-247 | 163.37   | 163.8  | Core | 0.173    | 0.5      | 230      |
| MR25-247 | 163.8    | 164.9  | Core | 0.092    | 2.2      | 65       |
| MR25-247 | 164.9    | 165.2  | Core | 0.08     | 4.1      | 152      |
| MR25-247 | 165.2    | 165.66 | NS   | 0        | 0        | 0        |
| MR25-247 | 165.66   | 167.03 | Core | 0.063    | 4.5      | 662      |
| MR25-247 | 167.03   | 167.34 | Core | 0.065    | 2.7      | 228      |
| MR25-247 | 167.34   | 168.71 | Core | 0.19     | 2.7      | 114      |
| MR25-247 | 168.71   | 169.01 | Core | 0.05     | 1.6      | 190      |
| MR25-247 | 169.01   | 170.38 | Core | 0.218    | 2.5      | 135      |
| MR25-247 | 170.38   | 171.45 | Core | 0.378    | 3.1      | 412      |
| MR25-247 | 171.45   | 172.52 | Core | 0.668    | 8.3      | 115      |
| MR25-247 | 172.52   | 172.67 | NS   | 0        | 0        | 0        |
| MR25-247 | 172.67   | 173.34 | Core | 0.084    | 8.9      | 512      |
| MR25-247 | 173.34   | 173.58 | NS   | 0        | 0        | 0        |

| Hole ID  | From (m) | To (m) | Type | Au (ppm) | Ag (ppm) | Sb (ppm) |
|----------|----------|--------|------|----------|----------|----------|
| MR25-247 | 173.58   | 174.35 | Core | 0.45     | 9.7      | 281      |
| MR25-247 | 174.35   | 175.87 | Core | 0.308    | 9.8      | 179      |
| MR25-247 | 175.87   | 176.78 | Core | 0.281    | 5.4      | 449      |
| MR25-247 | 176.78   | 177.45 | Core | 0.176    | 7.2      | 852      |
| MR25-247 | 177.45   | 178.31 | Core | 0.172    | 8        | 773      |
| MR25-247 | 178.31   | 178.77 | NS   | 0        | 0        | 0        |
| MR25-247 | 178.77   | 179.22 | Core | 0.238    | 9.6      | 1539     |
| MR25-247 | 179.22   | 180.14 | Core | 0.282    | 8.5      | 341      |
| MR25-247 | 180.14   | 181.05 | Core | 0.116    | 6        | 822      |
| MR25-247 | 181.05   | 182.42 | Core | 0.155    | 5.8      | 810      |
| MR25-247 | 182.42   | 182.88 | Core | 0.066    | 7.1      | 955      |
| MR25-247 | 182.88   | 183.64 | Core | 0.173    | 10.7     | 1306     |
| MR25-247 | 183.64   | 183.76 | NS   | 0        | 0        | 0        |
| MR25-247 | 183.76   | 184.56 | Core | 0.218    | 40.1     | 752      |
| MR25-247 | 184.56   | 185.62 | Core | 0.159    | 8.9      | 849      |
| MR25-247 | 185.62   | 185.78 | NS   | 0        | 0        | 0        |
| MR25-247 | 185.78   | 186.63 | Core | 0.232    | 5.2      | 1271     |
| MR25-247 | 186.63   | 187.03 | Core | 0.193    | 6.8      | 905      |
| MR25-247 | 187.03   | 188.06 | Core | 0.261    | 38.1     | 7749     |
| MR25-247 | 188.06   | 188.98 | Core | 0.291    | 54.7     | 1541     |
| MR25-247 | 188.98   | 189.28 | Core | 0.229    | 20.5     | 2740     |
| MR25-247 | 189.28   | 190.5  | Core | 0.556    | 45.7     | 820      |
| MR25-247 | 190.5    | 190.62 | NS   | 0        | 0        | 0        |
| MR25-247 | 190.62   | 191.02 | Core | 0.447    | 18.7     | 699      |
| MR25-247 | 191.02   | 191.17 | NS   | 0        | 0        | 0        |
| MR25-247 | 191.17   | 191.6  | Core | 0.716    | 38.3     | 841      |
| MR25-247 | 191.6    | 191.99 | Core | 0.274    | 51.5     | 907      |
| MR25-247 | 191.99   | 192.12 | NS   | 0        | 0        | 0        |
| MR25-247 | 192.12   | 192.66 | Core | 0.293    | 20.4     | 1368     |
| MR25-247 | 192.66   | 193.03 | NS   | 0        | 0        | 0        |
| MR25-247 | 193.03   | 193.27 | Core | 0.322    | 35       | 659      |
| MR25-247 | 193.27   | 193.4  | NS   | 0        | 0        | 0        |
| MR25-247 | 193.4    | 193.64 | Core | 0.486    | 98.6     | 1705     |
| MR25-247 | 193.64   | 194.01 | NS   | 0        | 0        | 0        |
| MR25-247 | 194.01   | 194.77 | Core | 0.531    | 26.5     | 2136     |
| MR25-247 | 194.77   | 195.65 | Core | 0.519    | 190      | 1476     |
| MR25-247 | 195.65   | 195.99 | Core | 0.785    | 194      | 1227     |
| MR25-247 | 195.99   | 196.6  | Core | 2.64     | 1552     | 2120     |
| MR25-247 | 196.6    | 196.99 | Core | 1.22     | 303      | 2484     |
| MR25-247 | 196.99   | 197.6  | Core | 1.81     | 85.4     | 2222     |
| MR25-247 | 197.6    | 197.69 | NS   | 0        | 0        | 0        |
| MR25-247 | 197.69   | 198.61 | Core | 2.81     | 207      | 1546     |
| MR25-247 | 198.61   | 198.73 | NS   | 0        | 0        | 0        |
| MR25-247 | 198.73   | 199.03 | Core | 1.42     | 405      | 2067     |
| MR25-247 | 199.03   | 199.34 | NS   | 0        | 0        | 0        |
| MR25-247 | 199.34   | 199.83 | Core | 1.17     | 155      | 2957     |
| MR25-247 | 199.83   | 200.01 | NS   | 0        | 0        | 0        |
| MR25-247 | 200.01   | 200.31 | Core | 0.349    | 113      | 13073    |
| MR25-247 | 200.31   | 200.68 | NS   | 0        | 0        | 0        |
| MR25-247 | 200.68   | 201.23 | Core | 1.13     | 157      | 683      |
| MR25-247 | 201.23   | 201.78 | NS   | 0        | 0        | 0        |
| MR25-247 | 201.78   | 202.08 | Core | 0.605    | 24.6     | 274      |
| MR25-247 | 202.08   | 202.27 | NS   | 0        | 0        | 0        |
| MR25-247 | 202.27   | 203.03 | Core | 0.44     | 45.5     | 614      |

| Hole ID  | From (m) | To (m) | Type | Au (ppm) | Ag (ppm) | Sb (ppm) |
|----------|----------|--------|------|----------|----------|----------|
| MR25-247 | 203.03   | 203.15 | NS   | 0        | 0        | 0        |
| MR25-247 | 203.15   | 203.61 | Core | 0.284    | 31       | 218      |
| MR25-247 | 203.61   | 204    | NS   | 0        | 0        | 0        |
| MR25-247 | 204      | 204.49 | Core | 0.562    | 5.7      | 748      |
| MR25-247 | 204.49   | 204.83 | Core | 0.34     | 70       | 451      |
| MR25-247 | 204.83   | 204.98 | NS   | 0        | 0        | 0        |
| MR25-247 | 204.98   | 205.13 | Core | 0.461    | 7        | 246      |
| MR25-247 | 205.13   | 205.4  | NS   | 0        | 0        | 0        |
| MR25-247 | 205.4    | 205.62 | Core | 0.233    | 21.4     | 317      |
| MR25-247 | 205.62   | 206.65 | NS   | 0        | 0        | 0        |
| MR25-247 | 206.65   | 206.81 | Core | 0.638    | 21.2     | 375      |
| MR25-247 | 206.81   | 206.87 | NS   | 0        | 0        | 0        |
| MR25-247 | 206.87   | 207.02 | Core | 1.12     | 74.1     | 1388     |
| MR25-247 | 207.02   | 207.17 | Core | 3        | 48.4     | 1860     |
| MR25-247 | 207.17   | 207.32 | Core | 0.698    | 63.7     | 853      |
| MR25-247 | 207.32   | 207.54 | NS   | 0        | 0        | 0        |
| MR25-247 | 207.54   | 207.78 | Core | 2.11     | 1253     | 993      |
| MR25-247 | 207.78   | 207.87 | NS   | 0        | 0        | 0        |
| MR25-247 | 207.87   | 208.09 | Core | 2.44     | 161      | 2343     |
| MR25-247 | 208.09   | 208.64 | NS   | 0        | 0        | 0        |
| MR25-247 | 208.64   | 208.85 | Core | 1.31     | 34.6     | 167      |
| MR25-247 | 208.85   | 210.19 | NS   | 0        | 0        | 0        |
| MR25-247 | 210.19   | 210.37 | Core | 0.859    | 10.5     | 542      |
| MR25-247 | 212.29   | 213.06 | Core | 0.983    | 16.4     | 283      |
| MR25-247 | 213.66   | 214.09 | Core | 0.4      | 7.7      | 1115     |
| MR25-247 | 215.34   | 215.43 | NS   | 0        | 0        | 0        |
| MR25-247 | 215.43   | 215.62 | Core | 0.302    | 43.4     | 332      |
| MR25-247 | 218.75   | 219.21 | NS   | 0        | 0        | 0        |
| MR25-247 | 219.21   | 220.13 | Core | 0.123    | 9.7      | 412      |
| MR25-247 | 225.25   | 225.4  | Core | 0.512    | 16.4     | 309      |
| MR25-247 | 225.4    | 225.61 | NS   | 0        | 0        | 0        |
| MR25-247 | 225.61   | 225.8  | Core | 0.136    | 19.4     | 541      |
| MR25-247 | 225.8    | 225.92 | NS   | 0        | 0        | 0        |
| MR25-247 | 226.8    | 227.02 | Core | 0.032    | 15.5     | 348      |
| MR25-247 | 227.02   | 227.32 | Core | 0.35     | 51       | 620      |
| MR25-247 | 227.99   | 228.54 | Core | 0.114    | 13.1     | 805      |
| MR25-247 | 228.54   | 229.09 | Core | 0.168    | 138      | 1538     |
| MR25-247 | 229.09   | 229.3  | Core | 0.119    | 45.9     | 1957     |
| MR25-247 | 229.3    | 229.51 | NS   | 0        | 0        | 0        |
| MR25-247 | 229.51   | 230    | Core | 0.149    | 16.8     | 326      |
| MR25-247 | 230      | 230.37 | Core | 2.09     | 38.1     | 1780     |
| MR25-247 | 230.37   | 230.46 | NS   | 0        | 0        | 0        |
| MR25-247 | 230.46   | 230.98 | Core | 0.254    | 28.8     | 635      |
| MR25-247 | 231.07   | 231.68 | Core | 0.252    | 18.2     | 271      |
| MR25-247 | 231.68   | 232.14 | NS   | 0        | 0        | 0        |
| MR25-247 | 232.14   | 232.71 | Core | 0.313    | 15.5     | 1148     |
| MR25-247 | 232.71   | 233.39 | Core | 0.168    | 9.9      | 3409     |
| MR25-247 | 233.39   | 233.57 | NS   | 0        | 0        | 0        |
| MR25-247 | 233.57   | 233.81 | Core | 0.204    | 12.2     | 229      |
| MR25-247 | 233.81   | 233.96 | NS   | 0        | 0        | 0        |
| MR25-247 | 233.96   | 234.12 | Core | 0.213    | 12.9     | 344      |
| MR25-247 | 234.12   | 234.3  | NS   | 0        | 0        | 0        |
| MR25-247 | 234.3    | 234.45 | Core | 0.361    | 25.9     | 466      |
| MR25-247 | 234.45   | 234.76 | NS   | 0        | 0        | 0        |

| Hole ID  | From (m) | To (m) | Type | Au (ppm) | Ag (ppm) | Sb (ppm) |
|----------|----------|--------|------|----------|----------|----------|
| MR25-247 | 234.76   | 235.12 | Core | 0.467    | 39.7     | 685      |
| MR25-247 | 235.12   | 235.85 | NS   | 0        | 0        | 0        |
| MR25-247 | 235.85   | 237.2  | Core | 0.134    | 7        | 615      |
| MR25-247 | 237.2    | 237.32 | Core | 0.132    | 39.4     | 663      |
| MR25-247 | 237.32   | 237.74 | NS   | 0        | 0        | 0        |
| MR25-247 | 237.74   | 237.96 | Core | 0.202    | 83.5     | 212      |
| MR25-247 | 237.96   | 238.05 | NS   | 0        | 0        | 0        |
| MR25-247 | 238.05   | 238.2  | Core | 0.24     | 64.8     | 134      |
| MR25-247 | 238.2    | 238.35 | NS   | 0        | 0        | 0        |
| MR25-247 | 238.35   | 238.57 | Core | 0.136    | 8.5      | 589      |
| MR25-247 | 238.57   | 238.96 | NS   | 0        | 0        | 0        |
| MR25-247 | 238.96   | 239.36 | Core | 0.217    | 19.1     | 1300     |
| MR25-247 | 239.36   | 239.54 | NS   | 0        | 0.15     | 3        |
| MR25-247 | 239.54   | 239.73 | Core | 0.242    | 19.7     | 1940     |
| MR25-247 | 239.73   | 239.82 | NS   | 0        | 0        | 0        |
| MR25-247 | 239.82   | 240.4  | Core | 0.156    | 10.3     | 875      |
| MR25-247 | 240.4    | 241.13 | Core | 0        | 0        | 0        |
| MR25-247 | 241.13   | 241.46 | Core | 0.392    | 12.5     | 965      |
| MR25-247 | 241.46   | 241.71 | NS   | 0        | 0        | 0        |
| MR25-247 | 241.71   | 242.29 | Core | 0.095    | 9.8      | 834      |
| MR25-247 | 242.47   | 242.83 | Core | 0.091    | 12.4     | 1646     |
| MR25-247 | 242.83   | 243.08 | NS   | 0        | 0        | 0        |
| MR25-247 | 243.08   | 243.63 | Core | 0.163    | 14       | 329      |
| MR25-247 | 243.63   | 244.14 | NS   | 0        | 0        | 0        |
| MR25-247 | 244.14   | 245.36 | Core | 0.094    | 9.2      | 595      |
| MR25-247 | 245.36   | 245.61 | NS   | 0        | 0        | 0        |
| MR25-247 | 245.61   | 246.52 | Core | 0.079    | 7        | 552      |
| MR25-247 | 246.52   | 246.83 | NS   | 0        | 0        | 0        |
| MR25-247 | 246.83   | 247.5  | Core | 0.082    | 4.8      | 823      |
| MR25-247 | 247.5    | 247.83 | Core | 0.05     | 8.7      | 662      |
| MR25-247 | 248.63   | 249.08 | Core | 0.114    | 11.8     | 414      |
| MR25-247 | 249.08   | 249.39 | NS   | 0        | 0        | 0        |
| MR25-247 | 249.39   | 250.24 | Core | 0.439    | 10       | 1109     |
| MR25-247 | 250.24   | 250.39 | NS   | 0        | 0        | 0        |
| MR25-247 | 250.39   | 250.73 | Core | 0.408    | 93.4     | 427      |
| MR25-247 | 250.73   | 250.94 | NS   | 0        | 0        | 0        |
| MR25-247 | 250.94   | 251.8  | Core | 0.199    | 4.6      | 230      |
| MR25-247 | 252.95   | 253.44 | Core | 0.193    | 5.9      | 152      |
| MR25-247 | 253.44   | 253.9  | NS   | 0        | 0        | 0        |
| MR25-247 | 253.9    | 254.05 | Core | 0.639    | 42.2     | 199      |
| MR25-247 | 255.06   | 255.27 | Core | 0.532    | 10.5     | 1129     |
| MR25-247 | 255.27   | 255.79 | NS   | 0        | 0        | 0        |
| MR25-247 | 255.79   | 256.79 | Core | 0.651    | 12.6     | 378      |
| MR25-247 | 257.07   | 257.22 | Core | 0.343    | 12.4     | 277      |
| MR25-247 | 257.22   | 257.62 | NS   | 0        | 0        | 0        |
| MR25-247 | 257.62   | 258.14 | Core | 0.227    | 11.8     | 326      |
| MR25-247 | 258.14   | 258.29 | NS   | 0        | 0        | 0        |
| MR25-247 | 258.29   | 258.99 | Core | 0.568    | 9.7      | 338      |
| MR25-247 | 258.99   | 259.38 | NS   | 0        | 0        | 0        |
| MR25-247 | 259.38   | 259.81 | Core | 0.547    | 12.5     | 200      |
| MR25-247 | 259.81   | 260.09 | NS   | 0        | 0        | 0        |
| MR25-247 | 260.09   | 260.42 | Core | 0.412    | 7.6      | 186      |
| MR25-247 | 260.42   | 261.64 | Core | 0.461    | 8.1      | 222      |
| MR25-247 | 261.64   | 263.07 | Core | 0.233    | 8        | 610      |

| Hole ID  | From (m) | To (m) | Type | Au (ppm) | Ag (ppm) | Sb (ppm) |
|----------|----------|--------|------|----------|----------|----------|
| MR25-247 | 263.07   | 264.2  | Core | 0.176    | 13.2     | 53       |
| MR25-247 | 264.2    | 264.51 | Core | 1.51     | 44.5     | 781      |
| MR25-247 | 264.51   | 264.84 | NS   | 0        | 0        | 0        |
| MR25-247 | 264.84   | 265.82 | Core | 1.44     | 43.6     | 602      |
| MR25-247 | 265.82   | 267    | Core | 0.757    | 30.6     | 409      |
| MR25-247 | 267      | 267.49 | Core | 0.896    | 30.5     | 184      |
| MR25-247 | 267.49   | 268.32 | Core | 0.447    | 9.9      | 103      |
| MR25-247 | 268.32   | 269.23 | Core | 0.306    | 13.6     | 524      |
| MR25-247 | 269.23   | 270.75 | Core | 0.387    | 13.1     | 561      |
| MR25-247 | 270.75   | 271.27 | Core | 0.499    | 20.6     | 502      |
| MR25-247 | 271.27   | 271.88 | NS   | 0        | 0        | 0        |
| MR25-247 | 271.88   | 272.37 | Core | 0.232    | 17.9     | 524      |
| MR25-247 | 272.37   | 272.92 | NS   | 0        | 0        | 0        |
| MR25-247 | 272.92   | 273.07 | Core | 0.333    | 26.4     | 456      |
| MR25-247 | 273.07   | 274.5  | NS   | 0        | 0        | 0        |
| MR25-247 | 274.5    | 274.66 | Core | 0.138    | 24.4     | 135      |
| MR25-247 | 274.66   | 275.36 | NS   | 0        | 0        | 0        |
| MR25-247 | 275.36   | 275.75 | Core | 0.565    | 25.4     | 1086     |
| MR25-247 | 275.75   | 277.92 | NS   | 0        | 0        | 0        |
| MR25-247 | 277.92   | 278.07 | Core | 0.264    | 33.6     | 395      |
| MR25-247 | 278.07   | 279.29 | NS   | 0        | 0        | 0        |
| MR25-247 | 279.29   | 279.9  | Core | 0.34     | 12.1     | 969      |
| MR25-247 | 279.9    | 280.11 | NS   | 0        | 0        | 0        |
| MR25-247 | 280.11   | 280.57 | Core | 0.183    | 28.1     | 782      |
| MR25-247 | 280.57   | 282.49 | NS   | 0        | 0        | 0        |
| MR25-247 | 282.49   | 283.01 | Core | 0.319    | 10.7     | 106      |
| MR25-247 | 283.01   | 283.56 | Core | 0.175    | 11.2     | 55       |
| MR25-247 | 283.56   | 283.65 | NS   | 0        | 0        | 0        |
| MR25-247 | 283.65   | 284.2  | Core | 0.213    | 6.8      | 66       |
| MR25-247 | 284.2    | 284.44 | NS   | 0        | 0        | 0        |
| MR25-247 | 284.44   | 284.74 | Core | 0.4      | 13.6     | 141      |
| MR25-247 | 284.74   | 285.2  | Core | 0.168    | 3.5      | 62       |
| MR25-247 | 285.2    | 285.38 | NS   | 0        | 0        | 0        |
| MR25-247 | 285.38   | 285.87 | Core | 0.14     | 2.9      | 65       |
| MR25-247 | 285.87   | 286.51 | NS   | 0        | 0        | 0        |
| MR25-247 | 286.51   | 286.82 | Core | 0.191    | 3.5      | 42       |
| MR25-247 | 286.82   | 286.91 | NS   | 0        | 0        | 0        |
| MR25-247 | 286.91   | 287.73 | Core | 0.175    | 4.6      | 63       |
| MR25-247 | 288.55   | 289.77 | NS   | 0        | 0        | 0        |
| MR25-247 | 289.77   | 289.93 | Core | 0.052    | 6.2      | 35       |
| MR25-247 | 289.93   | 290.66 | NS   | 0        | 0        | 0        |
| MR25-247 | 290.66   | 291.36 | Core | 0.06     | 3.8      | 44       |
| MR25-247 | 291.36   | 292.09 | NS   | 0        | 0        | 0        |
| MR25-247 | 292.09   | 292.91 | Core | 0.01     | 0.15     | 16       |
| MR25-247 | 292.91   | 294.01 | Core | 0.014    | 0.15     | 7        |
| MR25-247 | 294.01   | 294.62 | Core | 0.024    | 0.15     | 3        |
| MR25-247 | 294.62   | 294.74 | NS   | 0        | 0        | 0        |
| MR25-247 | 294.74   | 296.02 | Core | 0.003    | 0.15     | 4        |
| MR25-247 | 296.02   | 296.17 | NS   | 0        | 0        | 0        |
| MR25-247 | 296.17   | 297.15 | Core | 0.003    | 0.15     | 8        |
| MR25-247 | 297.15   | 298.4  | Core | 0.013    | 0.15     | 7        |
| MR25-247 | 298.4    | 299.95 | Core | 0.004    | 1.3      | 14       |
| MR25-247 | 299.95   | 300.75 | Core | 0.004    | 1.1      | 11       |
| MR25-247 | 300.75   | 302.06 | Core | 0.003    | 2        | 12       |



| Hole ID  | From (m) | To (m) | Type | Au (ppm) | Ag (ppm) | Sb (ppm) |
|----------|----------|--------|------|----------|----------|----------|
| MR25-247 | 302.06   | 303.28 | Core | 0.01     | 1        | 11       |
| MR25-247 | 303.28   | 304.59 | Core | 0.004    | 0.6      | 10       |

| Hole ID  | From (m) | To (m) | Type | Au (ppm) | Ag (ppm) | Sb (ppm) |
|----------|----------|--------|------|----------|----------|----------|
| MR25-247 | 304.59   | 305.07 | NS   | 0        | 0        | 0        |

## JORC Code, 2012 Edition – Table 1

### SECTION 1 SAMPLING TECHNIQUES AND DATA (Criteria in this section apply to all succeeding sections.)

| Criteria                   | JORC 2012 Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Comment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Sampling techniques</i> | <ul style="list-style-type: none"> <li><i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i></li> <li><i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></li> <li><i>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g., 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g., submarine nodules) may warrant disclosure of detailed information.</i></li> </ul> | <ul style="list-style-type: none"> <li>The mineral resource was calculated using a database with a combination of samples from historic diamond drilling and RC drilling, 2024 RC drilling, 2025 RC and Diamond drilling and pulp re-analysis of historic drill pulps. Historic conventional rotary and hammer drilling also exists in the database but have not been included in resource estimation and are too shallow to intercept the main mineralisation body.</li> </ul> <p><b>Historic</b></p> <ul style="list-style-type: none"> <li>Samples have been assayed at various laboratories through the history of ownership. Pre 2002 NQ core and 'five feet' (1.5m) RC and percussion composite length samples from ~94 drill holes were analysed at Angst Resources' Goldbar Mine laboratory in Beatty, Nevada. Vista's 2002-2006 also utilised 1.5m samples, including wet samples (flocculent mix) and were assayed by AAL in Sparks, Nevada. 2008 RC drilling was analysed by ALS Chemex in Reno and Vancouver.</li> <li>Pre-2002 samples are reported to have been subject to 1 assay ton (AT) fire assay with AA finish for gold and silver, additional tests via cyanide soluble leach were not used in resource calculations. Approximately 5,000 pulps from this era have been re-analysed by four acid digest at AAL in 2025.</li> <li>2002-2006 drill samples underwent similar analysis which record typical dry, crush, split, pulverise preparation work. Routine analyses at AAL included 1 assay ton fire with an AA finish for gold and 0.4-gram aqua regia leach with AA finish for silver. Any silver value of 100 parts per million (ppm) or greater was re-run by 1 assay ton fire with a gravimetric finish. Results were reported in ppm with detection limits of 0.005 ppm for gold and 0.05 ppm for silver.</li> <li>2008 RC drilling utilised fire assay for gold and a 33 element ICP-AES analysis (4 acid digest) for silver and pathfinder elements. Silver was re-analysed by fire assay if over 100ppm.</li> <li>Assay certificates have not been provided for Pre 2002 drilling hence the pulp re-analysis program. 2002 to 2008 assay certificates have been supplied and recompiled in the database.</li> </ul> <p><b>2024 and 2025</b></p> <ul style="list-style-type: none"> <li>2024 and 2025 RC drilling has used a rotary wet splitter for wet sample collection at 5ft intervals (1.52m) into large bags contained in 3 gallon buckets which are dried before dispatch in effort to reduce loss of fines and produce representative sample.</li> <li>Drill assay analysis of silver and multi-elements is by 4 acid digest with ICP-MS or OES finish, over limit silver (100g/t) analysed by gravimetric fire assay and gold analysed by fire assay with ICP-OES finish.</li> <li>2025 diamond drilling includes HQ and PQ core drilling from surface and as diamond tails. Core is cut in half for sampling.</li> <li>Samples delineated by drill string and downhole surveys utilise a Reflex Omni X-42 North Seeking Gyro calibrated prior to use, with readings taken typically every 50ft.</li> </ul> |

| Criteria              | JORC 2012 Explanation                                                                                                                                                                                                                                                                                                                           | Comment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Drilling Techniques   | <ul style="list-style-type: none"> <li>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</li> </ul>       | <ul style="list-style-type: none"> <li>Drilling is via NQ, HQ and PQ diamond coring, RC drilling, conventional rotary and hammer drilling methods.</li> </ul> <p><b>Historic</b></p> <ul style="list-style-type: none"> <li>2002-2003 RC drilling is recorded as via 5 1/8"-5 1/4" inch face sampling hammer and 2004 via 5.5". In some instances a tri-cone bit was used to aid sample recovery. Majority of the open-hole techniques are too shallow to be utilised in the resource estimate and no issues of contamination from these methods are expected.</li> <li>All core is believed to be NQ, with some RC and HQ precollars.</li> <li>Core orientation techniques or methods are currently unknown.</li> </ul> <p><b>2024 and 2025</b></p> <ul style="list-style-type: none"> <li>2024 RC drilling is using a 2013 Foremost MPD Explorer track mounted rig drilling 5" holes. RC sampled via a traditional hammer setup (2ft lead between the bit interface and the sample return) which has shown the most reliable recovery. Water injection is used to maximise sample recovery due to ground conditions and is typical to the area.</li> <li>Diamond drilling utilises triple tube for HQ or PQ size core drilling by a track mounted Longyear LF 90 drill rig or Hydrocore 4000.</li> <li>Diamond drilling is often as diamond tails with RC precollar depths varying based on mineralisation potential and overburden thickness.</li> <li>Core is not oriented due to ground conditions.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Drill sample recovery | <ul style="list-style-type: none"> <li>Method of recording and assessing core and chip sample recoveries and results assessed.</li> <li>Measures taken to maximise sample recovery and ensure representative nature of the samples.</li> <li>Whether a relationship exists between sample recovery and grade and whether sample bias</li> </ul> | <p><b>Historic</b></p> <ul style="list-style-type: none"> <li>Drilling recoveries are not specifically recorded in the logging database and drill recovery issues in RC drilling have been reported through broken ground. 2002-2008 drilling implemented additional procedures to enhance recovery:<br/>A rotary wet splitter was used to collect composites which were mixed with a flocculent and large 20-30pound samples taken to minimise loss of fines. This drilling also included using hammers with a cross-over sub and tricone bits.</li> <li>Diamond drilling recovery has not been recorded in the database but 2006 reports state that viewing some of the core showed no obvious issues. Compilation of paper logs is in progress to provide more information on historic core sampling and recoveries.</li> <li>A slight bias in the 2002 RC drilling towards lower gold and silver grades compared to diamond drill results and 2003 RC drilling is reported from an investigation by Thomas C. Doe and Associates provided to Snowden in 2004. This may be due to the loss of fines but is not considered significant based on the small amount of drilling data affected and that it doesn't contribute to over-estimation. It is unknown if similar issues existed in Pre 2002 RC drilling.</li> </ul> <p><b>2024 and 2025</b></p> <ul style="list-style-type: none"> <li>2024 and 2025 RC drilling utilises a rotary wet splitter to maximise recovery of drill material and fines with samples in large 20x24" bags with water allowed to seep out through canvas bag before analysis.</li> <li>Poor sample recovery is recorded by visual inspection and laboratory weights.</li> <li>NSR represents No Sample Returned and is generally due to broken ground conditions.</li> <li>Diamond drilling recoveries are measured on drill core and against run lengths. Core loss is recorded as no sample intervals where there is less than 80% recovery. Core loss is typical in heavily broken ground.</li> <li>It is not yet known if sample recovery contributes to a grade bias.</li> </ul> |

| Criteria                                         | JORC 2012 Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Comment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Logging                                          | <ul style="list-style-type: none"> <li>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</li> <li>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc)</li> <li>The total length and percentage of the relevant intersections logged.</li> </ul>                                                                                                                                                                                                                                                                                                          | <ul style="list-style-type: none"> <li>The logging is qualitative in nature.</li> <li>From 234 drill holes and 69,750m of drilling, 50% of the total drill holes at the Project have been logged with a broad formation unit, 30% has detailed logging and 20% has not been logged.</li> <li>100% of the 2024 and 2025 drilling has been logged to current industry standards.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Sub-sampling techniques and sampling preparation | <ul style="list-style-type: none"> <li>If core, whether cut or sawn and whether quarter, half or all core taken.</li> <li>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li> <li>For all sample types, the nature, quality, and appropriateness of the sample preparation technique.</li> <li>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li> <li>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling</li> <li>Whether sample sizes are appropriate to the grain size of the material being sampled.</li> </ul> | <ul style="list-style-type: none"> <li>5ft (1.5m) composite samples were taken during percussion drilling (RC, rotary) and drill core was sampled as half core cut longitudinally down its axis at various interval lengths to mineralised/geological boundaries. Core assay intervals range from 0.1 foot (3cm) to 10.7 ft (3.26m).</li> </ul> <p><b>Historic</b></p> <ul style="list-style-type: none"> <li>RC drilling records are minimal, but reports detail splitting samples fed from a cyclone. Vista/SS 2002-2008 drilling details the use of RC tricone bits and hammers with a cross-over sub to improve recovery.</li> <li>They used wet sampling via 36" rotary wet splitter, mixed with a flocculent and collected into a sample bag before being allowed to dry. This produced ~5kg samples in an attempt to minimise loss of fines.</li> <li>Diamond drilling sampling protocols are not specifically known for Pre 2002 diamond holes, but no core loss exists in the sample database provided.</li> <li>Field duplicates are reported to have been used since the 2002 RC drilling but have not been provided and no records exist from prior drilling. 2008 drilling showed field duplicates, blanks and standards insert every ~20 samples.</li> </ul> <p><b>2024 and 2025</b></p> <ul style="list-style-type: none"> <li>5ft (1.52m) composite samples were taken during RC drilling.</li> <li>RC drilling utilises wet drilling with sampling via a rotary wet splitter. Large samples are taken in attempt to minimise loss of fines. Field duplicates are used to as checks for this method.</li> <li>Sample sizes are considered to reflect industry standards, be appropriate for the material being sampled and show attempts made to improve recovery.</li> <li>Diamond core is cut down the longitudinal axis with half core sampled. Sample lengths vary from 0.15m to 1.52m. Samples are made around intervals of core loss as to not carry grade through core loss.</li> <li>2024 and 2025 drilling inserted standards, blanks, and duplicates into the sample stream at approximately 1 in 20 samples near mineralisation, and ~1 in 40 in overburden.</li> </ul> |
| Quality of assay data laboratory tests           | <ul style="list-style-type: none"> <li>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> <li>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</li> </ul>                                                                                                                                                                                                                                                                                                   | <p><b>Historic</b></p> <ul style="list-style-type: none"> <li>QAQC protocols utilising Certified Reference Material (standards), blanks and duplicates have been reported in 2002-2008 drill programs under instruction from Snowden. Results from standards have been reviewed for some drilling but no blanks or duplicates have been. No issues were raised by Snowden, SRK or SGS in previous reports.</li> <li>There is no QC data on drilling prior to 2002. Subsequently this data underwent investigative checks via re-assaying pulps by independent laboratories in 2004 and has recently undergone more significant reanalysis testwork in 2025. Silver by fire assay is considered total but due to lack of QC there may be limitations to this.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

| Criteria                              | JORC 2012 Explanation                                                                                                                                                                                                                                                                                                                                                         | Comment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                       | <ul style="list-style-type: none"> <li>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</li> </ul>                                                                                                                | <ul style="list-style-type: none"> <li>All samples from 2002-2006 were prepared and assayed by an independent commercial laboratory (AAL), and 2008 drilling by ALS Chemex whose instrumentation are regularly calibrated, utilising appropriate internal checks in QAQC. Silver underwent analysis by aqua-regia (2 acid digest) and may not be considered total digestion.</li> <li>Gold by fire assay for all historic test work is considered total.</li> </ul> <p><b>2024 and 2025</b></p> <ul style="list-style-type: none"> <li>Internal lab QAQC and field inserted blanks, standards and duplicates inserted into the 2024 sample stream show acceptable results. Rare cases of failed blanks have been rectified by re-analysis of pulps.</li> <li>All CRM is generally within 2 standard deviations with some outliers within 3 standard deviations from the expected.</li> <li>Laboratory procedures are considered total utilising fire assay for gold and four acid digest for silver and multi-elements, overlimit samples are sent for re-assay (silver by gravimetric fire assay).</li> <li>Pulp reanalysis of historic pulps utilised internal lab QC of blanks, standards and repeats, and company inserted standards for validation checks with good performance.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Verification of sampling and assaying | <ul style="list-style-type: none"> <li>The verification of significant intersections by either independent or alternative company personnel.</li> <li>The use of twinned holes.</li> <li>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</li> <li>Discuss any adjustment to assay data.</li> </ul> | <p><b>Historic</b></p> <ul style="list-style-type: none"> <li>Significant intercepts have not specifically been verified but Snowden reviewed and re-sampled select intervals from 2002, 2003 and 2006 and reported good correlation with original assays. Bulk historic assays have been re-assayed for verification checks detailed in the Snowden and SGS reports but raw data has not been provided.</li> <li>Primary data and data entry details are not provided for all drill campaigns which has been passed through several operators over the years, but all compiled data has been provided in csv(digital) format which is assumed to have been collected and transcribed accurately from prior operators. 2025 relogging and pulp reanalysis has utilised paper copies of logging and sampling of pulp records resulting in updating some intervals.</li> <li>Twin holes are not specifically reported but a small number of drill holes within 5-10m from each other can be observed in 3D space and show generally good correlation.</li> <li>The key adjustment to assay data are: <ul style="list-style-type: none"> <li>Un-assayed intervals were given a composite value of 0.0034g/t Au and Ag for Pre 2002 drilling.</li> <li>Historic oz/ton has been converted to ppm if no raw lab file in ppm is available.</li> <li>For 2002-2008 drilling from AAL and ALS assay results for gold and silver were reported in parts per million (ppm). For samples that were assayed a second time, the mean of the two samples was used.</li> </ul> </li> <li>A regression of silver and gold values for drilling prior to 2002 was implemented by SGS of: Gold = <math>0.806 * Au\_original</math> and Silver = <math>0.842 * Ag\_original</math> to account for overestimation in historic assays outlined in a pulp re-assay investigation by SRK in 2002. Original assay columns are still preserved in the database. Pulp reanalysis of over 5,000 pre-2002 pulps at AAL, with check analysis of ~200 samples at ALS, in 2025 indicated silver underestimation of over 20% in the regression silver via QQ plot and descriptive statistics analysis and resulted in the removal of the ~15% silver regression that was previously applied to the raw assays. The gold regression remains in place.</li> </ul> <p><b>2024 and 2025</b></p> <ul style="list-style-type: none"> <li>Drilling is logged digitally and uploaded into a database along with digital exports from pXRF and gyro devices. Logs and assay results are checked for any discrepancies, if needed, referencing notes and core photos.</li> </ul> |



| Criteria                                                       | JORC 2012 Explanation                                                                                                                                                                                                                                                                                                                                                                                                                          | Comment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|----------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                | <ul style="list-style-type: none"> <li>Assay data below detection limit is reported as a negative from the lab, this has been converted to a number half the detection limit, so no negative values are in the database for future resource work. Eg. -0.05 is changed to 0.025.</li> <li>Assay intervals are converted between feet and metres (x0.3048).</li> <li>2024 twin drilling of historic drill holes (2003-2008) showed a bias towards higher silver grades in the 2024 drilling (with adequate QAQC), but a similar grade distribution for gold. This may be due to 4 acid digest over 2 acid digest analysis and warrants further investigation. No adjustment has been made as historic data without QAQC appears conservative or lower grade than new data.</li> <li>2025 twin drilling of historic Pre 2002 diamond core shows good spatial correlation with some variation in grade distribution.</li> </ul>                                                                                                                                                                                       |
| <i>Location of data points</i>                                 | <ul style="list-style-type: none"> <li><i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></li> <li><i>Specification of the grid system used.</i></li> <li><i>Quality and adequacy of topographic control.</i></li> </ul>                                                                                       | <ul style="list-style-type: none"> <li>2024 drilling and locatable historic collars have been surveyed by DGPS for accurate pickup (104 of 222 collars surveyed).</li> <li>2025 drilling is located by a handheld GPS, with accuracy to within 2-5m. DGPS pickups of 2025 collars was not available at time of resource estimation.</li> <li>Downhole survey data appears to have been completed by gyroscopic tool, although this is only specifically stated for the 2002-2008 drilling. 2024 and 2025 drilling uses a north seeking gyro during drilling for down hole surveys for accurate drill string delineation.</li> <li>The grid system used for locating the historic collar positions of drillholes is NAD27 / UTM Zone 11N (ft). This has been converted to NAD83 UTM Zone 11 (m) for GIS and 3D work using the NCAT conversion tool.</li> <li>A three-dimensional (3D) DTM surface model representing topography to 0.5m, was supplied and used to validate the location of surface drill holes. This remains sufficient considering the depth of the resource and current drill spacing.</li> </ul> |
| <i>Data spacing and distribution</i>                           | <ul style="list-style-type: none"> <li><i>Data spacing for reporting of Exploration Results.</i></li> <li><i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></li> <li><i>Whether sample compositing has been applied.</i></li> </ul>                          | <ul style="list-style-type: none"> <li>Drilling has been completed on an approximately 120x120m grid with localised clustering and some infill drilling to 60m spacing.</li> <li>Data spacing and distribution is believed to be sufficient to establish the degree of geological and grade continuity appropriate for an Inferred Mineral Resource.</li> <li>A composite length of 5ft (1.52m) was chosen for resource estimation which reflects the length of majority of drill samples.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <i>Orientation of data in relation to geological structure</i> | <ul style="list-style-type: none"> <li><i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i></li> <li><i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></li> </ul> | <ul style="list-style-type: none"> <li>The drilling is predominantly conducted at or close to vertical with an average dip of -85° in historic drilling, -88° in 2024 drill holes and -87.5° in 2025 vertical drill holes. The dip is approximately perpendicular to the flat-lying mineralisation.</li> <li>The drill orientation is not expected to have introduced any sampling bias.</li> <li>2025 angled extensional or infill drillholes appear to represent true width or +95% of it.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

| Criteria           | JORC 2012 Explanation                                                                                                 | Comment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |             |     |     |      |             |                    |         |         |             |                    |         |             |
|--------------------|-----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----|-----|------|-------------|--------------------|---------|---------|-------------|--------------------|---------|-------------|
| Sample Security    | <ul style="list-style-type: none"><li>The measures taken to ensure sample security.</li></ul>                         | <ul style="list-style-type: none"><li>Historic samples sent from site to laboratory have no record of security protocols reported but are assumed to follow industry standards. Snowden, 2006 noted that Vistas protocols of sample security were acceptable.</li><li>2024 and 2025 drill samples are prepared on site and collected by the laboratory’s transport team or selected couriers.</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |             |     |     |      |             |                    |         |         |             |                    |         |             |
| Audits and Reviews | <ul style="list-style-type: none"><li>The results of any audits or reviews of sampling techniques and data.</li></ul> | <ul style="list-style-type: none"><li>Issues with sample recovery in fractured ground may result in missing sample intervals, and recoveries are recorded on a sample-by-sample basis into the drill logging database. Twin drilling will be compared to historic drilling.</li><li>Wet drilling of RC holes is industry standard for deep drilling in Nevada due to ground conditions and is not expected to introduce sample bias. Verification of 2024 and 2025 RC assay results against field blanks show good results. Comparison to twin drilling remains ongoing.</li><li>2025 diamond core sample intervals around core loss to minimise grade spread where core has not been recovered, this may differ from historic core sampling techniques.</li><li>Reviews of sampling techniques, data and assays have been undertaken by Newmont in 2001, by Snowden in 2002, 2003, 2006, SRK in 2016, and by SGS in 2022. A 1174 sample pulp re-assay program circa 2002 concluded assays from the Goldbar Lab overestimated gold and silver prompting a grade regression calculation. The 2025 pulp re-assay program of over 5000 Pre 2002 pulps by four acid digest showed consistent under-estimation of silver grades in historic data of around 20%. As a result, the regression calculation on silver has been removed, and only gold remains.</li></ul> <table><tr><th></th><th>SRK</th><th>SGS</th><th>2025</th></tr><tr><td>Original Au</td><td>x 0.896 and -0.001</td><td>x 0.806</td><td>x 0.806</td></tr><tr><td>Original Ag</td><td>x 0.794 and -0.066</td><td>x 0.842</td><td>Original Ag</td></tr></table> |             | SRK | SGS | 2025 | Original Au | x 0.896 and -0.001 | x 0.806 | x 0.806 | Original Ag | x 0.794 and -0.066 | x 0.842 | Original Ag |
|                    | SRK                                                                                                                   | SGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 2025        |     |     |      |             |                    |         |         |             |                    |         |             |
| Original Au        | x 0.896 and -0.001                                                                                                    | x 0.806                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | x 0.806     |     |     |      |             |                    |         |         |             |                    |         |             |
| Original Ag        | x 0.794 and -0.066                                                                                                    | x 0.842                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Original Ag |     |     |      |             |                    |         |         |             |                    |         |             |

## SECTION 2 REPORTING OF EXPLORATION RESULTS

(Criteria listed in the preceding section also apply to this section.)

| Criteria                                       | JORC 2012 Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Comment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Mineral tenement and land tenure status</i> | <ul style="list-style-type: none"> <li>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</li> </ul> | <ul style="list-style-type: none"> <li>The Maverick Springs property is in northeast Nevada, USA, ~85 km SE of the town of Elko, Nevada. The property currently consists of 327 Maverick, Willow and NMS unpatented lode mining claims registered with the US Department of the Interior Bureau of Land Management ("BLM") with a total area of approximately 6500 acres.</li> <li>The tenements are held in the name of Artemis Exploration Company ("AEC"). Sun Silver holds a 100% interest in the Maverick Springs Project.</li> <li>Gold and Silver Net Smelter Royalties (NSR) to tenement owner AEC of 5.9% which include ongoing advance royalty payments, and to Maverix Metals of 1.5% exists. AEC has additional NSR of 2.9% for all other metals.</li> <li>Archaeological surveys have been undertaken on certain areas of the Project to allow drilling activities.</li> <li>Cadre has not reviewed the land tenure situation in detail and has not independently verified the legal status or ownership of the properties or underlying option and/or joint venture agreement. SS1 has stated that all claims are in good standing and have been legally validated by a US based lawyer specialising in the field.</li> </ul>                                                                                                                                                                                |
| <i>Exploration done by other parties.</i>      | <ul style="list-style-type: none"> <li>Acknowledgment and appraisal of exploration by other parties.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                  | <ul style="list-style-type: none"> <li>Gold exploration at the Project area has been carried out by three previous explorers - Angst, Inc from 1986-1992, Harrison Western Mining L.L.(Harrison) C in 1996, Newmont in 2001, Vista Gold Corp (Vista) and Silver Standard in 2002-2016.</li> <li>Angst undertook first stage exploration with geochemical surveys, mapping, and drilling 128 drill holes for 39,625m outlining initial mineralisation at the project.</li> <li>Harrison drilled 2 exploration holes in 1998 for 247m.</li> <li>Vista advanced the project significantly drilling 54, mostly deep, RC holes over several years until 2006 which equated to ~15,267m.</li> <li>Silver Standard completed 5 deep RC holes for 1,625m in 2008.</li> <li>Reviews of the historic exploration show it was carried out to industry standards to produce data sufficient for mineral resource calculations.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <i>Geology</i>                                 | <ul style="list-style-type: none"> <li>Deposit type, geological setting and style of mineralisation.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                  | <ul style="list-style-type: none"> <li>Previous Technical Reports have identified the Maverick Springs mineralisation as a Carlin-type or sediment/carbonate-hosted disseminated silver-gold deposit. However, the 2022 review by SGS is of the opinion that the deposit has more affinity with a low-sulphidation, epithermal Au-Ag deposit. Recent fieldwork notes similarities to a Carbonate Replacement Deposit (CRD). Regardless, the geological setting remains the same. The mineralisation is hosted in Permian sediments (limestones, dolomites). The sediments have been intruded locally by Cretaceous acidic to intermediate igneous rocks and overlain by Tertiary volcanics, tuffs and sediments and underlain by Paleozoic sediments.</li> <li>Mineralisation in the silty limestones and calcareous clastic sediments is characterised by pervasive decalcification, weak to intense silicification and weak alunitic argillisation alteration, dominated by micron-sized silver and gold with related pyrite, stibnite, stibiconite and arsenic sulphides associated with intense fracturing and brecciation. Theories of mineralising events propose early-stage gold and silver coincident with decalcification and silicification of host rock, producing conditions for later stage brittle fracturing and vein-controlled silver mineralisation resulting in localised high-grade zones.</li> </ul> |

| Criteria                        | JORC 2012 Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Comment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <p>Transitional zones with sulphides are intermixed with oxidised zones and often overprinted by silicification. Fresh rock interface is generally 300m below surface with local variations.</p> <ul style="list-style-type: none"> <li>The mineralisation has formed a large sub-horizontal gently folded (antiformal) shaped zone with a shallow plunge to the south with the limbs of the arch dipping shallowly to moderately at 10-30° to the east and west from approximately 120m below surface to depths of over 500m below surface.</li> <li>Horst and Graben features including faults and offsets appear to be present at the Project with the effect on mineralisation yet to be fully understood.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                        |
| <i>Drill hole Information</i>   | <ul style="list-style-type: none"> <li>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> <li>easting and northing of the drill hole collar</li> <li>elevation or RL (Reduced Level - elevation above sea level in metres) of the drill hole collar</li> <li>dip and azimuth of the hole</li> <li>down hole length and interception depth</li> <li>hole length.</li> </ul> </li> <li>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</li> </ul> | <ul style="list-style-type: none"> <li>Refer to Appendix A - D of this report.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <i>Data aggregation methods</i> | <ul style="list-style-type: none"> <li>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</li> <li>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</li> <li>The assumptions used for any reporting of metal equivalent values should be clearly stated.</li> </ul>                                                                                                                                                                           | <ul style="list-style-type: none"> <li>Composites for silver and gold were generated within the mineralised wireframe to a nominal length of 5 ft (1.52 m). Composites were normalised in each interval to create equal length composites. Un-assayed intervals in the database have a value of 0.0034g/t Au and Ag.</li> <li>Raw assays were not altered but composite assays had a top cut applied for resource estimation to both silver and gold based on reviewing descriptive statistics and disintegration curves. The Silver top cut of 931.03g/t affected 16 samples and 3.29g/t for gold affected 8 samples.</li> <li>Ag and Au metal equivalents have been used. Gold price of \$USD 2433/oz and Silver price of \$USD 28.5/oz for a ratio of 85 based on average monthly metal pricing for the last 3 years.</li> <li>Metallurgical recoveries are assumed at 85% for both Gold and Silver from historic test work and therefore negate each other in the equivalent calculations. The resource is reported as an AgEq grade where <math>AgEq = Ag + Au \times 85</math>.</li> </ul> |

| Criteria                                                                | JORC 2012 Explanation                                                                                                                                                                                                                                                                                                                                                                                                                             | Comment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Relationship between mineralisation widths and intercept lengths</i> | <ul style="list-style-type: none"> <li>These relationships are particularly important in the reporting of Exploration Results.</li> <li>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</li> <li>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').</li> </ul> | <ul style="list-style-type: none"> <li>Drill hole intersections may not always be true widths but generally thought to be close to based on the flat-lying mineralisation and near to vertical drill holes. Review of drill strings in 3D is used to verify this with downhole intercept lengths showing no material difference to true width lengths.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <i>Diagrams</i>                                                         | <ul style="list-style-type: none"> <li>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</li> </ul>                                                                                                                              | <ul style="list-style-type: none"> <li>Figures are included in the report.</li> <li>Material intercepts are tabulated in Appendix B.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <i>Balanced reporting</i>                                               | <ul style="list-style-type: none"> <li>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</li> </ul>                                                                                                                                                                       | <ul style="list-style-type: none"> <li>Due to the large amount of drill results, only those pertinent to the resource estimate have been included in Appendix B. These represent downhole drill intercepts from the current mineralisation model. Drill holes or intervals outside of those reported are not significant enough to affect the mineralisation model unless otherwise stated.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <i>Other substantive exploration data</i>                               | <ul style="list-style-type: none"> <li>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density; groundwater; geotechnical and rock characteristics; potential deleterious or contaminating substances.</li> </ul>           | <ul style="list-style-type: none"> <li>Historic metallurgical test work from 2002, 2004 and 2006 has shown variable recoveries experimenting with different processing scenarios. Maximum recoveries of 97.5% for Ag and 95.8% for Au have been recorded but show variation across material and test parameters (grind size, leach time etc). Further optimisation work is underway with 2025 drill core.</li> <li>Bulk density measurements have been taken during 2025 drilling via water immersion method of drill core on site. 192 measurements from 7 holes produced average values for Oxide and Transitional material of 2.47, and for Fresh material 2.33g/cm<sup>3</sup>. The higher density above fresh rock may be due to more iron, intense silicification, and/or mineralisation in samples compared to fresh rock. Further tests are recommended to refine values and further differentiate material.</li> <li>Shallow anomalous silver and antimony mineralisation has been intercepted in historic drilling realised from the pulp-reassay program. These provide exploration targets for material above the mineralised body subject to the resource estimate. The extent or economic value of this material remains unknown and to be investigated.</li> </ul> |
| <i>Further work</i>                                                     | <ul style="list-style-type: none"> <li>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</li> <li>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</li> </ul>                                                 | <ul style="list-style-type: none"> <li>Potential exists for additional drilling to test extensions of the mineralisation model, which is open to the north and south along the hinge, and east and west as lateral extensions. Shallow drilling could test theories for up-dip mineralisation. Infill drilling could be used to increase confidence within the current model extents.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |



## SECTION 3 ESTIMATION AND REPORTING OF MINERAL RESOURCES

(Criteria listed in section 1, and where relevant in section 2, also apply to this section).

| Criteria                         | JORC 2012 Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Comment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Database integrity</i>        | <ul style="list-style-type: none"> <li><i>Measures taken to ensure that data has not been corrupted by, for example, transcription or keying errors, between its initial collection and its use for Mineral Resource estimation purposes.</i></li> <li><i>Data validation procedures used.</i></li> </ul>                                                                                                                                                                                                        | <ul style="list-style-type: none"> <li>Snowden (2002) did note that they feel confident that the core logging and geological mapping completed to date by the previous explorers on the property is of acceptable industry standards. Snowden (2004) noted that their review of the assay certificates found that the transfer to the digital database was performed accurately and that manipulations to the database were performed without error. SGS (2022) agreed that the data appears satisfactory.</li> <li>There is some level of uncertainty with the data due to lack of original copies available and therefore a heavy reliance is on prior operators and consultants. Sun Silver recovered digital records for 2002 to 2006 drilling from AAL and updated the database accordingly.</li> <li>The pulp re-assay program of over 5,000 samples from Pre-2002 drilling utilised database intervals, paper logs and pulp labels to update the database, with only a small amount of sample interval differences with the supplied data requiring updates. New pulps replaced historic data and where pulps were missing the historic data remained.</li> <li>It is the competent person's opinion that the data provided to perform the current mineral resource estimate is satisfactory.</li> <li>Successful plotting of drill holes without overlaps, and calculation of composites in the mining package ensures data validation by checking and reporting any errors. No errors were found.</li> </ul> |
| <i>Site visits</i>               | <ul style="list-style-type: none"> <li><i>Comment on any site visits undertaken by the Competent Person and the outcome of those visits.</i></li> <li><i>If no site visits have been undertaken indicate why this is the case.</i></li> </ul>                                                                                                                                                                                                                                                                    | <ul style="list-style-type: none"> <li>The Competent Person has not visited the site due to its location. Prior site visits have been carried out by Snowden (2003) and SGS (2021) professionals and photos from these trips have been reviewed. The competent person has had weekly meetings with field staff and reviewed 2024 and 2025 photos and videos of current field activities. Based on the depth of the resource and reliance on historical data, a field visit is not expected to change the author's opinion of the Project or resource estimate at this stage.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <i>Geological interpretation</i> | <ul style="list-style-type: none"> <li><i>Confidence in (or conversely, the uncertainty of ) the geological interpretation of the mineral deposit.</i></li> <li><i>Nature of the data used and of any assumptions made.</i></li> <li><i>The effect, if any, of alternative interpretations on Mineral Resource estimation.</i></li> <li><i>The use of geology in guiding and controlling Mineral Resource estimation.</i></li> <li><i>The factors affecting continuity both of grade and geology.</i></li> </ul> | <ul style="list-style-type: none"> <li>Confidence in the mineral resource is reflected in the resource classification assigned.</li> <li>Historic (2002, 2004) mineral estimates have included both Indicated and Inferred estimates but would not comply with current JORC standards. 2022 estimate utilised a pit shell for constraints. These reports have been considered and referenced but do not directly affect current mineral resource estimation. All prior estimates interpret a large continuous mineralised body which has increased with new drilling.</li> <li>Broad geology has been established and is used as a guide with assay data the primary factor in the mineralisation modelling and estimation.</li> <li>A reasonably broad, uniform mineralisation model shows good continuity in assay grade and geology with no known factors disrupting this. Localised high grades are likely due to vein hosted mineralisation. Faulting may disrupt mineralisation and lithologies but requires further study. Some faults have been modelled by prior operators but raw data to validate these models have not been found.</li> </ul>                                                                                                                                                                                                                                                                                                                                                             |

| Criteria                                   | JORC 2012 Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Comment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Dimensions</i>                          | <ul style="list-style-type: none"> <li>The extent and variability of the Mineral Resource expressed as length (along strike or otherwise), plan width, and depth below surface to the upper and lower limits of the Mineral Resource.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <ul style="list-style-type: none"> <li>The mineralised body is based on one large domain with a strike of ~2400m, width of up to 1350m and a thickness ranging between 30m on the margins up to 110m in the centre of the deposit. The deposit extends from approximately 120m below surface at its shallowest to depths of 590m below surface at its deepest.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <i>Estimation and modelling techniques</i> | <ul style="list-style-type: none"> <li>The nature and appropriateness of the estimation technique(s) applied and key assumptions, including treatment of extreme grade values, domaining, interpolation parameters and maximum distance of extrapolation from data points. If a computer assisted estimation method was chosen include a description of computer software and parameters used.</li> <li>The availability of check estimates, previous estimates and/or mine production records and whether the Mineral Resource estimate takes appropriate account of such data.</li> <li>The assumptions made regarding recovery of by-products.</li> <li>Estimation of deleterious elements or other non-grade variables of economic significance (eg sulphur for acid mine drainage characterisation).</li> <li>In the case of block model interpolation, the block size in relation to the average sample spacing and the search employed.</li> <li>Any assumptions behind modelling of selective mining units.</li> <li>Any assumptions about correlation between variables.</li> <li>Description of how the geological interpretation was used to control the resource estimates.</li> <li>Discussion of basis for using or not using grade cutting or capping.</li> <li>The process of validation, the checking process used, the comparison of model data to drill hole data, and use of reconciliation data if available.</li> </ul> | <ul style="list-style-type: none"> <li>Inverse Distance Squared (ID<sup>2</sup>) estimation has been used to interpolate grade within the block model.</li> <li>5-foot (1.52m) composites were created digitally in Surpac software to reduce the variance of the input data (as opposed to 1m samples)</li> <li>One large continuous domain has been modelled in Surpac using a sectional approach, where strings were generated at regular intervals in line with the drill spacing across the deposit and joined together to create a three-dimensional wireframe.</li> <li>The wireframe was modelled based on the AgEq grade at a ratio of 85 and was then checked against the distribution of both silver and gold grades. Strings were generated using a ~20g/t AgEq cut-off grade. Lower grades were included if it honoured the overall continuity and shape of the interpreted mineralisation.</li> <li>Estimates were checked against prior resource estimates conducted by SGS 2022.</li> <li>No assumptions regarding recovery of bi-products and no estimation of deleterious compounds.</li> <li>Parent block size for estimation was 60 x 60 x 30m, with sub-blocking to 7.5 x 7.5 x 3.75m for x,y,z respectively.</li> <li>The block size was selected based on half the drill hole spacing which is ~120m.</li> <li>SMU selection is commensurate with envisaged open pit mining methods.</li> <li>Grades were interpolated in four passes for silver and gold with majority of blocks estimated within the first and second pass. The first pass range of 120m in x and y, and 60m in z was doubled with each pass.</li> <li>The mineralisation wireframe controlled the extent of the domain estimate.</li> <li>Grade capping was used to mitigate the fact that high grade outliers have less spatial continuity than low grade composites do. A capping value of 931.03g/t for silver and 3.29g/t for gold were applied.</li> <li>Block grades were checked on a section-by-section basis against drill hole assay results in 3D software and via swath plot analysis.</li> <li>The total volume of the block model was compared with the volume of the mineralised wireframe and the average raw composite grade, capped composite grade and block model grade at a 0.0g/t cut-off were also compared.</li> </ul> |
| <i>Moisture</i>                            | <ul style="list-style-type: none"> <li>Whether the tonnages are estimated on a dry basis or with natural moisture, and the method of determination of the moisture content.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <ul style="list-style-type: none"> <li>All calculations are done on a dry basis via a dry SG.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <i>Cut-off parameters</i>                  | <ul style="list-style-type: none"> <li>The basis of the adopted cut-off grade(s) or quality parameters applied.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <ul style="list-style-type: none"> <li>The resource was reported using a cut-off of 30g/t AgEq to indicate a potential mining cut-off grade. The grade-tonnage curve in the report highlights the sensitivity to these cut-off grades. Future studies and improvements on resource classification will refine these values.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

| Criteria                                    | JORC 2012 Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Comment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Mining factors or assumptions</i>        | <ul style="list-style-type: none"> <li>Assumptions made regarding possible mining methods, minimum mining dimensions and internal (or, if applicable, external) mining dilution. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider potential mining methods, but the assumptions made regarding mining methods and parameters when estimating Mineral Resources may not always be rigorous. Where this is the case, this should be reported with an explanation of the basis of the mining assumptions made.</li> </ul>                                                                                                                           | <ul style="list-style-type: none"> <li>Broad assumptions on open pit mining have been made based on prior reports and studies performed by SGS input parameters approx. 3 years old. The additional view that once open pit mining is complete, the remainder of the resource could be extracted via underground methods. It is not unreasonable to assume that future higher commodity prices would make this scenario feasible. Optimisation studies are recommended as the project progresses.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <i>Metallurgical factors or assumptions</i> | <ul style="list-style-type: none"> <li>The basis for assumptions or predictions regarding metallurgical amenability. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider potential metallurgical methods, but the assumptions regarding metallurgical treatment processes and parameters made when reporting Mineral Resources may not always be rigorous. Where this is the case, this should be reported with an explanation of the basis of the metallurgical assumptions made.</li> </ul>                                                                                                                                                       | <ul style="list-style-type: none"> <li>Investigations of metallurgy have been undertaken at the project in 2002, 2004 and 2006 and are still at preliminary stages. Recoveries for gold and silver vary depending on grind size, reagent consumption and leaching retention time. Flotation tests did not appear to have a positive impact, while grind size and leach time were the main factors affecting recoveries. Early 2002 work on 15 composites samples tested showed recoveries between 28% and 65% for gold and 5% and 52% for silver. The 2004 study showed maximum recoveries from 63-97% for Silver and 35.7-97.1%, but more commonly in the 80-90%, range for gold. 2006 recoveries showed the best recoveries on ground material and ranged from 34-96% for gold, averaging 83% and 18-90% for silver, averaging 72%.</li> <li>Reports indicate grind size and leach types and times can be further optimised.</li> <li>2002 testing indicated that preg-robbing carbon is not a factor.</li> <li>The material is oxidised with some sulphides present.</li> <li>2025 PQ Diamond drilling is being used for new metallurgical tests with analysis pending.</li> </ul> |
| <i>Environmental factors or assumptions</i> | <ul style="list-style-type: none"> <li>Assumptions made regarding possible waste and process residue disposal options. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider the potential environmental impacts of the mining and processing operation. While at this stage the determination of potential environmental impacts, particularly for a greenfields project, may not always be well advanced, the status of early consideration of these potential environmental impacts should be reported. Where these aspects have not been considered this should be reported with an explanation of the environmental assumptions made.</li> </ul> | <ul style="list-style-type: none"> <li>Minimal assumptions have been made in this regard, however, there are no known impediments to conventional waste disposal for this type of project that have been identified as roadblocks.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <i>Bulk density</i>                         | <ul style="list-style-type: none"> <li>Whether assumed or determined. If assumed, the basis for the assumptions. If determined, the method used, whether wet or dry, the frequency of the measurements, the nature, size and representativeness of the samples.</li> <li>The bulk density for bulk material must have been</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                          | <ul style="list-style-type: none"> <li>Bulk density assignment has been updated from field measurements. HQ drill core from 7 holes and 192 readings measured via water immersion method produced average density of 2.48g/cm<sup>3</sup> from Oxide, 2.47g/cm<sup>3</sup> Transitional material, and 2.33g/cm<sup>3</sup> for Fresh material.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

| Criteria          | JORC 2012 Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Comment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   | <p><i>measured by methods that adequately account for void spaces (vugs, porosity, etc), moisture and differences between rock and alteration zones within the deposit.</i></p> <ul style="list-style-type: none"> <li>Discuss assumptions for bulk density estimates used in the evaluation process of the different materials.</li> </ul>                                                                                                                                                                                             | <ul style="list-style-type: none"> <li>The density is an increase on the blanket value of 2.35 g/cm<sup>3</sup> used in previous estimates from 9 pycnometric readings and is considered more accurate utilising the average of more data. It is still conservative compared to density values reported historically of 2.58g/cm<sup>3</sup>.</li> <li>The number will continually be refined with more drilling and further refinement of oxide, transitional and fresh layers across different lithologies and alteration types.</li> <li>As the Transitional and Oxide material showed similar values and their spatial distinction is not yet clear cut, the lower value of 2.47g/cm<sup>3</sup> has been used for all material in the mineralisation model above fresh rock which accounts for majority of the deposit.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Classification    | <ul style="list-style-type: none"> <li><i>The basis for the classification of the Mineral Resources into varying confidence categories.</i></li> <li><i>Whether appropriate account has been taken of all relevant factors (ie relative confidence in tonnage/grade estimations, reliability of input data, confidence in continuity of geology and metal values, quality, quantity and distribution of the data).</i></li> <li><i>Whether the result appropriately reflects the Competent Person's view of the deposit.</i></li> </ul> | <ul style="list-style-type: none"> <li>The classification of inferred is based on multiple factors and includes taking into account the prior resource estimates and reviews of the Project by Snowden, SRK and SGS consultants demonstrating the robust mineralisation model defined by various eras of drilling data.</li> <li>Factors that account for the inferred status include the inability to demonstrate data integrity and adequate QAQC for the data prior to 2002. SS1 made steps to rectify this with over 5,000 pulp samples from this drilling sent for multi-element analysis resulting in removal of the silver regression, and undertaking twin drilling on historic diamond holes for comparisons, but further work is required.</li> <li>DGPS collar pickups on historic holes was undertaken with a general agreement in the X plane, the Y plane showed ~7m average difference from the original supplied data after conversion to NAD83. This has minimal effect at the current drill spacing and will be checked against further surveys.</li> <li>Different analysis techniques used over time at the project appear to show variations in silver grade distribution which is being investigated with reanalysis and twin drilling.</li> <li>Geological continuity is established but controls on high-grade silver is not fully known.</li> <li>The current drill spacing of 120x120m with local clustering is sufficient to establish continuity of mineralisation but requires infill drilling to increase confidence in the model and refine local grade variations.</li> </ul> |
| Audits or reviews | <ul style="list-style-type: none"> <li><i>The results of any audits or reviews of Mineral Resource estimates.</i></li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                            | <ul style="list-style-type: none"> <li>The previous resource estimates by Snowden in 2002 and 2004 were reviewed in 2016 by SRK and agreed with the Indicated and Inferred estimates produced at the Project from that time. SGS has since reviewed, updated, and reported an Inferred-only resource to NI 43-101 standards with the provided data in 2022. Cadre has reviewed and confirmed the work done by SGS at the Project based on information provided is of industry standard and additional drilling and re-sampling by SS1 in 2024 and 2025 has improved the data set at the Project for use in mineral resource estimates.</li> <li>The current mineral resource estimate has not been audited but the CP has reviewed and updated the database with new results received in 2025 to improve the database integrity. Estimation techniques are similar to those used in the previous NI 43-101 estimate and subsequent JORC Conversion (2023) and resource updates (2024 and 2025).</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

| Criteria                                          | JORC 2012 Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Comment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Discussion of relative accuracy/confidence</i> | <ul style="list-style-type: none"> <li>Where appropriate a statement of the relative accuracy and confidence level in the Mineral Resource estimate using an approach or procedure deemed appropriate by the Competent Person. For example, the application of statistical or geostatistical procedures to quantify the relative accuracy of the resource within stated confidence limits, or, if such an approach is not deemed appropriate, a qualitative discussion of the factors that could affect the relative accuracy and confidence of the estimate.</li> <li>The statement should specify whether it relates to global or local estimates, and, if local, state the relevant tonnages, which should be relevant to technical and economic evaluation. Documentation should include assumptions made and the procedures used.</li> <li>These statements of relative accuracy and confidence of the estimate should be compared with production data, where available.</li> </ul> | <ul style="list-style-type: none"> <li>Mineral resources which are not mineral reserves have not demonstrated economic viability. An Inferred Mineral Resource has a lower level of confidence than that applying to a Measured and Indicated Mineral Resource and must not be converted to a Mineral Reserve. It is reasonably expected that the majority of Inferred Mineral Resources could be upgraded to Indicated Mineral Resources with continued exploration, drilling and validation of historic work.</li> <li>The current inferred mineral resource has been calculated via Inferred Distance squared (ID<sup>2</sup>) reported at a cut-off grade to reflect potential mining grades and a grade-tonnage curve shows the resource sensitivity to various cut-off grades. Parameters of the estimate are outlined in the associated report.</li> <li>No production has taken place at the Project.</li> </ul> |