



DRILLING AT ROUND DAM IDENTIFIES
LARGE-SCALE MINERALISATION SYSTEM

Drilling of a major new gold system on a 7km section of the highly prospective Round Dam Trend, 15km from the Davyhurst Mill delivers potential for a large-scale surface mining opportunity, enhanced by the additional identification of numerous high-grade mineralised shoots

Highlights:

- Identification of up to six subparallel continuous gold lodes along the trend has resulted in new search windows previously unrecognised in historical drilling
- Over 280 holes for 53,000 metres of drilling complete from the 62,000 metre Phase 1 program
- Early indications are that the Round Dam trend will be highly amenable to bulk tonnage open pit mining with potential for high grade shoot development
- Significant intercepts demonstrating potential for high grade ore shoot development within a broader mineralised corridor include:

○ 14.0m @ 18.5 g/t	Inc. 12.0m @ 21.5 g/t	○ 8.0m @ 8.0 g/t	
○ 7.0m @ 35.0 g/t	Inc. 5.0m @ 48.6 g/t	○ 19.8m @ 2.5 g/t	Inc. 5.7m @ 7.2 g/t
○ 8.0m @ 29.0 g/t	Inc. 5.0m @ 46.2 g/t	○ 3.0m @ 15.2 g/t	
○ 12.0m @ 13.1 g/t	Inc. 8.0m @ 19.3 g/t	○ 10.9m @ 4.1 g/t	
○ 33.0m @ 4.6 g/t	Inc. 9.0m @ 9.2 g/t	○ 8.0m @ 5.1 g/t	Inc. 2.0m @ 19.1 g/t
○ 13.0m @ 8.7 g/t	Inc. 6.0m @ 18.3 g/t	○ 10.0m @ 3.6 g/t	Inc. 7.0m @ 5.0 g/t
○ 15.0m @ 5.0 g/t	Inc. 9.0m @ 8.0 g/t	○ 11.0m @ 3.2 g/t	Inc. 6.0m @ 5.4 g/t
○ 9.0m @ 7.8 g/t		○ 5.0m @ 6.2 g/t	Inc. 2.0m @ 14.4 g/t
○ 3.0m @ 23.3 g/t	Inc. 2.0m @ 34.7 g/t	○ 5.0m @ 5.9 g/t	
○ 8.0m @ 3.3 g/t	Inc. 7.0m @ 3.7 g/t	○ 7.0m @ 3.1 g/t	Inc. 6.0m @ 3.6 g/t
○ 6.0m @ 3.6 g/t	Inc. 4.0m @ 5.1 g/t		

• Significant intercepts demonstrating bulk tonnage opportunity include:

○ 19.8m @ 2.5 g/t	Inc. 5.7m @ 7.2 g/t	○ 21.0m @ 1.1 g/t	Inc. 5.0m @ 2.6 g/t
○ 22.0m @ 1.2 g/t	Inc. 18.0m @ 1.3 g/t	○ 16.0m @ 1.1 g/t	Inc. 8.0m @ 1.5 g/t
○ 26.0m @ 2.0 g/t	Inc. 20.0m @ 2.5 g/t	○ 16.0m @ 1.5 g/t	Inc. 12.0m @ 1.7 g/t
○ 22.0m @ 1.2 g/t	Inc. 18.0m @ 1.3 g/t	○ 15.0m @ 1.1 g/t	Inc. 12.0m @ 1.3 g/t
○ 32.0m @ 0.9 g/t	Inc. 7.0m @ 1.9 g/t	○ 15.0m @ 1.2 g/t	Inc. 12.0m @ 1.4 g/t
○ 19.0m @ 1.9 g/t	Inc. 1.0m @ 9.3 g/t	○ 13.0m @ 1.6 g/t	Inc. 10.0m @ 1.8 g/t
○ 27.0m @ 0.9 g/t	Inc. 5.0m @ 1.7 g/t	○ 17.0m @ 1.1 g/t	
○ 24.0m @ 0.9 g/t	Inc. 5.0m @ 2.0 g/t	○ 11.4m @ 2.2 g/t	
○ 18.0m @ 1.4 g/t	Inc. 15.0m @ 1.5 g/t	○ 15.0m @ 1.1 g/t	Inc. 8.0m @ 1.4 g/t
○ 16.0m @ 2.0 g/t	Inc. 2.0m @ 4.2 g/t	○ 15.0m @ 1.7 g/t	
○ 14.0m @ 2.0 g/t	Inc. 13.0m @ 2.1 g/t	○ 23.0m @ 0.8 g/t	Inc. 9.0m @ 1.2 g/t
○ 16.0m @ 1.7 g/t		○ 16.0m @ 1.0 g/t	Inc. 10.0m @ 1.0 g/t

Ora Banda Mining Limited (ASX: OBM) ("Ora Banda", "Company") is pleased to report further exceptional drill results from its current Phase 1 drilling program at Round Dam.

Round Dam is an 18km long north-south striking mineralised trend running from Waihi in the North (3.5km from the Davyhurst Mill) to Salmon Gums in the south.

Ora Banda is systematically exploring the open pit and underground mining potential along a 7.5km section of the 18km long trend. There are currently seven named deposits and a number of other prospects within this exploration corridor with exceptionally good continuity seen in both gold mineralisation and the lithologies that govern this.

The Phase 1 drilling program totals 330 holes for 62,000 metres and involves two dedicated reverse circulation (RC) rigs and one diamond drilling rig, with ~53,000 metres (281 holes) drilled to date. Of this approximately 4,000 diamond metres have been completed and 49,000 RC metres. The results from the first 50 holes for 9,500 metres were released 28 August 2025, with the residual amount of 231 holes for 43,500 being the subject of this release.

Ora Banda's Managing Director, Luke Creagh, said:

"At Round Dam we are looking at the potential for large-scale surface mining opportunities, enhanced by multiple, newly identified high grade shoots. Excitingly, the Round Dam Project is located only 15km from our existing Davyhurst processing infrastructure, with the potential for rapid resource development."

"Today's Round Dam results are another highlight in the Company's ongoing \$73 million FY26 exploration strategy to target projects with the potential to become mines in short order supporting the Company's organic growth strategy."




Figure 1 - Overview showing location of the Round Dam Trend compared to Davyhurst processing hub.

Geological Observations - flowing from current drilling program

The Company's geological understanding of gold mineralisation on the Round Dam Trend continues to grow at a rapid rate, with a number of key geological observations having been advanced through the latest round of drilling, including:

- The potential for **high grade shoot development** has been identified where inflections (flexures) in the ultra-mafic contacts are observed. Testing of this concept continues.
- Proven instances of high-grade thickening and widening of gold mineralisation has been confirmed at Walhalla and Federal Flag (see Figure 2 – pink circles).
- There are multiple other under-explored areas that have flexures in the geology and that now have identified potential for plunging high grade shoot development. These are being targeted and drilled in order of priority. (see Figure 2 – purple circles).
- Increase in width and grade in the Eastern sediments has been seen particularly on the contact to ultramafic and footwall mafic units




Figure 2 – Area of proven or potential high grade shoot development within an 8.8km strike horizon of the 18km Round Dam Trend




Figure 3 – Aerial image, an overview of the Round Dam Trend looking south




Figure 4 – Overview plan showing prospects, existing and planned drilling

OVERVIEW LONG SECTION




Figure 5 – Long Section looking east of the 7km section of the Round Dam Trend showing all completed drilling to date, planned drilling and assays pending

OVERVIEW OF NORTHERN END – OBLIQUE VIEW




Figure 6 – Long section showing location looking east, Oblique view looking south east showing the 3.5km northern end (yellow box) of the Round Dam Trend

OVERVIEW OF SOUTHERN END – OBLIQUE VIEW




Figure 7 – Long section showing location looking east, oblique view looking south east showing the southern end of the Round Dam Trend

DETAILED LOOK – Federal Flag North




Figure 8 – Long section showing location looking east, cross section looking north and oblique view

DETAILED LOOK – Federal Flag North




Figure 9 – Long section showing location looking east, deposit long section looking east and oblique view

DETAILED LOOK – Federal Flag




Figure 10—Long section showing location looking east, cross section looking north showing untested search window and oblique view

DETAILED LOOK – Federal Flag




Figure 11– Long section showing location looking east, deposit long section showing planned drilling looking east and oblique view

DETAILED LOOK – Walhalla North




Figure 12– Long section showing location looking east, cross section looking north and oblique view

DETAILED LOOK – Walhalla North




Figure 13– Long section showing location looking east, deposit long section looking east and oblique view

DETAILED LOOK – Walhalla




Figure 14– Long section showing location looking east, cross section looking north showing untested search window and oblique view

DETAILED LOOK – Walhalla




Figure 15– Long section showing location looking east, deposit long section looking east and oblique view

DETAILED LOOK – Mt Banjo & Macedon




Figure 16– Long section showing location looking east, cross section looking north and oblique view

DETAILED LOOK – Salmon Gums




Figure 17– Long section showing location looking east, cross section looking north showing untested search windows and oblique view

About The Round Dam Trend

Regional Geological Setting

The Round Dam Trend represents a gold-bearing structural corridor within the Coolgardie Domain of the Kalgoorlie Terrane. It is situated between the Zuleika Shear Zone to the east and the Ida Fault to the west, where these major regional structures gently converge within approximately 5 km of each other. The trend comprises a sequence of mafic to ultramafic volcanic units bounded by sedimentary packages on both the western and eastern margins. Structurally, the Round Dam Trend is broadly sub-parallel to the Zuleika Shear Zone, reflecting the dominant regional deformation fabric. Gold mineralisation is primarily hosted within quartz lodes developed in ultramafic to high-magnesium basalt units, as well as along key lithological contacts.

Local Geological Setting

Within the Davyhurst Gold Project, the Round Dam Trend defines a well-established, north-northwest striking mineralised corridor that extends for approximately 17 km, from the Waihi deposit in the north to the Salmon Gums prospect in the far south. The trend hosts six open pits, two laterite pits, and the historical 'ounce dirt' underground mine at Golden Pole. From Waihi to Salmon Gums mineralisation remains open and continuous along strike, as evidenced by a chain of satellite open pits and workings, highlighting the broad, long-lived distribution of gold mineralisation throughout the corridor.

The local stratigraphy comprises a well-layered volcanic sequence dominated by komatiitic basalt, the principal host to mineralisation, intercalated with narrow ultramafic lenses. This central mafic-ultramafic package is bounded by magnetic volcanoclastics to the east and interflow sediments to the west, forming key rheological and chemical contrasts that act as additional structural and lithological traps for gold-bearing fluids.

High-grade gold mineralisation is typically associated with late-stage ductile shear zones, which overprint earlier brittle quartz veins, particularly within the komatiitic basalt. Mineralisation also localises along favourable lithological contacts, especially where competency contrasts focus strain and fluid flow. Structural analysis supports a series of shallow to moderately north-plunging high-grade shoots, well defined in areas with dense drilling such as Waihi, Lady Eileen, Federal Flag and Walhalla pits.

Ongoing drilling and structural interpretation are aimed at refining these plunge orientations and extending the known mineralised envelopes further south, particularly through underexplored zones between Walhalla and Salmon Gums, where structural continuity and host stratigraphy remain strongly prospective.

Mineralised Model + Prospectivity

Six distinct lodes have been identified along the Round Dam Trend. Historically, mining focused on selective high-grade "lode-hopping," which limited both the scale and depth of exploration. As a result, much of the underlying stratigraphy and structural architecture remained untested, presenting significant upside potential for resource growth along strike and at depth – a potential now being supported by encouraging early drilling results.

This announcement was authorised for release to the ASX by the Ora Banda Board of Directors. For further information about Ora Banda Mining Ltd and its projects please visit the Company's website at www.orabandamining.com.au.

Luke Creagh
Managing Director
+61 8 6365 4548

admin@obmltd.com.au

Kurt Walker
Investor Relations
+61 8 6365 4548

admin@obmltd.com.au

Competent Persons Statement

The information in this announcement that relates to exploration results is based on, and fairly represents, information and supporting documentation prepared by Mr Andrew Czerw, an employee of Ora Banda Mining Limited, who is a Member of the Australian Institute of Mining and Metallurgy. Mr Czerw has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Czerw consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears.

Forward-looking Statements

This announcement contains forward-looking statements which may be identified by words such as "forecast", "guidance", "target", "outlook", "estimates", "believes", "expects", "anticipates", "intends", "may", "will", "would", "could", or "should" and other similar words that involve risks and uncertainties. These statements are based on an assessment of present economic and operating conditions, and on a number of assumptions regarding future events and actions that, as at the date of this announcement, are expected to take place.

Such forward-looking statements are provided as a general guide only, are not guarantees of future performance and involve known and unknown risks, uncertainties, assumptions and other important factors, many of which are beyond the control of the Company, the Directors and management of the Company. When forecasting or providing guidance on costs and production the Company has taken into account current operating costs, design, plans for the mine, cost escalation, required personnel numbers and inputs including capital estimates, submitted tender rates from contractors and suppliers, and average industry productivity and mining specification metrics. These and other factors could cause actual results to differ materially from those expressed or implied in any forward-looking statements.

The Company has no intention to update or revise forward-looking statements, or to publish prospective financial information in the future, regardless of whether new information, future events or any other factors affect the information contained in this announcement, except where required by law (including the ASX Listing Rules). The Company cannot and does not give assurances that the results, performance or achievements expressed or implied in the forward-looking statements contained in this announcement will actually occur and investors are cautioned not to place undue reliance on these forward-looking statements.

Appendix 1 – Significant Intersection Table – Current drilling

For personal use only

Appendix 1 – Significant Intersection Table

Round Dam - Current drilling - 0.5g/t cut-off, maximum 4m internal dilution, minimum width 1.0m

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
ROUND DAM	FFRC25003	6663962	273210	448	77	-60	258	RC	128.00	129.00	1.00	1.48	1.5	1.0m @ 1.5 g/t
	FFRC25003								186.00	187.00	1.00	0.83	0.8	1.0m @ 0.8 g/t
	FFRC25003								208.00	232.00	24.00	0.92	22.0	24.0m @ 0.9 g/t
	FFRC25003								Incl 208.00	213.00	5.00	1.97	9.8	5.0m @ 2.0 g/t
	FFRC25003								Incl 218.00	221.00	3.00	1.74	5.2	3.0m @ 1.7 g/t
ROUND DAM	FFRC25004	6663567	273352	449	70	-60	195	RC	67.00	68.00	1.00	0.59	0.6	1.0m @ 0.6 g/t
	FFRC25004								147.00	149.00	2.00	0.92	1.8	2.0m @ 0.9 g/t
	FFRC25004								Incl 148.00	149.00	1.00	1.29	1.3	1.0m @ 1.3 g/t
	FFRC25004								153.00	156.00	3.00	0.63	1.9	3.0m @ 0.6 g/t
	FFRC25004								168.00	180.00	12.00	13.06	156.7	12.0m @ 13.1 g/t
	FFRC25004								Incl 168.00	176.00	8.00	19.35	154.8	8.0m @ 19.3 g/t
ROUND DAM	FFRC25005	6663616	273334	448	74	-55	222	RC	118.00	119.00	1.00	2.46	2.5	1.0m @ 2.5 g/t
	FFRC25005								126.00	130.00	4.00	0.53	2.1	4.0m @ 0.5 g/t
	FFRC25005								Incl 126.00	127.00	1.00	1.03	1.0	1.0m @ 1.0 g/t
	FFRC25005								153.00	154.00	1.00	1.56	1.6	1.0m @ 1.6 g/t
	FFRC25005								167.00	174.00	7.00	3.14	22.0	7.0m @ 3.1 g/t
	FFRC25005								Incl 167.00	173.00	6.00	3.56	21.4	6.0m @ 3.6 g/t
	FFRC25005								180.00	188.00	8.00	1.32	10.6	8.0m @ 1.3 g/t
	FFRC25005								Incl 184.00	188.00	4.00	2.31	9.2	4.0m @ 2.3 g/t
ROUND DAM	FFRC25006	6663692	273271	448	80	-50	210	RC	152.00	153.00	1.00	0.80	0.8	1.0m @ 0.8 g/t
	FFRC25006								167.00	168.00	1.00	2.93	2.9	1.0m @ 2.9 g/t
	FFRC25006								199.00	205.00	6.00	2.49	15.0	6.0m @ 2.5 g/t
	FFRC25006								Incl 203.00	204.00	1.00	13.39	13.4	1.0m @ 13.4 g/t
ROUND DAM	FNDD25001	6664588	273049	443	54	-55	294	DDH	44.81	125.00				N.S.I.
ROUND DAM	FNDD25003	6665046	272971	443	79	-53	252	DDH	128.45	133.57	5.12	0.97	5.0	5.1m @ 1.0 g/t
	FNDD25003								Incl 128.45	132.71	4.26	1.08	4.6	4.3m @ 1.1 g/t
	FNDD25003								199.25	205.82	6.57	0.70	4.6	6.6m @ 0.7 g/t
	FNDD25003								Incl 199.25	201.00	1.75	1.44	2.5	1.8m @ 1.4 g/t
ROUND DAM	FNRC25052	6664432	273174	445	79	-61	186	RC	0.00	1.00	1.00	0.84	0.8	1.0m @ 0.8 g/t
	FNRC25052								9.00	22.00	13.00	1.58	20.6	13.0m @ 1.6 g/t
	FNRC25052								Incl 10.00	20.00	10.00	1.79	17.9	10.0m @ 1.8 g/t
	FNRC25052								45.00	48.00	3.00	0.85	2.6	3.0m @ 0.9 g/t
	FNRC25052								Incl 47.00	48.00	1.00	1.71	1.7	1.0m @ 1.7 g/t
	FNRC25052								109.00	117.00	8.00	3.28	26.3	8.0m @ 3.3 g/t
	FNRC25052								Incl 110.00	117.00	7.00	3.68	25.8	7.0m @ 3.7 g/t
	FNRC25052								139.00	141.00	2.00	1.37	2.7	2.0m @ 1.4 g/t
ROUND DAM	FNRC25059A	6664464	273056	445	71	-61	311	RC	145.00	146.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
	FNRC25059A								152.00	162.00	10.00	1.28	12.8	10.0m @ 1.3 g/t
	FNRC25059A								Incl 153.00	162.00	9.00	1.32	11.9	9.0m @ 1.3 g/t
	FNRC25059A								190.00	191.00	1.00	1.86	1.9	1.0m @ 1.9 g/t
	FNRC25059A								226.00	230.00	4.00	0.50	2.0	4.0m @ 0.5 g/t
	FNRC25059A								275.00	276.00	1.00	1.86	1.9	1.0m @ 1.9 g/t
ROUND DAM	FNRC25061	6664490	273095	444	86	-61	258	RC	32.00	33.00	1.00	0.67	0.7	1.0m @ 0.7 g/t
	FNRC25061								108.00	123.00	15.00	1.06	15.9	15.0m @ 1.1 g/t
	FNRC25061								Incl 110.00	118.00	8.00	1.45	11.6	8.0m @ 1.4 g/t
	FNRC25061								153.00	156.00	3.00	15.22	45.7	3.0m @ 15.2 g/t
	FNRC25061								227.00	228.00	1.00	0.83	0.8	1.0m @ 0.8 g/t
ROUND DAM	FNRC25063	6664488	273152	444	80	-60	186	RC	32.00	48.00	16.00	1.74	27.8	16.0m @ 1.7 g/t
	FNRC25063								118.00	126.00	8.00	0.59	4.7	8.0m @ 0.6 g/t
	FNRC25063								Incl 125.00	126.00	1.00	2.61	2.6	1.0m @ 2.6 g/t
	FNRC25063								131.00	132.00	1.00	1.02	1.0	1.0m @ 1.0 g/t
	FNRC25063								154.00	155.00	1.00	0.55	0.6	1.0m @ 0.6 g/t
ROUND DAM	FNRC25066	6664494	273077	444	76	-62	288	RC	40.00	41.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
	FNRC25066								133.00	148.00	15.00	1.06	15.9	15.0m @ 1.1 g/t
	FNRC25066								Incl 136.00	148.00	12.00	1.25	15.1	12.0m @ 1.3 g/t

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
	FNRC25066								179.00	180.00	1.00	2.96	3.0	1.0m @ 3.0 g/t
	FNRC25066								276.00	277.00	1.00	2.79	2.8	1.0m @ 2.8 g/t
ROUND DAM	FNRC25082	6664568	273166	443	82	-60	162	RC	60.00	66.00	6.00	1.83	11.0	6.0m @ 1.8 g/t
	FNRC25082								Incl 65.00	66.00	1.00	8.52	8.5	1.0m @ 8.5 g/t
	FNRC25082								73.00	74.00	1.00	5.16	5.2	1.0m @ 5.2 g/t
ROUND DAM	FNRC25102	6664653	273061	443	78	-59	240	RC	37.00	38.00	1.00	2.95	3.0	1.0m @ 3.0 g/t
	FNRC25102								116.00	131.00	15.00	1.72	25.8	15.0m @ 1.7 g/t
	FNRC25102								185.00	186.00	1.00	0.94	0.9	1.0m @ 0.9 g/t
	FNRC25102								191.00	192.00	1.00	0.95	1.0	1.0m @ 1.0 g/t
	FNRC25102								223.00	224.00	1.00	2.35	2.4	1.0m @ 2.4 g/t
	FNRC25102								229.00	233.00	4.00	1.44	5.7	4.0m @ 1.4 g/t
	FNRC25102								Incl 229.00	231.00	2.00	2.20	4.4	2.0m @ 2.2 g/t
ROUND DAM	FNRC25104	6664672	273112	443	79	-60	222	RC	37.00	50.00	13.00	1.31	17.0	13.0m @ 1.3 g/t
	FNRC25104								Incl 40.00	41.00	1.00	4.48	4.5	1.0m @ 4.5 g/t
	FNRC25104								Incl 48.00	50.00	2.00	4.40	8.8	2.0m @ 4.4 g/t
ROUND DAM	FNRC25114	6664698	273040	443	81	-60	276	RC	113.00	124.00	11.00	1.31	14.4	11.0m @ 1.3 g/t
	FNRC25114								Incl 113.00	123.00	10.00	1.37	13.7	10.0m @ 1.4 g/t
	FNRC25114								191.00	192.00	1.00	1.32	1.3	1.0m @ 1.3 g/t
	FNRC25114								211.00	212.00	1.00	1.24	1.2	1.0m @ 1.2 g/t
	FNRC25114								235.00	236.00	1.00	0.96	1.0	1.0m @ 1.0 g/t
	FNRC25114								250.00	251.00	1.00	0.66	0.7	1.0m @ 0.7 g/t
ROUND DAM	FNRC25116	6664713	273094	443	79	-60	198	RC	60.00	61.00	1.00	0.83	0.8	1.0m @ 0.8 g/t
	FNRC25116								94.00	101.00	7.00	0.63	4.4	7.0m @ 0.6 g/t
	FNRC25116								Incl 95.00	96.00	1.00	1.33	1.3	1.0m @ 1.3 g/t
	FNRC25116								Incl 100.00	101.00	1.00	1.09	1.1	1.0m @ 1.1 g/t
	FNRC25116								109.00	110.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
	FNRC25116								126.00	127.00	1.00	0.73	0.7	1.0m @ 0.7 g/t
ROUND DAM	FNRC25123	6664750	273097	442	78	-60	196	RC	29.00	30.00	1.00	0.73	0.7	1.0m @ 0.7 g/t
	FNRC25123								66.00	67.00	1.00	0.99	1.0	1.0m @ 1.0 g/t
	FNRC25123								75.00	78.00	3.00	1.49	4.5	3.0m @ 1.5 g/t
	FNRC25123								97.00	104.00	7.00	0.68	4.7	7.0m @ 0.7 g/t
	FNRC25123								Incl 101.00	102.00	1.00	2.60	2.6	1.0m @ 2.6 g/t
	FNRC25123								140.00	141.00	1.00	1.12	1.1	1.0m @ 1.1 g/t
ROUND DAM	FNRC25124	6664748	273006	443	80	-61	280	RC	144.00	152.00	8.00	0.67	5.4	8.0m @ 0.7 g/t
	FNRC25124								Incl 147.00	148.00	1.00	1.67	1.7	1.0m @ 1.7 g/t
	FNRC25124								183.00	184.00	1.00	0.80	0.8	1.0m @ 0.8 g/t
	FNRC25124								231.00	235.00	4.00	1.07	4.3	4.0m @ 1.1 g/t
ROUND DAM	FNRC25126	6664748	273051	443	79	-60	244	RC	134.00	141.00	7.00	0.65	4.5	7.0m @ 0.6 g/t
	FNRC25126								Incl 134.00	135.00	1.00	1.44	1.4	1.0m @ 1.4 g/t
	FNRC25126								Incl 137.00	138.00	1.00	1.10	1.1	1.0m @ 1.1 g/t
	FNRC25126								168.00	169.00	1.00	0.96	1.0	1.0m @ 1.0 g/t
	FNRC25126								191.00	203.00	12.00	1.10	13.1	12.0m @ 1.1 g/t
	FNRC25126								Incl 195.00	203.00	8.00	1.45	11.6	8.0m @ 1.5 g/t
ROUND DAM	FNRC25134	6664792	272974	443	79	-61	256	RC	189.00	191.00	2.00	1.43	2.9	2.0m @ 1.4 g/t
	FNRC25134								240.00	241.00	1.00	1.15	1.2	1.0m @ 1.2 g/t
	FNRC25134								250.00	252.00	2.00	0.97	1.9	2.0m @ 1.0 g/t
	FNRC25134								Incl 250.00	251.00	1.00	1.33	1.3	1.0m @ 1.3 g/t
ROUND DAM	FNRC25136	6664787	273014	443	77	-61	292	RC	79.00	80.00	1.00	0.70	0.7	1.0m @ 0.7 g/t
	FNRC25136								158.00	161.00	3.00	0.52	1.6	3.0m @ 0.5 g/t
	FNRC25136								162.00	163.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
	FNRC25136								174.00	182.00	8.00	1.45	11.6	8.0m @ 1.5 g/t
	FNRC25136								Incl 175.00	179.00	4.00	2.24	9.0	4.0m @ 2.2 g/t
	FNRC25136								218.00	221.00	3.00	1.67	5.0	3.0m @ 1.7 g/t
	FNRC25136								227.00	231.00	4.00	0.94	3.8	4.0m @ 0.9 g/t
	FNRC25136								Incl 227.00	228.00	1.00	2.35	2.4	1.0m @ 2.4 g/t
ROUND DAM	FNRC25145	6664857	272961	443	82	-60	276	RC	54.00	55.00	1.00	1.09	1.1	1.0m @ 1.1 g/t
	FNRC25145								124.00	125.00	1.00	1.10	1.1	1.0m @ 1.1 g/t
	FNRC25145								202.00	207.00	5.00	0.80	4.0	5.0m @ 0.8 g/t
	FNRC25145								Incl 205.00	206.00	1.00	1.29	1.3	1.0m @ 1.3 g/t

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
	FNRC25145								251.00	254.00	3.00	1.01	3.0	3.0m @ 1.0 g/t
	FNRC25145								265.00	268.00	3.00	2.08	6.3	3.0m @ 2.1 g/t
	FNRC25145								Incl 265.00	267.00	2.00	2.86	5.7	2.0m @ 2.9 g/t
ROUND DAM	FNRC25147	6664855	273016	443	79	-61	210	RC	116.00	123.00	7.00	0.93	6.5	7.0m @ 0.9 g/t
	FNRC25147								Incl 117.00	118.00	1.00	1.65	1.7	1.0m @ 1.7 g/t
	FNRC25147								Incl 121.00	122.00	1.00	1.32	1.3	1.0m @ 1.3 g/t
	FNRC25147								157.00	158.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
	FNRC25147								168.00	174.00	6.00	2.79	16.8	6.0m @ 2.8 g/t
	FNRC25147								Incl 168.00	172.00	4.00	3.93	15.7	4.0m @ 3.9 g/t
	FNRC25147								180.00	186.00	6.00	0.59	3.5	6.0m @ 0.6 g/t
	FNRC25147								Incl 181.00	182.00	1.00	1.05	1.1	1.0m @ 1.1 g/t
ROUND DAM	FNRC25156	6664899	272958	443	80	-60	312	RC	1.00	144.00				N.S.I.
ROUND DAM	FNRC25168	6664935	272948	443	78	-60	313	RC	91.00	92.00	1.00	0.69	0.7	1.0m @ 0.7 g/t
	FNRC25168								157.00	158.00	1.00	1.47	1.5	1.0m @ 1.5 g/t
	FNRC25168								165.00	178.00	13.00	0.63	8.2	13.0m @ 0.6 g/t
	FNRC25168								Incl 174.00	178.00	4.00	1.35	5.4	4.0m @ 1.3 g/t
	FNRC25168								221.00	222.00	1.00	1.16	1.2	1.0m @ 1.2 g/t
	FNRC25168								244.00	254.00	10.00	0.76	7.6	10.0m @ 0.8 g/t
	FNRC25168								Incl 247.00	250.00	3.00	1.61	4.8	3.0m @ 1.6 g/t
	FNRC25168								292.00	293.00	1.00	0.81	0.8	1.0m @ 0.8 g/t
	FNRC25168								301.00	302.00	1.00	0.68	0.7	1.0m @ 0.7 g/t
ROUND DAM	FNRC25170	6664942	272993	443	77	-60	246	RC	118.00	122.00	4.00	1.17	4.7	4.0m @ 1.2 g/t
	FNRC25170								Incl 119.00	121.00	2.00	1.54	3.1	2.0m @ 1.5 g/t
	FNRC25170								133.00	134.00	1.00	0.88	0.9	1.0m @ 0.9 g/t
	FNRC25170								150.00	160.00	10.00	3.63	36.3	10.0m @ 3.6 g/t
	FNRC25170								Incl 150.00	157.00	7.00	4.95	34.7	7.0m @ 5.0 g/t
	FNRC25170								189.00	190.00	1.00	1.01	1.0	1.0m @ 1.0 g/t
	FNRC25170								218.00	219.00	1.00	0.65	0.7	1.0m @ 0.7 g/t
	FNRC25170								223.00	224.00	1.00	0.71	0.7	1.0m @ 0.7 g/t
ROUND DAM	FNRC25172	6664960	273042	442	79	-60	178	RC	44.00	49.00	5.00	1.14	5.7	5.0m @ 1.1 g/t
	FNRC25172								97.00	99.00	2.00	0.72	1.4	2.0m @ 0.7 g/t
	FNRC25172								104.00	107.00	3.00	0.87	2.6	3.0m @ 0.9 g/t
	FNRC25172								Incl 105.00	106.00	1.00	1.25	1.3	1.0m @ 1.3 g/t
	FNRC25172								170.00	171.00	1.00	0.64	0.6	1.0m @ 0.6 g/t
ROUND DAM	FNRC25192	6665039	272932	443	80	-60	264	RC	152.00	153.00	1.00	0.64	0.6	1.0m @ 0.6 g/t
	FNRC25192								158.00	161.00	3.00	2.00	6.0	3.0m @ 2.0 g/t
	FNRC25192								209.00	210.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
ROUND DAM	FNRC25210	6665223	272901	444	79	-61	256	RC	240.00	241.00	1.00	2.35	2.4	1.0m @ 2.4 g/t
ROUND DAM	FNRC25211	6665243	272985	443	79	-60	173	RC	85.00	86.00	1.00	1.53	1.5	1.0m @ 1.5 g/t
	FNRC25211								92.00	93.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
	FNRC25211								109.00	114.00	5.00	0.81	4.0	5.0m @ 0.8 g/t
	FNRC25211								Incl 111.00	112.00	1.00	1.31	1.3	1.0m @ 1.3 g/t
	FNRC25211								125.00	128.00	3.00	2.65	8.0	3.0m @ 2.7 g/t
	FNRC25211								140.00	147.00	7.00	0.68	4.8	7.0m @ 0.7 g/t
	FNRC25211								Incl 145.00	146.00	1.00	2.19	2.2	1.0m @ 2.2 g/t
	FNRC25211								168.00	169.00	1.00	0.86	0.9	1.0m @ 0.9 g/t
ROUND DAM	FNRC25212	6665259	273062	443	79	-60	120	RC	30.00	33.00	3.00	1.23	3.7	3.0m @ 1.2 g/t
	FNRC25212								Incl 30.00	31.00	1.00	2.38	2.4	1.0m @ 2.4 g/t
	FNRC25212								46.00	54.00	8.00	1.05	8.4	8.0m @ 1.0 g/t
	FNRC25212								Incl 48.00	53.00	5.00	1.25	6.3	5.0m @ 1.3 g/t
	FNRC25212								79.00	81.00	2.00	1.09	2.2	2.0m @ 1.1 g/t
	FNRC25212								Incl 79.00	80.00	1.00	1.65	1.7	1.0m @ 1.7 g/t
	FNRC25212								103.00	104.00	1.00	0.55	0.6	1.0m @ 0.6 g/t
ROUND DAM	FNRC25213	6665426	272904	443	78	-60	202	RC	145.00	146.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
	FNRC25213								172.00	173.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
	FNRC25213								182.00	197.00	15.00	5.03	75.4	15.0m @ 5.0 g/t
	FNRC25213								Incl 188.00	197.00	9.00	8.04	72.3	9.0m @ 8.0 g/t
ROUND DAM	FNRC25214	6665451	272985	443	80	-59	160	RC	59.00	63.00	4.00	0.68	2.7	4.0m @ 0.7 g/t
	FNRC25214								99.00	106.00	7.00	1.29	9.1	7.0m @ 1.3 g/t

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
	FNRC25214								Incl 100.00	104.00	4.00	1.62	6.5	4.0m @ 1.6 g/t
	FNRC25214								142.00	143.00	1.00	1.78	1.8	1.0m @ 1.8 g/t
ROUND DAM	FNRC25215	6665475	273068	443	78	-60	120	RC	54.00	55.00	1.00	5.89	5.9	1.0m @ 5.9 g/t
ROUND DAM	FNRC25216	6665085	272913	443	78	-60	292	RC	182.00	184.00	2.00	0.86	1.7	2.0m @ 0.9 g/t
	FNRC25216								207.00	210.00	3.00	0.61	1.8	3.0m @ 0.6 g/t
	FNRC25216								217.00	231.00	14.00	1.25	17.5	14.0m @ 1.2 g/t
	FNRC25216								276.00	277.00	1.00	0.66	0.7	1.0m @ 0.7 g/t
ROUND DAM	FNRC25220	6665134	272914	443	80	-60	285	RC	208.00	209.00	1.00	0.79	0.8	1.0m @ 0.8 g/t
	FNRC25220								258.00	265.00	7.00	0.88	6.1	7.0m @ 0.9 g/t
	FNRC25220								Incl 260.00	265.00	5.00	1.04	5.2	5.0m @ 1.0 g/t
ROUND DAM	FNRC25253	6665206	273045	443	79	-59	120	RC	49.00	50.00	1.00	1.73	1.7	1.0m @ 1.7 g/t
	FNRC25253								78.00	83.00	5.00	0.78	3.9	5.0m @ 0.8 g/t
	FNRC25253								Incl 78.00	80.00	2.00	1.30	2.6	2.0m @ 1.3 g/t
	FNRC25253								95.00	96.00	1.00	0.66	0.7	1.0m @ 0.7 g/t
ROUND DAM	FNRC25255	6665295	272978	443	77	-59	180	RC	101.00	102.00	1.00	0.55	0.6	1.0m @ 0.6 g/t
	FNRC25255								120.00	133.00	13.00	1.01	13.2	13.0m @ 1.0 g/t
	FNRC25255								Incl 120.00	121.00	1.00	1.05	1.1	1.0m @ 1.1 g/t
	FNRC25255								Incl 125.00	126.00	1.00	2.05	2.1	1.0m @ 2.1 g/t
	FNRC25255								Incl 131.00	132.00	1.00	6.99	7.0	1.0m @ 7.0 g/t
	FNRC25255								148.00	156.00	8.00	0.84	6.7	8.0m @ 0.8 g/t
	FNRC25255								Incl 148.00	149.00	1.00	3.36	3.4	1.0m @ 3.4 g/t
	FNRC25255								Incl 153.00	154.00	1.00	1.09	1.1	1.0m @ 1.1 g/t
	FNRC25255								178.00	179.00	1.00	0.66	0.7	1.0m @ 0.7 g/t
ROUND DAM	FNRC25260	6665385	272915	443	80	-58	165	RC	135.00	137.00	2.00	0.98	2.0	2.0m @ 1.0 g/t
	FNRC25260								Incl 135.00	136.00	1.00	1.18	1.2	1.0m @ 1.2 g/t
ROUND DAM	FNRC25261	6665393	272963	443	78	-60	189	RC	85.00	87.00	2.00	1.11	2.2	2.0m @ 1.1 g/t
	FNRC25261								109.00	110.00	1.00	0.66	0.7	1.0m @ 0.7 g/t
ROUND DAM	FNRC25264	6665490	272944	443	78	-60	80	RC	64.00	65.00	1.00	0.77	0.8	1.0m @ 0.8 g/t
ROUND DAM	FNRC25265	6665499	272997	443	78	-60	108	RC	30.00	34.00	4.00	0.89	3.5	4.0m @ 0.9 g/t
	FNRC25265								Incl 30.00	31.00	1.00	2.39	2.4	1.0m @ 2.4 g/t
	FNRC25265								54.00	55.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
	FNRC25265								75.00	81.00	6.00	1.05	6.3	6.0m @ 1.1 g/t
	FNRC25265								Incl 77.00	79.00	2.00	1.66	3.3	2.0m @ 1.7 g/t
	FNRC25265								99.00	100.00	1.00	0.60	0.6	1.0m @ 0.6 g/t
ROUND DAM	FNRC26002	6664695	273139	443	79	-61	156	RC	21.00	28.00	7.00	0.51	3.5	7.0m @ 0.5 g/t
	FNRC26002								Incl 22.00	23.00	1.00	1.10	1.1	1.0m @ 1.1 g/t
	FNRC26002								31.00	32.00	1.00	0.91	0.9	1.0m @ 0.9 g/t
	FNRC26002								35.00	36.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
	FNRC26002								60.00	65.00	5.00	0.61	3.1	5.0m @ 0.6 g/t
	FNRC26002								Incl 64.00	65.00	1.00	1.34	1.3	1.0m @ 1.3 g/t
	FNRC26002								74.00	75.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
	FNRC26002								81.00	86.00	5.00	0.74	3.7	5.0m @ 0.7 g/t
	FNRC26002								Incl 81.00	82.00	1.00	1.70	1.7	1.0m @ 1.7 g/t
	FNRC26002								Incl 85.00	86.00	1.00	1.01	1.0	1.0m @ 1.0 g/t
ROUND DAM	FNRC26004	6664669	273124	443	75	-56	144	RC	39.00	45.00	6.00	0.82	4.9	6.0m @ 0.8 g/t
	FNRC26004								Incl 40.00	41.00	1.00	2.58	2.6	1.0m @ 2.6 g/t
	FNRC26004								78.00	81.00	3.00	23.34	70.0	3.0m @ 23.3 g/t
	FNRC26004								Incl 78.00	80.00	2.00	34.73	69.5	2.0m @ 34.7 g/t
	FNRC26004								131.00	132.00	1.00	1.46	1.5	1.0m @ 1.5 g/t
	FNRC26004								138.00	139.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
ROUND DAM	FNRC26005	6664650	273155	442	78	-60	144	RC	37.00	38.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
	FNRC26005								89.00	90.00	1.00	1.52	1.5	1.0m @ 1.5 g/t
	FNRC26005								116.00	117.00	1.00	0.80	0.8	1.0m @ 0.8 g/t
ROUND DAM	FNRC26006	6664644	273134	442	79	-61	174	RC	31.00	35.00	4.00	1.39	5.6	4.0m @ 1.4 g/t
	FNRC26006								Incl 31.00	34.00	3.00	1.63	4.9	3.0m @ 1.6 g/t
	FNRC26006								67.00	68.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
	FNRC26006								79.00	81.00	2.00	1.78	3.6	2.0m @ 1.8 g/t
	FNRC26006								131.00	132.00	1.00	1.01	1.0	1.0m @ 1.0 g/t
	FNRC26006								140.00	141.00	1.00	0.72	0.7	1.0m @ 0.7 g/t

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval	
ROUND DAM	FNRC26007	6664647	273115	442	80	-61	204	RC	39.00	40.00	1.00	0.85	0.9	1.0m @ 0.9 g/t	
	FNRC26007								46.00	61.00	15.00	1.19	17.8	15.0m @ 1.2 g/t	
	FNRC26007								Incl 46.00	58.00	12.00	1.37	16.4	12.0m @ 1.4 g/t	
	FNRC26007								100.00	102.00	2.00	6.65	13.3	2.0m @ 6.6 g/t	
	FNRC26007								107.00	108.00	1.00	4.14	4.1	1.0m @ 4.1 g/t	
	FNRC26007								136.00	137.00	1.00	0.85	0.9	1.0m @ 0.9 g/t	
	FNRC26007								153.00	154.00	1.00	0.74	0.7	1.0m @ 0.7 g/t	
ROUND DAM	FNRC26008A	6664622	273140	442	78	-60	180	RC	23.00	37.00	14.00	1.42	19.8	14.0m @ 1.4 g/t	
	FNRC26008A								Incl 23.00	24.00	1.00	3.62	3.6	1.0m @ 3.6 g/t	
	FNRC26008A								Incl 29.00	36.00	7.00	2.03	14.2	7.0m @ 2.0 g/t	
	FNRC26008A								73.00	74.00	1.00	0.79	0.8	1.0m @ 0.8 g/t	
	FNRC26008A								144.00	147.00	3.00	0.75	2.3	3.0m @ 0.8 g/t	
	FNRC26008A								Incl 146.00	147.00	1.00	1.24	1.2	1.0m @ 1.2 g/t	
ROUND DAM	RDRC25001	6661807	273610	455	79	-60	186	RC	130.00	131.00	1.00	1.83	1.8	1.0m @ 1.8 g/t	
	RDRC25001								173.00	177.00	4.00	0.63	2.5	4.0m @ 0.6 g/t	
	RDRC25001								Incl 176.00	177.00	1.00	1.83	1.8	1.0m @ 1.8 g/t	
ROUND DAM	RDRC25002	6661806	273661	454	80	-59	240	RC	130.00	131.00	1.00	2.60	2.6	1.0m @ 2.6 g/t	
	RDRC25002								198.00	199.00	1.00	0.68	0.7	1.0m @ 0.7 g/t	
	RDRC25002								213.00	215.00	2.00	0.58	1.2	2.0m @ 0.6 g/t	
	RDRC25002								226.00	227.00	1.00	0.73	0.7	1.0m @ 0.7 g/t	
	RDRC25002								231.00	234.00	3.00	0.59	1.8	3.0m @ 0.6 g/t	
ROUND DAM	RDRC25003	6661820	273708	453	78	-60	162	RC	64.00	65.00	1.00	1.05	1.1	1.0m @ 1.1 g/t	
	RDRC25003								103.00	104.00	1.00	1.25	1.3	1.0m @ 1.3 g/t	
	RDRC25003								121.00	131.00	10.00	0.54	5.4	10.0m @ 0.5 g/t	
	RDRC25003								Incl 124.00	125.00	1.00	1.31	1.3	1.0m @ 1.3 g/t	
	RDRC25003								Incl 130.00	131.00	1.00	2.26	2.3	1.0m @ 2.3 g/t	
	RDRC25003								140.00	141.00	1.00	0.95	1.0	1.0m @ 1.0 g/t	
	RDRC25003								155.00	160.00	5.00	2.06	10.3	5.0m @ 2.1 g/t	
	RDRC25003								Incl 155.00	159.00	4.00	2.41	9.6	4.0m @ 2.4 g/t	
ROUND DAM	RDRC25004	6661827	273749	452	80	-59	150	RC	24.00	25.00	1.00	0.62	0.6	1.0m @ 0.6 g/t	
	RDRC25004								36.00	40.00	4.00	1.37	5.5	4.0m @ 1.4 g/t	
	RDRC25004								Incl 37.00	39.00	2.00	2.15	4.3	2.0m @ 2.1 g/t	
	RDRC25004								47.00	48.00	1.00	1.68	1.7	1.0m @ 1.7 g/t	
	RDRC25004								54.00	55.00	1.00	0.57	0.6	1.0m @ 0.6 g/t	
	RDRC25004								56.00	57.00	1.00	0.63	0.6	1.0m @ 0.6 g/t	
	RDRC25004								84.00	85.00	1.00	0.77	0.8	1.0m @ 0.8 g/t	
	RDRC25004								99.00	109.00	10.00	0.80	8.0	10.0m @ 0.8 g/t	
	RDRC25004								Incl 99.00	102.00	3.00	1.26	3.8	3.0m @ 1.3 g/t	
	RDRC25004								Incl 106.00	107.00	1.00	2.65	2.7	1.0m @ 2.7 g/t	
	RDRC25004								117.00	118.00	1.00	0.85	0.9	1.0m @ 0.9 g/t	
	RDRC25004								121.00	122.00	1.00	0.51	0.5	1.0m @ 0.5 g/t	
	RDRC25004								127.00	144.00	17.00	0.66	11.2	17.0m @ 0.7 g/t	
	RDRC25004								Incl 128.00	129.00	1.00	1.00	1.0	1.0m @ 1.0 g/t	
	RDRC25004								Incl 131.00	133.00	2.00	1.24	2.5	2.0m @ 1.2 g/t	
	RDRC25004								Incl 138.00	139.00	1.00	1.34	1.3	1.0m @ 1.3 g/t	
ROUND DAM	RDRC25005	6661837	273806	451	79	-59	150	RC	22.00	23.00	1.00	0.50	0.5	1.0m @ 0.5 g/t	
	RDRC25005								32.00	38.00	6.00	2.24	13.4	6.0m @ 2.2 g/t	
	RDRC25005								Incl 37.00	38.00	1.00	12.32	12.3	1.0m @ 12.3 g/t	
	RDRC25005								47.00	48.00	1.00	1.31	1.3	1.0m @ 1.3 g/t	
	RDRC25005								61.00	77.00	16.00	2.03	32.6	16.0m @ 2.0 g/t	
	RDRC25005								Incl 61.00	63.00	2.00	4.16	8.3	2.0m @ 4.2 g/t	
	RDRC25005								Incl 72.00	76.00	4.00	4.87	19.5	4.0m @ 4.9 g/t	
	RDRC25005							88.00	89.00	1.00	1.01	1.0	1.0m @ 1.0 g/t		
ROUND DAM	RDRC25006	6661847	273854	451	79	-60	156	RC	0.00	156.00					N.S.I.
ROUND DAM	RDRC25021	6661391	273591	457	80	-60	246	RC	105.00	106.00	1.00	1.65	1.7	1.0m @ 1.7 g/t	
	RDRC25021								117.00	118.00	1.00	0.65	0.7	1.0m @ 0.7 g/t	
	RDRC25021								123.00	125.00	2.00	3.63	7.3	2.0m @ 3.6 g/t	
	RDRC25021								141.00	142.00	1.00	0.71	0.7	1.0m @ 0.7 g/t	
	RDRC25021								147.00	148.00	1.00	0.76	0.8	1.0m @ 0.8 g/t	

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
	RDRC25021								153.00	155.00	2.00	3.04	6.1	2.0m @ 3.0 g/t
	RDRC25021								160.00	161.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
	RDRC25021								232.00	233.00	1.00	3.94	3.9	1.0m @ 3.9 g/t
	RDRC25021								240.00	244.00	4.00	3.05	12.2	4.0m @ 3.0 g/t
	RDRC25021								Incl 240.00	243.00	3.00	3.76	11.3	3.0m @ 3.8 g/t
ROUND DAM	RDRC25022	6661395	273641	456	79	-60	198	RC	73.00	79.00	6.00	1.22	7.3	6.0m @ 1.2 g/t
	RDRC25022								97.00	98.00	1.00	0.79	0.8	1.0m @ 0.8 g/t
	RDRC25022								153.00	154.00	1.00	3.26	3.3	1.0m @ 3.3 g/t
	RDRC25022								164.00	168.00	4.00	0.95	3.8	4.0m @ 0.9 g/t
	RDRC25022								Incl 166.00	167.00	1.00	1.98	2.0	1.0m @ 2.0 g/t
	RDRC25022								179.00	181.00	2.00	1.76	3.5	2.0m @ 1.8 g/t
ROUND DAM	RDRC25023	6661403	273698	456	79	-60	150	RC	30.00	36.00	6.00	1.27	7.6	6.0m @ 1.3 g/t
	RDRC25023								Incl 30.00	33.00	3.00	2.22	6.7	3.0m @ 2.2 g/t
	RDRC25023								60.00	61.00	1.00	0.71	0.7	1.0m @ 0.7 g/t
	RDRC25023								82.00	83.00	1.00	3.18	3.2	1.0m @ 3.2 g/t
	RDRC25023								98.00	99.00	1.00	0.94	0.9	1.0m @ 0.9 g/t
	RDRC25023								123.00	131.00	8.00	0.75	6.0	8.0m @ 0.7 g/t
	RDRC25023								Incl 127.00	129.00	2.00	1.17	2.3	2.0m @ 1.2 g/t
ROUND DAM	RDRC25024	6661424	273749	457	79	-60	102	RC	18.00	28.00	10.00	1.29	12.9	10.0m @ 1.3 g/t
	RDRC25024								Incl 18.00	24.00	6.00	1.99	11.9	6.0m @ 2.0 g/t
	RDRC25024								34.00	35.00	1.00	0.72	0.7	1.0m @ 0.7 g/t
	RDRC25024								44.00	48.00	4.00	1.05	4.2	4.0m @ 1.1 g/t
	RDRC25024								Incl 44.00	45.00	1.00	2.62	2.6	1.0m @ 2.6 g/t
	RDRC25024								87.00	91.00	4.00	0.96	3.8	4.0m @ 1.0 g/t
	RDRC25024								Incl 88.00	90.00	2.00	1.09	2.2	2.0m @ 1.1 g/t
ROUND DAM	RDRC25025	6661430	273788	456	79	-60	102	RC	34.00	35.00	1.00	1.27	1.3	1.0m @ 1.3 g/t
	RDRC25025								42.00	44.00	2.00	0.98	2.0	2.0m @ 1.0 g/t
	RDRC25025								Incl 43.00	44.00	1.00	1.09	1.1	1.0m @ 1.1 g/t
	RDRC25025								51.00	52.00	1.00	0.66	0.7	1.0m @ 0.7 g/t
ROUND DAM	RDRC25026	6661445	273851	454	79	-60	102	RC	0.00	1.00	1.00	0.75	0.8	1.0m @ 0.8 g/t
	RDRC25026								52.00	53.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
ROUND DAM	RDRC25030	6661315	273719	456	81	-61	210	RC	18.00	19.00	1.00	1.41	1.4	1.0m @ 1.4 g/t
	RDRC25030								33.00	39.00	6.00	0.69	4.1	6.0m @ 0.7 g/t
	RDRC25030								Incl 36.00	37.00	1.00	1.22	1.2	1.0m @ 1.2 g/t
	RDRC25030								Incl 38.00	39.00	1.00	1.09	1.1	1.0m @ 1.1 g/t
	RDRC25030								45.00	46.00	1.00	0.88	0.9	1.0m @ 0.9 g/t
	RDRC25030								88.00	89.00	1.00	0.67	0.7	1.0m @ 0.7 g/t
	RDRC25030								107.00	119.00	12.00	0.91	11.0	12.0m @ 0.9 g/t
	RDRC25030								Incl 110.00	119.00	9.00	1.10	9.9	9.0m @ 1.1 g/t
ROUND DAM	RDRC25044	6661003	273688	456	79	-60	228	RC	34.00	35.00	1.00	0.72	0.7	1.0m @ 0.7 g/t
	RDRC25044								58.00	59.00	1.00	0.69	0.7	1.0m @ 0.7 g/t
	RDRC25044								63.00	68.00	5.00	0.73	3.7	5.0m @ 0.7 g/t
	RDRC25044								Incl 63.00	64.00	1.00	1.87	1.9	1.0m @ 1.9 g/t
	RDRC25044								Incl 67.00	68.00	1.00	1.33	1.3	1.0m @ 1.3 g/t
	RDRC25044								77.00	78.00	1.00	0.74	0.7	1.0m @ 0.7 g/t
	RDRC25044								93.00	96.00	3.00	4.25	12.7	3.0m @ 4.2 g/t
	RDRC25044								103.00	114.00	11.00	0.52	5.8	11.0m @ 0.5 g/t
	RDRC25044								Incl 109.00	110.00	1.00	1.01	1.0	1.0m @ 1.0 g/t
	RDRC25044								Incl 113.00	114.00	1.00	1.23	1.2	1.0m @ 1.2 g/t
	RDRC25044								121.00	130.00	9.00	1.29	11.6	9.0m @ 1.3 g/t
	RDRC25044								182.00	183.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
	RDRC25044								198.00	199.00	1.00	1.91	1.9	1.0m @ 1.9 g/t
ROUND DAM	RDRC25045	6661014	273734	455	79	-59	180	RC	39.00	44.00	5.00	2.56	12.8	5.0m @ 2.6 g/t
	RDRC25045								Incl 39.00	43.00	4.00	2.97	11.9	4.0m @ 3.0 g/t
	RDRC25045								74.00	89.00	15.00	0.97	14.5	15.0m @ 1.0 g/t
	RDRC25045								Incl 74.00	79.00	5.00	1.18	5.9	5.0m @ 1.2 g/t
	RDRC25045								Incl 83.00	89.00	6.00	1.16	7.0	6.0m @ 1.2 g/t
	RDRC25045								139.00	140.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
ROUND DAM	RDRC25046	6661021	273787	454	79	-60	126	RC	21.00	22.00	1.00	6.79	6.8	1.0m @ 6.8 g/t

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
	RDRC25046								28.00	31.00	3.00	0.96	2.9	3.0m @ 1.0 g/t
	RDRC25046								Incl 28.00	29.00	1.00	1.42	1.4	1.0m @ 1.4 g/t
	RDRC25046								99.00	105.00	6.00	0.67	4.0	6.0m @ 0.7 g/t
	RDRC25046								Incl 99.00	100.00	1.00	2.68	2.7	1.0m @ 2.7 g/t
ROUND DAM	RDRC25047	6661024	273838	453	78	-60	96	RC	30.00	35.00	5.00	0.78	3.9	5.0m @ 0.8 g/t
	RDRC25047								Incl 34.00	35.00	1.00	1.32	1.3	1.0m @ 1.3 g/t
	RDRC25047								56.00	57.00	1.00	0.66	0.7	1.0m @ 0.7 g/t
ROUND DAM	RDRC25060	6660627	273868	453	79	-61	168	RC	47.00	50.00	3.00	1.29	3.9	3.0m @ 1.3 g/t
	RDRC25060								56.00	58.00	2.00	3.27	6.5	2.0m @ 3.3 g/t
	RDRC25060								105.00	106.00	1.00	0.78	0.8	1.0m @ 0.8 g/t
ROUND DAM	RDRC25064	6660533	273888	452	79	-60	118	RC	23.00	24.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
	RDRC25064								25.00	27.00	2.00	0.60	1.2	2.0m @ 0.6 g/t
	RDRC25064								43.00	44.00	1.00	2.23	2.2	1.0m @ 2.2 g/t
	RDRC25064								50.00	59.00	9.00	7.82	70.4	9.0m @ 7.8 g/t
	RDRC25064								110.00	116.00	6.00	0.99	5.9	6.0m @ 1.0 g/t
	RDRC25064								Incl 111.00	113.00	2.00	1.58	3.2	2.0m @ 1.6 g/t
ROUND DAM	RDRC25065	6660544	273940	451	79	-60	94	RC	1.00	4.00	3.00	1.11	3.3	3.0m @ 1.1 g/t
	RDRC25065								42.00	50.00	8.00	0.61	4.9	8.0m @ 0.6 g/t
	RDRC25065								Incl 45.00	47.00	2.00	1.18	2.4	2.0m @ 1.2 g/t
ROUND DAM	RDRC25066	6660551	273987	450	79	-61	82	RC	1.00	4.00	3.00	0.76	2.3	3.0m @ 0.8 g/t
ROUND DAM	RDRC25069	6660437	273916	451	80	-61	120	RC	36.00	47.00	11.00	3.19	35.1	11.0m @ 3.2 g/t
	RDRC25069								Incl 40.00	46.00	6.00	5.45	32.7	6.0m @ 5.4 g/t
	RDRC25069								52.00	53.00	1.00	2.62	2.6	1.0m @ 2.6 g/t
	RDRC25069								67.00	68.00	1.00	1.15	1.2	1.0m @ 1.2 g/t
	RDRC25069								71.00	72.00	1.00	0.60	0.6	1.0m @ 0.6 g/t
ROUND DAM	RDRC25070	6660443	273958	450	81	-60	106	RC	1.00	2.00	1.00	0.62	0.6	1.0m @ 0.6 g/t
ROUND DAM	SGRC25188	6659004	273964	446	71	-60	160	RC	56.00	57.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
	SGRC25188								85.00	93.00	8.00	1.36	10.9	8.0m @ 1.4 g/t
	SGRC25188								Incl 90.00	93.00	3.00	3.09	9.3	3.0m @ 3.1 g/t
	SGRC25188								138.00	141.00	3.00	0.84	2.5	3.0m @ 0.8 g/t
	SGRC25188								Incl 138.00	139.00	1.00	1.75	1.8	1.0m @ 1.8 g/t
ROUND DAM	SGRC25204	6659102	273929	446	73	-60	186	RC	95.00	96.00	1.00	0.61	0.6	1.0m @ 0.6 g/t
	SGRC25204								99.00	103.00	4.00	0.50	2.0	4.0m @ 0.5 g/t
	SGRC25204								156.00	157.00	1.00	0.61	0.6	1.0m @ 0.6 g/t
	SGRC25204								159.00	160.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
ROUND DAM	SGRC25206	6659117	274020	446	72	-61	126	RC	62.00	64.00	2.00	0.72	1.4	2.0m @ 0.7 g/t
ROUND DAM	SGRC25209	6659220	273922	447	79	-60	186	RC	36.00	37.00	1.00	0.66	0.7	1.0m @ 0.7 g/t
	SGRC25209								40.00	41.00	1.00	0.80	0.8	1.0m @ 0.8 g/t
	SGRC25209								60.00	61.00	1.00	0.81	0.8	1.0m @ 0.8 g/t
	SGRC25209								71.00	72.00	1.00	0.99	1.0	1.0m @ 1.0 g/t
	SGRC25209								84.00	86.00	2.00	1.22	2.4	2.0m @ 1.2 g/t
ROUND DAM	SGRC25211	6659239	274020	446	79	-60	163	RC	0.00	163.00				N.S.I.
ROUND DAM	WADD25001	6662128	273544	456	78	-66	318	DDH	146.00	147.00	1.00	1.68	1.7	1.0m @ 1.7 g/t
	WADD25001								152.87	156.30	3.43	0.92	3.1	3.4m @ 0.9 g/t
	WADD25001								174.57	176.45	1.88	1.69	3.2	1.9m @ 1.7 g/t
	WADD25001								Incl 174.57	176.00	1.43	2.00	2.9	1.4m @ 2.0 g/t
	WADD25001								184.00	185.00	1.00	0.70	0.7	1.0m @ 0.7 g/t
	WADD25001								189.00	190.00	1.00	1.61	1.6	1.0m @ 1.6 g/t
	WADD25001								195.00	196.00	1.00	0.55	0.6	1.0m @ 0.6 g/t
	WADD25001								224.12	226.00	1.88	6.94	13.0	1.9m @ 6.9 g/t
	WADD25001								244.00	251.00	7.00	2.79	19.5	7.0m @ 2.8 g/t
	WADD25001								Incl 245.00	251.00	6.00	3.11	18.6	6.0m @ 3.1 g/t
	WADD25001								260.75	280.50	19.75	2.54	50.2	19.8m @ 2.5 g/t
	WADD25001								Incl 260.75	266.47	5.72	7.16	41.0	5.7m @ 7.2 g/t
	WADD25001								Incl 275.15	280.50	5.35	1.19	6.4	5.4m @ 1.2 g/t
ROUND DAM	WARC25001	6662426	273472	453	79	-60	294	RC	134.00	145.00	11.00	0.74	8.1	11.0m @ 0.7 g/t
	WARC25001								Incl 134.00	135.00	1.00	3.40	3.4	1.0m @ 3.4 g/t
	WARC25001								Incl 144.00	145.00	1.00	1.34	1.3	1.0m @ 1.3 g/t
	WARC25001								155.00	156.00	1.00	0.51	0.5	1.0m @ 0.5 g/t

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
	WARC25001								157.00	158.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
	WARC25001								180.00	181.00	1.00	0.64	0.6	1.0m @ 0.6 g/t
	WARC25001								213.00	218.00	5.00	1.54	7.7	5.0m @ 1.5 g/t
	WARC25001								230.00	243.00	13.00	0.84	11.0	13.0m @ 0.8 g/t
	WARC25001								Incl 230.00	231.00	1.00	1.30	1.3	1.0m @ 1.3 g/t
	WARC25001								Incl 235.00	236.00	1.00	1.31	1.3	1.0m @ 1.3 g/t
	WARC25001								Incl 242.00	243.00	1.00	4.33	4.3	1.0m @ 4.3 g/t
	WARC25001								262.00	289.00	27.00	0.85	23.0	27.0m @ 0.9 g/t
	WARC25001								Incl 262.00	267.00	5.00	1.69	8.5	5.0m @ 1.7 g/t
	WARC25001								Incl 273.00	274.00	1.00	1.43	1.4	1.0m @ 1.4 g/t
	WARC25001								Incl 276.00	277.00	1.00	1.06	1.1	1.0m @ 1.1 g/t
	WARC25001								Incl 281.00	285.00	4.00	1.10	4.4	4.0m @ 1.1 g/t
ROUND DAM	WARC25002A	6662435	273520	452	78	-60	246	RC	76.00	77.00	1.00	0.74	0.7	1.0m @ 0.7 g/t
	WARC25002A								90.00	98.00	8.00	8.02	64.2	8.0m @ 8.0 g/t
	WARC25002A								103.00	117.00	14.00	1.01	14.2	14.0m @ 1.0 g/t
	WARC25002A								Incl 104.00	117.00	13.00	1.02	13.3	13.0m @ 1.0 g/t
	WARC25002A								161.00	162.00	1.00	1.67	1.7	1.0m @ 1.7 g/t
	WARC25002A								171.00	176.00	5.00	1.32	6.6	5.0m @ 1.3 g/t
	WARC25002A								181.00	183.00	2.00	1.26	2.5	2.0m @ 1.3 g/t
	WARC25002A								Incl 182.00	183.00	1.00	1.93	1.9	1.0m @ 1.9 g/t
	WARC25002A								196.00	204.00	8.00	0.73	5.9	8.0m @ 0.7 g/t
	WARC25002A								Incl 196.00	197.00	1.00	1.67	1.7	1.0m @ 1.7 g/t
	WARC25002A								Incl 200.00	201.00	1.00	1.05	1.1	1.0m @ 1.1 g/t
	WARC25002A								210.00	221.00	11.00	0.98	10.8	11.0m @ 1.0 g/t
	WARC25002A								Incl 210.00	219.00	9.00	1.07	9.6	9.0m @ 1.1 g/t
	WARC25002A								227.00	228.00	1.00	1.13	1.1	1.0m @ 1.1 g/t
ROUND DAM	WARC25003	6662452	273574	451	79	-61	240	RC	39.00	45.00	6.00	2.19	13.1	6.0m @ 2.2 g/t
	WARC25003								Incl 40.00	44.00	4.00	2.92	11.7	4.0m @ 2.9 g/t
	WARC25003								53.00	54.00	1.00	3.27	3.3	1.0m @ 3.3 g/t
	WARC25003								62.00	63.00	1.00	1.10	1.1	1.0m @ 1.1 g/t
	WARC25003								98.00	99.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
	WARC25003								116.00	125.00	9.00	1.31	11.8	9.0m @ 1.3 g/t
	WARC25003								Incl 116.00	124.00	8.00	1.41	11.3	8.0m @ 1.4 g/t
	WARC25003								134.00	136.00	2.00	1.19	2.4	2.0m @ 1.2 g/t
	WARC25003								Incl 134.00	135.00	1.00	1.80	1.8	1.0m @ 1.8 g/t
ROUND DAM	WARC25004	6662459	273619	451	80	-60	204	RC	2.00	3.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
	WARC25004								18.00	26.00	8.00	1.31	10.5	8.0m @ 1.3 g/t
	WARC25004								Incl 18.00	22.00	4.00	2.21	8.8	4.0m @ 2.2 g/t
	WARC25004								49.00	55.00	6.00	0.60	3.6	6.0m @ 0.6 g/t
	WARC25004								Incl 52.00	53.00	1.00	1.12	1.1	1.0m @ 1.1 g/t
	WARC25004								76.00	79.00	3.00	2.27	6.8	3.0m @ 2.3 g/t
ROUND DAM	WARC25005	6662459	273670	450	81	-60	180	RC	2.00	3.00	1.00	0.68	0.7	1.0m @ 0.7 g/t
	WARC25005								4.00	5.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
	WARC25005								19.00	30.00	11.00	0.69	7.6	11.0m @ 0.7 g/t
	WARC25005								Incl 20.00	21.00	1.00	1.53	1.5	1.0m @ 1.5 g/t
	WARC25005								Incl 25.00	26.00	1.00	1.63	1.6	1.0m @ 1.6 g/t
	WARC25005								Incl 28.00	29.00	1.00	1.05	1.1	1.0m @ 1.1 g/t
	WARC25005								74.00	75.00	1.00	1.96	2.0	1.0m @ 2.0 g/t
ROUND DAM	WARC25006	6662544	273454	453	79	-61	300	RC	59.00	60.00	1.00	0.91	0.9	1.0m @ 0.9 g/t
	WARC25006								87.00	109.00	22.00	0.59	12.9	22.0m @ 0.6 g/t
	WARC25006								Incl 87.00	88.00	1.00	2.83	2.8	1.0m @ 2.8 g/t
	WARC25006								Incl 91.00	92.00	1.00	1.18	1.2	1.0m @ 1.2 g/t
	WARC25006								Incl 104.00	109.00	5.00	1.15	5.7	5.0m @ 1.1 g/t
	WARC25006								117.00	118.00	1.00	1.11	1.1	1.0m @ 1.1 g/t
	WARC25006								126.00	127.00	1.00	0.98	1.0	1.0m @ 1.0 g/t
	WARC25006								135.00	136.00	1.00	1.23	1.2	1.0m @ 1.2 g/t
	WARC25006								145.00	154.00	9.00	1.29	11.6	9.0m @ 1.3 g/t
	WARC25006								Incl 145.00	146.00	1.00	3.97	4.0	1.0m @ 4.0 g/t
	WARC25006								Incl 151.00	152.00	1.00	4.50	4.5	1.0m @ 4.5 g/t

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
	WARC25006								177.00	181.00	4.00	0.92	3.7	4.0m @ 0.9 g/t
	WARC25006								Incl 179.00	181.00	2.00	1.31	2.6	2.0m @ 1.3 g/t
	WARC25006								194.00	195.00	1.00	0.69	0.7	1.0m @ 0.7 g/t
	WARC25006								204.00	205.00	1.00	0.85	0.9	1.0m @ 0.9 g/t
	WARC25006								211.00	222.00	11.00	1.59	17.5	11.0m @ 1.6 g/t
	WARC25006								Incl 219.00	221.00	2.00	6.80	13.6	2.0m @ 6.8 g/t
	WARC25006								231.00	246.00	15.00	0.81	12.1	15.0m @ 0.8 g/t
	WARC25006								Incl 231.00	237.00	6.00	1.04	6.2	6.0m @ 1.0 g/t
	WARC25006								Incl 245.00	246.00	1.00	2.38	2.4	1.0m @ 2.4 g/t
	WARC25006								252.00	253.00	1.00	0.70	0.7	1.0m @ 0.7 g/t
ROUND DAM	WARC25007	6662511	273513	452	77	-60	234	RC	25.00	26.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
	WARC25007								34.00	36.00	2.00	2.01	4.0	2.0m @ 2.0 g/t
	WARC25007								41.00	48.00	7.00	0.54	3.8	7.0m @ 0.5 g/t
	WARC25007								Incl 41.00	42.00	1.00	1.43	1.4	1.0m @ 1.4 g/t
	WARC25007								66.00	67.00	1.00	1.66	1.7	1.0m @ 1.7 g/t
	WARC25007								76.00	77.00	1.00	0.64	0.6	1.0m @ 0.6 g/t
	WARC25007								100.00	101.00	1.00	0.64	0.6	1.0m @ 0.6 g/t
	WARC25007								122.00	129.00	7.00	0.98	6.8	7.0m @ 1.0 g/t
	WARC25007								Incl 122.00	124.00	2.00	2.50	5.0	2.0m @ 2.5 g/t
	WARC25007								Incl 128.00	129.00	1.00	1.64	1.6	1.0m @ 1.6 g/t
	WARC25007								168.00	169.00	1.00	1.10	1.1	1.0m @ 1.1 g/t
	WARC25007								176.00	180.00	4.00	1.20	4.8	4.0m @ 1.2 g/t
ROUND DAM	WARC25008	6662515	273565	452	80	-60	174	RC	4.00	22.00	18.00	1.35	24.4	18.0m @ 1.4 g/t
	WARC25008								Incl 5.00	20.00	15.00	1.52	22.7	15.0m @ 1.5 g/t
	WARC25008								39.00	42.00	3.00	0.62	1.9	3.0m @ 0.6 g/t
	WARC25008								47.00	49.00	2.00	2.12	4.2	2.0m @ 2.1 g/t
	WARC25008								77.00	78.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
	WARC25008								83.00	84.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
	WARC25008								117.00	119.00	2.00	0.74	1.5	2.0m @ 0.7 g/t
	WARC25008								126.00	131.00	5.00	0.71	3.6	5.0m @ 0.7 g/t
	WARC25008								Incl 126.00	127.00	1.00	2.01	2.0	1.0m @ 2.0 g/t
ROUND DAM	WARC25009	6662530	273613	451	76	-59	202	RC	23.00	24.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
	WARC25009								59.00	64.00	5.00	5.85	29.3	5.0m @ 5.9 g/t
ROUND DAM	WARC25010	6662535	273660	451	76	-60	154	RC	32.00	33.00	1.00	0.92	0.9	1.0m @ 0.9 g/t
ROUND DAM	WARC25011	6662613	273384	454	80	-61	324	RC	63.00	64.00	1.00	0.74	0.7	1.0m @ 0.7 g/t
	WARC25011								172.00	173.00	1.00	1.33	1.3	1.0m @ 1.3 g/t
	WARC25011								192.00	193.00	1.00	1.61	1.6	1.0m @ 1.6 g/t
	WARC25011								212.00	213.00	1.00	1.27	1.3	1.0m @ 1.3 g/t
	WARC25011								224.00	225.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
	WARC25011								236.00	240.00	4.00	1.63	6.5	4.0m @ 1.6 g/t
	WARC25011								Incl 236.00	238.00	2.00	2.65	5.3	2.0m @ 2.7 g/t
	WARC25011								253.00	254.00	1.00	0.74	0.7	1.0m @ 0.7 g/t
	WARC25011								257.00	259.00	2.00	0.54	1.1	2.0m @ 0.5 g/t
	WARC25011								276.00	288.00	12.00	0.62	7.4	12.0m @ 0.6 g/t
	WARC25011								Incl 277.00	279.00	2.00	1.47	2.9	2.0m @ 1.5 g/t
	WARC25011								Incl 287.00	288.00	1.00	1.30	1.3	1.0m @ 1.3 g/t
ROUND DAM	WARC25012	6662641	273428	453	79	-60	264	RC	106.00	108.00	2.00	0.77	1.5	2.0m @ 0.8 g/t
	WARC25012								145.00	150.00	5.00	0.84	4.2	5.0m @ 0.8 g/t
	WARC25012								Incl 147.00	148.00	1.00	1.84	1.8	1.0m @ 1.8 g/t
	WARC25012								161.00	162.00	1.00	0.73	0.7	1.0m @ 0.7 g/t
	WARC25012								182.00	185.00	3.00	2.90	8.7	3.0m @ 2.9 g/t
	WARC25012								Incl 183.00	185.00	2.00	3.87	7.7	2.0m @ 3.9 g/t
	WARC25012								195.00	201.00	6.00	1.45	8.7	6.0m @ 1.4 g/t
	WARC25012								Incl 196.00	201.00	5.00	1.59	7.9	5.0m @ 1.6 g/t
	WARC25012								218.00	239.00	21.00	1.06	22.2	21.0m @ 1.1 g/t
	WARC25012								Incl 219.00	224.00	5.00	2.58	12.9	5.0m @ 2.6 g/t
	WARC25012								Incl 232.00	235.00	3.00	1.23	3.7	3.0m @ 1.2 g/t
	WARC25012								256.00	258.00	2.00	1.83	3.7	2.0m @ 1.8 g/t
	WARC25012								Incl 256.00	257.00	1.00	3.15	3.2	1.0m @ 3.2 g/t

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
ROUND DAM	WARC25014	6662616	273549	452	79	-60	150	RC	17.00	18.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
	WARC25014								25.00	26.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
	WARC25014								36.00	39.00	3.00	2.23	6.7	3.0m @ 2.2 g/t
	WARC25014								44.00	45.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
	WARC25014								66.00	67.00	1.00	0.81	0.8	1.0m @ 0.8 g/t
	WARC25014								73.00	74.00	1.00	1.39	1.4	1.0m @ 1.4 g/t
	WARC25014								86.00	87.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
	WARC25014								109.00	116.00	7.00	0.50	3.5	7.0m @ 0.5 g/t
	WARC25014								Incl 109.00	110.00	1.00	1.16	1.2	1.0m @ 1.2 g/t
	WARC25014								Incl 111.00	112.00	1.00	1.07	1.1	1.0m @ 1.1 g/t
	WARC25014								119.00	120.00	1.00	0.80	0.8	1.0m @ 0.8 g/t
	WARC25014													
ROUND DAM	WARC25015	6662625	273601	452	79	-61	162	RC	35.00	36.00	1.00	3.54	3.5	1.0m @ 3.5 g/t
	WARC25015								46.00	50.00	4.00	0.62	2.5	4.0m @ 0.6 g/t
	WARC25015								Incl 46.00	47.00	1.00	1.43	1.4	1.0m @ 1.4 g/t
	WARC25015								60.00	61.00	1.00	0.72	0.7	1.0m @ 0.7 g/t
ROUND DAM	WARC25016	6662149	273735	451	79	-61	160	RC	9.00	22.00	13.00	1.10	14.3	13.0m @ 1.1 g/t
	WARC25016								30.00	32.00	2.00	0.58	1.2	2.0m @ 0.6 g/t
	WARC25016								60.00	69.00	9.00	0.79	7.1	9.0m @ 0.8 g/t
	WARC25016								Incl 60.00	65.00	5.00	1.04	5.2	5.0m @ 1.0 g/t
	WARC25016								76.00	77.00	1.00	1.11	1.1	1.0m @ 1.1 g/t
	WARC25016								106.00	107.00	1.00	1.21	1.2	1.0m @ 1.2 g/t
ROUND DAM	WARC25017	6662148	273734	451	78	-70	160	RC	13.00	18.00	5.00	0.94	4.7	5.0m @ 0.9 g/t
	WARC25017								Incl 13.00	14.00	1.00	3.65	3.7	1.0m @ 3.7 g/t
	WARC25017								25.00	26.00	1.00	1.11	1.1	1.0m @ 1.1 g/t
	WARC25017								29.00	30.00	1.00	0.55	0.6	1.0m @ 0.6 g/t
	WARC25017								49.00	52.00	3.00	0.58	1.7	3.0m @ 0.6 g/t
	WARC25017								Incl 49.00	50.00	1.00	1.12	1.1	1.0m @ 1.1 g/t
	WARC25017								59.00	62.00	3.00	1.23	3.7	3.0m @ 1.2 g/t
	WARC25017								Incl 61.00	62.00	1.00	2.99	3.0	1.0m @ 3.0 g/t
	WARC25017								71.00	80.00	9.00	1.02	9.2	9.0m @ 1.0 g/t
	WARC25017								Incl 71.00	76.00	5.00	1.55	7.8	5.0m @ 1.6 g/t
	WARC25017								122.00	123.00	1.00	0.97	1.0	1.0m @ 1.0 g/t
	WARC25017													
ROUND DAM	WARC25018	6662148	273732	451	82	-81	184	RC	18.00	19.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
	WARC25018								21.00	22.00	1.00	0.63	0.6	1.0m @ 0.6 g/t
	WARC25018								26.00	28.00	2.00	0.80	1.6	2.0m @ 0.8 g/t
	WARC25018								Incl 27.00	28.00	1.00	1.04	1.0	1.0m @ 1.0 g/t
	WARC25018								39.00	44.00	5.00	0.95	4.7	5.0m @ 0.9 g/t
	WARC25018								Incl 39.00	40.00	1.00	2.49	2.5	1.0m @ 2.5 g/t
	WARC25018								61.00	64.00	3.00	0.57	1.7	3.0m @ 0.6 g/t
	WARC25018								73.00	83.00	10.00	0.55	5.5	10.0m @ 0.5 g/t
	WARC25018								Incl 78.00	79.00	1.00	2.03	2.0	1.0m @ 2.0 g/t
	WARC25018								89.00	90.00	1.00	0.60	0.6	1.0m @ 0.6 g/t
	WARC25018								109.00	110.00	1.00	0.78	0.8	1.0m @ 0.8 g/t
	WARC25018								156.00	158.00	2.00	1.75	3.5	2.0m @ 1.8 g/t
	WARC25018								Incl 157.00	158.00	1.00	2.69	2.7	1.0m @ 2.7 g/t
	WARC25018													
ROUND DAM	WARC25019	6662376	273537	452	79	-50	280	RC	68.00	70.00	2.00	2.38	4.8	2.0m @ 2.4 g/t
	WARC25019								Incl 68.00	69.00	1.00	4.21	4.2	1.0m @ 4.2 g/t
	WARC25019								80.00	81.00	1.00	0.66	0.7	1.0m @ 0.7 g/t
	WARC25019								90.00	100.00	10.00	0.93	9.3	10.0m @ 0.9 g/t
	WARC25019								Incl 93.00	100.00	7.00	1.20	8.4	7.0m @ 1.2 g/t
	WARC25019								158.00	161.00	3.00	0.78	2.3	3.0m @ 0.8 g/t
	WARC25019								Incl 158.00	159.00	1.00	1.75	1.8	1.0m @ 1.8 g/t
	WARC25019								168.00	203.00	35.00	0.55	19.3	35.0m @ 0.6 g/t
	WARC25019								Incl 168.00	169.00	1.00	1.24	1.2	1.0m @ 1.2 g/t
	WARC25019								Incl 183.00	184.00	1.00	1.47	1.5	1.0m @ 1.5 g/t
	WARC25019								Incl 196.00	199.00	3.00	1.60	4.8	3.0m @ 1.6 g/t
	WARC25019								228.00	229.00	1.00	0.99	1.0	1.0m @ 1.0 g/t
	WARC25019													
ROUND DAM	WARC25020	6662275	273548	454	79	-50	275	RC	80.00	90.00	10.00	1.42	14.2	10.0m @ 1.4 g/t
	WARC25020								Incl 81.00	82.00	1.00	3.44	3.4	1.0m @ 3.4 g/t

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
	WARC25020								Incl 88.00	90.00	2.00	3.75	7.5	2.0m @ 3.8 g/t
	WARC25020								92.00	93.00	1.00	0.83	0.8	1.0m @ 0.8 g/t
	WARC25020								97.00	111.00	14.00	1.44	20.2	14.0m @ 1.4 g/t
	WARC25020								Incl 97.00	106.00	9.00	2.00	18.0	9.0m @ 2.0 g/t
	WARC25020								162.00	166.00	4.00	0.72	2.9	4.0m @ 0.7 g/t
	WARC25020								191.00	207.00	16.00	0.53	8.5	16.0m @ 0.5 g/t
	WARC25020								Incl 193.00	196.00	3.00	1.00	3.0	3.0m @ 1.0 g/t
	WARC25020								215.00	216.00	1.00	1.72	1.7	1.0m @ 1.7 g/t
ROUND DAM	WARC25021	6662176	273550	455	78	-49	274	RC	54.00	55.00	1.00	2.51	2.5	1.0m @ 2.5 g/t
	WARC25021								84.00	85.00	1.00	3.01	3.0	1.0m @ 3.0 g/t
	WARC25021								97.00	104.00	7.00	1.17	8.2	7.0m @ 1.2 g/t
	WARC25021								Incl 97.00	103.00	6.00	1.24	7.4	6.0m @ 1.2 g/t
	WARC25021								110.00	136.00	26.00	2.04	53.0	26.0m @ 2.0 g/t
	WARC25021								Incl 112.00	132.00	20.00	2.47	49.4	20.0m @ 2.5 g/t
	WARC25021								141.00	145.00	4.00	0.63	2.5	4.0m @ 0.6 g/t
	WARC25021								Incl 144.00	145.00	1.00	1.61	1.6	1.0m @ 1.6 g/t
	WARC25021								147.00	148.00	1.00	0.78	0.8	1.0m @ 0.8 g/t
	WARC25021								186.00	187.00	1.00	1.67	1.7	1.0m @ 1.7 g/t
	WARC25021								198.00	199.00	1.00	1.29	1.3	1.0m @ 1.3 g/t
	WARC25021								213.00	229.00	16.00	0.72	11.5	16.0m @ 0.7 g/t
	WARC25021								Incl 213.00	216.00	3.00	1.19	3.6	3.0m @ 1.2 g/t
	WARC25021								Incl 223.00	225.00	2.00	1.40	2.8	2.0m @ 1.4 g/t
	WARC25021								236.00	237.00	1.00	0.61	0.6	1.0m @ 0.6 g/t
ROUND DAM	WARC25022	6662076	273565	456	79	-49	274	RC	193.00	194.00	1.00	0.60	0.6	1.0m @ 0.6 g/t
	WARC25022								197.00	198.00	1.00	0.58	0.6	1.0m @ 0.6 g/t
	WARC25022								199.00	200.00	1.00	0.77	0.8	1.0m @ 0.8 g/t
	WARC25022								229.00	244.00	15.00	0.68	10.2	15.0m @ 0.7 g/t
	WARC25022								Incl 238.00	244.00	6.00	1.32	7.9	6.0m @ 1.3 g/t
ROUND DAM	WARC25023	6661960	273600	454	79	-51	46	RC	0.00	46.00				N.S.I.
ROUND DAM	WARC25023A	6661980	273595	454	81	-49	274	RC	92.00	98.00	6.00	0.61	3.6	6.0m @ 0.6 g/t
	WARC25023A								Incl 97.00	98.00	1.00	2.60	2.6	1.0m @ 2.6 g/t
	WARC25023A								103.00	116.00	13.00	0.62	8.1	13.0m @ 0.6 g/t
	WARC25023A								Incl 103.00	104.00	1.00	2.38	2.4	1.0m @ 2.4 g/t
	WARC25023A								Incl 115.00	116.00	1.00	1.32	1.3	1.0m @ 1.3 g/t
	WARC25023A								127.00	135.00	8.00	0.91	7.3	8.0m @ 0.9 g/t
	WARC25023A								Incl 127.00	129.00	2.00	1.14	2.3	2.0m @ 1.1 g/t
	WARC25023A								Incl 132.00	134.00	2.00	1.66	3.3	2.0m @ 1.7 g/t
	WARC25023A								160.00	161.00	1.00	0.62	0.6	1.0m @ 0.6 g/t
	WARC25023A								167.00	172.00	5.00	1.52	7.6	5.0m @ 1.5 g/t
	WARC25023A								179.00	194.00	15.00	0.56	8.4	15.0m @ 0.6 g/t
	WARC25023A								Incl 179.00	180.00	1.00	1.07	1.1	1.0m @ 1.1 g/t
	WARC25023A								Incl 185.00	186.00	1.00	2.60	2.6	1.0m @ 2.6 g/t
	WARC25023A								199.00	222.00	23.00	0.79	18.2	23.0m @ 0.8 g/t
	WARC25023A								Incl 202.00	211.00	9.00	1.21	10.9	9.0m @ 1.2 g/t
	WARC25023A								Incl 220.00	222.00	2.00	1.19	2.4	2.0m @ 1.2 g/t
	WARC25023A								268.00	269.00	1.00	1.42	1.4	1.0m @ 1.4 g/t
ROUND DAM	WARC25024	6662807	273502	452	168	-50	244	RC	37.00	38.00	1.00	2.13	2.1	1.0m @ 2.1 g/t
	WARC25024								194.00	195.00	1.00	0.62	0.6	1.0m @ 0.6 g/t
	WARC25024								200.00	201.00	1.00	0.91	0.9	1.0m @ 0.9 g/t
	WARC25024								223.00	224.00	1.00	0.55	0.6	1.0m @ 0.6 g/t
	WARC25024								229.00	231.00	2.00	1.20	2.4	2.0m @ 1.2 g/t
	WARC25024								Incl 229.00	230.00	1.00	1.86	1.9	1.0m @ 1.9 g/t
ROUND DAM	WARC25025	6662623	273557	452	350	-50	68	RC	32.00	33.00	1.00	1.04	1.0	1.0m @ 1.0 g/t
	WARC25025								38.00	41.00	3.00	1.29	3.9	3.0m @ 1.3 g/t
ROUND DAM	WARC25025A	6662622	273559	452	8	-55	240	RC	18.00	35.00	17.00	1.12	19.0	17.0m @ 1.1 g/t
	WARC25025A								Incl 21.00	22.00	1.00	9.29	9.3	1.0m @ 9.3 g/t
	WARC25025A								Incl 31.00	34.00	3.00	1.63	4.9	3.0m @ 1.6 g/t
	WARC25025A								78.00	79.00	1.00	0.78	0.8	1.0m @ 0.8 g/t
ROUND DAM	WNDD25001	6663209	273434	452	106	-56	228	DDH	80.90	82.45	1.55	1.38	2.1	1.6m @ 1.4 g/t

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
	WNDD25001								123.80	131.09	7.29	1.98	14.4	7.3m @ 2.0 g/t
	WNDD25001								139.50	147.60	8.10	2.21	17.9	8.1m @ 2.2 g/t
	WNDD25001								Incl 139.50	147.25	7.75	2.26	17.5	7.8m @ 2.3 g/t
	WNDD25001								177.00	183.09	6.09	0.56	3.4	6.1m @ 0.6 g/t
ROUND DAM	WNDD25002	6663067	273464	451	116	-58	203	DDH	94.00	95.00	1.00	0.80	0.8	1.0m @ 0.8 g/t
	WNDD25002								96.00	97.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
	WNDD25002								124.90	128.35	3.45	4.08	14.1	3.5m @ 4.1 g/t
	WNDD25002								129.40	132.20	2.80	2.75	7.7	2.8m @ 2.7 g/t
	WNDD25002								143.00	144.00	1.00	1.32	1.3	1.0m @ 1.3 g/t
	WNDD25002								197.00	198.00	1.00	1.42	1.4	1.0m @ 1.4 g/t
ROUND DAM	WNDD25003	6662805	273397	453	71	-50	252	DDH	160.00	161.00	1.00	0.65	0.7	1.0m @ 0.7 g/t
	WNDD25003								176.00	185.00	9.00	0.61	5.5	9.0m @ 0.6 g/t
	WNDD25003								Incl 176.77	179.00	2.23	1.36	3.0	2.2m @ 1.4 g/t
ROUND DAM	WNDD25004	6663186	273367	452	77	-61	300	DDH	111.00	112.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
	WNDD25004								135.00	146.00	11.00	0.73	8.1	11.0m @ 0.7 g/t
	WNDD25004								Incl 137.50	142.90	5.40	1.17	6.3	5.4m @ 1.2 g/t
	WNDD25004								172.00	180.00	8.00	1.25	10.0	8.0m @ 1.3 g/t
	WNDD25004								185.70	187.18	1.48	1.39	2.1	1.5m @ 1.4 g/t
	WNDD25004								Incl 186.18	187.18	1.00	1.80	1.8	1.0m @ 1.8 g/t
	WNDD25004								194.00	195.00	1.00	2.32	2.3	1.0m @ 2.3 g/t
	WNDD25004								207.60	219.00	11.40	2.17	24.7	11.4m @ 2.2 g/t
	WNDD25004								253.00	263.20	10.20	0.53	5.4	10.2m @ 0.5 g/t
	WNDD25004								Incl 253.00	254.00	1.00	1.11	1.1	1.0m @ 1.1 g/t
	WNDD25004								Incl 257.00	259.70	2.70	1.11	3.0	2.7m @ 1.1 g/t
	WNDD25004								268.00	272.00	4.00	0.83	3.3	4.0m @ 0.8 g/t
	WNDD25004								Incl 268.00	269.00	1.00	1.37	1.4	1.0m @ 1.4 g/t
	WNDD25004													
ROUND DAM	WNDD25005	6663082	273415	452	70	-61	263	DDH	50.10	53.40	3.30	0.98	3.2	3.3m @ 1.0 g/t
	WNDD25005								114.00	115.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
	WNDD25005								128.00	148.00	20.00	1.22	24.5	20.0m @ 1.2 g/t
	WNDD25005								Incl 130.00	139.80	9.80	2.04	20.0	9.8m @ 2.0 g/t
	WNDD25005								159.75	162.00	2.25	0.97	2.2	2.3m @ 1.0 g/t
	WNDD25005								172.00	182.90	10.90	4.12	44.8	10.9m @ 4.1 g/t
	WNDD25005								186.30	188.00	1.70	1.65	2.8	1.7m @ 1.6 g/t
	WNDD25005								200.00	201.00	1.00	1.13	1.1	1.0m @ 1.1 g/t
	WNDD25005								210.05	214.00	3.95	0.61	2.4	4.0m @ 0.6 g/t
	WNDD25005								219.00	221.75	2.75	1.06	2.9	2.8m @ 1.1 g/t
	WNDD25005								Incl 219.00	220.70	1.70	1.21	2.1	1.7m @ 1.2 g/t
	WNDD25005								226.90	230.00	3.10	1.39	4.3	3.1m @ 1.4 g/t
	WNDD25005								Incl 228.00	229.25	1.25	2.41	3.0	1.3m @ 2.4 g/t
	WNDD25005													
ROUND DAM	WNDD25006	0	0	0	0	0	33	DDH	8.40	30.90				N.S.I.
ROUND DAM	WNDD25006A	6663187	273366	451	61	-59	278	DDH	129.30	130.80	1.50	1.06	1.6	1.5m @ 1.1 g/t
	WNDD25006A								145.00	146.00	1.00	1.20	1.2	1.0m @ 1.2 g/t
ROUND DAM	WNRC25010	6662710	273425	453	79	-61	258	RC	0.00	258.00				N.S.I.
ROUND DAM	WNRC25012	6662712	273488	452	80	-61	174	RC	39.00	40.00	1.00	0.70	0.7	1.0m @ 0.7 g/t
	WNRC25012								112.00	124.00	12.00	0.63	7.6	12.0m @ 0.6 g/t
	WNRC25012								Incl 121.00	123.00	2.00	1.53	3.1	2.0m @ 1.5 g/t
	WNRC25012								161.00	162.00	1.00	0.87	0.9	1.0m @ 0.9 g/t
ROUND DAM	WNRC25014	6662735	273520	452	79	-60	150	RC	34.00	39.00	5.00	1.01	5.0	5.0m @ 1.0 g/t
	WNRC25014								Incl 34.00	35.00	1.00	3.08	3.1	1.0m @ 3.1 g/t
	WNRC25014								66.00	71.00	5.00	0.89	4.4	5.0m @ 0.9 g/t
	WNRC25014								Incl 66.00	67.00	1.00	2.04	2.0	1.0m @ 2.0 g/t
	WNRC25014								77.00	78.00	1.00	0.76	0.8	1.0m @ 0.8 g/t
ROUND DAM	WNRC25063	6662855	273376	452	75	-62	258	RC	58.00	59.00	1.00	0.64	0.6	1.0m @ 0.6 g/t
	WNRC25063								82.00	89.00	7.00	2.07	14.5	7.0m @ 2.1 g/t
	WNRC25063								98.00	100.00	2.00	0.71	1.4	2.0m @ 0.7 g/t
	WNRC25063								109.00	110.00	1.00	0.79	0.8	1.0m @ 0.8 g/t
	WNRC25063								132.00	145.00	13.00	8.67	112.7	13.0m @ 8.7 g/t
	WNRC25063								Incl 139.00	145.00	6.00	18.28	109.7	6.0m @ 18.3 g/t
	WNRC25063								150.00	151.00	1.00	0.62	0.6	1.0m @ 0.6 g/t
	WNRC25063													

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
	WNRC25063								199.00	200.00	1.00	1.81	1.8	1.0m @ 1.8 g/t
	WNRC25063								212.00	213.00	1.00	0.55	0.6	1.0m @ 0.6 g/t
	WNRC25063								223.00	224.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
	WNRC25063								229.00	232.00	3.00	1.64	4.9	3.0m @ 1.6 g/t
ROUND DAM	WNRC25065	6662870	273422	452	84	-65	210	RC	23.00	25.00	2.00	1.14	2.3	2.0m @ 1.1 g/t
	WNRC25065								Incl 24.00	25.00	1.00	1.61	1.6	1.0m @ 1.6 g/t
	WNRC25065								27.00	28.00	1.00	1.78	1.8	1.0m @ 1.8 g/t
	WNRC25065								34.00	48.00	14.00	2.00	28.0	14.0m @ 2.0 g/t
	WNRC25065								Incl 34.00	47.00	13.00	2.09	27.2	13.0m @ 2.1 g/t
	WNRC25065								85.00	93.00	8.00	29.03	232.2	8.0m @ 29.0 g/t
	WNRC25065								Incl 85.00	90.00	5.00	46.16	230.8	5.0m @ 46.2 g/t
	WNRC25065								110.00	112.00	2.00	0.69	1.4	2.0m @ 0.7 g/t
	WNRC25065								169.00	170.00	1.00	0.68	0.7	1.0m @ 0.7 g/t
	WNRC25065								175.00	181.00	6.00	0.88	5.3	6.0m @ 0.9 g/t
	WNRC25065								Incl 176.00	179.00	3.00	1.02	3.1	3.0m @ 1.0 g/t
	WNRC25065								191.00	193.00	2.00	0.89	1.8	2.0m @ 0.9 g/t
	WNRC25065								Incl 192.00	193.00	1.00	1.20	1.2	1.0m @ 1.2 g/t
ROUND DAM	WNRC25078	6662895	273339	453	74	-59	312	RC	155.00	156.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
	WNRC25078								159.00	160.00	1.00	1.25	1.3	1.0m @ 1.3 g/t
	WNRC25078								171.00	179.00	8.00	0.81	6.4	8.0m @ 0.8 g/t
	WNRC25078								Incl 176.00	177.00	1.00	3.60	3.6	1.0m @ 3.6 g/t
ROUND DAM	WNRC25080	6662892	273400	452	78	-61	234	RC	40.00	56.00	16.00	1.05	16.8	16.0m @ 1.1 g/t
	WNRC25080								Incl 44.00	52.00	8.00	1.53	12.2	8.0m @ 1.5 g/t
	WNRC25080								63.00	66.00	3.00	1.41	4.2	3.0m @ 1.4 g/t
	WNRC25080								Incl 64.00	65.00	1.00	2.62	2.6	1.0m @ 2.6 g/t
	WNRC25080								89.00	90.00	1.00	2.29	2.3	1.0m @ 2.3 g/t
	WNRC25080								100.00	103.00	3.00	2.57	7.7	3.0m @ 2.6 g/t
	WNRC25080								139.00	159.00	20.00	0.59	11.8	20.0m @ 0.6 g/t
	WNRC25080								Incl 144.00	145.00	1.00	1.00	1.0	1.0m @ 1.0 g/t
	WNRC25080								Incl 148.00	153.00	5.00	1.40	7.0	5.0m @ 1.4 g/t
	WNRC25080								167.00	169.00	2.00	2.48	5.0	2.0m @ 2.5 g/t
	WNRC25080								Incl 167.00	168.00	1.00	4.43	4.4	1.0m @ 4.4 g/t
	WNRC25080								181.00	184.00	3.00	0.69	2.1	3.0m @ 0.7 g/t
	WNRC25080								205.00	206.00	1.00	1.33	1.3	1.0m @ 1.3 g/t
	WNRC25080								213.00	214.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
ROUND DAM	WNRC25082	6662914	273441	452	80	-60	180	RC	41.00	42.00	1.00	0.61	0.6	1.0m @ 0.6 g/t
	WNRC25082								50.00	52.00	2.00	2.79	5.6	2.0m @ 2.8 g/t
	WNRC25082								Incl 51.00	52.00	1.00	4.68	4.7	1.0m @ 4.7 g/t
	WNRC25082								57.00	61.00	4.00	1.67	6.7	4.0m @ 1.7 g/t
	WNRC25082								Incl 58.00	60.00	2.00	2.80	5.6	2.0m @ 2.8 g/t
	WNRC25082								78.00	79.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
	WNRC25082								92.00	100.00	8.00	1.09	8.7	8.0m @ 1.1 g/t
	WNRC25082								Incl 92.00	96.00	4.00	1.44	5.8	4.0m @ 1.4 g/t
	WNRC25082								136.00	142.00	6.00	0.65	3.9	6.0m @ 0.7 g/t
	WNRC25082								Incl 140.00	141.00	1.00	1.16	1.2	1.0m @ 1.2 g/t
	WNRC25082								169.00	171.00	2.00	4.32	8.6	2.0m @ 4.3 g/t
ROUND DAM	WNRC25092	6662948	273381	452	93	-56	246	RC	123.00	124.00	1.00	0.68	0.7	1.0m @ 0.7 g/t
	WNRC25092								139.00	140.00	1.00	10.65	10.7	1.0m @ 10.7 g/t
	WNRC25092								153.00	154.00	1.00	2.44	2.4	1.0m @ 2.4 g/t
	WNRC25092								160.00	165.00	5.00	1.05	5.3	5.0m @ 1.1 g/t
	WNRC25092								Incl 160.00	162.00	2.00	1.55	3.1	2.0m @ 1.5 g/t
	WNRC25092								171.00	175.00	4.00	0.74	3.0	4.0m @ 0.7 g/t
	WNRC25092								Incl 172.00	173.00	1.00	1.00	1.0	1.0m @ 1.0 g/t
	WNRC25092								188.00	189.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
	WNRC25092								192.00	194.00	2.00	0.69	1.4	2.0m @ 0.7 g/t
	WNRC25092								198.00	199.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
	WNRC25092								211.00	212.00	1.00	0.71	0.7	1.0m @ 0.7 g/t
	WNRC25092								214.00	215.00	1.00	0.59	0.6	1.0m @ 0.6 g/t
ROUND DAM	WNRC25099	6662986	273440	452	75	-63	246	RCDD	156.00	160.00	4.00	0.51	2.1	4.0m @ 0.5 g/t

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
	WNRC25099								243.00	244.00	1.00	1.26	1.3	1.0m @ 1.3 g/t
ROUND DAM	WNRC25101	6662995	273481	451	81	-65	210	RCDD	35.00	42.00	7.00	1.19	8.3	7.0m @ 1.2 g/t
	WNRC25101								Incl 39.00	42.00	3.00	2.22	6.7	3.0m @ 2.2 g/t
	WNRC25101								56.00	65.00	9.00	1.73	15.5	9.0m @ 1.7 g/t
	WNRC25101								Incl 56.00	63.00	7.00	2.04	14.3	7.0m @ 2.0 g/t
	WNRC25101								74.00	90.00	16.00	0.97	15.5	16.0m @ 1.0 g/t
	WNRC25101								Incl 74.00	84.00	10.00	1.01	10.1	10.0m @ 1.0 g/t
	WNRC25101								Incl 88.00	90.00	2.00	2.40	4.8	2.0m @ 2.4 g/t
	WNRC25101								102.00	103.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
	WNRC25101								112.00	113.00	1.00	0.60	0.6	1.0m @ 0.6 g/t
	WNRC25101								116.00	117.00	1.00	1.32	1.3	1.0m @ 1.3 g/t
ROUND DAM	WNRC25119	6663063	273519	451	96	-65	156	RCDD	30.00	36.00	6.00	0.67	4.0	6.0m @ 0.7 g/t
	WNRC25119								Incl 30.00	31.00	1.00	1.08	1.1	1.0m @ 1.1 g/t
	WNRC25119								Incl 34.00	35.00	1.00	1.02	1.0	1.0m @ 1.0 g/t
	WNRC25119								42.00	44.00	2.00	0.61	1.2	2.0m @ 0.6 g/t
	WNRC25119								55.00	56.00	1.00	0.79	0.8	1.0m @ 0.8 g/t
	WNRC25119								61.00	64.00	3.00	1.41	4.2	3.0m @ 1.4 g/t
	WNRC25119								Incl 61.00	63.00	2.00	1.72	3.4	2.0m @ 1.7 g/t
	WNRC25119								69.00	70.00	1.00	1.26	1.3	1.0m @ 1.3 g/t
	WNRC25119								91.00	100.00	9.00	1.65	14.9	9.0m @ 1.7 g/t
	WNRC25119								Incl 93.00	100.00	7.00	1.97	13.8	7.0m @ 2.0 g/t
	WNRC25119								112.00	113.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
	WNRC25119								117.00	119.00	2.00	0.74	1.5	2.0m @ 0.7 g/t
ROUND DAM	WNRC25132	6663081	273422	452	80	-65	153	RCDD	44.00	45.00	1.00	4.13	4.1	1.0m @ 4.1 g/t
	WNRC25132								101.00	102.00	1.00	0.59	0.6	1.0m @ 0.6 g/t
	WNRC25132								112.00	115.00	3.00	1.05	3.2	3.0m @ 1.1 g/t
	WNRC25132								Incl 112.00	113.00	1.00	1.83	1.8	1.0m @ 1.8 g/t
	WNRC25132								120.00	121.00	1.00	0.82	0.8	1.0m @ 0.8 g/t
	WNRC25132								134.00	153.00	19.00	1.91	36.2	19.0m @ 1.9 g/t
ROUND DAM	WNRC25134	6663098	273459	452	89	-63	210	RCDD	48.00	49.00	1.00	1.08	1.1	1.0m @ 1.1 g/t
	WNRC25134								59.00	60.00	1.00	2.77	2.8	1.0m @ 2.8 g/t
	WNRC25134								66.00	74.00	8.00	0.59	4.7	8.0m @ 0.6 g/t
	WNRC25134								Incl 73.00	74.00	1.00	1.36	1.4	1.0m @ 1.4 g/t
	WNRC25134								80.00	102.00	22.00	1.16	25.5	22.0m @ 1.2 g/t
	WNRC25134								Incl 83.00	101.00	18.00	1.28	23.1	18.0m @ 1.3 g/t
	WNRC25134								129.00	130.00	1.00	0.59	0.6	1.0m @ 0.6 g/t
	WNRC25134								132.00	133.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
	WNRC25134								135.00	136.00	1.00	0.73	0.7	1.0m @ 0.7 g/t
	WNRC25134								140.00	141.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
	WNRC25134								146.00	149.00	3.00	1.15	3.4	3.0m @ 1.1 g/t
	WNRC25134								156.00	157.00	1.00	1.21	1.2	1.0m @ 1.2 g/t
	WNRC25134								176.00	179.00	3.00	0.60	1.8	3.0m @ 0.6 g/t
	WNRC25134								188.00	190.00	2.00	1.43	2.9	2.0m @ 1.4 g/t
	WNRC25134								Incl 188.00	189.00	1.00	2.07	2.1	1.0m @ 2.1 g/t
ROUND DAM	WNRC25171	6663216	273440	451	82	-73	240	RC	65.00	72.00	7.00	0.72	5.0	7.0m @ 0.7 g/t
	WNRC25171								Incl 69.00	72.00	3.00	1.29	3.9	3.0m @ 1.3 g/t
	WNRC25171								98.00	99.00	1.00	0.82	0.8	1.0m @ 0.8 g/t
	WNRC25171								104.00	137.00	33.00	4.65	153.4	33.0m @ 4.6 g/t
	WNRC25171								Incl 104.00	113.00	9.00	9.16	82.5	9.0m @ 9.2 g/t
	WNRC25171								Incl 122.00	137.00	15.00	4.53	67.9	15.0m @ 4.5 g/t
	WNRC25171								144.00	160.00	16.00	1.46	23.3	16.0m @ 1.5 g/t
	WNRC25171								Incl 144.00	156.00	12.00	1.75	21.0	12.0m @ 1.7 g/t
	WNRC25171								167.00	168.00	1.00	3.09	3.1	1.0m @ 3.1 g/t
	WNRC25171								199.00	200.00	1.00	1.71	1.7	1.0m @ 1.7 g/t
	WNRC25171								211.00	212.00	1.00	0.59	0.6	1.0m @ 0.6 g/t
	WNRC25171								217.00	224.00	7.00	0.72	5.1	7.0m @ 0.7 g/t
	WNRC25171								Incl 220.00	221.00	1.00	2.02	2.0	1.0m @ 2.0 g/t
ROUND DAM	WNRC25172	6663225	273477	451	85	-73	192	RC	24.00	30.00	6.00	1.66	10.0	6.0m @ 1.7 g/t
	WNRC25172								Incl 25.00	30.00	5.00	1.89	9.5	5.0m @ 1.9 g/t

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
For personal use only	WNRC25172								36.00	37.00	1.00	0.63	0.6	1.0m @ 0.6 g/t
	WNRC25172								56.00	58.00	2.00	0.69	1.4	2.0m @ 0.7 g/t
	WNRC25172								63.00	77.00	14.00	18.51	259.1	14.0m @ 18.5 g/t
	WNRC25172								Incl 63.00	75.00	12.00	21.50	258.0	12.0m @ 21.5 g/t
	WNRC25172								86.00	88.00	2.00	1.76	3.5	2.0m @ 1.8 g/t
	WNRC25172								Incl 86.00	87.00	1.00	3.00	3.0	1.0m @ 3.0 g/t
	WNRC25172								101.00	110.00	9.00	0.91	8.2	9.0m @ 0.9 g/t
	WNRC25172								Incl 101.00	104.00	3.00	1.58	4.7	3.0m @ 1.6 g/t
	WNRC25172								Incl 109.00	110.00	1.00	1.52	1.5	1.0m @ 1.5 g/t
	WNRC25172								142.00	150.00	8.00	0.96	7.7	8.0m @ 1.0 g/t
	WNRC25172								Incl 148.00	150.00	2.00	2.33	4.7	2.0m @ 2.3 g/t
	WNRC25172								163.00	178.00	15.00	0.61	9.1	15.0m @ 0.6 g/t
	WNRC25172								Incl 163.00	164.00	1.00	1.26	1.3	1.0m @ 1.3 g/t
	WNRC25172								Incl 167.00	171.00	4.00	1.23	4.9	4.0m @ 1.2 g/t
ROUND DAM	WNRC25175	6663232	273407	451	76	-63	246	RC	82.00	87.00	5.00	1.99	9.9	5.0m @ 2.0 g/t
	WNRC25175								115.00	123.00	8.00	2.07	16.5	8.0m @ 2.1 g/t
	WNRC25175								Incl 117.00	121.00	4.00	3.64	14.6	4.0m @ 3.6 g/t
	WNRC25175								132.00	140.00	8.00	5.08	40.7	8.0m @ 5.1 g/t
	WNRC25175								Incl 132.00	134.00	2.00	19.09	38.2	2.0m @ 19.1 g/t
	WNRC25175								147.00	152.00	5.00	0.53	2.6	5.0m @ 0.5 g/t
	WNRC25175								Incl 151.00	152.00	1.00	1.06	1.1	1.0m @ 1.1 g/t
	WNRC25175								162.00	167.00	5.00	0.86	4.3	5.0m @ 0.9 g/t
	WNRC25175								Incl 166.00	167.00	1.00	2.52	2.5	1.0m @ 2.5 g/t
	WNRC25175								213.00	214.00	1.00	0.77	0.8	1.0m @ 0.8 g/t
	WNRC25175								218.00	219.00	1.00	0.96	1.0	1.0m @ 1.0 g/t
ROUND DAM	WNRC25185	6663284	273446	450	79	-77	180	RCDD	52.00	57.00	5.00	2.70	13.5	5.0m @ 2.7 g/t
	WNRC25185								Incl 52.00	55.00	3.00	4.10	12.3	3.0m @ 4.1 g/t
	WNRC25185								64.00	67.00	3.00	0.54	1.6	3.0m @ 0.5 g/t
	WNRC25185								86.00	100.00	14.00	0.94	13.1	14.0m @ 0.9 g/t
	WNRC25185								Incl 87.00	95.00	8.00	1.31	10.5	8.0m @ 1.3 g/t
	WNRC25185								106.00	109.00	3.00	3.29	9.9	3.0m @ 3.3 g/t
	WNRC25185								125.00	127.00	2.00	2.26	4.5	2.0m @ 2.3 g/t
	WNRC25185								137.00	138.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
	WNRC25185								140.00	144.00	4.00	0.51	2.0	4.0m @ 0.5 g/t
	WNRC25185								171.00	172.00	1.00	0.73	0.7	1.0m @ 0.7 g/t
	WNRC25185													
ROUND DAM	WNRC25187	6663284	273448	450	80	-60	222	RCDD	42.00	43.00	1.00	2.66	2.7	1.0m @ 2.7 g/t
	WNRC25187								67.00	68.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
	WNRC25187								78.00	81.00	3.00	3.08	9.3	3.0m @ 3.1 g/t
	WNRC25187								Incl 78.00	80.00	2.00	4.18	8.4	2.0m @ 4.2 g/t
	WNRC25187								93.00	96.00	3.00	0.71	2.1	3.0m @ 0.7 g/t
	WNRC25187								102.00	109.00	7.00	1.09	7.7	7.0m @ 1.1 g/t
	WNRC25187								131.00	145.00	14.00	0.79	11.1	14.0m @ 0.8 g/t
	WNRC25187								Incl 131.00	135.00	4.00	1.69	6.7	4.0m @ 1.7 g/t
	WNRC25187								Incl 144.00	145.00	1.00	1.56	1.6	1.0m @ 1.6 g/t
	WNRC25187								152.00	159.00	7.00	0.61	4.3	7.0m @ 0.6 g/t
	WNRC25187								Incl 153.00	154.00	1.00	1.44	1.4	1.0m @ 1.4 g/t
ROUND DAM	WNRC25202	6663335	273413	450	94	-63	240	RC	95.00	96.00	1.00	0.90	0.9	1.0m @ 0.9 g/t
	WNRC25202								106.00	110.00	4.00	1.02	4.1	4.0m @ 1.0 g/t
	WNRC25202								Incl 108.00	110.00	2.00	1.43	2.9	2.0m @ 1.4 g/t
	WNRC25202								115.00	117.00	2.00	6.17	12.3	2.0m @ 6.2 g/t
	WNRC25202								123.00	138.00	15.00	0.54	8.1	15.0m @ 0.5 g/t
	WNRC25202								167.00	176.00	9.00	0.81	7.3	9.0m @ 0.8 g/t
	WNRC25202								Incl 167.00	168.00	1.00	2.85	2.9	1.0m @ 2.9 g/t
	WNRC25202								Incl 175.00	176.00	1.00	1.10	1.1	1.0m @ 1.1 g/t
	WNRC25202								184.00	186.00	2.00	0.78	1.6	2.0m @ 0.8 g/t
	WNRC25202								192.00	193.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
	WNRC25202								198.00	201.00	3.00	0.56	1.7	3.0m @ 0.6 g/t
ROUND DAM	WNRC25204	6663349	273474	449	75	-60	66	RC	24.00	30.00	6.00	3.62	21.7	6.0m @ 3.6 g/t
	WNRC25204								Incl 24.00	28.00	4.00	5.14	20.6	4.0m @ 5.1 g/t

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
	WNRC25204								43.00	46.00	3.00	0.81	2.4	3.0m @ 0.8 g/t
	WNRC25204								54.00	55.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
ROUND DAM	WNRC25204A	6663349	273476	449	0	0	156	RC	23.00	32.00	9.00	1.21	10.9	9.0m @ 1.2 g/t
	WNRC25204A								Incl 24.00	32.00	8.00	1.26	10.1	8.0m @ 1.3 g/t
	WNRC25204A								73.00	74.00	1.00	0.69	0.7	1.0m @ 0.7 g/t
	WNRC25204A								86.00	95.00	9.00	1.15	10.4	9.0m @ 1.2 g/t
	WNRC25204A								Incl 88.00	91.00	3.00	2.37	7.1	3.0m @ 2.4 g/t
	WNRC25204A								102.00	117.00	15.00	0.86	13.0	15.0m @ 0.9 g/t
	WNRC25204A								Incl 102.00	103.00	1.00	1.44	1.4	1.0m @ 1.4 g/t
	WNRC25204A								Incl 109.00	110.00	1.00	1.49	1.5	1.0m @ 1.5 g/t
	WNRC25204A								Incl 115.00	117.00	2.00	2.63	5.3	2.0m @ 2.6 g/t
ROUND DAM	WNRC25236	6663515	273498	449	79	-60	96	RC	27.00	31.00	4.00	0.88	3.5	4.0m @ 0.9 g/t
	WNRC25236								Incl 30.00	31.00	1.00	1.37	1.4	1.0m @ 1.4 g/t
ROUND DAM	WNRC25241	6663475	273367	450	80	-61	246	RC	159.00	160.00	1.00	0.59	0.6	1.0m @ 0.6 g/t
	WNRC25241								177.00	178.00	1.00	2.12	2.1	1.0m @ 2.1 g/t
	WNRC25241								201.00	204.00	3.00	3.24	9.7	3.0m @ 3.2 g/t
ROUND DAM	WNRC25244	6663497	273441	450	80	-60	162	RC	105.00	116.00	11.00	0.74	8.1	11.0m @ 0.7 g/t
	WNRC25244								Incl 109.00	111.00	2.00	1.78	3.6	2.0m @ 1.8 g/t
ROUND DAM	WNRC26001	6663281	273447	449	78	-85	204	RC	58.00	64.00	6.00	1.85	11.1	6.0m @ 1.9 g/t
	WNRC26001								Incl 60.00	64.00	4.00	2.44	9.8	4.0m @ 2.4 g/t
	WNRC26001								96.00	103.00	7.00	0.55	3.9	7.0m @ 0.6 g/t
	WNRC26001								Incl 102.00	103.00	1.00	1.86	1.9	1.0m @ 1.9 g/t
	WNRC26001								106.00	107.00	1.00	0.98	1.0	1.0m @ 1.0 g/t
	WNRC26001								114.00	124.00	10.00	0.89	8.9	10.0m @ 0.9 g/t
	WNRC26001								Incl 114.00	119.00	5.00	1.44	7.2	5.0m @ 1.4 g/t
	WNRC26001								129.00	132.00	3.00	0.54	1.6	3.0m @ 0.5 g/t
	WNRC26001								163.00	164.00	1.00	3.34	3.3	1.0m @ 3.3 g/t
	WNRC26001								173.00	178.00	5.00	6.17	30.9	5.0m @ 6.2 g/t
	WNRC26001								Incl 176.00	178.00	2.00	14.42	28.8	2.0m @ 14.4 g/t
	WNRC26001								188.00	189.00	1.00	0.84	0.8	1.0m @ 0.8 g/t
	WNRC26001								198.00	199.00	1.00	0.92	0.9	1.0m @ 0.9 g/t
	WNRC26001								202.00	203.00	1.00	0.66	0.7	1.0m @ 0.7 g/t
ROUND DAM	WNRC26002	6663233	273411	451	81	-51	222	RC	73.00	76.00	3.00	0.94	2.8	3.0m @ 0.9 g/t
	WNRC26002								Incl 73.00	74.00	1.00	1.68	1.7	1.0m @ 1.7 g/t
	WNRC26002								85.00	88.00	3.00	0.55	1.6	3.0m @ 0.5 g/t
	WNRC26002								100.00	101.00	1.00	0.71	0.7	1.0m @ 0.7 g/t
	WNRC26002								106.00	116.00	10.00	1.15	11.5	10.0m @ 1.1 g/t
	WNRC26002								Incl 106.00	113.00	7.00	1.42	10.0	7.0m @ 1.4 g/t
	WNRC26002								123.00	127.00	4.00	0.68	2.7	4.0m @ 0.7 g/t
	WNRC26002								Incl 123.00	124.00	1.00	1.17	1.2	1.0m @ 1.2 g/t
	WNRC26002								137.00	144.00	7.00	34.98	244.8	7.0m @ 35.0 g/t
	WNRC26002								Incl 138.00	143.00	5.00	48.62	243.1	5.0m @ 48.6 g/t
	WNRC26002								156.00	157.00	1.00	0.78	0.8	1.0m @ 0.8 g/t
	WNRC26002								168.00	176.00	8.00	1.71	13.7	8.0m @ 1.7 g/t
	WNRC26002								189.00	190.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
	WNRC26002								194.00	195.00	1.00	0.58	0.6	1.0m @ 0.6 g/t
ROUND DAM	WNRC26003	6663201	273464	452	71	-68	198	RC	37.00	44.00	7.00	1.24	8.7	7.0m @ 1.2 g/t
	WNRC26003								Incl 41.00	44.00	3.00	2.42	7.3	3.0m @ 2.4 g/t
	WNRC26003								60.00	62.00	2.00	3.09	6.2	2.0m @ 3.1 g/t
	WNRC26003								Incl 61.00	62.00	1.00	5.39	5.4	1.0m @ 5.4 g/t
	WNRC26003								76.00	81.00	5.00	0.64	3.2	5.0m @ 0.6 g/t
	WNRC26003								Incl 80.00	81.00	1.00	1.43	1.4	1.0m @ 1.4 g/t
	WNRC26003								86.00	98.00	12.00	1.37	16.4	12.0m @ 1.4 g/t
	WNRC26003								Incl 89.00	96.00	7.00	1.94	13.6	7.0m @ 1.9 g/t
	WNRC26003								103.00	104.00	1.00	2.41	2.4	1.0m @ 2.4 g/t
	WNRC26003								109.00	110.00	1.00	1.45	1.5	1.0m @ 1.5 g/t
	WNRC26003								115.00	117.00	2.00	0.67	1.3	2.0m @ 0.7 g/t
	WNRC26003								122.00	123.00	1.00	0.68	0.7	1.0m @ 0.7 g/t
	WNRC26003								145.00	155.00	10.00	1.09	10.9	10.0m @ 1.1 g/t

For personal use only

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
	WNRC26003								Incl 145.00	147.00	2.00	1.64	3.3	2.0m @ 1.6 g/t
	WNRC26003								Incl 152.00	154.00	2.00	2.23	4.5	2.0m @ 2.2 g/t
	WNRC26003								162.00	163.00	1.00	0.61	0.6	1.0m @ 0.6 g/t
	WNRC26003								168.00	169.00	1.00	1.38	1.4	1.0m @ 1.4 g/t
	WNRC26003								175.00	182.00	7.00	0.51	3.5	7.0m @ 0.5 g/t
	WNRC26003								Incl 179.00	180.00	1.00	1.78	1.8	1.0m @ 1.8 g/t
ROUND DAM	WNRC26006	6663134	273410	452	83	-55	204	RC	76.00	108.00	32.00	0.91	29.3	32.0m @ 0.9 g/t
	WNRC26006								Incl 78.00	79.00	1.00	3.55	3.6	1.0m @ 3.6 g/t
	WNRC26006								Incl 92.00	96.00	4.00	1.61	6.4	4.0m @ 1.6 g/t
	WNRC26006								Incl 101.00	108.00	7.00	1.89	13.2	7.0m @ 1.9 g/t
	WNRC26006								139.00	141.00	2.00	1.51	3.0	2.0m @ 1.5 g/t
	WNRC26006								157.00	166.00	9.00	2.02	18.2	9.0m @ 2.0 g/t
	WNRC26006								Incl 158.00	166.00	8.00	2.21	17.6	8.0m @ 2.2 g/t
	WNRC26006								173.00	174.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
	WNRC26006								175.00	176.00	1.00	0.59	0.6	1.0m @ 0.6 g/t
	WNRC26006								188.00	195.00	7.00	0.70	4.9	7.0m @ 0.7 g/t
	WNRC26006								Incl 190.00	191.00	1.00	2.09	2.1	1.0m @ 2.1 g/t

Appendix 2 – Significant Intersection Table – Re-interpreted historical drilling

Note: constraints applying to the Significant Intersection Table for historical drilling have been updated to better reflect, and to be consistent with current open mining parameters

For personal use only

Appendix 2 – Significant Intersection Table

Round Dam - Historical drilling - 0.5g/t cut-off, maximum 4m internal dilution, minimum width 1.0m

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
BJRC001	6661380	273801	457	81	-60	42	RC	0.00	3.00	3.00	0.99	3.0	3.0m @ 1.0 g/t
BJRC001								Incl 0.00	1.00	1.00	1.57	1.6	1.0m @ 1.6 g/t
BJRC001								15.00	20.00	5.00	0.54	2.7	5.0m @ 0.5 g/t
BJRC001								Incl 19.00	20.00	1.00	1.47	1.5	1.0m @ 1.5 g/t
BJRC002	6661428	273788	457	81	-60	42	RC	38.00	39.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
BJRC003	6661474	273755	456	81	-60	42	RC	7.00	16.00	9.00	0.68	6.1	9.0m @ 0.7 g/t
BJRC003								Incl 9.00	10.00	1.00	1.42	1.4	1.0m @ 1.4 g/t
BJRC003								Incl 15.00	16.00	1.00	1.56	1.6	1.0m @ 1.6 g/t
BJRC003								21.00	23.00	2.00	0.65	1.3	2.0m @ 0.6 g/t
BJRC003								28.00	41.00	13.00	0.92	11.9	13.0m @ 0.9 g/t
BJRC003								Incl 31.00	34.00	3.00	2.24	6.7	3.0m @ 2.2 g/t
BJRC003								Incl 40.00	41.00	1.00	1.07	1.1	1.0m @ 1.1 g/t
BJRC004	6661477	273775	456	81	-60	60	RC	45.00	46.00	1.00	3.16	3.2	1.0m @ 3.2 g/t
BJRC005	6661527	273771	454	81	-60	45	RC	27.00	44.00	17.00	0.68	11.5	17.0m @ 0.7 g/t
BJRC005								Incl 28.00	29.00	1.00	1.70	1.7	1.0m @ 1.7 g/t
BJRC005								Incl 32.00	34.00	2.00	1.15	2.3	2.0m @ 1.1 g/t
BJRC006	6661552	273761	454	81	-60	60	RC	14.00	45.00	31.00	1.13	35.1	31.0m @ 1.1 g/t
BJRC006								Incl 15.00	18.00	3.00	1.85	5.6	3.0m @ 1.9 g/t
BJRC006								Incl 32.00	41.00	9.00	2.56	23.1	9.0m @ 2.6 g/t
BJRC006								50.00	54.00	4.00	1.06	4.2	4.0m @ 1.1 g/t
BJRC006								Incl 51.00	53.00	2.00	1.41	2.8	2.0m @ 1.4 g/t
BJRC007	6661555	273781	454	81	-60	50	RC	18.00	41.00	23.00	0.83	19.0	23.0m @ 0.8 g/t
BJRC007								Incl 18.00	21.00	3.00	1.53	4.6	3.0m @ 1.5 g/t
BJRC007								Incl 24.00	25.00	1.00	1.89	1.9	1.0m @ 1.9 g/t
BJRC007								Incl 28.00	34.00	6.00	1.09	6.5	6.0m @ 1.1 g/t
BJRC007								Incl 40.00	41.00	1.00	2.66	2.7	1.0m @ 2.7 g/t
BJRC008	6661571	273728	455	81	-60	42	RC	35.00	36.00	1.00	0.60	0.6	1.0m @ 0.6 g/t
DSRC059	6665061	273079	445	80	-60	60	RC	0.00	60.00				N.S.I.
DSRC060	6665053	273030	445	80	-60	75	RC	27.00	28.00	1.00	2.44	2.4	1.0m @ 2.4 g/t
DSRC060								42.00	52.00	10.00	0.81	8.1	10.0m @ 0.8 g/t
DSRC060								Incl 42.00	43.00	1.00	2.85	2.9	1.0m @ 2.9 g/t
DSRC060								Incl 51.00	52.00	1.00	1.98	2.0	1.0m @ 2.0 g/t
DSRC060								57.00	58.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
DSRC060								65.00	69.00	4.00	0.72	2.9	4.0m @ 0.7 g/t
DSRC060								Incl 68.00	69.00	1.00	1.83	1.8	1.0m @ 1.8 g/t
DSRC061	6665179	273059	445	80	-60	60	RC	27.00	30.00	3.00	1.88	5.6	3.0m @ 1.9 g/t
DSRC061								49.00	60.00	11.00	0.93	10.2	11.0m @ 0.9 g/t
DSRC061								Incl 50.00	56.00	6.00	1.11	6.7	6.0m @ 1.1 g/t
DSRC062	6665171	273009	445	80	-60	80	RC	34.00	35.00	1.00	0.63	0.6	1.0m @ 0.6 g/t
DSRC062								48.00	49.00	1.00	1.27	1.3	1.0m @ 1.3 g/t
DSRC062								71.00	73.00	2.00	4.32	8.6	2.0m @ 4.3 g/t
DSRC063	6665250	272996	445	80	-60	90	RC	64.00	65.00	1.00	1.04	1.0	1.0m @ 1.0 g/t
DSRC064	6665258	273045	445	80	-60	65	RC	30.00	31.00	1.00	1.73	1.7	1.0m @ 1.7 g/t
DSRC064								50.00	58.00	8.00	0.86	6.9	8.0m @ 0.9 g/t
DSRC064								Incl 51.00	54.00	3.00	1.40	4.2	3.0m @ 1.4 g/t
DSRC065	6661626	273753	454	80	-60	90	RC	28.00	31.00	3.00	0.66	2.0	3.0m @ 0.7 g/t
DSRC065								51.00	55.00	4.00	0.55	2.2	4.0m @ 0.5 g/t
DSRC065								Incl 51.00	52.00	1.00	1.06	1.1	1.0m @ 1.1 g/t
DSRC065								64.00	66.00	2.00	1.43	2.9	2.0m @ 1.4 g/t
DSRC066	6661475	273732	455	80	-60	80	RC	29.00	30.00	1.00	0.65	0.6	1.0m @ 0.6 g/t
DSRC066								34.00	35.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
DSRC066								53.00	54.00	1.00	0.55	0.6	1.0m @ 0.6 g/t
DSRC066								73.00	75.00	2.00	0.56	1.1	2.0m @ 0.6 g/t
NAC002	6655760	275138	436	0	-90	34	AC	0.00	34.00				N.S.I.
NAC003	6655762	275238	435	0	-90	29	AC	0.00	29.00				N.S.I.
NAC004	6655757	275342	434	0	-90	32	AC	0.00	32.00				N.S.I.
NAC005	6655759	275184	435	0	-90	31	AC	0.00	31.00				N.S.I.
NAC006	6655767	275083	436	0	-90	41	AC	0.00	41.00				N.S.I.
NAC008	6655558	275241	435	0	-90	38	AC	0.00	38.00				N.S.I.
NAC009	6655556	275291	434	0	-90	35	AC	0.00	35.00				N.S.I.
NAC010	6655561	275336	434	0	-90	38	AC	0.00	38.00				N.S.I.
NAC011	6655562	275440	434	0	-90	45	AC	0.00	45.00				N.S.I.
NAC012	6655559	275540	433	0	-90	53	AC	0.00	53.00				N.S.I.
NAC013	6655356	275291	434	0	-90	50	AC	0.00	50.00				N.S.I.
NAC014	6655349	275399	434	0	-90	22	AC	0.00	22.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
NAC015	6655367	275500	433	0	-90	36	AC	0.00	36.00				N.S.I.
NAC016	6655360	275593	433	0	-90	46	AC	0.00	46.00				N.S.I.
NAC017	6655356	275443	434	0	-90	41	AC	0.00	41.00				N.S.I.
NAC018	6655368	275344	434	0	-90	42	AC	0.00	42.00				N.S.I.
NAC019	6655154	275636	432	0	-90	42	AC	0.00	42.00				N.S.I.
NAC020	6654956	275592	432	0	-90	72	AC	0.00	72.00				N.S.I.
NAC021	6654962	275692	432	0	-90	26	AC	0.00	26.00				N.S.I.
NAC022	6654964	275794	431	0	-90	29	AC	0.00	29.00				N.S.I.
NAC023	6654955	275894	431	0	-90	43	AC	0.00	43.00				N.S.I.
NAC024	6654760	275738	431	0	-90	35	AC	0.00	35.00				N.S.I.
NAC025	6654748	275641	432	0	-90	71	AC	0.00	71.00				N.S.I.
NAC026	6654755	275835	431	0	-90	25	AC	0.00	25.00				N.S.I.
NAC027	6654762	275938	430	0	-90	28	AC	0.00	28.00				N.S.I.
NAC028	6654764	276040	430	0	-90	33	AC	0.00	33.00				N.S.I.
NAC029	6654756	275888	430	0	-90	23	AC	0.00	23.00				N.S.I.
NAC030	6654754	275787	431	0	-90	28	AC	0.00	28.00				N.S.I.
NAC031	6654569	275835	431	0	-90	38	AC	0.00	38.00				N.S.I.
NAC032	6654558	275946	431	0	-90	39	AC	0.00	39.00				N.S.I.
NAC033	6654561	276037	430	0	-90	38	AC	0.00	38.00				N.S.I.
NAC034	6654554	275733	431	0	-90	57	AC	0.00	57.00				N.S.I.
NAC035	6654356	275936	431	0	-90	45	AC	0.00	45.00				N.S.I.
NAC036	6654354	275841	432	0	-90	62	AC	0.00	62.00				N.S.I.
NAC037	6654353	276038	431	0	-90	36	AC	0.00	36.00				N.S.I.
NAC038	6654356	276137	431	0	-90	39	AC	0.00	39.00				N.S.I.
NAC039	6654356	276241	431	0	-90	29	AC	0.00	29.00				N.S.I.
NAC040	6654364	276538	430	0	-90	39	AC	0.00	39.00				N.S.I.
NAC041	6654354	276440	431	0	-90	46	AC	0.00	46.00				N.S.I.
NAC042	6654355	276337	431	0	-90	28	AC	0.00	28.00				N.S.I.
NAC043	6654160	276237	432	0	-90	32	AC	0.00	32.00				N.S.I.
NAC044	6654164	276137	432	0	-90	29	AC	0.00	29.00				N.S.I.
NAC045	6654167	276034	432	0	-90	44	AC	0.00	44.00				N.S.I.
NAC046	6654158	275946	432	0	-90	56	AC	0.00	56.00				N.S.I.
NAC048	6655968	275083	436	0	-90	31	AC	0.00	31.00				N.S.I.
NRB239	6655960	275038	436	0	-90	35	RAB	0.00	35.00				N.S.I.
NRB240	6655953	275134	436	0	-90	35	RAB	0.00	35.00				N.S.I.
NRB241	6655964	275238	436	0	-90	37	RAB	0.00	37.00				N.S.I.
NRB242	6655960	275334	435	0	-90	40	RAB	0.00	5.00				N.S.I.
NRB243	6655953	275431	434	0	-90	34	RAB	30.00	34.00				N.S.I.
NRB245	6655159	275835	432	0	-90	42	RAB	10.00	15.00				N.S.I.
NRB246	6655161	275732	432	0	-90	59	RAB	55.00	59.00				N.S.I.
NRB247	6655158	275642	432	0	-90	24	RAB	0.00	10.00				N.S.I.
NRB248	6655155	275432	433	0	-90	54	RAB	20.00	54.00				N.S.I.
NRB249	6655151	275527	433	0	-90	47	RAB	30.00	47.00				N.S.I.
NRB259	6653762	276940	432	0	-90	33	RAB	30.00	33.00				N.S.I.
NRB260	6653761	276838	432	0	-90	32	RAB	30.00	32.00				N.S.I.
NRB261	6653763	276742	432	0	-90	38	RAB	35.00	38.00				N.S.I.
NRB263	6654161	277035	431	0	-90	37	RAB	0.00	35.00				N.S.I.
NRB265	6654160	276836	430	0	-90	28	RAB	25.00	28.00				N.S.I.
NRB266	6654166	276734	431	0	-90	26	RAB	0.00	5.00				N.S.I.
NRB267	6654153	276632	430.8	0	-90	51	RAB	0.00	51.00				N.S.I.
NRB268	6654153	276537	431.1	0	-90	43	RAB	0.00	43.00				N.S.I.
NRB269	6654160	276432	431.4	0	-90	30	RAB	0.00	30.00				N.S.I.
NRB270	6654163	276340	431.6	0	-90	26	RAB	0.00	26.00				N.S.I.
PD116	6662166	273611	454	80	-60	90	RC	51.00	63.00	12.00	0.59	7.0	12.0m @ 0.6 g/t
PD116								Incl 51.00	52.00	1.00	1.14	1.1	1.0m @ 1.1 g/t
PD116								Incl 55.00	56.00	1.00	1.10	1.1	1.0m @ 1.1 g/t
PD116								Incl 59.00	60.00	1.00	1.49	1.5	1.0m @ 1.5 g/t
PD116								Incl 62.00	63.00	1.00	1.00	1.0	1.0m @ 1.0 g/t
PD116								69.00	84.00	15.00	0.85	12.8	15.0m @ 0.9 g/t
PD116								Incl 70.00	71.00	1.00	5.83	5.8	1.0m @ 5.8 g/t
PD116								Incl 82.00	83.00	1.00	1.13	1.1	1.0m @ 1.1 g/t
PD117	6662265	273593	453.9	80	-60	86.9	RC	39.00	56.00	17.00	0.87	14.8	17.0m @ 0.9 g/t
PD117								Incl 39.00	41.00	2.00	1.19	2.4	2.0m @ 1.2 g/t
PD117								Incl 43.00	44.00	1.00	1.04	1.0	1.0m @ 1.0 g/t
PD117								Incl 49.00	55.00	6.00	1.31	7.9	6.0m @ 1.3 g/t
PD117								65.00	74.00	9.00	2.51	22.6	9.0m @ 2.5 g/t
PD117								Incl 65.00	69.00	4.00	5.17	20.7	4.0m @ 5.2 g/t
PEWC10	6662608	273563	453	80	-60	40	RC	16.00	28.00	12.00	0.78	9.3	12.0m @ 0.8 g/t
PEWC10								Incl 16.00	18.00	2.00	1.70	3.4	2.0m @ 1.7 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
PEWC10								Incl 26.00	28.00	2.00	1.47	2.9	2.0m @ 1.5 g/t
PEWC11	6662604	273544	452.5	80	-60	40	RC	10.00	14.00	4.00	0.50	2.0	4.0m @ 0.5 g/t
PEWC12	6662623	273607	452.1	80	-60	40	RC	0.00	40.00				N.S.I.
PEWC7	6662425	273646	454	80	-60	40	RC	16.00	28.00	12.00	0.60	7.2	12.0m @ 0.6 g/t
PEWC8	6662418	273612	452.2	80	-60	40	RC	12.00	16.00	4.00	6.45	25.8	4.0m @ 6.5 g/t
PEWC8								36.00	40.00	4.00	0.75	3.0	4.0m @ 0.8 g/t
PEWC9	6662417	273597	452.3	80	-60	40	RC	26.00	28.00	2.00	0.50	1.0	2.0m @ 0.5 g/t
PEWC9								36.00	38.00	2.00	1.00	2.0	2.0m @ 1.0 g/t
RC10	6663018	273537	451.4	80	-60	55	RC	22.00	26.00	4.00	2.54	10.1	4.0m @ 2.5 g/t
RC10								36.00	40.00	4.00	0.83	3.3	4.0m @ 0.8 g/t
RC10								Incl 36.00	38.00	2.00	1.02	2.0	2.0m @ 1.0 g/t
RC107	6663308	273503	448	80	-60	50	RC	17.00	18.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
RC107								42.00	44.00	2.00	1.16	2.3	2.0m @ 1.2 g/t
RC107								Incl 43.00	44.00	1.00	1.35	1.4	1.0m @ 1.4 g/t
RC108	6663213	273540	452	80	-60	40	RC	24.00	25.00	1.00	0.76	0.8	1.0m @ 0.8 g/t
RC108								32.00	33.00	1.00	0.81	0.8	1.0m @ 0.8 g/t
RC109	6663207	273506	450	80	-60	72	RC	29.00	46.00	17.00	0.97	16.6	17.0m @ 1.0 g/t
RC109								Incl 32.00	45.00	13.00	1.10	14.4	13.0m @ 1.1 g/t
RC109								57.00	58.00	1.00	0.61	0.6	1.0m @ 0.6 g/t
RC109								60.00	61.00	1.00	0.55	0.6	1.0m @ 0.6 g/t
RC109								63.00	64.00	1.00	0.66	0.7	1.0m @ 0.7 g/t
RC11	6662655	273545	451	80	-60	40	RC	24.00	34.00	10.00	0.97	9.7	10.0m @ 1.0 g/t
RC11								Incl 24.00	28.00	4.00	1.51	6.0	4.0m @ 1.5 g/t
RC110	6663108	273523	452.6	80	-60	80	RC	29.00	30.00	1.00	0.82	0.8	1.0m @ 0.8 g/t
RC110								34.00	35.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
RC110								70.00	71.00	1.00	2.34	2.3	1.0m @ 2.3 g/t
RC110								76.00	79.00	3.00	10.86	32.6	3.0m @ 10.9 g/t
RC110								Incl 76.00	77.00	1.00	31.30	31.3	1.0m @ 31.3 g/t
RC111	6663018	273537	451.4	80	-60	80	RC	28.00	42.00	14.00	0.76	10.6	14.0m @ 0.8 g/t
RC111								Incl 31.00	32.00	1.00	1.14	1.1	1.0m @ 1.1 g/t
RC111								Incl 37.00	41.00	4.00	1.30	5.2	4.0m @ 1.3 g/t
RC111								48.00	52.00	4.00	0.92	3.7	4.0m @ 0.9 g/t
RC111								Incl 49.00	50.00	1.00	1.38	1.4	1.0m @ 1.4 g/t
RC112	6661636	273789	454	80	-60	50	RC	29.00	30.00	1.00	1.17	1.2	1.0m @ 1.2 g/t
RC112								35.00	38.00	3.00	1.01	3.0	3.0m @ 1.0 g/t
RC112								Incl 35.00	36.00	1.00	1.63	1.6	1.0m @ 1.6 g/t
RC113	6661412	273694	450.9	80	-60	50	RC	23.00	24.00	1.00	0.62	0.6	1.0m @ 0.6 g/t
RC114	6661318	273721	456.9	80	-60	50	RC	29.00	32.00	3.00	0.67	2.0	3.0m @ 0.7 g/t
RC114								36.00	37.00	1.00	0.64	0.6	1.0m @ 0.6 g/t
RC12	6662651	273520	454.5	80	-60	40	RC	26.00	30.00	4.00	0.74	2.9	4.0m @ 0.7 g/t
RC120	6662067	273619	454	80	-60	90	RC	44.00	51.00	7.00	10.88	76.1	7.0m @ 10.9 g/t
RC120								Incl 46.00	51.00	5.00	15.04	75.2	5.0m @ 15.0 g/t
RC120								61.00	63.00	2.00	1.74	3.5	2.0m @ 1.7 g/t
RC120								Incl 62.00	63.00	1.00	2.75	2.8	1.0m @ 2.8 g/t
RC120								71.00	88.00	17.00	1.72	29.3	17.0m @ 1.7 g/t
RC120								Incl 71.00	87.00	16.00	1.79	28.7	16.0m @ 1.8 g/t
RC13	6662558	273572	453	80	-60	40	RC	12.00	14.00	2.00	0.73	1.5	2.0m @ 0.7 g/t
RC13								16.00	18.00	2.00	0.51	1.0	2.0m @ 0.5 g/t
RC13								30.00	32.00	2.00	2.37	4.7	2.0m @ 2.4 g/t
RC14	6662554	273547	452	80	-60	40	RC	14.00	16.00	2.00	0.68	1.4	2.0m @ 0.7 g/t
RC143								53.00	55.00	2.00	0.64	1.3	2.0m @ 0.6 g/t
RC144	6662224	273623	453.9	80	-60	70	RC	24.00	35.00	11.00	0.75	8.3	11.0m @ 0.8 g/t
RC144								Incl 30.00	32.00	2.00	2.31	4.6	2.0m @ 2.3 g/t
RC144								40.00	57.00	17.00	1.12	19.0	17.0m @ 1.1 g/t
RC144								65.00	69.00	4.00	0.67	2.7	4.0m @ 0.7 g/t
RC144								Incl 65.00	66.00	1.00	1.65	1.7	1.0m @ 1.7 g/t
RC145	6662196	273638	454	80	-60	60	RC	24.00	47.00	23.00	0.69	15.9	23.0m @ 0.7 g/t
RC145								Incl 24.00	26.00	2.00	1.86	3.7	2.0m @ 1.9 g/t
RC145								Incl 34.00	35.00	1.00	1.12	1.1	1.0m @ 1.1 g/t
RC145								Incl 36.00	37.00	1.00	1.18	1.2	1.0m @ 1.2 g/t
RC145								Incl 44.00	46.00	2.00	1.79	3.6	2.0m @ 1.8 g/t
RC145								55.00	56.00	1.00	5.80	5.8	1.0m @ 5.8 g/t
RC146	6662138	273654	453.7	80	-60	60	RC	22.00	26.00	4.00	1.56	6.2	4.0m @ 1.6 g/t
RC146								31.00	35.00	4.00	0.89	3.5	4.0m @ 0.9 g/t
RC146								Incl 31.00	32.00	1.00	1.79	1.8	1.0m @ 1.8 g/t
RC146								46.00	47.00	1.00	0.89	0.9	1.0m @ 0.9 g/t
RC146								59.00	60.00	1.00	0.76	0.8	1.0m @ 0.8 g/t
RC147	6661933	273669	453.6	80	-60	105	RC	63.00	64.00	1.00	2.00	2.0	1.0m @ 2.0 g/t
RC147								78.00	82.00	4.00	1.17	4.7	4.0m @ 1.2 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
RC147	6665105	273046	448	80	-60	60	RC	89.00	93.00	4.00	0.57	2.3	4.0m @ 0.6 g/t
RC148								27.00	38.00	11.00	0.84	9.3	11.0m @ 0.8 g/t
RC148								Incl 32.00	38.00	6.00	1.19	7.1	6.0m @ 1.2 g/t
RC149	6665194	273036	448	80	-60	50	RC	39.00	40.00	1.00	1.65	1.7	1.0m @ 1.7 g/t
RC15	6662465	273619	452.7	80	-60	50	RC	34.00	36.00	2.00	1.19	2.4	2.0m @ 1.2 g/t
RC15								48.00	50.00	2.00	1.62	3.2	2.0m @ 1.6 g/t
RC150								44.00	45.00	1.00	3.90	3.9	1.0m @ 3.9 g/t
RC150								55.00	72.00	17.00	0.78	13.2	17.0m @ 0.8 g/t
RC150								Incl 57.00	58.00	1.00	1.85	1.9	1.0m @ 1.9 g/t
RC150	6662109	273628	453.9	80	-60	99	RC	Incl 62.00	68.00	6.00	1.23	7.4	6.0m @ 1.2 g/t
RC150								82.00	92.00	10.00	0.66	6.6	10.0m @ 0.7 g/t
RC150								Incl 87.00	88.00	1.00	2.05	2.1	1.0m @ 2.1 g/t
RC151								39.00	42.00	3.00	0.71	2.1	3.0m @ 0.7 g/t
RC151								Incl 41.00	42.00	1.00	1.06	1.1	1.0m @ 1.1 g/t
RC151								61.00	66.00	5.00	3.28	16.4	5.0m @ 3.3 g/t
RC151								Incl 62.00	66.00	4.00	3.97	15.9	4.0m @ 4.0 g/t
RC151								89.00	93.00	4.00	1.00	4.0	4.0m @ 1.0 g/t
RC151	6664731	273147	448	80	-60	45	RC	Incl 89.00	92.00	3.00	1.12	3.4	3.0m @ 1.1 g/t
RC154								28.00	30.00	2.00	0.79	1.6	2.0m @ 0.8 g/t
RC155								27.00	29.00	2.00	0.63	1.3	2.0m @ 0.6 g/t
RC155	6662349	273538	453.8	80	-60	152	RC	33.00	34.00	1.00	1.14	1.1	1.0m @ 1.1 g/t
RC156								76.00	80.00	4.00	1.65	6.6	4.0m @ 1.6 g/t
RC156	6662252	273553	454.7	80	-60	149	RC	95.00	109.00	14.00	0.55	7.7	14.0m @ 0.6 g/t
RC156								Incl 104.00	106.00	2.00	1.43	2.9	2.0m @ 1.4 g/t
RC156								113.00	122.00	9.00	0.57	5.2	9.0m @ 0.6 g/t
RC156								Incl 119.00	120.00	1.00	1.30	1.3	1.0m @ 1.3 g/t
RC157								70.00	71.00	1.00	1.18	1.2	1.0m @ 1.2 g/t
RC157								75.00	76.00	1.00	1.20	1.2	1.0m @ 1.2 g/t
RC157								82.00	83.00	1.00	2.55	2.6	1.0m @ 2.6 g/t
RC157								91.00	92.00	1.00	1.50	1.5	1.0m @ 1.5 g/t
RC157								101.00	102.00	1.00	1.06	1.1	1.0m @ 1.1 g/t
RC157								107.00	118.00	11.00	1.02	11.2	11.0m @ 1.0 g/t
RC157								Incl 107.00	114.00	7.00	1.29	9.0	7.0m @ 1.3 g/t
RC158	6662155	273563	456.1	80	-60	149	RC	100.00	107.00	7.00	0.51	3.6	7.0m @ 0.5 g/t
RC158								Incl 101.00	102.00	1.00	1.95	2.0	1.0m @ 2.0 g/t
RC158								123.00	138.00	15.00	0.93	14.0	15.0m @ 0.9 g/t
RC158								Incl 123.00	125.00	2.00	1.55	3.1	2.0m @ 1.6 g/t
RC158								Incl 128.00	129.00	1.00	1.12	1.1	1.0m @ 1.1 g/t
RC158								Incl 136.00	138.00	2.00	2.38	4.8	2.0m @ 2.4 g/t
RC158								148.00	149.00	1.00	1.40	1.4	1.0m @ 1.4 g/t
RC159	6662058	273583	455.6	80	-60	149	RC	84.00	85.00	1.00	1.30	1.3	1.0m @ 1.3 g/t
RC159								109.00	132.00	23.00	0.79	18.2	23.0m @ 0.8 g/t
RC159								Incl 111.00	112.00	1.00	4.20	4.2	1.0m @ 4.2 g/t
RC159								Incl 117.00	118.00	1.00	2.70	2.7	1.0m @ 2.7 g/t
RC159								Incl 125.00	126.00	1.00	2.05	2.1	1.0m @ 2.1 g/t
RC159								Incl 129.00	130.00	1.00	1.90	1.9	1.0m @ 1.9 g/t
RC159								140.00	142.00	2.00	0.91	1.8	2.0m @ 0.9 g/t
RC159								Incl 140.00	141.00	1.00	1.30	1.3	1.0m @ 1.3 g/t
RC16	6662461	273594	453.5	80	-60	50	RC	0.00	50.00				N.S.I.
RC160	6661962	273612	454.5	80	-60	160	RC	72.00	73.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
RC160								111.00	112.00	1.00	8.00	8.0	1.0m @ 8.0 g/t
RC160								125.00	126.00	1.00	1.60	1.6	1.0m @ 1.6 g/t
RC160								131.00	137.00	6.00	0.77	4.6	6.0m @ 0.8 g/t
RC160								Incl 133.00	134.00	1.00	1.06	1.1	1.0m @ 1.1 g/t
RC160								Incl 136.00	137.00	1.00	1.45	1.5	1.0m @ 1.5 g/t
RC160								146.00	150.00	4.00	1.32	5.3	4.0m @ 1.3 g/t
RC160								Incl 147.00	149.00	2.00	1.90	3.8	2.0m @ 1.9 g/t
RC161	6661566	273702	455	80	-60	128	RC	76.00	89.00	13.00	0.53	6.9	13.0m @ 0.5 g/t
RC161								Incl 76.00	77.00	1.00	1.76	1.8	1.0m @ 1.8 g/t
RC161								Incl 88.00	89.00	1.00	1.68	1.7	1.0m @ 1.7 g/t
RC161								91.00	92.00	1.00	0.67	0.7	1.0m @ 0.7 g/t
RC161								115.00	121.00	6.00	0.51	3.0	6.0m @ 0.5 g/t
RC161								Incl 120.00	121.00	1.00	1.19	1.2	1.0m @ 1.2 g/t
RC162	6661367	273722	452.3	80	-60	125	RC	13.00	14.00	1.00	0.63	0.6	1.0m @ 0.6 g/t
RC162								25.00	28.00	3.00	0.59	1.8	3.0m @ 0.6 g/t
RC162								34.00	35.00	1.00	0.62	0.6	1.0m @ 0.6 g/t
RC162								42.00	46.00	4.00	0.59	2.3	4.0m @ 0.6 g/t
RC162								Incl 42.00	43.00	1.00	1.11	1.1	1.0m @ 1.1 g/t
RC162								79.00	80.00	1.00	0.50	0.5	1.0m @ 0.5 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
RC162								87.00	97.00	10.00	0.61	6.1	10.0m @ 0.6 g/t
RC162								Incl 88.00	89.00	1.00	1.27	1.3	1.0m @ 1.3 g/t
RC162								Incl 96.00	97.00	1.00	1.02	1.0	1.0m @ 1.0 g/t
RC162								102.00	108.00	6.00	0.50	3.0	6.0m @ 0.5 g/t
RC162								Incl 107.00	108.00	1.00	1.59	1.6	1.0m @ 1.6 g/t
RC162								111.00	112.00	1.00	1.15	1.2	1.0m @ 1.2 g/t
RC162								120.00	122.00	2.00	0.79	1.6	2.0m @ 0.8 g/t
RC162								Incl 120.00	121.00	1.00	1.07	1.1	1.0m @ 1.1 g/t
RC168	6662295	273614	453.6	80	-60	63	RC						N.S.I.
RC169	6662254	273623	453.9	80	-60	63	RC						N.S.I.
RC170	6662310	273582	453.7	80	-60	91	RC	64.00	67.00	3.00	0.85	2.6	3.0m @ 0.9 g/t
RC170								Incl 64.00	65.00	1.00	1.63	1.6	1.0m @ 1.6 g/t
RC170								77.00	79.00	2.00	1.07	2.1	2.0m @ 1.1 g/t
RC170								Incl 78.00	79.00	1.00	1.30	1.3	1.0m @ 1.3 g/t
RC171								43.00	46.00	3.00	0.59	1.8	3.0m @ 0.6 g/t
RC171								Incl 43.00	44.00	1.00	1.04	1.0	1.0m @ 1.0 g/t
RC174	6662211	273605	454.1	80	-60	90	RC	53.00	56.00	3.00	1.22	3.7	3.0m @ 1.2 g/t
RC174								Incl 54.00	56.00	2.00	1.36	2.7	2.0m @ 1.4 g/t
RC174								63.00	67.00	4.00	1.03	4.1	4.0m @ 1.0 g/t
RC174								Incl 64.00	67.00	3.00	1.18	3.5	3.0m @ 1.2 g/t
RC175								26.00	39.00	13.00	0.77	10.0	13.0m @ 0.8 g/t
RC175								Incl 26.00	27.00	1.00	4.27	4.3	1.0m @ 4.3 g/t
RC175								Incl 35.00	36.00	1.00	1.19	1.2	1.0m @ 1.2 g/t
RC175								47.00	48.00	1.00	0.68	0.7	1.0m @ 0.7 g/t
RC175								54.00	60.00	6.00	0.61	3.7	6.0m @ 0.6 g/t
RC175								Incl 54.00	55.00	1.00	1.37	1.4	1.0m @ 1.4 g/t
RC175								Incl 59.00	60.00	1.00	1.36	1.4	1.0m @ 1.4 g/t
RC176								35.00	39.00	4.00	0.89	3.6	4.0m @ 0.9 g/t
RC176								Incl 37.00	38.00	1.00	1.48	1.5	1.0m @ 1.5 g/t
RC176								44.00	47.00	3.00	1.02	3.1	3.0m @ 1.0 g/t
RC176								Incl 44.00	45.00	1.00	1.90	1.9	1.0m @ 1.9 g/t
RC176								54.00	56.00	2.00	1.02	2.0	2.0m @ 1.0 g/t
RC176								67.00	74.00	7.00	0.60	4.2	7.0m @ 0.6 g/t
RC176								Incl 71.00	72.00	1.00	1.46	1.5	1.0m @ 1.5 g/t
RC176								Incl 73.00	74.00	1.00	1.22	1.2	1.0m @ 1.2 g/t
RC177	6662124	273678	453.5	80	-60	45	RC	35.00	36.00	1.00	0.67	0.7	1.0m @ 0.7 g/t
RC177								44.00	45.00	1.00	9.91	9.9	1.0m @ 9.9 g/t
RC178								43.00	56.00	13.00	0.81	10.5	13.0m @ 0.8 g/t
RC178								Incl 47.00	52.00	5.00	1.07	5.4	5.0m @ 1.1 g/t
RC178								Incl 53.00	54.00	1.00	1.04	1.0	1.0m @ 1.0 g/t
RC178								62.00	63.00	1.00	0.59	0.6	1.0m @ 0.6 g/t
RC178								73.00	75.00	2.00	0.54	1.1	2.0m @ 0.5 g/t
RC179								64.00	77.00	13.00	1.09	14.1	13.0m @ 1.1 g/t
RC179								Incl 71.00	77.00	6.00	1.89	11.3	6.0m @ 1.9 g/t
RC18								48.00	50.00	2.00	1.34	2.7	2.0m @ 1.3 g/t
RC180								45.00	57.00	12.00	0.64	7.7	12.0m @ 0.6 g/t
RC180								Incl 49.00	52.00	3.00	1.16	3.5	3.0m @ 1.2 g/t
RC180								Incl 54.00	55.00	1.00	1.47	1.5	1.0m @ 1.5 g/t
RC181								24.00	36.00	12.00	0.85	10.2	12.0m @ 0.8 g/t
RC181								Incl 28.00	29.00	1.00	1.02	1.0	1.0m @ 1.0 g/t
RC182	6661401	273624	457.4	80	-60	150	RC	71.00	72.00	1.00	0.61	0.6	1.0m @ 0.6 g/t
RC182								111.00	112.00	1.00	0.93	0.9	1.0m @ 0.9 g/t
RC183								51.00	52.00	1.00	1.07	1.1	1.0m @ 1.1 g/t
RC183								81.00	86.00	5.00	1.46	7.3	5.0m @ 1.5 g/t
RC183								Incl 81.00	85.00	4.00	1.66	6.6	4.0m @ 1.7 g/t
RC183								91.00	99.00	8.00	0.91	7.3	8.0m @ 0.9 g/t
RC183								Incl 91.00	93.00	2.00	1.67	3.3	2.0m @ 1.7 g/t
RC183								Incl 98.00	99.00	1.00	1.10	1.1	1.0m @ 1.1 g/t
RC183								107.00	110.00	3.00	1.18	3.6	3.0m @ 1.2 g/t
RC183								134.00	135.00	1.00	0.61	0.6	1.0m @ 0.6 g/t
RC21	6662243	273761	450.2	80	-60	30	RC	12.00	20.00	8.00	0.52	4.2	8.0m @ 0.5 g/t
RC23	6662172	273651	453.8	80	-60	50	RC	16.00	42.00	26.00	1.18	30.7	26.0m @ 1.2 g/t
RC23								Incl 22.00	30.00	8.00	2.30	18.4	8.0m @ 2.3 g/t
RC23								Incl 38.00	40.00	2.00	1.23	2.5	2.0m @ 1.2 g/t
RC24	6662138	273753	451.1	80	-60	34	RC	0.00	34.00				N.S.I.
RC27								30.00	38.00	8.00	0.95	7.6	8.0m @ 1.0 g/t
RC27								Incl 34.00	36.00	2.00	2.15	4.3	2.0m @ 2.2 g/t
RC31	6661937	273770	451.9	80	-60	40	RC	12.00	14.00	2.00	0.73	1.5	2.0m @ 0.7 g/t
RC31								16.00	18.00	2.00	0.51	1.0	2.0m @ 0.5 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
RC31								24.00	26.00	2.00	5.02	10.0	2.0m @ 5.0 g/t
RC32	6661527	273771	454.4	80	-60	40	RC	8.00	10.00	2.00	1.52	3.0	2.0m @ 1.5 g/t
RC32								24.00	28.00	4.00	0.51	2.0	4.0m @ 0.5 g/t
RC32								30.00	32.00	2.00	0.52	1.0	2.0m @ 0.5 g/t
RC32								38.00	40.00	2.00	1.02	2.0	2.0m @ 1.0 g/t
RC33	6661527	273739	454.3	80	-60	60	RC	12.00	32.00	20.00	0.90	17.9	20.0m @ 0.9 g/t
RC33								Incl 12.00	18.00	6.00	1.08	6.5	6.0m @ 1.1 g/t
RC33								Incl 20.00	22.00	2.00	1.00	2.0	2.0m @ 1.0 g/t
RC33								Incl 24.00	32.00	8.00	1.05	8.4	8.0m @ 1.0 g/t
RC33								40.00	42.00	2.00	2.16	4.3	2.0m @ 2.2 g/t
RC33								52.00	60.00	8.00	0.93	7.4	8.0m @ 0.9 g/t
RC33								Incl 52.00	54.00	2.00	1.52	3.0	2.0m @ 1.5 g/t
RC33								Incl 58.00	60.00	2.00	1.48	3.0	2.0m @ 1.5 g/t
RC34	6661479	273784	453.7	80	-60	44	RC	8.00	10.00	2.00	0.88	1.8	2.0m @ 0.9 g/t
RC34								26.00	42.00	16.00	1.15	18.3	16.0m @ 1.1 g/t
RC34								Incl 26.00	40.00	14.00	1.24	17.3	14.0m @ 1.2 g/t
RC35	6661475	273764	455.4	80	-60	60	RC	10.00	12.00	2.00	0.93	1.9	2.0m @ 0.9 g/t
RC35								20.00	30.00	10.00	6.52	65.2	10.0m @ 6.5 g/t
RC35								Incl 20.00	28.00	8.00	7.93	63.5	8.0m @ 7.9 g/t
RC35								52.00	54.00	2.00	0.50	1.0	2.0m @ 0.5 g/t
RC36	6661431	273776	457	80	-60	60	RC	32.00	34.00	2.00	0.64	1.3	2.0m @ 0.6 g/t
RC37	6661382	273811	455.6	80	-60	40	RC	2.00	4.00	2.00	0.81	1.6	2.0m @ 0.8 g/t
RC38	6661377	273781	456.7	80	-60	60	RC	2.00	4.00	2.00	0.54	1.1	2.0m @ 0.5 g/t
RC38								18.00	26.00	8.00	0.59	4.7	8.0m @ 0.6 g/t
RC38								40.00	56.00	16.00	2.77	44.4	16.0m @ 2.8 g/t
RC38								Incl 40.00	50.00	10.00	4.23	42.3	10.0m @ 4.2 g/t
RC39	6661329	273799	457	80	-60	60	RC	8.00	10.00	2.00	0.61	1.2	2.0m @ 0.6 g/t
RC39								26.00	28.00	2.00	0.96	1.9	2.0m @ 1.0 g/t
RC39								34.00	50.00	16.00	1.00	16.1	16.0m @ 1.0 g/t
RC39								Incl 38.00	40.00	2.00	3.90	7.8	2.0m @ 3.9 g/t
RC40	6662070	273638	453.8	80	-60	60	RC	38.00	58.00	20.00	0.93	18.7	20.0m @ 0.9 g/t
RC40								Incl 38.00	44.00	6.00	1.72	10.3	6.0m @ 1.7 g/t
RC40								Incl 52.00	54.00	2.00	1.43	2.9	2.0m @ 1.4 g/t
RC44	6661334	273814	457	80	-60	51	RC	30.00	31.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
RC44								47.00	48.00	1.00	0.83	0.8	1.0m @ 0.8 g/t
RC45	6661326	273780	457	80	-60	80	RC	0.00	2.00	2.00	0.98	2.0	2.0m @ 1.0 g/t
RC45								Incl 1.00	2.00	1.00	1.12	1.1	1.0m @ 1.1 g/t
RC45								13.00	14.00	1.00	0.76	0.8	1.0m @ 0.8 g/t
RC45								42.00	43.00	1.00	0.70	0.7	1.0m @ 0.7 g/t
RC45								52.00	61.00	9.00	1.00	9.0	9.0m @ 1.0 g/t
RC45								Incl 53.00	61.00	8.00	1.02	8.1	8.0m @ 1.0 g/t
RC45								66.00	67.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
RC45								75.00	76.00	1.00	1.25	1.3	1.0m @ 1.3 g/t
RC46	6661389	273850	456.6	80	-60	40	RC	0.00	40.00				N.S.I.
RC47	6661385	273830	455.7	80	-60	60	RC	0.00	2.00	2.00	1.38	2.8	2.0m @ 1.4 g/t
RC47	6661379	273796	456.2	80	-60	72	RC	Incl 0.00	1.00	1.00	2.25	2.3	1.0m @ 2.3 g/t
RC48								1.00	3.00	2.00	0.59	1.2	2.0m @ 0.6 g/t
RC48								23.00	24.00	1.00	0.81	0.8	1.0m @ 0.8 g/t
RC48								43.00	44.00	1.00	0.89	0.9	1.0m @ 0.9 g/t
RC49	6661430	273797	457	80	-60	52	RC	1.00	2.00	1.00	0.83	0.8	1.0m @ 0.8 g/t
RC49								41.00	45.00	4.00	0.55	2.2	4.0m @ 0.6 g/t
RC50	6661424	273758	456	80	-60	72	RC	0.00	1.00	1.00	0.74	0.7	1.0m @ 0.7 g/t
RC50								12.00	16.00	4.00	0.99	4.0	4.0m @ 1.0 g/t
RC50								Incl 12.00	15.00	3.00	1.12	3.4	3.0m @ 1.1 g/t
RC50	6661487	273799	455	80	-60	50	RC	36.00	37.00	1.00	1.31	1.3	1.0m @ 1.3 g/t
RC51								3.00	5.00	2.00	1.03	2.1	2.0m @ 1.0 g/t
RC51								Incl 3.00	4.00	1.00	1.20	1.2	1.0m @ 1.2 g/t
RC51								20.00	21.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
RC51								35.00	36.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
RC51								42.00	43.00	1.00	0.86	0.9	1.0m @ 0.9 g/t
RC51								49.00	50.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
RC52	6661531	273790	457	80	-60	50	RC	15.00	16.00	1.00	0.76	0.8	1.0m @ 0.8 g/t
RC53	6661529	273753	454.3	80	-60	72	RC	12.00	26.00	14.00	0.90	12.6	14.0m @ 0.9 g/t
RC53								Incl 12.00	20.00	8.00	1.22	9.8	8.0m @ 1.2 g/t
RC53								38.00	61.00	23.00	0.69	15.9	23.0m @ 0.7 g/t
RC53								Incl 38.00	44.00	6.00	1.42	8.5	6.0m @ 1.4 g/t
RC53								Incl 60.00	61.00	1.00	1.16	1.2	1.0m @ 1.2 g/t
RC54	6661519	273721	454	80	-60	80	RC	16.00	17.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
RC54								37.00	38.00	1.00	0.53	0.5	1.0m @ 0.5 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
RC54								52.00	53.00	1.00	0.72	0.7	1.0m @ 0.7 g/t
RC54								61.00	62.00	1.00	1.46	1.5	1.0m @ 1.5 g/t
RC54	6661576	273762	454.9	80	-60	64	RC	72.00	80.00	8.00	1.01	8.1	8.0m @ 1.0 g/t
RC54								Incl 72.00	74.00	2.00	2.07	4.1	2.0m @ 2.1 g/t
RC55								15.00	23.00	8.00	0.64	5.1	8.0m @ 0.6 g/t
RC55								Incl 16.00	18.00	2.00	1.11	2.2	2.0m @ 1.1 g/t
RC55								Incl 22.00	23.00	1.00	1.21	1.2	1.0m @ 1.2 g/t
RC55								31.00	53.00	22.00	1.57	34.4	22.0m @ 1.6 g/t
RC55								Incl 31.00	39.00	8.00	3.24	25.9	8.0m @ 3.2 g/t
RC55								Incl 46.00	47.00	1.00	1.78	1.8	1.0m @ 1.8 g/t
RC55	6661573	273742	454.3	80	-60	78	RC	60.00	62.00	2.00	1.65	3.3	2.0m @ 1.6 g/t
RC56								18.00	24.00	6.00	0.52	3.1	6.0m @ 0.5 g/t
RC56								25.00	26.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
RC56								35.00	38.00	3.00	0.53	1.6	3.0m @ 0.5 g/t
RC56								43.00	60.00	17.00	1.98	33.6	17.0m @ 2.0 g/t
RC56								Incl 43.00	45.00	2.00	6.11	12.2	2.0m @ 6.1 g/t
RC56								Incl 50.00	60.00	10.00	1.95	19.5	10.0m @ 2.0 g/t
RC56								66.00	67.00	1.00	0.63	0.6	1.0m @ 0.6 g/t
RC56								70.00	71.00	1.00	0.59	0.6	1.0m @ 0.6 g/t
RC57	6661231	273821	455	80	-60	54	RC	7.00	9.00	2.00	1.67	3.3	2.0m @ 1.7 g/t
RC57								Incl 7.00	8.00	1.00	2.80	2.8	1.0m @ 2.8 g/t
RC57								17.00	19.00	2.00	3.95	7.9	2.0m @ 3.9 g/t
RC57								27.00	28.00	1.00	1.50	1.5	1.0m @ 1.5 g/t
RC57	6662088	273752	451.6	80	-60	60	RC	41.00	42.00	1.00	0.55	0.6	1.0m @ 0.6 g/t
RC57								46.00	47.00	1.00	0.63	0.6	1.0m @ 0.6 g/t
RC58								15.00	26.00	11.00	0.57	6.3	11.0m @ 0.6 g/t
RC58								Incl 15.00	16.00	1.00	1.05	1.1	1.0m @ 1.1 g/t
RC58								Incl 19.00	20.00	1.00	1.01	1.0	1.0m @ 1.0 g/t
RC58								36.00	39.00	3.00	1.94	5.8	3.0m @ 1.9 g/t
RC58								Incl 36.00	38.00	2.00	2.45	4.9	2.0m @ 2.4 g/t
RC59	6662091	273772	451	80	-60	48	RC	13.00	18.00	5.00	0.95	4.8	5.0m @ 1.0 g/t
RC59								Incl 16.00	18.00	2.00	1.44	2.9	2.0m @ 1.4 g/t
RC59								24.00	26.00	2.00	0.83	1.7	2.0m @ 0.8 g/t
RC59								Incl 25.00	26.00	1.00	1.16	1.2	1.0m @ 1.2 g/t
RC59								30.00	31.00	1.00	0.73	0.7	1.0m @ 0.7 g/t
RC59								35.00	42.00	7.00	0.57	4.0	7.0m @ 0.6 g/t
RC59								Incl 41.00	42.00	1.00	1.13	1.1	1.0m @ 1.1 g/t
RC60	6662084	273732	452.5	80	-60	42	RC	0.00	42.00				N.S.I.
RC61								28.00	32.00	4.00	0.52	2.1	4.0m @ 0.5 g/t
RC62	6662192	273774	449.6	80	-60	20	RC	6.00	9.00	3.00	1.72	5.2	3.0m @ 1.7 g/t
RC62								Incl 7.00	9.00	2.00	2.24	4.5	2.0m @ 2.2 g/t
RC63	6662188	273755	451	80	-60	40	RC	33.00	37.00	4.00	2.74	11.0	4.0m @ 2.7 g/t
RC63								Incl 34.00	36.00	2.00	4.84	9.7	2.0m @ 4.8 g/t
RC64	6662185	273735	453	80	-60	54	RC	4.00	5.00	1.00	1.75	1.8	1.0m @ 1.8 g/t
RC64								13.00	19.00	6.00	1.01	6.0	6.0m @ 1.0 g/t
RC64								Incl 14.00	15.00	1.00	1.91	1.9	1.0m @ 1.9 g/t
RC64								48.00	54.00	6.00	1.17	7.0	6.0m @ 1.2 g/t
RC67								19.00	25.00	6.00	4.85	29.1	6.0m @ 4.9 g/t
RC68								34.00	43.00	9.00	0.60	5.4	9.0m @ 0.6 g/t
RC68								Incl 34.00	35.00	1.00	1.31	1.3	1.0m @ 1.3 g/t
RC68								Incl 40.00	41.00	1.00	2.00	2.0	1.0m @ 2.0 g/t
RC68								49.00	62.00	13.00	1.12	14.6	13.0m @ 1.1 g/t
RC68	6663209	273520	453.7	80	-60	44	RC	Incl 49.00	53.00	4.00	2.86	11.4	4.0m @ 2.9 g/t
RC68								73.00	80.00	7.00	0.82	5.7	7.0m @ 0.8 g/t
RC68								Incl 73.00	74.00	1.00	2.20	2.2	1.0m @ 2.2 g/t
RC68								Incl 79.00	80.00	1.00	1.23	1.2	1.0m @ 1.2 g/t
RC7								10.00	17.00	7.00	1.08	7.5	7.0m @ 1.1 g/t
RC7								Incl 10.00	14.00	4.00	1.53	6.1	4.0m @ 1.5 g/t
RC7								30.00	31.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
RC7	6662461	273570	452.6	80	-60	50	RC	40.00	44.00	4.00	2.17	8.7	4.0m @ 2.2 g/t
RC71								50.00	53.00	3.00	1.54	4.6	3.0m @ 1.5 g/t
RC71								70.00	72.00	2.00	1.45	2.9	2.0m @ 1.5 g/t
RC72								38.00	40.00	2.00	3.51	7.0	2.0m @ 3.5 g/t
RC73								32.00	34.00	2.00	2.63	5.3	2.0m @ 2.6 g/t
RC73								46.00	49.00	3.00	1.59	4.8	3.0m @ 1.6 g/t
RC73	6662648	273501	452.9	80	-60	64	RC	Incl 46.00	47.00	1.00	3.63	3.6	1.0m @ 3.6 g/t
RC74								54.00	55.00	1.00	0.81	0.8	1.0m @ 0.8 g/t
RC75								29.00	39.00	10.00	0.82	8.2	10.0m @ 0.8 g/t
RC75								Incl 29.00	30.00	1.00	1.31	1.3	1.0m @ 1.3 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
RC75								Incl 34.00	36.00	2.00	2.02	4.0	2.0m @ 2.0 g/t
RC76								40.00	41.00	1.00	1.51	1.5	1.0m @ 1.5 g/t
RC76								46.00	47.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
RC76								53.00	58.00	5.00	0.77	3.8	5.0m @ 0.8 g/t
RC76								Incl 55.00	56.00	1.00	1.90	1.9	1.0m @ 1.9 g/t
RC78								40.00	60.00	20.00	2.68	53.6	20.0m @ 2.7 g/t
RC78								Incl 41.00	42.00	1.00	1.01	1.0	1.0m @ 1.0 g/t
RC78								Incl 47.00	52.00	5.00	7.39	37.0	5.0m @ 7.4 g/t
RC78								Incl 58.00	60.00	2.00	5.35	10.7	2.0m @ 5.3 g/t
RC78								70.00	80.00	10.00	3.12	31.2	10.0m @ 3.1 g/t
RC78								89.00	90.00	1.00	0.61	0.6	1.0m @ 0.6 g/t
RC79	6661582	273781	453.7	80	-60	50	RC	17.00	29.00	12.00	0.99	11.9	12.0m @ 1.0 g/t
RC79								Incl 17.00	26.00	9.00	1.06	9.6	9.0m @ 1.1 g/t
RC79								Incl 28.00	29.00	1.00	1.19	1.2	1.0m @ 1.2 g/t
RC79								39.00	43.00	4.00	0.76	3.0	4.0m @ 0.8 g/t
RC79								Incl 40.00	41.00	1.00	1.49	1.5	1.0m @ 1.5 g/t
RC8	6663111	273542	451	80	-60	50	RC	31.00	32.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
RC8								48.00	50.00	2.00	4.63	9.3	2.0m @ 4.6 g/t
RC8								Incl 49.00	50.00	1.00	8.70	8.7	1.0m @ 8.7 g/t
RC80	6661228	273802	455	80	-60	75	RC	4.00	5.00	1.00	0.61	0.6	1.0m @ 0.6 g/t
RC80								26.00	28.00	2.00	0.58	1.2	2.0m @ 0.6 g/t
RC80								32.00	37.00	5.00	0.53	2.7	5.0m @ 0.5 g/t
RC80								Incl 33.00	34.00	1.00	1.16	1.2	1.0m @ 1.2 g/t
RC80								53.00	54.00	1.00	0.66	0.7	1.0m @ 0.7 g/t
RC9	6663021	273558	451.1	80	-60	30	RC	0.00	30.00				N.S.I.
RC93								57.00	59.00	2.00	1.30	2.6	2.0m @ 1.3 g/t
RC93								Incl 58.00	59.00	1.00	2.09	2.1	1.0m @ 2.1 g/t
RCTG1	6661502	273750	454.8	360	-90	10	RC	7.00	10.00	3.00	1.83	5.5	3.0m @ 1.8 g/t
RCTG1								Incl 8.00	10.00	2.00	2.49	5.0	2.0m @ 2.5 g/t
RCTG10	6661492	273813	455	360	-90	10	RC	4.00	10.00	6.00	0.80	4.8	6.0m @ 0.8 g/t
RCTG10								Incl 8.00	9.00	1.00	2.23	2.2	1.0m @ 2.2 g/t
RCTG11	6661497	273831	453.6	360	-90	10	RC	0.00	1.00	1.00	0.65	0.7	1.0m @ 0.7 g/t
RCTG12	6661501	273851	454.6	360	-90	4	RC	0.00	4.00				N.S.I.
RCTG13	6661488	273894	454.3	360	-90	4	RC	0.00	1.00	1.00	0.72	0.7	1.0m @ 0.7 g/t
RCTG14	6661481	273854	454	360	-90	4	RC	0.00	4.00				N.S.I.
RCTG15	6661477	273835	454.5	360	-90	10	RC	0.00	10.00				N.S.I.
RCTG16	6661476	273821	455	360	-90	10	RC	4.00	6.00	2.00	0.69	1.4	2.0m @ 0.7 g/t
RCTG17	6661470	273790	455	360	-90	10	RC	4.00	6.00	2.00	5.63	11.3	2.0m @ 5.6 g/t
RCTG18	6661467	273776	455.9	360	-90	9	RC	0.00	9.00				N.S.I.
RCTG19	6661463	273755	456	360	-90	4	RC	0.00	4.00				N.S.I.
RCTG2	6661506	273767	454.8	360	-90	9	RC	0.00	9.00				N.S.I.
RCTG20	6661460	273736	456	360	-90	10	RC	0.00	10.00				N.S.I.
RCTG21	6661441	273740	455.8	360	-90	10	RC	0.00	10.00				N.S.I.
RCTG22	6661446	273760	456	360	-90	4	RC	0.00	4.00				N.S.I.
RCTG23	6661449	273779	456.5	360	-90	4	RC	3.00	4.00	1.00	0.62	0.6	1.0m @ 0.6 g/t
RCTG24	6661453	273799	456.1	360	-90	10	RC	0.00	10.00				N.S.I.
RCTG25	6661456	273819	455.6	360	-90	10	RC	0.00	10.00				N.S.I.
RCTG26	6661458	273838	456	360	-90	16	RC	0.00	16.00				N.S.I.
RCTG27	6661461	273858	455	360	-90	4	RC	0.00	1.00	1.00	0.55	0.6	1.0m @ 0.6 g/t
RCTG28	6661421	273743	454.7	360	-90	6	RC	0.00	6.00				N.S.I.
RCTG29	6661424	273763	457	360	-90	8	RC	0.00	8.00				N.S.I.
RCTG3	6661510	273790	454.4	360	-90	14	RC	12.00	14.00	2.00	3.38	6.8	2.0m @ 3.4 g/t
RCTG30	6661428	273788	457	360	-90	10	RC	0.00	10.00				N.S.I.
RCTG31	6661431	273802	457	360	-90	10	RC	0.00	10.00				N.S.I.
RCTG32	6661435	273822	456	360	-90	10	RC	0.00	10.00				N.S.I.
RCTG33	6661438	273842	455.4	360	-90	4	RC	0.00	4.00				N.S.I.
RCTG34	6661441	273861	455	360	-90	4	RC	0.00	4.00				N.S.I.
RCTG35	6661390	273751	457.8	360	-90	10	RC	0.00	10.00				N.S.I.
RCTG36	6661391	273762	457.2	360	-90	10	RC	2.00	3.00	1.00	0.71	0.7	1.0m @ 0.7 g/t
RCTG37	6661388	273789	454.9	360	-90	10	RC	1.00	2.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
RCTG38	6661388	273789	457	360	-90	10	RC	0.00	10.00				N.S.I.
RCTG39	6661395	273829	457	360	-90	10	RC	0.00	10.00				N.S.I.
RCTG4	6661513	273809	454.4	360	-90	12	RC	0.00	1.00	1.00	1.19	1.2	1.0m @ 1.2 g/t
RCTG40	6661402	273868	456.1	360	-90	4	RC	0.00	4.00				N.S.I.
RCTG41	6661369	273914	455	360	-90	4	RC	0.00	4.00				N.S.I.
RCTG42	6661363	273875	455	360	-90	4	RC	0.00	4.00				N.S.I.
RCTG43	6661356	273835	456	360	-90	10	RC	0.00	10.00				N.S.I.
RCTG44	6661352	273816	456.3	360	-90	10	RC	1.00	10.00	9.00	1.29	11.6	9.0m @ 1.3 g/t
RCTG44								Incl 3.00	10.00	7.00	1.50	10.5	7.0m @ 1.5 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
RCTG45	6661349	273796	456.5	360	-90	10	RC	0.00	2.00	2.00	1.36	2.7	2.0m @ 1.4 g/t
RCTG45								Incl 0.00	1.00	1.00	1.81	1.8	1.0m @ 1.8 g/t
RCTG46	6661346	273776	456.8	360	-90	8	RC	1.00	2.00	1.00	0.70	0.7	1.0m @ 0.7 g/t
RCTG47	6661342	273757	457.1	360	-90	8	RC	0.00	1.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
RCTG48	6661303	273763	457.3	360	-90	6	RC	0.00	6.00				N.S.I.
RCTG49	6661306	273783	456.5	360	-90	6	RC	2.00	3.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
RCTG5	6661516	273828	454	360	-90	8	RC	0.00	8.00				N.S.I.
RCTG50	6661310	273803	456.3	360	-90	6	RC	0.00	2.00	2.00	0.64	1.3	2.0m @ 0.6 g/t
RCTG51	6661313	273823	456.3	360	-90	8	RC	3.00	4.00	1.00	1.33	1.3	1.0m @ 1.3 g/t
RCTG52	6661316	273842	456	360	-90	10	RC	0.00	10.00				N.S.I.
RCTG53	6661320	273862	456	360	-90	8	RC	0.00	1.00	1.00	0.58	0.6	1.0m @ 0.6 g/t
RCTG54	6661323	273882	455.8	360	-90	4	RC	0.00	1.00	1.00	0.64	0.6	1.0m @ 0.6 g/t
RCTG55	6661327	273901	455.5	360	-90	4	RC	0.00	2.00	2.00	0.73	1.5	2.0m @ 0.7 g/t
RCTG56	6661333	273941	455	360	-90	6	RC	0.00	6.00				N.S.I.
RCTG57	6661287	273908	455	360	-90	8	RC	0.00	8.00				N.S.I.
RCTG58	6661284	273888	455.3	360	-90	4	RC	0.00	4.00				N.S.I.
RCTG59	6661280	273869	455.5	360	-90	4	RC	0.00	4.00				N.S.I.
RCTG6	6661519	273851	454.1	360	-90	5	RC	0.00	5.00				N.S.I.
RCTG60	6661277	273849	456	360	-90	4	RC	0.00	4.00				N.S.I.
RCTG61	6661274	273829	455.7	360	-90	4	RC	0.00	1.00	1.00	0.60	0.6	1.0m @ 0.6 g/t
RCTG62	6661270	273810	455.7	360	-90	4	RC	0.00	4.00				N.S.I.
RCTG63	6661267	273790	455.6	360	-90	4	RC	0.00	4.00				N.S.I.
RCTG64	6661260	273751	455.6	360	-90	4	RC	0.00	4.00				N.S.I.
RCTG65	6661359	273855	455.9	360	-90	4	RC	0.00	1.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
RCTG66	6661406	273850	455	360	-90	4	RC	0.00	4.00				N.S.I.
RCTG67	6661535	273788	454	360	-90	10	RC	0.00	10.00				N.S.I.
RCTG68	6661539	273802	454.1	360	-90	8	RC	0.00	1.00	1.00	0.55	0.6	1.0m @ 0.6 g/t
RCTG69	6661534	273825	454.1	360	-90	7	RC	0.00	6.00				N.S.I.
RCTG7	6661479	273753	455.5	360	-90	11	RC	0.00	11.00				N.S.I.
RCTG70	6661418	273723	456	360	-90	7	RC	0.00	7.00				N.S.I.
RCTG71	6661398	273727	457	360	-90	7	RC	0.00	7.00				N.S.I.
RCTG72	6661387	273731	458.1	360	-90	8	RC	0.00	8.00				N.S.I.
RCTG73	6661358	273733	458	360	-90	4	RC	0.00	4.00				N.S.I.
RCTG8	6661483	273772	455.2	360	-90	10	RC	0.00	10.00				N.S.I.
RCTG87	6663215	273519	452	360	-90	4	RC	0.00	4.00				N.S.I.
RCTG88	6663221	273548	451.7	360	-90	3	RC	0.00	3.00				N.S.I.
RCTG89	6663227	273573	451.4	360	-90	3	RC	0.00	3.00				N.S.I.
RCTG9	6661487	273791	455	360	-90	10	RC	1.00	10.00				N.S.I.
RCTG90	6663223	273599	456.5	360	-90	3	RC	0.00	3.00				N.S.I.
RCTG91	6663206	273501	450	360	-90	8	RC	0.00	7.00				N.S.I.
RCTG92	6663205	273474	453	360	-90	3	RC	0.00	3.00				N.S.I.
RCTG93	6663197	273452	450.6	360	-90	3	RC	0.00	3.00				N.S.I.
RCTG94	6663193	273427	451.1	360	-90	3	RC	0.00	3.00				N.S.I.
RD118	6661373	273761	454.5	70	-60	98.9	RCDD	0.00	1.00	1.00	0.63	0.6	1.0m @ 0.6 g/t
RD118								3.00	4.00	1.00	0.71	0.7	1.0m @ 0.7 g/t
RD118								20.00	26.00	6.00	0.89	5.3	6.0m @ 0.9 g/t
RD118								Incl 20.00	21.00	1.00	2.28	2.3	1.0m @ 2.3 g/t
RD118								Incl 25.00	26.00	1.00	2.40	2.4	1.0m @ 2.4 g/t
RD118								37.00	57.00	20.00	0.68	13.6	20.0m @ 0.7 g/t
RD118								Incl 44.00	53.00	9.00	1.03	9.2	9.0m @ 1.0 g/t
RD118								67.00	77.00	10.00	1.53	15.3	10.0m @ 1.5 g/t
RD118								Incl 67.00	76.00	9.00	1.63	14.7	9.0m @ 1.6 g/t
RD118								88.00	89.00	1.00	4.65	4.7	1.0m @ 4.7 g/t
RD119	6661477	273744	454	70	-60	95	RCDD	16.00	31.00	15.00	1.91	28.6	15.0m @ 1.9 g/t
RD119								Incl 16.00	25.00	9.00	3.01	27.1	9.0m @ 3.0 g/t
RD119								40.00	45.00	5.00	2.99	14.9	5.0m @ 3.0 g/t
RD119								Incl 42.00	44.00	2.00	6.25	12.5	2.0m @ 6.2 g/t
RD119								85.00	86.00	1.00	1.34	1.3	1.0m @ 1.3 g/t
RD119								93.00	94.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
RDRC001	6661396	273711	457	82	-61	45	RC	20.00	22.00	2.00	1.05	2.1	2.0m @ 1.0 g/t
RDRC001								Incl 20.00	21.00	1.00	1.16	1.2	1.0m @ 1.2 g/t
RDRC001								35.00	38.00	3.00	0.99	3.0	3.0m @ 1.0 g/t
RDRC001								Incl 36.00	37.00	1.00	1.47	1.5	1.0m @ 1.5 g/t
RDRC002	6661410	273750	458	81	-60	116	RC	20.00	21.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
RDRC002								27.00	29.00	2.00	0.68	1.4	2.0m @ 0.7 g/t
RDRC002								33.00	34.00	1.00	1.40	1.4	1.0m @ 1.4 g/t
RDRC002								41.00	46.00	5.00	0.76	3.8	5.0m @ 0.8 g/t
RDRC002								Incl 41.00	42.00	1.00	1.00	1.0	1.0m @ 1.0 g/t
RDRC002								Incl 45.00	46.00	1.00	2.04	2.0	1.0m @ 2.0 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
RDR002								74.00	75.00	1.00	0.66	0.7	1.0m @ 0.7 g/t
RDR002								76.00	81.00	5.00	0.50	2.5	5.0m @ 0.5 g/t
RDR002								Incl 78.00	79.00	1.00	1.16	1.2	1.0m @ 1.2 g/t
RDR002								88.00	93.00	5.00	1.00	5.0	5.0m @ 1.0 g/t
RDR002								Incl 90.00	92.00	2.00	1.91	3.8	2.0m @ 1.9 g/t
RDR003	6661414	273769	457	82	-61	92	RC	41.00	42.00	1.00	1.05	1.1	1.0m @ 1.1 g/t
RDR003								54.00	57.00	3.00	0.65	1.9	3.0m @ 0.6 g/t
RDR003								60.00	61.00	1.00	0.79	0.8	1.0m @ 0.8 g/t
RDR003								71.00	75.00	4.00	0.54	2.2	4.0m @ 0.5 g/t
RDR004	6661417	273790	457	83	-60	71	RC	0.00	1.00	1.00	0.74	0.7	1.0m @ 0.7 g/t
RDR004								29.00	30.00	1.00	0.64	0.6	1.0m @ 0.6 g/t
RDR004								51.00	54.00	3.00	1.24	3.7	3.0m @ 1.2 g/t
RDR004								Incl 51.00	52.00	1.00	2.62	2.6	1.0m @ 2.6 g/t
RDR005	6661420	273809	456	81	-60	53	RC	29.00	30.00	1.00	1.16	1.2	1.0m @ 1.2 g/t
RDR006	6661424	273830	455	82	-60	30	RC	0.00	30.00				N.S.I.
RDR007	6661270	273738	456	77	-60	51	RC	0.00	5.00	5.00	2.13	10.7	5.0m @ 2.1 g/t
RDR008	6661274	273757	456	78	-59	25	RC	0.00	25.00				N.S.I.
RDR009	6661279	273777	456	79	-61	100	RC	33.00	34.00	1.00	1.31	1.3	1.0m @ 1.3 g/t
RDR009								44.00	48.00	4.00	1.20	4.8	4.0m @ 1.2 g/t
RDR009								Incl 45.00	48.00	3.00	1.31	3.9	3.0m @ 1.3 g/t
RDR009								57.00	62.00	5.00	0.69	3.5	5.0m @ 0.7 g/t
RDR009								78.00	79.00	1.00	0.99	1.0	1.0m @ 1.0 g/t
RDR010	6661282	273797	456	80	-61	83	RC	22.00	23.00	1.00	2.34	2.3	1.0m @ 2.3 g/t
RDR010								33.00	38.00	5.00	1.27	6.3	5.0m @ 1.3 g/t
RDR010								Incl 36.00	37.00	1.00	3.72	3.7	1.0m @ 3.7 g/t
RDR010								45.00	47.00	2.00	1.14	2.3	2.0m @ 1.1 g/t
RDR010								Incl 46.00	47.00	1.00	1.39	1.4	1.0m @ 1.4 g/t
RDR011	6661285	273816	456	80	-62	60	RC	0.00	1.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
RDR011								11.00	12.00	1.00	0.65	0.7	1.0m @ 0.7 g/t
RDR011								21.00	22.00	1.00	0.68	0.7	1.0m @ 0.7 g/t
RDR011								28.00	39.00	11.00	0.77	8.5	11.0m @ 0.8 g/t
RDR011								Incl 30.00	34.00	4.00	1.08	4.3	4.0m @ 1.1 g/t
RDR012	6661290	273835	456	78	-61	40	RC	0.00	1.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
RDR012								7.00	8.00	1.00	0.60	0.6	1.0m @ 0.6 g/t
RDR013	6661295	273851	456	80	-60	50	RC	0.00	1.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
RDR013								47.00	48.00	1.00	1.56	1.6	1.0m @ 1.6 g/t
RDR014	6661338	273722	457	82	-61	45	RC	18.00	29.00	11.00	0.79	8.6	11.0m @ 0.8 g/t
RDR014								Incl 21.00	25.00	4.00	1.56	6.3	4.0m @ 1.6 g/t
RDR015	6661345	273762	457	82	-61	100	RC	0.00	1.00	1.00	0.82	0.8	1.0m @ 0.8 g/t
RDR015								27.00	32.00	5.00	1.04	5.2	5.0m @ 1.0 g/t
RDR015								44.00	47.00	3.00	1.49	4.5	3.0m @ 1.5 g/t
RDR015								Incl 44.00	46.00	2.00	1.98	4.0	2.0m @ 2.0 g/t
RDR015								63.00	73.00	10.00	1.09	10.9	10.0m @ 1.1 g/t
RDR015								85.00	89.00	4.00	0.75	3.0	4.0m @ 0.8 g/t
RDR015								Incl 85.00	86.00	1.00	1.41	1.4	1.0m @ 1.4 g/t
RDR016	6661349	273782	457	83	-61	85	RC	33.00	35.00	2.00	1.26	2.5	2.0m @ 1.3 g/t
RDR016								Incl 33.00	34.00	1.00	1.65	1.7	1.0m @ 1.7 g/t
RDR016								40.00	53.00	13.00	1.01	13.1	13.0m @ 1.0 g/t
RDR016								Incl 41.00	48.00	7.00	1.37	9.6	7.0m @ 1.4 g/t
RDR016								67.00	68.00	1.00	0.66	0.7	1.0m @ 0.7 g/t
RDR017	6661354	273803	457	80	-63	70	RC	0.00	1.00	1.00	0.82	0.8	1.0m @ 0.8 g/t
RDR017								5.00	6.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
RDR017								21.00	22.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
RDR017								28.00	29.00	1.00	1.08	1.1	1.0m @ 1.1 g/t
RDR017								35.00	41.00	6.00	0.66	4.0	6.0m @ 0.7 g/t
RDR017								68.00	69.00	1.00	0.58	0.6	1.0m @ 0.6 g/t
RDR018	6661357	273820	456	85	-61	45	RC	0.00	4.00	4.00	0.68	2.7	4.0m @ 0.7 g/t
RDR018								Incl 1.00	2.00	1.00	1.11	1.1	1.0m @ 1.1 g/t
RDR018								32.00	33.00	1.00	0.72	0.7	1.0m @ 0.7 g/t
RDR019	6661360	273840	456	84	-61	24	RC	0.00	24.00				N.S.I.
RDR021	6661437	273706	456	80	-62	41	RC	19.00	21.00	2.00	0.87	1.7	2.0m @ 0.9 g/t
RDR021								Incl 20.00	21.00	1.00	1.06	1.1	1.0m @ 1.1 g/t
RDR021								35.00	36.00	1.00	1.05	1.1	1.0m @ 1.1 g/t
RDR022	6661446	273760	457	84	-60	47	RC	32.00	47.00	15.00	0.87	13.1	15.0m @ 0.9 g/t
RDR022								Incl 32.00	39.00	7.00	1.07	7.5	7.0m @ 1.1 g/t
RDR022								Incl 46.00	47.00	1.00	1.14	1.1	1.0m @ 1.1 g/t
RDR023	6661449	273779	456.6	81.6	-61.23	55	RC	0.00	1.00	1.00	0.55	0.6	1.0m @ 0.6 g/t
RDR023								35.00	36.00	1.00	0.55	0.6	1.0m @ 0.6 g/t
RDR024	6661453	273800	456.2	81.63	-60.71	50	RC	0.00	1.00	1.00	0.70	0.7	1.0m @ 0.7 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
RDR025	6661456	273819	455.7	85.04	-60.33	40	RC	0.00	4.00	4.00	0.50	2.0	4.0m @ 0.5 g/t
RDR025								Incl 3.00	4.00	1.00	1.12	1.1	1.0m @ 1.1 g/t
RDR026	6661463	273755	455.9	81.07	-60.16	50	RC	13.00	21.00	8.00	6.13	49.1	8.0m @ 6.1 g/t
RDR026								Incl 14.00	16.00	2.00	22.90	45.8	2.0m @ 22.9 g/t
RDR026								30.00	32.00	2.00	1.16	2.3	2.0m @ 1.2 g/t
RDR026								Incl 30.00	31.00	1.00	1.71	1.7	1.0m @ 1.7 g/t
RDR027	6661467	273776	456	81	-60	56	RC	44.00	51.00	7.00	0.76	5.4	7.0m @ 0.8 g/t
RDR027								Incl 44.00	45.00	1.00	2.62	2.6	1.0m @ 2.6 g/t
RDR027								Incl 50.00	51.00	1.00	1.09	1.1	1.0m @ 1.1 g/t
RDR028	6661472	273801	455.5	83.44	-61.54	56	RC	50.00	51.00	1.00	1.02	1.0	1.0m @ 1.0 g/t
RDR029	6661476	273821	455.1	79.76	-60.8	30	RC	1.00	6.00	5.00	0.83	4.1	5.0m @ 0.8 g/t
RDR029								Incl 2.00	3.00	1.00	1.88	1.9	1.0m @ 1.9 g/t
RDR029								19.00	20.00	1.00	2.95	3.0	1.0m @ 3.0 g/t
RDR030	6661479	273753	455.5	80.67	-60.16	50	RC	5.00	23.00	18.00	1.13	20.4	18.0m @ 1.1 g/t
RDR030								Incl 6.00	13.00	7.00	2.31	16.2	7.0m @ 2.3 g/t
RDR030								30.00	37.00	7.00	1.44	10.1	7.0m @ 1.4 g/t
RDR030								Incl 31.00	37.00	6.00	1.58	9.5	6.0m @ 1.6 g/t
RDR031	6661483	273772	455.2	79.94	-59.91	75	RC	11.00	21.00	10.00	1.31	13.1	10.0m @ 1.3 g/t
RDR031								Incl 14.00	19.00	5.00	2.14	10.7	5.0m @ 2.1 g/t
RDR031								42.00	62.00	20.00	1.65	32.9	20.0m @ 1.6 g/t
RDR031								Incl 42.00	48.00	6.00	4.41	26.4	6.0m @ 4.4 g/t
RDR031								Incl 59.00	60.00	1.00	1.77	1.8	1.0m @ 1.8 g/t
RDR032	6661487	273791	455	82.26	-61.15	60	RC	0.00	1.00	1.00	0.93	0.9	1.0m @ 0.9 g/t
RDR032								20.00	21.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
RDR032								31.00	32.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
RDR032								41.00	42.00	1.00	1.17	1.2	1.0m @ 1.2 g/t
RDR033	6661492	273813	454.6	80.17	-60.62	40	RC	0.00	3.00	3.00	0.57	1.7	3.0m @ 0.6 g/t
RDR033								6.00	7.00	1.00	0.71	0.7	1.0m @ 0.7 g/t
RDR033								12.00	13.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
RDR034	6661499	273731	454.8	81.67	-60.19	113	RC	29.00	33.00	4.00	0.79	3.2	4.0m @ 0.8 g/t
RDR034								Incl 31.00	32.00	1.00	1.11	1.1	1.0m @ 1.1 g/t
RDR034								48.00	62.00	14.00	1.06	14.9	14.0m @ 1.1 g/t
RDR034								Incl 50.00	62.00	12.00	1.17	14.0	12.0m @ 1.2 g/t
RDR034								77.00	82.00	5.00	1.10	5.5	5.0m @ 1.1 g/t
RDR034								Incl 77.00	80.00	3.00	1.41	4.2	3.0m @ 1.4 g/t
RDR034								91.00	100.00	9.00	0.86	7.8	9.0m @ 0.9 g/t
RDR034								Incl 92.00	93.00	1.00	1.22	1.2	1.0m @ 1.2 g/t
RDR034								Incl 97.00	100.00	3.00	1.82	5.5	3.0m @ 1.8 g/t
RDR034								109.00	110.00	1.00	4.03	4.0	1.0m @ 4.0 g/t
RDR035	6661502	273750	455	79	-60	75	RC	15.00	16.00	1.00	0.76	0.8	1.0m @ 0.8 g/t
RDR035								23.00	24.00	1.00	1.04	1.0	1.0m @ 1.0 g/t
RDR035								29.00	46.00	17.00	1.45	24.6	17.0m @ 1.4 g/t
RDR035								Incl 29.00	34.00	5.00	1.33	6.7	5.0m @ 1.3 g/t
RDR035								Incl 39.00	46.00	7.00	2.27	15.9	7.0m @ 2.3 g/t
RDR035								57.00	62.00	5.00	1.24	6.2	5.0m @ 1.2 g/t
RDR035								Incl 58.00	61.00	3.00	1.70	5.1	3.0m @ 1.7 g/t
RDR036	6661506	273767	454.8	80.29	-59.28	80	RC	12.00	14.00	2.00	0.85	1.7	2.0m @ 0.9 g/t
RDR036								Incl 12.00	13.00	1.00	1.17	1.2	1.0m @ 1.2 g/t
RDR036								22.00	52.00	30.00	6.17	185.1	30.0m @ 6.2 g/t
RDR036								Incl 23.00	47.00	24.00	7.59	182.1	24.0m @ 7.6 g/t
RDR036								58.00	60.00	2.00	0.69	1.4	2.0m @ 0.7 g/t
RDR036								64.00	65.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
RDR036								75.00	76.00	1.00	0.93	0.9	1.0m @ 0.9 g/t
RDR037	6661509	273790	454.5	81.12	-59.72	60	RC	9.00	14.00	5.00	1.49	7.5	5.0m @ 1.5 g/t
RDR037								Incl 12.00	14.00	2.00	2.89	5.8	2.0m @ 2.9 g/t
RDR037								19.00	25.00	6.00	1.69	10.2	6.0m @ 1.7 g/t
RDR037								30.00	31.00	1.00	0.75	0.8	1.0m @ 0.8 g/t
RDR037								38.00	39.00	1.00	2.09	2.1	1.0m @ 2.1 g/t
RDR038	6661513	273809	454	80	-59	45	RC	13.00	15.00	2.00	0.77	1.5	2.0m @ 0.8 g/t
RDR038								36.00	37.00	1.00	0.68	0.7	1.0m @ 0.7 g/t
RDR039	6661516	273828	454	80	-60	35	RC	8.00	9.00	1.00	2.98	3.0	1.0m @ 3.0 g/t
RDR040	6661549	273743	454.3	82.79	-59.83	95	RC	13.00	14.00	1.00	3.30	3.3	1.0m @ 3.3 g/t
RDR040								22.00	31.00	9.00	1.17	10.5	9.0m @ 1.2 g/t
RDR040								Incl 22.00	24.00	2.00	2.94	5.9	2.0m @ 2.9 g/t
RDR040								Incl 29.00	31.00	2.00	1.59	3.2	2.0m @ 1.6 g/t
RDR040								47.00	65.00	18.00	0.94	16.9	18.0m @ 0.9 g/t
RDR040								Incl 48.00	49.00	1.00	4.78	4.8	1.0m @ 4.8 g/t
RDR040								Incl 63.00	65.00	2.00	2.35	4.7	2.0m @ 2.4 g/t
RDR040								71.00	78.00	7.00	0.60	4.2	7.0m @ 0.6 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
RDRC040	6661558	273802	453.7	82.1	-59.63	45	RC	Incl 77.00	78.00	1.00	1.86	1.9	1.0m @ 1.9 g/t
RDRC040								84.00	85.00	1.00	1.77	1.8	1.0m @ 1.8 g/t
RDRC041								8.00	17.00	9.00	0.69	6.2	9.0m @ 0.7 g/t
RDRC041	6661570	273726	454.6	81.95	-60.61	105	RC	Incl 9.00	10.00	1.00	1.48	1.5	1.0m @ 1.5 g/t
RDRC042								37.00	40.00	3.00	0.61	1.8	3.0m @ 0.6 g/t
RDRC042								48.00	49.00	1.00	0.69	0.7	1.0m @ 0.7 g/t
RDRC042								52.00	77.00	25.00	0.51	12.8	25.0m @ 0.5 g/t
RDRC042								Incl 65.00	66.00	1.00	1.83	1.8	1.0m @ 1.8 g/t
RDRC042								Incl 73.00	77.00	4.00	1.24	4.9	4.0m @ 1.2 g/t
RDRC042	6661582	273801	453.3	80.21	-60.34	40	RC	90.00	92.00	2.00	2.82	5.6	2.0m @ 2.8 g/t
RDRC042								Incl 90.00	91.00	1.00	4.95	5.0	1.0m @ 5.0 g/t
RDRC043								9.00	11.00	2.00	0.75	1.5	2.0m @ 0.8 g/t
RDRC043	6661622	273736	454	81	-60	50	RC	19.00	20.00	1.00	0.97	1.0	1.0m @ 1.0 g/t
RDRC044								32.00	33.00	1.00	1.05	1.1	1.0m @ 1.1 g/t
RDRC044								47.00	48.00	1.00	0.75	0.8	1.0m @ 0.8 g/t
RDRC045	6661630	273775	454	80.03	-59.18	65	RC	20.00	34.00	14.00	0.68	9.5	14.0m @ 0.7 g/t
RDRC045								Incl 22.00	24.00	2.00	2.43	4.9	2.0m @ 2.4 g/t
RDRC045								44.00	46.00	2.00	1.00	2.0	2.0m @ 1.0 g/t
RDRC045								Incl 44.00	45.00	1.00	1.47	1.5	1.0m @ 1.5 g/t
RDRC046	6661636	273803	453	83	-60	35	RC	0.00	35.00				N.S.I.
RDRC047	6661679	273763	453.9	81.33	-61.41	50	RC	26.00	29.00	3.00	0.93	2.8	3.0m @ 0.9 g/t
RDRC047								Incl 27.00	28.00	1.00	1.33	1.3	1.0m @ 1.3 g/t
RDRC047								37.00	38.00	1.00	1.61	1.6	1.0m @ 1.6 g/t
RDRC047								44.00	47.00	3.00	0.55	1.7	3.0m @ 0.6 g/t
RDRC048	6661683	273781	453	86	-60	35	RC	14.00	15.00	1.00	1.42	1.4	1.0m @ 1.4 g/t
RDRC048								23.00	24.00	1.00	1.46	1.5	1.0m @ 1.5 g/t
RDRC048								30.00	31.00	1.00	0.71	0.7	1.0m @ 0.7 g/t
RDRC049	6661723	273745	454.1	77.86	-59.96	70	RC	50.00	57.00	7.00	0.66	4.6	7.0m @ 0.7 g/t
RDRC049								Incl 50.00	51.00	1.00	1.17	1.2	1.0m @ 1.2 g/t
RDRC049								Incl 54.00	55.00	1.00	1.26	1.3	1.0m @ 1.3 g/t
RDRC049								61.00	62.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
RDRC050	6661727	273758	454	78	-60	50	RC	29.00	30.00	1.00	2.89	2.9	1.0m @ 2.9 g/t
RDRC050	6661776	273743	453.7	79.49	-59.45	55	RC	36.00	50.00	14.00	1.35	19.0	14.0m @ 1.4 g/t
RDRC050								Incl 36.00	47.00	11.00	1.58	17.4	11.0m @ 1.6 g/t
RDRC051								36.00	37.00	1.00	3.79	3.8	1.0m @ 3.8 g/t
RDRC052	6661778	273761	453	78	-59	35	RC	21.00	22.00	1.00	0.99	1.0	1.0m @ 1.0 g/t
RDRC053	6661922	273677	453.4	77.22	-61.33	50	RC	0.00	50.00				N.S.I.
RDRC054								Incl 37.00	41.00	4.00	2.47	9.9	4.0m @ 2.5 g/t
RDRC054								50.00	51.00	1.00	0.75	0.8	1.0m @ 0.8 g/t
RDRC054								71.00	73.00	2.00	0.84	1.7	2.0m @ 0.8 g/t
RDRC054	6661939	273783	451.8	78.69	-60.11	35	RC	77.00	78.00	1.00	0.79	0.8	1.0m @ 0.8 g/t
RDRC054								81.00	82.00	1.00	1.00	1.0	1.0m @ 1.0 g/t
RDRC055								7.00	9.00	2.00	2.00	4.0	2.0m @ 2.0 g/t
RDRC057	6661969	273642	454	78.68	-59.41	120	RC	51.00	52.00	1.00	2.09	2.1	1.0m @ 2.1 g/t
RDRC057								60.00	73.00	13.00	0.77	9.9	13.0m @ 0.8 g/t
RDRC057								Incl 64.00	72.00	8.00	1.01	8.1	8.0m @ 1.0 g/t
RDRC057								86.00	94.00	8.00	9.94	79.5	8.0m @ 9.9 g/t
RDRC057								Incl 86.00	90.00	4.00	19.11	76.4	4.0m @ 19.1 g/t
RDRC057								112.00	116.00	4.00	0.57	2.3	4.0m @ 0.6 g/t
RDRC057								Incl 115.00	116.00	1.00	1.49	1.5	1.0m @ 1.5 g/t
RDRC058								53.00	54.00	1.00	1.82	1.8	1.0m @ 1.8 g/t
RDRC058								59.00	81.00	22.00	1.39	30.5	22.0m @ 1.4 g/t
RDRC058								Incl 59.00	80.00	21.00	1.41	29.5	21.0m @ 1.4 g/t
RDRC058								87.00	97.00	10.00	0.61	6.1	10.0m @ 0.6 g/t
RDRC058								Incl 87.00	88.00	1.00	1.55	1.6	1.0m @ 1.6 g/t
RDRC058								Incl 95.00	96.00	1.00	1.31	1.3	1.0m @ 1.3 g/t
RDRC058								109.00	110.00	1.00	0.71	0.7	1.0m @ 0.7 g/t
RDRC061								43.00	53.00	10.00	5.17	51.7	10.0m @ 5.2 g/t
RDRC061								Incl 43.00	52.00	9.00	5.64	50.7	9.0m @ 5.6 g/t
RDRC065								32.00	33.00	1.00	2.16	2.2	1.0m @ 2.2 g/t
RDRC065								41.00	47.00	6.00	1.69	10.2	6.0m @ 1.7 g/t
RDRC065								52.00	64.00	12.00	3.98	47.8	12.0m @ 4.0 g/t
RDRC065								Incl 54.00	63.00	9.00	5.15	46.4	9.0m @ 5.2 g/t
RDRC066								37.00	38.00	1.00	0.67	0.7	1.0m @ 0.7 g/t
RDRC066								46.00	47.00	1.00	1.10	1.1	1.0m @ 1.1 g/t
RDRC066								52.00	53.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
RDRC066								64.00	70.00	6.00	1.22	7.3	6.0m @ 1.2 g/t
RDRC066								75.00	76.00	1.00	0.75	0.8	1.0m @ 0.8 g/t
RDRC068	6662117	273774	450	82	-60	25	RC	18.00	19.00	1.00	0.60	0.6	1.0m @ 0.6 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
RDR069	6662159	273770	450.2	79.71	-59.23	45	RC	26.00	27.00	1.00	0.59	0.6	1.0m @ 0.6 g/t
RDR069								45.00	47.00	2.00	1.93	3.9	2.0m @ 1.9 g/t
RDR069								Incl 45.00	46.00	1.00	2.93	2.9	1.0m @ 2.9 g/t
RDR071								22.00	31.00	9.00	0.94	8.5	9.0m @ 0.9 g/t
RDR071								Incl 22.00	29.00	7.00	1.07	7.5	7.0m @ 1.1 g/t
RDR072	6662162	273788	449.8	74.16	-60.37	30	RC	0.00	1.00	1.00	0.62	0.6	1.0m @ 0.6 g/t
RDR073	6662204	273732	453	80	-58	70	RC	9.00	12.00	3.00	1.03	3.1	3.0m @ 1.0 g/t
RDR073								Incl 9.00	10.00	1.00	1.81	1.8	1.0m @ 1.8 g/t
RDR073								42.00	52.00	10.00	1.52	15.2	10.0m @ 1.5 g/t
RDR073	6662241	273744	451.4	82.02	-58.68	55	RC	58.00	59.00	1.00	0.87	0.9	1.0m @ 0.9 g/t
RDR074								20.00	34.00	14.00	0.51	7.1	14.0m @ 0.5 g/t
RDR074								Incl 20.00	21.00	1.00	1.92	1.9	1.0m @ 1.9 g/t
RDR074	6662236	273586	454	85	-59	85	RC	37.00	38.00	1.00	0.89	0.9	1.0m @ 0.9 g/t
RDR075								55.00	67.00	12.00	1.30	15.5	12.0m @ 1.3 g/t
RDR075								Incl 58.00	67.00	9.00	1.51	13.6	9.0m @ 1.5 g/t
RDR075	6662295	273686	453.6	80.74	-59.73	50	RC	75.00	77.00	2.00	1.60	3.2	2.0m @ 1.6 g/t
RDR076								52.00	69.00	17.00	0.65	11.0	17.0m @ 0.6 g/t
RDR076								Incl 66.00	69.00	3.00	1.13	3.4	3.0m @ 1.1 g/t
RDR078	6662332	273696	452.8	82.07	-59.56	40	RC	35.00	36.00	1.00	1.06	1.1	1.0m @ 1.1 g/t
RDR080	6662339	273594	453.3	78.51	-60.06	80	RC	16.00	20.00	4.00	0.67	2.7	4.0m @ 0.7 g/t
RDR081	6662423	273629	452	76.61	-59.27	62	RC	48.00	54.00	6.00	2.15	12.9	6.0m @ 2.2 g/t
RDR081								62.00	66.00	4.00	2.32	9.3	4.0m @ 2.3 g/t
RDR084								5.00	6.00	1.00	3.76	3.8	1.0m @ 3.8 g/t
RDR084	6661177	273744	455.4	80	-60	47	RC	15.00	23.00	8.00	0.51	4.1	8.0m @ 0.5 g/t
RDR084								Incl 20.00	21.00	1.00	1.86	1.9	1.0m @ 1.9 g/t
RDR084								29.00	30.00	1.00	1.16	1.2	1.0m @ 1.2 g/t
RDR084	6661177	273744	455.4	80	-60	47	RC	59.00	60.00	1.00	0.72	0.7	1.0m @ 0.7 g/t
RDR100								13.00	17.00	4.00	1.07	4.3	4.0m @ 1.1 g/t
RDR100								Incl 13.00	14.00	1.00	2.33	2.3	1.0m @ 2.3 g/t
RDR100	6661241	273876	453.9	80	-60	24	RAB	33.00	38.00	5.00	1.41	7.1	5.0m @ 1.4 g/t
R0162								0.00	24.00				N.S.I.
R0163								0.00	24.00				N.S.I.
R0164	6661238	273856	453.9	80	-60	24	RAB	0.00	24.00				N.S.I.
R0164	6661234	273836	454	80	-60	32	RAB	0.00	2.00	2.00	0.74	1.5	2.0m @ 0.7 g/t
R0165	6661543	273864	452	80	-60	30	RAB	0.00	30.00				N.S.I.
R0166	6661540	273844	452.5	80	-60	30	RAB	0.00	30.00				N.S.I.
R0167	6661537	273825	453	80	-60	36	RAB	0.00	36.00				N.S.I.
R0168	6661533	273805	453	80	-60	29	RAB	0.00	29.00				N.S.I.
R0169	6661752	273899	450	80	-60	30	RAB	0.00	30.00				N.S.I.
R0170	6661749	273879	450.5	80	-60	30	RAB	0.00	30.00				N.S.I.
R0171	6661746	273859	450.8	80	-60	30	RAB	0.00	30.00				N.S.I.
R0172	6661854	273902	449.7	80	-60	18	RAB	0.00	18.00				N.S.I.
R0173	6661851	273882	450	80	-60	26	RAB	0.00	26.00				N.S.I.
R0174	6661847	273862	450	80	-60	27	RAB	0.00	27.00				N.S.I.
R0175	6661952	273842	449.6	80	-60	33	RAB	0.00	33.00				N.S.I.
R0176	6661948	273822	449.9	80	-60	36	RAB	0.00	36.00				N.S.I.
R0177	6661945	273803	450.2	80	-60	18	RAB	0.00	18.00				N.S.I.
R0225	6664772	273130	442	80	-57	42	RAB	36.00	42.00	6.00	1.45	8.7	6.0m @ 1.5 g/t
R0226	6664776	273157	442	80	-57	30	RAB	0.00	6.00	6.00	1.49	8.9	6.0m @ 1.5 g/t
R0227	6664780	273181	442	80	-57	30	RAB	0.00	30.00				N.S.I.
R0228	6664785	273206	442	80	-57	33	RAB	0.00	33.00				N.S.I.
R0229	6664968	273047	442.7	80	-57	33	RAB	0.00	33.00				N.S.I.
R023	6663317	273558	449.1	80	-60	36	RAB	0.00	36.00				N.S.I.
R0230	6664973	273072	442.4	80	-57	30	RAB	0.00	30.00				N.S.I.
R0231	6664977	273097	442	80	-57	21	RAB	0.00	21.00				N.S.I.
R0232	6664981	273121	442	80	-57	30	RAB	0.00	30.00				N.S.I.
R0233	6664985	273146	442	80	-57	30	RAB	0.00	30.00				N.S.I.
R0234	6665167	273022	443	80	-57	42	RAB	0.00	42.00				N.S.I.
R0235	6665171	273047	443	80	-57	30	RAB	24.00	30.00	6.00	0.88	5.3	6.0m @ 0.9 g/t
R0236	6665175	273071	443	80	-57	25	RAB	24.00	25.00	1.00	1.37	1.4	1.0m @ 1.4 g/t
R0237	6665180	273096	443	80	-57	30	RAB	0.00	30.00				N.S.I.
R0238	6665359	272949	443.7	80	-57	9	RAB	0.00	9.00				N.S.I.
R0239	6665368	272999	443.4	80	-57	30	RAB	0.00	30.00				N.S.I.
R024	6663313	273533	449.3	80	-60	15	RAB	0.00	15.00				N.S.I.
R0240	6665372	273023	443.2	80	-57	30	RAB	0.00	30.00				N.S.I.
R0241	6665376	273048	443.1	80	-57	30	RAB	0.00	30.00				N.S.I.
R0242	6665381	273073	443	80	-57	18	RAB	0.00	18.00				N.S.I.
R0243	6665385	273097	443	80	-57	9	RAB	0.00	9.00				N.S.I.
R0244	6665386	273200	442.1	80	-57	12	RAB	0.00	12.00				N.S.I.
R0245	6665395	273250	442	80	-57	9	RAB	0.00	9.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
R0246	6665562	272969	443.4	80	-57	42	RAB	0.00	42.00				N.S.I.
R0247	6665566	272994	443	80	-57	30	RAB	0.00	30.00				N.S.I.
R0248	6665570	273019	443.2	80	-57	30	RAB	12.00	18.00	6.00	0.69	4.1	6.0m @ 0.7 g/t
R0249	6665572	273031	443.1	80	-57	33	RAB	0.00	33.00				N.S.I.
R025	6663309	273508	449.6	80	-60	21	RAB	0.00	21.00				N.S.I.
R0250	6665574	273043	443.1	80	-57	21	RAB	0.00	21.00				N.S.I.
R0251	6665756	272919	443.5	80	-57	39	RAB	0.00	39.00				N.S.I.
R0252	6665760	272944	443.4	80	-57	30	RAB	24.00	30.00	6.00	0.55	3.3	6.0m @ 0.6 g/t
R0253	6665765	272969	443	80	-57	30	RAB	0.00	30.00				N.S.I.
R0254	6665769	272993	443.2	80	-57	30	RAB	0.00	30.00				N.S.I.
R0255	6665773	273018	443.1	80	-57	21	RAB	0.00	21.00				N.S.I.
R0256	6665944	272843	443.5	80	-57	45	RAB	0.00	45.00				N.S.I.
R0257	6665948	272868	443.4	80	-57	42	RAB	0.00	42.00				N.S.I.
R0258	6665952	272893	443.2	80	-57	30	RAB	0.00	30.00				N.S.I.
R0259	6665957	272917	443.1	80	-57	30	RAB	0.00	30.00				N.S.I.
R026	6663304	273484	449.9	80	-60	30	RAB	27.00	30.00	3.00	0.50	1.5	3.0m @ 0.5 g/t
R0260	6665961	272942	443	80	-57	33	RAB	0.00	33.00				N.S.I.
R0261	6666146	272830	443.3	80	-57	36	RAB	18.00	24.00	6.00	0.69	4.1	6.0m @ 0.7 g/t
R0262	6666151	272854	443.2	80	-57	39	RAB	0.00	39.00				N.S.I.
R0263	6666155	272879	443	80	-57	39	RAB	0.00	39.00				N.S.I.
R0264	6666159	272904	442.9	80	-57	30	RAB	0.00	24.00				N.S.I.
R0265	6666163	272928	442.8	80	-57	33	RAB	0.00	33.00				N.S.I.
R027	6663300	273459	450	80	-60	30	RAB	0.00	30.00				N.S.I.
R028	6663321	273582	449	80	-60	21	RAB	0.00	21.00				N.S.I.
R029	6663214	273550	450.3	80	-60	30	RAB	0.00	30.00				N.S.I.
R030	6663219	273575	449.9	80	-60	45	RAB	0.00	45.00				N.S.I.
R031	6663210	273525	451	80	-60	21	RAB	6.00	9.00	3.00	4.42	13.3	3.0m @ 4.4 g/t
R032	6663206	273501	451.1	80	-60	24	RAB	0.00	24.00				N.S.I.
R0326	6661319	273740	454.6	80	-60	41	RAB	24.00	26.00	2.00	0.87	1.7	2.0m @ 0.9 g/t
R0327	6661317	273730	457	80	-60	53	RAB	22.00	24.00	2.00	3.00	6.0	2.0m @ 3.0 g/t
R0327								30.00	32.00	2.00	0.60	1.2	2.0m @ 0.6 g/t
R0328	6661314	273711	456.3	80	-60	48	RAB	22.00	24.00	2.00	1.60	3.2	2.0m @ 1.6 g/t
R0328								38.00	44.00	6.00	1.77	10.6	6.0m @ 1.8 g/t
R0329	6661311	273691	455.1	80	-60	56	RAB	42.00	52.00	10.00	2.00	20.0	10.0m @ 2.0 g/t
R0329								Incl 42.00	46.00	4.00	3.89	15.6	4.0m @ 3.9 g/t
R033	6663202	273476	451.5	80	-60	30	RAB	27.00	30.00	3.00	0.56	1.7	3.0m @ 0.6 g/t
R0330	6661416	273704	455.1	80	-60	51	RAB	26.00	28.00	2.00	0.56	1.1	2.0m @ 0.6 g/t
R0331	6661411	273684	455.3	80	-60	60	RAB	32.00	42.00	10.00	1.32	13.2	10.0m @ 1.3 g/t
R0331								Incl 32.00	34.00	2.00	4.35	8.7	2.0m @ 4.4 g/t
R0331								50.00	52.00	2.00	4.60	9.2	2.0m @ 4.6 g/t
R0332	6662091	274099	445	80	-60	60	RAB	0.00	60.00				N.S.I.
R0333	6662087	274075	445.8	80	-60	60	RAB	0.00	60.00				N.S.I.
R0334	6662088	274047	446.1	80	-60	60	RAB	0.00	60.00				N.S.I.
R0335	6662084	274022	446.4	80	-60	60	RAB	0.00	60.00				N.S.I.
R0336	6662080	273998	446.7	80	-60	56	RAB	0.00	56.00				N.S.I.
R0337	6662076	273973	447	80	-60	52	RAB	0.00	52.00				N.S.I.
R0338	6662071	273948	447.3	80	-60	46	RAB	0.00	46.00				N.S.I.
R0339	6662067	273924	448	80	-60	36	RAB	0.00	36.00				N.S.I.
R034	6663107	273518	450.9	80	-60	30	RAB	15.00	21.00	6.00	1.12	6.7	6.0m @ 1.1 g/t
R034								27.00	30.00	3.00	0.62	1.9	3.0m @ 0.6 g/t
R0340	6662063	273899	448	80	-60	40	RAB	0.00	40.00				N.S.I.
R0341	6662059	273874	448.3	80	-60	54	RAB	0.00	54.00				N.S.I.
R0342	6662054	273850	448.6	80	-60	49	RAB	0.00	49.00				N.S.I.
R0343	6662050	273825	448.9	80	-60	50	RAB	0.00	50.00				N.S.I.
R0344	6662046	273801	449	80	-60	48	RAB	0.00	48.00				N.S.I.
R0346	6662016	273628	453	80	-60	30	RAB	0.00	30.00				N.S.I.
R0347	6662012	273603	453.9	80	-60	30	RAB	0.00	30.00				N.S.I.
R0348	6662008	273579	455	80	-60	30	RAB	0.00	30.00				N.S.I.
R0349	6661998	273557	455	80	-60	30	RAB	0.00	30.00				N.S.I.
R035	6663118	273582	450	80	-60	39	RAB	0.00	39.00				N.S.I.
R0350	6661993	273533	455.4	80	-60	30	RAB	0.00	30.00				N.S.I.
R0351	6661989	273508	455.9	80	-60	30	RAB	0.00	30.00				N.S.I.
R0352	6661985	273483	456	80	-60	30	RAB	0.00	30.00				N.S.I.
R0353	6661981	273459	457.2	80	-60	30	RAB	0.00	30.00				N.S.I.
R0354	6661976	273434	457.8	80	-60	30	RAB	0.00	30.00				N.S.I.
R0355	6661972	273409	459	80	-60	30	RAB	0.00	30.00				N.S.I.
R0356	6661968	273385	460.4	80	-60	30	RAB	0.00	30.00				N.S.I.
R036	6662910	273552	450.2	80	-60	18	RAB	0.00	18.00				N.S.I.
R037	6662906	273527	451	80	-60	34	RAB	0.00	34.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
R038	6662902	273503	450.9	80	-60	21	RAB	0.00	21.00				N.S.I.
R039	6662897	273478	451.3	80	-60	18	RAB	0.00	18.00				N.S.I.
R040	6662893	273453	451.6	80	-60	24	RAB	0.00	24.00				N.S.I.
R0404	6664675	273196	442.4	80	-60	40	RAB	22.00	25.00	3.00	0.85	2.6	3.0m @ 0.9 g/t
R0404	6664671	273172	442.7	80	-60	39	RAB	Incl 22.00	23.00	1.00	1.66	1.7	1.0m @ 1.7 g/t
R0405								0.00	39.00				N.S.I.
R0406								28.00	29.00	1.00	1.15	1.2	1.0m @ 1.2 g/t
R0407								35.00	36.00	1.00	4.55	4.6	1.0m @ 4.6 g/t
R0408	6664872	273162	442	80	-60	42	RAB	23.00	24.00	1.00	2.95	3.0	1.0m @ 3.0 g/t
R0409	6664868	273138	442	80	-60	43	RAB	24.00	26.00	2.00	1.25	2.5	2.0m @ 1.2 g/t
R041	6662889	273429	451.9	80	-60	33	RAB	0.00	33.00				N.S.I.
R0410	6665064	273094	443	80	-60	50	RAB	0.00	50.00				N.S.I.
R0411	6665059	273069	443	80	-60	50	RAB	12.00	22.00	10.00	0.69	6.9	10.0m @ 0.7 g/t
R0411								Incl 19.00	22.00	3.00	1.68	5.0	3.0m @ 1.7 g/t
R0411	6665055	273045	443	80	-60	49	RAB	33.00	34.00	1.00	0.77	0.8	1.0m @ 0.8 g/t
R0412								27.00	29.00	2.00	0.53	1.1	2.0m @ 0.5 g/t
R0412								35.00	49.00	14.00	0.58	8.1	14.0m @ 0.6 g/t
R0412								Incl 35.00	36.00	1.00	1.60	1.6	1.0m @ 1.6 g/t
R0412								Incl 43.00	44.00	1.00	1.18	1.2	1.0m @ 1.2 g/t
R0413	6665062	273023	443	80	-60	30	RAB	0.00	30.00				N.S.I.
R0414	6665262	273070	442.8	80	-60	46	RAB	19.00	20.00	1.00	1.65	1.7	1.0m @ 1.7 g/t
R0414								33.00	35.00	2.00	1.05	2.1	2.0m @ 1.0 g/t
R0414								Incl 34.00	35.00	1.00	1.16	1.2	1.0m @ 1.2 g/t
R0415	6665258	273045	442.9	80	-60	16	RAB	0.00	16.00				N.S.I.
R0416	6665254	273020	443	80	-60	55	RAB	47.00	53.00	6.00	3.31	19.9	6.0m @ 3.3 g/t
R0416								Incl 50.00	53.00	3.00	6.38	19.1	3.0m @ 6.4 g/t
R0417	6665657	273002	443.3	80	-60	50	RAB	0.00	50.00				N.S.I.
R0418	6665652	272977	443	80	-60	45	RAB	0.00	45.00				N.S.I.
R0419	6666239	272850	443	80	-60	49	RAB	26.00	31.00	5.00	0.60	3.0	5.0m @ 0.6 g/t
R0419								Incl 26.00	27.00	1.00	1.02	1.0	1.0m @ 1.0 g/t
R042	6662807	273544	451	80	-60	39	RAB	0.00	39.00				N.S.I.
R0420	6666231	272801	443	80	-60	50	RAB	0.00	50.00				N.S.I.
R0426	6664860	273088	442	80	-60	28	RAB	0.00	28.00				N.S.I.
R0427	6663056	273806	448	80	-60	76	RAB	0.00	76.00				N.S.I.
R0428	6663051	273781	448	80	-60	78	RAB	0.00	78.00				N.S.I.
R0429	6663047	273757	448	80	-60	54	RAB	0.00	54.00				N.S.I.
R043	6662803	273520	451	80	-60	21	RAB	0.00	21.00				N.S.I.
R0430	6663043	273732	448	80	-60	55	RAB	0.00	54.00				N.S.I.
R0431	6663038	273707	449	80	-60	50	RAB	0.00	50.00				N.S.I.
R0432	6663034	273683	449	80	-60	47	RAB	0.00	46.00				N.S.I.
R0433	6663030	273658	449	80	-60	47	RAB	0.00	46.00				N.S.I.
R0434	6662284	274040	446	80	-60	41	RAB	0.00	41.00				N.S.I.
R0435	6662288	274065	445	80	-60	48	RAB	0.00	48.00				N.S.I.
R0436	6662293	274090	445	80	-60	62	RAB	0.00	62.00				N.S.I.
R0437	6662297	274114	445	80	-60	50	RAB	0.00	50.00				N.S.I.
R044	6662799	273495	452	80	-60	21	RAB	0.00	21.00				N.S.I.
R0440	6661312	274285	449	80	-60	60	RAB	0.00	58.00				N.S.I.
R0441	6661307	274260	449	80	-60	62	RAB	0.00	62.00				N.S.I.
R0442	6661303	274235	450	80	-60	62	RAB	0.00	62.00				N.S.I.
R0443	6661299	274211	450	80	-60	40	RAB	0.00	39.20				N.S.I.
R0444	6661295	274186	451	80	-60	40	RAB	0.00	40.00				N.S.I.
R0445	6661290	274161	451	80	-60	44	RAB	0.00	44.00				N.S.I.
R0446	6661286	274137	452	80	-60	40	RAB	0.00	40.00				N.S.I.
R0447	6661282	274112	452	80	-60	40	RAB	0.00	40.00				N.S.I.
R0448	6661278	274087	452	80	-60	46	RAB	0.00	46.00				N.S.I.
R0449	6661273	274063	453	80	-60	46	RAB	0.00	46.00				N.S.I.
R045	6662795	273470	452	80	-60	21	RAB	0.00	21.00				N.S.I.
R0450	6661269	274038	453	80	-60	46	RAB	0.00	46.00				N.S.I.
R0451	6661265	274014	453	80	-60	63	RAB	0.00	53.00				N.S.I.
R0452	6661260	273989	453	80	-60	62	RAB	0.00	62.00				N.S.I.
R0453	6661256	273964	453	80	-60	45	RAB	0.00	44.50				N.S.I.
R0454	6661252	273940	454	80	-60	46	RAB	0.00	46.00				N.S.I.
R0455	6661248	273915	454	80	-60	46	RAB	0.00	46.00				N.S.I.
R046	6662790	273446	452	80	-60	30	RAB	0.00	30.00				N.S.I.
R0462	6661218	273743	454	80	-60	33	RAB	0.00	33.00				N.S.I.
R0463	6661214	273718	455	80	-60	57	RAB	4.00	8.00	4.00	1.00	4.0	4.0m @ 1.0 g/t
R0463								32.00	40.00	8.00	1.17	9.3	8.0m @ 1.2 g/t
R0463								Incl 32.00	36.00	4.00	1.55	6.2	4.0m @ 1.6 g/t
R0463								48.00	52.00	4.00	0.51	2.0	4.0m @ 0.5 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
R0464	6661205	273669	455	80	-60	28	RAB	0.00	28.00				N.S.I.
R0465	6661201	273644	455	80	-60	54	RAB	0.00	54.00				N.S.I.
R0466	6661192	273595	456	80	-60	49	RAB	0.00	49.00				N.S.I.
R0467	6661184	273545	457	80	-60	88	RAB	0.00	88.00				N.S.I.
R0468	6661175	273496	458	80	-60	99	RAB	0.00	99.00				N.S.I.
R047	6662812	273569	451	80	-60	21	RAB	0.00	21.00				N.S.I.
R0470	6661612	273674	454	80	-60	51	RAB	0.00	51.00				N.S.I.
R0471	6661604	273625	455	80	-60	51	RAB	0.00	51.00				N.S.I.
R0472	6661595	273576	456	80	-60	76	RAB	0.00	76.00				N.S.I.
R0473	6661587	273527	457	80	-60	32	RAB	0.00	32.00				N.S.I.
R0474	6661582	273502	458	80	-60	27	RAB	0.00	27.00				N.S.I.
R0475	6661578	273477	459	80	-60	30	RAB	0.00	30.00				N.S.I.
R0476	6661574	273453	459	80	-60	36	RAB	0.00	36.00				N.S.I.
R0477	6661570	273428	460	80	-60	62	RAB	0.00	62.00				N.S.I.
R0479	6662405	273563	452	80	-60	17	RAB	0.00	17.00				N.S.I.
R048	6662713	273586	451	80	-60	47	RAB	18.00	21.00	3.00	1.25	3.8	3.0m @ 1.3 g/t
R048								36.00	39.00	3.00	0.50	1.5	3.0m @ 0.5 g/t
R0480	6662396	273514	452	80	-60	39	RAB	0.00	39.00				N.S.I.
R0481	6662388	273464	453	80	-60	57	RAB	0.00	57.00				N.S.I.
R0482	6662379	273415	454	80	-60	59	RAB	0.00	59.00				N.S.I.
R0483	6662371	273366	455	80	-60	50	RAB	0.00	50.00				N.S.I.
R0484	6662362	273317	455	80	-60	58	RAB	0.00	58.00				N.S.I.
R049	6662717	273610	451	80	-60	15	RAB	0.00	15.00				N.S.I.
R050	6662709	273561	451	80	-60	21	RAB	0.00	21.00				N.S.I.
R051	6662705	273537	451	80	-60	27	RAB	0.00	27.00				N.S.I.
R052	6662700	273512	452	80	-60	21	RAB	0.00	21.00				N.S.I.
R053	6662696	273487	452	80	-60	21	RAB	0.00	21.00				N.S.I.
R054	6662601	273524	451.8	80	-60	30	RAB	0.00	30.00				N.S.I.
R055	6662529	273661	450	80	-60	27	RAB	0.00	27.00				N.S.I.
R056	6662533	273681	449.9	80	-60	12	RAB	0.00	12.00				N.S.I.
R057	6662435	273703	449	80	-60	15	RAB	0.00	15.00				N.S.I.
R058	6662438	273718	449.2	80	-60	15	RAB	0.00	15.00				N.S.I.
R059	6662431	273678	450	80	-60	21	RAB	0.00	21.00				N.S.I.
R060	6662332	273695	451	80	-60	24	RAB	18.00	21.00	3.00	0.50	1.5	3.0m @ 0.5 g/t
R062	6662340	273740	450	80	-60	12	RAB	0.00	12.00				N.S.I.
R063	6662238	273737	450.5	80	-60	21	RAB	0.00	21.00				N.S.I.
R064	6662241	273757	449.8	80	-60	30	RAB	0.00	30.00				N.S.I.
R065	6662234	273712	451	80	-60	18	RAB	0.00	18.00				N.S.I.
R066	6662139	273754	451	80	-60	18	RAB	6.00	9.00	3.00	1.05	3.2	3.0m @ 1.1 g/t
R067	6662142	273769	450	80	-60	33	RAB	30.00	33.00	3.00	5.30	15.9	3.0m @ 5.3 g/t
R068	6662135	273729	451	80	-60	18	RAB	0.00	18.00				N.S.I.
R078A	6656157	275287	436	360	-90	20	RAB	0.00	20.00				N.S.I.
R079A	6656157	275087	436	360	-90	18	RAB	0.00	18.00				N.S.I.
R080A	6654557	276187	430	360	-90	15	RAB	0.00	10.00				N.S.I.
R081A	6654557	275987	430	360	-90	14	RAB	0.00	14.00				N.S.I.
ROWC107	6662133	273719	451	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC124	6662425	273649	450.4	80	-60	20	RAB	0.00	2.00	2.00	0.56	1.1	2.0m @ 0.6 g/t
ROWC124								14.00	18.00	4.00	0.65	2.6	4.0m @ 0.7 g/t
ROWC125	6662423	273639	451	80	-60	20	RAB	8.00	20.00	12.00	1.21	14.6	12.0m @ 1.2 g/t
ROWC125								Incl 10.00	12.00	2.00	2.10	4.2	2.0m @ 2.1 g/t
ROWC125								Incl 18.00	20.00	2.00	2.80	5.6	2.0m @ 2.8 g/t
ROWC126	6662427	273659	450	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC127	6662429	273667	450	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC128	6662421	273629	451	80	-60	20	RAB	6.00	8.00	2.00	0.54	1.1	2.0m @ 0.5 g/t
ROWC129	6662419	273619	451	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC131	6662528	273651	450	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC132	6662524	273632	450	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC133	6662522	273622	451	80	-60	20	RAB	18.00	20.00	2.00	0.58	1.2	2.0m @ 0.6 g/t
ROWC134	6662521	273612	451	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC135	6662519	273602	451	80	-60	20	RAB	8.00	10.00	2.00	2.10	4.2	2.0m @ 2.1 g/t
ROWC136	6662517	273592	451	80	-60	20	RAB	12.00	14.00	2.00	0.56	1.1	2.0m @ 0.6 g/t
ROWC137	6662513	273583	451	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC138	6662512	273573	451	80	-60	20	RAB	2.00	4.00	2.00	2.35	4.7	2.0m @ 2.4 g/t
ROWC139	6662510	273563	451	80	-60	18	RAB	0.00	18.00				N.S.I.
ROWC140	6662614	273598	451	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC141	6662612	273588	451	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC177	6663013	273559	450	80	-60	20	RAB	10.00	14.00	4.00	27.63	110.5	4.0m @ 27.6 g/t
ROWC178	6663015	273569	450	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC179	6663016	273579	450	80	-60	20	RAB	0.00	20.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
ROWC180	6663011	273550	450	80	-60	20	RAB	14.00	18.00	4.00	1.00	4.0	4.0m @ 1.0 g/t
ROWC180								Incl 14.00	16.00	2.00	1.20	2.4	2.0m @ 1.2 g/t
ROWC181	6663010	273540	450.3	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC182	6663008	273530	450	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC183	6663006	273520	451	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC186	6662125	273670	452	80	-60	20	RAB	18.00	20.00	2.00	2.20	4.4	2.0m @ 2.2 g/t
ROWC19	6661229	273807	454	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC20	6661227	273797	454	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC21	6661226	273787	454	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC22	6661222	273767	454	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC23	6661220	273756	454	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC24	6661337	273839	454	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC25	6661335	273829	456.4	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC26	6661333	273819	457	80	-60	20	RAB	8.00	18.00	10.00	1.28	12.8	10.0m @ 1.3 g/t
ROWC27	6661329	273799	457	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC28	6661328	273790	454.2	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC29	6661326	273780	454.3	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC30	6661324	273770	454	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC31	6661322	273760	454	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC32	6661321	273749	454.5	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC33	6661436	273832	454	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC34	6661442	273820	454	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC35	6661436	273811	454	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC36	6661433	273802	454.2	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC37	6661430	273791	454	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC38	6661428	273782	454	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC39	6661426	273773	454	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC40	6661424	273763	454.5	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC41	6661423	273753	455	80	-60	20	RAB	16.00	18.00	2.00	0.64	1.3	2.0m @ 0.6 g/t
ROWC42	6661421	273743	455	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC43	6661531	273794	453	80	-60	20	RAB	10.00	12.00	2.00	0.54	1.1	2.0m @ 0.5 g/t
ROWC44	6661530	273785	454	80	-60	20	RAB	8.00	10.00	2.00	1.20	2.4	2.0m @ 1.2 g/t
ROWC45	6661526	273765	454	80	-60	20	RAB	12.00	16.00	4.00	0.60	2.4	4.0m @ 0.6 g/t
ROWC46	6661525	273756	454	80	-60	20	RAB	12.00	20.00	8.00	2.94	23.5	8.0m @ 2.9 g/t
ROWC46								Incl 12.00	18.00	6.00	3.68	22.1	6.0m @ 3.7 g/t
ROWC47	6661523	273746	454	80	-60	20	RAB	6.00	8.00	2.00	0.74	1.5	2.0m @ 0.7 g/t
ROWC48	6661521	273736	454	80	-60	20	RAB	18.00	20.00	2.00	2.05	4.1	2.0m @ 2.1 g/t
ROWC49	6661520	273726	454	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC50	6661518	273716	454	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC51	6661516	273706	454	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC52	6661514	273696	454	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC53	6661633	273766	453	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC54	6661631	273761	453	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC55	6661623	273739	453	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC56	6661621	273729	453	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC57	6661620	273719	454	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC58	6661642	273847	451	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC59	6661739	273820	451	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC60	6661737	273810	452	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC61	6661736	273800	452	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC62	6661735	273790	452	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC63	6661733	273780	452	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC64	6661729	273770	452	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC65	6661732	273841	451	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC66	6661734	273851	451	80	-60	20	RAB	10.00	12.00	2.00	1.55	3.1	2.0m @ 1.6 g/t
ROWC67	6661645	273867	451	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC68	6661644	273857	451	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC69	6661642	273847	451	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC70	6661643	273835	452	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC71	6661638	273825	452	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC72	6661637	273817	452	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC73	6661636	273807	452	80	-60	20	RAB	18.00	20.00	2.00	0.54	1.1	2.0m @ 0.5 g/t
ROWC74	6661634	273797	452	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC75	6661632	273787	452	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC76	6661630	273778	452.4	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC77	6661840	273813	450.8	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC78	6661842	273823	450.6	80	-60	20	RAB	14.00	16.00	2.00	0.56	1.1	2.0m @ 0.6 g/t
ROWC79	6661839	273833	450	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC80	6661841	273843	450	80	-60	20	RAB	0.00	20.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval						
ROWC81	6661843	273853	450	80	-60	20	RAB	0.00	20.00				N.S.I.						
ROWC82	6661838	273803	451	80	-60	20	RAB	0.00	20.00				N.S.I.						
ROWC83	6661837	273793	451	80	-60	20	RAB	0.00	20.00				N.S.I.						
ROWC84	6661834	273783	451	80	-60	20	RAB	0.00	2.00	2.00	0.85	1.7	2.0m @ 0.9 g/t						
ROWC85	6661832	273773	451	80	-60	20	RAB	0.00	20.00				N.S.I.						
ROWC86	6661830	273764	452	80	-60	20	RAB	0.00	20.00				N.S.I.						
ROWC87	6661829	273754	452	80	-60	20	RAB	0.00	20.00				N.S.I.						
ROWC88	6661943	273792	452	80	-60	20	RAB	0.00	20.00				N.S.I.						
ROWC89	6661940	273773	452	80	-60	20	RAB	2.00	6.00	4.00	3.68	14.7	4.0m @ 3.7 g/t						
ROWC89								Incl 4.00	6.00	2.00	6.80	13.6	2.0m @ 6.8 g/t						
ROWC89								16.00	20.00	4.00	0.89	3.6	4.0m @ 0.9 g/t						
ROWC90	6661941	273783	452	80	-60	20	RAB	8.00	10.00	2.00	16.00	32.0	2.0m @ 16.0 g/t						
ROWC91	6661938	273763	452	80	-60	20	RAB	14.00	16.00	2.00	0.86	1.7	2.0m @ 0.9 g/t						
ROWC92	6661931	273754	451	80	-60	20	RAB	4.00	6.00	2.00	1.40	2.8	2.0m @ 1.4 g/t						
ROWC93	6661934	273744	451	80	-60	20	RAB	0.00	20.00				N.S.I.						
ROWC94	6661932	273734	451	80	-60	20	RAB	2.00	4.00	2.00	0.76	1.5	2.0m @ 0.8 g/t						
ROWC95	6661930	273724	451	80	-60	20	RAB	0.00	20.00				N.S.I.						
WADD001	6663103	273500	451	82	-61	75	DDH	15.70	19.00	3.30	5.96	19.7	3.3m @ 6.0 g/t						
WADD001								Incl 15.70	18.40	2.70	7.08	19.1	2.7m @ 7.1 g/t						
WADD001								23.50	41.80	18.30	3.26	59.6	18.3m @ 3.3 g/t						
WADD001								Incl 23.50	25.20	1.70	1.64	2.8	1.7m @ 1.6 g/t						
WADD001								Incl 33.00	40.20	7.20	7.40	53.3	7.2m @ 7.4 g/t						
WADD002							6663103	273500	451	84	-59	142	DDH	24.00	49.60	25.60	1.57	40.1	25.6m @ 1.6 g/t
WADD002														Incl 31.00	49.60	18.60	1.99	37.1	18.6m @ 2.0 g/t
WADD002														79.10	80.30	1.20	0.65	0.8	1.2m @ 0.6 g/t
WADD002														89.00	90.00	1.00	1.44	1.4	1.0m @ 1.4 g/t
WADD002														104.00	105.00	1.00	1.02	1.0	1.0m @ 1.0 g/t
WADD002							123.90	126.00	2.10	0.79	1.7	2.1m @ 0.8 g/t							
WADD002A	6663103	273500	451	78	-55	90	DDH	78.00	79.30	1.30	3.69	4.8	1.3m @ 3.7 g/t						
WADD002A								87.00	88.00	1.00	0.50	0.5	1.0m @ 0.5 g/t						
WARB002	6662505	274075	446	80	-60	87	RAB	0.00	87.00				N.S.I.						
WARB003	6662498	274045	446	80	-60	107	RAB	0.00	107.00				N.S.I.						
WARB004	6662495	274021	446	80	-60	81	RAB	0.00	81.00				N.S.I.						
WARB005	6662490	273996	447	80	-60	81	RAB	0.00	81.00				N.S.I.						
WARB006	6662485	273971	447	80	-60	37	RAB	0.00	37.00				N.S.I.						
WARB007	6662480	273947	447	80	-60	32	RAB	0.00	32.00				N.S.I.						
WARB008	6662477	273922	447	80	-60	32	RAB	0.00	32.00				N.S.I.						
WARB009	6662472	273898	448	80	-60	30	RAB	0.00	30.00				N.S.I.						
WARB010	6662468	273873	448	80	-60	24	RAB	0.00	24.00				N.S.I.						
WARB011	6662463	273846	448	80	-60	26	RAB	0.00	26.00				N.S.I.						
WARB012	6662457	273824	448	80	-60	13	RAB	0.00	13.00				N.S.I.						
WARB013	6662454	273799	448	80	-60	18	RAB	0.00	18.00				N.S.I.						
WARB014	6662450	273775	448	80	-60	15	RAB	0.00	15.00				N.S.I.						
WARB015	6662445	273750	449	80	-60	15	RAB	0.00	15.00				N.S.I.						
WARB016	6662283	274006	446	80	-60	36	RAB	0.00	36.00				N.S.I.						
WARB017	6662280	273982	446	80	-60	47	RAB	0.00	47.00				N.S.I.						
WARB018	6662275	273957	446	80	-60	30	RAB	0.00	30.00				N.S.I.						
WARB019	6662270	273932	446	80	-60	41	RAB	0.00	41.00				N.S.I.						
WARB020	6662266	273909	447	80	-60	22	RAB	0.00	22.00				N.S.I.						
WARB021	6662262	273883	447	80	-60	21	RAB	0.00	21.00				N.S.I.						
WARB022	6662257	273859	447	80	-60	16	RAB	0.00	16.00				N.S.I.						
WARB023	6662253	273834	448	80	-60	18	RAB	0.00	18.00				N.S.I.						
WARB024	6662250	273809	448	80	-60	9	RAB	0.00	9.00				N.S.I.						
WARB025	6662244	273785	448.8	80	-60	3	RAB	0.00	3.00				N.S.I.						
WARC001								37.00	38.00	1.00	0.52	0.5	1.0m @ 0.5 g/t						
WARC003								29.00	30.00	1.00	0.66	0.7	1.0m @ 0.7 g/t						
WARC003								37.00	42.00	5.00	0.78	3.9	5.0m @ 0.8 g/t						
WARC003								Incl 37.00	38.00	1.00	2.74	2.7	1.0m @ 2.7 g/t						
WARC004								63.00	65.00	2.00	1.03	2.1	2.0m @ 1.0 g/t						
WARC004								Incl 63.00	64.00	1.00	1.20	1.2	1.0m @ 1.2 g/t						
WARC005	6662234	273605	454	82	-61	90	RC	41.00	66.00	25.00	1.63	40.9	25.0m @ 1.6 g/t						
WARC005								Incl 41.00	42.00	1.00	1.37	1.4	1.0m @ 1.4 g/t						
WARC005								Incl 47.00	66.00	19.00	2.00	38.0	19.0m @ 2.0 g/t						
WARC005								71.00	74.00	3.00	0.62	1.8	3.0m @ 0.6 g/t						
WARC008								51.00	55.00	4.00	1.23	4.9	4.0m @ 1.2 g/t						
WARC009								Incl 54.00	56.00	2.00	4.10	8.2	2.0m @ 4.1 g/t						
WARC009								66.00	73.00	7.00	0.54	3.8	7.0m @ 0.5 g/t						
WARC009								Incl 72.00	73.00	1.00	1.35	1.4	1.0m @ 1.4 g/t						
WARC009								80.00	81.00	1.00	0.99	1.0	1.0m @ 1.0 g/t						

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
WARC012	6661984	273626	453	84	-60	35	RC	0.00	35.00				N.S.I.
WARC013	6662012	273626	454	83	-61	55	RC	47.00	48.00	1.00	0.92	0.9	1.0m @ 0.9 g/t
WARC015	6662037	273622	454	86	-59	67	RC	62.00	63.00	1.00	0.78	0.8	1.0m @ 0.8 g/t
WARC016	6662091	273627	453.5	81.21	-60.65	55	RC	36.00	37.00	1.00	2.06	2.1	1.0m @ 2.1 g/t
WARC017								43.00	45.00	2.00	1.46	2.9	2.0m @ 1.5 g/t
WARC018								58.00	59.00	1.00	4.78	4.8	1.0m @ 4.8 g/t
WARC019	6662145	273653	454	83	-61	35	RC	22.00	25.00	3.00	3.94	11.8	3.0m @ 3.9 g/t
WARC019								31.00	35.00	4.00	1.28	5.1	4.0m @ 1.3 g/t
WARC019								Incl 32.00	35.00	3.00	1.49	4.5	3.0m @ 1.5 g/t
WARC020								34.00	35.00	1.00	1.09	1.1	1.0m @ 1.1 g/t
WARC020								40.00	42.00	2.00	1.61	3.2	2.0m @ 1.6 g/t
WARC020								48.00	55.00	7.00	1.04	7.3	7.0m @ 1.0 g/t
WARC020								Incl 48.00	54.00	6.00	1.09	6.6	6.0m @ 1.1 g/t
WARC021	6662141	273625	454	81	-61	60	RC	24.00	25.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
WARC021								42.00	53.00	11.00	4.31	47.5	11.0m @ 4.3 g/t
WARC021								Incl 43.00	48.00	5.00	8.97	44.9	5.0m @ 9.0 g/t
WARC023	6662188	273621	454	83	-61	70	RC	21.00	23.00	2.00	0.54	1.1	2.0m @ 0.5 g/t
WARC023								37.00	68.00	31.00	1.06	32.9	31.0m @ 1.1 g/t
WARC023								Incl 37.00	38.00	1.00	3.81	3.8	1.0m @ 3.8 g/t
WARC023								Incl 44.00	46.00	2.00	1.32	2.6	2.0m @ 1.3 g/t
WARC023								Incl 51.00	67.00	16.00	1.37	21.9	16.0m @ 1.4 g/t
WARC026	6662288	273576	454	81	-60	95	RC	57.00	59.00	2.00	1.03	2.1	2.0m @ 1.0 g/t
WARC026								Incl 58.00	59.00	1.00	1.37	1.4	1.0m @ 1.4 g/t
WARC026								74.00	88.00	14.00	1.20	16.8	14.0m @ 1.2 g/t
WARC026								Incl 74.00	81.00	7.00	2.09	14.7	7.0m @ 2.1 g/t
WARC027	6662139	273611	454	81	-61	87	RC	40.00	41.00	1.00	5.80	5.8	1.0m @ 5.8 g/t
WARC027								53.00	58.00	5.00	1.44	7.2	5.0m @ 1.4 g/t
WARC027								66.00	70.00	4.00	0.80	3.2	4.0m @ 0.8 g/t
WARC027								Incl 68.00	69.00	1.00	1.29	1.3	1.0m @ 1.3 g/t
WARC027								76.00	83.00	7.00	1.14	8.0	7.0m @ 1.1 g/t
WARC027								Incl 77.00	81.00	4.00	1.53	6.1	4.0m @ 1.5 g/t
WARC028	6662142	273790	450	82.12	-60.76	30	RC	0.00	30.00				N.S.I.
WARC029	6662139	273772	450	84	-60	56	RC	25.00	34.00	9.00	5.58	50.2	9.0m @ 5.6 g/t
WARC029								Incl 28.00	30.00	2.00	23.53	47.1	2.0m @ 23.5 g/t
WARC032	6661885	273791	452	80	-60	26	RC	23.00	26.00	3.00	2.23	6.7	3.0m @ 2.2 g/t
WARC032								Incl 23.00	25.00	2.00	2.90	5.8	2.0m @ 2.9 g/t
WARC033	6661883	273770	452	80	-60	50	RC	23.00	29.00	6.00	1.68	10.1	6.0m @ 1.7 g/t
WARC033								Incl 23.00	26.00	3.00	2.57	7.7	3.0m @ 2.6 g/t
WARC034	6662161	273769	450	80	-60	30	RC	1.00	2.00	1.00	1.63	1.6	1.0m @ 1.6 g/t
WARC034								23.00	30.00	7.00	1.61	11.3	7.0m @ 1.6 g/t
WARC034								Incl 25.00	30.00	5.00	2.13	10.6	5.0m @ 2.1 g/t
WARC035	6662158	273749	451	80	-60	54	RC	5.00	6.00	1.00	0.69	0.7	1.0m @ 0.7 g/t
WARC035								12.00	13.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
WARC035								23.00	24.00	1.00	0.92	0.9	1.0m @ 0.9 g/t
WARC037	6662212	273771	450	80	-60	36	RC	15.00	19.00	4.00	0.90	3.6	4.0m @ 0.9 g/t
WARC037								Incl 18.00	19.00	1.00	1.48	1.5	1.0m @ 1.5 g/t
WARC038	6662209	273751	451	80	-60	48	RC	23.00	26.00	3.00	0.87	2.6	3.0m @ 0.9 g/t
WARC038								Incl 23.00	24.00	1.00	1.12	1.1	1.0m @ 1.1 g/t
WARC038								33.00	40.00	7.00	1.11	7.7	7.0m @ 1.1 g/t
WARC038								Incl 33.00	34.00	1.00	3.92	3.9	1.0m @ 3.9 g/t
WARC038								Incl 39.00	40.00	1.00	1.86	1.9	1.0m @ 1.9 g/t
WARC043								28.00	32.00	4.00	1.46	5.8	4.0m @ 1.5 g/t
WARC044								32.00	33.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
WARC045								36.00	37.00	1.00	2.33	2.3	1.0m @ 2.3 g/t
WARC045								46.00	52.00	6.00	2.31	13.9	6.0m @ 2.3 g/t
WARC049								52.00	60.00	8.00	12.61	100.8	8.0m @ 12.6 g/t
WARC049								Incl 52.00	59.00	7.00	14.27	99.9	7.0m @ 14.3 g/t
WARC050	6661960	273782	451	80	-60	25	RC	0.00	25.00				N.S.I.
WARC053								44.00	45.00	1.00	0.66	0.7	1.0m @ 0.7 g/t
WARC055								44.00	46.00	2.00	2.56	5.1	2.0m @ 2.6 g/t
WARC056	6662165	273787	450	80	-60	18	RC	5.00	6.00	1.00	0.92	0.9	1.0m @ 0.9 g/t
WARC057	6662155	273735	452	81	-60	84	RC	9.00	16.00	7.00	0.65	4.6	7.0m @ 0.7 g/t
WARC057								Incl 9.00	10.00	1.00	1.77	1.8	1.0m @ 1.8 g/t
WARC057								22.00	23.00	1.00	0.66	0.7	1.0m @ 0.7 g/t
WARC058	6662134	273745	451	80	-60	60	RC	0.00	1.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
WARC058								6.00	9.00	3.00	1.00	3.0	3.0m @ 1.0 g/t
WARC058								Incl 8.00	9.00	1.00	1.77	1.8	1.0m @ 1.8 g/t
WARC058								15.00	16.00	1.00	0.77	0.8	1.0m @ 0.8 g/t
WARC058								23.00	24.00	1.00	0.58	0.6	1.0m @ 0.6 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
WARC059	6662118	273785	450	80	-60	25	RC	19.00	25.00	6.00	0.69	4.1	6.0m @ 0.7 g/t
WARC059								Incl 19.00	20.00	1.00	1.27	1.3	1.0m @ 1.3 g/t
WARC059								Incl 23.00	24.00	1.00	1.94	1.9	1.0m @ 1.9 g/t
WARC060	6662115	273766	451	80	-60	36	RC	15.00	16.00	1.00	0.55	0.6	1.0m @ 0.6 g/t
WARC060								19.00	20.00	1.00	0.58	0.6	1.0m @ 0.6 g/t
WARC060								24.00	25.00	1.00	2.06	2.1	1.0m @ 2.1 g/t
WARC060								34.00	36.00	2.00	5.65	11.3	2.0m @ 5.6 g/t
WARC061	6662112	273747	452	80	-60	55	RC	11.00	12.00	1.00	0.81	0.8	1.0m @ 0.8 g/t
WARC061								20.00	21.00	1.00	1.75	1.8	1.0m @ 1.8 g/t
WARC061								37.00	40.00	3.00	0.94	2.8	3.0m @ 0.9 g/t
WARC061								Incl 37.00	38.00	1.00	1.67	1.7	1.0m @ 1.7 g/t
WARC063								48.00	56.00	8.00	1.46	11.7	8.0m @ 1.5 g/t
WARC063								Incl 49.00	56.00	7.00	1.58	11.1	7.0m @ 1.6 g/t
WARC066								41.00	59.00	18.00	0.89	16.0	18.0m @ 0.9 g/t
WARC066								Incl 45.00	51.00	6.00	1.59	9.5	6.0m @ 1.6 g/t
WARC066								Incl 57.00	58.00	1.00	1.00	1.0	1.0m @ 1.0 g/t
WARC066								66.00	68.00	2.00	0.89	1.8	2.0m @ 0.9 g/t
WARC066								Incl 66.00	67.00	1.00	1.19	1.2	1.0m @ 1.2 g/t
WARC066								73.00	74.00	1.00	1.63	1.6	1.0m @ 1.6 g/t
WARC069	6661945	273688	453	80	-60	78	RC	53.00	54.00	1.00	0.95	0.9	1.0m @ 0.9 g/t
WARC070	6661871	273706	453	80	-60	60	RC	0.00	60.00				N.S.I.
WARC071	6661868	273688	454	80	-60	84	RC	0.00	84.00				N.S.I.
WARC072	6661772	273723	454	80	-60	60	RC	37.00	38.00	1.00	1.05	1.1	1.0m @ 1.1 g/t
WARC072								51.00	52.00	1.00	1.02	1.0	1.0m @ 1.0 g/t
WARC072								56.00	57.00	1.00	0.65	0.6	1.0m @ 0.6 g/t
WARC072								58.00	59.00	1.00	0.60	0.6	1.0m @ 0.6 g/t
WARC073	6661770	273705	454	80	-60	102	RC	55.00	56.00	1.00	0.84	0.8	1.0m @ 0.8 g/t
WARC073								60.00	61.00	1.00	1.14	1.1	1.0m @ 1.1 g/t
WARC073								68.00	69.00	1.00	0.86	0.9	1.0m @ 0.9 g/t
WARC073								78.00	84.00	6.00	0.89	5.3	6.0m @ 0.9 g/t
WARC073								Incl 80.00	84.00	4.00	1.06	4.2	4.0m @ 1.1 g/t
WARC074	6661674	273740	454	80	-60	60	RC	47.00	54.00	7.00	1.47	10.3	7.0m @ 1.5 g/t
WARC074								Incl 48.00	50.00	2.00	3.68	7.4	2.0m @ 3.7 g/t
WARC075	6661911	273787	452	80	-60	25	RC	0.00	25.00				N.S.I.
WARC076	6661907	273767	452	80	-60	50	RC	2.00	3.00	1.00	0.98	1.0	1.0m @ 1.0 g/t
WARC077								26.00	27.00	1.00	0.69	0.7	1.0m @ 0.7 g/t
WARC078								Incl 27.00	28.00	1.00	1.08	1.1	1.0m @ 1.1 g/t
WARC079	6661959	273772	452	80	-60	25	RC	16.00	17.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
WARC079								20.00	21.00	1.00	0.58	0.6	1.0m @ 0.6 g/t
WARC079								22.00	23.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
WARC080	6661956	273754	451.8	80	-60	55	RC	4.00	6.00	2.00	1.70	3.4	2.0m @ 1.7 g/t
WARC080								Incl 5.00	6.00	1.00	2.86	2.9	1.0m @ 2.9 g/t
WARC081	6661887	273806	452	80	-60	12	RC	9.00	12.00	3.00	3.01	9.0	3.0m @ 3.0 g/t
WARC082	6661884	273780	452	80	-60	45	RC	9.00	12.00	3.00	0.64	1.9	3.0m @ 0.6 g/t
WARC082								Incl 9.00	10.00	1.00	1.13	1.1	1.0m @ 1.1 g/t
WARC083	6661882	273761	452	80	-60	45	RC	15.00	16.00	1.00	0.75	0.8	1.0m @ 0.8 g/t
WARC084	6661671	273722	455	80	-60	102	RC	72.00	74.00	2.00	2.30	4.6	2.0m @ 2.3 g/t
WARC087	6662152	273837	453	80	-60	50	RC	22.00	23.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
WARC088	6662099	273831	453	80	-60	50	RC	0.00	50.00				N.S.I.
WARC089	6661914	273736	453	80	-60	75	RC	16.00	18.00	2.00	0.94	1.9	2.0m @ 0.9 g/t
WARC089								Incl 17.00	18.00	1.00	1.24	1.2	1.0m @ 1.2 g/t
WARC091								41.00	51.00	10.00	1.35	13.5	10.0m @ 1.3 g/t
WARC091								68.00	73.00	5.00	2.06	10.3	5.0m @ 2.1 g/t
WARC092	6661906	273692	453	86	-59	60	RC	52.00	57.00	5.00	0.70	3.5	5.0m @ 0.7 g/t
WARC092								Incl 53.00	54.00	1.00	1.88	1.9	1.0m @ 1.9 g/t
WARC093	6661978	273795	451.4	80	-60	30	RC	7.00	8.00	1.00	4.52	4.5	1.0m @ 4.5 g/t
WARC095								36.00	42.00	6.00	0.86	5.2	6.0m @ 0.9 g/t
WARC095								Incl 40.00	41.00	1.00	1.77	1.8	1.0m @ 1.8 g/t
WARC095								54.00	55.00	1.00	0.77	0.8	1.0m @ 0.8 g/t
WARC096								36.00	37.00	1.00	1.04	1.0	1.0m @ 1.0 g/t
WARC096								50.00	57.00	7.00	0.79	5.6	7.0m @ 0.8 g/t
WARC096								Incl 50.00	51.00	1.00	1.88	1.9	1.0m @ 1.9 g/t
WARC096								Incl 55.00	57.00	2.00	1.12	2.2	2.0m @ 1.1 g/t
WARC097	6662012	273801	450.7	80	-60	15	RC	0.00	15.00				N.S.I.
WARC100								Incl 38.00	40.00	2.00	1.36	2.7	2.0m @ 1.4 g/t
WARC101								27.00	50.00	23.00	0.88	20.3	23.0m @ 0.9 g/t
WARC101								Incl 41.00	46.00	5.00	1.93	9.7	5.0m @ 1.9 g/t
WARC101								56.00	57.00	1.00	1.09	1.1	1.0m @ 1.1 g/t
WARC103								21.00	29.00	8.00	1.25	10.0	8.0m @ 1.3 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
WARC103								Incl 22.00	27.00	5.00	1.55	7.8	5.0m @ 1.6 g/t
WARC104								24.00	27.00	3.00	2.93	8.8	3.0m @ 2.9 g/t
WARC104								Incl 25.00	27.00	2.00	3.95	7.9	2.0m @ 4.0 g/t
WARC104								43.00	44.00	1.00	0.58	0.6	1.0m @ 0.6 g/t
WARC105								22.00	25.00	3.00	0.79	2.4	3.0m @ 0.8 g/t
WARC105								Incl 24.00	25.00	1.00	1.06	1.1	1.0m @ 1.1 g/t
WARC105								37.00	60.00	23.00	1.55	35.7	23.0m @ 1.6 g/t
WARC105								Incl 37.00	41.00	4.00	4.51	18.1	4.0m @ 4.5 g/t
WARC105								Incl 46.00	59.00	13.00	1.24	16.1	13.0m @ 1.2 g/t
WARC108								Incl 48.00	49.00	1.00	1.31	1.3	1.0m @ 1.3 g/t
WARC109								54.00	59.00	5.00	10.51	52.6	5.0m @ 10.5 g/t
WARC110	6662106	273791	450	80	-60	30	RC	15.00	21.00	6.00	0.65	3.9	6.0m @ 0.6 g/t
WARC110								Incl 15.00	16.00	1.00	3.24	3.2	1.0m @ 3.2 g/t
WARC111	6662103	273775	451	80	-60	45	RC	9.00	11.00	2.00	1.33	2.7	2.0m @ 1.3 g/t
WARC111								16.00	17.00	1.00	5.05	5.1	1.0m @ 5.1 g/t
WARC111								36.00	39.00	3.00	0.75	2.3	3.0m @ 0.8 g/t
WARC112	6662123	273798	450	80	-60	24	RC	0.00	24.00				N.S.I.
WARC113	6662118	273774	451	80	-60	40	RC	0.00	40.00	40.00	0.94	37.6	40.0m @ 0.9 g/t
WARC113								Incl 0.00	31.00	31.00	1.12	34.7	31.0m @ 1.1 g/t
WARC114	6662177	273773	450	80	-60	30	RC	13.00	16.00	3.00	3.31	9.9	3.0m @ 3.3 g/t
WARC114								21.00	30.00	9.00	0.80	7.2	9.0m @ 0.8 g/t
WARC114	6662174	273754	451.2	80	-60	45	RC	Incl 21.00	25.00	4.00	1.45	5.8	4.0m @ 1.5 g/t
WARC115								4.00	5.00	1.00	0.72	0.7	1.0m @ 0.7 g/t
WARC115								38.00	39.00	1.00	1.28	1.3	1.0m @ 1.3 g/t
WARC116	6662171	273739	452	83	-60	60	RC	1.00	7.00	6.00	1.13	6.8	6.0m @ 1.1 g/t
WARC116								Incl 3.00	7.00	4.00	1.53	6.1	4.0m @ 1.5 g/t
WARC116								13.00	23.00	10.00	0.83	8.3	10.0m @ 0.8 g/t
WARC116								Incl 15.00	18.00	3.00	1.74	5.2	3.0m @ 1.7 g/t
WARC117	6662158	273674	453.5	80	-60	30	RC	24.00	25.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
WARC119	6662201	273768	450	80	-60	35	RC	7.00	14.00	7.00	1.93	13.5	7.0m @ 1.9 g/t
WARC119								Incl 7.00	11.00	4.00	3.02	12.1	4.0m @ 3.0 g/t
WARC119								25.00	27.00	2.00	1.10	2.2	2.0m @ 1.1 g/t
WARC119								Incl 26.00	27.00	1.00	1.25	1.3	1.0m @ 1.3 g/t
WARC120	6662183	273655	453.9	80	-60	40	RC	18.00	32.00	14.00	0.72	10.1	14.0m @ 0.7 g/t
WARC120								Incl 22.00	24.00	2.00	1.41	2.8	2.0m @ 1.4 g/t
WARC120								Incl 28.00	29.00	1.00	1.01	1.0	1.0m @ 1.0 g/t
WARC120								38.00	39.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
WARC123								35.00	42.00	7.00	2.22	15.5	7.0m @ 2.2 g/t
WARC123								Incl 37.00	41.00	4.00	3.50	14.0	4.0m @ 3.5 g/t
WARC123								54.00	55.00	1.00	1.37	1.4	1.0m @ 1.4 g/t
WARC125								35.00	39.00	4.00	2.26	9.0	4.0m @ 2.3 g/t
WARC125								Incl 35.00	38.00	3.00	2.79	8.4	3.0m @ 2.8 g/t
WARC125								48.00	49.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
WARC126	6662250	273605	454	79.192	-60.1	75	RC	35.00	47.00	12.00	0.79	9.5	12.0m @ 0.8 g/t
WARC126	6662314	273597	453.6	80	-60	60	RC	Incl 44.00	47.00	3.00	1.47	4.4	3.0m @ 1.5 g/t
WARC127								44.00	46.00	2.00	1.03	2.1	2.0m @ 1.0 g/t
WARC127								Incl 44.00	45.00	1.00	1.36	1.4	1.0m @ 1.4 g/t
WARC127								57.00	58.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
WARC127								59.00	60.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
WARC134								49.00	50.00	1.00	1.83	1.8	1.0m @ 1.8 g/t
WARC134								55.00	58.00	3.00	1.35	4.1	3.0m @ 1.4 g/t
WARC134	6662402	273665	451.9	78.692	-59.5	60	RC	Incl 56.00	58.00	2.00	1.53	3.1	2.0m @ 1.5 g/t
WARC135								30.00	35.00	5.00	1.63	8.2	5.0m @ 1.6 g/t
WARC135								52.00	54.00	2.00	1.31	2.6	2.0m @ 1.3 g/t
WARC136								46.00	48.00	2.00	3.09	6.2	2.0m @ 3.1 g/t
WARC137	6662397	273635	452	81	-60	60	RC	22.00	33.00	11.00	0.53	5.8	11.0m @ 0.5 g/t
WARC137								Incl 26.00	27.00	1.00	1.96	2.0	1.0m @ 2.0 g/t
WARC137								30.00	31.00	1.00	1.15	1.2	1.0m @ 1.2 g/t
WARC138								26.00	27.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
WARC138	6662392	273605	452.6	82.992	-59.7	60	RC	38.00	47.00	9.00	1.43	12.9	9.0m @ 1.4 g/t
WARC139								39.00	43.00	4.00	1.62	6.5	4.0m @ 1.6 g/t
WARC139								49.00	55.00	6.00	0.69	4.1	6.0m @ 0.7 g/t
WARC139	6662963	273562	451.3	80	-60	30	RC	Incl 54.00	55.00	1.00	1.92	1.9	1.0m @ 1.9 g/t
WARC140								0.00	30.00				N.S.I.
WARC141	6662959	273541	451	80	-60	50	RC	0.00	50.00				N.S.I.
WARC142	6663064	273566	451	80	-60	30	RC	0.00	30.00				N.S.I.
WARC143	6663058	273535	451	80	-59	50	RC	27.00	47.00	20.00	1.04	20.7	20.0m @ 1.0 g/t
WARC143	6663113	273561	451.1	80	-60	40	RC	Incl 27.00	38.00	11.00	1.51	16.6	11.0m @ 1.5 g/t
WARC144								19.00	24.00	5.00	0.82	4.1	5.0m @ 0.8 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
WARC144								Incl 19.00	20.00	1.00	1.68	1.7	1.0m @ 1.7 g/t
WARC144								31.00	32.00	1.00	0.63	0.6	1.0m @ 0.6 g/t
WARC144								36.00	37.00	1.00	0.64	0.6	1.0m @ 0.6 g/t
WARC144								39.00	40.00	1.00	0.70	0.7	1.0m @ 0.7 g/t
WARC145	6663162	273528	452	80	-60	40	RC	20.00	39.00	19.00	6.34	120.5	19.0m @ 6.3 g/t
WARC145								Incl 24.00	25.00	1.00	1.24	1.2	1.0m @ 1.2 g/t
WARC145								Incl 31.00	39.00	8.00	14.64	117.1	8.0m @ 14.6 g/t
WARC146	6663158	273509	452	80	-60	60	RC	17.00	19.00	2.00	1.07	2.1	2.0m @ 1.1 g/t
WARC146								Incl 17.00	18.00	1.00	1.49	1.5	1.0m @ 1.5 g/t
WARC146								49.00	60.00	11.00	3.15	34.7	11.0m @ 3.2 g/t
WARC147								22.00	23.00	1.00	0.55	0.6	1.0m @ 0.6 g/t
WARC148								19.00	21.00	2.00	1.40	2.8	2.0m @ 1.4 g/t
WARC148	6662335	273709	452.3	81.292	-59.2	50	RC	Incl 19.00	20.00	1.00	1.90	1.9	1.0m @ 1.9 g/t
WARC149								12.00	13.00	1.00	1.90	1.9	1.0m @ 1.9 g/t
WARC149								41.00	48.00	7.00	0.64	4.5	7.0m @ 0.6 g/t
WARC149								Incl 46.00	48.00	2.00	1.68	3.4	2.0m @ 1.7 g/t
WARC150	6662342	273744	450.3	81.692	-60.1	50	RC	4.00	5.00	1.00	0.69	0.7	1.0m @ 0.7 g/t
WARC151	6662347	273770	450	80	-60	70	RC	48.00	51.00	3.00	1.88	5.6	3.0m @ 1.9 g/t
WARC152	6662435	273692	450.9	79.892	-59.9	50	RC	13.00	29.00	16.00	0.77	12.2	16.0m @ 0.8 g/t
WARC152								Incl 23.00	25.00	2.00	3.53	7.1	2.0m @ 3.5 g/t
WARC152	6662430	273671	451.4	78.992	-59.4	70	RC	40.00	41.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
WARC153								16.00	21.00	5.00	1.21	6.0	5.0m @ 1.2 g/t
WARC153								41.00	50.00	9.00	1.62	14.6	9.0m @ 1.6 g/t
WARC154	6662409	273704	451	82	-60	40	RC	12.00	13.00	1.00	0.62	0.6	1.0m @ 0.6 g/t
WARC154								16.00	17.00	1.00	0.98	1.0	1.0m @ 1.0 g/t
WARC154								33.00	35.00	2.00	1.41	2.8	2.0m @ 1.4 g/t
WARC155								21.00	22.00	1.00	1.22	1.2	1.0m @ 1.2 g/t
WARC155								36.00	37.00	1.00	3.33	3.3	1.0m @ 3.3 g/t
WARC156								34.00	36.00	2.00	1.34	2.7	2.0m @ 1.3 g/t
WARC157	6662382	273691	451.9	84.092	-59.8	80	RC	33.00	36.00	3.00	2.22	6.7	3.0m @ 2.2 g/t
WARC157								54.00	55.00	1.00	0.78	0.8	1.0m @ 0.8 g/t
WARC158								29.00	36.00	7.00	1.10	7.7	7.0m @ 1.1 g/t
WARC158								Incl 29.00	30.00	1.00	2.87	2.9	1.0m @ 2.9 g/t
WARC158								Incl 35.00	36.00	1.00	3.40	3.4	1.0m @ 3.4 g/t
WARC159								5.00	10.00	5.00	0.97	4.8	5.0m @ 1.0 g/t
WARC159	6663062	273555	451.3	80	-60	40	RC	Incl 6.00	10.00	4.00	1.03	4.1	4.0m @ 1.0 g/t
WARC159								49.00	50.00	1.00	0.61	0.6	1.0m @ 0.6 g/t
WARC160								30.00	32.00	2.00	1.71	3.4	2.0m @ 1.7 g/t
WARC160								Incl 30.00	31.00	1.00	2.76	2.8	1.0m @ 2.8 g/t
WARC161	6663090	273561	451	80	-60	40	RC	33.00	36.00	3.00	0.77	2.3	3.0m @ 0.8 g/t
WARC162	6663166	273548	451.7	80	-60	35	RC	23.00	33.00	10.00	0.84	8.4	10.0m @ 0.8 g/t
WARC162								Incl 26.00	27.00	1.00	2.18	2.2	1.0m @ 2.2 g/t
WARC162								Incl 31.00	32.00	1.00	1.31	1.3	1.0m @ 1.3 g/t
WARC163	6662374	273786	449.4	80	-60	40	RC	0.00	40.00				N.S.I.
WARC164	6662351	273791	449.2	80	-60	40	RC	12.00	13.00	1.00	10.60	10.6	1.0m @ 10.6 g/t
WARC165	6662326	273797	449	80	-60	40	RC	0.00	40.00				N.S.I.
WARC166								15.00	16.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
WARC166								28.00	30.00	2.00	1.15	2.3	2.0m @ 1.2 g/t
WARC166	6662310	273710	452.8	81.392	-60	70	RC	Incl 29.00	30.00	1.00	1.70	1.7	1.0m @ 1.7 g/t
WARC167								24.00	25.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
WARC167								32.00	33.00	1.00	0.77	0.8	1.0m @ 0.8 g/t
WARC168								0.00	1.00	1.00	1.32	1.3	1.0m @ 1.3 g/t
WARC168								44.00	45.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
WARC168	6662286	273717	452.8	80.392	-59.3	70	RC	52.00	55.00	3.00	0.95	2.9	3.0m @ 1.0 g/t
WARC168								Incl 52.00	53.00	1.00	1.58	1.6	1.0m @ 1.6 g/t
WARC169								35.00	36.00	1.00	0.86	0.9	1.0m @ 0.9 g/t
WARC169								42.00	43.00	1.00	0.71	0.7	1.0m @ 0.7 g/t
WARC169								59.00	60.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
WARC170								19.00	20.00	1.00	0.70	0.7	1.0m @ 0.7 g/t
WARC170								31.00	32.00	1.00	1.12	1.1	1.0m @ 1.1 g/t
WARC170	6662261	273724	452.9	81.192	-59.6	70	RC	37.00	40.00	3.00	0.94	2.8	3.0m @ 0.9 g/t
WARC170								Incl 37.00	38.00	1.00	1.79	1.8	1.0m @ 1.8 g/t
WARC171								25.00	26.00	1.00	2.61	2.6	1.0m @ 2.6 g/t
WARC171								40.00	41.00	1.00	4.11	4.1	1.0m @ 4.1 g/t
WARC171								53.00	54.00	1.00	0.78	0.8	1.0m @ 0.8 g/t
WARC171								56.00	57.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
WARC172	6662265	273744	450.8	80	-60	40	RC	4.00	5.00	1.00	0.60	0.6	1.0m @ 0.6 g/t
WARC172								32.00	33.00	1.00	0.90	0.9	1.0m @ 0.9 g/t
WARC172								38.00	39.00	1.00	1.85	1.9	1.0m @ 1.9 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
WARC173	6662237	273731	452.6	81.592	-59.6	77	RC	34.00	37.00	3.00	1.77	5.3	3.0m @ 1.8 g/t
WARC173								Incl 35.00	37.00	2.00	2.41	4.8	2.0m @ 2.4 g/t
WARC173								43.00	52.00	9.00	0.62	5.6	9.0m @ 0.6 g/t
WARC173								Incl 46.00	47.00	1.00	1.96	2.0	1.0m @ 2.0 g/t
WARC173								59.00	60.00	1.00	0.88	0.9	1.0m @ 0.9 g/t
WARC173								66.00	72.00	6.00	2.04	12.2	6.0m @ 2.0 g/t
WARC173	6663185	273523	452.1	74.992	-59.1	50	RC	Incl 70.00	72.00	2.00	5.80	11.6	2.0m @ 5.8 g/t
WARC174								17.00	19.00	2.00	0.81	1.6	2.0m @ 0.8 g/t
WARC174								Incl 17.00	18.00	1.00	1.01	1.0	1.0m @ 1.0 g/t
WARC174								28.00	35.00	7.00	1.32	9.2	7.0m @ 1.3 g/t
WARC174								Incl 32.00	34.00	2.00	3.23	6.5	2.0m @ 3.2 g/t
WARC174	6663182	273504	452.3	89.192	-59.1	80	RC	49.00	50.00	1.00	0.55	0.6	1.0m @ 0.6 g/t
WARC175								41.00	62.00	21.00	6.83	143.4	21.0m @ 6.8 g/t
WARC175								Incl 54.00	62.00	8.00	17.14	137.1	8.0m @ 17.1 g/t
WARC175								68.00	69.00	1.00	1.18	1.2	1.0m @ 1.2 g/t
WARC175	6663154	273490	452.5	79.792	-59.6	90	RC	74.00	75.00	1.00	5.04	5.0	1.0m @ 5.0 g/t
WARC176								27.00	35.00	8.00	1.72	13.8	8.0m @ 1.7 g/t
WARC176	6663136	273534	451.7	79.892	-60	60	RC	Incl 29.00	32.00	3.00	3.64	10.9	3.0m @ 3.6 g/t
WARC176								73.00	78.00	5.00	1.25	6.3	5.0m @ 1.3 g/t
WARC176								Incl 75.00	76.00	1.00	3.84	3.8	1.0m @ 3.8 g/t
WARC176								86.00	90.00	4.00	20.53	82.1	4.0m @ 20.5 g/t
WARC177								27.00	28.00	1.00	1.08	1.1	1.0m @ 1.1 g/t
WARC177								33.00	40.00	7.00	1.57	11.0	7.0m @ 1.6 g/t
WARC177								Incl 33.00	39.00	6.00	1.70	10.2	6.0m @ 1.7 g/t
WARC177								45.00	60.00	15.00	0.62	9.2	15.0m @ 0.6 g/t
WARC177	6663133	273514	452	79.892	-60	83	RC	Incl 45.00	46.00	1.00	1.00	1.0	1.0m @ 1.0 g/t
WARC177								Incl 47.00	48.00	1.00	1.14	1.1	1.0m @ 1.1 g/t
WARC177								Incl 52.00	53.00	1.00	2.42	2.4	1.0m @ 2.4 g/t
WARC178								47.00	49.00	2.00	1.10	2.2	2.0m @ 1.1 g/t
WARC178								Incl 47.00	48.00	1.00	1.56	1.6	1.0m @ 1.6 g/t
WARC178								54.00	63.00	9.00	3.86	34.7	9.0m @ 3.9 g/t
WARC178								Incl 55.00	63.00	8.00	4.23	33.9	8.0m @ 4.2 g/t
WARC178								68.00	82.00	14.00	0.96	13.5	14.0m @ 1.0 g/t
WARC178								Incl 68.00	73.00	5.00	2.04	10.2	5.0m @ 2.0 g/t
WARC179	6663009	273519	451.6	78.192	-60	80	RC	29.00	43.00	14.00	2.32	32.5	14.0m @ 2.3 g/t
WARC179	6663033	273532	451.4	86.292	-60.2	50	RC	Incl 29.00	30.00	1.00	1.95	2.0	1.0m @ 2.0 g/t
WARC179								Incl 36.00	38.00	2.00	12.89	25.8	2.0m @ 12.9 g/t
WARC179								49.00	51.00	2.00	2.01	4.0	2.0m @ 2.0 g/t
WARC179								61.00	62.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
WARC180								33.00	50.00	17.00	0.62	10.5	17.0m @ 0.6 g/t
WARC180	Incl 40.00	44.00	4.00	1.02	4.1	4.0m @ 1.0 g/t							
WARC180	6663037	273552	451.3	80	-60	30	RC	Incl 49.00	50.00	1.00	1.22	1.2	1.0m @ 1.2 g/t
WARC181								27.00	29.00	2.00	0.96	1.9	2.0m @ 1.0 g/t
WARC182	6663085	273540	451.4	78.492	-60	60	RC	19.00	20.00	1.00	1.79	1.8	1.0m @ 1.8 g/t
WARC182								35.00	39.00	4.00	1.13	4.5	4.0m @ 1.1 g/t
WARC182								Incl 35.00	37.00	2.00	1.75	3.5	2.0m @ 1.8 g/t
WARC182								44.00	45.00	1.00	0.93	0.9	1.0m @ 0.9 g/t
WARC182	6663189	273541	451.9	80	-60	40	RC	47.00	48.00	1.00	0.63	0.6	1.0m @ 0.6 g/t
WARC183								27.00	34.00	7.00	1.26	8.8	7.0m @ 1.3 g/t
WARC183								Incl 33.00	34.00	1.00	5.96	6.0	1.0m @ 6.0 g/t
WARC184	6663147	273471	452	80	-55	120	RC	32.00	33.00	1.00	0.67	0.7	1.0m @ 0.7 g/t
WARC184								40.00	48.00	8.00	1.74	13.9	8.0m @ 1.7 g/t
WARC184								Incl 40.00	47.00	7.00	1.91	13.3	7.0m @ 1.9 g/t
WARC184								82.00	90.00	8.00	1.42	11.3	8.0m @ 1.4 g/t
WARC184								97.00	105.00	8.00	3.34	26.7	8.0m @ 3.3 g/t
WARC184	6663135	273559	450.4	80	-60	78	RC	Incl 98.00	105.00	7.00	3.70	25.9	7.0m @ 3.7 g/t
WARC187								8.00	10.00	2.00	1.15	2.3	2.0m @ 1.1 g/t
WARC187								Incl 8.00	9.00	1.00	1.65	1.7	1.0m @ 1.7 g/t
WARC187								20.00	21.00	1.00	0.70	0.7	1.0m @ 0.7 g/t
WARC187								26.00	31.00	5.00	0.86	4.3	5.0m @ 0.9 g/t
WARC187								Incl 26.00	29.00	3.00	1.03	3.1	3.0m @ 1.0 g/t
WARC187								39.00	52.00	13.00	0.64	8.3	13.0m @ 0.6 g/t
WARC187								Incl 39.00	43.00	4.00	1.13	4.5	4.0m @ 1.1 g/t
WARC188	6663232	273475	451	80	-60	111	RC	27.00	28.00	1.00	0.55	0.5	1.0m @ 0.5 g/t
WARC188								49.00	60.00	11.00	1.48	16.3	11.0m @ 1.5 g/t
WARC188								77.00	89.00	12.00	1.16	13.9	12.0m @ 1.2 g/t
WARC188								Incl 77.00	78.00	1.00	1.22	1.2	1.0m @ 1.2 g/t
WARC188								Incl 84.00	89.00	5.00	2.26	11.3	5.0m @ 2.3 g/t
WARC189	6663241	273507	451	79.892	-60	78	RC	14.00	20.00	6.00	2.25	13.5	6.0m @ 2.2 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
WARC189	6662806	273398	453.2	80.261	-60.2	216	RC	Incl 15.00	17.00	2.00	5.74	11.5	2.0m @ 5.7 g/t
WARC189								26.00	33.00	7.00	0.70	4.9	7.0m @ 0.7 g/t
WARC189								Incl 30.00	31.00	1.00	1.85	1.9	1.0m @ 1.9 g/t
WARC189								46.00	51.00	5.00	0.72	3.6	5.0m @ 0.7 g/t
WARC189								Incl 49.00	50.00	1.00	1.66	1.7	1.0m @ 1.7 g/t
WARC189								61.00	62.00	1.00	1.00	1.0	1.0m @ 1.0 g/t
WNRC25046								64.00	75.00	11.00	0.70	7.7	11.0m @ 0.7 g/t
WNRC25046								Incl 71.00	75.00	4.00	1.38	5.5	4.0m @ 1.4 g/t
WNRC25046								108.00	117.00	9.00	2.62	23.6	9.0m @ 2.6 g/t
WNRC25046								Incl 108.00	110.00	2.00	4.56	9.1	2.0m @ 4.6 g/t
WNRC25046								Incl 116.00	117.00	1.00	12.95	13.0	1.0m @ 13.0 g/t
WNRC25046								126.00	127.00	1.00	1.36	1.4	1.0m @ 1.4 g/t
WNRC25046								135.00	136.00	1.00	0.99	1.0	1.0m @ 1.0 g/t
WNRC25046								172.00	173.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
WNRC25046								185.00	191.00	6.00	1.54	9.3	6.0m @ 1.5 g/t
WNRC25046								Incl 185.00	189.00	4.00	2.08	8.3	4.0m @ 2.1 g/t
WNRC25048								32.00	37.00	5.00	0.58	2.9	5.0m @ 0.6 g/t
WNRC25048								50.00	58.00	8.00	3.91	31.3	8.0m @ 3.9 g/t
WNRC25048								83.00	84.00	1.00	2.63	2.6	1.0m @ 2.6 g/t
WNRC25048								104.00	107.00	3.00	3.32	10.0	3.0m @ 3.3 g/t
WNRC25048								Incl 104.00	106.00	2.00	4.73	9.5	2.0m @ 4.7 g/t
WNRC25048								139.00	140.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
WNRC25050	6662814	273505	452	79	-60	150	RC	34.00	36.00	2.00	0.60	1.2	2.0m @ 0.6 g/t
WNRC25050								39.00	40.00	1.00	0.69	0.7	1.0m @ 0.7 g/t
WNRC25050								61.00	63.00	2.00	1.00	2.0	2.0m @ 1.0 g/t
WNRC25050								Incl 62.00	63.00	1.00	1.17	1.2	1.0m @ 1.2 g/t
WNRC25050								70.00	71.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
WNRC25050	6662986	273440	451.6	75.441	-62.53	246	RCDD	74.00	75.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
WNRC25050								77.00	78.00	1.00	0.69	0.7	1.0m @ 0.7 g/t
WNRC25099								108.00	118.00	10.00	0.85	8.5	10.0m @ 0.9 g/t
WNRC25099								Incl 109.00	111.00	2.00	1.85	3.7	2.0m @ 1.9 g/t
WNRC25099								Incl 116.00	117.00	1.00	1.67	1.7	1.0m @ 1.7 g/t
WNRC25099	6663033	273424	451.8	77.541	-64.09	246	RC	126.00	127.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
WNRC25115								151.00	161.00	10.00	1.51	15.1	10.0m @ 1.5 g/t
WNRC25115								Incl 157.00	161.00	4.00	3.27	13.1	4.0m @ 3.3 g/t
WNRC25115								169.00	171.00	2.00	1.13	2.3	2.0m @ 1.1 g/t
WNRC25115	6663066	273471	451.4	97.571	-63.83	210	RC	Incl 170.00	171.00	1.00	1.63	1.6	1.0m @ 1.6 g/t
WNRC25115								202.00	203.00	1.00	1.09	1.1	1.0m @ 1.1 g/t
WNRC25115								210.00	216.00	6.00	0.97	5.8	6.0m @ 1.0 g/t
WNRC25115								Incl 213.00	215.00	2.00	1.65	3.3	2.0m @ 1.7 g/t
WNRC25115								223.00	224.00	1.00	0.88	0.9	1.0m @ 0.9 g/t
WNRC25115								229.00	235.00	6.00	0.66	4.0	6.0m @ 0.7 g/t
WNRC25117								76.00	77.00	1.00	1.39	1.4	1.0m @ 1.4 g/t
WNRC25117								86.00	90.00	4.00	0.53	2.1	4.0m @ 0.5 g/t
WNRC25117								119.00	131.00	12.00	2.18	26.2	12.0m @ 2.2 g/t
WNRC25117								Incl 119.00	124.00	5.00	4.11	20.5	5.0m @ 4.1 g/t
WNRC25117								Incl 130.00	131.00	1.00	3.30	3.3	1.0m @ 3.3 g/t
WNRC25117								140.00	141.00	1.00	27.37	27.4	1.0m @ 27.4 g/t
WNRC25117								149.00	153.00	4.00	0.91	3.6	4.0m @ 0.9 g/t
WNRC25117								Incl 149.00	150.00	1.00	1.32	1.3	1.0m @ 1.3 g/t
WNRC25117								Incl 151.00	152.00	1.00	1.07	1.1	1.0m @ 1.1 g/t
WNRC25117								159.00	163.00	4.00	1.38	5.5	4.0m @ 1.4 g/t
WNRC25117	6663135	273408	452.3	80.011	-64.51	300	RC	Incl 160.00	163.00	3.00	1.65	5.0	3.0m @ 1.7 g/t
WNRC25117								175.00	182.00	7.00	0.66	4.6	7.0m @ 0.7 g/t
WNRC25117								Incl 178.00	179.00	1.00	1.34	1.3	1.0m @ 1.3 g/t
WNRC25148								90.00	91.00	1.00	0.55	0.6	1.0m @ 0.6 g/t
WNRC25148								108.00	126.00	18.00	1.00	18.0	18.0m @ 1.0 g/t
WNRC25148								Incl 108.00	125.00	17.00	1.03	17.5	17.0m @ 1.0 g/t
WNRC25148								150.00	152.00	2.00	0.74	1.5	2.0m @ 0.7 g/t
WNRC25148								169.00	173.00	4.00	0.54	2.1	4.0m @ 0.5 g/t
WNRC25148								Incl 169.00	170.00	1.00	1.10	1.1	1.0m @ 1.1 g/t
WNRC25148								180.00	182.00	2.00	0.75	1.5	2.0m @ 0.7 g/t
WNRC25148								201.00	213.00	12.00	1.76	21.2	12.0m @ 1.8 g/t
WNRC25148								Incl 202.00	207.00	5.00	3.38	16.9	5.0m @ 3.4 g/t
WNRC25148	6663141	273443	452.1	79.271	-58.59	234	RC	Incl 212.00	213.00	1.00	1.18	1.2	1.0m @ 1.2 g/t
WNRC25150								58.00	59.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
WNRC25150								63.00	66.00	3.00	0.59	1.8	3.0m @ 0.6 g/t
WNRC25150								73.00	81.00	8.00	4.44	35.5	8.0m @ 4.4 g/t
WNRC25150								Incl 74.00	81.00	7.00	4.99	34.9	7.0m @ 5.0 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
WNRC25150								113.00	122.00	9.00	0.66	5.9	9.0m @ 0.7 g/t
WNRC25150								Incl 113.00	114.00	1.00	2.01	2.0	1.0m @ 2.0 g/t
WNRC25150								Incl 117.00	118.00	1.00	1.08	1.1	1.0m @ 1.1 g/t
WNRC25150								131.00	135.00	4.00	1.08	4.3	4.0m @ 1.1 g/t
WNRC25150								Incl 132.00	133.00	1.00	1.94	1.9	1.0m @ 1.9 g/t
WNRC25150	6663181	273418	452.1	76.731	-63.14	246	RC	157.00	163.00	6.00	0.60	3.6	6.0m @ 0.6 g/t
WNRC25150								Incl 157.00	158.00	1.00	1.43	1.4	1.0m @ 1.4 g/t
WNRC25165								87.00	95.00	8.00	2.90	23.2	8.0m @ 2.9 g/t
WNRC25165								Incl 88.00	95.00	7.00	3.20	22.4	7.0m @ 3.2 g/t
WNRC25165								112.00	114.00	2.00	0.79	1.6	2.0m @ 0.8 g/t
WNRC25165								130.00	134.00	4.00	1.21	4.8	4.0m @ 1.2 g/t
WNRC25165								Incl 130.00	131.00	1.00	3.64	3.6	1.0m @ 3.6 g/t
WNRC25165								156.00	164.00	8.00	7.13	57.0	8.0m @ 7.1 g/t
WNRC25165								Incl 158.00	163.00	5.00	10.96	54.8	5.0m @ 11.0 g/t
WNRC25165								175.00	178.00	3.00	1.29	3.9	3.0m @ 1.3 g/t
WNRC25165	6663200	273459	451.8	84.581	-60.55	204	RC	199.00	205.00	6.00	0.79	4.8	6.0m @ 0.8 g/t
WNRC25165								Incl 199.00	200.00	1.00	1.17	1.2	1.0m @ 1.2 g/t
WNRC25165								Incl 202.00	203.00	1.00	2.14	2.1	1.0m @ 2.1 g/t
WNRC25167								43.00	45.00	2.00	1.21	2.4	2.0m @ 1.2 g/t
WNRC25167								Incl 44.00	45.00	1.00	1.86	1.9	1.0m @ 1.9 g/t
WNRC25167								63.00	64.00	1.00	0.76	0.8	1.0m @ 0.8 g/t
WNRC25167								88.00	97.00	9.00	2.96	26.6	9.0m @ 3.0 g/t
WNRC25167								117.00	119.00	2.00	1.82	3.6	2.0m @ 1.8 g/t
WNRC25167								140.00	147.00	7.00	1.57	11.0	7.0m @ 1.6 g/t
WNRC25167								154.00	155.00	1.00	0.88	0.9	1.0m @ 0.9 g/t
WNRC25189	6663298	273499	449	70	-64	174	RC	17.00	21.00	4.00	0.55	2.2	4.0m @ 0.5 g/t
WNRC25189								44.00	51.00	7.00	0.63	4.4	7.0m @ 0.6 g/t
WNRC25189								Incl 44.00	45.00	1.00	1.39	1.4	1.0m @ 1.4 g/t
WNRC25189								80.00	81.00	1.00	1.40	1.4	1.0m @ 1.4 g/t
WNRC25189								92.00	93.00	1.00	0.89	0.9	1.0m @ 0.9 g/t
WNRC25189								100.00	114.00	14.00	0.84	11.8	14.0m @ 0.8 g/t
WNRC25189								Incl 104.00	110.00	6.00	1.34	8.1	6.0m @ 1.3 g/t
WNRC25191	6663304	273558	449.3	78.571	-66.04	150	RC	0.00	150.00				N.S.I.
WNRC25218	6663404	273431	451	79	-60	228	RC	91.00	92.00	1.00	2.14	2.1	1.0m @ 2.1 g/t
WNRC25218								100.00	110.00	10.00	0.89	8.9	10.0m @ 0.9 g/t
WNRC25218								Incl 100.00	103.00	3.00	1.20	3.6	3.0m @ 1.2 g/t
WNRC25218								Incl 109.00	110.00	1.00	2.48	2.5	1.0m @ 2.5 g/t
WNRC25218								134.00	143.00	9.00	0.67	6.1	9.0m @ 0.7 g/t
WNRC25218								Incl 135.00	136.00	1.00	1.46	1.5	1.0m @ 1.5 g/t
WNRC25218								Incl 139.00	140.00	1.00	1.22	1.2	1.0m @ 1.2 g/t
WNRC25220	6663417	273488	450	79	-60	156	RC	20.00	26.00	6.00	0.53	3.2	6.0m @ 0.5 g/t
WNRC25220								Incl 20.00	21.00	1.00	1.66	1.7	1.0m @ 1.7 g/t
WNRC25220								63.00	65.00	2.00	0.75	1.5	2.0m @ 0.7 g/t
WNRC25220								78.00	79.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
WNRC25222	6663424	273535	448.5	84.271	-60.05	150	RC	0.00	150.00				N.S.I.
WNRC25293	6663173	273565	450.6	78.611	-59.99	102	RC	7.00	8.00	1.00	1.50	1.5	1.0m @ 1.5 g/t
WNRC25293								31.00	34.00	3.00	0.63	1.9	3.0m @ 0.6 g/t
WNRC25293								38.00	39.00	1.00	0.89	0.9	1.0m @ 0.9 g/t
WNRC25293								52.00	55.00	3.00	0.70	2.1	3.0m @ 0.7 g/t
FFGR00005	6664400	273188	445	80	-60	30	RC	16.00	23.00	7.00	0.54	3.8	7.0m @ 0.5 g/t
FFGR00005								Incl 16.00	17.00	1.00	1.50	1.5	1.0m @ 1.5 g/t
FFGR00006	6664401	273193	445.4	80	-60	21	RC	18.00	19.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
FFGR00016								Incl 14.00	15.00	1.00	1.23	1.2	1.0m @ 1.2 g/t
FFGR00067	6664104	273300	447.1	80	-60	12	RC	0.00	12.00				N.S.I.
FFGR00073	6664267	273297	446	80	-60	12	RC	0.00	12.00				N.S.I.
FFGR00074	6664267	273303	446	80	-60	12	RC	0.00	12.00				N.S.I.
FFGR00075	6664268	273307	445	80	-60	12	RC	0.00	12.00				N.S.I.
FFGR00079	6664258	273304	445.7	80	-60	18	RC	0.00	18.00				N.S.I.
FFGR00080	6664258	273309	445.8	80	-60	12	RC	0.00	12.00				N.S.I.
FFGR00081	6664259	273314	446	80	-60	6	RC	0.00	6.00				N.S.I.
FFGR00084	6664249	273311	445.9	80	-60	12	RC	0.00	6.00				N.S.I.
FFGR00085	6664250	273316	446	80	-60	6	RC	0.00	6.00				N.S.I.
FFGR00090	6664238	273308	445.9	80	-60	15	RC	0.00	15.00				N.S.I.
FFGR00091	6664239	273312	446	80	-60	9	RC	0.00	9.00				N.S.I.
FFGR00094	6664133	273290	446.8	80	-60	15	RC	0.00	15.00				N.S.I.
FFGR00095	6664134	273295	446.8	80	-60	12	RC	0.00	12.00				N.S.I.
FFGR00096	6664139	273319	446.9	80	-60	15	RC	1.00	4.00	3.00	2.27	6.8	3.0m @ 2.3 g/t
FFGR00096								14.00	15.00	1.00	0.80	0.8	1.0m @ 0.8 g/t
FFGR00097	6664139	273324	446.7	80	-60	9	RC	0.00	9.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
FFGR00099	6664144	273294	446.6	80	-60	12	RC	0.00	12.00				N.S.I.
FFGR00101	6664145	273304	446.7	80	-60	9	RC	0.00	9.00				N.S.I.
FFGR00102	6664149	273320	447	80	-60	10	RC	0.00	10.00				N.S.I.
FFGR00104	6664150	273328	446.6	80	-60	9	RC	0.00	9.00				N.S.I.
FFGR00108	6664127	273281	446.8	80	-60	12	RC	7.00	9.00	2.00	2.42	4.8	2.0m @ 2.4 g/t
FFGR00108								Incl 8.00	9.00	1.00	4.31	4.3	1.0m @ 4.3 g/t
FFGR00109	6664135	273300	446.8	80	-60	9	RC	0.00	9.00				N.S.I.
FFGR00115	6664102	273285	447.2	80	-60	15	RC	8.00	9.00	1.00	1.08	1.1	1.0m @ 1.1 g/t
FFGR00119	6663646	273464	430	80	-60	10	RC	7.00	10.00	3.00	0.50	1.5	3.0m @ 0.5 g/t
FFGR00123	6664131	273331	446.9	80	-60	15	RC	0.00	15.00				N.S.I.
FFGR00125	6663656	273464	430.4	80	-60	12	RC	9.00	12.00	3.00	1.39	4.2	3.0m @ 1.4 g/t
FFGR00125								Incl 9.00	11.00	2.00	1.78	3.6	2.0m @ 1.8 g/t
FFGR00128	6664140	273330	447	80	-60	15	RC	0.00	15.00				N.S.I.
FFGR00133	6664125	273302	446.9	80	-60	12	RC	0.00	12.00				N.S.I.
FFGR00136	6664129	273322	447	80	-60	15	RC	0.00	15.00				N.S.I.
FFGR00137	6664129	273326	446.8	80	-60	15	RC	7.00	8.00	1.00	0.65	0.7	1.0m @ 0.7 g/t
FFGR00137								14.00	15.00	1.00	1.17	1.2	1.0m @ 1.2 g/t
FFGR00141	6664122	273281	446.8	80	-60	12	RC	0.00	12.00				N.S.I.
FFGR00147	6664111	273282	447	80	-60	12	RC	0.00	12.00				N.S.I.
FFGR00151	6664116	273304	447	80	-60	10	RC	0.00	10.00				N.S.I.
FFGR00156	6664121	273333	447	80	-60	12	RC	0.00	12.00				N.S.I.
FFGR00166	6664103	273290	447.2	80	-60	15	RC	0.00	15.00				N.S.I.
FFGR00231								Incl 47.00	48.00	1.00	1.11	1.1	1.0m @ 1.1 g/t
FFGR00233	6664371	273168	445.8	80	-60	50	RC	29.00	50.00	21.00	1.89	39.6	21.0m @ 1.9 g/t
FFGR00233								Incl 29.00	49.00	20.00	1.95	38.9	20.0m @ 1.9 g/t
FFGR00276	6664294	273194	446	80	-60	36	RC	31.00	36.00	5.00	1.25	6.3	5.0m @ 1.3 g/t
FFGR00276								Incl 33.00	36.00	3.00	1.54	4.6	3.0m @ 1.5 g/t
FFGR00321	6664356	273170	446	80	-60	47	RC	32.00	43.00	11.00	1.70	18.7	11.0m @ 1.7 g/t
FFGR00321								Incl 33.00	43.00	10.00	1.79	17.9	10.0m @ 1.8 g/t
FFGR00337	6664355	273191	445.7	80	-60	26	RC						N.S.I.
FFGR00338	6664356	273196	445.7	80	-60	26	RC						N.S.I.
FFGR00339	6664357	273200	445.6	80	-60	20	RC						N.S.I.
FFGR00349	6664257	273299	446	80	-60	24	RC	22.00	23.00	1.00	0.67	0.7	1.0m @ 0.7 g/t
FFGR00351	6664247	273301	445.9	80	-60	18	RC	0.00	18.00				N.S.I.
FFGR00354	6664237	273303	446	80	-60	20	RC	0.00	20.00				N.S.I.
FFGR00355	6664131	273280	447	80	-60	18	RC	4.00	8.00	4.00	5.21	20.8	4.0m @ 5.2 g/t
FFGR00357	6664142	273283	446.6	80	-60	24	RC	0.00	24.00				N.S.I.
FFGR00358	6664147	273313	447	80	-60	18	RC	9.00	13.00	4.00	2.44	9.8	4.0m @ 2.4 g/t
FFGR00358								Incl 9.00	10.00	1.00	8.19	8.2	1.0m @ 8.2 g/t
FFGR00360	6664144	273273	446.6	80	-60	20	RC	9.00	11.00	2.00	0.74	1.5	2.0m @ 0.7 g/t
FFGR00360								17.00	18.00	1.00	0.81	0.8	1.0m @ 0.8 g/t
FFGR00361	6664119	273323	447	80	-60	20	RC	3.00	6.00	3.00	4.97	14.9	3.0m @ 5.0 g/t
FFGR00361								Incl 5.00	6.00	1.00	14.00	14.0	1.0m @ 14.0 g/t
FFGR00361								17.00	20.00	3.00	2.16	6.5	3.0m @ 2.2 g/t
FFGR00361								Incl 17.00	19.00	2.00	2.87	5.7	2.0m @ 2.9 g/t
FFGR00365								Incl 11.00	17.00	6.00	1.61	9.6	6.0m @ 1.6 g/t
FFGR00366	6664120	273277	447	80	-60	20	RC	14.00	15.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
FFGR00367	6664102	273280	447.1	80	-60	20	RC	13.00	16.00	3.00	1.48	4.4	3.0m @ 1.5 g/t
FFGR00367								Incl 13.00	14.00	1.00	3.57	3.6	1.0m @ 3.6 g/t
FFGR00370	6664111	273279	447.1	80	-60	20	RC	16.00	17.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
FFGR00371	6663675	273455	430.2	80	-60	18	RC	9.00	16.00	7.00	1.42	9.9	7.0m @ 1.4 g/t
FFGR00380	6663644	273451	445.5	80	-60	32	RC	28.00	29.00	1.00	0.61	0.6	1.0m @ 0.6 g/t
FFGR00384								31.00	34.00	3.00	0.92	2.8	3.0m @ 0.9 g/t
FFGR00384								Incl 31.00	32.00	1.00	1.30	1.3	1.0m @ 1.3 g/t
FFGR00384								39.00	45.00	6.00	0.83	5.0	6.0m @ 0.8 g/t
FFGR00384								Incl 40.00	41.00	1.00	2.60	2.6	1.0m @ 2.6 g/t
FFGR00385	6663718	273415	445.2	80	-60	48	RC	45.00	47.00	2.00	1.01	2.0	2.0m @ 1.0 g/t
FFGR00385								Incl 46.00	47.00	1.00	1.48	1.5	1.0m @ 1.5 g/t
FFGR00391								49.00	50.00	1.00	0.78	0.8	1.0m @ 0.8 g/t
FFGR00398								37.00	45.00	8.00	5.10	40.8	8.0m @ 5.1 g/t
FFGR00403	6663733	273379	429.9	80	-60	18	RC	16.00	18.00	2.00	0.60	1.2	2.0m @ 0.6 g/t
FFGR00404	6663840	273356	414	80	-60	18	RC	0.00	18.00				N.S.I.
FFGR00413A	6663842	273366	414.5	80	-60	12	RC	0.00	12.00				N.S.I.
FFGR00419								62.00	72.00	10.00	2.26	22.6	10.0m @ 2.3 g/t
FFGR00420	6663821	273309	444.8	80	-60	32	RC	23.00	30.00	7.00	0.70	4.9	7.0m @ 0.7 g/t
FFGR00421A	6663839	273346	414.4	80	-60	24	RC	7.00	17.00	10.00	1.75	17.5	10.0m @ 1.7 g/t
FFGR00421A								Incl 9.00	10.00	1.00	2.35	2.4	1.0m @ 2.4 g/t
FFGR00421A								Incl 15.00	17.00	2.00	5.69	11.4	2.0m @ 5.7 g/t
FFGR00422	6663806	273306	445	80	-55	84	RC	25.00	39.00	14.00	0.77	10.8	14.0m @ 0.8 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
FFGR00422								Incl 29.00	36.00	7.00	1.01	7.0	7.0m @ 1.0 g/t
FFGR00422								Incl 38.00	39.00	1.00	1.92	1.9	1.0m @ 1.9 g/t
FFGR00422								69.00	79.00	10.00	4.06	40.6	10.0m @ 4.1 g/t
FFGR00422								Incl 70.00	72.00	2.00	16.85	33.7	2.0m @ 16.9 g/t
FFGR00422								Incl 77.00	78.00	1.00	4.30	4.3	1.0m @ 4.3 g/t
FFGR00422A								16.00	18.00	2.00	2.27	4.5	2.0m @ 2.3 g/t
FFGR00423	6663801	273306	444.7	80	-60	35	RC	30.00	33.00	3.00	1.18	3.5	3.0m @ 1.2 g/t
FFGR00423A	6663835	273351	414	80	-60	24	RC	3.00	14.00	11.00	4.82	53.1	11.0m @ 4.8 g/t
FFGR00423A								Incl 3.00	13.00	10.00	5.23	52.3	10.0m @ 5.2 g/t
FFGR00424								9.00	10.00	1.00	2.54	2.5	1.0m @ 2.5 g/t
FFGR00424								20.00	24.00	4.00	1.01	4.0	4.0m @ 1.0 g/t
FFGR00435								29.00	30.00	1.00	1.54	1.5	1.0m @ 1.5 g/t
FFGR00439	6663825	273316	430.5	80	-60	15	RC	7.00	9.00	2.00	2.05	4.1	2.0m @ 2.1 g/t
FFGR00450	6663762	273370	415	80	-60	46	RC	24.00	39.00	15.00	1.49	22.4	15.0m @ 1.5 g/t
FFGR00450								Incl 24.00	33.00	9.00	2.17	19.5	9.0m @ 2.2 g/t
FFGR00450								Incl 38.00	39.00	1.00	1.69	1.7	1.0m @ 1.7 g/t
FFGR00459								52.00	56.00	4.00	0.74	3.0	4.0m @ 0.7 g/t
FFGR00459								Incl 52.00	53.00	1.00	1.20	1.2	1.0m @ 1.2 g/t
FFGR00459								68.00	71.00	3.00	1.01	3.0	3.0m @ 1.0 g/t
FFGR00459								Incl 70.00	71.00	1.00	1.23	1.2	1.0m @ 1.2 g/t
FFGR00461	6663749	273357	429.9	80	-60	34	RC	27.00	31.00	4.00	2.52	10.1	4.0m @ 2.5 g/t
FFGR00463	6663745	273363	430.1	80	-55	30	RC	27.00	28.00	1.00	0.76	0.8	1.0m @ 0.8 g/t
FFGR00464	6663746	273367	430	80	-50	72	RC	48.00	52.00	4.00	3.87	15.5	4.0m @ 3.9 g/t
FFGR00464								58.00	60.00	2.00	0.60	1.2	2.0m @ 0.6 g/t
FFGR00469								29.00	34.00	5.00	3.07	15.4	5.0m @ 3.1 g/t
FFGR00469								Incl 29.00	33.00	4.00	3.67	14.7	4.0m @ 3.7 g/t
FFGR00470								16.00	31.00	15.00	1.13	16.9	15.0m @ 1.1 g/t
FFGR00470								Incl 17.00	19.00	2.00	1.55	3.1	2.0m @ 1.5 g/t
FFGR00470								Incl 25.00	27.00	2.00	4.12	8.2	2.0m @ 4.1 g/t
FFGR00471	6663727	273406	430	80	-60	40	RC	24.00	33.00	9.00	0.62	5.6	9.0m @ 0.6 g/t
FFGR00471								Incl 26.00	28.00	2.00	1.06	2.1	2.0m @ 1.1 g/t
FFGR00471								Incl 32.00	33.00	1.00	1.24	1.2	1.0m @ 1.2 g/t
FFGR00476	6663837	273338	414.4	80	-60	30	RC	17.00	24.00	7.00	2.05	14.4	7.0m @ 2.1 g/t
FFGR00479								26.00	28.00	2.00	0.55	1.1	2.0m @ 0.6 g/t
FFGR00481								15.00	21.00	6.00	1.01	6.1	6.0m @ 1.0 g/t
FFGR00485	6663722	273402	430	80	-60	42	RC	17.00	20.00	3.00	0.56	1.7	3.0m @ 0.6 g/t
FFGR00485								Incl 19.00	20.00	1.00	1.05	1.1	1.0m @ 1.1 g/t
FFGR00485								32.00	40.00	8.00	0.81	6.5	8.0m @ 0.8 g/t
FFGR00485								Incl 32.00	33.00	1.00	3.76	3.8	1.0m @ 3.8 g/t
FFGR00485								Incl 39.00	40.00	1.00	1.08	1.1	1.0m @ 1.1 g/t
FFGR00486	6663716	273402	430	80	-60	45	RC	25.00	26.00	1.00	4.44	4.4	1.0m @ 4.4 g/t
FFGR00486								35.00	39.00	4.00	0.86	3.5	4.0m @ 0.9 g/t
FFGR00486								Incl 38.00	39.00	1.00	1.35	1.4	1.0m @ 1.4 g/t
FFGR00487	6663723	273412	430.1	80	-60	36	RC	16.00	21.00	5.00	0.67	3.3	5.0m @ 0.7 g/t
FFGR00487								26.00	28.00	2.00	1.46	2.9	2.0m @ 1.5 g/t
FFGR00487								33.00	35.00	2.00	1.50	3.0	2.0m @ 1.5 g/t
FFGR00487								Incl 34.00	35.00	1.00	2.24	2.2	1.0m @ 2.2 g/t
FFGR00488								31.00	33.00	2.00	0.88	1.8	2.0m @ 0.9 g/t
FFGR00488								Incl 32.00	33.00	1.00	1.14	1.1	1.0m @ 1.1 g/t
FFGR00492								15.00	24.00	9.00	1.31	11.8	9.0m @ 1.3 g/t
FFGR00492								Incl 21.00	24.00	3.00	3.08	9.2	3.0m @ 3.1 g/t
FFGR00493	6663721	273427	430	80	-60	24	RC	21.00	22.00	1.00	0.94	0.9	1.0m @ 0.9 g/t
FFGR00494								23.00	24.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
FFGR00497								36.00	42.00	6.00	0.99	5.9	6.0m @ 1.0 g/t
FFGR00497								Incl 36.00	37.00	1.00	2.42	2.4	1.0m @ 2.4 g/t
FFGR00497								Incl 40.00	41.00	1.00	1.26	1.3	1.0m @ 1.3 g/t
FFGR00498								21.00	27.00	6.00	1.53	9.2	6.0m @ 1.5 g/t
FFGR00498								Incl 22.00	27.00	5.00	1.66	8.3	5.0m @ 1.7 g/t
FFGR00499								Incl 13.00	24.00	11.00	1.52	16.7	11.0m @ 1.5 g/t
FFGR00501	6663700	273425	430	80	-60	32	RC	21.00	25.00	4.00	5.10	20.4	4.0m @ 5.1 g/t
FFGR00501								Incl 22.00	24.00	2.00	9.57	19.1	2.0m @ 9.6 g/t
FFGR00501								31.00	32.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
FFGR00502								27.00	31.00	4.00	2.36	9.5	4.0m @ 2.4 g/t
FFGR00502								Incl 29.00	31.00	2.00	3.85	7.7	2.0m @ 3.8 g/t
FFGR00503								35.00	37.00	2.00	1.87	3.7	2.0m @ 1.9 g/t
FFGR00509								18.00	23.00	5.00	0.58	2.9	5.0m @ 0.6 g/t
FFGR00509								Incl 18.00	19.00	1.00	1.05	1.1	1.0m @ 1.1 g/t
FFGR00509								Incl 22.00	23.00	1.00	1.11	1.1	1.0m @ 1.1 g/t
FFGR00512	6663680	273434	430.1	80	-60	30	RC	23.00	25.00	2.00	5.66	11.3	2.0m @ 5.7 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
FFGR00516								26.00	27.00	1.00	1.02	1.0	1.0m @ 1.0 g/t
FFGR00516								30.00	31.00	1.00	0.77	0.8	1.0m @ 0.8 g/t
FFGR00518	6663664	273427	430.2	80	-60	24	RC	19.00	21.00	2.00	1.17	2.3	2.0m @ 1.2 g/t
FFGR00518								Incl 20.00	21.00	1.00	1.59	1.6	1.0m @ 1.6 g/t
FFGR00519								26.00	28.00	2.00	1.35	2.7	2.0m @ 1.3 g/t
FFGR00519								33.00	34.00	1.00	0.66	0.7	1.0m @ 0.7 g/t
FFGR00522	6663659	273428	430.2	80	-60	22	RC	20.00	22.00	2.00	1.01	2.0	2.0m @ 1.0 g/t
FFGR00522								Incl 21.00	22.00	1.00	1.43	1.4	1.0m @ 1.4 g/t
FFGR00523	6663662	273443	430	80	-60	30	RC	17.00	18.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
FFGR00523								23.00	26.00	3.00	2.80	8.4	3.0m @ 2.8 g/t
FFGR00523								Incl 24.00	25.00	1.00	7.06	7.1	1.0m @ 7.1 g/t
FFGR00524								17.00	24.00	7.00	0.66	4.6	7.0m @ 0.7 g/t
FFGR00525								27.00	31.00	4.00	0.70	2.8	4.0m @ 0.7 g/t
FFGR00525								Incl 29.00	31.00	2.00	1.04	2.1	2.0m @ 1.0 g/t
FFGR00526								23.00	24.00	1.00	4.13	4.1	1.0m @ 4.1 g/t
FFGR00528								23.00	24.00	1.00	0.75	0.8	1.0m @ 0.8 g/t
FFGR00530								24.00	29.00	5.00	1.75	8.8	5.0m @ 1.8 g/t
FFGR00530								Incl 27.00	28.00	1.00	6.12	6.1	1.0m @ 6.1 g/t
FFGR00535	6664131	273276	447	80	-60	24	RC	11.00	13.00	2.00	0.76	1.5	2.0m @ 0.8 g/t
FFGR00536	6664138	273275	446.7	80	-60	20	RC	10.00	17.00	7.00	1.35	9.5	7.0m @ 1.4 g/t
FFGR00537	6664139	273280	446.7	80	-60	20	RC	3.00	8.00	5.00	3.15	15.8	5.0m @ 3.2 g/t
FFGR00537								Incl 4.00	6.00	2.00	7.07	14.1	2.0m @ 7.1 g/t
FFGR00538	6664126	273276	447	80	-60	20	RC	15.00	17.00	2.00	3.51	7.0	2.0m @ 3.5 g/t
FFGR00539	6664138	273315	446.8	80	-60	24	RC	10.00	14.00	4.00	1.92	7.7	4.0m @ 1.9 g/t
FFGR00539								Incl 10.00	11.00	1.00	6.12	6.1	1.0m @ 6.1 g/t
FFGR00540	6664114	273324	447.1	80	-60	24	RC	18.00	24.00	6.00	0.54	3.3	6.0m @ 0.5 g/t
FFGR00540								Incl 22.00	23.00	1.00	1.19	1.2	1.0m @ 1.2 g/t
FFGR00541	6664118	273318	447.1	80	-60	30	RC	11.00	12.00	1.00	0.81	0.8	1.0m @ 0.8 g/t
FFGR00541								23.00	24.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
FFGR00542	6664120	273328	447.1	80	-60	18	RC	8.00	9.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
FFGR00542								13.00	15.00	2.00	0.76	1.5	2.0m @ 0.8 g/t
FFGR00559								Incl 22.00	23.00	1.00	2.46	2.5	1.0m @ 2.5 g/t
FFGR00562	6664148	273317	446.7	80	-60	22	RC	2.00	3.00	1.00	2.26	2.3	1.0m @ 2.3 g/t
FFGR00597	6663799	273348	414.7	80	-60	24	RC	13.00	24.00	11.00	1.21	13.3	11.0m @ 1.2 g/t
FFGR00597								Incl 14.00	21.00	7.00	1.53	10.7	7.0m @ 1.5 g/t
FFGR00598	6663828	273343	414.4	80	-60	36	RC	14.00	24.00	10.00	2.28	22.8	10.0m @ 2.3 g/t
FFGR00598								Incl 14.00	16.00	2.00	2.94	5.9	2.0m @ 2.9 g/t
FFGR00598								Incl 22.00	24.00	2.00	6.72	13.4	2.0m @ 6.7 g/t
FFGR00600								Incl 11.00	18.00	7.00	1.58	11.0	7.0m @ 1.6 g/t
FFGR00600								Incl 23.00	26.00	3.00	5.06	15.2	3.0m @ 5.1 g/t
FFGR00600								33.00	35.00	2.00	0.72	1.4	2.0m @ 0.7 g/t
FFGR00602	6663838	273341	414	80	-60	30	RC	9.00	21.00	12.00	1.92	23.0	12.0m @ 1.9 g/t
FFGR00604	6663834	273347	414	80	-60	30	RC	0.00	17.00	17.00	0.99	16.9	17.0m @ 1.0 g/t
FFGR00604								Incl 9.00	17.00	8.00	1.66	13.3	8.0m @ 1.7 g/t
FFGR00604								29.00	30.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
FFGR00612	6663827	273337	414.5	80	-60	40	RC	13.00	29.00	16.00	12.98	207.7	16.0m @ 13.0 g/t
FFGR00612								Incl 19.00	29.00	10.00	20.57	205.7	10.0m @ 20.6 g/t
FFGR00614	6663798	273343	414.9	80	-60	40	RC	19.00	35.00	16.00	29.49	471.9	16.0m @ 29.5 g/t
FFGR00614								Incl 20.00	33.00	13.00	36.18	470.3	13.0m @ 36.2 g/t
FFGR00615								29.00	30.00	1.00	2.46	2.5	1.0m @ 2.5 g/t
FFGR00616	6663789	273350	415	80	-60	40	RC	21.00	28.00	7.00	1.51	10.6	7.0m @ 1.5 g/t
FFGR00616								Incl 22.00	28.00	6.00	1.63	9.8	6.0m @ 1.6 g/t
FFGR00616								34.00	35.00	1.00	0.95	1.0	1.0m @ 1.0 g/t
FFGR00617	6663779	273355	415	80	-60	40	RC	18.00	19.00	1.00	0.73	0.7	1.0m @ 0.7 g/t
FFGR00617								28.00	40.00	12.00	0.51	6.2	12.0m @ 0.5 g/t
FFGR00617								Incl 28.00	29.00	1.00	1.29	1.3	1.0m @ 1.3 g/t
FFGR00617								Incl 34.00	35.00	1.00	2.59	2.6	1.0m @ 2.6 g/t
FFGR00617								Incl 39.00	40.00	1.00	1.40	1.4	1.0m @ 1.4 g/t
FFGR00620	6663806	273336	416.3	80	-60	46	RC	23.00	36.00	13.00	3.74	48.6	13.0m @ 3.7 g/t
FFGR00620								Incl 24.00	36.00	12.00	3.98	47.8	12.0m @ 4.0 g/t
FFGR00621								26.00	28.00	2.00	1.20	2.4	2.0m @ 1.2 g/t
FFGR00621								Incl 26.00	27.00	1.00	1.67	1.7	1.0m @ 1.7 g/t
FFGR00621								38.00	46.00	8.00	4.04	32.3	8.0m @ 4.0 g/t
FFGR00622	6663778	273351	415.2	80	-60	46	RC	25.00	26.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
FFGR00622								32.00	35.00	3.00	0.66	2.0	3.0m @ 0.7 g/t
FFGR00622								40.00	46.00	6.00	3.32	19.9	6.0m @ 3.3 g/t
FFGR00622								Incl 40.00	45.00	5.00	3.88	19.4	5.0m @ 3.9 g/t
FFGR00623	6663769	273359	415.1	80	-60	46	RC	21.00	23.00	2.00	0.79	1.6	2.0m @ 0.8 g/t
FFGR00623								44.00	46.00	2.00	0.65	1.3	2.0m @ 0.7 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
FFGR00624	6663753	273379	415.4	80	-70	46	RC	27.00	30.00	3.00	1.07	3.2	3.0m @ 1.1 g/t
FFGR00624								42.00	44.00	2.00	1.49	3.0	2.0m @ 1.5 g/t
FFGR00625	6663754	273381	416	80	-60	46	RC	21.00	25.00	4.00	1.63	6.5	4.0m @ 1.6 g/t
FFGR00625								33.00	36.00	3.00	1.11	3.3	3.0m @ 1.1 g/t
FFGR00625								Incl 33.00	34.00	1.00	2.26	2.3	1.0m @ 2.3 g/t
FFLIDD2301	6664093	273320	446.6	197.57	-50.58	203.6	DDH	49.00	51.00	2.00	1.14	2.3	2.0m @ 1.1 g/t
FFLIDD2301								Incl 49.00	50.00	1.00	1.66	1.7	1.0m @ 1.7 g/t
FFLIDD2301								71.60	88.00	16.40	0.58	9.4	16.4m @ 0.6 g/t
FFLIDD2301								Incl 77.00	79.00	2.00	1.76	3.5	2.0m @ 1.8 g/t
FFLIDD2301								Incl 86.00	87.00	1.00	1.18	1.2	1.0m @ 1.2 g/t
FFLIDD2301								101.00	105.00	4.00	0.67	2.7	4.0m @ 0.7 g/t
FFLIDD2302	6664152	273252	445.9	198.82	-50	199.7	DDH	47.00	48.00	1.00	0.60	0.6	1.0m @ 0.6 g/t
FFLIDD2302								94.00	95.00	1.00	98.77	98.8	1.0m @ 98.8 g/t
FFLIDD2303	6664185	273351	445.4	198.82	-65	306.2	DDH	79.00	80.00	1.00	0.59	0.6	1.0m @ 0.6 g/t
FFLIDD2303								100.00	107.00	7.00	1.07	7.5	7.0m @ 1.1 g/t
FFLIDD2303								Incl 104.00	107.00	3.00	2.05	6.1	3.0m @ 2.0 g/t
FFLIDD2304	6664091	273389	446	250.95	-60.5	182.8	DDH	24.00	25.00	1.00	1.27	1.3	1.0m @ 1.3 g/t
FFLIDD2304								28.00	31.80	3.80	0.51	1.9	3.8m @ 0.5 g/t
FFLIDD2304								66.00	67.00	1.00	0.90	0.9	1.0m @ 0.9 g/t
FFLIDD2304								79.00	83.00	4.00	3.47	13.9	4.0m @ 3.5 g/t
FFLIDD2304								Incl 81.00	83.00	2.00	6.39	12.8	2.0m @ 6.4 g/t
FFLIDD2304								127.00	129.00	2.00	3.54	7.1	2.0m @ 3.5 g/t
FFLIDD2305	6664334	273060	445.8	250.37	-65.09	240.3	DDH	0.80	240.30				N.S.I.
FFLIDD2306	6664121	273472	445	248	-61	304	DDH	247.00	248.00	1.00	0.72	0.7	1.0m @ 0.7 g/t
FFLIDD2307	6664118	273473	444.7	207.22	-50.98	246.2	DDH	1.80	246.20				N.S.I.
FFLIDD2308	6663688	273254	448.1	31.194	-50.2	255.5	DDH	10.00	11.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
FFLIDD2308								56.00	57.00	1.00	1.74	1.7	1.0m @ 1.7 g/t
FFLIDD2308								98.00	99.00	1.00	1.05	1.0	1.0m @ 1.0 g/t
FFLIDD2308								102.00	103.00	1.00	0.94	0.9	1.0m @ 0.9 g/t
FFLIDD2308								146.70	153.00	6.30	0.68	4.3	6.3m @ 0.7 g/t
FFLIDD2308								Incl 146.70	149.00	2.30	1.04	2.4	2.3m @ 1.0 g/t
FFLIDD2308								Incl 152.00	153.00	1.00	1.30	1.3	1.0m @ 1.3 g/t
FFLIDD2308								207.00	209.00	2.00	3.29	6.6	2.0m @ 3.3 g/t
FFLIDD2309	6664018	273197	447.6	70.882	-50.79	318	DDH	60.00	66.26	6.26	1.20	7.5	6.3m @ 1.2 g/t
FFLIDD2309								104.70	109.12	4.42	5.15	22.8	4.4m @ 5.2 g/t
FFLIDD2309								130.00	133.06	3.06	0.51	1.6	3.1m @ 0.5 g/t
FFLIDD2309								177.75	187.00	9.25	0.78	7.2	9.3m @ 0.8 g/t
FFLIDD2309								Incl 182.00	187.00	5.00	1.08	5.4	5.0m @ 1.1 g/t
FFLIDD2309								192.00	204.87	12.87	0.80	10.3	12.9m @ 0.8 g/t
FFLIDD2309								Incl 192.00	193.00	1.00	2.37	2.4	1.0m @ 2.4 g/t
FFLIDD2309								Incl 197.68	204.36	6.68	1.01	6.7	6.7m @ 1.0 g/t
FFLIDD2309								219.10	222.38	3.28	1.09	3.6	3.3m @ 1.1 g/t
FFRC001								41.00	55.00	14.00	1.62	22.6	14.0m @ 1.6 g/t
FFRC001								Incl 47.00	52.00	5.00	3.84	19.2	5.0m @ 3.8 g/t
FFRC002	6663883	273299	448	80	-60	81	RC	49.00	55.00	6.00	0.83	5.0	6.0m @ 0.8 g/t
FFRC002								Incl 49.00	50.00	1.00	1.46	1.5	1.0m @ 1.5 g/t
FFRC002								73.00	75.00	2.00	1.39	2.8	2.0m @ 1.4 g/t
FFRC002								Incl 73.00	74.00	1.00	2.27	2.3	1.0m @ 2.3 g/t
FFRC003	6663984	273273	448	80	-60	55	RC	34.00	37.00	3.00	1.88	5.6	3.0m @ 1.9 g/t
FFRC003								Incl 34.00	36.00	2.00	2.50	5.0	2.0m @ 2.5 g/t
FFRC004	6663981	273296	447	80	-60	80	RC	20.00	28.00	8.00	0.91	7.3	8.0m @ 0.9 g/t
FFRC004								Incl 20.00	25.00	5.00	1.29	6.4	5.0m @ 1.3 g/t
FFRC004								50.00	51.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
FFRC005	6664079	273283	448	80	-60	71	RC	0.00	71.00				N.S.I.
FFRC006	6664084	273298	448	80	-60	60	RC	28.00	32.00	4.00	0.91	3.7	4.0m @ 0.9 g/t
FFRC006								Incl 28.00	29.00	1.00	2.04	2.0	1.0m @ 2.0 g/t
FFRC007	6664182	273277	446.6	80	-60	75	RC	23.00	25.00	2.00	1.13	2.3	2.0m @ 1.1 g/t
FFRC007								Incl 24.00	25.00	1.00	1.68	1.7	1.0m @ 1.7 g/t
FFRC007								33.00	34.00	1.00	0.62	0.6	1.0m @ 0.6 g/t
FFRC007								37.00	38.00	1.00	0.74	0.7	1.0m @ 0.7 g/t
FFRC007								57.00	58.00	1.00	0.63	0.6	1.0m @ 0.6 g/t
FFRC007								72.00	73.00	1.00	0.82	0.8	1.0m @ 0.8 g/t
FFRC008	6664268	273182	445.9	80	-60	60	RC	44.00	53.00	9.00	2.80	25.2	9.0m @ 2.8 g/t
FFRC008								Incl 45.00	53.00	8.00	3.05	24.4	8.0m @ 3.0 g/t
FFRC009	6664277	273254	445.7	80	-60	76	RC	49.00	50.00	1.00	16.40	16.4	1.0m @ 16.4 g/t
FFRC013								65.00	66.00	1.00	0.71	0.7	1.0m @ 0.7 g/t
FFRC014	6664464	273147	445.1	80	-60	44	RC	0.00	44.00				N.S.I.
FFRC015	6664479	273243	444.1	80	-60	61	RC	47.00	49.00	2.00	2.79	5.6	2.0m @ 2.8 g/t
FFRC015								Incl 47.00	48.00	1.00	4.68	4.7	1.0m @ 4.7 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
FFRC016	6663871	273241	449	81	-60	150	RC	81.00	82.00	1.00	0.69	0.7	1.0m @ 0.7 g/t
FFRC016	6663827	273290	448.4	79	-50	120	RC	111.00	119.00	8.00	11.10	88.8	8.0m @ 11.1 g/t
FFRC017								26.00	27.00	1.00	6.64	6.6	1.0m @ 6.6 g/t
FFRC017								38.00	39.00	1.00	0.61	0.6	1.0m @ 0.6 g/t
FFRC017								42.00	45.00	3.00	0.54	1.6	3.0m @ 0.5 g/t
FFRC017								53.00	54.00	1.00	0.55	0.6	1.0m @ 0.6 g/t
FFRC018								69.00	70.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
FFRC018								86.00	93.00	7.00	6.40	44.8	7.0m @ 6.4 g/t
FFRC019	6663753	273300	448	76	-50	130	RC	95.00	105.00	10.00	3.05	30.5	10.0m @ 3.1 g/t
FFRC019	6663732	273318	448.1	80	-50	138	RC	121.00	123.00	2.00	3.58	7.2	2.0m @ 3.6 g/t
FFRC020								46.00	50.00	4.00	0.63	2.5	4.0m @ 0.6 g/t
FFRC020								69.00	85.00	16.00	0.79	12.6	16.0m @ 0.8 g/t
FFRC020								Incl 71.00	78.00	7.00	1.00	7.0	7.0m @ 1.0 g/t
FFRC020								Incl 80.00	81.00	1.00	1.32	1.3	1.0m @ 1.3 g/t
FFRC020								90.00	99.00	9.00	2.09	18.8	9.0m @ 2.1 g/t
FFRC020								Incl 95.00	99.00	4.00	4.40	17.6	4.0m @ 4.4 g/t
FFRC020								104.00	105.00	1.00	1.48	1.5	1.0m @ 1.5 g/t
FFRC020								113.00	118.00	5.00	3.66	18.3	5.0m @ 3.7 g/t
FFRC020	6663710	273338	448	79	-50	130	RC	Incl 113.00	115.00	2.00	8.75	17.5	2.0m @ 8.8 g/t
FFRC020								135.00	136.00	1.00	1.73	1.7	1.0m @ 1.7 g/t
FFRC021								53.00	54.00	1.00	1.09	1.1	1.0m @ 1.1 g/t
FFRC021								71.00	74.00	3.00	0.60	1.8	3.0m @ 0.6 g/t
FFRC021								98.00	100.00	2.00	1.12	2.2	2.0m @ 1.1 g/t
FFRC021								Incl 99.00	100.00	1.00	1.57	1.6	1.0m @ 1.6 g/t
FFRC021	6663692	273374	447.6	77	-61	108	RC	108.00	110.00	2.00	0.98	2.0	2.0m @ 1.0 g/t
FFRC021								Incl 109.00	110.00	1.00	1.22	1.2	1.0m @ 1.2 g/t
FFRC022								49.00	54.00	5.00	0.51	2.5	5.0m @ 0.5 g/t
FFRC022								Incl 53.00	54.00	1.00	1.33	1.3	1.0m @ 1.3 g/t
FFRC022								83.00	86.00	3.00	8.96	26.9	3.0m @ 9.0 g/t
FFRC022								Incl 83.00	84.00	1.00	25.90	25.9	1.0m @ 25.9 g/t
FFRC025	6664303	273168	446.1	78	-60	90	RC	60.00	61.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
FFRC025	6664229	273220	446.1	81	-60	50	RC	88.00	89.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
FFRC026								45.00	49.00	4.00	1.69	6.8	4.0m @ 1.7 g/t
FFRC026								Incl 46.00	49.00	3.00	2.04	6.1	3.0m @ 2.0 g/t
FFRC027	6664227	273200	446.3	77	-61	60	RC	37.00	42.00	5.00	1.68	8.4	5.0m @ 1.7 g/t
FFRC027	6664217	273179	446.8	78	-60	90	RC	Incl 40.00	42.00	2.00	3.27	6.5	2.0m @ 3.3 g/t
FFRC027								54.00	55.00	1.00	0.81	0.8	1.0m @ 0.8 g/t
FFRC028								0.00	90.00				N.S.I.
FFRC029	6663919	273283	448.7	80	-60	100	RC	56.00	67.00	11.00	0.54	6.0	11.0m @ 0.5 g/t
FFRC029	6663908	273214	448	80	-60	168	RC	Incl 57.00	58.00	1.00	1.35	1.4	1.0m @ 1.4 g/t
FFRC030								87.00	88.00	1.00	0.72	0.7	1.0m @ 0.7 g/t
FFRC030								112.00	113.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
FFRC030								128.00	133.00	5.00	1.12	5.6	5.0m @ 1.1 g/t
FFRC030								Incl 129.00	130.00	1.00	3.03	3.0	1.0m @ 3.0 g/t
FFRC031	6663868	273221	449	80	-60	150	RC	100.00	107.00	7.00	2.30	16.1	7.0m @ 2.3 g/t
FFRC031								Incl 100.00	106.00	6.00	2.58	15.5	6.0m @ 2.6 g/t
FFRC031								127.00	133.00	6.00	2.62	15.7	6.0m @ 2.6 g/t
FFRC031								Incl 128.00	133.00	5.00	2.98	14.9	5.0m @ 3.0 g/t
FFRC032								46.00	47.00	1.00	0.96	1.0	1.0m @ 1.0 g/t
FFRC034								51.00	54.00	3.00	1.42	4.3	3.0m @ 1.4 g/t
FFRC034								65.00	68.00	3.00	0.58	1.7	3.0m @ 0.6 g/t
FFRC035								48.00	55.00	7.00	1.28	8.9	7.0m @ 1.3 g/t
FFRC035								61.00	67.00	6.00	0.66	3.9	6.0m @ 0.7 g/t
FFRC035								Incl 61.00	62.00	1.00	1.51	1.5	1.0m @ 1.5 g/t
FFRC035								83.00	84.00	1.00	0.64	0.6	1.0m @ 0.6 g/t
FFRC035								96.00	97.00	1.00	1.38	1.4	1.0m @ 1.4 g/t
FFRC035								115.00	116.00	1.00	1.61	1.6	1.0m @ 1.6 g/t
FFRC036								73.00	74.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
FFRC036								84.00	93.00	9.00	1.38	12.4	9.0m @ 1.4 g/t
FFRC036								104.00	105.00	1.00	0.73	0.7	1.0m @ 0.7 g/t
FFRC037	6663828	273307	448.5	84.28	-50.1	96	RC	64.00	68.00	4.00	0.57	2.3	4.0m @ 0.6 g/t
FFRC038								64.00	72.00	8.00	3.48	27.9	8.0m @ 3.5 g/t
FFRC038								84.00	86.00	2.00	0.89	1.8	2.0m @ 0.9 g/t
FFRC039	6663870	273335	448.3	81.38	-49.8	55	RC	29.00	36.00	7.00	1.04	7.3	7.0m @ 1.0 g/t
FFRC039								Incl 33.00	36.00	3.00	1.70	5.1	3.0m @ 1.7 g/t
FFRC040								Incl 46.00	48.00	2.00	1.65	3.3	2.0m @ 1.7 g/t
FFRC042	6663909	273321	448.5	79.28	-60.4	48	RC	18.00	27.00	9.00	0.63	5.7	9.0m @ 0.6 g/t
FFRC042	6663924	273300	448.6	80.88	-60.1	60	RC	Incl 20.00	21.00	1.00	1.02	1.0	1.0m @ 1.0 g/t
FFRC044								40.00	51.00	11.00	0.64	7.0	11.0m @ 0.6 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
FFRC044	6663959	273289	448.6	81.78	-60.4	60	RC	Incl 40.00	41.00	1.00	1.71	1.7	1.0m @ 1.7 g/t
FFRC044								Incl 45.00	46.00	1.00	1.76	1.8	1.0m @ 1.8 g/t
FFRC046								43.00	48.00	5.00	1.69	8.5	5.0m @ 1.7 g/t
FFRC046								Incl 43.00	47.00	4.00	1.88	7.5	4.0m @ 1.9 g/t
FFRC047								29.00	38.00	9.00	0.99	8.9	9.0m @ 1.0 g/t
FFRC048								49.00	50.00	1.00	1.65	1.7	1.0m @ 1.7 g/t
FFRC048								66.00	68.00	2.00	0.92	1.8	2.0m @ 0.9 g/t
FFRC048								Incl 66.00	67.00	1.00	1.03	1.0	1.0m @ 1.0 g/t
FFRC048								76.00	77.00	1.00	1.13	1.1	1.0m @ 1.1 g/t
FFRC049	6663657	273410	448	80.43	-59.9	84	RC	Incl 36.00	38.00	2.00	11.48	23.0	2.0m @ 11.5 g/t
FFRC049								57.00	58.00	1.00	1.14	1.1	1.0m @ 1.1 g/t
FFRC050								53.00	54.00	1.00	1.00	1.0	1.0m @ 1.0 g/t
FFRC050								69.00	70.00	1.00	0.92	0.9	1.0m @ 0.9 g/t
FFRC050								80.00	82.00	2.00	0.63	1.3	2.0m @ 0.6 g/t
FFRC052								37.00	45.00	8.00	0.73	5.9	8.0m @ 0.7 g/t
FFRC052								Incl 37.00	38.00	1.00	2.74	2.7	1.0m @ 2.7 g/t
FFRC052								Incl 44.00	45.00	1.00	1.80	1.8	1.0m @ 1.8 g/t
FFRC052	6663803	273299	448.9	82.11	-58.15	100	RC	57.00	58.00	1.00	0.80	0.8	1.0m @ 0.8 g/t
FFRC052								79.00	87.00	8.00	1.27	10.1	8.0m @ 1.3 g/t
FFRC052								Incl 79.00	80.00	1.00	6.88	6.9	1.0m @ 6.9 g/t
FFRC052								92.00	98.00	6.00	2.02	12.1	6.0m @ 2.0 g/t
FFRC052								Incl 95.00	96.00	1.00	10.50	10.5	1.0m @ 10.5 g/t
FFRC053								58.00	61.00	3.00	0.95	2.9	3.0m @ 1.0 g/t
FFRC053								Incl 58.00	59.00	1.00	2.03	2.0	1.0m @ 2.0 g/t
FFRC053								71.00	74.00	3.00	0.71	2.1	3.0m @ 0.7 g/t
FFRC053	6663825	273271	448.7	79.4	-59.81	126	RC	Incl 73.00	74.00	1.00	1.44	1.4	1.0m @ 1.4 g/t
FFRC053								98.00	102.00	4.00	1.13	4.5	4.0m @ 1.1 g/t
FFRC053								Incl 98.00	101.00	3.00	1.29	3.9	3.0m @ 1.3 g/t
FFRC055								31.00	37.00	6.00	0.53	3.2	6.0m @ 0.5 g/t
FFRC055								Incl 31.00	32.00	1.00	1.11	1.1	1.0m @ 1.1 g/t
FFRC055								69.00	83.00	14.00	2.84	39.7	14.0m @ 2.8 g/t
FFRC055								Incl 70.00	83.00	13.00	3.00	39.0	13.0m @ 3.0 g/t
FFRC056								6.00	7.00	1.00	0.82	0.8	1.0m @ 0.8 g/t
FFRC057	6664139	273331	446.9	80	-60	20	RC	2.00	16.00	14.00	4.61	64.5	14.0m @ 4.6 g/t
FFRC057	6664140	273319	446.8	80.63	-59.73	25	RC	Incl 2.00	5.00	3.00	19.36	58.1	3.0m @ 19.4 g/t
FFRC057								Incl 13.00	15.00	2.00	1.24	2.5	2.0m @ 1.2 g/t
FFRC058	6664130	273275	446	80	-60	35	RC	12.00	16.00	4.00	1.38	5.5	4.0m @ 1.4 g/t
FFRC058								Incl 13.00	14.00	1.00	3.40	3.4	1.0m @ 3.4 g/t
FFRC059	6664160	273280	446.5	79.55	-59.43	35	RC	31.00	32.00	1.00	2.87	2.9	1.0m @ 2.9 g/t
FFRC060	6664283	273292	445.5	79.74	-60	25	RC	0.00	25.00				N.S.I.
FFRC061	6664281	273273	445.7	82.19	-59.35	50	RC	28.00	29.00	1.00	1.35	1.4	1.0m @ 1.4 g/t
FFRC063	6664324	273172	445.1	80	-60	55	RC	34.00	50.00	16.00	1.35	21.6	16.0m @ 1.3 g/t
FFRC063								Incl 38.00	47.00	9.00	1.99	17.9	9.0m @ 2.0 g/t
FFRC065	6664420	273192	445	78	-59	35	RC	0.00	35.00				N.S.I.
FFRC066	6664362	273163	445.1	82.22	-59.42	55	RC	35.00	48.00	13.00	1.66	21.5	13.0m @ 1.7 g/t
FFRC067	6664321	273158	445.5	80.55	-60.43	70	RC	53.00	65.00	12.00	1.08	13.0	12.0m @ 1.1 g/t
FFRC067								Incl 56.00	62.00	6.00	1.61	9.7	6.0m @ 1.6 g/t
FFRC068	6664260	273160	446	80	-61	80	RC	69.00	80.00	11.00	2.15	23.7	11.0m @ 2.2 g/t
FFRC068	6664216	273300	446.1	79.32	-59.76	48	RC	Incl 69.00	79.00	10.00	2.32	23.2	10.0m @ 2.3 g/t
FFRC069								23.00	24.00	1.00	1.15	1.2	1.0m @ 1.2 g/t
FFRC069								42.00	44.00	2.00	0.95	1.9	2.0m @ 1.0 g/t
FFRC069								Incl 43.00	44.00	1.00	1.23	1.2	1.0m @ 1.2 g/t
FFRC070	6663881	273296	449	79	-61	100	RC	28.00	29.00	1.00	0.63	0.6	1.0m @ 0.6 g/t
FFRC070								41.00	44.00	3.00	0.51	1.5	3.0m @ 0.5 g/t
FFRC071	6663911	273231	449	77	-59	138	RC	35.00	36.00	1.00	0.58	0.6	1.0m @ 0.6 g/t
FFRC071								64.00	65.00	1.00	4.36	4.4	1.0m @ 4.4 g/t
FFRC071								72.00	73.00	1.00	0.83	0.8	1.0m @ 0.8 g/t
FFRC071								89.00	91.00	2.00	1.92	3.8	2.0m @ 1.9 g/t
FFRC071								108.00	111.00	3.00	0.63	1.9	3.0m @ 0.6 g/t
FFRC071								131.00	132.00	1.00	0.83	0.8	1.0m @ 0.8 g/t
FFRC072								72.00	74.00	2.00	1.11	2.2	2.0m @ 1.1 g/t
FFRC072								85.00	86.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
FFRC072	6664214	273289	446	80	-60	45	RC	88.00	89.00	1.00	0.77	0.8	1.0m @ 0.8 g/t
FFRC072								103.00	111.00	8.00	4.72	37.7	8.0m @ 4.7 g/t
FFRC073								16.00	18.00	2.00	0.98	2.0	2.0m @ 1.0 g/t
FFRC073								Incl 17.00	18.00	1.00	1.30	1.3	1.0m @ 1.3 g/t
FFRC074	6663899	273361	448	80	-50	42	RC	28.00	29.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
FFRC076								52.00	53.00	1.00	0.97	1.0	1.0m @ 1.0 g/t
FFRC076								70.00	85.00	15.00	7.95	119.2	15.0m @ 7.9 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
FFRC076								Incl 70.00	84.00	14.00	8.46	118.5	14.0m @ 8.5 g/t
FFRC076								101.00	102.00	1.00	0.70	0.7	1.0m @ 0.7 g/t
FFRC080	6664391	273169	445	80	-60	60	RC	41.00	50.00	9.00	1.95	17.6	9.0m @ 2.0 g/t
FFRC080								Incl 42.00	50.00	8.00	2.11	16.9	8.0m @ 2.1 g/t
FFRC081	6664234	273236	446	81	-60	40	RC	0.00	40.00				N.S.I.
FFRC082	6664231	273210	446	80	-60	66	RC	56.00	65.00	9.00	0.88	7.9	9.0m @ 0.9 g/t
FFRC082								Incl 56.00	61.00	5.00	1.20	6.0	5.0m @ 1.2 g/t
FFRC082								Incl 64.00	65.00	1.00	1.38	1.4	1.0m @ 1.4 g/t
FFRC084	6663678	273424	448	80	-60	72	RC	45.00	46.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
FFRC085								64.00	65.00	1.00	1.25	1.3	1.0m @ 1.3 g/t
FFRC087								27.00	28.00	1.00	0.60	0.6	1.0m @ 0.6 g/t
FFRC089								46.00	53.00	7.00	0.87	6.1	7.0m @ 0.9 g/t
FFRC089								Incl 46.00	48.00	2.00	1.80	3.6	2.0m @ 1.8 g/t
FFRC089								Incl 52.00	53.00	1.00	1.61	1.6	1.0m @ 1.6 g/t
FFRC090								19.00	20.00	1.00	1.04	1.0	1.0m @ 1.0 g/t
FFRC091	6664414	273153	445	79	-60	75	RC	55.00	68.00	13.00	3.10	40.2	13.0m @ 3.1 g/t
FFRC091								Incl 55.00	67.00	12.00	3.30	39.6	12.0m @ 3.3 g/t
FFRC092	6664407	273179	445	80	-60	40	RC	23.00	34.00	11.00	0.83	9.1	11.0m @ 0.8 g/t
FFRC092								Incl 23.00	24.00	1.00	1.01	1.0	1.0m @ 1.0 g/t
FFRC092								Incl 28.00	33.00	5.00	1.33	6.7	5.0m @ 1.3 g/t
FFRC093	6664393	273152	446	80	-60	80	RC	0.00	80.00				N.S.I.
FFRC094	6664378	273163	445	81	-60	60	RC	38.00	55.00	17.00	2.91	49.4	17.0m @ 2.9 g/t
FFRC094								Incl 39.00	55.00	16.00	3.03	48.5	16.0m @ 3.0 g/t
FFRC095	6664375	273149	445	79	-60	85	RC	55.00	71.00	16.00	1.48	23.6	16.0m @ 1.5 g/t
FFRC095								Incl 56.00	70.00	14.00	1.56	21.8	14.0m @ 1.6 g/t
FFRC095								78.00	79.00	1.00	1.78	1.8	1.0m @ 1.8 g/t
FFRC096								42.00	58.00	16.00	2.23	35.6	16.0m @ 2.2 g/t
FFRC096								Incl 44.00	58.00	14.00	2.48	34.7	14.0m @ 2.5 g/t
FFRC097	6664362	273144	445	80	-60	75	RC	59.00	73.00	14.00	4.17	58.4	14.0m @ 4.2 g/t
FFRC097								Incl 62.00	72.00	10.00	5.54	55.4	10.0m @ 5.5 g/t
FFRC098	6664353	273158	446	79	-60	70	RC	44.00	57.00	13.00	1.26	16.4	13.0m @ 1.3 g/t
FFRC098								Incl 48.00	57.00	9.00	1.50	13.5	9.0m @ 1.5 g/t
FFRC098								62.00	63.00	1.00	3.83	3.8	1.0m @ 3.8 g/t
FFRC099	6664338	273154	445	78	-60	80	RC	60.00	67.00	7.00	1.03	7.2	7.0m @ 1.0 g/t
FFRC099								Incl 61.00	65.00	4.00	1.35	5.4	4.0m @ 1.3 g/t
FFRC100	6664334	273166	445	79	-60	75	RC	42.00	58.00	16.00	1.42	22.7	16.0m @ 1.4 g/t
FFRC100								Incl 42.00	57.00	15.00	1.47	22.1	15.0m @ 1.5 g/t
FFRC101	6664293	273177	446	79	-60	60	RC	50.00	60.00	10.00	1.43	14.3	10.0m @ 1.4 g/t
FFRC102	6664244	273195	446	79	-60	60	RC	24.00	31.00	7.00	1.72	12.1	7.0m @ 1.7 g/t
FFRC102								Incl 24.00	29.00	5.00	2.15	10.8	5.0m @ 2.2 g/t
FFRC102								50.00	51.00	1.00	1.34	1.3	1.0m @ 1.3 g/t
FFRC103	6664173	273233	447	81	-60	60	RC	14.00	15.00	1.00	1.25	1.3	1.0m @ 1.3 g/t
FFRC103								29.00	30.00	1.00	1.58	1.6	1.0m @ 1.6 g/t
FFRC103								35.00	36.00	1.00	0.78	0.8	1.0m @ 0.8 g/t
FFRC104	6664168	273207	447	81	-60	70	RC	0.00	70.00				N.S.I.
FFRC105	6664121	273252	447	81	-60	60	RC	25.00	26.00	1.00	1.48	1.5	1.0m @ 1.5 g/t
FFRC106	6664121	273226	447	81	-60	70	RC	67.00	70.00	3.00	1.47	4.4	3.0m @ 1.5 g/t
FFRC106								Incl 68.00	70.00	2.00	1.93	3.9	2.0m @ 1.9 g/t
FFRC107	6664078	273269	448	80	-60	60	RC	42.00	43.00	1.00	1.19	1.2	1.0m @ 1.2 g/t
FFRC108	6664073	273245	448	81	-59	75	RC	29.00	30.00	1.00	0.84	0.8	1.0m @ 0.8 g/t
FFRC108								40.00	42.00	2.00	0.84	1.7	2.0m @ 0.8 g/t
FFRC108								Incl 41.00	42.00	1.00	1.05	1.1	1.0m @ 1.1 g/t
FFRC108								55.00	56.00	1.00	0.67	0.7	1.0m @ 0.7 g/t
FFRC108								58.00	59.00	1.00	0.88	0.9	1.0m @ 0.9 g/t
FFRC109	6664033	273291	448	79	-60	60	RC	0.00	60.00				N.S.I.
FFRC110	6664027	273264	448	79	-60	75	RC	34.00	35.00	1.00	0.92	0.9	1.0m @ 0.9 g/t
FFRC110								46.00	49.00	3.00	0.95	2.9	3.0m @ 1.0 g/t
FFRC110								Incl 46.00	48.00	2.00	1.09	2.2	2.0m @ 1.1 g/t
FFRC110								74.00	75.00	1.00	0.90	0.9	1.0m @ 0.9 g/t
FFRC112	6663981	273294	448.4	80.2	-60.2	70	RC	10.00	11.00	1.00	1.25	1.3	1.0m @ 1.3 g/t
FFRC112								21.00	24.00	3.00	1.51	4.5	3.0m @ 1.5 g/t
FFRC112								36.00	41.00	5.00	1.79	9.0	5.0m @ 1.8 g/t
FFRC112								Incl 40.00	41.00	1.00	6.95	7.0	1.0m @ 7.0 g/t
FFRC112								67.00	68.00	1.00	0.62	0.6	1.0m @ 0.6 g/t
FFRC113	6663958	273303	448	80	-60	40	RC	29.00	34.00	5.00	5.25	26.3	5.0m @ 5.3 g/t
FFRC114	6663908	273305	448	83	-60	50	RC	39.00	42.00	3.00	0.81	2.4	3.0m @ 0.8 g/t
FFRC114								Incl 40.00	41.00	1.00	1.13	1.1	1.0m @ 1.1 g/t
FFRC115	6663579	273461	448.8	80	-60	50	RC	22.00	30.00	8.00	0.97	7.8	8.0m @ 1.0 g/t
FFRC115								Incl 22.00	25.00	3.00	1.87	5.6	3.0m @ 1.9 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
FFRC116	6663575	273442	449	80	-60	60	RC	55.00	56.00	1.00	0.72	0.7	1.0m @ 0.7 g/t
FFRC117	6664410	273132	445.4	81.93	-59.79	130	RC	80.00	88.00	8.00	0.91	7.2	8.0m @ 0.9 g/t
FFRC117								Incl 85.00	88.00	3.00	1.56	4.7	3.0m @ 1.6 g/t
FFRC118	6664443	273168	445	81.27	-60.04	53	RC	21.00	31.00	10.00	3.17	31.7	10.0m @ 3.2 g/t
FFRC118								Incl 21.00	30.00	9.00	3.47	31.2	9.0m @ 3.5 g/t
FFRC119	6664439	273148	445	81	-59	80	RC	42.00	53.00	11.00	2.28	25.0	11.0m @ 2.3 g/t
FFRC120	6664464	273135	445	81	-60	90	RC	60.00	66.00	6.00	1.95	11.7	6.0m @ 1.9 g/t
FFRC120								Incl 60.00	65.00	5.00	2.17	10.9	5.0m @ 2.2 g/t
FFRC120								89.00	90.00	1.00	1.77	1.8	1.0m @ 1.8 g/t
FFRC121	6664513	273136	445	80.14	-60.26	80	RC	49.00	66.00	17.00	1.93	32.9	17.0m @ 1.9 g/t
FFRC121								Incl 51.00	66.00	15.00	2.10	31.5	15.0m @ 2.1 g/t
FFRC121								73.00	74.00	1.00	1.56	1.6	1.0m @ 1.6 g/t
FFRC122	6664517	273156	444.8	80.65	-60.37	50	RC	24.00	35.00	11.00	1.56	17.1	11.0m @ 1.6 g/t
FFRC122								Incl 24.00	34.00	10.00	1.62	16.2	10.0m @ 1.6 g/t
FFRC123	6664571	273143	444	81	-60	75	RC	26.00	27.00	1.00	0.61	0.6	1.0m @ 0.6 g/t
FFRC124	6664436	273130	445	82	-60	90	RC	17.00	18.00	1.00	0.73	0.7	1.0m @ 0.7 g/t
FFRC124								70.00	76.00	6.00	2.31	13.8	6.0m @ 2.3 g/t
FFRC124								Incl 70.00	75.00	5.00	2.62	13.1	5.0m @ 2.6 g/t
FFRC125	6664466	273153	445	80.3	-59.8	60	RC	0.00	60.00				N.S.I.
FFRC126	6664488	273132	445	78	-60	80	RC	60.00	74.00	14.00	0.86	12.0	14.0m @ 0.9 g/t
FFRC126								Incl 60.00	69.00	9.00	1.13	10.2	9.0m @ 1.1 g/t
FFRC127	6664491	273150	445	81	-60	55	RC	35.00	52.00	17.00	1.73	29.4	17.0m @ 1.7 g/t
FFRC127								Incl 35.00	47.00	12.00	2.20	26.5	12.0m @ 2.2 g/t
FFRC128	6664495	273170	445	80	-60	40	RC	14.00	23.00	9.00	1.01	9.1	9.0m @ 1.0 g/t
FFRC128								Incl 16.00	22.00	6.00	1.24	7.5	6.0m @ 1.2 g/t
FFRC128								28.00	29.00	1.00	1.95	2.0	1.0m @ 2.0 g/t
FFRC129	6664446	273182	445	80	-60	40	RC	2.00	15.00	13.00	1.24	16.1	13.0m @ 1.2 g/t
FFRC129								Incl 2.00	12.00	10.00	1.47	14.7	10.0m @ 1.5 g/t
FFRC130	6664470	273174	445	80	-60	40	RC	5.00	6.00	1.00	0.69	0.7	1.0m @ 0.7 g/t
FFRC130								13.00	15.00	2.00	0.91	1.8	2.0m @ 0.9 g/t
FFRC130								Incl 13.00	14.00	1.00	1.23	1.2	1.0m @ 1.2 g/t
FFRC131	6664520	273171	444	80	-60	30	RC	19.00	20.00	1.00	0.75	0.8	1.0m @ 0.8 g/t
FFRC132	6664543	273159	444	80	-60	40	RC	0.00	40.00				N.S.I.
FFRC133	6664539	273140	445	80	-60	68	RC	51.00	56.00	5.00	1.15	5.8	5.0m @ 1.2 g/t
FFRC133								Incl 55.00	56.00	1.00	3.65	3.7	1.0m @ 3.7 g/t
FNDD25001	6664588	273049	443	54	-55	294	DDH	44.81	125.00				N.S.I.
FNRC25024	6664321	273108	446	98	-63	246	RC	146.00	151.00	5.00	0.73	3.6	5.0m @ 0.7 g/t
FNRC25024								Incl 150.00	151.00	1.00	1.35	1.4	1.0m @ 1.4 g/t
FNRC25024								221.00	228.00	7.00	1.31	9.2	7.0m @ 1.3 g/t
FNRC25024								Incl 221.00	225.00	4.00	1.88	7.5	4.0m @ 1.9 g/t
FNRC25024								241.00	246.00	5.00	2.16	10.8	5.0m @ 2.2 g/t
FNRC25024								Incl 243.00	246.00	3.00	3.24	9.7	3.0m @ 3.2 g/t
FNRC25034	6664371	273100	445	89	-64	240	RC	137.00	139.00	2.00	0.88	1.8	2.0m @ 0.9 g/t
FNRC25034								Incl 137.00	138.00	1.00	1.18	1.2	1.0m @ 1.2 g/t
FNRC25034								177.00	179.00	2.00	1.26	2.5	2.0m @ 1.3 g/t
FNRC25034								Incl 178.00	179.00	1.00	1.94	1.9	1.0m @ 1.9 g/t
FNRC25034								193.00	194.00	1.00	1.03	1.0	1.0m @ 1.0 g/t
FNRC25034								205.00	206.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
FNRC25044	6664406	273092	445	78	-60	252	RC	131.00	137.00	6.00	2.42	14.5	6.0m @ 2.4 g/t
FNRC25044								162.00	163.00	1.00	0.80	0.8	1.0m @ 0.8 g/t
FNRC25044								209.00	210.00	1.00	1.54	1.5	1.0m @ 1.5 g/t
FNRC25050	6664431	273111	445	76	-60	252	RC	38.00	39.00	1.00	1.02	1.0	1.0m @ 1.0 g/t
FNRC25050								102.00	109.00	7.00	1.66	11.6	7.0m @ 1.7 g/t
FNRC25050								Incl 102.00	108.00	6.00	1.84	11.1	6.0m @ 1.8 g/t
FNRC25050								154.00	155.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
FNRC25050								180.00	181.00	1.00	0.68	0.7	1.0m @ 0.7 g/t
FNRC25050								187.00	189.00	2.00	0.74	1.5	2.0m @ 0.7 g/t
FNRC25050								209.00	210.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
FNRC25054	6664451	273083	445	79	-60	246	RC	144.00	149.00	5.00	0.80	4.0	5.0m @ 0.8 g/t
FNRC25054								Incl 146.00	147.00	1.00	1.16	1.2	1.0m @ 1.2 g/t
FNRC25054								168.00	169.00	1.00	0.60	0.6	1.0m @ 0.6 g/t
FNRC25054								191.00	192.00	1.00	2.24	2.2	1.0m @ 2.2 g/t
FNRC25054								200.00	206.00	6.00	0.76	4.5	6.0m @ 0.8 g/t
FNRC25054								Incl 200.00	201.00	1.00	2.07	2.1	1.0m @ 2.1 g/t
FNRC25054								Incl 205.00	206.00	1.00	1.09	1.1	1.0m @ 1.1 g/t
FNRC25055	6664456	273107	444	74	-60	240	RC	101.00	108.00	7.00	1.64	11.5	7.0m @ 1.6 g/t
FNRC25055								Incl 102.00	108.00	6.00	1.80	10.8	6.0m @ 1.8 g/t
FNRC25055								134.00	138.00	4.00	16.45	65.8	4.0m @ 16.5 g/t
FNRC25055								Incl 134.00	136.00	2.00	32.36	64.7	2.0m @ 32.4 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
FNRC25055								199.00	201.00	2.00	1.01	2.0	2.0m @ 1.0 g/t
FNRC25055								Incl 199.00	200.00	1.00	1.12	1.1	1.0m @ 1.1 g/t
FNRC25055								219.00	223.00	4.00	0.58	2.3	4.0m @ 0.6 g/t
FNRC25055								Incl 219.00	220.00	1.00	1.41	1.4	1.0m @ 1.4 g/t
FNRC25073	6664531	273094	444	78	-60	210	RC	120.00	123.00	3.00	0.76	2.3	3.0m @ 0.8 g/t
FNRC25073								Incl 122.00	123.00	1.00	1.12	1.1	1.0m @ 1.1 g/t
FNRC25078	6664551	273061	443.9	78.521	-60.88	222	RC	133.00	151.00	18.00	1.36	24.5	18.0m @ 1.4 g/t
FNRC25078								Incl 134.00	151.00	17.00	1.40	23.8	17.0m @ 1.4 g/t
FNRC25078								189.00	190.00	1.00	0.75	0.8	1.0m @ 0.8 g/t
FNRC25080	6664563	273117	443	84	-65	234	RC	62.00	63.00	1.00	3.82	3.8	1.0m @ 3.8 g/t
FNRC25080								136.00	139.00	3.00	0.77	2.3	3.0m @ 0.8 g/t
FNRC25080								Incl 136.00	137.00	1.00	1.18	1.2	1.0m @ 1.2 g/t
FNRC25080								153.00	158.00	5.00	3.29	16.5	5.0m @ 3.3 g/t
FNRC25090	6664601	273060	444	79	-63	258	RC	36.00	37.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
FNRC25090								134.00	156.00	22.00	1.79	39.5	22.0m @ 1.8 g/t
FNRC25090								Incl 134.00	149.00	15.00	2.35	35.2	15.0m @ 2.3 g/t
FNRC25090								Incl 155.00	156.00	1.00	1.46	1.5	1.0m @ 1.5 g/t
FNRC25092	6664615	273107	443	88	-62	216	RC	68.00	75.00	7.00	1.83	12.8	7.0m @ 1.8 g/t
FNRC25092								115.00	121.00	6.00	2.20	13.2	6.0m @ 2.2 g/t
FNRC25092								161.00	163.00	2.00	0.75	1.5	2.0m @ 0.7 g/t
FNRC25104	6664672	273112	443	79	-60	222	RC	93.00	96.00	3.00	12.00	36.0	3.0m @ 12.0 g/t
FNRC25104								159.00	160.00	1.00	0.91	0.9	1.0m @ 0.9 g/t
FNRC25106	6664667	273147	443	79	-60	138	RC	8.00	13.00	5.00	0.95	4.8	5.0m @ 1.0 g/t
FNRC25106								Incl 12.00	13.00	1.00	3.65	3.7	1.0m @ 3.7 g/t
FNRC25106								47.00	50.00	3.00	9.55	28.7	3.0m @ 9.6 g/t
FNRC25106								Incl 49.00	50.00	1.00	27.90	27.9	1.0m @ 27.9 g/t
FNRC25149	6664858	273066	442	79	-60	150	RC	38.00	39.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
FNRC25149								54.00	58.00	4.00	3.83	15.3	4.0m @ 3.8 g/t
FNRC25149								63.00	64.00	1.00	1.81	1.8	1.0m @ 1.8 g/t
FNRC25149								89.00	90.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
FNRC25149								107.00	124.00	17.00	0.52	8.8	17.0m @ 0.5 g/t
FNRC25149								Incl 107.00	108.00	1.00	1.33	1.3	1.0m @ 1.3 g/t
FNRC25149								Incl 119.00	121.00	2.00	1.43	2.9	2.0m @ 1.4 g/t
FNRC25156	6664899	272958	443	80	-60	312	RC	1.00	144.00				N.S.I.
FNRC25192	6665039	272932	443	80	-60	264	RC	182.00	186.00	4.00	5.63	22.5	4.0m @ 5.6 g/t
FNRC25192								Incl 182.00	184.00	2.00	10.69	21.4	2.0m @ 10.7 g/t
FNRC25194	6665046	272980	442.8	81.521	-60.13	204	RC	68.00	69.00	1.00	1.16	1.2	1.0m @ 1.2 g/t
FNRC25194								118.00	141.00	23.00	8.36	192.2	23.0m @ 8.4 g/t
FNRC25194								Incl 119.00	127.00	8.00	3.03	24.2	8.0m @ 3.0 g/t
FNRC25194								Incl 132.00	140.00	8.00	20.60	164.8	8.0m @ 20.6 g/t
FNRC25196	6665042	273038	442	80	-60	162	RC	55.00	58.00	3.00	1.05	3.2	3.0m @ 1.1 g/t
FNRC25196								Incl 55.00	56.00	1.00	1.91	1.9	1.0m @ 1.9 g/t
FNRC25196								67.00	68.00	1.00	2.01	2.0	1.0m @ 2.0 g/t
FNRC25196								82.00	84.00	2.00	0.87	1.7	2.0m @ 0.9 g/t
FNRC25196								Incl 83.00	84.00	1.00	1.17	1.2	1.0m @ 1.2 g/t
FNRC25196								129.00	130.00	1.00	1.18	1.2	1.0m @ 1.2 g/t
FNRC25196								138.00	139.00	1.00	2.30	2.3	1.0m @ 2.3 g/t
FNRC25196								158.00	159.00	1.00	0.67	0.7	1.0m @ 0.7 g/t
FNRC25202	6664503	273194	444	79	-60	102	RC	27.00	30.00	3.00	2.17	6.5	3.0m @ 2.2 g/t
FNRC25202								Incl 28.00	30.00	2.00	2.97	5.9	2.0m @ 3.0 g/t
FNRC25202								73.00	75.00	2.00	0.72	1.4	2.0m @ 0.7 g/t
FNRC25203	6664481	273246	444	78	-60	104	RC	48.00	53.00	5.00	1.79	9.0	5.0m @ 1.8 g/t
FNRC25204	6664675	273200	442.2	80.461	-60.21	102	RC	54.00	61.00	7.00	1.07	7.5	7.0m @ 1.1 g/t
FNRC25204								Incl 55.00	59.00	4.00	1.49	6.0	4.0m @ 1.5 g/t
FNRC25205	6664686	273245	442	80	-61	102	RC	0.00	102.00				N.S.I.
FNRC25206	6664878	273109	442	80.171	-60.5	108	RC	17.00	18.00	1.00	0.73	0.7	1.0m @ 0.7 g/t
FNRC25206								37.00	43.00	6.00	1.84	11.0	6.0m @ 1.8 g/t
FNRC25206								54.00	56.00	2.00	3.15	6.3	2.0m @ 3.2 g/t
FNRC25206								Incl 55.00	56.00	1.00	5.70	5.7	1.0m @ 5.7 g/t
FNRC25206								67.00	68.00	1.00	2.60	2.6	1.0m @ 2.6 g/t
FNRC25207	6664869	273167	442	79	-60	108	RC	17.00	20.00	3.00	0.68	2.0	3.0m @ 0.7 g/t
FNRC25207								Incl 17.00	18.00	1.00	1.00	1.0	1.0m @ 1.0 g/t
FNRC25207								49.00	51.00	2.00	1.71	3.4	2.0m @ 1.7 g/t
FNRC25207								101.00	102.00	1.00	3.08	3.1	1.0m @ 3.1 g/t
FNRC25208	6665048	273083	442	80	-60	102	RC	23.00	24.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
FNRC25208								67.00	68.00	1.00	0.97	1.0	1.0m @ 1.0 g/t
FNRC25208								79.00	84.00	5.00	0.61	3.1	5.0m @ 0.6 g/t
FNRC25208								Incl 83.00	84.00	1.00	1.51	1.5	1.0m @ 1.5 g/t
FNRC25209	6665085	273130	442	79	-60	102	RC	0.00	102.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
RC1	6664236	273298	448	80	-60	54	RC	19.00	24.00	5.00	1.83	9.2	5.0m @ 1.8 g/t
RC1								Incl 21.00	23.00	2.00	3.60	7.2	2.0m @ 3.6 g/t
RC100	6663892	273362	448	80	-60	40	RC	0.00	40.00				N.S.I.
RC101	6663887	273329	448	80	-60	78	RC	24.00	26.00	2.00	1.45	2.9	2.0m @ 1.4 g/t
RC101								42.00	43.00	1.00	1.49	1.5	1.0m @ 1.5 g/t
RC102	6663941	273351	448	80	-60	36	RC	29.00	30.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
RC104	6664133	273290	448	80	-60	48	RC	7.00	14.00	7.00	1.22	8.5	7.0m @ 1.2 g/t
RC105	6664186	273301	448	80	-60	48	RC	14.00	20.00	6.00	0.59	3.5	6.0m @ 0.6 g/t
RC105								Incl 18.00	19.00	1.00	1.21	1.2	1.0m @ 1.2 g/t
RC105								33.00	35.00	2.00	1.27	2.5	2.0m @ 1.3 g/t
RC105								Incl 34.00	35.00	1.00	1.97	2.0	1.0m @ 2.0 g/t
RC106	6664233	273278	448	80	-60	54	RC	37.00	48.00	11.00	1.27	14.0	11.0m @ 1.3 g/t
RC106								Incl 38.00	40.00	2.00	4.46	8.9	2.0m @ 4.5 g/t
RC106								Incl 47.00	48.00	1.00	2.21	2.2	1.0m @ 2.2 g/t
RC126	6663744	273381	448	80	-60	65	RC	48.00	61.00	13.00	2.05	26.7	13.0m @ 2.1 g/t
RC126								Incl 51.00	53.00	2.00	4.84	9.7	2.0m @ 4.8 g/t
RC126								Incl 59.00	61.00	2.00	7.20	14.4	2.0m @ 7.2 g/t
RC129								44.00	57.00	13.00	13.37	173.8	13.0m @ 13.4 g/t
RC130								33.00	47.00	14.00	5.90	82.6	14.0m @ 5.9 g/t
RC130								Incl 36.00	45.00	9.00	8.93	80.3	9.0m @ 8.9 g/t
RC131	6663756	273380	448	80	-60	62	RC	45.00	56.00	11.00	5.09	56.0	11.0m @ 5.1 g/t
RC131								Incl 46.00	56.00	10.00	5.52	55.2	10.0m @ 5.5 g/t
RC153	6664419	273170	448	80	-60	45	RC	32.00	36.00	4.00	0.85	3.4	4.0m @ 0.9 g/t
RC153								Incl 33.00	34.00	1.00	1.60	1.6	1.0m @ 1.6 g/t
RC163	6663745	273300	448	80	-60	166	RC	106.00	110.00	4.00	1.07	4.3	4.0m @ 1.1 g/t
RC163								137.00	145.00	8.00	2.28	18.2	8.0m @ 2.3 g/t
RC163								Incl 141.00	145.00	4.00	4.26	17.0	4.0m @ 4.3 g/t
RC164								64.00	68.00	4.00	1.49	6.0	4.0m @ 1.5 g/t
RC164								84.00	95.00	11.00	0.66	7.3	11.0m @ 0.7 g/t
RC164								Incl 84.00	88.00	4.00	1.07	4.3	4.0m @ 1.1 g/t
RC164								Incl 89.00	90.00	1.00	1.27	1.3	1.0m @ 1.3 g/t
RC165	6663828	273287	448	80	-60	115	RC	40.00	48.00	8.00	0.79	6.3	8.0m @ 0.8 g/t
RC166	6663875	273263	448	80	-60	129	RC	0.00	72.00				N.S.I.
RC167	6663924	273250	448	80	-60	129	RC	0.00	100.00				N.S.I.
RC2	6664141	273334	448	80	-60	30	RC	0.00	30.00				N.S.I.
RC3	6664137	273310	448	80	-60	50	RC	24.00	27.00	3.00	0.82	2.5	3.0m @ 0.8 g/t
RC3								Incl 25.00	26.00	1.00	1.18	1.2	1.0m @ 1.2 g/t
RC4	6663890	273349	448	80	-60	50	RC	14.00	49.00	35.00	0.88	30.8	35.0m @ 0.9 g/t
RC4								Incl 14.00	24.00	10.00	1.43	14.3	10.0m @ 1.4 g/t
RC4								Incl 29.00	31.00	2.00	1.10	2.2	2.0m @ 1.1 g/t
RC4								Incl 34.00	40.00	6.00	1.08	6.5	6.0m @ 1.1 g/t
RC4								Incl 48.00	49.00	1.00	2.23	2.2	1.0m @ 2.2 g/t
RC95								45.00	46.00	1.00	1.40	1.4	1.0m @ 1.4 g/t
RD121	6663787	273340	448	80	-60	90	RCDD	53.00	66.00	13.00	5.60	72.8	13.0m @ 5.6 g/t
RD121								Incl 60.00	64.00	4.00	16.56	66.2	4.0m @ 16.6 g/t
RO1	6664099	273387	446	80	-60	27	RAB	0.00	27.00				N.S.I.
RO10	6663897	273399	446	80	-60	33	RAB	0.00	33.00				N.S.I.
RO11	6663889	273334	445	80	-60	18	RAB	0.00	18.00				N.S.I.
RO12	6663886	273309	446	80	-60	27	RAB	0.00	27.00				N.S.I.
RO13	6663883	273282	446.1	80	-60	30	RAB	0.00	30.00				N.S.I.
RO16	6663612	273507	447	80	-60	30	RAB	0.00	30.00				N.S.I.
RO17	6663608	273482	446	80	-60	33	RAB	0.00	33.00				N.S.I.
RO18	6663603	273458	446	80	-60	30	RAB	6.00	30.00				N.S.I.
RO19	6663599	273433	445	80	-60	24	RAB	0.00	24.00				N.S.I.
RO2	6664095	273362	446	80	-60	33	RAB	0.00	33.00				N.S.I.
RO20	6663514	273524	448	80	-60	21	RAB	0.00	21.00				N.S.I.
RO21	6663510	273499	449	80	-60	18	RAB	0.00	18.00				N.S.I.
RO210	6664558	273071	444	80	-57	39	RAB	0.00	39.00				N.S.I.
RO211	6664567	273121	444	80	-57	30	RAB	0.00	30.00				N.S.I.
RO212	6664569	273135	444	80	-57	27	RAB	0.00	27.00				N.S.I.
RO213	6664572	273150	444	80	-57	27	RAB	0.00	27.00				N.S.I.
RO214	6664575	273170	444	80	-57	30	RAB	0.00	30.00				N.S.I.
RO215	6664580	273195	443.3	80	-57	15	RAB	0.00	15.00				N.S.I.
RO216	6664582	273207	443	80	-57	12	RAB	0.00	12.00				N.S.I.
RO217	6664584	273219	443	80	-57	9	RAB	0.00	9.00				N.S.I.
RO218	6664586	273232	443	80	-57	13	RAB	0.00	13.00				N.S.I.
RO219	6664588	273244	442.9	80	-57	16	RAB	0.00	16.00				N.S.I.
RO22	6663506	273474	449	80	-60	39	RAB	0.00	39.00				N.S.I.
RO220	6664590	273254	443	80	-57	18	RAB	0.00	18.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
R0221	6664592	273268	442.7	80	-57	30	RAB	0.00	30.00				N.S.I.
R0222	6664601	273318	442	80	-57	30	RAB	0.00	30.00				N.S.I.
R0223	6664609	273367	442	80	-57	9	RAB	0.00	9.00				N.S.I.
R0224	6664618	273416	442	80	-57	9	RAB	0.00	9.00				N.S.I.
R03	6664084	273298	447	80	-60	33	RAB	0.00	33.00				N.S.I.
R0358	6663865	273793	444	80	-60	30	RAB	0.00	30.00				N.S.I.
R0359	6663861	273768	444	80	-60	30	RAB	0.00	30.00				N.S.I.
R0360	6663857	273744	444.7	80	-60	30	RAB	0.00	30.00				N.S.I.
R0361	6663852	273719	445	80	-60	30	RAB	0.00	30.00				N.S.I.
R0362	6663848	273694	446	80	-60	30	RAB	0.00	30.00				N.S.I.
R0363	6663844	273670	448	80	-60	30	RAB	0.00	30.00				N.S.I.
R0364	6663840	273645	451	80	-60	30	RAB	0.00	30.00				N.S.I.
R0365	6663835	273620	455	80	-60	30	RAB	0.00	30.00				N.S.I.
R0366	6663831	273596	456	80	-60	30	RAB	0.00	30.00				N.S.I.
R0367	6663827	273571	456.1	80	-60	30	RAB	0.00	30.00				N.S.I.
R0368	6663823	273547	455	80	-60	30	RAB	0.00	30.00				N.S.I.
R0369	6663818	273522	452.6	80	-60	30	RAB	0.00	30.00				N.S.I.
R0370	6663814	273497	449.4	80	-60	30	RAB	0.00	30.00				N.S.I.
R0371	6663810	273473	446	80	-60	30	RAB	0.00	30.00				N.S.I.
R0374	6663776	273276	436.8	80	-60	33	RAB	0.00	33.00				N.S.I.
R0375	6663772	273251	448	80	-60	30	RAB	0.00	30.00				N.S.I.
R0376	6663767	273226	448.3	80	-60	30	RAB	0.00	30.00				N.S.I.
R0377	6663763	273202	449	80	-60	29	RAB	0.00	29.00				N.S.I.
R0378	6663759	273177	448.9	80	-60	31	RAB	0.00	31.00				N.S.I.
R0379	6663754	273152	449	80	-60	30	RAB	0.00	30.00				N.S.I.
R0380	6663750	273128	449.5	80	-60	30	RAB	0.00	30.00				N.S.I.
R0381	6663746	273103	449.8	80	-60	30	RAB	0.00	30.00				N.S.I.
R0382	6663742	273078	450	80	-60	30	RAB	0.00	30.00				N.S.I.
R0383	6664056	273430	447	80	-60	30	RAB	0.00	30.00				N.S.I.
R0384	6664052	273405	446	80	-60	44	RAB	0.00	44.00				N.S.I.
R0385	6664048	273381	446	80	-60	44	RAB	0.00	44.00				N.S.I.
R0386	6664043	273356	446	80	-60	48	RAB	0.00	48.00				N.S.I.
R0387	6664039	273332	446	80	-60	37	RAB	0.00	37.00				N.S.I.
R0388	6664035	273307	446.6	80	-60	47	RAB	0.00	47.00				N.S.I.
R0389	6664031	273282	447	80	-60	50	RAB	38.00	40.00	2.00	1.17	2.3	2.0m @ 1.2 g/t
R0390	6664026	273258	447.3	80	-60	42	RAB	32.00	34.00	2.00	0.68	1.4	2.0m @ 0.7 g/t
R0391	6664022	273233	447	80	-60	27	RAB	24.00	26.00	2.00	0.62	1.2	2.0m @ 0.6 g/t
R0392	6664009	273159	447.6	80	-60	44	RAB	0.00	44.00				N.S.I.
R04	6664080	273274	447	80	-60	33	RAB	0.00	33.00				N.S.I.
R0402	6664482	273194	444.8	80	-60	40	RAB	0.00	40.00				N.S.I.
R0403	6664468	273171	444.9	80	-60	40	RAB	7.00	8.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
R0486	6663981	273291	447	80	-60	32	RAB	24.00	28.00	4.00	0.83	3.3	4.0m @ 0.8 g/t
R0487	6663977	273266	447.3	80	-60	39	RAB	0.00	39.00				N.S.I.
R0488	6663969	273217	447.9	80	-60	38	RAB	0.00	38.00				N.S.I.
R0489	6663964	273192	448	80	-60	35	RAB	0.00	35.00				N.S.I.
R0490	6663960	273168	448	80	-60	36	RAB	0.00	36.00				N.S.I.
R0491	6663956	273143	448	80	-60	56	RAB	0.00	56.00				N.S.I.
R0492	6663947	273094	448.3	80	-60	50	RAB	0.00	50.00				N.S.I.
R0493	6663939	273044	449	80	-60	58	RAB	0.00	58.00				N.S.I.
R0497	6664354	273100	444.9	80	-60	40	RAB	0.00	40.00				N.S.I.
R0498	6664346	273050	445.7	80	-60	47	RAB	0.00	47.00				N.S.I.
R0499	6664337	273001	446	80	-60	68	RAB	0.00	68.00				N.S.I.
R05	6664076	273249	447	80	-60	33	RAB	0.00	33.00				N.S.I.
R06	6663997	273379	446	80	-60	51	RAB	0.00	51.00				N.S.I.
R07	6664001	273404	446	80	-60	33	RAB	0.00	33.00				N.S.I.
R08	6663986	273315	446.6	80	-60	30	RAB	0.00	30.00				N.S.I.
R09	6663981	273291	447	80	-60	27	RAB	0.00	27.00				N.S.I.
ROWC142	6663400	273452	449.9	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC143	6663397	273432	450.4	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC144	6663394	273413	451	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC145	6663390	273393	451	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC146	6663404	273472	449.6	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC147	6664187	273306	445.7	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC148	6664188	273296	446	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC149	6664187	273286	446	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC150	6664182	273276	445.8	80	-60	20	RAB	16.00	20.00	4.00	0.66	2.6	4.0m @ 0.7 g/t
ROWC151	6664180	273267	446	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC152	6664178	273257	446	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC153	6664178	273247	446	80	-60	20	RAB	0.00	20.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
ROWC154	6664176	273237	446	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC155	6664189	273316	445.6	80	-60	19.7	RAB	12.00	16.00	4.00	3.63	14.5	4.0m @ 3.6 g/t
ROWC156	6664190	273326	446	80	-60	20	RAB	12.00	14.00	2.00	0.58	1.2	2.0m @ 0.6 g/t
ROWC157	6664192	273336	445.5	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC158	6664194	273345	445.4	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC159	6664195	273355	445	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC160	6664197	273365	445.3	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC163	6663789	273354	418	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC164	6663787	273340	418	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC171	6663407	273491	449	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC172	6663410	273511	449	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC173	6663412	273521	449	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC174	6663414	273531	448.7	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC175	6663416	273541	449	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC176	6663417	273551	448.4	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC185	6663806	273453	445	80	-60	20	RAB	0.00	20.00				N.S.I.
WFFR001	6664367	273027	446	225	-60	150	RC	0.00	150.00				N.S.I.
WFFR002	6664399	273075	445.1	225	-60	150	RC	0.00	150.00				N.S.I.
WFFR003	6664459	273125	444.4	225	-60	196	RC	0.00	196.00				N.S.I.
WFFR004	6664499	273156	444	225	-60	282	RC	249.00	250.00	1.00	0.95	1.0	1.0m @ 1.0 g/t
WFFR005	6664306	273065	445.9	225	-60	150	RC	0.00	150.00				N.S.I.
WFFR006	6664487	273255	444	225	-60	306	RC	102.00	108.00	6.00	0.83	5.0	6.0m @ 0.8 g/t
WFFR006								Incl 103.00	104.00	1.00	1.15	1.2	1.0m @ 1.2 g/t
WFFR006								Incl 107.00	108.00	1.00	1.05	1.1	1.0m @ 1.1 g/t
WFFR006								180.00	182.00	2.00	3.63	7.3	2.0m @ 3.6 g/t
WFFR006								222.00	223.00	1.00	0.63	0.6	1.0m @ 0.6 g/t
WFFR006								227.00	228.00	1.00	0.63	0.6	1.0m @ 0.6 g/t
WFFR006								279.00	280.00	1.00	1.06	1.1	1.0m @ 1.1 g/t
WFFR007	6664280	273100	445.7	225	-60	150	RC	0.00	150.00				N.S.I.
WFFR008	6664447	273289	443.5	225	-60	288	RC	99.00	107.00	8.00	0.60	4.8	8.0m @ 0.6 g/t
WFFR008								Incl 99.00	100.00	1.00	1.72	1.7	1.0m @ 1.7 g/t
WFFR009	6664215	273123	446	225	-80	150	RC	0.00	150.00				N.S.I.
WFFR010	6664416	273341	443.4	225	-60	252	RC	63.00	64.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
WFFR011	6664164	273214	445.9	225	-60	150	RC	0.00	150.00				N.S.I.
WFFR012	6664323	273324	444	225	-60	210	RC	0.00	210.00				N.S.I.
WFFR013	6664200	273296	445.7	225	-60	150	RC	126.00	129.00	3.00	1.38	4.1	3.0m @ 1.4 g/t
WFFR014	6664230	273343	445	225	-60	204	RC	122.00	123.00	1.00	0.69	0.7	1.0m @ 0.7 g/t
WFFR014								180.00	197.00	17.00	0.76	13.0	17.0m @ 0.8 g/t
WFFR014								Incl 180.00	181.00	1.00	3.48	3.5	1.0m @ 3.5 g/t
WFFR014								Incl 189.00	190.00	1.00	3.05	3.1	1.0m @ 3.1 g/t
WFFR015	6664120	273303	446.2	225	-60	150	RC	71.00	72.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
WFFR016	6664154	273329	445.9	225	-60	150	RC	15.00	16.00	1.00	1.52	1.5	1.0m @ 1.5 g/t
WFFR016								21.00	22.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
WFFR016								35.00	36.00	1.00	2.07	2.1	1.0m @ 2.1 g/t
WFFR016								117.00	118.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
WFFR017	6664201	273375	445.2	225	-60	204	RC	0.00	204.00				N.S.I.
WFFR018	6664063	273336	447	225	-60	150	RC						N.S.I.
WFFR022	6663687	273211	448.6	8	-60	102	RC						N.S.I.
WFFR024	6664577	273252	450	225	-60	330	RC						N.S.I.
WFFR031	6664046	273379	450	205	-47	96	RC						N.S.I.
97DRB548	6673023	272662	464	76	-60	58	RAB	0.00	58.00				N.S.I.
97DRB550	6673125	272630	465	76	-60	51	RAB	0.00	51.00				N.S.I.
97DRB551	6673126	272640	465	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB553	6673087	272648	464.7	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB554	6673067	272655	465	0	-90	5	RAB	0.00	1.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
97DRB555	6673048	272659	464.1	0	-90	6	RAB	0.00	6.00				N.S.I.
97DRB556	6673043	272640	464	0	-90	5	RAB	0.00	1.00	1.00	0.65	0.7	1.0m @ 0.7 g/t
97DRB577	6672947	272665	465	0	-90	6	RAB	0.00	4.00	4.00	1.01	4.0	4.0m @ 1.0 g/t
97DRB577								Incl 2.00	3.00	1.00	2.13	2.1	1.0m @ 2.1 g/t
97DRB578	6672950	272685	465	0	-90	5	RAB	1.00	2.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
97DRB579	6672931	272690	465	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB603	6672875	272642	466	0	-90	5	RAB	0.00	3.00	3.00	1.05	3.1	3.0m @ 1.0 g/t
97DRB603								Incl 1.00	2.00	1.00	1.25	1.3	1.0m @ 1.3 g/t
97DRB604	6672880	272659	466	0	-90	5	RAB	0.00	2.00	2.00	0.65	1.3	2.0m @ 0.7 g/t
97DRB605	6672885	272679	466	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB606	6672890	272699	466	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB607	6672870	272704	466	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB608	6672866	272685	466	0	-90	6	RAB	1.00	3.00	2.00	0.97	1.9	2.0m @ 1.0 g/t
97DRB608								Incl 1.00	2.00	1.00	1.08	1.1	1.0m @ 1.1 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
97DRB609	6672862	272663	466	0	-90	6	RAB	2.00	3.00	1.00	0.62	0.6	1.0m @ 0.6 g/t
97DRB610	6672856	272646	466	0	-90	5	RAB	0.00	3.00	3.00	0.73	2.2	3.0m @ 0.7 g/t
97DRB610								Incl 2.00	3.00	1.00	1.05	1.1	1.0m @ 1.1 g/t
97DRB616	6672827	272529	464	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB617	6672821	272507	464	0	-90	4	RAB	0.00	1.00	1.00	0.82	0.8	1.0m @ 0.8 g/t
97DRB618	6672802	272512	464	0	-90	3	RAB	0.00	3.00				N.S.I.
97DRB619	6672808	272533	465	0	-90	3	RAB	1.00	2.00	1.00	0.65	0.7	1.0m @ 0.7 g/t
97DRB629	6672774	272563	465.5	0	-90	3	RAB	0.00	3.00				N.S.I.
97DRB630	6672767	272544	465	0	-90	3	RAB	0.00	3.00				N.S.I.
97DRB631	6672765	272523	465	0	-90	3	RAB	0.00	3.00				N.S.I.
97DRB632	6672784	272518	464.4	0	-90	3	RAB	0.00	3.00				N.S.I.
97DRB633	6672788	272537	465	0	-90	3	RAB	0.00	3.00				N.S.I.
97DRB639	6672841	272650	466	0	-90	6	RAB	1.00	4.00	3.00	1.00	3.0	3.0m @ 1.0 g/t
97DRB639								Incl 2.00	3.00	1.00	1.31	1.3	1.0m @ 1.3 g/t
97DRB640	6672842	272669	466	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB641	6672847	272690	466	0	-90	6	RAB	2.00	3.00	1.00	0.81	0.8	1.0m @ 0.8 g/t
97DRB642	6672851	272709	466	0	-90	6	RAB	0.00	6.00				N.S.I.
97DRB643	6672832	272713	466	0	-90	6	RAB	0.00	6.00				N.S.I.
97DRB644	6672827	272694	466	0	-90	5	RAB	2.00	3.00	1.00	0.62	0.6	1.0m @ 0.6 g/t
97DRB645	6672821	272674	466	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB646	6672820	272660	466	0	-90	5	RAB	2.00	3.00	1.00	0.72	0.7	1.0m @ 0.7 g/t
97DRB647	6672812	272718	466	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB648	6672808	272698	466	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB649	6672802	272678	466	0	-90	5	RAB	2.00	3.00	1.00	0.87	0.9	1.0m @ 0.9 g/t
97DRB650	6672798	272659	466	0	-90	6	RAB	0.00	6.00				N.S.I.
97DRB651	6672792	272723	466	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB652	6672786	272704	466	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB653	6672782	272685	466	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB653A	6672776	272663	466	0	-90	6	RAB	2.00	4.00	2.00	0.83	1.7	2.0m @ 0.8 g/t
97DRB654	6672772	272644	466	0	-90	4	RAB	0.00	3.00	3.00	1.69	5.1	3.0m @ 1.7 g/t
97DRB655	6672768	272626	466	0	-90	6	RAB	0.00	2.00	2.00	1.45	2.9	2.0m @ 1.4 g/t
97DRB655								Incl 0.00	1.00	1.00	2.00	2.0	1.0m @ 2.0 g/t
97DRB656	6672761	272606	466	0	-90	6	RAB	0.00	1.00	1.00	1.21	1.2	1.0m @ 1.2 g/t
97DRB657	6672756	272587	466	0	-90	5	RAB	0.00	1.00	1.00	0.63	0.6	1.0m @ 0.6 g/t
97DRB658	6672753	272568	466	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB659	6672748	272548	465	0	-90	3	RAB	0.00	3.00				N.S.I.
97DRB660	6672744	272528	465	0	-90	3	RAB	0.00	3.00				N.S.I.
97DRB661	6672684	272544	464	0	-90	3	RAB	0.00	3.00				N.S.I.
97DRB662	6672689	272562	465	0	-90	3	RAB	0.00	3.00				N.S.I.
97DRB663	6672696	272582	466	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB664	6672700	272601	466	0	-90	5	RAB	0.00	1.00	1.00	0.76	0.8	1.0m @ 0.8 g/t
97DRB665	6672705	272621	466	0	-90	6	RAB	0.00	2.00	2.00	1.70	3.4	2.0m @ 1.7 g/t
97DRB665								Incl 0.00	1.00	1.00	2.48	2.5	1.0m @ 2.5 g/t
97DRB666	6672709	272636	466	0	-90	6	RAB	0.00	2.00	2.00	1.22	2.4	2.0m @ 1.2 g/t
97DRB666								Incl 0.00	1.00	1.00	1.64	1.6	1.0m @ 1.6 g/t
97DRB667	6672715	272660	466	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB668	6672720	272679	466	0	-90	6	RAB	0.00	6.00				N.S.I.
97DRB669	6672726	272698	466	0	-90	6	RAB	0.00	6.00				N.S.I.
97DRB670	6672731	272717	466	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB671	6672732	272739	466	0	-90	6	RAB	0.00	6.00				N.S.I.
97DRB672	6672676	272749	466	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB673	6672671	272731	466	0	-90	6	RAB	0.00	6.00				N.S.I.
97DRB674	6672662	272707	466	0	-90	6	RAB	0.00	6.00				N.S.I.
97DRB675	6672659	272693	466	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB676	6672654	272672	466	0	-90	5	RAB	0.00	1.00	1.00	0.59	0.6	1.0m @ 0.6 g/t
97DRB677	6672649	272652	466	0	-90	5	RAB	0.00	1.00	1.00	0.82	0.8	1.0m @ 0.8 g/t
97DRB678	6672645	272632	466	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB679	6672639	272612	466	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB680	6672632	272592	465.4	0	-90	3	RAB	0.00	3.00				N.S.I.
97DRB681	6672627	272572	465	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB682	6672624	272551	464	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB683	6672564	272567	463.7	0	-90	3	RAB	0.00	3.00				N.S.I.
97DRB684	6672570	272588	464	0	-90	3	RAB	0.00	3.00				N.S.I.
97DRB685	6672577	272610	464.9	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB686	6672580	272629	465	0	-90	4	RAB	0.00	4.00				N.S.I.
97DRB687	6672586	272648	465.9	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB688	6672591	272668	466	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB689	6672596	272689	466	0	-90	4	RAB	0.00	4.00				N.S.I.
97DRB690	6672601	272708	466	0	-90	4	RAB	0.00	4.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
97DRB691	6672604	272723	466	0	-90	4	RAB	0.00	4.00				N.S.I.
97DRB692	6672607	272743	466	0	-90	4	RAB	0.00	4.00				N.S.I.
97DRB693	6672616	272767	466	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB694	6672557	272782	464.7	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB695	6672551	272761	465	0	-90	3	RAB	0.00	3.00				N.S.I.
97DRB696	6672546	272741	465	0	-90	3	RAB	0.00	3.00				N.S.I.
97DRB697	6672542	272722	465.4	0	-90	3	RAB	0.00	3.00				N.S.I.
97DRB698	6672539	272700	465	0	-90	5	RAB	0.00	5.00				N.S.I.
97DRB699	6672534	272680	465.1	0	-90	4	RAB	0.00	4.00				N.S.I.
97DRB700	6672525	272662	465	0	-90	3	RAB	0.00	3.00				N.S.I.
97DRB701	6672526	272642	464.4	0	-90	3	RAB	0.00	3.00				N.S.I.
97DRB702	6672517	272622	463.9	0	-90	3	RAB	0.00	3.00				N.S.I.
97DRB703	6672512	272603	464	0	-90	3	RAB	0.00	3.00				N.S.I.
97DRB704	6672509	272584	463.2	0	-90	3	RAB	0.00	3.00				N.S.I.
DSR25	6671561	272588	456	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR26	6671558	272573	456	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR27	6671554	272559	456	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR28	6671553	272554	456	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR29	6671551	272544	456	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR30	6671547	272529	456	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR31	6671543	272515	456	77	-60	30	RAB	27.00	30.00	3.00	0.56	1.7	3.0m @ 0.6 g/t
DSR32	6671540	272500	456	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR33	6671536	272486	456	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR34	6671532	272471	456	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR35	6671529	272457	456	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR36	6671525	272442	456.1	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR37	6671522	272428	456	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR38	6671518	272413	456	77	-60	30	RAB	0.00	30.00				N.S.I.
DVC1294	6673437	272597	461.4	90	-60	60	RC	0.00	60.00				N.S.I.
DVC1295	6673437	272637	462	90	-60	60	RC	0.00	60.00				N.S.I.
DVC1296	6673278	272556	462.5	90	-60	60	RC	0.00	60.00				N.S.I.
DVC1297	6673278	272597	462	90	-60	60	RC	0.00	60.00				N.S.I.
DVC1298	6673278	272637	462.3	90	-60	60	RC	0.00	60.00				N.S.I.
DVC1299	6673277	272677	462	90	-60	60	RC	0.00	60.00				N.S.I.
DVC1301	6673118	272637	464	90	-60	60	RC	0.00	60.00				N.S.I.
DVC1302	6673117	272677	464.4	90	-60	60	RC	0.00	60.00				N.S.I.
DVC1303	6673117	272717	464	90	-60	60	RC	0.00	60.00				N.S.I.
DVC1304	6673118	272757	464	90	-60	60	RC	0.00	60.00				N.S.I.
DVC1305	6673120	272797	464	90	-60	60	RC	0.00	60.00				N.S.I.
DVC1306	6673117	272837	464.5	90	-60	60	RC	0.00	60.00				N.S.I.
DVC1307	6672958	272677	466	90	-60	60	RC	0.00	2.00	2.00	0.59	1.2	2.0m @ 0.6 g/t
DVC1308	6672957	272717	466.2	90	-60	60	RC	0.00	60.00				N.S.I.
DVC1309	6672957	272757	466	90	-60	60	RC	0.00	60.00				N.S.I.
DVC1310	6672957	272797	465.3	90	-60	60	RC	0.00	60.00				N.S.I.
DVC1311	6672957	272837	465	90	-60	60	RC	0.00	60.00				N.S.I.
DVC1312	6672957	272877	465.3	90	-60	60	RC	0.00	60.00				N.S.I.
DVHR25	6672835	272937	466	0	-90	28	RAB	0.00	28.00				N.S.I.
DVHR26	6672835	272857	466	0	-90	40	RAB	0.00	40.00				N.S.I.
DVHR27	6672839	272777	466	0	-90	40	RAB	0.00	40.00				N.S.I.
DVHR28	6672834	272697	466	0	-90	60	RAB	0.00	60.00				N.S.I.
LE1	6673136	272496	447.6	80	-60	64	RC	0.00	64.00				N.S.I.
LE148	6672902	272386	449	80	-60	60	RC	16.00	17.00	1.00	1.60	1.6	1.0m @ 1.6 g/t
LE155	6672871	272367	448.5	80	-60	60	RC	8.00	9.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
LE155								17.00	18.00	1.00	0.60	0.6	1.0m @ 0.6 g/t
LE155								23.00	24.00	1.00	2.05	2.1	1.0m @ 2.1 g/t
LE155								42.00	46.00	4.00	1.67	6.7	4.0m @ 1.7 g/t
LE155								Incl 45.00	46.00	1.00	5.60	5.6	1.0m @ 5.6 g/t
LE155								53.00	54.00	1.00	0.88	0.9	1.0m @ 0.9 g/t
LE158	6672869	272408	448.7	80	-60	65	RC	18.00	21.00	3.00	1.22	3.7	3.0m @ 1.2 g/t
LE158								Incl 19.00	20.00	1.00	2.30	2.3	1.0m @ 2.3 g/t
LE158								61.00	65.00	4.00	4.39	17.5	4.0m @ 4.4 g/t
LE158								Incl 62.00	64.00	2.00	8.05	16.1	2.0m @ 8.1 g/t
LE159	6672863	272383	448.5	80	-60	62	RC	25.00	32.00	7.00	1.86	13.0	7.0m @ 1.9 g/t
LE159								53.00	54.00	1.00	1.10	1.1	1.0m @ 1.1 g/t
LE160	6672859	272422	449	80	-60	60	RC	46.00	47.00	1.00	0.72	0.7	1.0m @ 0.7 g/t
LE161	6672853	272396	448	80	-60	60	RC	11.00	13.00	2.00	1.44	2.9	2.0m @ 1.4 g/t
LE161								Incl 11.00	12.00	1.00	2.20	2.2	1.0m @ 2.2 g/t
LE161								21.00	22.00	1.00	6.40	6.4	1.0m @ 6.4 g/t
LE161								34.00	35.00	1.00	0.62	0.6	1.0m @ 0.6 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
LE161								39.00	40.00	1.00	1.25	1.3	1.0m @ 1.3 g/t
LE162	6672845	272365	448	80	-60	60	RC	23.00	37.00	14.00	1.65	23.1	14.0m @ 1.6 g/t
LE162								Incl 24.00	26.00	2.00	2.00	4.0	2.0m @ 2.0 g/t
LE162								Incl 33.00	37.00	4.00	3.94	15.8	4.0m @ 3.9 g/t
LE162								53.00	54.00	1.00	1.08	1.1	1.0m @ 1.1 g/t
LE164	6672851	272438	449	80	-60	55	RC	19.00	20.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
LE164								28.00	31.00	3.00	4.50	13.5	3.0m @ 4.5 g/t
LE165	6672845	272413	449	80	-60	65	RC	0.00	1.00	1.00	0.60	0.6	1.0m @ 0.6 g/t
LE165								16.00	17.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
LE166	6672838	272389	448	80	-60	65	RC	0.00	1.00	1.00	1.04	1.0	1.0m @ 1.0 g/t
LE166								21.00	27.00	6.00	0.75	4.5	6.0m @ 0.7 g/t
LE166								Incl 21.00	23.00	2.00	1.40	2.8	2.0m @ 1.4 g/t
LE166								55.00	56.00	1.00	5.40	5.4	1.0m @ 5.4 g/t
LE167	6672832	272364	448.3	80	-60	60	RC	13.00	20.00	7.00	0.73	5.1	7.0m @ 0.7 g/t
LE167								Incl 19.00	20.00	1.00	2.15	2.2	1.0m @ 2.2 g/t
LE167								25.00	30.00	5.00	0.87	4.4	5.0m @ 0.9 g/t
LE167								Incl 25.00	26.00	1.00	1.40	1.4	1.0m @ 1.4 g/t
LE167								Incl 29.00	30.00	1.00	1.00	1.0	1.0m @ 1.0 g/t
LE167								38.00	39.00	1.00	0.62	0.6	1.0m @ 0.6 g/t
LE168	6672842	272453	448.6	80	-60	42	RC	0.00	42.00				N.S.I.
LE169	6672835	272429	448	80	-60	60	RC	40.00	43.00	3.00	1.12	3.4	3.0m @ 1.1 g/t
LE169								Incl 41.00	42.00	1.00	1.65	1.7	1.0m @ 1.7 g/t
LE170	6672829	272404	448	80	-60	60	RC	1.00	6.00	5.00	0.50	2.5	5.0m @ 0.5 g/t
LE170								Incl 1.00	2.00	1.00	1.10	1.1	1.0m @ 1.1 g/t
LE170								18.00	19.00	1.00	0.74	0.7	1.0m @ 0.7 g/t
LE171	6672823	272380	448	80	-60	60	RC	3.00	4.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
LE171								15.00	19.00	4.00	0.72	2.9	4.0m @ 0.7 g/t
LE171								Incl 17.00	18.00	1.00	1.40	1.4	1.0m @ 1.4 g/t
LE171								34.00	35.00	1.00	2.45	2.5	1.0m @ 2.5 g/t
LE171								40.00	49.00	9.00	0.96	8.6	9.0m @ 1.0 g/t
LE171								Incl 41.00	46.00	5.00	1.25	6.3	5.0m @ 1.3 g/t
LE171								Incl 48.00	49.00	1.00	1.25	1.3	1.0m @ 1.3 g/t
LE171								56.00	57.00	1.00	1.50	1.5	1.0m @ 1.5 g/t
LE172	6672817	272355	448.1	80	-60	60	RC	1.00	2.00	1.00	0.64	0.6	1.0m @ 0.6 g/t
LE172								51.00	56.00	5.00	1.31	6.6	5.0m @ 1.3 g/t
LE172								Incl 54.00	55.00	1.00	3.75	3.8	1.0m @ 3.8 g/t
LE173	6672829	272456	448	80	-60	40	RC	0.00	40.00				N.S.I.
LE174	6672827	272444	448	80	-60	50	RC	26.00	28.00	2.00	1.90	3.8	2.0m @ 1.9 g/t
LE174								Incl 27.00	28.00	1.00	3.20	3.2	1.0m @ 3.2 g/t
LE175	6672820	272420	448.2	80	-60	60	RC	13.00	14.00	1.00	0.58	0.6	1.0m @ 0.6 g/t
LE175								54.00	56.00	2.00	2.66	5.3	2.0m @ 2.7 g/t
LE175								Incl 54.00	55.00	1.00	4.80	4.8	1.0m @ 4.8 g/t
LE176	6672814	272395	448	80	-60	65	RC	16.00	21.00	5.00	3.87	19.4	5.0m @ 3.9 g/t
LE176								Incl 16.00	20.00	4.00	4.67	18.7	4.0m @ 4.7 g/t
LE176								30.00	31.00	1.00	0.96	1.0	1.0m @ 1.0 g/t
LE176								38.00	39.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
LE176								52.00	53.00	1.00	0.64	0.6	1.0m @ 0.6 g/t
LE177	6672804	272372	448	80	-60	65	RC	19.00	24.00	5.00	1.49	7.5	5.0m @ 1.5 g/t
LE177								Incl 22.00	24.00	2.00	3.13	6.3	2.0m @ 3.1 g/t
LE177								33.00	36.00	3.00	1.90	5.7	3.0m @ 1.9 g/t
LE177								54.00	60.00	6.00	0.70	4.2	6.0m @ 0.7 g/t
LE177								Incl 56.00	57.00	1.00	1.75	1.8	1.0m @ 1.8 g/t
LE178	6672811	272435	448.1	80	-60	65	RC	0.00	65.00				N.S.I.
LE179	6672805	272410	448	80	-60	65	RC	0.00	2.00	2.00	2.14	4.3	2.0m @ 2.1 g/t
LE179								Incl 0.00	1.00	1.00	3.60	3.6	1.0m @ 3.6 g/t
LE179								14.00	20.00	6.00	0.57	3.4	6.0m @ 0.6 g/t
LE179								Incl 15.00	16.00	1.00	1.06	1.1	1.0m @ 1.1 g/t
LE179								29.00	33.00	4.00	0.58	2.3	4.0m @ 0.6 g/t
LE180	6672799	272386	448	80	-60	60	RC	12.00	17.00	5.00	1.46	7.3	5.0m @ 1.5 g/t
LE180								Incl 13.00	15.00	2.00	2.80	5.6	2.0m @ 2.8 g/t
LE180								36.00	55.00	19.00	2.15	40.9	19.0m @ 2.2 g/t
LE180								Incl 36.00	47.00	11.00	2.55	28.1	11.0m @ 2.6 g/t
LE180								Incl 52.00	53.00	1.00	9.80	9.8	1.0m @ 9.8 g/t
LE181	6672796	272374	448	80	-60	60	RC	6.00	8.00	2.00	2.21	4.4	2.0m @ 2.2 g/t
LE181								Incl 7.00	8.00	1.00	3.90	3.9	1.0m @ 3.9 g/t
LE181								32.00	35.00	3.00	3.17	9.5	3.0m @ 3.2 g/t
LE181								52.00	53.00	1.00	0.64	0.6	1.0m @ 0.6 g/t
LE181								58.00	59.00	1.00	0.78	0.8	1.0m @ 0.8 g/t
LE182	6672793	272362	448	80	-60	60	RC	22.00	26.00	4.00	0.87	3.5	4.0m @ 0.9 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
LE182								Incl 24.00	25.00	1.00	1.40	1.4	1.0m @ 1.4 g/t
LE182								43.00	44.00	1.00	0.78	0.8	1.0m @ 0.8 g/t
LE182								48.00	49.00	1.00	1.09	1.1	1.0m @ 1.1 g/t
LE183	6672795	272423	448	80	-60	65	RC	0.00	1.00	1.00	1.65	1.7	1.0m @ 1.7 g/t
LE183								11.00	18.00	7.00	1.17	8.2	7.0m @ 1.2 g/t
LE183								Incl 12.00	18.00	6.00	1.26	7.6	6.0m @ 1.3 g/t
LE183								58.00	59.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
LE184	6672790	272401	448	80	-60	65	RC	13.00	26.00	13.00	0.81	10.6	13.0m @ 0.8 g/t
LE184								Incl 13.00	15.00	2.00	1.74	3.5	2.0m @ 1.7 g/t
LE184								Incl 24.00	25.00	1.00	1.20	1.2	1.0m @ 1.2 g/t
LE184								37.00	41.00	4.00	0.87	3.5	4.0m @ 0.9 g/t
LE184								Incl 40.00	41.00	1.00	2.40	2.4	1.0m @ 2.4 g/t
LE185	6672784	272377	448	80	-60	65	RC	28.00	33.00	5.00	1.33	6.7	5.0m @ 1.3 g/t
LE185								Incl 30.00	33.00	3.00	1.91	5.7	3.0m @ 1.9 g/t
LE185								48.00	56.00	8.00	0.82	6.5	8.0m @ 0.8 g/t
LE185								Incl 48.00	53.00	5.00	1.10	5.5	5.0m @ 1.1 g/t
LE197	6672742	272361	447.9	80	-60	60	RC	0.00	60.00				N.S.I.
LE198	6672772	272482	448.7	80	-60	60	RC	46.00	48.00	2.00	0.50	1.0	2.0m @ 0.5 g/t
LE199	6672695	272383	448	80	-60	60	RC	0.00	60.00				N.S.I.
LE2	6673130	272471	448	80	-60	65	RC	0.00	65.00				N.S.I.
LE200	6672656	272326	448	80	-60	60	RC	16.00	17.00	1.00	3.75	3.8	1.0m @ 3.8 g/t
LE202	6672605	272328	448	80	-60	60	RC	25.00	27.00	2.00	3.24	6.5	2.0m @ 3.2 g/t
LE202								Incl 26.00	27.00	1.00	5.90	5.9	1.0m @ 5.9 g/t
LE203	6672580	272334	448	80	-60	56	RC	25.00	28.00	3.00	3.76	11.3	3.0m @ 3.8 g/t
LE204	6672596	272397	447	80	-60	60	RC	11.00	13.00	2.00	1.17	2.3	2.0m @ 1.2 g/t
LE205	6672614	272470	447	80	-60	60	RC	0.00	60.00				N.S.I.
LE206	6672556	272340	448	80	-60	50	RC	20.00	26.00	6.00	0.96	5.8	6.0m @ 1.0 g/t
LE206								Incl 20.00	21.00	1.00	2.50	2.5	1.0m @ 2.5 g/t
LE206								Incl 25.00	26.00	1.00	1.80	1.8	1.0m @ 1.8 g/t
LE207	6672539	272375	448	80	-60	60	RC	0.00	60.00				N.S.I.
LE208	6672551	272422	447	80	-60	60	RC	0.00	60.00				N.S.I.
LE209	6672556	272443	446	80	-60	60	RC	7.00	9.00	2.00	0.94	1.9	2.0m @ 0.9 g/t
LE209								Incl 8.00	9.00	1.00	1.30	1.3	1.0m @ 1.3 g/t
LE209								50.00	52.00	2.00	0.71	1.4	2.0m @ 0.7 g/t
LE210	6672569	272497	446.6	80	-60	60	RC	0.00	60.00				N.S.I.
LE212	6672484	272363	447	80	-60	60	RC	11.00	17.00	6.00	0.61	3.7	6.0m @ 0.6 g/t
LE212								Incl 11.00	13.00	2.00	1.28	2.6	2.0m @ 1.3 g/t
LE213	6672497	272414	447	80	-60	60	RC	0.00	60.00				N.S.I.
LE214	6672512	272475	445.7	80	-60	60	RC	18.00	23.00	5.00	0.56	2.8	5.0m @ 0.6 g/t
LE214								Incl 18.00	19.00	1.00	1.25	1.3	1.0m @ 1.3 g/t
LE215	6672432	272361	447	80	-60	60	RC	0.00	60.00				N.S.I.
LE216	6672438	272385	446.8	80	-60	60	RC	30.00	31.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
LE217	6672444	272409	446.4	80	-60	60	RC	0.00	60.00				N.S.I.
LE218	6672450	272433	446	80	-60	60	RC	0.00	60.00				N.S.I.
LE219	6672456	272458	445.5	80	-60	60	RC	44.00	45.00	1.00	2.10	2.1	1.0m @ 2.1 g/t
LE220	6672463	272482	445.6	80	-60	60	RC	0.00	60.00				N.S.I.
LE221	6672469	272506	446	80	-60	60	RC	0.00	60.00				N.S.I.
LE222	6672403	272344	447	80	-60	60	RC	0.00	50.00				N.S.I.
LE223	6672390	272397	446.2	80	-60	60	RC	0.00	60.00				N.S.I.
LE224	6672396	272421	446	80	-60	60	RC	32.00	42.00	10.00	2.33	23.3	10.0m @ 2.3 g/t
LE224								Incl 32.00	36.00	4.00	5.31	21.3	4.0m @ 5.3 g/t
LE225	6672402	272445	445.4	80	-60	60	RC	8.00	10.00	2.00	1.18	2.4	2.0m @ 1.2 g/t
LE225								Incl 8.00	9.00	1.00	1.40	1.4	1.0m @ 1.4 g/t
LE225								52.00	53.00	1.00	2.75	2.8	1.0m @ 2.8 g/t
LE226	6672410	272479	445.3	80	-60	50	RC	8.00	9.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
LE227	6672341	272409	445.7	80	-60	60	RC	0.00	60.00				N.S.I.
LE228	6672347	272433	445	80	-60	60	RC	39.00	40.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
LE229	6672353	272458	445	80	-60	60	RC	3.00	4.00	1.00	0.64	0.6	1.0m @ 0.6 g/t
LE230	6672359	272482	445	80	-60	60	RC	15.00	16.00	1.00	4.85	4.9	1.0m @ 4.9 g/t
LE231	6672295	272428	445	80	-60	60	RC	4.00	6.00	2.00	0.84	1.7	2.0m @ 0.8 g/t
LE231								21.00	22.00	1.00	5.10	5.1	1.0m @ 5.1 g/t
LE232	6672301	272452	445	80	-60	60	RC	25.00	26.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
LE234	6672238	272409	445	80	-60	60	RC	0.00	60.00				N.S.I.
LE235	6672256	272482	444	80	-60	26	RC	20.00	22.00	2.00	0.68	1.4	2.0m @ 0.7 g/t
LE236	6672262	272506	444.2	80	-60	60	RC	24.00	25.00	1.00	7.00	7.0	1.0m @ 7.0 g/t
LE238	6672141	272433	443.7	80	-60	60	RC	25.00	27.00	2.00	3.35	6.7	2.0m @ 3.4 g/t
LE239	6672147	272457	443	80	-60	60	RC	43.00	44.00	1.00	0.58	0.6	1.0m @ 0.6 g/t
LE240	6672153	272482	443	80	-60	60	RC	10.00	13.00	3.00	1.22	3.7	3.0m @ 1.2 g/t
LE240								Incl 11.00	12.00	1.00	2.20	2.2	1.0m @ 2.2 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
LE240								18.00	20.00	2.00	0.58	1.2	2.0m @ 0.6 g/t
LE240								37.00	39.00	2.00	8.02	16.0	2.0m @ 8.0 g/t
LE240								Incl 37.00	38.00	1.00	15.50	15.5	1.0m @ 15.5 g/t
LE241	6672159	272506	443.9	80	-60	60	RC	10.00	14.00	4.00	1.64	6.5	4.0m @ 1.6 g/t
LE241								Incl 10.00	13.00	3.00	1.95	5.9	3.0m @ 2.0 g/t
LE242	6672093	272445	443.3	80	-60	50	RC	13.00	17.00	4.00	4.10	16.4	4.0m @ 4.1 g/t
LE243	6672044	272457	443	80	-60	60	RC	0.00	60.00				N.S.I.
LE244	6672050	272481	443.3	80	-60	60	RC	40.00	50.00	10.00	1.20	12.0	10.0m @ 1.2 g/t
LE244								Incl 41.00	46.00	5.00	1.85	9.3	5.0m @ 1.9 g/t
LE245	6672056	272506	444	80	-60	60	RC	12.00	21.00	9.00	0.58	5.2	9.0m @ 0.6 g/t
LE245								Incl 13.00	14.00	1.00	1.95	2.0	1.0m @ 2.0 g/t
LE245								Incl 18.00	19.00	1.00	1.16	1.2	1.0m @ 1.2 g/t
LE245								30.00	35.00	5.00	1.59	7.9	5.0m @ 1.6 g/t
LE246	6672062	272530	445	80	-60	60	RC	0.00	8.00	8.00	1.37	11.0	8.0m @ 1.4 g/t
LE246								Incl 0.00	6.00	6.00	1.64	9.8	6.0m @ 1.6 g/t
LE247	6672026	272487	442	80	-60	60	RC	44.00	48.00	4.00	1.38	5.5	4.0m @ 1.4 g/t
LE247								Incl 44.00	47.00	3.00	1.60	4.8	3.0m @ 1.6 g/t
LE248	6672010	272527	442.3	80	-60	60	RC	0.00	60.00				N.S.I.
LE249	6671979	272504	442.1	80	-60	60	RC	17.00	18.00	1.00	1.02	1.0	1.0m @ 1.0 g/t
LE249								23.00	25.00	2.00	1.29	2.6	2.0m @ 1.3 g/t
LE249								Incl 23.00	24.00	1.00	1.65	1.7	1.0m @ 1.7 g/t
LE249								43.00	44.00	1.00	0.78	0.8	1.0m @ 0.8 g/t
LE250	6671947	272481	443	80	-60	60	RC	35.00	36.00	1.00	0.80	0.8	1.0m @ 0.8 g/t
LE251	6671953	272506	442	80	-60	60	RC	24.00	26.00	2.00	0.70	1.4	2.0m @ 0.7 g/t
LE251								35.00	38.00	3.00	1.40	4.2	3.0m @ 1.4 g/t
LE251								Incl 35.00	36.00	1.00	3.00	3.0	1.0m @ 3.0 g/t
LE252	6671965	272554	442	80	-60	60	RC	0.00	60.00				N.S.I.
LE254	6671908	272531	442	80	-60	60	RC	0.00	60.00				N.S.I.
LE255								57.00	60.00	3.00	0.91	2.7	3.0m @ 0.9 g/t
LE255								Incl 57.00	58.00	1.00	1.85	1.9	1.0m @ 1.9 g/t
LE259								24.00	31.00	7.00	1.06	7.4	7.0m @ 1.1 g/t
LE259								Incl 25.00	31.00	6.00	1.14	6.8	6.0m @ 1.1 g/t
LE261	6671748	272510	441	80	-60	60	RC	16.00	23.00	7.00	0.70	4.9	7.0m @ 0.7 g/t
LE261								Incl 20.00	21.00	1.00	2.00	2.0	1.0m @ 2.0 g/t
LE262	6671754	272535	441	80	-60	60	RC	40.00	42.00	2.00	0.66	1.3	2.0m @ 0.7 g/t
LE263	6671760	272559	440.8	80	-60	60	RC	0.00	60.00				N.S.I.
LE264	6671697	272513	440.9	77	-60	60	RC	0.00	60.00				N.S.I.
LE265	6671705	272542	440.8	77	-60	60	RC	0.00	60.00				N.S.I.
LE266	6671692	272493	440	76	-60	60	RC	22.00	24.00	2.00	0.54	1.1	2.0m @ 0.5 g/t
LE267	6671650	272530	440	76	-60	60	RC	0.00	60.00				N.S.I.
LE268	6671656	272554	440	76	-60	60	RC	0.00	60.00				N.S.I.
LE269	6671644	272505	440	76	-60	60	RC	0.00	60.00				N.S.I.
LE270	6671919	272474	442	80	-60	60	RC	0.00	60.00				N.S.I.
LE271	6671915	272453	441.8	80	-60	60	RC	0.00	60.00				N.S.I.
LE272								53.00	59.00	6.00	3.17	19.0	6.0m @ 3.2 g/t
LE272								Incl 53.00	58.00	5.00	3.68	18.4	5.0m @ 3.7 g/t
LE275	6671842	272465	442	80	-60	60	RC	41.00	51.00	10.00	6.87	68.7	10.0m @ 6.9 g/t
LE275								Incl 41.00	50.00	9.00	7.54	67.8	9.0m @ 7.5 g/t
LE277	6671819	272478	441	80	-60	60	RC	37.00	38.00	1.00	0.98	1.0	1.0m @ 1.0 g/t
LE281	6671866	272502	441.3	282	-70	60	RC	58.00	60.00	2.00	3.96	7.9	2.0m @ 4.0 g/t
LE281								Incl 59.00	60.00	1.00	7.20	7.2	1.0m @ 7.2 g/t
LE282	6671768	272502	440.7	80	-60	60	RC	0.00	60.00				N.S.I.
LE284	6671741	272484	441.2	80	-60	60	RC	18.00	22.00	4.00	4.96	19.8	4.0m @ 5.0 g/t
LE284								Incl 18.00	20.00	2.00	9.43	18.9	2.0m @ 9.4 g/t
LE285								29.00	47.00	18.00	30.82	554.8	18.0m @ 30.8 g/t
LE285								Incl 29.00	45.00	16.00	34.60	553.5	16.0m @ 34.6 g/t
LE29	6672930	272391	449	80	-60	65	RC	15.00	16.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
LE3	6673124	272447	448.1	80	-60	65	RC	40.00	44.00	4.00	0.67	2.7	4.0m @ 0.7 g/t
LE3								Incl 43.00	44.00	1.00	1.35	1.4	1.0m @ 1.4 g/t
LE34	6672905	272398	449	80	-60	65	RC	14.00	18.00	4.00	9.12	36.5	4.0m @ 9.1 g/t
LE34								Incl 14.00	17.00	3.00	11.87	35.6	3.0m @ 11.9 g/t
LE38	6672875	272379	448.7	80	-60	62	RC	24.00	26.00	2.00	3.93	7.9	2.0m @ 3.9 g/t
LE38								57.00	58.00	1.00	0.76	0.8	1.0m @ 0.8 g/t
LE39	6672856	272410	449	80	-60	69	RC	0.00	1.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
LE39								59.00	61.00	2.00	9.55	19.1	2.0m @ 9.6 g/t
LE40	6672849	272381	448	80	-60	60	RC	11.00	12.00	1.00	3.10	3.1	1.0m @ 3.1 g/t
LE40								34.00	35.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
LE40								49.00	50.00	1.00	0.94	0.9	1.0m @ 0.9 g/t
LE41								12.00	19.00	7.00	0.77	5.4	7.0m @ 0.8 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
LE41								Incl 12.00	15.00	3.00	1.56	4.7	3.0m @ 1.6 g/t
LE42	6672838	272440	449	80	-60	60	RC	28.00	31.00	3.00	2.57	7.7	3.0m @ 2.6 g/t
LE42								Incl 29.00	31.00	2.00	3.55	7.1	2.0m @ 3.6 g/t
LE42								39.00	40.00	1.00	1.90	1.9	1.0m @ 1.9 g/t
LE43	6672832	272416	448	80	-60	60	RC	16.00	17.00	1.00	0.74	0.7	1.0m @ 0.7 g/t
LE43								54.00	57.00	3.00	1.67	5.0	3.0m @ 1.7 g/t
LE43								Incl 55.00	57.00	2.00	2.13	4.3	2.0m @ 2.1 g/t
LE44	6672826	272392	448.3	80	-60	60	RC	0.00	1.00	1.00	0.66	0.7	1.0m @ 0.7 g/t
LE44								21.00	22.00	1.00	0.74	0.7	1.0m @ 0.7 g/t
LE44								38.00	40.00	2.00	4.55	9.1	2.0m @ 4.6 g/t
LE45	6672820	272367	448.3	80	-60	60	RC	25.00	40.00	15.00	4.68	70.2	15.0m @ 4.7 g/t
LE45								Incl 25.00	29.00	4.00	2.53	10.1	4.0m @ 2.5 g/t
LE45								Incl 35.00	40.00	5.00	11.72	58.6	5.0m @ 11.7 g/t
LE45								53.00	54.00	1.00	1.70	1.7	1.0m @ 1.7 g/t
LE46	6672819	272471	449	80	-60	60	RC	0.00	60.00				N.S.I.
LE47	6672814	272446	448	80	-60	60	RC	25.00	27.00	2.00	0.70	1.4	2.0m @ 0.7 g/t
LE47								34.00	35.00	1.00	2.00	2.0	1.0m @ 2.0 g/t
LE48	6672808	272422	448.1	80	-60	60	RC	12.00	18.00	6.00	1.10	6.6	6.0m @ 1.1 g/t
LE48								Incl 17.00	18.00	1.00	4.80	4.8	1.0m @ 4.8 g/t
LE49	6672802	272396	448	80	-60	60	RC	18.00	26.00	8.00	4.09	32.7	8.0m @ 4.1 g/t
LE49								38.00	40.00	2.00	3.16	6.3	2.0m @ 3.2 g/t
LE49								Incl 38.00	39.00	1.00	5.40	5.4	1.0m @ 5.4 g/t
LE49								50.00	51.00	1.00	8.00	8.0	1.0m @ 8.0 g/t
LE50	6672765	272458	448	80	-60	60	RC	17.00	19.00	2.00	0.72	1.4	2.0m @ 0.7 g/t
LE50								25.00	26.00	1.00	1.55	1.6	1.0m @ 1.6 g/t
LE50								45.00	51.00	6.00	2.26	13.5	6.0m @ 2.3 g/t
LE51	6672759	272434	447.6	80	-60	60	RC	0.00	60.00				N.S.I.
LE52	6672753	272410	447.6	80	-60	60	RC	4.00	7.00	3.00	6.47	19.4	3.0m @ 6.5 g/t
LE52								Incl 6.00	7.00	1.00	18.00	18.0	1.0m @ 18.0 g/t
LE52								38.00	44.00	6.00	0.57	3.4	6.0m @ 0.6 g/t
LE53	6672747	272385	448	80	-60	60	RC	44.00	45.00	1.00	3.13	3.1	1.0m @ 3.1 g/t
LE54	6672717	272470	447.5	80	-60	60	RC	13.00	14.00	1.00	0.68	0.7	1.0m @ 0.7 g/t
LE55	6672703	272417	447.2	80	-60	60	RC	22.00	26.00	4.00	2.55	10.2	4.0m @ 2.5 g/t
LE55								Incl 24.00	26.00	2.00	4.52	9.0	2.0m @ 4.5 g/t
LE56	6672681	272325	448	80	-60	60	RC	0.00	60.00				N.S.I.
LE57	6672674	272507	447.6	80	-60	60	RC	0.00	60.00				N.S.I.
LE58	6672666	272482	447	80	-60	60	RC	23.00	24.00	1.00	3.60	3.6	1.0m @ 3.6 g/t
LE59	6672662	272458	446.9	80	-60	60	RC	59.00	60.00	1.00	2.68	2.7	1.0m @ 2.7 g/t
LE60	6672656	272434	446.9	80	-60	60	RC	4.00	10.00	6.00	0.96	5.8	6.0m @ 1.0 g/t
LE60								Incl 4.00	8.00	4.00	1.11	4.4	4.0m @ 1.1 g/t
LE61	6672650	272410	447.1	80	-60	60	RC	10.00	11.00	1.00	2.03	2.0	1.0m @ 2.0 g/t
LE61								17.00	18.00	1.00	1.75	1.8	1.0m @ 1.8 g/t
LE61								24.00	26.00	2.00	0.52	1.0	2.0m @ 0.5 g/t
LE61								40.00	42.00	2.00	0.71	1.4	2.0m @ 0.7 g/t
LE62	6672644	272386	447.3	80	-60	60	RC	0.00	60.00				N.S.I.
LE63	6672638	272363	448	80	-60	60	RC	0.00	60.00				N.S.I.
LE64	6672561	272468	445.9	80	-60	60	RC	20.00	24.00	4.00	2.08	8.3	4.0m @ 2.1 g/t
LE64								Incl 20.00	21.00	1.00	6.65	6.7	1.0m @ 6.7 g/t
LE65	6672544	272400	447.2	80	-60	60	RC	55.00	57.00	2.00	1.43	2.9	2.0m @ 1.4 g/t
LE65								Incl 55.00	56.00	1.00	2.20	2.2	1.0m @ 2.2 g/t
LE66	6672529	272341	448	80	-60	59	RC	0.00	59.00				N.S.I.
LE67	6672407	272471	445	80	-60	60	RC	19.00	25.00	6.00	3.83	23.0	6.0m @ 3.8 g/t
LE67								Incl 19.00	23.00	4.00	5.48	21.9	4.0m @ 5.5 g/t
LE68	6672383	272373	446.5	80	-60	60	RC	0.00	60.00				N.S.I.
LE69	6672306	272478	444.4	80	-60	60	RC	20.00	21.00	1.00	0.69	0.7	1.0m @ 0.7 g/t
LE69								25.00	27.00	2.00	0.76	1.5	2.0m @ 0.8 g/t
LE69								53.00	54.00	1.00	2.63	2.6	1.0m @ 2.6 g/t
LE7	6673094	272429	448	80	-60	70	RC	10.00	11.00	1.00	0.92	0.9	1.0m @ 0.9 g/t
LE70	6672205	272488	444	80	-60	60	RC	22.00	23.00	1.00	1.93	1.9	1.0m @ 1.9 g/t
LE71	6672103	272494	443	80	-60	60	RC	14.00	15.00	1.00	0.62	0.6	1.0m @ 0.6 g/t
LE72	6672119	272426	443.7	80	-60	60	RC	0.00	60.00				N.S.I.
LE73	6672001	272496	442.1	80	-60	38	RC	14.00	26.00	12.00	2.42	29.0	12.0m @ 2.4 g/t
LE73								Incl 14.00	21.00	7.00	3.92	27.5	7.0m @ 3.9 g/t
LE74	6671954	272528	442	80	-60	72	RC	38.00	41.00	3.00	1.07	3.2	3.0m @ 1.1 g/t
LE75	6671996	272481	442.3	80	-60	55	RC	2.00	4.00	2.00	0.71	1.4	2.0m @ 0.7 g/t
LE75								40.00	42.00	2.00	2.22	4.4	2.0m @ 2.2 g/t
LERC002	6672967	272379	449.6	80	-60	90	RC	13.00	24.00	11.00	11.46	126.1	11.0m @ 11.5 g/t
LERC002								Incl 14.00	17.00	3.00	40.50	121.5	3.0m @ 40.5 g/t
LERC004	6672924	272369	449.1	80	-60	89	RC	30.00	33.00	3.00	0.72	2.2	3.0m @ 0.7 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
LERC006	6672867	272392	449	80	-60	90	RC	11.00	14.00	3.00	0.69	2.1	3.0m @ 0.7 g/t
LERC006								Incl 11.00	12.00	1.00	1.39	1.4	1.0m @ 1.4 g/t
LERC006								42.00	43.00	1.00	0.74	0.7	1.0m @ 0.7 g/t
LERC007	6672839	272395	448.4	80	-60	90	RC	0.00	90.00				N.S.I.
LERC008	6672645	272583	449	80	-60	75	RC	0.00	75.00				N.S.I.
LERC009	6672635	272543	447.8	80	-60	80	RC	0.00	80.00				N.S.I.
LERC010	6672624	272502	446.8	80	-60	80	RC	0.00	80.00				N.S.I.
LERC011	6672613	272459	447	80	-60	80	RC	27.00	28.00	1.00	4.74	4.7	1.0m @ 4.7 g/t
LERC011								47.00	48.00	1.00	0.64	0.6	1.0m @ 0.6 g/t
LERC012	6672605	272428	447	80	-60	80	RC	24.00	25.00	1.00	0.79	0.8	1.0m @ 0.8 g/t
LERC012								61.00	64.00	3.00	2.05	6.1	3.0m @ 2.0 g/t
LERC012								Incl 63.00	64.00	1.00	5.23	5.2	1.0m @ 5.2 g/t
LERC013	6672589	272364	447.6	80	-60	80	RC	20.00	21.00	1.00	0.86	0.9	1.0m @ 0.9 g/t
LERC014	6672574	272308	449	80	-60	80	RC	0.00	80.00				N.S.I.
LERC015	6672383	272473	444.9	80	-60	80	RC	24.00	25.00	1.00	1.16	1.2	1.0m @ 1.2 g/t
LERC015								53.00	54.00	1.00	0.77	0.8	1.0m @ 0.8 g/t
LERC016	6672372	272433	445	80	-60	80	RC	28.00	32.00	4.00	2.27	9.1	4.0m @ 2.3 g/t
LERC016								Incl 30.00	31.00	1.00	7.12	7.1	1.0m @ 7.1 g/t
LERC016								69.00	70.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
LERC017	6672362	272393	446.1	80	-60	80	RC	0.00	80.00				N.S.I.
LERC018	6672352	272355	446.5	80	-60	80	RC	0.00	80.00				N.S.I.
LERC019	6672148	272458	443.5	80	-60	80	RC	41.00	42.00	1.00	4.73	4.7	1.0m @ 4.7 g/t
LERC019								69.00	70.00	1.00	3.19	3.2	1.0m @ 3.2 g/t
LERC020	6672045	272459	442.8	80	-60	105	RC	19.00	21.00	2.00	8.40	16.8	2.0m @ 8.4 g/t
LERC020								Incl 19.00	20.00	1.00	15.90	15.9	1.0m @ 15.9 g/t
LERC021	6672038	272519	442.5	80	-60	80	RC	17.00	19.00	2.00	1.78	3.6	2.0m @ 1.8 g/t
LERC022	6671957	272428	442	80	-60	80	RC	51.00	52.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
LERC023	6671993	272461	442.4	80	-60	80	RC	68.00	70.00	2.00	1.32	2.6	2.0m @ 1.3 g/t
LERC025	6671971	272467	442	80	-60	80	RC	72.00	73.00	1.00	1.09	1.1	1.0m @ 1.1 g/t
LERC026	6671894	272424	442	80	-50	110	RC	86.00	94.00	8.00	1.51	12.0	8.0m @ 1.5 g/t
LERC026								Incl 90.00	94.00	4.00	2.43	9.7	4.0m @ 2.4 g/t
LERC027	6671865	272422	441.8	80	-50	100	RC	73.00	82.00	9.00	0.99	8.9	9.0m @ 1.0 g/t
LERC027								Incl 73.00	80.00	7.00	1.18	8.3	7.0m @ 1.2 g/t
LERC028	6671834	272424	442	80	-60	110	RC	42.00	44.00	2.00	3.33	6.7	2.0m @ 3.3 g/t
LERC028								54.00	56.00	2.00	3.58	7.2	2.0m @ 3.6 g/t
LERC028								Incl 55.00	56.00	1.00	6.50	6.5	1.0m @ 6.5 g/t
LERC028								68.00	69.00	1.00	0.83	0.8	1.0m @ 0.8 g/t
LERC028								89.00	95.00	6.00	2.35	14.1	6.0m @ 2.3 g/t
LERC029	6671736	272453	441.2	80	-60	80	RC	43.00	48.00	5.00	1.17	5.9	5.0m @ 1.2 g/t
LERC029								Incl 43.00	45.00	2.00	2.30	4.6	2.0m @ 2.3 g/t
LERC030	6671723	272620	441	80	-60	80	RC	0.00	80.00				N.S.I.
LERC031	6671713	272578	441	80	-60	80	RC	42.00	44.00	2.00	0.58	1.2	2.0m @ 0.6 g/t
LERC042	6672863	272526	450	0	-90	5	RC	0.00	1.00	1.00	0.81	0.8	1.0m @ 0.8 g/t
LERC048	6672890	272645	450.4	0	-90	5	RC	0.00	2.00	2.00	0.54	1.1	2.0m @ 0.5 g/t
LERC049	6672161	272515	444	80	-60	15	RC	0.00	15.00				N.S.I.
LERC050	6672155	272493	444	80	-60	35	RC	17.00	26.00	9.00	0.69	6.2	9.0m @ 0.7 g/t
LERC050								Incl 21.00	22.00	1.00	1.10	1.1	1.0m @ 1.1 g/t
LERC050								Incl 24.00	26.00	2.00	1.29	2.6	2.0m @ 1.3 g/t
LERC051	6672143	272442	443.8	80	-60	20	RC	8.00	10.00	2.00	1.03	2.1	2.0m @ 1.0 g/t
LERC051								Incl 8.00	9.00	1.00	1.54	1.5	1.0m @ 1.5 g/t
LERC052	6672139	272510	444	80	-60	25	RC	0.00	25.00				N.S.I.
LERC053	6672133	272486	444	80	-60	50	RC	0.00	1.00	1.00	2.55	2.6	1.0m @ 2.6 g/t
LERC053								8.00	9.00	1.00	0.62	0.6	1.0m @ 0.6 g/t
LERC053								25.00	31.00	6.00	0.69	4.2	6.0m @ 0.7 g/t
LERC053								Incl 27.00	28.00	1.00	1.51	1.5	1.0m @ 1.5 g/t
LERC054	6672123	272447	444	80	-60	24	RC	0.00	24.00				N.S.I.
LERC055	6672121	272438	443.5	80	-60	30	RC	14.00	15.00	1.00	5.43	5.4	1.0m @ 5.4 g/t
LERC055								22.00	23.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
LERC056	6672106	272503	443	80	-60	15	RC	13.00	14.00	1.00	0.59	0.6	1.0m @ 0.6 g/t
LERC057	6672100	272479	442	80	-60	60	RC	28.00	33.00	5.00	0.90	4.5	5.0m @ 0.9 g/t
LERC057								Incl 28.00	29.00	1.00	1.28	1.3	1.0m @ 1.3 g/t
LERC057								Incl 32.00	33.00	1.00	1.45	1.5	1.0m @ 1.5 g/t
LERC057								53.00	54.00	1.00	0.98	1.0	1.0m @ 1.0 g/t
LERC058	6672094	272455	443	80	-60	15	RC	0.00	15.00				N.S.I.
LERC059	6672088	272430	442.8	80	-60	48	RC	46.00	47.00	1.00	0.55	0.6	1.0m @ 0.6 g/t
LERC060	6672058	272518	444	80	-60	28	RC	16.00	17.00	1.00	0.91	0.9	1.0m @ 0.9 g/t
LERC061	6672052	272493	443.5	80	-60	72	RC	23.00	24.00	1.00	0.72	0.7	1.0m @ 0.7 g/t
LERC061								30.00	32.00	2.00	0.58	1.2	2.0m @ 0.6 g/t
LERC062	6672046	272469	443	80	-60	15	RC	6.00	7.00	1.00	1.96	2.0	1.0m @ 2.0 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
LERC063	6672041	272447	442.8	80	-60	40	RC	0.00	40.00				N.S.I.
LERC064	6672040	272527	443	80	-60	15	RC	8.00	10.00	2.00	0.66	1.3	2.0m @ 0.7 g/t
LERC065	6672034	272501	442.5	80	-60	54	RC	22.00	30.00	8.00	0.67	5.3	8.0m @ 0.7 g/t
LERC065								Incl 28.00	30.00	2.00	1.40	2.8	2.0m @ 1.4 g/t
LERC065								41.00	42.00	1.00	2.11	2.1	1.0m @ 2.1 g/t
LERC066	6672024	272462	442.5	80	-60	36	RC	3.00	18.00	15.00	1.20	18.0	15.0m @ 1.2 g/t
LERC067	6671710	272463	436	80	-60	60	RC	35.00	42.00	7.00	3.27	22.9	7.0m @ 3.3 g/t
LERC067								49.00	50.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
LERC067								57.00	58.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
LERC068	6671722	272511	436	80	-60	42	RC	16.00	21.00	5.00	0.77	3.8	5.0m @ 0.8 g/t
LERC068								Incl 18.00	19.00	1.00	1.16	1.2	1.0m @ 1.2 g/t
LERC068								28.00	29.00	1.00	2.14	2.1	1.0m @ 2.1 g/t
LERC069	6671716	272487	436	80	-60	54	RC	28.00	36.00	8.00	0.60	4.8	8.0m @ 0.6 g/t
LERC069								Incl 32.00	33.00	1.00	1.92	1.9	1.0m @ 1.9 g/t
LERC070	6671981	272519	442	80	-60	40	RC	0.00	40.00				N.S.I.
LERC071	6672006	272513	442.2	80	-60	40	RC	17.00	18.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
LERC071								28.00	29.00	1.00	0.98	1.0	1.0m @ 1.0 g/t
LERC072	6671728	272429	458	78	-60	110	RC	81.00	82.00	1.00	0.76	0.8	1.0m @ 0.8 g/t
LERC072								87.00	88.00	1.00	59.30	59.3	1.0m @ 59.3 g/t
LERC072								102.00	105.00	3.00	1.76	5.3	3.0m @ 1.8 g/t
LERC072								Incl 102.00	103.00	1.00	4.13	4.1	1.0m @ 4.1 g/t
LERC073	6671705	272442	458	80	-60	90	RC	69.00	83.00	14.00	0.63	8.8	14.0m @ 0.6 g/t
LERC073								Incl 69.00	71.00	2.00	2.58	5.2	2.0m @ 2.6 g/t
LERC074	6671686	272472	457.4	81.8	-60.2	65	RC	7.00	10.00	3.00	1.58	4.7	3.0m @ 1.6 g/t
LERC074								Incl 7.00	9.00	2.00	2.07	4.1	2.0m @ 2.1 g/t
LERC074								20.00	23.00	3.00	0.59	1.8	3.0m @ 0.6 g/t
LERC074								Incl 22.00	23.00	1.00	1.05	1.1	1.0m @ 1.1 g/t
LERC074								26.00	28.00	2.00	0.66	1.3	2.0m @ 0.7 g/t
LERC074								59.00	60.00	1.00	1.27	1.3	1.0m @ 1.3 g/t
LERC075	6671681	272454	458	81	-59	89	RC	45.00	56.00	11.00	2.14	23.6	11.0m @ 2.1 g/t
LERC075								71.00	72.00	1.00	0.63	0.6	1.0m @ 0.6 g/t
LERC075								79.00	82.00	3.00	0.89	2.7	3.0m @ 0.9 g/t
LERC075								Incl 81.00	82.00	1.00	1.07	1.1	1.0m @ 1.1 g/t
LERC076	6671638	272480	457.2	80.8	-60.2	65	RC	22.00	25.00	3.00	1.54	4.6	3.0m @ 1.5 g/t
LERC076								Incl 22.00	24.00	2.00	1.97	3.9	2.0m @ 2.0 g/t
LERC077	6671631	272454	457.4	81.7	-59.1	80	RC	14.00	17.00	3.00	0.76	2.3	3.0m @ 0.8 g/t
LERC077								Incl 14.00	15.00	1.00	1.26	1.3	1.0m @ 1.3 g/t
LERC077								21.00	22.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
LERC077								27.00	29.00	2.00	0.98	2.0	2.0m @ 1.0 g/t
LERC077								Incl 27.00	28.00	1.00	1.43	1.4	1.0m @ 1.4 g/t
LERC077								37.00	41.00	4.00	2.59	10.4	4.0m @ 2.6 g/t
LERC077								79.00	80.00	1.00	1.32	1.3	1.0m @ 1.3 g/t
MWR160	6672568	271866	468	282	-60	13	RAB	0.00	13.00				N.S.I.
MWR161	6672607	272063	468	282	-60	15	RAB	0.00	15.00				N.S.I.
MWR162	6672627	272265	465	282	-60	16	RAB	0.00	16.00				N.S.I.
MWR163	6672735	272448	464	282	-60	20	RAB	0.00	20.00				N.S.I.
MWR164	6672775	272645	466	282	-60	14	RAB	0.00	14.00				N.S.I.
MWR165	6672765	272750	466	282	-60	11	RAB	0.00	10.50				N.S.I.
MWR166	6672814	272843	466	282	-60	9	RAB	0.00	9.00				N.S.I.
MWR169	6672262	272132	465	282	-60	20	RAB	0.00	19.50				N.S.I.
MWR170	6672173	271842	463.8	282	-60	15	RAB	0.00	15.00				N.S.I.
MWR171	6672311	272533	460	282	-60	15	RAB	0.00	15.00				N.S.I.
MWR172	6672351	272730	462	282	-60	15	RAB	0.00	15.00				N.S.I.
MWR173	6672390	272927	462.9	282	-60	12	RAB	0.00	12.00				N.S.I.
MWR176	6671867	272416	451	282	-60	11	RAB	0.00	11.00				N.S.I.
MWR177	6671879	272629	465.5	282	-60	8	RAB	0.00	8.00				N.S.I.
MWR178	6671956	272809	460	282	-60	16	RAB	0.00	16.00				N.S.I.
MWR179	6671995	273006	462	282	-60	19	RAB	0.00	19.00				N.S.I.
MWR184	6672374	272951	463.2	282	-60	6	RAB	0.00	6.00				N.S.I.
RCD161								21.00	22.00	1.00	0.67	0.7	1.0m @ 0.7 g/t
RCD317	6673256	272359	464	78	-60	14	RC	0.00	14.00				N.S.I.
RCD318	6673255	272354	464	78	-60	60	RC	0.00	60.00				N.S.I.
RCD326	6673270	272415	464	78	-60	50	RC	0.00	50.00				N.S.I.
RCD327	6673273	272426	464	78	-60	40	RC	25.00	26.00	1.00	0.80	0.8	1.0m @ 0.8 g/t
WLER001	6672003	272369	459	225	-60	150	RC	0.00	150.00				N.S.I.
WSRB028	6673149	272342	466	76	-60	38	RAB	0.00	38.00				N.S.I.
WSRB029	6673139	272303	465.6	76	-60	47	RAB	0.00	47.00				N.S.I.
WSRB030	6673130	272264	465.3	76	-60	33	RAB	0.00	33.00				N.S.I.
WSRB031	6673120	272226	465	76	-60	34	RAB	0.00	34.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
WSRB032	6673110	272187	464.2	76	-60	40	RAB	0.00	40.00				N.S.I.
WSRB033	6673101	272148	464	76	-60	51	RAB	0.00	51.00				N.S.I.
WSRB034	6673091	272109	464	76	-60	55	RAB	0.00	55.00				N.S.I.
WSRB035	6673081	272070	464	76	-60	47	RAB	0.00	47.00				N.S.I.
WSRB036	6673285	272473	462.6	76	-60	59	RAB	18.00	22.00	4.00	0.72	2.9	4.0m @ 0.7 g/t
WSRB036								Incl 21.00	22.00	1.00	1.31	1.3	1.0m @ 1.3 g/t
WSRB036								25.00	26.00	1.00	0.63	0.6	1.0m @ 0.6 g/t
WSRB037	6673265	272395	464	76	-60	47	RAB	0.00	47.00				N.S.I.
WSRB038	6673246	272318	464	76	-60	41	RAB	0.00	41.00				N.S.I.
WSRB039	6673236	272279	464.2	76	-60	52	RAB	0.00	52.00				N.S.I.
WSRB040	6673227	272240	464	76	-60	39	RAB	0.00	39.00				N.S.I.
WSRB041	6673217	272201	463.8	76	-60	48	RAB	0.00	48.00				N.S.I.
WSRB042	6673207	272163	463.6	76	-60	56	RAB	0.00	56.00				N.S.I.
WSRB043	6673198	272124	463.8	76	-60	51	RAB	0.00	51.00				N.S.I.
WSRB044	6673188	272085	464	76	-60	56	RAB	0.00	56.00				N.S.I.
WSRB045	6673178	272046	464	76	-60	64	RAB	0.00	64.00				N.S.I.
WSRB065	6673382	272449	462	76	-60	78	RAB	33.00	35.00	2.00	0.71	1.4	2.0m @ 0.7 g/t
WSRB066	6673372	272410	461.7	76	-60	38	RAB	0.00	38.00				N.S.I.
WSRB067	6673362	272371	462	76	-60	52	RAB	0.00	52.00				N.S.I.
WSRB068	6673353	272332	462	76	-60	37	RAB	0.00	37.00				N.S.I.
WSRB069	6673343	272294	462	76	-60	44	RAB	0.00	44.00				N.S.I.
WSRB070	6673333	272255	462	76	-60	46	RAB	0.00	46.00				N.S.I.
WSRB071	6673324	272216	462.2	76	-60	20	RAB	0.00	20.00				N.S.I.
WSRB072	6673314	272177	462.2	76	-60	40	RAB	0.00	40.00				N.S.I.
WSRB073	6673304	272138	462.4	76	-60	54	RAB	0.00	54.00				N.S.I.
WSRB074	6673295	272100	462.6	76	-60	54	RAB	0.00	54.00				N.S.I.
WSRB075	6673285	272061	462.8	76	-60	56	RAB	0.00	56.00				N.S.I.
WSRB076	6673276	272022	463	76	-60	59	RAB	0.00	59.00				N.S.I.
97DRB381	6669759	273152	448	90	-60	11	RAB	0.00	11.00				N.S.I.
97DRB382	6669759	273094	447	90	-60	25	RAB	0.00	25.00				N.S.I.
97DRB383	6669759	273034	447	90	-60	41	RAB	0.00	41.00				N.S.I.
97DRB384	6669762	272974	446.5	90	-60	30	RAB	0.00	30.00				N.S.I.
97DRB385	6669763	272915	446.3	90	-60	19	RAB	0.00	19.00				N.S.I.
97DRB386	6669760	272851	446.2	90	-60	42	RAB	0.00	42.00				N.S.I.
97DRB387	6669760	272795	446.4	90	-60	41	RAB	0.00	41.00				N.S.I.
97DRB388	6669763	272734	446.8	90	-60	35	RAB	0.00	35.00				N.S.I.
97DRB389	6669759	272674	447.1	90	-60	40	RAB	0.00	40.00				N.S.I.
97DRB390	6669761	272615	447.4	90	-60	59	RAB	0.00	59.00				N.S.I.
97DRB391	6669767	272551	448	90	-60	60	RAB	0.00	60.00				N.S.I.
97DRB392	6669765	272493	448.6	90	-60	61	RAB	0.00	61.00				N.S.I.
97DRB393	6669765	272433	449.3	90	-60	63	RAB	0.00	63.00				N.S.I.
97DRB394	6669768	272371	450	90	-60	57	RAB	0.00	57.00				N.S.I.
97DRB395	6669766	272309	450.6	90	-60	68	RAB	0.00	68.00				N.S.I.
97DRB396	6669761	272250	451.1	90	-60	58	RAB	0.00	58.00				N.S.I.
97DRB397	6669761	272191	451.6	90	-60	17	RAB	0.00	17.00				N.S.I.
97DRB398	6669766	272130	451.8	90	-60	51	RAB	0.00	51.00				N.S.I.
97DRB399	6669766	272072	452.2	90	-60	50	RAB	0.00	50.00				N.S.I.
97DRB400	6669764	272013	453	90	-60	68	RAB	0.00	68.00				N.S.I.
97DRB401	6669765	271951	453.1	90	-60	69	RAB	0.00	69.00				N.S.I.
97DRB402	6669765	271890	453.6	90	-60	17	RAB	0.00	17.00				N.S.I.
97DRB442	6669356	273122	444	90	-60	23	RAB	0.00	23.00				N.S.I.
97DRB443	6669356	273063	444	90	-60	43	RAB	0.00	43.00				N.S.I.
97DRB444	6669368	273001	444.2	90	-60	52	RAB	0.00	52.00				N.S.I.
97DRB445	6669361	272943	444.4	90	-60	46	RAB	0.00	46.00				N.S.I.
97DRB446	6669357	272883	444.7	90	-60	44	RAB	0.00	44.00				N.S.I.
97DRB447	6669360	272822	445	90	-60	48	RAB	0.00	48.00				N.S.I.
97DRB448	6669356	272762	445	90	-60	52	RAB	0.00	52.00				N.S.I.
97DRB449	6669360	272703	445.5	90	-60	39	RAB	0.00	39.00				N.S.I.
97DRB450	6669360	272644	446	90	-60	38	RAB	0.00	38.00				N.S.I.
97DRB451	6669357	272583	446.2	90	-60	33	RAB	0.00	33.00				N.S.I.
97DRB452	6669359	272523	446.9	90	-60	35	RAB	0.00	35.00				N.S.I.
97DRB453	6669362	272462	447	90	-60	40	RAB	0.00	40.00				N.S.I.
97DRB454	6669368	272404	448	90	-60	48	RAB	0.00	48.00				N.S.I.
97DRB455	6669357	272342	448.3	90	-60	51	RAB	0.00	51.00				N.S.I.
97DRB456	6669363	272302	449	90	-60	23	RAB	0.00	23.00				N.S.I.
97DRB457	6669357	272224	448.9	90	-60	45	RAB	0.00	45.00				N.S.I.
97DRB458	6669362	272163	449.4	90	-60	51	RAB	0.00	51.00				N.S.I.
97DRB459	6669365	272106	449.7	90	-60	50	RAB	0.00	50.00				N.S.I.
97DRB460	6669360	272052	450	90	-60	66	RAB	0.00	66.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
97DRB484	6670657	272747	452.3	90	-60	47	RAB	0.00	47.00				N.S.I.
97DRB485	6670657	272727	452	90	-60	45	RAB	0.00	45.00				N.S.I.
97DRB486	6670657	272707	452	90	-60	49	RAB	0.00	49.00				N.S.I.
97DRB487	6670657	272677	452	90	-60	38	RAB	0.00	38.00				N.S.I.
97DRB496	6670557	273057	455	90	-60	78	RAB	0.00	78.00				N.S.I.
97DRB497	6670557	272977	454	90	-60	72	RAB	0.00	72.00				N.S.I.
97DRB498	6670557	272937	453	90	-60	49	RAB	0.00	49.00				N.S.I.
97DRB499	6670557	272897	452.9	90	-60	47	RAB	0.00	47.00				N.S.I.
97DRB500	6670557	272817	452	90	-60	42	RAB	0.00	42.00				N.S.I.
97DRB501	6670557	272827	452.4	90	-60	40	RAB	0.00	40.00				N.S.I.
97DRB502	6670557	272707	452	90	-60	35	RAB	0.00	35.00				N.S.I.
97DRB503	6670557	272687	451	90	-60	25	RAB	0.00	25.00				N.S.I.
97DRB504	6670557	272667	451.2	90	-60	34	RAB	0.00	34.00				N.S.I.
97DRB505	6670557	272637	451	90	-60	37	RAB	0.00	37.00				N.S.I.
97DRB506	6670557	272597	450.7	90	-60	55	RAB	0.00	55.00				N.S.I.
97DRB515	6670157	273077	452	90	-60	17	RAB	0.00	17.00				N.S.I.
97DRB516	6670157	273047	451.3	90	-60	34	RAB	0.00	34.00				N.S.I.
97DRB517	6670157	273017	451	90	-60	54	RAB	0.00	54.00				N.S.I.
97DRB518	6670157	272917	450.1	90	-60	60	RAB	0.00	60.00				N.S.I.
97DRB519	6670157	272897	449.9	90	-60	60	RAB	0.00	60.00				N.S.I.
97DRB520	6670157	272847	449.5	90	-60	57	RAB	0.00	57.00				N.S.I.
97DRB521	6670157	272767	449	90	-60	48	RAB	0.00	48.00				N.S.I.
97DRB522	6670157	272647	449.2	90	-60	45	RAB	0.00	45.00				N.S.I.
97DRB523	6670157	272597	449.3	90	-60	47	RAB	0.00	47.00				N.S.I.
97DRB524	6670157	272517	449.9	90	-60	46	RAB	0.00	46.00				N.S.I.
97DRB525	6670157	272437	451	90	-60	49	RAB	0.00	49.00				N.S.I.
97DRB526	6670157	272357	451.2	90	-60	48	RAB	0.00	48.00				N.S.I.
97DRB527	6670157	272277	452	90	-60	60	RAB	0.00	60.00				N.S.I.
97DRB533	6669957	272957	448.2	90	-60	42	RAB	0.00	42.00				N.S.I.
97DRB534	6669957	272877	448	90	-60	63	RAB	0.00	63.00				N.S.I.
97DRB535	6669957	272797	448	90	-60	57	RAB	0.00	57.00				N.S.I.
97DRB536	6669957	272717	448	90	-60	60	RAB	0.00	60.00				N.S.I.
97DRB537	6669957	272637	448	90	-60	57	RAB	0.00	57.00				N.S.I.
97DRB538	6669957	272607	448.3	90	-60	54	RAB	0.00	54.00				N.S.I.
97DRB539	6669957	272577	448.6	90	-60	44	RAB	0.00	44.00				N.S.I.
97DRB540	6669957	272547	448.8	90	-60	45	RAB	0.00	45.00				N.S.I.
97DRB541	6669957	272457	449.7	90	-60	48	RAB	0.00	48.00				N.S.I.
97DRB542	6669957	272387	450	90	-60	69	RAB	0.00	69.00				N.S.I.
97DRB543	6669957	272317	451.4	90	-60	63	RAB	0.00	63.00				N.S.I.
DSR1	6667321	272525	442.7	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR10	6667353	272656	441.8	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR100	6671011	272446	452.3	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR101	6671007	272432	452.5	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR102	6671004	272417	453	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR103	6671000	272403	452.9	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR104	6670942	272582	452.2	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR105	6670938	272568	452	77	-60	30	RAB	18.00	19.00	1.00	0.58	0.6	1.0m @ 0.6 g/t
DSR106	6670935	272554	452	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR107	6670931	272538	452	77	-60	9	RAB	0.00	9.00				N.S.I.
DSR108	6670927	272524	452	77	-60	30	RAB	10.00	11.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
DSR109	6670924	272509	452	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR11	6667357	272670	442	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR110	6670920	272495	452	77	-60	30	RAB	15.00	16.00	1.00	1.45	1.5	1.0m @ 1.5 g/t
DSR111	6670916	272480	452	77	-60	24	RAB	12.00	22.00	10.00	0.62	6.2	10.0m @ 0.6 g/t
DSR111								Incl 13.00	14.00	1.00	1.00	1.0	1.0m @ 1.0 g/t
DSR111								Incl 17.00	18.00	1.00	1.30	1.3	1.0m @ 1.3 g/t
DSR112	6670913	272466	452	77	-60	18	RAB	0.00	18.00				N.S.I.
DSR113	6670909	272451	452	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR114	6670906	272437	452	77	-60	30	RAB	26.00	29.00	3.00	0.85	2.6	3.0m @ 0.9 g/t
DSR114								Incl 26.00	27.00	1.00	1.50	1.5	1.0m @ 1.5 g/t
DSR115	6670902	272422	452.3	77	-60	30	RAB	27.00	30.00				N.S.I.
DSR116	6670898	272407	452	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR117	6670841	272592	452	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR118	6670837	272577	452	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR119	6670834	272563	452	77	-60	30	RAB	27.00	29.00	2.00	0.55	1.1	2.0m @ 0.6 g/t
DSR12	6667361	272685	442	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR120	6670830	272548	452	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR121	6670827	272534	452	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR122	6670823	272519	452	77	-60	21	RAB	0.00	21.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
DSR123	6670819	272504	452	77	-60	30	RAB	25.00	28.00	3.00	1.70	5.1	3.0m @ 1.7 g/t
DSR123								Incl 25.00	27.00	2.00	2.17	4.3	2.0m @ 2.2 g/t
DSR124	6670816	272490	452	77	-60	30	RAB	29.00	30.00	1.00	0.83	0.8	1.0m @ 0.8 g/t
DSR125	6670812	272475	452	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR126	6670808	272461	452	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR127	6670805	272446	452	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR128	6670801	272432	452	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR129	6670798	272417	452	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR13	6667364	272700	442	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR130	6670945	272597	452.3	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR131	6670949	272611	452.5	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR132	6670845	272606	452	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR133	6670740	272601	452	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR134	6670737	272587	452	77	-60	30	RAB	16.00	17.00	1.00	0.58	0.6	1.0m @ 0.6 g/t
DSR135	6670733	272572	452	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR136	6670730	272558	452	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR137	6670726	272543	452	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR138	6670722	272529	452	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR139	6670719	272514	452	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR14	6667368	272714	441.5	77	-60	33	RAB	0.00	33.00				N.S.I.
DSR140	6670715	272499	452	77	-60	30	RAB	16.00	17.00	1.00	1.08	1.1	1.0m @ 1.1 g/t
DSR140								29.00	30.00	1.00	0.62	0.6	1.0m @ 0.6 g/t
DSR141	6670711	272485	451.9	77	-60	30	RAB	27.00	28.00	1.00	0.73	0.7	1.0m @ 0.7 g/t
DSR142	6670708	272470	451.8	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR143	6670704	272456	452	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR144	6670701	272441	451.6	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR145	6670697	272427	452	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR146	6670647	272640	451.8	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR147	6670643	272625	452	77	-60	30	RAB	25.00	30.00	5.00	0.83	4.1	5.0m @ 0.8 g/t
DSR147								Incl 29.00	30.00	1.00	2.05	2.1	1.0m @ 2.1 g/t
DSR148	6670640	272611	451.6	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR149	6670636	272595	451	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR15	6667372	272729	441	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR150	6670633	272582	451.4	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR151	6670629	272567	451	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR152	6670625	272553	451	77	-60	30	RAB	8.00	10.00	2.00	0.81	1.6	2.0m @ 0.8 g/t
DSR153	6670622	272538	451.1	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR154	6670618	272524	451	77	-60	30	RAB	14.00	17.00	3.00	0.62	1.9	3.0m @ 0.6 g/t
DSR155	6670614	272509	451	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR156	6670611	272494	450.8	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR157	6670607	272480	451	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR158	6670604	272465	450.9	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR159	6670600	272451	451	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR16	6667375	272743	441.3	77	-60	33	RAB	0.00	33.00				N.S.I.
DSR160	6670596	272436	451	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR161	6670532	272591	450.4	77	-60	30	RAB	27.00	29.00	2.00	1.54	3.1	2.0m @ 1.5 g/t
DSR162	6670528	272577	450.2	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR163	6670525	272562	450.1	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR164	6670521	272548	450	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR165	6670517	272533	450.1	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR166	6670514	272519	450.1	77	-60	30	RAB	19.00	24.00	5.00	7.10	35.5	5.0m @ 7.1 g/t
DSR166								Incl 19.00	23.00	4.00	8.70	34.8	4.0m @ 8.7 g/t
DSR167	6670510	272504	450.2	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR168	6670507	272490	450.2	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR169	6670503	272475	450	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR17	6667379	272758	441	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR170	6670499	272460	450.4	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR171	6670496	272446	450.5	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR172	6670492	272431	450.6	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR173	6670488	272417	450.7	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR174	6670485	272402	450.8	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR175	6670431	272601	450	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR176	6670428	272586	450	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR177	6670424	272572	450	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR178	6670420	272557	450	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR179	6670417	272543	450	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR18	6667382	272772	441.1	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR180	6670413	272528	450	77	-60	21	RAB	18.00	21.00	3.00	6.75	20.3	3.0m @ 6.8 g/t
DSR181	6670411	272519	450	77	-60	30	RAB	0.00	30.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
DSR182	6670406	272499	450	77	-60	24	RAB	0.00	24.00				N.S.I.
DSR183	6670402	272485	450.2	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR184	6670399	272470	450	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR185	6670395	272455	450.5	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR186	6670391	272441	450.6	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR187	6670388	272426	450.7	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR188	6669297	272600	446	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR189	6669294	272585	446	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR19	6667386	272787	441.1	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR190	6669290	272571	446.1	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR191	6669287	272556	446	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR192	6669283	272542	446.4	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR193	6669279	272527	446	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR194	6668691	272648	444	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR195	6668687	272633	444	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR196	6668684	272619	444	77	-60	30	RAB	27.00	30.00	3.00	1.02	3.1	3.0m @ 1.0 g/t
DSR196								Incl 29.00	30.00	1.00	2.30	2.3	1.0m @ 2.3 g/t
DSR197	6668680	272604	444	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR198	6668676	272589	444	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR199	6668673	272575	444	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR2	6667324	272539	443	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR20	6667390	272801	441	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR200	6668182	272671	443	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR201	6668178	272657	443	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR202	6668174	272642	443	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR203	6668171	272628	442.9	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR204	6668167	272613	443	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR205	6668164	272599	443	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR207	6668388	272672	443	12	-60	44	RAB	0.00	44.00				N.S.I.
DSR21	6667393	272816	440.9	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR210	6668381	272643	443.3	12	-60	38	RAB	0.00	38.00				N.S.I.
DSR211	6668376	272623	443	12	-60	39	RAB	0.00	39.00				N.S.I.
DSR215	6669431	272721	445.5	12	-60	30	RAB	0.00	30.00				N.S.I.
DSR216	6669428	272711	446	12	-60	30	RAB	0.00	30.00				N.S.I.
DSR217	6669968	272395	450.5	12	-60	30	RAB	0.00	30.00				N.S.I.
DSR218	6669971	272406	450.3	12	-60	30	RAB	0.00	30.00				N.S.I.
DSR22	6667397	272831	440.8	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR23	6667401	272845	440.7	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR24	6667404	272861	440.6	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR3	6667328	272554	442	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR39	6671457	272583	455.4	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR4	6667332	272569	442.4	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR40	6671454	272568	455.4	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR41	6671450	272554	455.4	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR42	6671446	272539	455	77	-60	30	RAB	28.00	30.00	2.00	1.30	2.6	2.0m @ 1.3 g/t
DSR43	6671443	272524	455.3	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR44	6671439	272510	455	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR45	6671435	272495	456	77	-60	30	RAB	16.00	17.00	1.00	0.86	0.9	1.0m @ 0.9 g/t
DSR46	6671432	272481	456	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR47	6671428	272466	455.7	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR48	6671425	272452	455.8	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR49	6671421	272437	455.9	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR5	6667335	272583	442.3	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR50	6671417	272423	456	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR51	6671414	272408	456	77	-60	15	RAB	0.00	15.00				N.S.I.
DSR52	6671353	272578	455	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR53	6671349	272563	454.7	77	-60	30	RAB	27.00	28.00	1.00	1.06	1.1	1.0m @ 1.1 g/t
DSR54	6671346	272549	455	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR55	6671342	272534	454.7	77	-60	18	RAB	0.00	18.00				N.S.I.
DSR56	6671338	272520	455	77	-60	25	RAB	0.00	25.00				N.S.I.
DSR57	6671335	272505	455	77	-60	30	RAB	20.00	21.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
DSR58	6671331	272490	455	77	-60	30	RAB	28.00	29.00	1.00	1.95	2.0	1.0m @ 2.0 g/t
DSR59	6671327	272476	455	77	-60	15	RAB	0.00	15.00				N.S.I.
DSR6	6667339	272598	442	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR60	6671324	272461	455.1	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR61	6671320	272447	455	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR62	6671317	272432	455	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR63	6671313	272418	455.3	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR64	6671309	272403	455.4	77	-60	30	RAB	0.00	30.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
DSR65	6671241	272544	454	77	-60	30	RAB	10.00	13.00	3.00	0.70	2.1	3.0m @ 0.7 g/t
DSR66	6671238	272529	454	77	-60	30	RAB	15.00	17.00	2.00	1.26	2.5	2.0m @ 1.3 g/t
DSR66								Incl 15.00	16.00	1.00	1.98	2.0	1.0m @ 2.0 g/t
DSR67	6671234	272515	454	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR68	6671230	272500	454	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR69	6671227	272485	454	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR7	6667343	272612	442.1	77	-60	22	RAB	0.00	22.00				N.S.I.
DSR70	6671223	272471	454	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR71	6671220	272456	454.1	77	-60	30	RAB	20.00	22.00	2.00	0.90	1.8	2.0m @ 0.9 g/t
DSR71								Incl 21.00	22.00	1.00	1.00	1.0	1.0m @ 1.0 g/t
DSR72	6671216	272442	454.2	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR73	6671212	272427	454.2	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR74	6671209	272413	454.3	77	-60	24	RAB	0.00	24.00				N.S.I.
DSR75	6671205	272398	454.4	77	-60	15	RAB	0.00	15.00				N.S.I.
DSR76	6671201	272384	455	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR77	6671148	272582	453.8	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR78	6671144	272568	454	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR79	6671141	272553	453.7	77	-60	30	RAB	18.00	24.00	6.00	0.76	4.6	6.0m @ 0.8 g/t
DSR8	6667346	272627	442	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR80	6671137	272539	453.6	77	-60	30	RAB	21.00	22.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
DSR81	6671133	272524	453.6	77	-60	12	RAB	0.00	12.00				N.S.I.
DSR82	6671130	272510	454	77	-60	30	RAB	3.00	30.00				N.S.I.
DSR83	6671126	272495	453	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR84	6671123	272480	453.4	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR85	6671119	272466	453	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR86	6671115	272451	453.3	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR87	6671112	272437	453.3	77	-60	18	RAB	0.00	18.00				N.S.I.
DSR88	6671108	272422	453	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR89	6671104	272408	453.5	77	-60	28	RAB	0.00	28.00				N.S.I.
DSR9	6667350	272641	441.9	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR90	6671101	272393	454	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR91	6671044	272577	452.9	77	-60	28	RAB	0.00	28.00				N.S.I.
DSR92	6671040	272563	453	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR93	6671036	272548	452.7	77	-60	30	RAB	15.00	16.00	1.00	1.04	1.0	1.0m @ 1.0 g/t
DSR94	6671033	272534	452.7	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR95	6671029	272519	453	77	-60	30	RAB	0.00	30.00				N.S.I.
DSR96	6671026	272505	452.5	77	-60	21	RAB	0.00	21.00				N.S.I.
DSR97	6671022	272490	452	77	-60	13	RAB	0.00	12.00				N.S.I.
DSR98	6671018	272476	452.3	77	-60	21	RAB	15.00	16.00	1.00	1.35	1.4	1.0m @ 1.4 g/t
DSR99	6671015	272461	452	77	-60	30	RAB	0.00	30.00				N.S.I.
DSRB001	6666957	272417	444	0	-90	86	RAB	0.00	86.00				N.S.I.
DSRB002	6666957	272457	443.9	0	-90	90	RAB	0.00	90.00				N.S.I.
DSRB003	6666957	272497	443.7	0	-90	91	RAB	0.00	91.00				N.S.I.
DSRB004	6666957	272537	444	0	-90	82	RAB	0.00	82.00				N.S.I.
DSRB005	6666957	272577	443.3	0	-90	68	RAB	0.00	68.00				N.S.I.
DSRB006	6666957	272617	443	0	-90	67	RAB	0.00	67.00				N.S.I.
DSRB007	6666957	272657	443	0	-90	62	RAB	0.00	62.00				N.S.I.
DSRB008	6666957	272697	442	0	-90	65	RAB	0.00	65.00				N.S.I.
DSRB009	6666957	272737	442	0	-90	56	RAB	0.00	56.00				N.S.I.
DSRB010	6666957	272777	442	0	-90	68	RAB	26.00	28.00	2.00	0.63	1.3	2.0m @ 0.6 g/t
DSRB010								60.00	61.00	1.00	1.02	1.0	1.0m @ 1.0 g/t
DSRB011	6666957	272817	442	0	-90	54	RAB	0.00	54.00				N.S.I.
DSRB012	6666957	272857	441.5	0	-90	62	RAB	0.00	62.00				N.S.I.
DSRB013	6666957	272897	441.3	0	-90	55	RAB	0.00	55.00				N.S.I.
DSRB014	6666957	272937	441	0	-90	65	RAB	0.00	65.00				N.S.I.
DSRB015	6666957	272977	440.8	0	-90	86	RAB	52.00	53.00	1.00	3.29	3.3	1.0m @ 3.3 g/t
DSRB015								71.00	74.00	3.00	1.47	4.4	3.0m @ 1.5 g/t
DSRB015								Incl 72.00	73.00	1.00	2.86	2.9	1.0m @ 2.9 g/t
DSRB015								83.00	86.00	3.00	3.55	10.6	3.0m @ 3.5 g/t
DSRB015								Incl 84.00	86.00	2.00	5.02	10.0	2.0m @ 5.0 g/t
DSRB016	6666957	273017	440.6	0	-90	61	RAB	0.00	61.00				N.S.I.
DSRB017	6667757	272417	443	0	-90	56	RAB	0.00	56.00				N.S.I.
DSRB018	6667757	272457	442.9	0	-90	62	RAB	0.00	62.00				N.S.I.
DSRB019	6667757	272497	443	0	-90	64	RAB	0.00	64.00				N.S.I.
DSRB020	6667757	272537	442.5	0	-90	54	RAB	0.00	54.00				N.S.I.
DSRB021	6667757	272572	442.4	0	-90	37	RAB	0.00	37.00				N.S.I.
DSRB022	6667757	272617	442.2	0	-90	69	RAB	0.00	69.00				N.S.I.
DSRB023	6667757	272657	442	0	-90	46	RAB	0.00	46.00				N.S.I.
DSRB024	6667757	272697	442	0	-90	49	RAB	0.00	49.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
DSRB025	6667752	272737	441.8	0	-90	44	RAB	0.00	44.00				N.S.I.
DSRB026	6667757	272777	442	0	-90	53	RAB	0.00	53.00				N.S.I.
DSRB027	6667757	272817	441.4	0	-90	65	RAB	0.00	65.00				N.S.I.
DSRB028	6667757	272857	441	0	-90	62	RAB	0.00	62.00				N.S.I.
DSRB029	6667757	272897	440.9	0	-90	44	RAB	0.00	44.00				N.S.I.
DSRB030	6667757	272937	440.7	0	-90	50	RAB	0.00	50.00				N.S.I.
DSRB031	6667757	272977	441	0	-90	53	RAB	0.00	53.00				N.S.I.
DSRB032	6667757	273017	440	0	-90	44	RAB	0.00	44.00				N.S.I.
DSRB033	6668157	273017	441.3	0	-90	37	RAB	0.00	37.00				N.S.I.
DSRB034	6668157	272977	442	0	-90	44	RAB	0.00	44.00				N.S.I.
DSRB035	6668157	272937	441.7	0	-90	32	RAB	0.00	32.00				N.S.I.
DSRB036	6668157	272897	442	0	-90	34	RAB	0.00	34.00				N.S.I.
DSRB037	6668157	272857	442	0	-90	30	RAB	0.00	30.00				N.S.I.
DSRB038	6668157	272817	442	0	-90	46	RAB	0.00	46.00				N.S.I.
DSRB039	6668157	272777	442.2	0	-90	49	RAB	0.00	49.00				N.S.I.
DSRB040	6668157	272737	442	0	-90	47	RAB	0.00	47.00				N.S.I.
DSRB041	6668157	272697	442.6	0	-90	47	RAB	0.00	47.00				N.S.I.
DSRB042	6668157	272657	442.7	0	-90	47	RAB	0.00	47.00				N.S.I.
DSRB043	6668157	272617	443	0	-90	33	RAB	0.00	33.00				N.S.I.
DSRB044	6668157	272577	443.1	0	-90	52	RAB	0.00	52.00				N.S.I.
DSRB045	6668157	272537	443	0	-90	64	RAB	0.00	64.00				N.S.I.
DSRB046	6668157	272497	444	0	-90	46	RAB	0.00	46.00				N.S.I.
DSRB047	6668157	272457	443.7	0	-90	58	RAB	0.00	58.00				N.S.I.
DSRB048	6668157	272417	443.9	0	-90	54	RAB	0.00	54.00				N.S.I.
DSRB049	6669557	272417	449	0	-90	43	RAB	0.00	43.00				N.S.I.
DSRB050	6669557	272457	448	0	-90	47	RAB	0.00	47.00				N.S.I.
DSRB051	6669557	272497	447.7	0	-90	50	RAB	0.00	50.00				N.S.I.
DSRB052	6669557	272537	447	0	-90	48	RAB	0.00	48.00				N.S.I.
DSRB053	6669557	272577	447	0	-90	56	RAB	0.00	56.00				N.S.I.
DSRB054	6669562	272617	447	0	-90	47	RAB	0.00	47.00				N.S.I.
DSRB055	6669557	272657	446.2	0	-90	44	RAB	0.00	44.00				N.S.I.
DSRB056	6669557	272697	446	0	-90	35	RAB	0.00	35.00				N.S.I.
DSRB057	6669557	272737	446	0	-90	46	RAB	0.00	46.00				N.S.I.
DSRB058	6669557	272777	445.7	0	-90	44	RAB	0.00	44.00				N.S.I.
DSRB059	6669557	272817	446	0	-90	39	RAB	0.00	39.00				N.S.I.
DSRB060	6669557	272857	445.6	0	-90	32	RAB	0.00	32.00				N.S.I.
DSRB061	6669557	272897	445.5	0	-90	42	RAB	0.00	42.00				N.S.I.
DSRB062	6669557	272937	445	0	-90	26	RAB	0.00	26.00				N.S.I.
DSRB063	6668957	273017	443	0	-90	38	RAB	0.00	38.00				N.S.I.
DSRB064	6668957	272977	443	0	-90	43	RAB	36.00	37.00	1.00	1.09	1.1	1.0m @ 1.1 g/t
DSRB065	6668957	272937	442.9	0	-90	40	RAB	0.00	40.00				N.S.I.
DSRB066	6668957	272897	443	0	-90	46	RAB	0.00	46.00				N.S.I.
DSRB067	6668957	272857	443	0	-90	29	RAB	0.00	29.00				N.S.I.
DSRB068	6668957	272817	443.5	0	-90	41	RAB	0.00	41.00				N.S.I.
DSRB069	6668957	272777	443.7	0	-90	35	RAB	0.00	35.00				N.S.I.
DSRB070	6668957	272737	443.9	0	-90	32	RAB	0.00	32.00				N.S.I.
DSRB071	6668957	272697	444.1	0	-90	39	RAB	0.00	39.00				N.S.I.
DSRB072	6668952	272657	444.4	0	-90	42	RAB	0.00	42.00				N.S.I.
DSRB073	6668957	272617	445	0	-90	56	RAB	0.00	56.00				N.S.I.
DSRB074	6668957	272577	444.9	0	-90	45	RAB	0.00	45.00				N.S.I.
DSRB075	6668957	272537	445.2	0	-90	60	RAB	0.00	60.00				N.S.I.
DSRB076	6668957	272497	445.5	0	-90	62	RAB	0.00	62.00				N.S.I.
DSRB077	6668957	272457	445.8	0	-90	43	RAB	0.00	43.00				N.S.I.
DSRB078	6668957	272417	446	0	-90	50	RAB	0.00	50.00				N.S.I.
DSRB079	6668557	272417	445	0	-90	59	RAB	0.00	59.00				N.S.I.
DSRB080	6668557	272457	444.3	0	-90	48	RAB	0.00	48.00				N.S.I.
DSRB081	6668557	272497	444.1	0	-90	38	RAB	0.00	38.00				N.S.I.
DSRB082	6668557	272537	444	0	-90	40	RAB	0.00	40.00				N.S.I.
DSRB083	6668557	272577	444	0	-90	32	RAB	0.00	32.00				N.S.I.
DSRB084	6668557	272617	443.9	0	-90	54	RAB	0.00	54.00				N.S.I.
DSRB085	6668557	272657	443.6	0	-90	24	RAB	0.00	24.00				N.S.I.
DSRB086	6668557	272697	443.4	0	-90	20	RAB	0.00	20.00				N.S.I.
DSRB087	6668557	272737	443.1	0	-90	41	RAB	0.00	41.00				N.S.I.
DSRB088	6668557	272777	442.8	0	-90	34	RAB	0.00	34.00				N.S.I.
DSRB089	6668557	272817	443	0	-90	43	RAB	0.00	43.00				N.S.I.
DSRB090	6668557	272857	442.2	0	-90	47	RAB	0.00	47.00				N.S.I.
DSRB091	6668557	272897	442	0	-90	38	RAB	0.00	38.00				N.S.I.
DSRB092	6668557	272937	442	0	-90	53	RAB	0.00	53.00				N.S.I.
DSRB093	6668557	272977	442	0	-90	45	RAB	0.00	45.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
DSRB094	6668557	273017	442	0	-90	50	RAB	0.00	50.00				N.S.I.
DSRB095	6669957	272507	449.2	0	-90	45	RAB	0.00	45.00				N.S.I.
DSRB096	6669957	272837	448	0	-90	57	RAB	0.00	57.00				N.S.I.
DSRB097	6669957	272917	448	0	-90	56	RAB	0.00	56.00				N.S.I.
DSRB098	6666757	272617	443.3	0	-90	65	RAB	0.00	65.00				N.S.I.
DSRB099	6666757	272657	442.9	0	-90	55	RAB	0.00	55.00				N.S.I.
DSRB100	6666757	272897	441.4	0	-90	62	RAB	0.00	62.00				N.S.I.
DSRB101	6666757	272937	441.2	0	-90	62	RAB	0.00	62.00				N.S.I.
DSRB102	6666757	272977	441	0	-90	61	RAB	0.00	61.00				N.S.I.
DSRB103	6666757	273017	440.8	0	-90	73	RAB	0.00	73.00				N.S.I.
DSRB104	6666757	273057	441	0	-90	73	RAB	63.00	65.00	2.00	1.93	3.9	2.0m @ 1.9 g/t
DSRB105	6666757	273097	440.6	0	-90	63	RAB	47.00	51.00	4.00	1.59	6.4	4.0m @ 1.6 g/t
DSRB106	6667157	272577	443	0	-90	68	RAB	0.00	68.00				N.S.I.
DSRB107	6667157	272617	442.6	0	-90	60	RAB	0.00	60.00				N.S.I.
DSRB108	6667157	272657	442.3	0	-90	42	RAB	0.00	42.00				N.S.I.
DSRB109	6667157	272697	442	0	-90	53	RAB	0.00	53.00				N.S.I.
DSRB110	6667157	272737	441.9	0	-90	47	RAB	34.00	42.00	8.00	1.05	8.4	8.0m @ 1.0 g/t
DSRB110								Incl 38.00	39.00	1.00	5.41	5.4	1.0m @ 5.4 g/t
DSRB111	6667157	272777	441.7	0	-90	59	RAB	0.00	59.00				N.S.I.
DSRB112	6667157	272817	441	0	-90	62	RAB	61.00	62.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
DSRB113	6667157	272857	441.2	0	-90	56	RAB	0.00	56.00				N.S.I.
DSRB114	6667157	272897	440.9	0	-90	65	RAB	0.00	65.00				N.S.I.
DSRB115	6667157	272937	440.6	0	-90	101	RAB	90.00	91.00	1.00	0.81	0.8	1.0m @ 0.8 g/t
DSRB116	6667157	272977	440	0	-90	80	RAB	0.00	80.00				N.S.I.
DSRB117	6667157	273017	440	0	-90	81	RAB	0.00	81.00				N.S.I.
DSRB118	6667157	273057	440	0	-90	61	RAB	0.00	61.00				N.S.I.
DSRB119	6667957	272497	443	0	-90	53	RAB	0.00	53.00				N.S.I.
DSRB120	6667957	272537	443.1	0	-90	65	RAB	56.00	57.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
DSRB121	6667957	272577	443	0	-90	53	RAB	0.00	53.00				N.S.I.
DSRB122	6667957	272617	442.7	0	-90	63	RAB	0.00	63.00				N.S.I.
DSRB123	6667957	272657	442.5	0	-90	51	RAB	49.00	51.00	2.00	5.58	11.2	2.0m @ 5.6 g/t
DSRB124	6667957	272697	442.2	0	-90	36	RAB	0.00	36.00				N.S.I.
DSRB125	6667957	272737	442	0	-90	39	RAB	0.00	39.00				N.S.I.
DSRB126	6667957	272777	442	0	-90	39	RAB	0.00	39.00				N.S.I.
DSRB127	6667957	272817	441.9	0	-90	40	RAB	0.00	40.00				N.S.I.
DSRB128	6667957	272857	441.6	0	-90	38	RAB	0.00	38.00				N.S.I.
DSRB129	6667957	272897	441.4	0	-90	36	RAB	0.00	36.00				N.S.I.
DSRB130	6667957	272937	441.2	0	-90	38	RAB	0.00	38.00				N.S.I.
DSRB131	6667957	272977	441	0	-90	42	RAB	0.00	42.00				N.S.I.
DSRB132	6667957	273017	441	0	-90	39	RAB	0.00	39.00				N.S.I.
DSRB133	6669157	272417	447	0	-90	54	RAB	0.00	54.00				N.S.I.
DSRB134	6669157	272457	446.6	0	-90	44	RAB	0.00	44.00				N.S.I.
DSRB135	6669157	272497	446	0	-90	33	RAB	0.00	33.00				N.S.I.
DSRB136	6669157	272657	445.2	0	-90	52	RAB	0.00	52.00				N.S.I.
DSRB137	6669157	272697	445	0	-90	35	RAB	0.00	35.00				N.S.I.
DSRB138	6669157	272737	444.8	0	-90	25	RAB	0.00	25.00				N.S.I.
DSRB139	6669157	272777	445	0	-90	31	RAB	0.00	31.00				N.S.I.
DSRB140	6669157	272817	444.4	0	-90	34	RAB	0.00	34.00				N.S.I.
DSRB141	6669157	272857	444.2	0	-90	35	RAB	0.00	35.00				N.S.I.
DSRB142	6669157	272897	444	0	-90	36	RAB	0.00	36.00				N.S.I.
DSRB143	6669157	272937	443.9	0	-90	27	RAB	0.00	27.00				N.S.I.
DSRB144	6669157	272977	443.8	0	-90	31	RAB	0.00	31.00				N.S.I.
DSRB145	6669157	273017	443.6	0	-90	55	RAB	0.00	55.00				N.S.I.
DSRB191	6667557	272497	442.3	0	-90	59	RAB	0.00	59.00				N.S.I.
DSRB192	6667557	272537	442	0	-90	54	RAB	52.00	54.00	2.00	0.69	1.4	2.0m @ 0.7 g/t
DSRB193	6667557	272577	442	0	-90	53	RAB	52.00	53.00	1.00	1.97	2.0	1.0m @ 2.0 g/t
DSRB194	6667557	272617	442	0	-90	46	RAB	0.00	46.00				N.S.I.
DSRB195	6667557	272657	442	0	-90	58	RAB	30.00	34.00	4.00	0.64	2.6	4.0m @ 0.6 g/t
DSRB195								Incl 30.00	31.00	1.00	1.24	1.2	1.0m @ 1.2 g/t
DSRB195								41.00	43.00	2.00	0.81	1.6	2.0m @ 0.8 g/t
DSRB195								51.00	52.00	1.00	1.53	1.5	1.0m @ 1.5 g/t
DSRB196	6667557	272697	442	0	-90	54	RAB	49.00	51.00	2.00	1.92	3.8	2.0m @ 1.9 g/t
DSRB196								Incl 49.00	50.00	1.00	2.99	3.0	1.0m @ 3.0 g/t
DSRB197	6667557	272737	441.5	0	-90	56	RAB	0.00	56.00				N.S.I.
DSRB198	6667557	272777	441.2	0	-90	77	RAB	0.00	77.00				N.S.I.
DSRB199	6667557	272817	441	0	-90	95	RAB	0.00	95.00				N.S.I.
DSRB200	6667557	272857	441	0	-90	88	RAB	67.00	68.00	1.00	0.66	0.7	1.0m @ 0.7 g/t
DSRB201	6667557	272897	440.5	0	-90	88	RAB	0.00	88.00				N.S.I.
DSRB202	6667557	272937	440.2	0	-90	67	RAB	0.00	67.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
DSRB203	6667557	272977	440	0	-90	56	RAB	0.00	56.00				N.S.I.
DSRB204	6667557	273017	440	0	-90	63	RAB	0.00	63.00				N.S.I.
DSRB205	6668357	272417	444	0	-90	54	RAB	0.00	54.00				N.S.I.
DSRB206	6668357	272457	444	0	-90	47	RAB	0.00	47.00				N.S.I.
DSRB207	6668357	272497	443.9	0	-90	41	RAB	0.00	41.00				N.S.I.
DSRB208	6668357	272777	443	0	-90	43	RAB	0.00	43.00				N.S.I.
DSRB209	6668357	272817	442	0	-90	33	RAB	0.00	33.00				N.S.I.
DSRB210	6668357	272857	442.2	0	-90	28	RAB	0.00	28.00				N.S.I.
DSRB211	6668357	272897	442	0	-90	29	RAB	0.00	29.00				N.S.I.
DSRB212	6668357	272937	442	0	-90	30	RAB	0.00	30.00				N.S.I.
DSRB213	6668357	272977	442	0	-90	50	RAB	38.00	39.00	1.00	0.87	0.9	1.0m @ 0.9 g/t
DSRB214	6668357	273017	442	0	-90	34	RAB	0.00	34.00				N.S.I.
DSRB232	6666657	273217	441	0	-90	31	RAB	0.00	31.00				N.S.I.
DSRB233	6666657	273177	441	0	-90	54	RAB	0.00	54.00				N.S.I.
DSRB234	6666657	273137	441	0	-90	61	RAB	0.00	61.00				N.S.I.
DSRB235	6666657	273097	441.1	0	-90	64	RAB	0.00	64.00				N.S.I.
DSRB236	6666657	273057	441.1	0	-90	81	RAB	53.00	54.00	1.00	0.82	0.8	1.0m @ 0.8 g/t
DSRB236								68.00	70.00	2.00	1.16	2.3	2.0m @ 1.2 g/t
DSRB236								Incl 68.00	69.00	1.00	1.66	1.7	1.0m @ 1.7 g/t
DSRB236								76.00	81.00	5.00	11.40	57.0	5.0m @ 11.4 g/t
DSRB236								Incl 76.00	80.00	4.00	14.02	56.1	4.0m @ 14.0 g/t
DSRB237	6666757	273177	441	0	-90	37	RAB	0.00	37.00				N.S.I.
DSRB238	6666757	273137	440.6	0	-90	56	RAB	0.00	56.00				N.S.I.
DSRB239	6666857	273137	440.1	0	-90	46	RAB	0.00	46.00				N.S.I.
DSRB240	6666857	273097	440	0	-90	63	RAB	0.00	63.00				N.S.I.
DSRB241	6666857	273057	440.4	0	-90	62	RAB	0.00	62.00				N.S.I.
DSRB242	6666857	273017	441	0	-90	81	RAB	57.00	58.00	1.00	2.91	2.9	1.0m @ 2.9 g/t
DSRB243	6666857	272977	440.8	0	-90	70	RAB	0.00	70.00				N.S.I.
DSRB244	6666857	272817	441.7	0	-90	56	RAB	0.00	56.00				N.S.I.
DSRB245	6666857	272777	442	0	-90	67	RAB	28.00	29.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
DSRB246	6666857	272737	442	0	-90	56	RAB	0.00	56.00				N.S.I.
DSRB247	6667057	272657	443	0	-90	66	RAB	0.00	66.00				N.S.I.
DSRB248	6667057	272697	442.4	0	-90	56	RAB	0.00	56.00				N.S.I.
DSRB249	6667057	272737	442.1	0	-90	50	RAB	31.00	32.00	1.00	0.55	0.6	1.0m @ 0.6 g/t
DSRB249								36.00	37.00	1.00	1.13	1.1	1.0m @ 1.1 g/t
DSRB250	6667057	272777	442	0	-90	53	RAB	0.00	53.00				N.S.I.
DSRB251	6667057	272817	441.6	0	-90	49	RAB	0.00	49.00				N.S.I.
DSRB252	6667057	272857	441	0	-90	59	RAB	0.00	59.00				N.S.I.
DSRB253	6667057	272897	441	0	-90	57	RAB	0.00	57.00				N.S.I.
DSRB254	6667057	272937	441	0	-90	71	RAB	0.00	71.00				N.S.I.
DSRB255	6667057	272977	440.4	0	-90	74	RAB	55.00	61.00	6.00	0.63	3.8	6.0m @ 0.6 g/t
DSRB255								Incl 55.00	56.00	1.00	2.34	2.3	1.0m @ 2.3 g/t
DSRB256	6667057	273017	440	0	-90	66	RAB	0.00	66.00				N.S.I.
DSRB257	6667257	272977	440.3	0	-90	71	RAB	0.00	71.00				N.S.I.
DSRB258	6667257	272937	441	0	-90	84	RAB	62.00	66.00	4.00	0.54	2.1	4.0m @ 0.5 g/t
DSRB258								Incl 62.00	63.00	1.00	1.28	1.3	1.0m @ 1.3 g/t
DSRB259	6667257	272897	441	0	-90	86	RAB	78.00	79.00	1.00	1.19	1.2	1.0m @ 1.2 g/t
DSRB260	6667257	272857	441.1	0	-90	71	RAB	0.00	71.00				N.S.I.
DSRB261	6667257	272817	441	0	-90	68	RAB	0.00	68.00				N.S.I.
DSRB262	6667257	272777	441.6	0	-90	77	RAB	0.00	77.00				N.S.I.
DSRB263	6667257	272737	441.8	0	-90	63	RAB	38.00	39.00	1.00	0.55	0.6	1.0m @ 0.6 g/t
DSRB264	6667257	272697	442	0	-90	57	RAB	31.00	33.00	2.00	0.59	1.2	2.0m @ 0.6 g/t
DSRB264								39.00	40.00	1.00	0.94	0.9	1.0m @ 0.9 g/t
DSRB265	6667257	272657	442	0	-90	56	RAB	0.00	56.00				N.S.I.
DSRB266	6667257	272617	442	0	-90	52	RAB	35.00	36.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
DSRB267	6667357	272537	442	0	-90	66	RAB	0.00	66.00				N.S.I.
DSRB268	6667357	272577	442.3	0	-90	62	RAB	0.00	62.00				N.S.I.
DSRB269	6667357	272617	442.1	0	-90	50	RAB	0.00	50.00				N.S.I.
DSRB270	6667357	272657	442	0	-90	60	RAB	55.00	56.00	1.00	0.58	0.6	1.0m @ 0.6 g/t
DSRB271	6667357	272697	441.6	0	-90	61	RAB	26.00	27.00	1.00	1.09	1.1	1.0m @ 1.1 g/t
DSRB272	6667357	272737	441.4	0	-90	72	RAB	0.00	72.00				N.S.I.
DSRB273	6667357	272777	441	0	-90	73	RAB	0.00	73.00				N.S.I.
DSRB274	6667357	272817	441	0	-90	50	RAB	0.00	50.00				N.S.I.
DSRB275	6667357	272857	441	0	-90	93	RAB	0.00	93.00				N.S.I.
DSRB276	6667357	272897	441	0	-90	74	RAB	0.00	74.00				N.S.I.
DSRB277	6667357	272937	440.3	0	-90	56	RAB	0.00	56.00				N.S.I.
DSRB278	6667457	272897	440	0	-90	82	RAB	0.00	82.00				N.S.I.
DSRB279	6667457	272857	440.5	0	-90	87	RAB	0.00	87.00				N.S.I.
DSRB280	6667457	272817	440.8	0	-90	90	RAB	0.00	90.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
DSRB281	6667457	272777	441	0	-90	68	RAB	0.00	68.00				N.S.I.
DSRB282	6667457	272737	441.3	0	-90	49	RAB	0.00	49.00				N.S.I.
DSRB283	6667457	272697	442	0	-90	58	RAB	0.00	58.00				N.S.I.
DSRB284	6667457	272657	441.7	0	-90	48	RAB	33.00	48.00	15.00	1.13	17.0	15.0m @ 1.1 g/t
DSRB284								Incl 36.00	45.00	9.00	1.63	14.7	9.0m @ 1.6 g/t
DSRB285	6667457	272617	442	0	-90	42	RAB	0.00	42.00				N.S.I.
DSRB286	6667457	272577	442	0	-90	50	RAB	0.00	50.00				N.S.I.
DSRB287	6667457	272537	442.2	0	-90	46	RAB	44.00	45.00	1.00	0.63	0.6	1.0m @ 0.6 g/t
DSRB288	6667457	272497	442.4	0	-90	53	RAB	0.00	53.00				N.S.I.
DSRB289	6666657	273017	441.2	0	-90	59	RAB	56.00	59.00	3.00	0.54	1.6	3.0m @ 0.5 g/t
DSRB289								Incl 58.00	59.00	1.00	1.03	1.0	1.0m @ 1.0 g/t
DSRB290	6666657	272937	441	0	-90	60	RAB	0.00	60.00				N.S.I.
DSRB291	6666657	272977	441	0	-90	55	RAB	0.00	55.00				N.S.I.
DSRB292	6666557	272977	442	0	-90	47	RAB	0.00	47.00				N.S.I.
DSRB293	6666557	273017	442	0	-90	43	RAB	0.00	43.00				N.S.I.
DSRB294	6666557	273057	441.6	0	-90	54	RAB	46.00	47.00	1.00	0.62	0.6	1.0m @ 0.6 g/t
DSRB295	6666557	273097	441	0	-90	66	RAB	52.00	53.00	1.00	1.45	1.5	1.0m @ 1.5 g/t
DSRB296	6666457	273097	441.9	0	-90	49	RAB	42.00	43.00	1.00	0.73	0.7	1.0m @ 0.7 g/t
DSRB297	6666457	273057	442	0	-90	55	RAB	0.00	55.00				N.S.I.
DSRB298	6666457	273017	442	0	-90	49	RAB	0.00	49.00				N.S.I.
DSRB299	6666457	272977	442	0	-90	50	RAB	0.00	50.00				N.S.I.
DSRC001	6670570	272536	460	77	-60	60	RC	0.00	60.00				N.S.I.
DSRC002	6670566	272521	460	77	-60	60	RC	0.00	56.00				N.S.I.
DSRC003	6670562	272507	460	77	-60	60	RC	20.00	21.00	1.00	1.30	1.3	1.0m @ 1.3 g/t
DSRC004	6670512	272504	460	77	-60	60	RC	34.00	36.00	2.00	1.77	3.5	2.0m @ 1.8 g/t
DSRC005	6670465	272521	460	77	-60	60	RC	50.00	52.00	2.00	0.64	1.3	2.0m @ 0.6 g/t
DSRC006	6670414	272528	460	77	-60	60	RC	15.00	22.00	7.00	8.77	61.4	7.0m @ 8.8 g/t
DSRC007	6670462	272506	460	77	-60	60	RC	14.00	60.00				N.S.I.
DSRC008	6670409	272514	460	77	-60	60	RC	49.00	50.00	1.00	1.18	1.2	1.0m @ 1.2 g/t
DSRC009	6670366	272545	460	77	-60	60	RC	0.00	52.00				N.S.I.
DSRC010	6670358	272532	460	77	-60	60	RC	13.00	20.00	7.00	2.70	18.9	7.0m @ 2.7 g/t
DSRC010								Incl 13.00	18.00	5.00	3.60	18.0	5.0m @ 3.6 g/t
DSRC011	6670359	272516	460	77	-60	60	RC	33.00	44.00	11.00	0.90	9.9	11.0m @ 0.9 g/t
DSRC011								Incl 34.00	35.00	1.00	1.04	1.0	1.0m @ 1.0 g/t
DSRC011								Incl 40.00	44.00	4.00	1.33	5.3	4.0m @ 1.3 g/t
DSRC012	6671021	272485	460	77	-60	60	RC	51.00	56.00	5.00	0.60	3.0	5.0m @ 0.6 g/t
DSRC012								Incl 54.00	55.00	1.00	1.25	1.3	1.0m @ 1.3 g/t
DSRC020	6669390	272543	460	77	-60	60	RC	18.00	27.00	9.00	1.23	11.1	9.0m @ 1.2 g/t
DSRC020								Incl 19.00	22.00	3.00	2.57	7.7	3.0m @ 2.6 g/t
DSRC021	6669391	272566	460	77	-60	60	RC	14.00	23.00	9.00	0.72	6.5	9.0m @ 0.7 g/t
DSRC021								Incl 15.00	16.00	1.00	2.35	2.4	1.0m @ 2.4 g/t
DSRC022	6669392	272592	460	77	-60	60	RC	21.00	51.00				N.S.I.
DSRC023	6669185	272550	460	77	-60	60	RC	3.00	60.00				N.S.I.
DSRC024	6669193	272575	460	77	-60	60	RC	39.00	51.00				N.S.I.
DSRC025	6669189	272596	460	77	-60	60	RC	30.00	60.00				N.S.I.
DSRC026	6668366	272584	460	77	-60	60	RC	27.00	31.00	4.00	5.58	22.3	4.0m @ 5.6 g/t
DSRC027	6668372	272609	460	77	-60	60	RC	27.00	30.00				N.S.I.
DSRC028	6668378	272633	460	77	-60	60	RC						N.S.I.
DSRC029	6668384	272657	460	77	-60	60	RC						N.S.I.
DSRC030	6668390	272681	460	77	-60	60	RC	0.00	60.00				N.S.I.
DSRC031	6668396	272706	460	77	-60	60	RC	0.00	60.00				N.S.I.
DSRC032	6670314	272543	460	77	-60	50	RC	0.00	50.00				N.S.I.
DSRC033	6670310	272528	460	77	-60	60	RC	0.00	60.00				N.S.I.
DSRC034	6670338	272537	460	77	-60	50	RC	0.00	50.00				N.S.I.
DSRC035	6670343	272556	460	77	-60	60	RC	0.00	60.00				N.S.I.
DSRC036	6670391	272544	460	258	-60	45	RC	0.00	45.00				N.S.I.
DSRC037	6670395	272559	460	258	-60	60	RC	0.00	60.00				N.S.I.
DSRC038	6670436	272517	460	77	-60	35	RC	2.00	35.00				N.S.I.
DSRC039	6670434	272508	460	77	-60	60	RC	0.00	60.00				N.S.I.
DSRC040	6670483	272500	460	77	-60	60	RC	0.00	60.00				N.S.I.
DSRC041	6670487	272515	460	77	-60	60	RC	0.00	60.00				N.S.I.
DSRC042	6670491	272530	460	77	-60	60	RC	0.00	60.00				N.S.I.
DSRC043	6670533	272493	460	77	-60	60	RC	0.00	60.00				N.S.I.
DSRC044	6670538	272513	460	77	-60	60	RC	20.00	22.00	2.00	0.85	1.7	2.0m @ 0.9 g/t
DSRC045	6669342	272532	460	77	-60	70	RC	62.00	64.00	2.00	0.72	1.4	2.0m @ 0.7 g/t
DSRC046	6669337	272554	460	77	-60	60	RC	30.00	32.00	2.00	0.88	1.8	2.0m @ 0.9 g/t
DSRC047	6669342	272573	460	77	-60	50	RC	0.00	50.00				N.S.I.
DSRC048	6669381	272522	460	77	-60	70	RC	36.00	38.00	2.00	0.86	1.7	2.0m @ 0.9 g/t
DSRC049	6669429	272510	460	77	-60	70	RC	40.00	42.00	2.00	0.76	1.5	2.0m @ 0.8 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
DSRC050	6669434	272530	460	77	-60	60	RC	0.00	60.00				N.S.I.
DSRC051	6669439	272549	460	77	-60	50	RC	0.00	50.00				N.S.I.
DSRC052	6668363	272564	460	77	-60	75	RC	66.00	68.00	2.00	1.29	2.6	2.0m @ 1.3 g/t
DSRC053	6668315	272587	460	77	-60	60	RC	30.00	32.00	2.00	1.19	2.4	2.0m @ 1.2 g/t
DSRC054	6668319	272604	460	77	-60	50	RC	0.00	50.00				N.S.I.
DSRC067	6666657	273017	455	90	-60	120	RC	59.00	60.00	1.00	1.02	1.0	1.0m @ 1.0 g/t
DSRC068	6666657	272977	455	90	-60	170	RC	119.00	120.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
DSRC069	6667960	272650	455	90	-60	80	RC	0.00	80.00				N.S.I.
DSRC070	6667960	272610	455	90	-60	108	RC	0.00	108.00				N.S.I.
DSRC071	6668010	272650	455	90	-60	80	RC	0.00	80.00				N.S.I.
DSRC072	6668010	272610	455	90	-60	84	RC	0.00	84.00				N.S.I.
DSRC073	6668340	272595	455	90	-60	78	RC	0.00	78.00				N.S.I.
DSRC074	6668340	272575	455	90	-60	90	RC	0.00	90.00				N.S.I.
DSRC075	6668340	272555	455	90	-60	99	RC	68.00	69.00	1.00	0.58	0.6	1.0m @ 0.6 g/t
DSRC076	6668400	272580	455	90	-60	102	RC	0.00	102.00				N.S.I.
DSRC077	6668400	272600	455	90	-60	99	RC	44.00	48.00	4.00	1.03	4.1	4.0m @ 1.0 g/t
DVHC114	6671077	272578	450	90	-60	50	RC	0.00	50.00				N.S.I.
DVHC115	6671077	272558	450	90	-60	50	RC	27.00	28.00	1.00	0.63	0.6	1.0m @ 0.6 g/t
DVHC116	6671077	272518	450	90	-60	50	RC	0.00	1.00	1.00	2.03	2.0	1.0m @ 2.0 g/t
DVHC116								31.00	32.00	1.00	0.71	0.7	1.0m @ 0.7 g/t
DVHC117	6671077	272498	450	90	-60	50	RC	0.00	50.00				N.S.I.
DVHC118	6671077	272478	450	90	-60	70	RC	16.00	19.00	3.00	4.20	12.6	3.0m @ 4.2 g/t
DVHC119	6671077	272458	450	90	-60	70	RC	35.00	38.00	3.00	0.60	1.8	3.0m @ 0.6 g/t
DVHC119								Incl 37.00	38.00	1.00	1.16	1.2	1.0m @ 1.2 g/t
DVHC120	6671077	272438	450	90	-60	60	RC	30.00	31.00	1.00	0.58	0.6	1.0m @ 0.6 g/t
DVHC120								40.00	41.00	1.00	1.07	1.1	1.0m @ 1.1 g/t
DVHC152	6671357	272477	450	90	-60	70	RC	49.00	57.00	8.00	1.50	12.0	8.0m @ 1.5 g/t
DVHC152								Incl 49.00	56.00	7.00	1.60	11.2	7.0m @ 1.6 g/t
DVHC152								69.00	70.00	1.00	4.60	4.6	1.0m @ 4.6 g/t
DVHC153	6671357	272487	450	90	-60	60	RC	33.00	47.00	14.00	0.95	13.4	14.0m @ 1.0 g/t
DVHC153								Incl 37.00	47.00	10.00	1.15	11.5	10.0m @ 1.2 g/t
DVHC154	6671357	272497	450	90	-60	50	RC	33.00	35.00	2.00	0.65	1.3	2.0m @ 0.7 g/t
DVHC155	6671437	272477	450	90	-60	65	RC	44.00	46.00	2.00	0.85	1.7	2.0m @ 0.8 g/t
DVHC156	6671437	272487	450	90	-60	56	RC	39.00	42.00	3.00	0.57	1.7	3.0m @ 0.6 g/t
DVHC157	6671437	272497	450	90	-60	50	RC	13.00	15.00	2.00	20.15	40.3	2.0m @ 20.2 g/t
DVHC157								42.00	46.00	4.00	0.86	3.4	4.0m @ 0.9 g/t
DVHC157								Incl 42.00	43.00	1.00	1.66	1.7	1.0m @ 1.7 g/t
DVHC157								Incl 45.00	46.00	1.00	1.07	1.1	1.0m @ 1.1 g/t
DVHC158	6671477	272437	450	90	-60	57	RC	0.00	57.00				N.S.I.
DVHC159	6671477	272457	450	90	-60	60	RC	0.00	60.00				N.S.I.
DVHC160	6671477	272477	450	90	-60	60	RC	20.00	21.00	1.00	0.58	0.6	1.0m @ 0.6 g/t
DVHC161	6671477	272497	450	90	-60	60	RC	0.00	60.00				N.S.I.
DVHC162	6671317	272457	450	90	-60	60	RC	57.00	58.00	1.00	1.64	1.6	1.0m @ 1.6 g/t
DVHC163	6671317	272477	450	90	-60	60	RC	47.00	48.00	1.00	4.70	4.7	1.0m @ 4.7 g/t
DVHC164	6671317	272497	450	90	-60	60	RC	19.00	20.00	1.00	1.59	1.6	1.0m @ 1.6 g/t
DVHC164								52.00	53.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
DVHR1	6671008	272785	454	0	-90	58	RAB	0.00	58.00				N.S.I.
DVHR2	6671009	272864	455	0	-90	64	RAB	0.00	64.00				N.S.I.
DVHR29	6668679	273177	441	0	-90	52	RAB	0.00	52.00				N.S.I.
DVHR3	6671010	272947	456	0	-90	52	RAB	0.00	52.00				N.S.I.
DVHR30	6668675	273097	442	0	-90	64	RAB	0.00	64.00				N.S.I.
DVHR31	6668679	273017	442	0	-90	54	RAB	0.00	54.00				N.S.I.
DVHR32	6668676	272937	442	0	-90	34	RAB	0.00	34.00				N.S.I.
DVHR33	6668679	272857	442	0	-90	38	RAB	0.00	38.00				N.S.I.
DVHR34	6668679	272777	443	0	-90	34	RAB	0.00	34.00				N.S.I.
DVHR35	6668679	272697	443	0	-90	40	RAB	0.00	40.00				N.S.I.
DVHR36	6668678	272617	444	0	-90	52	RAB	0.00	52.00				N.S.I.
DVHR37	6668735	272537	444	0	-90	40	RAB	0.00	40.00				N.S.I.
DVHR38	6668675	272458	445	0	-90	44	RAB	0.00	44.00				N.S.I.
DVHR39	6668677	272377	445.1	0	-90	60	RAB	0.00	60.00				N.S.I.
DVHR4	6671014	273028	456	0	-90	58	RAB	0.00	58.00				N.S.I.
DVHR40	6668679	272297	446	0	-90	54	RAB	0.00	54.00				N.S.I.
DVHR41	6668677	272217	446	0	-90	58	RAB	0.00	58.00				N.S.I.
DVHR42	6668677	272137	446.1	0	-90	48	RAB	0.00	48.00				N.S.I.
DVHR43	6668677	272057	446	0	-90	68	RAB	0.00	68.00				N.S.I.
DVHR44	6668677	271977	447	0	-90	78	RAB	0.00	78.00				N.S.I.
DVHR45	6668677	271897	447	0	-90	80	RAB	0.00	80.00				N.S.I.
LERC078	6671444	272531	456	80	-60	40	RC	0.00	40.00				N.S.I.
LERC079	6671235	272518	455	83	-60	80	RC	3.00	4.00	1.00	0.99	1.0	1.0m @ 1.0 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
LERC079								21.00	26.00	5.00	2.36	11.8	5.0m @ 2.4 g/t
LERC079								Incl 21.00	23.00	2.00	4.91	9.8	2.0m @ 4.9 g/t
LERC079								36.00	37.00	1.00	0.88	0.9	1.0m @ 0.9 g/t
LERC079								52.00	53.00	1.00	7.38	7.4	1.0m @ 7.4 g/t
LERC080	6671239	272538	455	84	-60	80	RC	18.00	19.00	1.00	0.58	0.6	1.0m @ 0.6 g/t
LERC080								40.00	41.00	1.00	0.67	0.7	1.0m @ 0.7 g/t
LERC080								43.00	44.00	1.00	0.61	0.6	1.0m @ 0.6 g/t
LERC080								50.00	51.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
MWR181	6671473	272495	456	282	-60	12	RAB	0.00	12.00				N.S.I.
MWR182	6671483	272698	456	282	-60	6	RAB	0.00	6.00				N.S.I.
MWR183	6671561	272888	458	282	-60	15	RAB	0.00	15.00				N.S.I.
RO266	6666342	272808	443	80	-57	42	RAB	0.00	42.00				N.S.I.
RO267	6666347	272838	443	80	-57	39	RAB	0.00	39.00				N.S.I.
RO268	6666350	272857	443	80	-57	50	RAB	0.00	50.00				N.S.I.
RO269	6666537	272738	443	80	-57	30	RAB	0.00	30.00				N.S.I.
RO270	6666540	272758	443	80	-57	48	RAB	0.00	48.00				N.S.I.
RO271	6666545	272787	442	80	-57	39	RAB	30.00	39.00	9.00	0.94	8.4	9.0m @ 0.9 g/t
RO271								Incl 30.00	36.00	6.00	1.13	6.8	6.0m @ 1.1 g/t
RO272	6666549	272812	442	80	-57	59	RAB	0.00	59.00				N.S.I.
RO273	6666554	272836	442	80	-57	33	RAB	0.00	33.00				N.S.I.
RO393	6666551	272822	442	80	-60	26	RAB	0.00	26.00				N.S.I.
RO394	6666548	272802	442	80	-60	60	RAB	30.00	38.00	8.00	0.59	4.7	8.0m @ 0.6 g/t
RO394								48.00	50.00	2.00	0.56	1.1	2.0m @ 0.6 g/t
RO395	6666741	272814	442	80	-60	60	RAB	0.00	60.00				N.S.I.
RO396	6666736	272790	442	80	-60	60	RAB	0.00	60.00				N.S.I.
RO397	6666732	272765	442	80	-60	42	RAB	0.00	42.00				N.S.I.
RO398	6666728	272740	442	80	-60	45	RAB	0.00	45.00				N.S.I.
RO399	6666723	272716	443	80	-60	56	RAB	0.00	56.00				N.S.I.
RO421	6666441	272841	443	80	-60	47	RAB	32.00	44.00	12.00	0.52	6.3	12.0m @ 0.5 g/t
RO421								Incl 33.00	34.00	1.00	1.08	1.1	1.0m @ 1.1 g/t
RO421								Incl 43.00	44.00	1.00	1.60	1.6	1.0m @ 1.6 g/t
RO422	6666436	272816	443	80	-60	45	RAB	0.00	44.00				N.S.I.
RO423	6666638	272807	442	80	-60	48	RAB	33.00	37.00	4.00	1.23	4.9	4.0m @ 1.2 g/t
RO423								45.00	48.00	3.00	0.77	2.3	3.0m @ 0.8 g/t
RO425	6666633	272782	442	80	-60	45	RAB	35.00	37.00	2.00	0.99	2.0	2.0m @ 1.0 g/t
RO425								Incl 36.00	37.00	1.00	1.42	1.4	1.0m @ 1.4 g/t
CNDR002	6658197	274837	437	0	-90	56	RAB	0.00	56.00				N.S.I.
CNDR003	6658177	274637	438	0	-90	52	RAB	34.00	36.00	2.00	1.30	2.6	2.0m @ 1.3 g/t
CNDR004	6658167	274437	439	0	-90	80	RAB	0.00	80.00				N.S.I.
CNDR005	6658157	274237	440	0	-90	40	RAB	0.00	40.00				N.S.I.
CNDR006	6658147	274037	441	0	-90	64	RAB	0.00	64.00				N.S.I.
CNDR007	6658137	273836	442	0	-90	70	RAB	0.00	70.00				N.S.I.
DSRB146	6659019	273935	446	0	-90	26	RAB	0.00	26.00				N.S.I.
DSRB147	6659025	273974	446	0	-90	30	RAB	0.00	30.00				N.S.I.
DSRB148	6659032	274013	445	0	-90	15	RAB	0.00	15.00				N.S.I.
DSRB149	6659039	274053	445	0	-90	28	RAB	0.00	28.00				N.S.I.
DSRB150	6659046	274092	444	0	-90	25	RAB	0.00	25.00				N.S.I.
DSRB151	6659053	274132	444	0	-90	21	RAB	0.00	21.00				N.S.I.
DSRB152	6659059	274171	444	0	-90	25	RAB	0.00	25.00				N.S.I.
DSRB153	6659066	274210	444	0	-90	35	RAB	0.00	35.00				N.S.I.
DSRB154	6659073	274250	443	0	-90	44	RAB	0.00	44.00				N.S.I.
DSRB155	6659080	274289	442	0	-90	42	RAB	0.00	42.00				N.S.I.
DSRB156	6659087	274329	442	0	-90	39	RAB	0.00	39.00				N.S.I.
DSRB157	6659093	274368	442	0	-90	36	RAB	0.00	36.00				N.S.I.
DSRB158	6659291	274334	443	0	-90	30	RAB	0.00	30.00				N.S.I.
DSRB159	6659284	274295	443	0	-90	27	RAB	0.00	27.00				N.S.I.
DSRB160	6659277	274255	444	0	-90	30	RAB	0.00	30.00				N.S.I.
DSRB161	6659270	274216	444	0	-90	47	RAB	0.00	47.00				N.S.I.
DSRB162	6659263	274176	444	0	-90	53	RAB	0.00	53.00				N.S.I.
DSRB163	6659256	274137	444.3	0	-90	46	RAB	0.00	46.00				N.S.I.
DSRB164	6659250	274098	444.5	0	-90	38	RAB	0.00	38.00				N.S.I.
DSRB165	6659243	274058	444.8	0	-90	34	RAB	0.00	34.00				N.S.I.
DSRB166	6659440	274024	445.3	0	-90	34	RAB	0.00	34.00				N.S.I.
DSRB167	6659447	274064	445.1	0	-90	47	RAB	0.00	47.00				N.S.I.
DSRB168	6659467	274182	444	0	-90	38	RAB	0.00	38.00				N.S.I.
DSRB169	6659474	274221	444	0	-90	44	RAB	0.00	44.00				N.S.I.
DSRB170	6659481	274261	443.9	0	-90	30	RAB	0.00	30.00				N.S.I.
DSRB171	6659488	274300	444	0	-90	31	RAB	0.00	31.00				N.S.I.
DSRB172	6659644	274030	446	0	-90	33	RAB	0.00	33.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
DSRB173	6659664	274148	446	0	-90	19	RAB	0.00	19.00				N.S.I.
DSRB174	6659671	274187	445	0	-90	28	RAB	0.00	28.00				N.S.I.
DSRB175	6659678	274227	445	0	-90	14	RAB	0.00	14.00				N.S.I.
DSRB176	6659685	274266	445	0	-90	24	RAB	0.00	24.00				N.S.I.
DSRB177	6659861	274114	446.6	0	-90	30	RAB	0.00	30.00				N.S.I.
DSRB178	6659868	274153	446.1	0	-90	20	RAB	0.00	20.00				N.S.I.
DSRB179	6659875	274193	446	0	-90	20	RAB	0.00	20.00				N.S.I.
DSRB180	6659882	274232	446	0	-90	24	RAB	0.00	24.00				N.S.I.
DSRB181	6660024	273878	449	0	-90	57	RAB	0.00	57.00				N.S.I.
DSRB182	6660030	273917	448.1	0	-90	50	RAB	0.00	50.00				N.S.I.
DSRB183	6660037	273957	447.8	0	-90	55	RAB	0.00	55.00				N.S.I.
DSRB184	6660068	274134	446	0	-90	37	RAB	0.00	37.00				N.S.I.
DSRB185	6660075	274173	446	0	-90	43	RAB	0.00	43.00				N.S.I.
DSRB186	6660221	273844	450	0	-90	66	RAB	0.00	66.00				N.S.I.
DSRB187	6660227	273883	449.4	0	-90	64	RAB	0.00	64.00				N.S.I.
DSRB188	6660234	273923	449	0	-90	53	RAB	37.00	38.00	1.00	1.32	1.3	1.0m @ 1.3 g/t
DSRB189	6660265	274100	447	0	-90	23	RAB	0.00	23.00				N.S.I.
DSRB190	6660272	274139	446	0	-90	31	RAB	0.00	31.00				N.S.I.
DSRB215	6660157	274063	447.6	80	-60	32	RAB	1.00	3.00	2.00	1.01	2.0	2.0m @ 1.0 g/t
DSRB215								Incl 1.00	2.00	1.00	1.28	1.3	1.0m @ 1.3 g/t
DSRB216	6660150	274023	448	80	-60	53	RAB	39.00	52.00	13.00	0.71	9.2	13.0m @ 0.7 g/t
DSRB216								Incl 49.00	52.00	3.00	1.60	4.8	3.0m @ 1.6 g/t
DSRB217	6660143	273984	448	80	-60	47	RAB	21.00	32.00	11.00	1.20	13.1	11.0m @ 1.2 g/t
DSRB217								Incl 21.00	23.00	2.00	4.32	8.6	2.0m @ 4.3 g/t
DSRB218	6660137	273944	448	80	-60	63	RAB	0.00	1.00	1.00	0.74	0.7	1.0m @ 0.7 g/t
DSRB218								41.00	49.00	8.00	0.72	5.8	8.0m @ 0.7 g/t
DSRB218								Incl 41.00	42.00	1.00	1.06	1.1	1.0m @ 1.1 g/t
DSRB218								Incl 47.00	49.00	2.00	1.32	2.6	2.0m @ 1.3 g/t
DSRB218								57.00	63.00	6.00	1.49	8.9	6.0m @ 1.5 g/t
DSRB218								Incl 58.00	62.00	4.00	1.89	7.5	4.0m @ 1.9 g/t
DSRB219	6660130	273905	448	80	-60	78	RAB	50.00	54.00	4.00	0.67	2.7	4.0m @ 0.7 g/t
DSRB219								Incl 53.00	54.00	1.00	1.62	1.6	1.0m @ 1.6 g/t
DSRB220	6660945	273927	452	80	-60	38	RAB	0.00	38.00				N.S.I.
DSRB221	6660938	273887	453	80	-60	39	RAB	0.00	39.00				N.S.I.
DSRB222	6660932	273848	454	80	-60	16	RAB	0.00	16.00				N.S.I.
DSRB223	6660925	273808	455	80	-60	44	RAB	19.00	22.00	3.00	3.92	11.8	3.0m @ 3.9 g/t
DSRB223								Incl 19.00	21.00	2.00	5.61	11.2	2.0m @ 5.6 g/t
DSRB224	6660918	273769	455	80	-60	35	RAB	0.00	35.00				N.S.I.
DSRB225	6661030	273831	453.4	80	-60	17	RAB	0.00	17.00				N.S.I.
DSRB226	6661044	273910	452	80	-60	33	RAB	0.00	33.00				N.S.I.
DSRB227	6661037	273870	452.9	80	-60	27	RAB	0.00	27.00				N.S.I.
DSRB228	6661023	273791	455	80	-60	45	RAB	13.00	14.00	1.00	1.30	1.3	1.0m @ 1.3 g/t
DSRB229	6661017	273752	455	80	-60	46	RAB	15.00	16.00	1.00	0.76	0.8	1.0m @ 0.8 g/t
DSRB230	6661122	273774	454.9	80	-60	40	RAB	36.00	37.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
DSRB231	6661115	273735	454	80	-60	57	RAB	25.00	26.00	1.00	2.63	2.6	1.0m @ 2.6 g/t
DSRB231								41.00	46.00	5.00	4.45	22.2	5.0m @ 4.4 g/t
MSRC001	6660387	273941	448	78	-60	51	RC	25.00	28.00	3.00	0.74	2.2	3.0m @ 0.7 g/t
MSRC002	6660384	273914	448	78.68	-60.31	81	RC	32.00	36.00	4.00	0.73	2.9	4.0m @ 0.7 g/t
MSRC002								60.00	61.00	1.00	1.62	1.6	1.0m @ 1.6 g/t
MSRC003	6660488	273922	448	83.21	-60.5	51	RC	0.00	51.00				N.S.I.
MSRC004	6660484	273897	447	80	-60	72	RC	18.00	22.00	4.00	0.97	3.9	4.0m @ 1.0 g/t
MSRC004								46.00	55.00	9.00	1.20	10.8	9.0m @ 1.2 g/t
MSRC004								Incl 50.00	51.00	1.00	7.65	7.7	1.0m @ 7.7 g/t
MSRC005	6660535	273898	453	77.9	-60.66	60	RC	30.00	34.00	4.00	0.66	2.6	4.0m @ 0.7 g/t
MSRC006	6660438	273902	448	79	-61	81	RC	28.00	29.00	1.00	0.76	0.8	1.0m @ 0.8 g/t
MSRC006								34.00	38.00	4.00	0.60	2.4	4.0m @ 0.6 g/t
MSRC006								54.00	55.00	1.00	0.73	0.7	1.0m @ 0.7 g/t
MSRC006								57.00	61.00	4.00	0.55	2.2	4.0m @ 0.5 g/t
RC115	6660636	273868	454	80	-60	75	RC	31.00	32.00	1.00	0.75	0.8	1.0m @ 0.8 g/t
RC115								48.00	56.00	8.00	1.31	10.5	8.0m @ 1.3 g/t
RC115								Incl 48.00	49.00	1.00	3.03	3.0	1.0m @ 3.0 g/t
RC115								Incl 54.00	56.00	2.00	2.80	5.6	2.0m @ 2.8 g/t
RC11A	6658649	274118	443.2	90	-60	70	RC	17.00	36.00	19.00	3.26	61.9	19.0m @ 3.3 g/t
RC11A								Incl 17.00	18.00	1.00	51.60	51.6	1.0m @ 51.6 g/t
RC11A								Incl 26.00	32.00	6.00	1.11	6.7	6.0m @ 1.1 g/t
RC11A								51.00	57.00	6.00	2.21	13.3	6.0m @ 2.2 g/t
RC12A	6658648	274087	444	90	-60	80	RC	0.00	80.00				N.S.I.
RC13A	6658604	274118	443.3	90	-60	65	RC	35.00	36.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
RC13A								42.00	46.00	4.00	1.75	7.0	4.0m @ 1.7 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval	
RC13A	6658574	274150	442.8	90	-60	80	RC	Incl 43.00	45.00	2.00	2.85	5.7	2.0m @ 2.9 g/t	
RC14A								10.00	11.00	1.00	2.25	2.3	1.0m @ 2.3 g/t	
RC14A									32.00	34.00	2.00	1.45	2.9	2.0m @ 1.4 g/t
RC14A									Incl 32.00	33.00	1.00	2.25	2.3	1.0m @ 2.3 g/t
RC14A	6658575	274120	443.2	90	-60	75	RC	48.00	51.00	3.00	1.85	5.5	3.0m @ 1.8 g/t	
RC14A								Incl 50.00	51.00	1.00	4.00	4.0	1.0m @ 4.0 g/t	
RC15A								49.00	57.00	8.00	0.93	7.4	8.0m @ 0.9 g/t	
RC15A									Incl 49.00	55.00	6.00	1.06	6.4	6.0m @ 1.1 g/t
RC15A								62.00	64.00	2.00	1.10	2.2	2.0m @ 1.1 g/t	
RC15A								Incl 62.00	63.00	1.00	1.60	1.6	1.0m @ 1.6 g/t	
RC16A	6658514	274128	443	90	-60	67	RC	36.00	46.00	10.00	0.51	5.1	10.0m @ 0.5 g/t	
RC16A								Incl 36.00	37.00	1.00	1.30	1.3	1.0m @ 1.3 g/t	
RC17A	6658455	274142	443	90	-60	35	RC	33.00	34.00	1.00	1.08	1.1	1.0m @ 1.1 g/t	
RC184	6660719	273793	456.1	80	-60	148	RC	57.00	58.00	1.00	0.61	0.6	1.0m @ 0.6 g/t	
RC184								91.00	95.00	4.00	0.85	3.4	4.0m @ 0.8 g/t	
RC184								Incl 91.00	93.00	2.00	1.22	2.4	2.0m @ 1.2 g/t	
RC184								102.00	103.00	1.00	4.11	4.1	1.0m @ 4.1 g/t	
RC18A	6658457	274112	443	90	-60	75	RC	41.00	43.00	2.00	1.17	2.3	2.0m @ 1.2 g/t	
RC18A									Incl 41.00	42.00	1.00	1.45	1.5	1.0m @ 1.5 g/t
RC25A	6658696	274103	443	90	-60	60	RC	6.00	8.00	2.00	1.38	2.8	2.0m @ 1.4 g/t	
RC25A								Incl 6.00	7.00	1.00	2.10	2.1	1.0m @ 2.1 g/t	
RC25A								24.00	25.00	1.00	1.16	1.2	1.0m @ 1.2 g/t	
RC25A														48.00
RC26A	6658605	274138	443	90	-60	65	RC	48.00	55.00	7.00	2.71	19.0	7.0m @ 2.7 g/t	
RC26A								Incl 54.00	55.00	1.00	16.50	16.5	1.0m @ 16.5 g/t	
RC27A	6658545	274153	443	90	-60	50	RC	30.00	33.00	3.00	2.19	6.6	3.0m @ 2.2 g/t	
RC28A	6658544	274123	443.1	90	-60	75	RC	33.00	36.00	3.00	0.68	2.0	3.0m @ 0.7 g/t	
RC28A								57.00	70.00	13.00	3.61	46.9	13.0m @ 3.6 g/t	
RC28A								Incl 58.00	61.00	3.00	13.27	39.8	3.0m @ 13.3 g/t	
RC28A								Incl 68.00	70.00	2.00	2.08	4.2	2.0m @ 2.1 g/t	
RC29A	6658515	274161	442.7	90	-60	60	RC	29.00	44.00	15.00	2.84	42.6	15.0m @ 2.8 g/t	
RC29A									Incl 29.00	40.00	11.00	3.70	40.7	11.0m @ 3.7 g/t
RC29A									49.00	58.00	9.00	0.62	5.6	9.0m @ 0.6 g/t
RC29A									Incl 49.00	51.00	2.00	1.14	2.3	2.0m @ 1.1 g/t
RC30A	6658552	274172	443	90	-60	30	RC	0.00	30.00				N.S.I.	
RC31A	6658545	274138	443	90	-60	65	RC	38.00	45.00	7.00	16.49	115.5	7.0m @ 16.5 g/t	
RC31A									Incl 38.00	42.00	4.00	28.37	113.5	4.0m @ 28.4 g/t
RC31A														52.00
RC32A	6658516	274178	442.6	90	-60	45	RC	27.00	41.00	14.00	0.82	11.5	14.0m @ 0.8 g/t	
RC32A									Incl 31.00	32.00	1.00	1.02	1.0	1.0m @ 1.0 g/t
RC32A														Incl 35.00
RC33A	6658516	274147	442.8	90	-60	80	RC	26.00	54.00	28.00	1.14	31.8	28.0m @ 1.1 g/t	
RC33A									Incl 35.00	48.00	13.00	2.07	26.9	13.0m @ 2.1 g/t
RC33A									67.00	72.00	5.00	1.03	5.2	5.0m @ 1.0 g/t
RC33A									Incl 70.00	71.00	1.00	3.80	3.8	1.0m @ 3.8 g/t
RC34A	6658487	274178	443	90	-60	40	RC	28.00	29.00	1.00	0.64	0.6	1.0m @ 0.6 g/t	
RC35A	6658487	274163	442.7	90	-60	65	RC	27.00	34.00	7.00	4.04	28.3	7.0m @ 4.0 g/t	
RC35A									Incl 27.00	32.00	5.00	5.36	26.8	5.0m @ 5.4 g/t
RC35A								40.00	44.00	4.00	0.52	2.1	4.0m @ 0.5 g/t	
RC35A								45.00	46.00	1.00	0.52	0.5	1.0m @ 0.5 g/t	
RC35A								51.00	57.00	6.00	0.57	3.4	6.0m @ 0.6 g/t	
RC35A								Incl 51.00	52.00	1.00	2.60	2.6	1.0m @ 2.6 g/t	
RC41	6661137	273858	454	80	-60	50	RC	0.00	50.00				N.S.I.	
RC42	6661133	273839	454	80	-60	60	RC	36.00	40.00	4.00	0.95	3.8	4.0m @ 0.9 g/t	
RC42									Incl 37.00	38.00	1.00	1.95	2.0	1.0m @ 2.0 g/t
RC43	6661130	273819	454	80	-60	73	RC	36.00	51.00	15.00	0.74	11.1	15.0m @ 0.7 g/t	
RC43									Incl 38.00	42.00	4.00	1.59	6.4	4.0m @ 1.6 g/t
RC81	6660441	273943	451	80	-60	50	RC	0.00	50.00				N.S.I.	
RC82	6660437	273923	452	80	-60	70	RC	25.00	37.00	12.00	1.18	14.2	12.0m @ 1.2 g/t	
RC82									Incl 25.00	26.00	1.00	1.96	2.0	1.0m @ 2.0 g/t
RC82									Incl 33.00	37.00	4.00	2.33	9.3	4.0m @ 2.3 g/t
RC83	6660538	273921	452	80	-60	54	RC	46.00	47.00	1.00	0.74	0.7	1.0m @ 0.7 g/t	
RC84	6660532	273881	453	80	-60	72	RC	54.00	55.00	1.00	0.55	0.6	1.0m @ 0.6 g/t	
RC84									60.00	64.00	4.00	1.13	4.5	4.0m @ 1.1 g/t
RC85	6660641	273928	454	80	-60	40	RC	0.00	4.00	4.00	1.09	4.4	4.0m @ 1.1 g/t	
RC85									Incl 1.00	3.00	2.00	1.56	3.1	2.0m @ 1.6 g/t
RC86	6660638	273909	454	80	-60	60	RC	0.00	3.00	3.00	0.81	2.4	3.0m @ 0.8 g/t	
RC86									Incl 1.00	2.00	1.00	1.20	1.2	1.0m @ 1.2 g/t
RC86														13.00

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
RC86								Incl 13.00	14.00	1.00	5.00	5.0	1.0m @ 5.0 g/t
RC87	6660634	273889	454	80	-60	60	RC	16.00	18.00	2.00	0.75	1.5	2.0m @ 0.7 g/t
RC87								23.00	29.00	6.00	1.18	7.1	6.0m @ 1.2 g/t
RC87								Incl 28.00	29.00	1.00	4.80	4.8	1.0m @ 4.8 g/t
RC88	6660631	273869	454	80	-60	23	RC	0.00	23.00				N.S.I.
RC89	6660735	273887	454.5	80	-60	66	RC	2.00	3.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
RC89								5.00	6.00	1.00	0.58	0.6	1.0m @ 0.6 g/t
RC89								22.00	23.00	1.00	0.88	0.9	1.0m @ 0.9 g/t
RC90	6660727	273837	455	80	-60	72	RC	27.00	32.00	5.00	0.70	3.5	5.0m @ 0.7 g/t
RC90								Incl 27.00	28.00	1.00	1.50	1.5	1.0m @ 1.5 g/t
RC90								46.00	64.00	18.00	0.66	11.8	18.0m @ 0.7 g/t
RC90								Incl 48.00	50.00	2.00	1.29	2.6	2.0m @ 1.3 g/t
RC90								Incl 53.00	55.00	2.00	1.70	3.4	2.0m @ 1.7 g/t
RC91	6660830	273845	455	80	-60	42	RC	8.00	9.00	1.00	1.86	1.9	1.0m @ 1.9 g/t
RC91								18.00	19.00	1.00	3.05	3.1	1.0m @ 3.1 g/t
RC92	6660823	273806	456	80	-60	72	RC	3.00	4.00	1.00	0.61	0.6	1.0m @ 0.6 g/t
RC92								58.00	66.00	8.00	3.47	27.8	8.0m @ 3.5 g/t
RC92								Incl 59.00	66.00	7.00	3.88	27.2	7.0m @ 3.9 g/t
RCTG74	6660656	274017	458	360	-90	10	RC	0.00	9.00				N.S.I.
RCTG75	6660652	273992	453	360	-90	7	RC	0.00	7.00				N.S.I.
RCTG76	6660648	273968	453	360	-90	7	RC	1.00	3.00	2.00	0.82	1.6	2.0m @ 0.8 g/t
RCTG77	6660644	273943	453	360	-90	9	RC	1.00	3.00	2.00	0.76	1.5	2.0m @ 0.8 g/t
RCTG78	6660639	273919	454	360	-90	7	RC	1.00	2.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
RCTG79	6660635	273894	453.9	360	-90	7	RC	1.00	3.00	2.00	0.51	1.0	2.0m @ 0.5 g/t
RCTG80	6660631	273869	454	360	-90	7	RC	0.00	2.00	2.00	1.42	2.8	2.0m @ 1.4 g/t
RCTG81	6660627	273845	455	360	-90	4	RC	0.00	4.00				N.S.I.
RCTG82	6660696	273807	455	360	-90	6	RC	0.00	6.00				N.S.I.
RCTG83	6660622	273820	456	360	-90	4	RC	0.00	4.00				N.S.I.
RCTG84	6660618	273795	455	360	-90	4	RC	0.00	4.00				N.S.I.
RCTG85	6660614	273771	456	360	-90	8	RC	0.00	8.00				N.S.I.
RCTG86	6660610	273746	456	360	-90	8	RC	0.00	8.00				N.S.I.
RDRC085	6660094	273992	449	80	-60	40	RC	21.00	30.00	9.00	2.12	19.1	9.0m @ 2.1 g/t
RDRC085								Incl 22.00	28.00	6.00	2.85	17.1	6.0m @ 2.8 g/t
RDRC086	6660087	273953	449	81	-59	90	RC	47.00	48.00	1.00	1.94	1.9	1.0m @ 1.9 g/t
RDRC086								65.00	75.00	10.00	0.88	8.8	10.0m @ 0.9 g/t
RDRC086								Incl 68.00	73.00	5.00	1.27	6.4	5.0m @ 1.3 g/t
RDRC087	6660140	273964	448.8	80	-60	50	RC	0.00	7.00	7.00	0.60	4.2	7.0m @ 0.6 g/t
RDRC087								Incl 0.00	1.00	1.00	1.89	1.9	1.0m @ 1.9 g/t
RDRC087								37.00	50.00	13.00	1.63	21.1	13.0m @ 1.6 g/t
RDRC088	6660194	273975	449	80	-60	40	RC	19.00	23.00	4.00	0.54	2.2	4.0m @ 0.5 g/t
RDRC088								Incl 19.00	20.00	1.00	1.02	1.0	1.0m @ 1.0 g/t
RDRC088								35.00	36.00	1.00	0.75	0.8	1.0m @ 0.8 g/t
RDRC089	6660186	273933	449	80	-60	70	RC	18.00	19.00	1.00	0.75	0.8	1.0m @ 0.8 g/t
RDRC089								38.00	47.00	9.00	1.78	16.0	9.0m @ 1.8 g/t
RDRC089								Incl 38.00	42.00	4.00	3.27	13.1	4.0m @ 3.3 g/t
RDRC089								67.00	68.00	1.00	2.22	2.2	1.0m @ 2.2 g/t
RDRC090	6660675	273876	455	80	-60	50	RC	0.00	1.00	1.00	0.92	0.9	1.0m @ 0.9 g/t
RDRC090								27.00	37.00	10.00	1.27	12.7	10.0m @ 1.3 g/t
RDRC090								Incl 36.00	37.00	1.00	8.05	8.1	1.0m @ 8.1 g/t
RDRC090								44.00	45.00	1.00	1.86	1.9	1.0m @ 1.9 g/t
RDRC091	6660724	273867	455	80	-60	50	RC	0.00	1.00	1.00	1.45	1.5	1.0m @ 1.5 g/t
RDRC091								30.00	35.00	5.00	16.93	84.6	5.0m @ 16.9 g/t
RDRC091								Incl 30.00	33.00	3.00	27.86	83.6	3.0m @ 27.9 g/t
RDRC092	6660775	273844	455	79	-60	60	RC	26.00	32.00	6.00	0.76	4.6	6.0m @ 0.8 g/t
RDRC092								Incl 26.00	27.00	1.00	2.60	2.6	1.0m @ 2.6 g/t
RDRC092								39.00	42.00	3.00	3.57	10.7	3.0m @ 3.6 g/t
RDRC092								Incl 39.00	41.00	2.00	5.04	10.1	2.0m @ 5.0 g/t
RDRC093	6660824	273823	455	80	-60	60	RC	39.00	41.00	2.00	0.74	1.5	2.0m @ 0.7 g/t
RDRC094	6660877	273818	455	80	-60	60	RC	22.00	30.00	8.00	1.52	12.2	8.0m @ 1.5 g/t
RDRC094								Incl 22.00	28.00	6.00	1.80	10.8	6.0m @ 1.8 g/t
RDRC095	6660924	273796	455	80	-60	40	RC	32.00	39.00	7.00	0.99	6.9	7.0m @ 1.0 g/t
RDRC095								Incl 32.00	38.00	6.00	1.06	6.4	6.0m @ 1.1 g/t
RDRC096	6660972	273778	456	80	-60	53	RC	41.00	47.00	6.00	1.73	10.4	6.0m @ 1.7 g/t
RDRC096								Incl 41.00	44.00	3.00	2.99	9.0	3.0m @ 3.0 g/t
RDRC097	6661021	273770	455	81	-60	56	RC	38.00	43.00	5.00	1.70	8.5	5.0m @ 1.7 g/t
RDRC097								Incl 39.00	41.00	2.00	3.29	6.6	2.0m @ 3.3 g/t
RDRC098	6661070	273763	455	80	-60	40	RC	35.00	38.00	3.00	0.55	1.7	3.0m @ 0.6 g/t
RDRC099	6661121	273752	455	80	-60	50	RC	0.00	2.00	2.00	0.94	1.9	2.0m @ 0.9 g/t
RDRC099								Incl 0.00	1.00	1.00	1.20	1.2	1.0m @ 1.2 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
RDRC099								17.00	18.00	1.00	1.96	2.0	1.0m @ 2.0 g/t
RDRC099								34.00	42.00	8.00	1.08	8.6	8.0m @ 1.1 g/t
RDRC099								Incl 38.00	41.00	3.00	1.91	5.7	3.0m @ 1.9 g/t
RDRC101	6660047	274012	449	80	-60	40	RC	0.00	40.00				N.S.I.
RDRC102	6660043	273992	449	82	-60	60	RC	29.00	40.00	11.00	1.32	14.6	11.0m @ 1.3 g/t
RDRC102								Incl 31.00	40.00	9.00	1.53	13.8	9.0m @ 1.5 g/t
RDRC103	6660072	274006	449	80	-60	40	RC	10.00	11.00	1.00	0.81	0.8	1.0m @ 0.8 g/t
RDRC103								23.00	24.00	1.00	0.65	0.7	1.0m @ 0.7 g/t
RDRC104	6660068	273985	449	81	-59	60	RC	38.00	46.00	8.00	3.17	25.3	8.0m @ 3.2 g/t
RDRC104								Incl 39.00	46.00	7.00	3.52	24.7	7.0m @ 3.5 g/t
RDRC104								51.00	52.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
RDRC105	6660090	273972	449	81	-60	60	RC	46.00	50.00	4.00	0.87	3.5	4.0m @ 0.9 g/t
RDRC105								Incl 48.00	49.00	1.00	1.38	1.4	1.0m @ 1.4 g/t
RDRC105								55.00	58.00	3.00	0.90	2.7	3.0m @ 0.9 g/t
RDRC105								Incl 55.00	56.00	1.00	1.00	1.0	1.0m @ 1.0 g/t
RDRC105								Incl 57.00	58.00	1.00	1.31	1.3	1.0m @ 1.3 g/t
RDRC106	6660096	274006	449	80	-60	30	RC	1.00	2.00	1.00	0.68	0.7	1.0m @ 0.7 g/t
RDRC107	6660119	273987	449	80	-60	40	RC	24.00	31.00	7.00	3.44	24.1	7.0m @ 3.4 g/t
RDRC107								Incl 24.00	30.00	6.00	3.84	23.1	6.0m @ 3.8 g/t
RDRC108	6660115	273968	449	81	-60	60	RC	43.00	47.00	4.00	1.40	5.6	4.0m @ 1.4 g/t
RDRC109	6660147	273998	449	80	-60	30	RC	0.00	30.00				N.S.I.
RDRC110	6660144	273982	449	80	-60	40	RC	25.00	26.00	1.00	0.58	0.6	1.0m @ 0.6 g/t
RDRC110								28.00	30.00	2.00	0.64	1.3	2.0m @ 0.6 g/t
RDRC111	6660170	273988	449	80	-60	30	RC	13.00	17.00	4.00	0.51	2.0	4.0m @ 0.5 g/t
RDRC111								21.00	22.00	1.00	0.55	0.6	1.0m @ 0.6 g/t
RDRC112	6660166	273971	449	81	-60	50	RC	26.00	44.00	18.00	1.10	19.7	18.0m @ 1.1 g/t
RDRC112								Incl 27.00	39.00	12.00	1.41	16.9	12.0m @ 1.4 g/t
RDRC113	6660162	273949	449	82	-59	70	RC	0.00	1.00	1.00	0.72	0.7	1.0m @ 0.7 g/t
RDRC113								39.00	45.00	6.00	1.09	6.5	6.0m @ 1.1 g/t
RDRC113								57.00	59.00	2.00	0.65	1.3	2.0m @ 0.6 g/t
RDRC114	6660189	273953	449	80	-60	40	RC	24.00	33.00	9.00	0.61	5.5	9.0m @ 0.6 g/t
RDRC114								Incl 24.00	25.00	1.00	2.85	2.9	1.0m @ 2.9 g/t
RDRC115	6660215	273958	449	80	-60	35	RC	0.00	35.00				N.S.I.
RDRC116	6660210	273938	450	76	-60	50	RC	0.00	50.00				N.S.I.
RDRC117	6660701	273884	452	80	-60	40	RC	16.00	23.00	7.00	1.77	12.4	7.0m @ 1.8 g/t
RDRC117								Incl 16.00	22.00	6.00	1.92	11.5	6.0m @ 1.9 g/t
RDRC118	6660697	273863	455	81	-60	60	RC	26.00	29.00	3.00	1.70	5.1	3.0m @ 1.7 g/t
RDRC118								36.00	38.00	2.00	0.80	1.6	2.0m @ 0.8 g/t
RDRC118								Incl 37.00	38.00	1.00	1.03	1.0	1.0m @ 1.0 g/t
RDRC118								44.00	47.00	3.00	6.90	20.7	3.0m @ 6.9 g/t
RDRC119	6660720	273847	455	81	-60	75	RC	35.00	49.00	14.00	1.05	14.7	14.0m @ 1.1 g/t
RDRC119								55.00	56.00	1.00	2.08	2.1	1.0m @ 2.1 g/t
RDRC120	6661074	273782	455	80	-60	42	RC	0.00	42.00				N.S.I.
RDRC121	6661123	273770	455	80	-60	40	RC	0.00	40.00				N.S.I.
RDRC122	6661026	273789	455	80	-60	40	RC	18.00	25.00	7.00	1.59	11.1	7.0m @ 1.6 g/t
RDRC122								Incl 18.00	24.00	6.00	1.74	10.4	6.0m @ 1.7 g/t
RDRC123	6661000	273794	455.2	80	-60	40	RC	0.00	40.00				N.S.I.
RDRC124	6660995	273773	455.6	81.1	-59.9	60	RC	1.00	3.00	2.00	0.99	2.0	2.0m @ 1.0 g/t
RDRC124								Incl 1.00	2.00	1.00	1.41	1.4	1.0m @ 1.4 g/t
RDRC124								40.00	50.00	10.00	0.95	9.5	10.0m @ 1.0 g/t
RDRC124								Incl 42.00	45.00	3.00	1.19	3.6	3.0m @ 1.2 g/t
RDRC124								Incl 49.00	50.00	1.00	3.20	3.2	1.0m @ 3.2 g/t
RDRC125	6660975	273799	455.2	80	-60	40	RC	4.00	5.00	1.00	0.58	0.6	1.0m @ 0.6 g/t
RDRC125								16.00	19.00	3.00	1.05	3.1	3.0m @ 1.0 g/t
RDRC125								Incl 16.00	18.00	2.00	1.12	2.2	2.0m @ 1.1 g/t
RDRC125								25.00	26.00	1.00	1.24	1.2	1.0m @ 1.2 g/t
RDRC125								34.00	35.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
RDRC126	6660953	273811	455.2	80	-60	40	RC	0.00	40.00				N.S.I.
RDRC127	6660948	273790	455.5	80	-60	60	RC	31.00	42.00	11.00	0.64	7.0	11.0m @ 0.6 g/t
RDRC127								Incl 34.00	35.00	1.00	1.11	1.1	1.0m @ 1.1 g/t
RDRC127								Incl 38.00	39.00	1.00	1.66	1.7	1.0m @ 1.7 g/t
RDRC128	6660928	273817	455	80	-60	30	RC	10.00	11.00	1.00	0.63	0.6	1.0m @ 0.6 g/t
RDRC128								17.00	20.00	3.00	7.90	23.7	3.0m @ 7.9 g/t
RDRC128								Incl 17.00	18.00	1.00	22.70	22.7	1.0m @ 22.7 g/t
RDRC129	6660902	273819	455.2	80	-60	30	RC	19.00	20.00	1.00	0.69	0.7	1.0m @ 0.7 g/t
RDRC130	6660899	273800	455.4	78.3	-59.8	50	RC	3.00	4.00	1.00	6.38	6.4	1.0m @ 6.4 g/t
RDRC130								25.00	26.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
RDRC130								32.00	42.00	10.00	1.85	18.5	10.0m @ 1.8 g/t
RDRC130								Incl 32.00	36.00	4.00	1.92	7.7	4.0m @ 1.9 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
RDRC130								Incl 41.00	42.00	1.00	8.37	8.4	1.0m @ 8.4 g/t
RDRC131	6660871	273838	455	80	-60	30	RC	0.00	1.00	1.00	0.82	0.8	1.0m @ 0.8 g/t
RDRC132	6660778	273864	454.9	80	-60	40	RC	0.00	1.00	1.00	0.60	0.6	1.0m @ 0.6 g/t
RDRC133	6660747	273856	455.2	81.5	-59.3	60	RC	2.00	4.00	2.00	0.54	1.1	2.0m @ 0.5 g/t
RDRC133								30.00	46.00	16.00	1.58	25.3	16.0m @ 1.6 g/t
RDRC133								Incl 35.00	38.00	3.00	6.94	20.8	3.0m @ 6.9 g/t
RDRC134	6660751	273876	456	80	-60	30	RC	2.00	6.00	4.00	1.15	4.6	4.0m @ 1.1 g/t
RDRC134								Incl 3.00	6.00	3.00	1.27	3.8	3.0m @ 1.3 g/t
R0100	6659461	274147	444.6	80	-60	33	RAB	0.00	33.00				N.S.I.
R0101	6659222	273935	446.1	80	-60	42	RAB	0.00	42.00				N.S.I.
R0102	6659217	273910	446.3	80	-60	42	RAB	0.00	42.00				N.S.I.
R0103	6659213	273886	446.5	80	-60	42	RAB	0.00	42.00				N.S.I.
R0104	6659239	274034	445	80	-60	36	RAB	0.00	36.00				N.S.I.
R0105	6659234	274009	445.3	80	-60	39	RAB	0.00	39.00				N.S.I.
R0106	6659230	273984	445.5	80	-60	36	RAB	0.00	36.00				N.S.I.
R0107	6659226	273960	446	80	-60	42	RAB	0.00	42.00				N.S.I.
R0108	6659414	273876	446.3	80	-60	33	RAB	0.00	33.00				N.S.I.
R0109	6659410	273852	446.5	80	-60	36	RAB	0.00	36.00				N.S.I.
R0110	6659431	273975	445.7	80	-60	36	RAB	0.00	36.00				N.S.I.
R0111	6659427	273950	445.9	80	-60	36	RAB	0.00	36.00				N.S.I.
R0112	6659423	273926	446	80	-60	36	RAB	0.00	36.00				N.S.I.
R0113	6659419	273901	446	80	-60	42	RAB	0.00	42.00				N.S.I.
R0114	6659607	273818	447.3	80	-60	32	RAB	0.00	32.00				N.S.I.
R0115	6659603	273793	447.6	80	-60	30	RAB	0.00	30.00				N.S.I.
R0116	6659599	273768	448	80	-60	30	RAB	0.00	30.00				N.S.I.
R0117	6659629	273941	446.4	80	-60	30	RAB	0.00	30.00				N.S.I.
R0118	6659624	273916	446.5	80	-60	36	RAB	0.00	36.00				N.S.I.
R0119	6659620	273892	447	80	-60	36	RAB	0.00	36.00				N.S.I.
R0120	6659616	273867	446.8	80	-60	30	RAB	0.00	30.00				N.S.I.
R0121	6659611	273842	447	80	-60	30	RAB	0.00	30.00				N.S.I.
R0122	6659804	273784	448.7	80	-60	30	RAB	0.00	30.00				N.S.I.
R0123	6659800	273759	448.8	80	-60	30	RAB	0.00	30.00				N.S.I.
R0124	6659796	273734	448.9	80	-60	39	RAB	0.00	39.00				N.S.I.
R0124A	6658580	274262	441	90	-60	30	RAB	0.00	30.00				N.S.I.
R0125	6659826	273907	448	80	-60	36	RAB	0.00	36.00				N.S.I.
R0125A	6658580	274242	441.5	90	-60	30	RAB	0.00	30.00				N.S.I.
R0126	6659821	273882	448	80	-60	36	RAB	0.00	36.00				N.S.I.
R0126A	6658580	274217	441.6	90	-60	30	RAB	0.00	30.00				N.S.I.
R0127	6659817	273858	448.1	80	-60	30	RAB	0.00	30.00				N.S.I.
R0127A	6658579	274192	441.8	90	-60	35	RAB	12.00	14.00	2.00	0.76	1.5	2.0m @ 0.8 g/t
R0127A								19.00	20.00	1.00	5.20	5.2	1.0m @ 5.2 g/t
R0128	6659813	273833	448.3	80	-60	36	RAB	0.00	36.00				N.S.I.
R0128A	6658580	274168	442	90	-60	42	RAB	34.00	42.00	8.00	0.66	5.3	8.0m @ 0.7 g/t
R0128A								Incl 41.00	42.00	1.00	1.55	1.6	1.0m @ 1.6 g/t
R0129	6659809	273808	448.5	80	-60	36	RAB	0.00	1.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
R0129A	6658581	274142	442	90	-60	35	RAB	24.00	35.00	11.00	4.88	53.7	11.0m @ 4.9 g/t
R0130	6660541	273936	451.1	80	-60	31	RAB	0.00	4.00	4.00	0.68	2.7	4.0m @ 0.7 g/t
R0131	6660537	273911	452	80	-60	30	RAB	12.00	26.00	14.00	0.93	13.1	14.0m @ 0.9 g/t
R0131								Incl 14.00	18.00	4.00	2.08	8.3	4.0m @ 2.1 g/t
R0132	6660532	273886	452.9	80	-60	30	RAB	0.00	30.00				N.S.I.
R0133	6660558	274034	450	80	-60	30	RAB	0.00	30.00				N.S.I.
R0134	6660554	274009	450	80	-60	31	RAB	2.00	6.00	4.00	0.61	2.4	4.0m @ 0.6 g/t
R0135	6660549	273985	450.1	80	-60	30	RAB	2.00	6.00	4.00	0.57	2.3	4.0m @ 0.6 g/t
R0136	6660545	273960	450.6	80	-60	30	RAB	0.00	30.00				N.S.I.
R0137	6660648	273968	450	80	-60	34	RAB	2.00	4.00	2.00	0.82	1.6	2.0m @ 0.8 g/t
R0138	6660665	274066	450	80	-60	30	RAB	0.00	30.00				N.S.I.
R0139	6660661	274042	450	80	-60	30	RAB	0.00	30.00				N.S.I.
R0140	6660656	274017	450	80	-60	30	RAB	2.00	6.00	4.00	0.92	3.7	4.0m @ 0.9 g/t
R0140								Incl 2.00	4.00	2.00	1.15	2.3	2.0m @ 1.2 g/t
R0140								12.00	14.00	2.00	0.85	1.7	2.0m @ 0.9 g/t
R0141	6660652	273992	450	80	-60	31	RAB	2.00	4.00	2.00	0.92	1.8	2.0m @ 0.9 g/t
R0142	6660720	273854	454.9	80	-60	45	RAB	30.00	44.00	14.00	1.37	19.1	14.0m @ 1.4 g/t
R0142								Incl 30.00	42.00	12.00	1.49	17.8	12.0m @ 1.5 g/t
R0143	6660737	273952	452.7	80	-60	30	RAB	0.00	4.00	4.00	1.42	5.7	4.0m @ 1.4 g/t
R0143								Incl 2.00	4.00	2.00	1.85	3.7	2.0m @ 1.9 g/t
R0143A	6658583	274160	442	80	-60	29	RAB	8.00	9.00	1.00	0.72	0.7	1.0m @ 0.7 g/t
R0143A								12.00	13.00	1.00	0.80	0.8	1.0m @ 0.8 g/t
R0144	6660732	273928	453.4	80	-60	30	RAB	0.00	30.00				N.S.I.
R0144A	6658583	274134	442	90	-60	51	RAB	35.00	51.00	16.00	1.01	16.2	16.0m @ 1.0 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
R0144A								Incl 36.00	39.00	3.00	2.97	8.9	3.0m @ 3.0 g/t
R0144A								Incl 50.00	51.00	1.00	1.12	1.1	1.0m @ 1.1 g/t
R0145	6660728	273903	454.1	80	-60	42	RAB	2.00	4.00	2.00	3.30	6.6	2.0m @ 3.3 g/t
R0145A	6658583	274117	442.2	90	-60	40	RAB	35.00	36.00	1.00	0.68	0.7	1.0m @ 0.7 g/t
R0146	6660724	273879	454.6	80	-60	30	RAB	2.00	10.00	8.00	1.54	12.3	8.0m @ 1.5 g/t
R0146								Incl 4.00	8.00	4.00	2.25	9.0	4.0m @ 2.3 g/t
R0146								16.00	22.00	6.00	12.07	72.4	6.0m @ 12.1 g/t
R0146								Incl 16.00	20.00	4.00	17.83	71.3	4.0m @ 17.8 g/t
R0146A	6658655	274212	442	90	-60	29	RAB	0.00	29.00				N.S.I.
R0147	6660754	274051	450	80	-60	30	RAB	0.00	30.00				N.S.I.
R0147A	6658655	274187	442	90	-60	29	RAB	0.00	29.00				N.S.I.
R0148	6660749	274026	450	80	-60	30	RAB	2.00	6.00	4.00	0.64	2.6	4.0m @ 0.6 g/t
R0148A	6658655	274162	442	90	-60	50	RAB	0.00	50.00				N.S.I.
R0149	6660745	274002	450	80	-60	30	RAB	2.00	4.00	2.00	1.75	3.5	2.0m @ 1.8 g/t
R0149A	6658655	274137	442.3	90	-60	44	RAB	34.00	41.00	7.00	0.64	4.5	7.0m @ 0.6 g/t
R0150	6660741	273977	450	80	-60	30	RAB	0.00	4.00	4.00	0.86	3.4	4.0m @ 0.9 g/t
R0150								Incl 2.00	4.00	2.00	1.00	2.0	2.0m @ 1.0 g/t
R0150A	6658655	274112	442.5	90	-60	47	RAB	28.00	40.00	12.00	1.86	22.4	12.0m @ 1.9 g/t
R0150A								Incl 31.00	39.00	8.00	2.47	19.8	8.0m @ 2.5 g/t
R0150A								45.00	47.00	2.00	0.83	1.7	2.0m @ 0.8 g/t
R0150A								Incl 46.00	47.00	1.00	1.08	1.1	1.0m @ 1.1 g/t
R0151	6660845	273934	452.5	80	-60	24	RAB	0.00	24.00				N.S.I.
R0151A	6658656	274087	442.8	90	-60	44	RAB	0.00	44.00				N.S.I.
R0152	6660824	273811	445.8	80	-60	30	RAB	0.00	30.00				N.S.I.
R0152A	6658654	274062	443	90	-60	39	RAB	33.00	39.00	6.00	0.81	4.9	6.0m @ 0.8 g/t
R0152A								Incl 34.00	35.00	1.00	2.15	2.2	1.0m @ 2.2 g/t
R0153	6660820	273786	445.3	80	-60	30	RAB	0.00	30.00				N.S.I.
R0153A	6658456	274212	441.3	90	-60	51	RAB	0.00	51.00				N.S.I.
R0154	6660862	274032	451.4	80	-60	30	RAB	0.00	30.00				N.S.I.
R0154A	6658460	274187	441.5	90	-60	28	RAB	0.00	28.00				N.S.I.
R0155	6660858	274008	451.6	80	-60	30	RAB	0.00	30.00				N.S.I.
R0155A	6658460	274200	441	90	-60	23	RAB	0.00	23.00				N.S.I.
R0156	6660854	273983	451.9	80	-60	30	RAB	0.00	30.00				N.S.I.
R0156A	6658455	274162	441.8	90	-60	36	RAB	0.00	36.00				N.S.I.
R0157	6660849	273958	452	80	-60	30	RAB	0.00	30.00				N.S.I.
R0157A	6658455	274137	442	90	-60	33	RAB	30.00	31.00	1.00	1.06	1.1	1.0m @ 1.1 g/t
R0158	6661130	273824	454.4	80	-60	28	RAB	0.00	28.00				N.S.I.
R0158A	6658454	274112	442	90	-60	44	RAB	39.00	40.00	1.00	0.56	0.6	1.0m @ 0.6 g/t
R0159	6661141	273883	453.1	80	-60	30	RAB	0.00	30.00				N.S.I.
R0159A	6658763	274185	442	90	-60	35	RAB	0.00	34.50				N.S.I.
R0160	6661137	273863	453.2	80	-60	31	RAB	0.00	31.00				N.S.I.
R0160A	6658761	274162	442.5	90	-60	29	RAB	0.00	29.00				N.S.I.
R0161	6661134	273843	454.3	80	-60	39	RAB	34.00	36.00	2.00	1.95	3.9	2.0m @ 2.0 g/t
R0161A	6658761	274147	442.6	90	-60	40	RAB	7.00	8.00	1.00	0.64	0.6	1.0m @ 0.6 g/t
R0162A	6658760	274127	443	90	-60	26	RAB	0.00	26.00				N.S.I.
R0163A	6658760	274112	443	90	-60	27	RAB	0.00	27.00				N.S.I.
R0164A	6658759	274097	443	90	-60	27	RAB	0.00	27.00				N.S.I.
R0165A	6658757	274081	443.2	90	-60	32	RAB	0.00	32.00				N.S.I.
R0166A	6658757	274067	443	90	-60	47	RAB	0.00	47.00				N.S.I.
R0167A	6658759	274042	443.6	90	-60	47	RAB	0.00	47.00				N.S.I.
R0168A	6658759	274017	443.8	90	-60	49	RAB	44.00	47.00	3.00	0.73	2.2	3.0m @ 0.7 g/t
R0169A	6658583	274088	442.5	90	-60	41	RAB	36.00	41.00	5.00	0.60	3.0	5.0m @ 0.6 g/t
R0170A	6658584	274067	442.7	90	-60	46	RAB	0.00	46.00				N.S.I.
R0171A	6658583	274047	442.8	90	-60	50	RAB	0.00	50.00				N.S.I.
R0172A	6658583	274037	443	90	-60	29	RAB	0.00	29.00				N.S.I.
R0173A	6657210	274762	438.5	360	-90	40	RAB	0.00	40.00				N.S.I.
R0174A	6657208	274742	438.6	360	-90	39	RAB	0.00	39.00				N.S.I.
R0175A	6657206	274722	439	360	-90	32	RAB	0.00	32.00				N.S.I.
R0176A	6657204	274707	438.8	360	-90	50	RAB	39.00	45.00	6.00	0.93	5.6	6.0m @ 0.9 g/t
R0176A								Incl 40.00	42.00	2.00	1.48	3.0	2.0m @ 1.5 g/t
R0177A	6657202	274687	438.9	360	-90	33	RAB	0.00	33.00				N.S.I.
R0209A	6656527	275037	437.7	360	-90	62	RAB	0.00	62.00				N.S.I.
R0210A	6656527	274982	438	360	-90	39	RAB	0.00	39.00				N.S.I.
R0211A	6656527	274935	438.1	360	-90	33	RAB	0.00	33.00				N.S.I.
R0212A	6656527	274887	438	360	-90	51	RAB	0.00	51.00				N.S.I.
R0300	6660515	274371	446.3	80	-60	30	RAB	0.00	30.00				N.S.I.
R0301	6660510	274347	447	80	-60	30	RAB	0.00	30.00				N.S.I.
R0302	6660506	274322	447	80	-60	30	RAB	0.00	30.00				N.S.I.
R0303	6660502	274297	447	80	-60	30	RAB	0.00	30.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
R0304	6660498	274273	447.4	80	-60	30	RAB	0.00	30.00				N.S.I.
R0305	6660493	274248	448	80	-60	36	RAB	0.00	36.00				N.S.I.
R0306	6660489	274224	448	80	-60	30	RAB	0.00	30.00				N.S.I.
R0307	6660485	274199	447.9	80	-60	30	RAB	0.00	30.00				N.S.I.
R0308	6660481	274174	448	80	-60	30	RAB	0.00	30.00				N.S.I.
R0309	6660476	274150	448	80	-60	30	RAB	0.00	30.00				N.S.I.
R0310	6660472	274125	448	80	-60	39	RAB	0.00	39.00				N.S.I.
R0311	6660468	274100	448.2	80	-60	30	RAB	0.00	30.00				N.S.I.
R0312	6660464	274076	448.5	80	-60	32	RAB	0.00	32.00				N.S.I.
R0313	6660459	274051	448.8	80	-60	30	RAB	0.00	30.00				N.S.I.
R0314	6660455	274026	449	80	-60	40	RAB	0.00	40.00				N.S.I.
R0315	6660451	274002	449.3	80	-60	36	RAB	0.00	36.00				N.S.I.
R0316	6660434	273903	451.9	80	-60	30	RAB	22.00	28.00	6.00	0.92	5.5	6.0m @ 0.9 g/t
R0316								Incl 22.00	26.00	4.00	1.05	4.2	4.0m @ 1.1 g/t
R0317	6660430	273879	451.4	80	-60	30	RAB	0.00	30.00				N.S.I.
R0318	6660425	273854	452	80	-60	30	RAB	0.00	30.00				N.S.I.
R0319	6660421	273829	451.9	80	-60	30	RAB	0.00	30.00				N.S.I.
R0320	6660417	273805	452	80	-60	36	RAB	0.00	36.00				N.S.I.
R0321	6660413	273780	452.6	80	-60	30	RAB	0.00	30.00				N.S.I.
R0322	6660408	273755	453	80	-60	30	RAB	0.00	30.00				N.S.I.
R0323	6660404	273731	453.3	80	-60	30	RAB	0.00	30.00				N.S.I.
R0324	6660400	273706	453.6	80	-60	30	RAB	0.00	30.00				N.S.I.
R0325	6660396	273682	454	80	-60	30	RAB	0.00	30.00				N.S.I.
R0456	6660815	273761	455.6	80	-60	41	RAB	0.00	41.00				N.S.I.
R0457	6660811	273737	456	80	-60	61	RAB	0.00	61.00				N.S.I.
R0458	6660803	273687	457	80	-60	62	RAB	0.00	62.00				N.S.I.
R0459	6660794	273638	457.5	80	-60	67	RAB	0.00	67.00				N.S.I.
R0460	6660785	273589	458.5	80	-60	59	RAB	0.00	59.00				N.S.I.
R0461	6660777	273540	459.3	80	-60	85	RAB	0.00	85.00				N.S.I.
R067A	6657237	275037	437.2	360	-90	20	RAB	0.00	20.00				N.S.I.
R068A	6657247	275137	436.6	360	-90	20	RAB	0.00	16.00				N.S.I.
R069A	6657257	275237	436	360	-90	20	RAB	0.00	10.00				N.S.I.
R070A	6657267	275337	435.8	360	-90	17	RAB	0.00	4.00				N.S.I.
R071A	6657277	275437	435.3	360	-90	16	RAB	0.00	7.00				N.S.I.
R072	6660837	273884	453.8	80	-60	21	RAB	0.00	21.00				N.S.I.
R072A	6657287	275537	435	360	-90	14	RAB	0.00	14.00				N.S.I.
R073	6660832	273860	454	80	-60	27	RAB	0.00	3.00	3.00	0.58	1.7	3.0m @ 0.6 g/t
R073A	6657297	275637	434.4	360	-90	16	RAB	0.00	16.00				N.S.I.
R074	6660828	273835	454	80	-60	27	RAB	0.00	27.00				N.S.I.
R074A	6657307	275737	434	360	-90	15	RAB	0.00	15.00				N.S.I.
R075	6660631	273869	452	80	-60	36	RAB	0.00	36.00				N.S.I.
R076	6660442	273953	449.9	80	-60	36	RAB	0.00	36.00				N.S.I.
R076A	6658581	274492	440	360	-90	14	RAB	0.00	14.00				N.S.I.
R077	6660447	273977	449.6	80	-60	18	RAB	0.00	18.00				N.S.I.
R077A	6658581	274292	441	360	-90	18	RAB	0.00	18.00				N.S.I.
R078	6660438	273928	452	80	-60	30	RAB	24.00	27.00	3.00	1.32	4.0	3.0m @ 1.3 g/t
R079	6660434	273903	451.1	80	-60	15	RAB	0.00	15.00				N.S.I.
R080	6660250	274011	448	80	-60	9	RAB	0.00	9.00				N.S.I.
R081	6660251	274021	448	80	-60	15	RAB	0.00	15.00				N.S.I.
R082	6660245	273987	448	80	-60	16	RAB	0.00	16.00				N.S.I.
R083	6660248	274001	448	80	-60	12	RAB	0.00	12.00				N.S.I.
R084	6660241	273962	448.2	80	-60	21	RAB	0.00	21.00				N.S.I.
R084A	6657217	274837	438	360	-90	20	RAB	0.00	18.00				N.S.I.
R085	6660052	274045	446.8	80	-60	21	RAB	0.00	21.00				N.S.I.
R086	6660048	274021	447	80	-60	42	RAB	0.00	42.00				N.S.I.
R087	6660044	273996	447	80	-60	39	RAB	33.00	39.00	6.00	0.67	4.0	6.0m @ 0.7 g/t
R088	6659855	274079	446.9	80	-60	27	RAB	0.00	27.00				N.S.I.
R089	6659851	274055	447	80	-60	12	RAB	0.00	12.00				N.S.I.
R090	6659843	274005	447.4	80	-60	24	RAB	0.00	24.00				N.S.I.
R091	6659834	273956	448	80	-60	30	RAB	0.00	30.00				N.S.I.
R092	6659830	273931	448	80	-60	36	RAB	0.00	36.00				N.S.I.
R093	6659658	274113	446	80	-60	15	RAB	0.00	15.00				N.S.I.
R094	6659654	274089	446	80	-60	6	RAB	0.00	6.00				N.S.I.
R095	6659650	274064	446	80	-60	6	RAB	0.00	6.00				N.S.I.
R096	6659637	273990	446.2	80	-60	36	RAB	0.00	36.00				N.S.I.
R097	6659633	273965	446.3	80	-60	30	RAB	0.00	30.00				N.S.I.
R098	6659457	274123	444.8	80	-60	36	RAB	0.00	36.00				N.S.I.
R099	6659453	274098	444.9	80	-60	18	RAB	0.00	18.00				N.S.I.
ROC N1	6657257	275637	434.4	360	-90	62	RAB	0.00	62.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
ROC2	6657227	274937	438	360	-90	56	RAB	0.00	56.00				N.S.I.
ROC3	6657207	274737	439	360	-90	52	RAB	34.00	36.00	2.00	1.30	2.6	2.0m @ 1.3 g/t
ROC4	6657187	274537	439.8	360	-90	80	RAB	10.00	80.00				N.S.I.
ROC5	6657167	274337	441	360	-90	40	RAB	0.00	40.00				N.S.I.
ROWC1	6660641	273928	453.6	80	-60	20	RAB	0.00	4.00	4.00	1.14	4.6	4.0m @ 1.1 g/t
ROWC1								Incl 0.00	2.00	2.00	1.40	2.8	2.0m @ 1.4 g/t
ROWC10	6661037	273870	452.9	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC11	6661035	273860	453	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC12	6661034	273850	453.1	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC13	6661032	273841	453.3	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC14	6661030	273831	453	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC15	6661029	273821	453.5	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC16	6661027	273811	453.6	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC17	6661025	273801	454	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC18	6661034	273850	453.1	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC2	6660639	273919	450.4	80	-60	20	RAB	0.00	4.00	4.00	0.84	3.4	4.0m @ 0.8 g/t
ROWC2								Incl 0.00	2.00	2.00	1.10	2.2	2.0m @ 1.1 g/t
ROWC3	6660638	273909	453.8	80	-60	20	RAB	0.00	4.00	4.00	0.72	2.9	4.0m @ 0.7 g/t
ROWC3								12.00	14.00	2.00	1.25	2.5	2.0m @ 1.3 g/t
ROWC4	6660636	273899	453.9	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC5	6660634	273889	451.2	80	-60	2	RAB	0.00	2.00				N.S.I.
ROWC6	6660643	273938	450	80	-60	20	RAB	0.00	4.00	4.00	0.58	2.3	4.0m @ 0.6 g/t
ROWC7	6660645	273948	453.3	80	-60	20	RAB	2.00	4.00	2.00	1.15	2.3	2.0m @ 1.2 g/t
ROWC8	6660844	273904	453.2	80	-60	20	RAB	0.00	20.00				N.S.I.
ROWC9	6661039	273880	453	80	-60	20	RAB	0.00	20.00				N.S.I.
SGRB001	6658257	273776	443	0	-90	52	RAB	0.00	52.00				N.S.I.
SGRB002	6658257	273856	442	0	-90	28	RAB	0.00	28.00				N.S.I.
SGRB003	6658257	273936	442	0	-90	67	RAB	0.00	67.00				N.S.I.
SGRB004	6658257	274016	441.2	0	-90	17	RAB	0.00	17.00				N.S.I.
SGRB005	6658257	274097	440.8	0	-90	42	RAB	0.00	42.00				N.S.I.
SGRB006	6658257	274177	440	0	-90	59	RAB	56.00	57.00	1.00	0.86	0.9	1.0m @ 0.9 g/t
SGRB007	6658257	274257	440	0	-90	31	RAB	23.00	24.00	1.00	0.68	0.7	1.0m @ 0.7 g/t
SGRB008	6658257	274337	439.7	0	-90	31	RAB	0.00	31.00				N.S.I.
SGRB009	6658257	274417	439.3	0	-90	40	RAB	0.00	40.00				N.S.I.
SGRB010	6658257	274497	438.8	0	-90	41	RAB	0.00	41.00				N.S.I.
SGRB011	6658257	274577	438	0	-90	50	RAB	0.00	50.00				N.S.I.
SGRB012	6658257	274657	438	0	-90	50	RAB	0.00	50.00				N.S.I.
SGRB013	6658257	274737	437.9	0	-90	73	RAB	0.00	73.00				N.S.I.
SGRB014	6658257	274817	437.6	0	-90	75	RAB	0.00	75.00				N.S.I.
SGRB015	6658257	274897	437.2	0	-90	62	RAB	0.00	62.00				N.S.I.
SGRB016	6658257	274977	437	0	-90	58	RAB	0.00	58.00				N.S.I.
SGRB017	6658257	275057	437	0	-90	55	RAB	0.00	55.00				N.S.I.
SGRB018	6658257	275137	436.2	0	-90	41	RAB	0.00	41.00				N.S.I.
SGRB019	6658057	274577	438.2	0	-90	48	RAB	0.00	48.00				N.S.I.
SGRB020	6658057	274497	438.7	0	-90	51	RAB	0.00	51.00				N.S.I.
SGRB021	6658057	274417	439.1	0	-90	45	RAB	0.00	45.00				N.S.I.
SGRB022	6658057	274337	440	0	-90	26	RAB	0.00	26.00				N.S.I.
SGRB023	6658057	274257	440	0	-90	61	RAB	0.00	61.00				N.S.I.
SGRB024	6658057	274177	440	0	-90	42	RAB	0.00	42.00				N.S.I.
SGRB025	6658057	274097	440.5	0	-90	41	RAB	0.00	41.00				N.S.I.
SGRB026	6658057	274017	441	0	-90	64	RAB	0.00	64.00				N.S.I.
SGRB027	6657857	274097	441	0	-90	31	RAB	0.00	31.00				N.S.I.
SGRB028	6657857	274177	440.5	0	-90	38	RAB	0.00	38.00				N.S.I.
SGRB029	6657857	274257	440.2	0	-90	60	RAB	0.00	60.00				N.S.I.
SGRB030	6657857	274337	440	0	-90	49	RAB	0.00	49.00				N.S.I.
SGRB031	6657857	274417	439.6	0	-90	41	RAB	0.00	41.00				N.S.I.
SGRB032	6657857	274497	439	0	-90	59	RAB	0.00	59.00				N.S.I.
SGRB033	6657857	274577	438.8	0	-90	65	RAB	0.00	65.00				N.S.I.
SGRB034	6657657	274737	438.6	0	-90	62	RAB	0.00	62.00				N.S.I.
SGRB035	6657657	274657	439	0	-90	63	RAB	0.00	63.00				N.S.I.
SGRB036	6657657	274577	439.3	0	-90	66	RAB	0.00	66.00				N.S.I.
SGRB037	6657657	274497	440	0	-90	43	RAB	0.00	43.00				N.S.I.
SGRB038	6657657	274417	440	0	-90	56	RAB	0.00	56.00				N.S.I.
SGRB039	6657657	274337	440.4	0	-90	56	RAB	0.00	56.00				N.S.I.
SGRB040	6657657	274257	440.7	0	-90	52	RAB	0.00	52.00				N.S.I.
SGRB041	6657657	274177	441	0	-90	42	RAB	0.00	42.00				N.S.I.
SGRB042	6657457	274177	441.4	0	-90	28	RAB	0.00	28.00				N.S.I.
SGRB043	6657457	274257	441	0	-90	48	RAB	0.00	48.00				N.S.I.
SGRB044	6657457	274337	440.6	0	-90	53	RAB	0.00	53.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
SGRB045	6657457	274417	440	0	-90	75	RAB	0.00	75.00				N.S.I.
SGRB046	6657457	274497	440	0	-90	47	RAB	0.00	47.00				N.S.I.
SGRB047	6657457	274577	439.7	0	-90	31	RAB	0.00	31.00				N.S.I.
SGRB048	6657457	274657	439.2	0	-90	71	RAB	0.00	71.00				N.S.I.
SGRB049	6657457	274737	438.8	0	-90	76	RAB	0.00	76.00				N.S.I.
SGRB050	6657457	274817	438	0	-90	75	RAB	0.00	75.00				N.S.I.
SGRB051	6657457	274897	438	0	-90	58	RAB	0.00	58.00				N.S.I.
SGRB052	6657457	274977	437.6	0	-90	49	RAB	0.00	49.00				N.S.I.
SGRB053	6657457	275057	437.2	0	-90	77	RAB	0.00	77.00				N.S.I.
SGRB054	6657457	275137	437	0	-90	56	RAB	0.00	56.00				N.S.I.
SGRB055	6657457	275217	436.4	0	-90	53	RAB	0.00	53.00				N.S.I.
SGRB056	6657457	275297	436	0	-90	50	RAB	0.00	50.00				N.S.I.
SGRB057	6657457	275377	436	0	-90	50	RAB	0.00	50.00				N.S.I.
SGRB058	6657457	275457	435.5	0	-90	31	RAB	0.00	31.00				N.S.I.
SGRB059	6657457	275537	435.1	0	-90	44	RAB	0.00	44.00				N.S.I.
SGRB060	6657457	275617	434.7	0	-90	43	RAB	0.00	43.00				N.S.I.
SGRB061	6657257	274977	438	0	-90	68	RAB	0.00	68.00				N.S.I.
SGRB062	6657257	274897	438	0	-90	66	RAB	0.00	66.00				N.S.I.
SGRB063	6657257	274817	438.2	0	-90	63	RAB	0.00	63.00				N.S.I.
SGRB064	6657257	274737	439	0	-90	33	RAB	0.00	33.00				N.S.I.
SGRB065	6657257	274657	439.1	0	-90	35	RAB	28.00	29.00	1.00	0.77	0.8	1.0m @ 0.8 g/t
SGRB066	6657257	274577	439.5	0	-90	38	RAB	37.00	38.00	1.00	1.03	1.0	1.0m @ 1.0 g/t
SGRB067	6657257	274497	440	0	-90	64	RAB	0.00	64.00				N.S.I.
SGRB068	6657257	274417	440	0	-90	77	RAB	0.00	77.00				N.S.I.
SGRB069	6657057	275057	437.2	0	-90	68	RAB	0.00	68.00				N.S.I.
SGRB070	6657057	274977	437.7	0	-90	58	RAB	0.00	58.00				N.S.I.
SGRB071	6657057	274897	438.2	0	-90	65	RAB	0.00	65.00				N.S.I.
SGRB072	6657057	274817	439	0	-90	47	RAB	0.00	47.00				N.S.I.
SGRB073	6657057	274737	439	0	-90	36	RAB	0.00	36.00				N.S.I.
SGRB074	6657057	274657	439	0	-90	44	RAB	0.00	44.00				N.S.I.
SGRB075	6657057	274577	440	0	-90	59	RAB	0.00	59.00				N.S.I.
SGRB076	6657057	274497	440	0	-90	62	RAB	0.00	62.00				N.S.I.
SGRB077	6656857	274577	439.9	0	-90	82	RAB	0.00	82.00				N.S.I.
SGRB078	6656857	274657	440	0	-90	63	RAB	0.00	63.00				N.S.I.
SGRB079	6656857	274737	439	0	-90	40	RAB	0.00	40.00				N.S.I.
SGRB080	6656857	274817	438.7	0	-90	51	RAB	0.00	51.00				N.S.I.
SGRB081	6656857	274897	438	0	-90	40	RAB	0.00	40.00				N.S.I.
SGRB082	6656857	274977	438	0	-90	64	RAB	0.00	64.00				N.S.I.
SGRB083	6656857	275057	438	0	-90	58	RAB	0.00	58.00				N.S.I.
SGRB084	6656857	275137	437	0	-90	40	RAB	0.00	40.00				N.S.I.
SGRB085	6656657	275617	435.5	0	-90	38	RAB	0.00	38.00				N.S.I.
SGRB086	6656657	275537	435.9	0	-90	55	RAB	0.00	55.00				N.S.I.
SGRB087	6656657	275457	436	0	-90	57	RAB	0.00	57.00				N.S.I.
SGRB088	6656657	275377	436	0	-90	68	RAB	0.00	68.00				N.S.I.
SGRB089	6656657	275297	437	0	-90	70	RAB	61.00	63.00	2.00	1.07	2.1	2.0m @ 1.1 g/t
SGRB089								Incl 61.00	62.00	1.00	1.25	1.3	1.0m @ 1.3 g/t
SGRB090	6656657	275217	437.2	0	-90	66	RAB	0.00	66.00				N.S.I.
SGRB091	6656657	275137	438	0	-90	50	RAB	0.00	50.00				N.S.I.
SGRB092	6656657	275057	438	0	-90	50	RAB	0.00	50.00				N.S.I.
SGRB093	6656657	274977	438.1	0	-90	51	RAB	0.00	51.00				N.S.I.
SGRB094	6656657	274897	438.4	0	-90	51	RAB	0.00	51.00				N.S.I.
SGRB095	6656657	274817	438.8	0	-90	56	RAB	47.00	48.00	1.00	2.47	2.5	1.0m @ 2.5 g/t
SGRB096	6656657	274737	439	0	-90	58	RAB	0.00	58.00				N.S.I.
SGRB097	6656657	274657	440	0	-90	71	RAB	0.00	71.00				N.S.I.
SGRB098	6656457	274817	438.6	0	-90	55	RAB	0.00	55.00				N.S.I.
SGRB099	6656457	274897	438	0	-90	31	RAB	0.00	31.00				N.S.I.
SGRB100	6656457	274977	438	0	-90	39	RAB	0.00	39.00				N.S.I.
SGRB101	6656457	275057	437.4	0	-90	55	RAB	0.00	55.00				N.S.I.
SGRB102	6656457	275137	437	0	-90	54	RAB	0.00	54.00				N.S.I.
SGRB103	6656457	275217	437	0	-90	56	RAB	0.00	56.00				N.S.I.
SGRB104	6656457	275297	436	0	-90	65	RAB	0.00	65.00				N.S.I.
SGRB105	6656457	275377	436	0	-90	64	RAB	0.00	64.00				N.S.I.
SGRB106	6657757	274257	441	0	-90	54	RAB	0.00	54.00				N.S.I.
SGRB107	6657757	274297	440	0	-90	62	RAB	0.00	62.00				N.S.I.
SGRB108	6657757	274337	440.2	0	-90	47	RAB	0.00	47.00				N.S.I.
SGRB109	6657757	274377	440.1	0	-90	41	RAB	0.00	41.00				N.S.I.
SGRB110	6657757	274417	439.9	0	-90	41	RAB	28.00	34.00	6.00	1.14	6.8	6.0m @ 1.1 g/t
SGRB111	6657757	274457	440	0	-90	35	RAB	26.00	27.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
SGRB111								28.00	29.00	1.00	0.55	0.6	1.0m @ 0.6 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
SGRB112	6657757	274497	439	0	-90	48	RAB	0.00	48.00				N.S.I.
SGRB113	6657657	274537	439	0	-90	52	RAB	0.00	52.00				N.S.I.
SGRB114	6657657	274457	440	0	-90	44	RAB	33.00	34.00	1.00	1.27	1.3	1.0m @ 1.3 g/t
SGRB115	6657657	274377	440.2	0	-90	60	RAB	0.00	60.00				N.S.I.
SGRB116	6657557	274377	440	0	-90	58	RAB	0.00	58.00				N.S.I.
SGRB117	6657558	274417	440.1	0	-90	66	RAB	0.00	66.00				N.S.I.
SGRB118	6657557	274457	440	0	-90	62	RAB	40.00	62.00	22.00	3.24	71.2	22.0m @ 3.2 g/t
SGRB118								Incl 40.00	59.00	19.00	3.62	68.8	19.0m @ 3.6 g/t
SGRB119	6657557	274497	440	0	-90	44	RAB	31.00	35.00	4.00	0.61	2.5	4.0m @ 0.6 g/t
SGRB119								Incl 33.00	34.00	1.00	1.21	1.2	1.0m @ 1.2 g/t
SGRB120	6657557	274537	440	0	-90	56	RAB	0.00	56.00				N.S.I.
SGRB121	6657557	274577	440	0	-90	75	RAB	0.00	75.00				N.S.I.
SGRB122	6657357	274657	439.2	0	-90	41	RAB	0.00	41.00				N.S.I.
SGRB123	6657357	274617	439.4	0	-90	35	RAB	0.00	35.00				N.S.I.
SGRB124	6657357	274577	439.6	0	-90	52	RAB	29.00	33.00	4.00	1.63	6.5	4.0m @ 1.6 g/t
SGRB124								Incl 30.00	32.00	2.00	2.66	5.3	2.0m @ 2.7 g/t
SGRB125	6657357	274537	440	0	-90	52	RAB	0.00	52.00				N.S.I.
SGRB126	6657357	274497	440	0	-90	67	RAB	0.00	67.00				N.S.I.
SGRB127	6657357	274457	440	0	-90	72	RAB	0.00	72.00				N.S.I.
SGRB128	6657257	274697	439	0	-90	30	RAB	0.00	30.00				N.S.I.
SGRB129	6657257	274617	439	0	-90	35	RAB	0.00	35.00				N.S.I.
SGRB130	6657257	274537	440	0	-90	50	RAB	0.00	50.00				N.S.I.
SGRB131	6657157	274537	440	0	-90	77	RAB	0.00	77.00				N.S.I.
SGRB132	6657157	274577	440	0	-90	60	RAB	0.00	60.00				N.S.I.
SGRB133	6657157	274617	439	0	-90	48	RAB	0.00	48.00				N.S.I.
SGRB134	6657157	274657	439.1	0	-90	34	RAB	0.00	34.00				N.S.I.
SGRB135	6657157	274697	438.9	0	-90	46	RAB	0.00	46.00				N.S.I.
SGRB136	6657157	274737	438.7	0	-90	46	RAB	0.00	46.00				N.S.I.
SGRB137	6657157	274777	438	0	-90	41	RAB	0.00	41.00				N.S.I.
SGRB138	6657057	274777	438.8	0	-90	42	RAB	0.00	42.00				N.S.I.
SGRB139	6657057	274697	439.2	0	-90	44	RAB	39.00	44.00	5.00	0.93	4.7	5.0m @ 0.9 g/t
SGRB139								Incl 39.00	40.00	1.00	1.90	1.9	1.0m @ 1.9 g/t
SGRB140	6657057	274617	439.6	0	-90	48	RAB	0.00	48.00				N.S.I.
SGRB141	6656957	274617	440	0	-90	68	RAB	0.00	68.00				N.S.I.
SGRB142	6656957	274657	439.6	0	-90	56	RAB	0.00	56.00				N.S.I.
SGRB143	6656957	274697	439	0	-90	43	RAB	0.00	43.00				N.S.I.
SGRB144	6656957	274737	439	0	-90	45	RAB	0.00	45.00				N.S.I.
SGRB145	6656957	274777	439	0	-90	47	RAB	0.00	47.00				N.S.I.
SGRB146	6656957	274817	438.7	0	-90	53	RAB	0.00	53.00				N.S.I.
SGRB147	6656857	274857	439	0	-90	42	RAB	0.00	42.00				N.S.I.
SGRB148	6656857	274777	438.9	0	-90	46	RAB	34.00	40.00	6.00	1.78	10.7	6.0m @ 1.8 g/t
SGRB148								Incl 34.00	38.00	4.00	2.32	9.3	4.0m @ 2.3 g/t
SGRB149	6656857	274697	439.3	0	-90	57	RAB	0.00	57.00				N.S.I.
SGRB150	6656757	274697	439	0	-90	62	RAB	0.00	62.00				N.S.I.
SGRB151	6656757	274737	439.2	0	-90	65	RAB	61.00	62.00	1.00	0.68	0.7	1.0m @ 0.7 g/t
SGRB152	6656757	274777	439	0	-90	59	RAB	43.00	44.00	1.00	0.95	0.9	1.0m @ 0.9 g/t
SGRB153	6656757	274817	438.9	0	-90	44	RAB	0.00	44.00				N.S.I.
SGRB154	6656757	274857	439	0	-90	45	RAB	0.00	45.00				N.S.I.
SGRB155	6656757	274897	439	0	-90	46	RAB	0.00	46.00				N.S.I.
SGRB156	6656657	274857	438.6	0	-90	44	RAB	0.00	44.00				N.S.I.
SGRB157	6656657	274777	439	0	-90	63	RAB	0.00	63.00				N.S.I.
SGRB158	6656657	274697	439.4	0	-90	75	RAB	0.00	75.00				N.S.I.
SGRB159	6656557	274697	439	0	-90	80	RAB	0.00	80.00				N.S.I.
SGRB160	6656557	274737	439.1	0	-90	80	RAB	0.00	80.00				N.S.I.
SGRB161	6656557	274777	438.9	0	-90	67	RAB	0.00	67.00				N.S.I.
SGRB162	6656557	274817	438.7	0	-90	60	RAB	0.00	60.00				N.S.I.
SGRB163	6656557	274857	439	0	-90	50	RAB	46.00	47.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
SGRB164	6656457	274937	438	0	-90	34	RAB	0.00	34.00				N.S.I.
SGRB165	6656457	274857	438.4	0	-90	53	RAB	0.00	53.00				N.S.I.
SGRB166	6656457	274777	438.8	0	-90	71	RAB	0.00	71.00				N.S.I.
SGRB167	6659851	274053	447	80	-60	40	RAB	0.00	40.00				N.S.I.
SGRB168	6659847	274033	447	80	-60	32	RAB	0.00	32.00				N.S.I.
SGRB169	6659844	274013	447.4	80	-60	33	RAB	0.00	33.00				N.S.I.
SGRB170	6659841	273994	448	80	-60	40	RAB	0.00	40.00				N.S.I.
SGRB171	6659837	273974	448	80	-60	50	RAB	0.00	50.00				N.S.I.
SGRB172	6659656	274098	446	80	-60	8	RAB	0.00	8.00				N.S.I.
SGRB173	6659652	274078	446	80	-60	5	RAB	0.00	5.00				N.S.I.
SGRB174	6659649	274059	446	80	-60	28	RAB	0.00	28.00				N.S.I.
SGRB175	6659646	274039	446	80	-60	8	RAB	0.00	8.00				N.S.I.

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
SGRB176	6659642	274020	446.1	80	-60	20	RAB	0.00	20.00				N.S.I.
SGRB177	6659544	274048	445.6	80	-60	38	RAB	0.00	38.00				N.S.I.
SGRB178	6659541	274028	446	80	-60	47	RAB	0.00	47.00				N.S.I.
SGRB179	6659537	274008	446	80	-60	47	RAB	0.00	47.00				N.S.I.
SGRB180	6659534	273989	446	80	-60	38	RAB	0.00	38.00				N.S.I.
SGRB181	6659531	273969	445.9	80	-60	54	RAB	34.00	35.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
SGRB181								37.00	38.00	1.00	0.50	0.5	1.0m @ 0.5 g/t
SGRB181								45.00	46.00	1.00	1.53	1.5	1.0m @ 1.5 g/t
SGRB182	6659439	274020	445.4	80	-60	36	RAB	0.00	36.00				N.S.I.
SGRB183	6659435	274000	446	80	-60	42	RAB	0.00	42.00				N.S.I.
SGRB184	6659432	273980	446	80	-60	39	RAB	0.00	39.00				N.S.I.
SGRB185	6659429	273961	445.8	80	-60	34	RAB	0.00	34.00				N.S.I.
SGRB186	6659425	273941	446	80	-60	44	RAB	33.00	35.00	2.00	0.73	1.5	2.0m @ 0.7 g/t
SGRB186								38.00	39.00	1.00	0.62	0.6	1.0m @ 0.6 g/t
SGRB187	6659338	274017	445	80	-60	53	RAB	0.00	53.00				N.S.I.
SGRB188	6659334	273997	446	80	-60	54	RAB	0.00	54.00				N.S.I.
SGRB189	6659331	273978	446	80	-60	46	RAB	0.00	46.00				N.S.I.
SGRB190	6659327	273958	446	80	-60	55	RAB	0.00	55.00				N.S.I.
SGRB191	6659324	273938	446	80	-60	59	RAB	0.00	59.00				N.S.I.
SGRB192	6659230	273989	445	80	-60	48	RAB	20.00	21.00	1.00	0.59	0.6	1.0m @ 0.6 g/t
SGRB193	6659226	273969	446	80	-60	41	RAB	0.00	41.00				N.S.I.
SGRB194	6659223	273949	445.9	80	-60	31	RAB	0.00	31.00				N.S.I.
SGRB195	6659219	273930	446	80	-60	43	RAB	0.00	43.00				N.S.I.
SGRB196	6659216	273910	446	80	-60	10	RAB	0.00	10.00				N.S.I.
SGRB197	6659134	274018	445	80	-60	23	RAB	0.00	23.00				N.S.I.
SGRB198	6659130	273998	445.4	80	-60	38	RAB	24.00	25.00	1.00	0.93	0.9	1.0m @ 0.9 g/t
SGRB198								29.00	30.00	1.00	0.60	0.6	1.0m @ 0.6 g/t
SGRB199	6659127	273978	445.6	80	-60	33	RAB	0.00	33.00				N.S.I.
SGRB200	6659120	273939	446	80	-60	41	RAB	28.00	32.00	4.00	4.00	16.0	4.0m @ 4.0 g/t
SGRB201	6659036	274037	445	80	-60	24	RAB	10.00	11.00	1.00	7.04	7.0	1.0m @ 7.0 g/t
SGRB202	6659033	274017	445	80	-60	19	RAB	0.00	19.00				N.S.I.
SGRB203	6659029	273997	445.3	80	-60	19	RAB	0.00	19.00				N.S.I.
SGRB204	6659026	273978	446	80	-60	23	RAB	0.00	23.00				N.S.I.
SGRB205	6659023	273958	445.7	80	-60	35	RAB	0.00	35.00				N.S.I.
SGRB206	6658850	274090	444	90	-60	20	RAB	0.00	20.00				N.S.I.
SGRB207	6658850	274150	443	90	-60	15	RAB	0.00	15.00				N.S.I.
SGRB208	6658850	274130	443	90	-60	10	RAB	0.00	10.00				N.S.I.
SGRB209	6658850	274110	443	90	-60	13	RAB	0.00	13.00				N.S.I.
SGRB210	6658850	274070	443.8	90	-60	23	RAB	0.00	23.00				N.S.I.
SGRB211	6658850	274050	444	90	-60	21	RAB	0.00	21.00				N.S.I.
SGRB212	6658850	274030	444	90	-60	41	RAB	0.00	41.00				N.S.I.
SGRB213	6658850	274010	444.2	90	-60	22	RAB	0.00	22.00				N.S.I.
SGRB214	6658250	274235	440	90	-60	28	RAB	0.00	28.00				N.S.I.
SGRB215	6658250	274215	440	90	-60	39	RAB	0.00	39.00				N.S.I.
SGRB216	6658250	274195	440	90	-60	60	RAB	0.00	60.00				N.S.I.
SGRB217	6658250	274175	440.3	90	-60	41	RAB	39.00	40.00	1.00	0.72	0.7	1.0m @ 0.7 g/t
SGRB218	6658250	274155	440.5	90	-60	62	RAB	0.00	62.00				N.S.I.
SGRB219	6658050	274300	440	90	-60	46	RAB	33.00	34.00	1.00	0.58	0.6	1.0m @ 0.6 g/t
SGRB220	6658050	274280	439.9	90	-60	37	RAB	0.00	37.00				N.S.I.
SGRB221	6658050	274260	440	90	-60	64	RAB	0.00	64.00				N.S.I.
SGRB222	6658050	274240	440	90	-60	50	RAB	0.00	50.00				N.S.I.
SGRB223	6658050	274220	440	90	-60	65	RAB	4.00	5.00	1.00	0.72	0.7	1.0m @ 0.7 g/t
SGRB224	6659124	273959	445.9	80	-60	35	RAB	0.00	35.00				N.S.I.
SGRB225	6657350	274610	439	90	-60	41	RAB	0.00	41.00				N.S.I.
SGRB226	6657350	274590	440	90	-60	39	RAB	0.00	39.00				N.S.I.
SGRB227	6657350	274570	439.6	90	-60	42	RAB	39.00	42.00	3.00	1.46	4.4	3.0m @ 1.5 g/t
SGRB227								Incl 39.00	41.00	2.00	1.84	3.7	2.0m @ 1.8 g/t
SGRB228	6657350	274550	439.7	90	-60	45	RAB	37.00	39.00	2.00	1.26	2.5	2.0m @ 1.3 g/t
SGRB228								Incl 37.00	38.00	1.00	1.87	1.9	1.0m @ 1.9 g/t
SGRB229	6657250	274650	439.1	90	-60	42	RAB	0.00	42.00				N.S.I.
SGRB230	6657250	274630	439	90	-60	44	RAB	33.00	34.00	1.00	0.59	0.6	1.0m @ 0.6 g/t
SGRB231	6657235	274608	439.4	90	-60	40	RAB	0.00	39.00				N.S.I.
SGRB232	6657250	274590	439	90	-60	41	RAB	37.00	40.00	3.00	0.73	2.2	3.0m @ 0.7 g/t
SGRB233	6657250	274570	440	90	-60	54	RAB	0.00	54.00				N.S.I.
SGRB234	6657250	274550	439.7	90	-60	54	RAB	0.00	45.00				N.S.I.
SGRB235	6656840	274810	439	90	-60	62	RAB	0.00	62.00				N.S.I.
SGRB236	6656850	274790	438.9	90	-60	73	RAB	0.00	73.00				N.S.I.
SGRB237	6656850	274770	438.9	90	-60	58	RAB	48.00	49.00	1.00	0.51	0.5	1.0m @ 0.5 g/t
SGRB238	6656850	274750	439	90	-60	56	RAB	40.00	41.00	1.00	0.52	0.5	1.0m @ 0.5 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
SGRB238	6656850	274730	439.1	90	-60	55	RAB	43.00	47.00	4.00	0.51	2.0	4.0m @ 0.5 g/t
SGRB238								Incl 46.00	47.00	1.00	1.35	1.4	1.0m @ 1.4 g/t
SGRB239								45.00	49.00	4.00	0.67	2.7	4.0m @ 0.7 g/t
SGRB239	6656850	274710	439.2	90	-60	53	RAB	Incl 48.00	49.00	1.00	1.53	1.5	1.0m @ 1.5 g/t
SGRB240								25.00	27.00	2.00	1.31	2.6	2.0m @ 1.3 g/t
SGRB241								0.00	56.00				N.S.I.
SGRB242	6656655	274860	439	90	-60	54	RAB	0.00	54.00				N.S.I.
SGRB243	6656655	274835	438.7	90	-60	52	RAB	0.00	52.00				N.S.I.
SGRB244	6656655	274810	439	90	-60	61	RAB	0.00	61.00				N.S.I.
SGRB245	6656660	274792	438.9	90	-60	68	RAB	54.00	55.00	1.00	6.71	6.7	1.0m @ 6.7 g/t
SGRB246	6656644	274770	439	90	-60	57	RAB	50.00	51.00	1.00	0.82	0.8	1.0m @ 0.8 g/t
SGRB247	6657050	274730	439	90	-60	43	RAB	0.00	43.00				N.S.I.
SGRB248	6657050	274710	439.1	90	-60	53	RAB	0.00	53.00				N.S.I.
SGRB249	6657050	274695	439.2	90	-60	37	RAB	0.00	37.00				N.S.I.
SGRB250	6657050	274670	439	90	-60	47	RAB	46.00	47.00	1.00	0.57	0.6	1.0m @ 0.6 g/t
SGRC001	6658453	274167	442.5	92	-60	77	RC	30.00	44.00	14.00	1.24	17.3	14.0m @ 1.2 g/t
SGRC001								Incl 31.00	44.00	13.00	1.29	16.8	13.0m @ 1.3 g/t
SGRC001								50.00	51.00	1.00	2.60	2.6	1.0m @ 2.6 g/t
SGRC001								61.00	62.00	1.00	1.05	1.1	1.0m @ 1.1 g/t
SGRC001								65.00	66.00	1.00	1.13	1.1	1.0m @ 1.1 g/t
SGRC001								71.00	72.00	1.00	14.60	14.6	1.0m @ 14.6 g/t
SGRC002	6658453	274146	443	89	-61	100	RC	30.00	33.00	3.00	1.34	4.0	3.0m @ 1.3 g/t
SGRC002								Incl 31.00	32.00	1.00	2.30	2.3	1.0m @ 2.3 g/t
SGRC002								38.00	39.00	1.00	0.90	0.9	1.0m @ 0.9 g/t
SGRC002								65.00	72.00	7.00	24.36	170.5	7.0m @ 24.4 g/t
SGRC002								Incl 65.00	71.00	6.00	28.33	170.0	6.0m @ 28.3 g/t
SGRC002								83.00	85.00	2.00	0.97	1.9	2.0m @ 1.0 g/t
SGRC002								Incl 83.00	84.00	1.00	1.30	1.3	1.0m @ 1.3 g/t
SGRC002								88.00	89.00	1.00	0.79	0.8	1.0m @ 0.8 g/t
SGRC003	6658488	274146	442.8	90	-60	80	RC	31.00	34.00	3.00	0.63	1.9	3.0m @ 0.6 g/t
SGRC003								46.00	47.00	1.00	1.74	1.7	1.0m @ 1.7 g/t
SGRC003								53.00	60.00	7.00	1.58	11.0	7.0m @ 1.6 g/t
SGRC003								72.00	78.00	6.00	0.79	4.7	6.0m @ 0.8 g/t
SGRC003								Incl 72.00	75.00	3.00	1.09	3.3	3.0m @ 1.1 g/t
SGRC004	6658503	274167	443	91	-60	65	RC	12.00	17.00	5.00	40.40	202.0	5.0m @ 40.4 g/t
SGRC004								29.00	34.00	5.00	0.78	3.9	5.0m @ 0.8 g/t
SGRC004								Incl 29.00	30.00	1.00	1.48	1.5	1.0m @ 1.5 g/t
SGRC004								52.00	56.00	4.00	0.71	2.8	4.0m @ 0.7 g/t
SGRC005	6658502	274146	442.8	89	-60	89	RC	49.00	54.00	5.00	0.55	2.8	5.0m @ 0.6 g/t
SGRC005								Incl 53.00	54.00	1.00	1.65	1.7	1.0m @ 1.7 g/t
SGRC005								60.00	61.00	1.00	0.95	0.9	1.0m @ 0.9 g/t
SGRC005								72.00	73.00	1.00	0.68	0.7	1.0m @ 0.7 g/t
SGRC006	6658532	274166	442.8	90	-60	60	RC	10.00	12.00	2.00	15.73	31.5	2.0m @ 15.7 g/t
SGRC006								28.00	31.00	3.00	0.63	1.9	3.0m @ 0.6 g/t
SGRC006								Incl 30.00	31.00	1.00	1.14	1.1	1.0m @ 1.1 g/t
SGRC006								41.00	53.00	12.00	1.08	12.9	12.0m @ 1.1 g/t
SGRC006								Incl 45.00	53.00	8.00	1.39	11.1	8.0m @ 1.4 g/t
SGRC007								27.00	47.00	20.00	0.68	13.6	20.0m @ 0.7 g/t
SGRC007								Incl 28.00	33.00	5.00	1.55	7.7	5.0m @ 1.5 g/t
SGRC007								56.00	57.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
SGRC007								61.00	66.00	5.00	0.55	2.8	5.0m @ 0.6 g/t
SGRC008	6658533	274127	443	89	-60	89	RC	51.00	52.00	1.00	1.43	1.4	1.0m @ 1.4 g/t
SGRC008								57.00	63.00	6.00	7.58	45.5	6.0m @ 7.6 g/t
SGRC008								Incl 60.00	62.00	2.00	22.00	44.0	2.0m @ 22.0 g/t
SGRC008								76.00	77.00	1.00	0.95	1.0	1.0m @ 1.0 g/t
SGRC008								80.00	81.00	1.00	0.65	0.7	1.0m @ 0.7 g/t
SGRC009	6658568	274156	443	92	-60	60	RC	9.00	13.00	4.00	1.70	6.8	4.0m @ 1.7 g/t
SGRC009	6658563	274136	443.1	91	-60	80	RC	43.00	50.00	7.00	1.38	9.7	7.0m @ 1.4 g/t
SGRC010								31.00	53.00	22.00	1.40	30.8	22.0m @ 1.4 g/t
SGRC010								Incl 31.00	43.00	12.00	2.22	26.7	12.0m @ 2.2 g/t
SGRC010								62.00	67.00	5.00	1.17	5.9	5.0m @ 1.2 g/t
SGRC010								Incl 66.00	67.00	1.00	4.02	4.0	1.0m @ 4.0 g/t
SGRC011	6658563	274116	443	90	-60	100	RC	20.00	21.00	1.00	0.59	0.6	1.0m @ 0.6 g/t
SGRC011								35.00	37.00	2.00	0.95	1.9	2.0m @ 0.9 g/t
SGRC011								Incl 35.00	36.00	1.00	1.34	1.3	1.0m @ 1.3 g/t
SGRC011								55.00	61.00	6.00	0.66	4.0	6.0m @ 0.7 g/t
SGRC011								Incl 60.00	61.00	1.00	2.39	2.4	1.0m @ 2.4 g/t
SGRC011								67.00	72.00	5.00	1.55	7.8	5.0m @ 1.6 g/t
SGRC011								81.00	85.00	4.00	0.58	2.3	4.0m @ 0.6 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
SGRC011								Incl 83.00	84.00	1.00	1.12	1.1	1.0m @ 1.1 g/t
SGRC012	6658617	274156	443	92	-60	60	RC	8.00	9.00	1.00	0.74	0.7	1.0m @ 0.7 g/t
SGRC012								28.00	34.00	6.00	0.85	5.1	6.0m @ 0.8 g/t
SGRC012								Incl 30.00	32.00	2.00	1.34	2.7	2.0m @ 1.3 g/t
SGRC012	6658617	274097	443.4	87	-60	110	RC	39.00	40.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
SGRC013								34.00	36.00	2.00	1.49	3.0	2.0m @ 1.5 g/t
SGRC013								59.00	60.00	1.00	3.50	3.5	1.0m @ 3.5 g/t
SGRC013								75.00	76.00	1.00	1.04	1.0	1.0m @ 1.0 g/t
SGRC013								82.00	84.00	2.00	0.73	1.5	2.0m @ 0.7 g/t
SGRC014	6658692	274084	443.4	91	-60	90	RC	41.00	42.00	1.00	1.56	1.6	1.0m @ 1.6 g/t
SGRC014								49.00	50.00	1.00	1.87	1.9	1.0m @ 1.9 g/t
SGRC014								58.00	59.00	1.00	3.40	3.4	1.0m @ 3.4 g/t
SGRC014								67.00	71.00	4.00	0.54	2.1	4.0m @ 0.5 g/t
SGRC014								Incl 67.00	68.00	1.00	1.02	1.0	1.0m @ 1.0 g/t
SGRC015	6658757	274126	443	89	-60	100	RC	42.00	43.00	1.00	3.62	3.6	1.0m @ 3.6 g/t
SGRC016	6658758	274087	443	89	-60	80	RC	28.00	29.00	1.00	0.62	0.6	1.0m @ 0.6 g/t
SGRC016								33.00	34.00	1.00	0.71	0.7	1.0m @ 0.7 g/t
SGRC016								39.00	40.00	1.00	1.36	1.4	1.0m @ 1.4 g/t
SGRC017	6658412	274167	443	94	-60	84	RC	31.00	32.00	1.00	1.02	1.0	1.0m @ 1.0 g/t
SGRC017								51.00	60.00	9.00	3.91	35.2	9.0m @ 3.9 g/t
SGRC017								76.00	77.00	1.00	1.18	1.2	1.0m @ 1.2 g/t
SGRC017								82.00	83.00	1.00	0.94	0.9	1.0m @ 0.9 g/t
SGRC018	6658412	274147	443	92	-61	100	RC	77.00	81.00	4.00	3.05	12.2	4.0m @ 3.1 g/t
SGRC018	6658454	274180	442.2	93	-60	60	RC	94.00	96.00	2.00	0.74	1.5	2.0m @ 0.7 g/t
SGRC019								28.00	37.00	9.00	1.15	10.3	9.0m @ 1.1 g/t
SGRC019								Incl 34.00	36.00	2.00	2.79	5.6	2.0m @ 2.8 g/t
SGRC019								47.00	48.00	1.00	0.55	0.5	1.0m @ 0.5 g/t
SGRC019								52.00	53.00	1.00	0.89	0.9	1.0m @ 0.9 g/t
SGRC019								59.00	60.00	1.00	0.60	0.6	1.0m @ 0.6 g/t
SGRC020	6658503	274158	442.7	91	-60	72	RC	28.00	41.00	13.00	1.97	25.6	13.0m @ 2.0 g/t
SGRC020								Incl 30.00	38.00	8.00	2.88	23.0	8.0m @ 2.9 g/t
SGRC020								52.00	53.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
SGRC020								65.00	68.00	3.00	3.73	11.2	3.0m @ 3.7 g/t
SGRC020								Incl 65.00	67.00	2.00	5.29	10.6	2.0m @ 5.3 g/t
SGRC021	6658563	274127	443	88	-59	70	RC	33.00	34.00	1.00	0.64	0.6	1.0m @ 0.6 g/t
SGRC021	6658648	274101	443.4	91	-60	80	RC	41.00	59.00	18.00	1.39	25.1	18.0m @ 1.4 g/t
SGRC022								9.00	10.00	1.00	1.01	1.0	1.0m @ 1.0 g/t
SGRC022								43.00	46.00	3.00	1.34	4.0	3.0m @ 1.3 g/t
SGRC022								56.00	57.00	1.00	6.77	6.8	1.0m @ 6.8 g/t
SGRC023	6658469	274157	442.6	92	-59	90	RC	46.00	63.00	17.00	1.59	26.9	17.0m @ 1.6 g/t
SGRC023								Incl 47.00	48.00	1.00	15.60	15.6	1.0m @ 15.6 g/t
SGRC023								Incl 54.00	58.00	4.00	1.28	5.1	4.0m @ 1.3 g/t
SGRC023								72.00	75.00	3.00	2.79	8.4	3.0m @ 2.8 g/t
SGRC024	6658469	274177	442	92	-60	80	RC	23.00	24.00	1.00	1.08	1.1	1.0m @ 1.1 g/t
SGRC024								29.00	38.00	9.00	0.78	7.0	9.0m @ 0.8 g/t
SGRC024								Incl 31.00	34.00	3.00	1.35	4.0	3.0m @ 1.3 g/t
SGRC024								48.00	49.00	1.00	0.64	0.6	1.0m @ 0.6 g/t
SGRC024								54.00	60.00	6.00	1.32	7.9	6.0m @ 1.3 g/t
SGRC025	6658410	274188	441.9	93	-60	80	RC	29.00	36.00	7.00	0.88	6.1	7.0m @ 0.9 g/t
SGRC025								Incl 29.00	30.00	1.00	1.16	1.2	1.0m @ 1.2 g/t
SGRC025								Incl 32.00	33.00	1.00	1.35	1.4	1.0m @ 1.4 g/t
SGRC025								Incl 35.00	36.00	1.00	1.67	1.7	1.0m @ 1.7 g/t
SGRC025								62.00	69.00	7.00	3.40	23.8	7.0m @ 3.4 g/t
SGRC025								Incl 68.00	69.00	1.00	20.70	20.7	1.0m @ 20.7 g/t
SGRC025								74.00	76.00	2.00	17.07	34.1	2.0m @ 17.1 g/t
SGRC026	6658411	274207	441.8	92	-61	80	RC	40.00	49.00	9.00	0.55	4.9	9.0m @ 0.5 g/t
SGRC026								Incl 43.00	44.00	1.00	2.59	2.6	1.0m @ 2.6 g/t
SGRC027	6658371	274206	441	91	-61	80	RC	19.00	21.00	2.00	0.60	1.2	2.0m @ 0.6 g/t
SGRC027								25.00	26.00	1.00	0.91	0.9	1.0m @ 0.9 g/t
SGRC027								54.00	55.00	1.00	2.03	2.0	1.0m @ 2.0 g/t
SGRC027								59.00	60.00	1.00	0.52	0.5	1.0m @ 0.5 g/t
SGRC027								69.00	70.00	1.00	1.50	1.5	1.0m @ 1.5 g/t
SGRC028	6658371	274187	442	93	-60	84	RC	39.00	48.00	9.00	2.33	20.9	9.0m @ 2.3 g/t
SGRC028								Incl 42.00	48.00	6.00	3.15	18.9	6.0m @ 3.1 g/t
SGRC028								70.00	71.00	1.00	0.58	0.6	1.0m @ 0.6 g/t
SGRC028								78.00	79.00	1.00	1.00	1.0	1.0m @ 1.0 g/t
SGRC029	6658372	274167	442	92	-60	100	RC	50.00	51.00	1.00	0.54	0.5	1.0m @ 0.5 g/t
SGRC029								63.00	69.00	6.00	1.56	9.3	6.0m @ 1.6 g/t
SGRC029								Incl 63.00	68.00	5.00	1.76	8.8	5.0m @ 1.8 g/t

Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
SGRC029								89.00	90.00	1.00	1.39	1.4	1.0m @ 1.4 g/t
SGRC029								95.00	98.00	3.00	0.62	1.9	3.0m @ 0.6 g/t
SGRC029								Incl 95.00	96.00	1.00	1.30	1.3	1.0m @ 1.3 g/t
SGRC030	6657557	274458	441.5	90	-60	80	RC	18.00	20.00	2.00	1.53	3.1	2.0m @ 1.5 g/t
SGRC030								Incl 19.00	20.00	1.00	2.51	2.5	1.0m @ 2.5 g/t
SGRC030								38.00	40.00	2.00	3.69	7.4	2.0m @ 3.7 g/t
SGRC030								50.00	58.00	8.00	1.01	8.1	8.0m @ 1.0 g/t
SGRC030								Incl 55.00	58.00	3.00	1.94	5.8	3.0m @ 1.9 g/t
SGRC031	6657557	274418	442	90	-60	90	RC	73.00	83.00	10.00	3.41	34.1	10.0m @ 3.4 g/t
SGRC032	6657759	274397	442	90	-60	80	RC	31.00	40.00	9.00	0.94	8.5	9.0m @ 0.9 g/t
SGRC032								Incl 32.00	36.00	4.00	1.35	5.4	4.0m @ 1.3 g/t
SGRC032								51.00	52.00	1.00	1.16	1.2	1.0m @ 1.2 g/t
SGRC032								64.00	69.00	5.00	1.43	7.2	5.0m @ 1.4 g/t
SGRC033	6657758	274416	442	90	-60	70	RC	42.00	48.00	6.00	1.05	6.3	6.0m @ 1.0 g/t
SGRC033								Incl 44.00	46.00	2.00	1.75	3.5	2.0m @ 1.8 g/t
SGRC034	6657759	274377	442	90	-60	90	RC	39.00	44.00	5.00	0.52	2.6	5.0m @ 0.5 g/t
SGRC034								Incl 39.00	40.00	1.00	1.21	1.2	1.0m @ 1.2 g/t
SGRC034								53.00	54.00	1.00	0.79	0.8	1.0m @ 0.8 g/t
SGRC034								56.00	57.00	1.00	0.62	0.6	1.0m @ 0.6 g/t
SGRC034								81.00	85.00	4.00	1.19	4.7	4.0m @ 1.2 g/t
SGRC035	6657665	274407	442	90	-60	95	RC	37.00	52.00	15.00	3.34	50.1	15.0m @ 3.3 g/t
SGRC035								Incl 40.00	42.00	2.00	21.55	43.1	2.0m @ 21.6 g/t
SGRC035								Incl 47.00	48.00	1.00	2.04	2.0	1.0m @ 2.0 g/t
SGRC035								77.00	78.00	1.00	0.95	1.0	1.0m @ 1.0 g/t
SGRC036	6657558	274439	442	90	-60	80	RC	45.00	48.00	3.00	5.18	15.5	3.0m @ 5.2 g/t
SGRC036								58.00	60.00	2.00	1.22	2.4	2.0m @ 1.2 g/t
SGRC036								Incl 59.00	60.00	1.00	1.48	1.5	1.0m @ 1.5 g/t
SGRC037	6657557	274398	442	90	-60	120	RC	99.00	100.00	1.00	0.74	0.7	1.0m @ 0.7 g/t
SGRC038	6658478	274167	443	88	-60	50	RC	26.00	31.00	5.00	3.90	19.5	5.0m @ 3.9 g/t
SGRC038								Incl 26.00	30.00	4.00	4.66	18.6	4.0m @ 4.7 g/t
SGRC038								38.00	40.00	2.00	2.29	4.6	2.0m @ 2.3 g/t
SGRC039	6658489	274173	442.6	90	-60	35	RC	31.00	34.00	3.00	0.99	3.0	3.0m @ 1.0 g/t
SGRC039								Incl 32.00	33.00	1.00	1.61	1.6	1.0m @ 1.6 g/t
SGRC040	6658488	274155	442.7	90	-60	50	RC	38.00	48.00	10.00	2.02	20.2	10.0m @ 2.0 g/t
SGRC040								Incl 38.00	41.00	3.00	4.93	14.8	3.0m @ 4.9 g/t
SGRC040								Incl 46.00	48.00	2.00	1.47	2.9	2.0m @ 1.5 g/t
SGRC041	6658502	274194	442.5	90	-60	40	RC	30.00	31.00	1.00	0.82	0.8	1.0m @ 0.8 g/t
SGRC042	6658502	274178	442.6	90	-60	30	RC	29.00	30.00	1.00	0.65	0.7	1.0m @ 0.7 g/t
SGRC043	6658519	274170	442.7	90	-60	40	RC	0.00	1.00	1.00	0.53	0.5	1.0m @ 0.5 g/t
SGRC043								12.00	13.00	1.00	1.13	1.1	1.0m @ 1.1 g/t
SGRC043								30.00	36.00	6.00	0.67	4.0	6.0m @ 0.7 g/t
SGRC043								Incl 34.00	36.00	2.00	1.05	2.1	2.0m @ 1.0 g/t
SGRC044	6658545	274185	443	90	-60	40	RC	25.00	28.00	3.00	1.44	4.3	3.0m @ 1.4 g/t
SGRC044								Incl 27.00	28.00	1.00	3.33	3.3	1.0m @ 3.3 g/t
SGRC045	6658552	274157	442.9	90	-60	40	RC	9.00	13.00	4.00	6.58	26.3	4.0m @ 6.6 g/t
SGRC045								29.00	32.00	3.00	0.59	1.8	3.0m @ 0.6 g/t
SGRC046	6658552	274134	443.1	87.7	-59.6	60	RC	37.00	52.00	15.00	1.31	19.7	15.0m @ 1.3 g/t
SGRC046								Incl 38.00	45.00	7.00	1.98	13.8	7.0m @ 2.0 g/t
SGRC046								Incl 51.00	52.00	1.00	2.97	3.0	1.0m @ 3.0 g/t
SGRC046								58.00	59.00	1.00	1.39	1.4	1.0m @ 1.4 g/t
SGRC047	6658616	274175	443	90	-60	40	RC	0.00	40.00				N.S.I.
SGRC048	6658628	274131	443.2	90	-60	40	RC	0.00	40.00				N.S.I.
SGRC049	6658624	274115	443	91	-60	50	RC	34.00	39.00	5.00	22.07	110.3	5.0m @ 22.1 g/t
SGRC049								Incl 34.00	36.00	2.00	54.15	108.3	2.0m @ 54.2 g/t
SGRC050	6658656	274128	443	90	-60	40	RC	33.00	37.00	4.00	0.55	2.2	4.0m @ 0.6 g/t
SGRC051	6658671	274128	443	90	-60	30	RC	0.00	30.00				N.S.I.
SGRC052	6658670	274111	443.5	90	-60	45	RC	31.00	32.00	1.00	0.84	0.8	1.0m @ 0.8 g/t
SGRC052								44.00	45.00	1.00	1.07	1.1	1.0m @ 1.1 g/t
SGRC053	6658689	274133	443	87	-60	50	RC	8.00	12.00	4.00	0.95	3.8	4.0m @ 1.0 g/t
SGRC053								Incl 11.00	12.00	1.00	2.89	2.9	1.0m @ 2.9 g/t
SGRC054	6658689	274118	443.3	87.792	-59.2	50	RC	7.00	12.00	5.00	3.70	18.5	5.0m @ 3.7 g/t
SGRC054								Incl 8.00	12.00	4.00	4.51	18.0	4.0m @ 4.5 g/t
SGRC054								37.00	38.00	1.00	0.65	0.7	1.0m @ 0.7 g/t
WSLR001	6658749	274097	443.2	89	-60	150	RC	16.00	17.00	1.00	22.06	22.1	1.0m @ 22.1 g/t
WSLR001								24.00	25.00	1.00	0.76	0.8	1.0m @ 0.8 g/t
WSLR001								30.00	31.00	1.00	0.68	0.7	1.0m @ 0.7 g/t
WSLR001								40.00	44.00	4.00	0.69	2.8	4.0m @ 0.7 g/t
WSLR001								Incl 43.00	44.00	1.00	1.78	1.8	1.0m @ 1.8 g/t

Appendix 3 - JORC CODE, 2012 EDITION – TABLE 1 REPORT TEMPLATE

Section 1 Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	<i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i> <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i> <i>Aspects of the determination of mineralisation that are Material to the Public Report.</i> <i>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i>	- Aberfoyle/Bardoc - Reverse Circulation (RC) and Rotary Air Blast (RAB) sampling methods generally unknown however usually collected as 1m samples and composited to 2 to 4m samples when outside mineralised zones. RC drilling between 4 and 6 inch diameter hammers with use of face sampling hammer known from 1992 onwards. Pre-1990 Rotary Air Blast (RAB) holes generally sampled on 2-3m intervals and composited to 6m. - Billiton - Rotary Air Blast (RAB) and Reverse Circulation (RC) 1m samples with RAB being composited to 2m. Diamond core of NQ size - ConsEx (Consolidated Exploration) – Rotary Air Blast (RAB) 1m samples usually dispatched as 3m composites but occasional 1m. Reverse Circulation (RC) a mix of 1m sampling or 2m composites Lady Eileen programs Reverse Circulation (RC) drilling made use of roller, Blade or hammer with crossover sub all nominally 5.5 inch diameter to obtain 2-3kg sample. - Cons Gold (Consolidated Gold) – Reverse Circulation (RC) 1m samples where alteration is visible. Remainder of hole composited to 4m. 2 to 3 kg samples sent to laboratory for crushing, pulverising and 50g Fire Assay. NQ diamond except for geotechnical purposes (HQ triple) - Croesus – Reverse Circulation (RC) 1m samples collected under cyclone. 5m comps assayed for gold by 50g Fire assay. NQ diamond except for geotechnical purposes (HQ triple) - Delta - Rotary Air Blast (RAB) 5 metre composites (Aqua-regia with 50g charge) with 1m re-samples (Fire assay) - DPPL (Davyhurst Project Pty. Ltd.)- 4.25 to 5.5 inch Reverse Circulation (RC) drilling with face hammer. Potential mineralisation sampled and assayed on a metre basis otherwise 4m composites. NQ diamond except for geotechnical purposes (HQ triple) - EGS (Eastern Goldfields)- Reverse Circulation (RC) samples collected from the riffle splitter directly off tig into calico bags. Splitter maintained on level site to ensure sample representivity. 1m samples are pulverised and a 40g charge is analysed by Fire Assay - Hill Minerals - 1m and 4m concurrent sampling of Reverse Circulation (RC) drilling. - Intrepid - Reverse Circulation (RC) drilling with 1m samples in mineralised zones and varying composite lengths up to 5m elsewhere. Analysis by A.S.S. Diamond and diamond tails - samples predominately 0.5m of half core - Monarch - Riffle split Reverse Circulation (RC) samples were collected at 1m intervals and despatched for analysis by pulverisation and fire assay. Selected Rotary Air Blast (RAB) 2m-4m scoop composites and 1m intervals were despatched for analysis. Not all intervals were sampled. SRK holes were Reverse Circulation (RC) and were 4m composites of 1m samples - Kersey - Reverse Circulation (RC) drilling 1m samples passed through riffle splitter and composited. Resulting composite was re-split on site for a 1-2kg sample. Rotary Air Blast (RAB) holes: Cones quartered by trowel and composited over 4m. Wet samples were grab sampled. 30g charge for AAS - Normandy - Rotary Air Blast (RAB) 1m sampling with 4m composites dispatched for assay using 50g Aqua-regia followed by graphite furnace AAS. - Pancontinental – Rotary Air Blast (RAB) sampling methods unknown - Perilya – Rotary Air Blast (RAB) and AC sampling methods unknown - Swan Gold Diamond- Half core samples, cut by saw. Samples intervals selected by geologist and defined by geological boundaries.

Criteria	JORC Code explanation	Commentary
		Minimum sample length is 0.3m, maximum 1.5m. Core is aligned and measured by tape, comparing back to down hole core blocks, consistent with industry practice. Samples are pulverized and a 40g charge is analysed by Fire Assay. - 1m Reverse Circulation (RC): 5.125 inch face sampling hammer with samples collected under cone splitter • Texas Gulf – sampling methods unknown • West Coast Holdings – Rotary Air Blast (RAB) drilling 2m intervals were passed through riffle splitter for approximately 1kg sample. • WMC - Reverse Circulation (RC) Sampling on 1m basis • Ora Banda Mining Limited (OBM) - Ora Banda Mining Limited (OBM) - 1m RC samples using face sampling hammer with samples collected under cone splitter. 4m composite RC samples were taken outside of mineralised zone, collected using a scoop from the sample piles at the drill site. 1m cone split samples were taken within the expected mineralised zones. Core sample intervals selected by geologist and defined by geological boundaries. All samples were dispatched to the SGS laboratory at the Davyhurst site for pulverising. Prepared samples were then despatched to SGS laboratories in Kalgoorlie for a 50g charge Fire Assay. From 7 March 2025 samples were analysed by 500g photon analysis by SGS, with selected samples analysed for a Multielement suite by 4 Acid digest (ICO-MS finish) and Gold by 50g Fire Assay (GO_FAP50V10).
Drilling techniques	• <i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i>	• Aberfoyle/Bardoc - RC, RAB and Diamond details unknown however NQ diamond known to be used. RC drilling with use of face sampling hammer known from 1992 onwards. • Billiton RAB and RC with use of roller/blade and hammer. NQ Diamond • ConsEx - RC drilling with roller, blade or hammer with crossover sub. • Cons Gold – NQ diamond, RAB and RC. 4.25 to 5.5 inch RC drilling with stabilisers and face sampling hammers. • Croesus – Diamond holes NQ2 diameter. RC details unknown but assumed to be face sampling hammers • Delta – RAB - details unknown • DPPL - NQ and RC. RC drilling with stabilisers and face sampling hammers. • EGS- NQ and RC. RC drilling using Face sampling Hammer, 5.25" diameter • Hill Minerals - RC - details unknown • Monarch - RC samples were collected by Kennedy Drilling using a 4 inch blade. 5.5 inch diameter RC drilling • Kersey - Details of RC and RAB drilling unknown • Normandy – RAB with both hammer and blade using Schramm 42 • Pancontinental – Details of RAB drilling unknown

Criteria	JORC Code explanation	Commentary
		- Perilya – Details of RAB and Aircore drilling unknown - Swan Gold "HQ3 to approx. 40m, then NQ2 to BOH. All core oriented by spear RC: 5.125 inch face sampling hammer" - Texas Gulf – RC hammer type unknown - West Coast Holdings – Bit, roller and open hole hammer used for RAB drilling. - WMC - RC and RAB drilling details unknown - Ora Banda Mining Limited (OBM) – 5.5 – 5.625 inch diameter RC holes using face sampling hammer with samples collected from a rig mounted cone splitter into calico bags which are submitted for assay. Some core holes have RC pre-collars, then NQ2, HQ3 or PQ3 coring to BOH. All core oriented by Axis instrument. Drilling was carried out by contractors Top Drill Pty Ltd.
Drill sample recovery	<i>Method of recording and assessing core and chip sample recoveries and results assessed.</i> <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i> <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i>	- RC drill recoveries were not recorded by Aberfoyle/Bardoc, Annaconda, Ashton, Consolidated Gold, Croesus, Delta, DPPL, EGS, Hill Minerals, Monarch, Mt Kersey, Normandy, Pancontinental, Texas Gulf, West coast holdings or WMC - Billiton – Recoveries for some RC drilling programs were examined in 1986 but raw data not available. - Consolidated Exploration – 2 metre plastic pipe inserted into cyclone vent. Cyclone washed end of each hole or if water injected. Sample weights measured for Homeward bound (no bias observed) and Lady Eileen prospects (generally no bias observed aside from two high grade samples perceived to be due to coarse grained gold) - Perilya - Method unknown but quality, moisture, sample quality and % recovery logged - Swan - Diamond drill recoveries are recorded as a percentage calculated from measured core against downhole drilled intervals (core blocks). - OBM - RC sample recoveries are approximated based on the size of the bulk sample and recorded in drill log tables. Diamond drill recoveries are recorded as a percentage calculated from measured core against downhole drilled intervals (core blocks).

Criteria	JORC Code explanation	Commentary
Logging	- Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. - Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. - The total length and percentage of the relevant intersections logged.	- Aberfoyle/Bardoc - Qualitative: lithology, colour, grainsize, structures, alteration Quantitative: Quartz mineralisation - Billiton - Qualitative: lithology, alteration for Diamond and RAB. RC logging details unavailable - Consolidated Exploration- Qualitative: lithology , colour, alteration, grainsize (at times). Quantitative: Quartz mineralisation at times - Consolidated Gold/ DPPL - Qualitative: lithology , colour, oxidation, alteration, with grainsize, texture and structure often recorded in diamond drilling. Quantitative: Quartz veining. Core photographed - Croesus - Most holes photographed, geologically logged and geotechnical and magnetic susceptibility measurements were taken. Qualitative: Lithology, colour, grainsize, alteration, oxidation, texture, structures, regolith Quantitative: Quartz veining - Delta - Qualitative: Lithology, colour, alteration, oxidation, structure, minerals/sulphides Quantitative: Quartz veining - EGS - Qualitative: Lithology, colour, oxidation, grainsize, texture, structure, hardness, regolith Quantitative: estimates are made of quartz veining, sulphide and alteration percentages. Core photographed - Hill Minerals - Qualitative: lithology, colour Quantitative: Quartz veining - Monarch - Qualitative: lithology, colour, oxidation, grainsize, texture, structure, hardness, regolith Quantitative: estimates are made of quartz veining, sulphide percentages. Core photographed - Mt Kersey - Qualitative: lithology, colour, alteration, oxidation, fabric, hardness, BOCO, grainsize Quantitative: minerals, quartz - Normandy – Qualitative: lithology, regolith, colour, mineralogy, oxidation - Pancontinental – logging details unknown - Perilya - Qualitative: lithology, colour, oxidation, mineralogy, grain size, alteration, schistosity, texture, regolith at times Quantitative: recovery, veining - Swan - Qualitative: lithology, colour, oxidation, grainsize, texture, structure, regolith Quantitative: estimates are made of quartz veining, sulphide and alteration percentages. - Texas Gulf - Qualitative: lithology, oxidation - West coast holdings - Qualitative: colour, oxidation, lithology, alteration Quantitative: Quartz, Iron - WMC RC: Qualitative: Lithology, Colour, Grainsize, Alteration and oxidation. Some logging detail was lost during translation from one logging system to another. This has been rectified by referring back to original logs. OBM - Field logging was conducted using Geobank MobileTM software on Panasonic Toughbook CF-31 ruggedized laptop computers. Qualitative: Lithology, colour, oxidation, grainsize, texture, structure, hardness, regolith. Quantitative: estimates are made of quartz veining, sulphide and alteration percentages. Core photographed wet and dry. Magnetic susceptibility recorded for core holes. Bulk density measurements taken at regular intervals for core holes (determined by Archimedes Principle). Downhole density measurements also acquired from selected holes, principally for additional data from oxide and transitional material.

Criteria	JORC Code explanation	Commentary
Sub-sampling techniques and sample preparation	<i>If core, whether cut or sawn and whether quarter, half or all core taken.</i> <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i> <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i> <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i> <i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i> <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i>	- Billiton – Sub-sampling methods unknown. 1m repeat ASS fire assays of 2m RAB comps at Lady Eileen were done. Duplicates for RAB and RC inserted however frequency unknown - Aberfoyle/Bardoc – Diamond core sawn in half. RC and RAB samples with variable compositing lengths and often 1m samples. Method unknown before 1992, but thereafter riffle split to approximately 2kg samples. RC and RAB was usually prepared by single stage mixer and grind. Diamond, when known was jaw crushed and ring milled for a 50g charge fire assay. Duplicate studies undertaken at times, usually with good correlation - Consolidated Exploration – RC holes sampled on 1m basis and riffle split to 1-2kg samples for 3m composites or 2-3kg samples for 2m composites. Composite 2m samples were hammer milled, mixed and split to 200g then pulverised to 200#. 1m samples single stage mix and ground to 200#. - Consgold RC Samples collected via cyclone at 1m intervals and passed through 3 stage riffle splitter. A 2-3kg fraction was calico bagged for analysis, the residue collected in plastic bags and stored on site. Potentially mineralised zones were sampled at 1m intervals, the remainder composited to 4m by unknown method. Composite samples returning >0.19g/t were re submitted at 1m intervals. Samples underwent mixermill preparation (2-3kg) by Amdel Laboratories. RAB 4m composite samples using PVC spear. Samples returning >0.19g/t were re submitted at 1m intervals Diamond drill samples were sawn into half core. One half was jaw crushed, then pulverised using a labtechnics mill. A quartz blank was pulverised between each sample to avoid contamination. Field duplicates at 1 in 20 frequency from residues submitted. - Croesus RC - 1m samples collected under cyclone. 5m comps, spear sampled with 50mm PVC pipe. Wet RC drill samples were thoroughly mixed in the sample retention bag and scoop sampled to form a composite sample. 3-5kg five metre composite analytical samples, returning values greater than 0.1g/t gold, were riffle split at 1m intervals, were samples where dry, and grab sampled where wet. Diamond tails were cut to half core and sampled based on geological boundaries and identified prospective zones. Samples size varied from 0.2m to 1m. Core samples were sent to Ultratrace Laboratories of Perth - Delta – RAB 5m compositing of samples were total mixer mill prepped and re-submitted as 1m samples if composite result >0.1ppm Au - DPPL – RC 3 stage riffle split then 4m compositing. RAB 4m composite samples using PVC spear. BOTH RC and RAB composites returning >0.19ppm Au re-submitted as 1m samples. Duplicates at 1 in 20 frequency from residues submitted. - EGS - Riffle split into calico bags. Wet or moist samples are noted during sampling - Hill Minerals – RC composited by unknown methods to 4m then 1m samples re-submitted if 4m composite was above 0.25 g/t - Monarch - RC samples were collected at 4m or 1m composites intervals and despatched for analysis. Samples were riffle split and prepared with single stage mix and grinding. Duplicates are taken 1 in 25 when taking 1m splits straight from the rig. When doing re-splits on composite results 1 in 20 duplicate with occasional triplicates (about 1 every 50 re-splits) - Mt Kersey - RC drilling 1m samples passed through riffle splitter and composited. Resulting composite was re-split on site for a 1-2kg sample. Wet samples were grab sampled. RAB - Cones quartered by trowel and composited over 4m. Wet samples were grab sampled. Samples oven dried the pulverised to nominal 75 microns, 400-500g is then split and residue stored.

Criteria	JORC Code explanation	Commentary
		- Normandy – Qualitative: lithology, Regolith, Colour, minerals, oxidation - Pancontinental – No methods or measures known - Perilya - Unknown compositing method but some samples were wet. - Swan - Core was cut with Almonte diamond saw and half core sampled - Texas Gulf - Whole metres placed in plastic sacks and were then split to approximately 500g samples. Split method unknown. Samples crushed, disc pulverized then split to 250g. Petrographic study completed by Mintek Services. - West coast holdings - 2m intervals with passed through riffle splitter for approximately 1kg sample. - WMC - RC Sampling on 1m basis, methods undocumented. Assay by aqua regia method, unknown laboratory. - Ora Banda Mining Limited (OBM) - RC samples were submitted either as individual samples taken from the onsite cone splitter or as four metres composite samples taken by metal scoop. Core sample intervals selected by geologist and defined by geological boundaries, cut by saw and submitted as half core. RC and core samples were initially dispatched to the SGS laboratory at the Davyhurst site for pulverising. Prepared samples were then despatched to SGS laboratories in Kalgoorlie for a 50g charge Fire Assay (GO_FAP50V10). Field duplicates, blanks and standards were submitted for QAQC analysis. From 10 March 2025 samples were crushed by Orbis crushers at the site lab and analysed by 500g photon analysis by SGS. Field duplicates, blanks and standards were submitted for QAQC analysis.
Quality of assay data and laboratory tests	<i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i> <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i>	- Aberfoyle/Bardoc - multiple methods at Sheen, Amdel, Genalysis, Classic, Comlabs and Australian Laboratories usually 50g fire assay for RC and aqua regia or 50g fire assay for RAB. QA samples unknown - Billiton - Laboratory and methods unknown Standards for RAB and RC inserted however frequency unknown - Consolidated Exploration – Genalysis composite 2m samples were hammer milled, mixed and split to 200g then pulverised to 200#. 1m samples single stage mix and ground to 200#. Phase 1 standard wet chemical multi acid digestion and AAS. Second phase were also pre-roasted. Results of >1g/t re-assayed by fire assay. Check assays at umpire lab (Classic labs) for Lady Eileen drilling - significant differences in high grade samples, otherwise considered good. - Consolidated Gold/ DPPL – RC and RAB - Mixermill prep with fire assay 50g charge at AMDEL, Minilab or Analabs Laboratories in Kalgoorlie Core was diamond sawn, jaw crushed, milled using LABTECHNICS mill at AMDEL for 50g charge by fire assay. Gannet standards submitted to monitor lab accuracy for infill resource drilling. Pulp umpire analysis was done but frequency unknown (1995). Screen fire assays of selected high grade samples. Quartz blanks between each diamond sample - Croesus samples analysed for Au by Fire Assay/ICPOES by Ultratrace in Perth. Samples were dried, crushed and split to obtain a sample less than 3.5kg, and then fine pulverised prior to a 50gm charge being collected and analysed. Every 20th sample was duplicated in the field and submitted for analysis. Gannet standards and blank samples made by Croesus were submitted with split sample submissions. QAQC analysis of repeats was analysed by Croesus Mining NL. for their drilling completed during 2000 - Delta - Analysis at Genalysis Kalgoorlie.Total mixer mill prep, Aqua-regia with 50g charge, 0.01ppm detection limit. 1m re-samples: as above but with 50g charge fire assay. Standards submitted although frequency and certification unknown

Criteria	JORC Code explanation	Commentary
		- Hill Minerals - A.S.S. following acid digestion at Genalysis, Perth - Monarch - ALS Laboratory procedures: The samples were sort and dried where necessary. The samples were split via a riffle splitter to <3 kg and round in a ring mill pulverized using a standard low chrome steel ring set to >85% passing 75 micron. If sample was >3 kg it was split prior to pulverising and the remainder retained or discarded. Then a 250g representative split sample was taken and the remaining residue sample stored. A 50g sample charge was taken from the 250g representative sample, fused with a lead concentrate using the laboratory digestion method FA-Fusion, then digested and analysed by Atomic Absorption Spectroscopy (Au-AA26) against matrix matched standards. Ultra Trace procedures: The samples were sort and dried where necessary. 2.5 – 3kg sample was pulverized using a vibrating disc then split into a 200 -300g charge and the residue sample stored. A 40g sample charge is taken and analysed for gold (Au) by lead collection fire assay. - Mt Kersey - RAB: and RC samples: 30g charge with 0.02 ppm DL by aqua regia with an D.I.B.K and Ortho Phosphoric acid extraction. AAS at AAL group. - Normandy - Amdel Laboratories, Perth using 50g Aqua-regia followed by graphite furnace AAS. Also by IC2E - digesting 1g subsample of pulp in aqua regia, bulked with water, then passed through an ICP-OES. Duplicate samples were sent to a different, unknown lab. - PANCONTINENTAL - Method unknown. 2 RC holes were re-split and Fire Assayed and some screened fire assay - Perilya - 10ppb Au detection limit at Analabs Perth by Method P649, 50g Aqua Regia, BIBK, Carbon Rod (10ppb D.L.) - Swan Gold samples sent to Bureau Veritas laboratory in Kalgoorlie. The samples have been analysed by Firing a 40 gm (approx) portion of the sample. Lower sample weights may be employed for samples with very high sulphide and metal contents. This is the classical fire assay process and will give total separation of gold. An AAS finish is used. Commercially prepared standard samples and blanks are inserted in the sample stream at a rate of 1:10. Sizing results (percentage of pulverised sample passing a 75µm mesh) are undertaken on approximately 1 in 40 samples. The accuracy (standards) and precision (repeats) of assaying are acceptable. - Texas Gulf - Samples crushed, disc pulverized then split to 250g. Bromine digest followed by ketone extraction at Pilbara Las, Kalgoorlie. Noted as not suitable in presence of sulphides. Values greater than 0.8g/t re-assayed by Fire Assay. - WMC drill samples were assayed by aqua regia method, unknown laboratory. - Ora Banda Mining Limited (OBM) – Up to 2022 Samples sent to Nagrom in Perth. The samples have been analysed by Firing a 50gm portion of the sample. Lower sample weights may be employed for samples with very high sulphide and metal contents. This is the classical fire assay process and will give total separation of gold. An ICPOES finish is used. Commercially prepared standard samples and blanks are inserted in the sample stream at a rate of 1:25 for standards and 1:25 for blanks. Sizing results (percentage of pulverised sample passing a 75µm mesh) are undertaken on approximately 1 in 40 samples. Duplicate samples are submitted for RC holes only at a rate of approximately 1:30. The accuracy (standards) and precision (repeats) of assaying are acceptable. For all drilling from 2022, All samples were sent to the accredited onsite SGS laboratory at Davyhurst for sample preparation. Prepared samples were then despatched to SGS laboratories in Kalgoorlie for a 50g charge Fire Assay (GO_FAP50V10) with MP-AES finish or 500g Photon analysis. Commercially prepared standard samples and blanks are inserted in the sample stream at an average rate of 1:25. Sizing results (percentage of pulverised sample passing a 75µm mesh) are undertaken on approximately 1 in 20 samples. The accuracy (standards) and precision (repeats) of assaying are acceptable. Standards and blanks were inserted into the sample stream at a rate of approximately 1:12. Duplicates were submitted at a rate of approximately 1:30. The accuracy (standards) and precision (repeats) of assaying are acceptable.

Criteria	JORC Code explanation	Commentary
Verification of sampling and assaying	<i>The verification of significant intersections by either independent or alternative company personnel.</i> <i>The use of twinned holes.</i> <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> <i>Discuss any adjustment to assay data.</i>	- Holes are not deliberately twinned. - OBM - Geological and sample data logged directly into field computer at the drill rig or core yard using Geobank Mobile. Data is transferred to Perth via email or through a shared server and imported into Geobank SQL database by the database administrator (DBA). Assay files are received in .csv format and loaded directly into the database by the DBA. Hardcopy and/or digital copies of data are kept for reference if necessary. - Monarch Gold Mining Company Ltd; Geological and sample data was logged digitally and .csv or .xls files imported into Datashed SQL database with in-built validation. Samples bags were put into numbered plastic bags and then cable tied. Samples collected daily from site by laboratory. - Data entry, verification and storage protocols for remaining operators is unknown. - No adjustments have been made to assay data.
Location of data points	<i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> <i>Specification of the grid system used.</i> <i>Quality and adequacy of topographic control.</i>	- RAB and AC holes are/were not routinely collar surveyed or downhole surveyed due to their limited use in resource estimation. To this end, discussion of RAB and AC drilling is omitted from this section. RC/GC (grade control) and shallow RC holes are/were not routinely downhole surveyed due to their shallow nature reducing the chance of significant deviation. Barren exploration RC holes not routinely downhole surveyed or collar surveyed. DD holes routinely collar and downhole surveyed by most operators or have been re-surveyed by subsequent operators - The influence of magnetic rocks on the azimuths of magnetic down hole surveys is minor. Early holes surveyed in AMG zone 51 and converted to MGA using Geobank and or Datashed data management software. - Aberfoyle/Bardoc (RC, RC/DD, DD) Various local grids which have undergone 2 point transformations. RC collars and downhole surveys known to be surveyed at times, presumably when anomalous gold intersected. DD holes downhole surveyed by Eastman single shot (25m interval average) or Multishot (5m interval average) - Billiton (RC, DD) Local Lights of Israel grid undergone 2 point transformation. Downhole surveys when performed were by undocumented method with a 25m interval average - ConsEx (RC). Drilled on local grids (possibly truncated AMG84, zone 51). Holes appear to have been surveyed using AMG, zone 51 grid at a later stage. Numerous vertical holes not down-hole surveyed. Downhole surveys when performed were by undocumented method with a 9m interval average - Cons Gold/DPPL (RC, DD) Local grids and AMG84 zone 51 used. RC and DD Collars surveyed by licensed surveyors to respective grids. Holes of all types routinely collar surveyed whilst RC resource holes routinely downhole surveyed by various methods including gyro and EMS with average intervals ranging between 10-25m. - Croesus (RC, DD) Various local grids and AMG zone 51. RC, DD holes routinely collar surveyed and downhole surveyed using Electronic Multishot (EMS), GYRO, Eastman single shot or combination thereof at 10-15m average interval. - Hills (RC) Local grid used. - Monarch(RC) -Various local grids and MGA. Holes routinely collar surveyed and downhole surveyed using EMS, or GYRO at 5m interval average or Eastman single shot (28m interval average). - Mt Kersey(RC) Truncated AMG grid used - Texasgulf (RC) Local grid: MC30/1317 based on 351.5°baseline, parallel to tenement boundary. MC30/1327 based on 355.5 - WMC (RC, DD) - Digital data provided by ConsGold. (Wamex report a50226). Downhole surveys when performed were by undocumented method with a 16m interval average - EGL and Swan; Collar locations were surveyed by DGPS and downhole surveys were collected using electronic multishot by the drillers. Subsequent to drilling holes were open hole gyro surveyed by ABIMS where possible. The grid system used is GDA1994 MGA Zone 51.

Criteria	JORC Code explanation	Commentary
		OBM (RC, DD) MGA94, zone 51. Drill hole collar positions were picked up by a contract surveyor using RTKGPS subsequent to drilling. Drill-hole, downhole surveys are recorded every 30m using a reflex digital downhole camera. Some RC holes not surveyed if holes short and/or drilling an early stage exploration project. For all drilling from 2022 Drill hole collar positions were picked up by an OBM mining surveyor using RTKGPS subsequent to drilling. All downhole surveys were taken every 10m by Gyro.
Data spacing and distribution	<i>Data spacing for reporting of Exploration Results.</i> <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i> <i>Whether sample compositing has been applied.</i>	- Data spacing highly variable from wide spaced ~800m x ~80m regional RAB to close spaced resource drilling ~10m x ~10m and grade control drilling at ~5m x ~5m. - Drill hole spacing is adequate to establish geological and grade continuity for the deposits that currently have resources reported. - Drill intercepts are length weighted, 0.5g/t lower cut-off, not top-cut, maximum 4m internal dilution
Orientation of data in relation to geological structure	<i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i> <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i>	- Drilling by Aberfoyle/Bardoc, Billiton, Consolidated Gold, Croesus, Delta, DPPL, EGS, Hill Minerals, Monarch, Mt Kersey, Normandy, Pancontinental, Texas Gulf and WMC was predominately inclined at between -50 and -60 degrees towards local grid east (~80° MGA Azi). Some early exploration RAB holes drilled vertically - OBM – RC drilling is predominately inclined at between -50 and -60 degrees towards local grid east (~80° MGA Azi). Drilling inclined to the west is only done when lodes are deemed to be vertical or if local landforms prevent access.

Criteria	JORC Code explanation	Commentary
Sample security	<i>The measures taken to ensure sample security.</i>	- Unknown for earlier operators. - West coast holdings - Residues stored on site but security measures unknown - Texas Holdings - Residues stored on site but security measures unknown - Monarch - Pre-numbered sample bags were put into numbered plastic bags. These numbers were written on the submission forms which were checked by the geologist. Plastic bags were then securely cable tied and placed in a secure location. Samples were then picked up by the Lab in Kalgoorlie or deliver to Perth via courier. A work order conformation was emailed to Monarch personnel for each sample submission once samples were received by the Laboratory. - Swan Gold – Samples are bagged, tied and in a secure yard. Once submitted to the laboratories they are stored in cages within a secure fenced compound. Samples are tracked through the laboratory via their LIMS. - OBM – Samples are bagged into cable-tied polyweave bags and stored in bulka bags in a secure yard. Once submitted to the laboratories they are stored in cages within a secure fenced compound. Samples are tracked through the laboratory via their LIMS
Audits or reviews	<i>The results of any audits or reviews of sampling techniques and data.</i>	No audits of sampling techniques have been done.

Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary								
<i>Mineral tenement and land tenure status</i>	- Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. - The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	- All tenure pertaining to this report is listed below:<table><tr><th>TENEMENT</th><th>HOLDER</th><th>Expiry Date</th><th>AGREEMENTS</th></tr><tr><td>M30/255</td><td>CARNEGIE GOLD PTY LTD.</td><td>10/01/2038</td><td>Farm-in and JV with Davyston Exploration Pty Ltd for all minerals other than gold and its byproducts (portion of tenement only) Davyston Exploration Pty Ltd holds a consent caveat and a mortgage</td></tr></table> - Carnegie Gold PTY LTD is a wholly owned subsidiary of OBM. - There are no known heritage or native title issues. - There are no known impediments to obtaining a licence to operate in the area.	TENEMENT	HOLDER	Expiry Date	AGREEMENTS	M30/255	CARNEGIE GOLD PTY LTD.	10/01/2038	Farm-in and JV with Davyston Exploration Pty Ltd for all minerals other than gold and its byproducts (portion of tenement only) Davyston Exploration Pty Ltd holds a consent caveat and a mortgage
TENEMENT	HOLDER	Expiry Date	AGREEMENTS							
M30/255	CARNEGIE GOLD PTY LTD.	10/01/2038	Farm-in and JV with Davyston Exploration Pty Ltd for all minerals other than gold and its byproducts (portion of tenement only) Davyston Exploration Pty Ltd holds a consent caveat and a mortgage							
<i>Exploration done by other parties</i>	Acknowledgment and appraisal of exploration by other parties.	- Modern exploration commenced at the Davyhurst sites in the 1980s. Three companies, Jones Mining, Western Mining Corporation (WMC) and Hill Minerals pegged claims surrounding the historic Davyhurst sites. In 1986, WMC established a 300,000 tonne per annum carbon-in-pulp (CIP) treatment plant at Davyhurst and commenced open pit mining at Golden Eagle and Waihi. In 1988 WMC's and Jones Mining's assets were acquired by Consolidated Exploration Ltd. Consolidated Exploration then developed open cut mines at Great Ophir, Lady Eileen, Lady Eileen South and Homeward Bound. At about the same time Aberfoyle Resources / Hill Minerals commenced open-pit mining at the Lights of Israel Deposit and trucked the ore 80 km to the Bardoc processing plant. During 1995/96 Consolidated Exploration Ltd. restructured as Consolidated Gold NL (CGNL) and commenced tenement acquisition and exploration activities in the area. This resulted in the consolidation of holdings in the district. In December 1996 CGNL acquired the assets of Aberfoyle Resources in the area, including the Bardoc Processing plant, in an equity transaction. The Bardoc plant was relocated to the Davyhurst site and upgraded to 1.2 Mt/y. In October 1998 Davyhurst Project Pty Ltd (DPPL), a subsidiary of NM Rothschild and Sons (Australia), acquired the project. In 2000, Croesus Mining NL ("Croesus") acquired the Davyhurst Project and continued operations until 2005. In January 2006, Monarch Gold Mining Company Limited (Monarch) acquired Davyhurst and operated the project until 2008. - Drilling, sampling and assay procedures and methods as stated in the database and confirmed from Wamex reports and hard copy records are considered acceptable and to industry standards of the time. There is sufficient understanding of drilling, sampling and assay methodologies for the majority of drilling in the Davyhurst area. The company is confident that previous operators completed work to standards considered acceptable for the time. As part of each resource upgrade, OBM will commit to additional drilling to confirm the style, widths and tenor of mineralisation at each deposit.								
<i>Geology</i>	Deposit type, geological setting and style of mineralisation.	Regional Geology - Rocks of the Coolgardie domain (Kalgoorlie Terrane) are prevalent in the Davyhurst area. Rocks of the Coolgardie Domain are not well exposed at Davyhurst and the distribution of rock types suggests that it is mainly represented by the upper part of the stratigraphic sequence, namely basalts, felsic volcanics and sedimentary rocks. The abundant ultramafic-mafic sills of the Ora Banda Domain do not occur in the Coolgardie Domain. Granitoids in the Davyhurst Project area can be classified by magnetic signature into three types: low, medium and high magnetic response. Binns et al. (1976) distinguished 'static style' and 'dynamic style' regional metamorphism. Static style areas generally occupy the central, low-strain part of the greenstone regions away from the granitoids and typically have lower metamorphic grades (prehnite–pumpellyite to upper greenschist facies). Strain is concentrated in narrow zones so that textures are well preserved in more massive and competent rocks. Dynamic-style areas of greenstone have higher metamorphic grades (upper greenschist to upper amphibolite facies) and are characterized by more pervasive foliation, particularly along the								

Criteria	JORC Code explanation	Commentary
		contacts with large granitoid terrains. There appears to be two major controls on mineralisation in the Davyhurst area. Both mineralisation styles rely on mineralisation taking place during reactivation of earlier ductile shear zones. In the case of the Lights of Israel group of deposits, the early shears are moderately to gently west dipping, whereas in the Federal Flag – Lady Eileen group of deposits, the early shear is steeply west dipping. In the northern portion of the Davyhurst tenements most gold mineralisation is aligned in planar corridors that have N- to NW-trends. The overall dip of the mineralised corridors is mostly steep (>75°) E- or W-dipping with moderate to steep (~60°) and shallow-dipping (~15°) ore zones at the Federal Flag and Lady Gladys deposits, respectively. Within these planar corridors of mineralisation linear trends to gold distribution are mostly shallowly plunging. Internal variations within the corridors at individual deposits are common and discussed later. Mineralisation at the Lights of Israel and Makai deposits differs from the other examined deposits in that mineralisation has a linear form that plunges moderately (~20°) to the NNW. • Local Geology • EAST – Interbedded volcanoclastic sediments / tuffs • CENTRAL – mafic / ultramafic sequence consisting of: • Eastern Ultramafic unit (chlorite tremolite schist), sometimes contains internally a wedge of high-Mg pillow basalt (chlorite schist) • Western Basalt unit, this basalt weathers much deeper than the UM • Potentially a thin (~5m) unit of interflow sediment lies along the contact of the basalt and UM • WEST – Interbedded shales and volcanoclastic sediments • Mineralisation Four principal gold lodes identified at Round Dam: Basalt Lode • Gold lode wholly within the basalt Basalt / UM Contact Lode • Highly altered basalt immediately in hanging wall to ultramafic / basalt contact. Strong banded biotite-silica-sulphide (pyrrhotite) alteration + py/cpy. Possible narrow interflow sediment on this contact UM Quartz Vein Lode(s) • Highly deformed early quartz veining within ultramafic unit acts as preferential host for gold mineralisation due to rheological contrast. Visible gold associated with pyrrhotite + py/cpy/apy • Main lode is consistent thick zone of quartz veining approximately 40m east of UM/Mb contact. Minor other lodes come and go along strike • Plunge of mineralisation defined by plunge of folded / boudined quartz veins Eastern Lode • High-grade lode in eastern portion of the mafic/ultramafic sequence. No available access to map this lode and define its controls / alteration – diamond drilling required
• Drill hole Information	• <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> ◦ <i>easting and northing of the drill hole collar</i> ◦ <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i>	• See list of drill intercepts. • Widths reported in the Significant Intercepts table are all down hole lengths.

Criteria	JORC Code explanation	Commentary
	○ <i>dip and azimuth of the hole</i> ○ <i>down hole length and interception depth</i> ○ <i>hole length.</i> • <i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i>	
Data aggregation methods	• <i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i> • <i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i> • <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i>	• Original assays are length weighted. Grades are not top cut. Intercepts are reported at a Lower cut off of nominally 0.5g/t, a secondary cut off of 1.0g/t. Maximum 4m internal dilution. • No metal equivalents reported
Relationship between mineralisation widths and intercept lengths	• <i>These relationships are particularly important in the reporting of Exploration Results.</i> • <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i> • <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width</i>	• Intercept widths are down hole lengths. True widths are not reported given the varying orientation of drilling and mineralisation at each deposit/prospect mentioned in the report. • The geometry of the mineralisation on the Round Dam Trend is approx. 330° and sub vertical. Drilling is oriented perpendicular the strike of the mineralisation.

Criteria	JORC Code explanation	Commentary
	<i>not known</i>).	
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	See plans and sections.
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	- Results from all holes in the current drilling have been reported. - Results reported include both low and high gram metre (g/t x down hole length) values. - The significant intercept table provides details of drill hole intercepts shown on diagrams. There is no lower cut-off grade, the holes listed include those with NSI (no significant intercept). Holes in the significant intercept table are shown on diagrams coloured according to gram metre grade bins. This provides spatial context to the number of holes in the project area with significant gold intercepts versus the number of holes with lesser or no significant intercepts
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	- Metallurgical and geotechnical work in progress. - Numerous deposits on the Round Dam Trend were previously mined and processed at Davyhurst plant with no known metallurgical issues.
Further work	- The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). - Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	- Exploration and Resources Development drilling is continuing - Statutory approvals for mining in progress.