

New Gold-Copper System Developing at West Wing

2025 surface sampling at West Wing identifies 1,500m x 800m gold-copper anomaly.

Highlights

- Field observations and 2025 surface assay results have delineated a gold-copper anomaly at West Wing measuring approximately 1,500m by 800m (Figures 4 and 5).
- Anomaly supported by:
 - Seven rock samples grading >3 g/t Au including a high of 15.5 g/t Au (Table 1), and 16 soil samples grading >1 g/t Au with a peak of 3.8 g/t Au (Table 2), and;
 - Three rocks samples grading > 1% Cu with a high of 6.9% (Table 3), and 16 soil samples grading > 0.2 % Cu with a high of 0.55% (Table4).
- These results build on earlier surface reconnaissance at West Wing, which returned rock samples of up to 25.8 g/t Au (ASX Announcement: 26 February 2024).

Nova General Manager and Geologist, Mr Hans Hoffman, commented:

“Field crews covered a lot of ground at Estelle in 2025 focusing on the less developed prospects and exploring for new ones. The most outstanding results came from West Wing where geologists were following up on two soil samples >1.0 g/t Au from 2024. Results from 2025 included 16 soil samples greater than 1.0 g/t Au over a 1 km strike length. Multi-gram gold and multi-percent copper rock samples were also reported. While a majority of the samples were collected in hornfels adjacent to the Estelle pluton, a few soil samples were collected atop a quartz feldspar porphyry, suggesting West Wing could be a different deposit style than is typical for Estelle.

“Detailed mapping and drill targeting at West Wing will be a top priority for field crews in 2026.”

Nova Minerals Limited (Nova or the Company) (ASX: NVA, NASDAQ: NVA, FSE: QM3) is pleased to announce assay results from its 2025 surface sampling program in the West Wing area of the Company's flagship Estelle Gold and Critical Minerals Project, located in the prolific Tintina Gold Belt in Alaska.

2025 Estelle Surficial Reconnaissance Program

During the 2025 field season, Nova's geologist team, led by General Manager and geologist Mr Hans Hoffman, undertook an extensive surface exploration mapping and sampling program

Main Operations

Whiskey Bravo Airstrip
Matanuska-Susitna Borough, Alaska, USA
1150 S Colony Way Suite 3-440, Palmer, AK 99645

Corporate

Suite 5, 242 Hawthorn Road,
Caulfield, VICTORIA 3161, Australia
Phone +61 3 9537 1238

www.novaminerals.com.au

info@novaminerals.com.au
ACN 006 690 348
NASDAQ: NVA ASX: NVA

across three main areas of the Estelle Project comprised of over 30 traverses covering 75-line kilometres, 430 soil samples, 170 rock samples, and 26 stream sediment samples (Figure 1).

As a result of that program and reported to date:

- Assay results from recent rock and soil sampling have outlined a newly developing large-scale gold-copper system at West Wing, as detailed in this announcement.

Further results from 2025 soil and rock sampling across the project district will be reported by area as they are received and processed in the coming weeks.




Figure 1. Estelle property map showing the extensive 2025 exploration program

West Wing

One of the most exciting discoveries of the season is the follow-up work done at West Wing where a 1,500m x 800m gold-copper anomaly was delineated with soil and rock sampling. Unlike a majority of the prospects at Estelle, the West Wing anomaly is primarily hosted in hornfels sedimentary rock, although it is adjacent to the Estelle pluton. Out of all the soil anomalies identified at Estelle, West Wing shows the highest continuous grades in hornfels. Of the 46 soil samples collected in the vicinity of West Wing, 21 were greater than 0.5 g/t Au, including 16 greater than 1.0 g/t Au, and five greater than 2.0 g/t Au with a high of 3.8 g/t Au. Of the 30 rock samples collected around West Wing, eight were greater than 2.0 g/t Au, including three samples over 5.0 g/t Au, with a high of 15.5 g/t Au (Figure 3).

West Wing also shows a notable copper signature with 16 soil samples greater than 0.2% Cu and three rock samples greater than 1% Cu, with a high of 6.9% Cu.



Figure 2. Nova geologist traversing the West Wing area



Figure 3. Sample E397403 – 5.5 g/t Au and 6.9% Cu; Sample E397404 – 15.5 g/t Au




Figure 4. West Wing Sampling – Gold




Figure 5. West Wing Sampling - Copper

Table 1. Significant Gold Results – Rocks > 1.0 g/t Au

Prospect	Sample ID	Easting	Northing	Au g/t
West Wing	E397404	501030	6863846	15.5
West Wing	E409268	501213	6864007	10.1
West Wing	E397403	501041	6863832	5.5
West Wing	E405220	501207	6864031	4.0
West Wing	E397405	500982	6863909	3.9
West Wing	G994193	501545	6865039	3.9
West Wing	E397401	501166	6863690	3.4
West Wing	G994180	500739	6863364	2.2
West Wing	G994196	499995	6863074	1.1
West Wing	E405222	501162	6864223	1.0

Table 2: Significant Gold Results – Soils > 1.0 g/t Au

Prospect	Sample ID	Easting	Northing	Au g/t
West Wing	E397463	501093	6863811	3.8
West Wing	G994460	500525	6863583	2.6
West Wing	E409175	501206	6864128	2.6
West Wing	E409173	501215	6864044	2.4
West Wing	E409174	501201	6864073	2.0
West Wing	G994478	500954	6863963	1.8
West Wing	E409176	501180	6864165	1.7
West Wing	G994456	500658	6863412	1.6
West Wing	G994459	500540	6863536	1.6
West Wing	E409177	501131	6864240	1.4
West Wing	E397461	500740	6863361	1.4
West Wing	E405305	500286	6863364	1.3
West Wing	G994479	500916	6863999	1.3
West Wing	G994457	500598	6863448	1.1
West Wing	G994454	500974	6863372	1.1
West Wing	G994477	500991	6863889	1.0

Table 3. Significant Copper Results – Rocks > 5,000 ppm (0.5%) Cu

Prospect	Sample ID	Easting	Northing	Cu_ppm
West Wing	E397403	501041	6863832	69200
West Wing	E397401	501166	6863690	16850
West Wing	E405221	501203	6864066	15300
West Wing	E405220	501207	6864031	9210
West Wing	G994184	501132	6863780	7380
West Wing	E405218	501233	6863966	5630
West Wing	E405217	501316	6863903	5520

Table 4: Significant Copper Results – Soils > 2,000 ppm (0.2% Cu)

Prospect	Sample ID	Easting	Northing	Cu_ppm
West Wing	E397461	500740	6863361	5460
West Wing	G994460	500525	6863583	5100
West Wing	E409173	501215	6864044	3760
West Wing	E409174	501201	6864073	3760
West Wing	E409175	501206	6864128	3400
West Wing	E409176	501180	6864165	3060
West Wing	G994479	500916	6863999	2850
West Wing	E397463	501093	6863811	2800
West Wing	G994454	500974	6863372	2760
West Wing	G994478	500954	6863963	2650
West Wing	G994481	500867	6864125	2530
West Wing	G994480	500899	6864047	2480
West Wing	E397462	501166	6863637	2470
West Wing	G994451	501278	6863363	2350
West Wing	E409171	501263	6863946	2130
West Wing	E409177	501131	6864240	2020

Upcoming Milestones

- Further results and potential new discoveries from the 2025 surface exploration mapping and sampling program
- Material PFS test-work results as they become available
- Winter trail mobilization of heavy equipment
- Airborne geophysical surveys to commence in the spring of 2026
- Antimony phase 1 project updates
- Metallurgical test work ongoing
- Environmental test work ongoing
- West Susitna access road updates

- Updated MRE
- Updates on the company redomiciliation to the US

Estelle Gold and Critical Minerals Project Discussion and Analysis

Further discussion and analysis of the Estelle Gold and Critical Minerals Project is available through the interactive Vrify 3D animations, presentations and videos, all available on the Company's website.

www.novaminerals.com.au

This announcement has been authorized for release by the Executive Directors.

Christopher Gerteisen CEO and Executive Director E: info@novaminerals.com.au	Annalise Batchelor Sodali & Co Investor Relations & Media E: annalise.batchelor@sodali.com M: +61 432 312 807	Cameron Gilenko Sodali & Co Investor Relations & Media E: cameron.gilenko@sodali.com M: +61 466 984 953
--	--	---

About Nova Minerals Limited

Nova Minerals Limited is advancing one of the world's largest undeveloped gold deposits into production and securing a U.S. domestic supply of the critical mineral antimony. The Company is focused on the exploration and development of the Estelle Gold and Critical Minerals Project, located in Alaska, a tier-one mining jurisdiction.

Estelle hosts two defined multi-million-ounce gold resources, and more than 20 prospects distributed along a 35-kilometre mineralised trend, in the prolific Tintina Gold Belt, a province which hosts a >220 million ounce (Moz) documented gold endowment and some of the world's largest gold mines and discoveries including, Kinross Gold Corporation's Fort Knox Gold Mine. In parallel, Nova is advancing its critical minerals strategy, fully funded by a US\$43.4 million U.S. Department of War award to develop a domestic antimony supply chain, targeted for production in late 2026/2027.

Competent Person Statements

Mr Vannu Khounphakdee P.Geol., who is an independent consulting geologist of a number of mineral exploration and development companies, reviewed and approves the technical information in this release and is a member of the Australian Institute of Geoscientists (AIG), which is ROPO accepted for the purpose of reporting in accordance with ASX listing rules. Mr Vannu Khounphakdee has sufficient experience relevant to the gold deposits under evaluation to qualify as a Competent Person as defined in the 2012 edition of the 'Australian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Vannu Khounphakdee is also a Qualified Person as defined by S-K 1300 rules for mineral deposit disclosure. Mr Vannu Khounphakdee consents to the inclusion in the report of the matters based on information in the form and context in which it appears.

The information in the announcement dated today that relates to exploration results and exploration targets is based on information compiled by Mr. Hans Hoffman. Mr. Hoffman, Owner of First Tracks Exploration, LLC, who is providing geologic consulting services to Nova Minerals, compiled the technical information in this release and is a member of the American Institute of Professional Geologists (AIPG), which is ROPO, accepted for the purpose of reporting in accordance with ASX listing rules. Mr. Hoffman has sufficient experience relevant to the style of mineralization and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 edition of the 'Australian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr. Hoffman consents to the inclusion in the report of the matters based on information in the form and context in which it appears.

The Exploration results were reported in accordance with Clause 18 of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (2012 Edition) (JORC Code).

The Company is also listed on the NASDAQ in the United States and, as a result, is required in respect of its exploration and resource reporting to comply with the US Securities and Exchange Commission (SEC) requirements in respect of resource reporting in the USA. This requires compliance with the SEC's S-K 1300 resource regulations. Investors accessing the Company's NASDAQ press releases should be aware that S-K 1300 statements made in those releases are not JORC Code compliant statements.

Nova Minerals confirms that it is not aware of any new information or data that materially affects the information included in the relevant market announcements, and in the case of the exploration results, that all material assumptions and technical parameters underpinning the results in the relevant market announcement continue to apply and have not materially changed.

Cautionary Note Regarding Forward-Looking Statements

This news release contains "forward-looking information" within the meaning of applicable securities laws. Generally, any statements that are not historical facts may contain forward-looking information, and forward looking information can be identified by the use of forward-looking terminology such as "plans", "expects" or "does not expect", "is expected", "budget" "scheduled", "estimates", "forecasts", "intends", "anticipates" or "does not anticipate", or "believes", or variations of such words and phrases or indicates that certain actions, events or results "may", "could", "would", "might" or "will be" taken, "occur" or "be achieved." Forward-looking information is based on certain factors and assumptions management believes to be reasonable at the time such statements are made, including but not limited to, continued exploration activities, Gold and other metal prices, the estimation of initial and sustaining capital requirements, the estimation of labor costs, the estimation of mineral reserves and resources, assumptions with respect to currency fluctuations, the timing and amount of future exploration and development expenditures, receipt of required regulatory approvals, the availability of necessary financing for the Project, permitting and such other assumptions and factors as set out herein. apparent inconsistencies in the figures shown in the MRE are due to rounding Forward-looking information is subject to known and unknown risks, uncertainties and other factors that may cause the actual results, level of activity, performance or achievements of the

Company to be materially different from those expressed or implied by such forward-looking information, including but not limited to: risks related to changes in Gold prices; sources and cost of power and water for the Project; the estimation of initial capital requirements; the lack of historical operations; the estimation of labor costs; general global markets and economic conditions; risks associated with exploration of mineral deposits; the estimation of initial targeted mineral resource tonnage and grade for the Project; risks associated with uninsurable risks arising during the course of exploration; risks associated with currency fluctuations; environmental risks; competition faced in securing experienced personnel; access to adequate infrastructure to support exploration activities; risks associated with changes in the mining regulatory regime governing the Company and the Project; completion of the environmental assessment process; risks related to regulatory and permitting delays; risks related to potential conflicts of interest; the reliance on key personnel; financing, capitalization and liquidity risks including the risk that the financing necessary to fund continued exploration and development activities at the Project may not be available on satisfactory terms, or at all; the risk of potential dilution through the issuance of additional common shares of the Company; the risk of litigation.

Although the Company has attempted to identify important factors that cause results not to be as anticipated, estimated or intended, there can be no assurance that such forward-looking information will prove to be accurate, as actual results and future events could differ materially from those anticipated in such information. Accordingly, readers should not place undue reliance on forward-looking information. Forward looking information is made as of the date of this announcement and the Company does not undertake to update or revise any forward-looking information which is included herein, except in accordance with applicable securities laws. All drilling and exploration activities is subject to no unforeseen circumstances.

Appendix 1: JORC Code, 2012 Edition – Table 1 Estelle Gold and Critical Minerals Project - Alaska

Section 1 Sampling Techniques and Data

Criteria	JORC Code Explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse Au that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> Rock samples were collected from outcrop in-situ lithology or local float/talus Soil samples collected were representative Sampling practice is appropriate and complies with industry best practice. Sample preparation and analysis was performed by ALS laboratories in Fairbanks, following industry best practice standards. The majority of soil samples were collected at predetermined spacing of 400m, 200m, 100m, and 50m distances. Slight deviations are made due to terrain or insufficient soil. Samples are sorted by hand to remove coarser fraction. Typical sample volume is 0.5 - 1kg. Talus fine sampling is representative of the outcrop above. The majority of rock samples in this announcement were targeting high-grade veins on site as reference material.
Drilling techniques	<ul style="list-style-type: none"> Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, 	<ul style="list-style-type: none"> Not applicable – No drilling reported

Criteria	JORC Code Explanation	Commentary
	whether core is oriented and if so, by what method, etc.).	
<i>Drill sample recovery</i>	<ul style="list-style-type: none"> • Method of recording and assessing core and chip sample recoveries and results assessed. • Measures taken to maximise sample recovery and ensure representative nature of the samples. • Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material 	<ul style="list-style-type: none"> • Not applicable – No drilling reported
<i>Logging</i>	<ul style="list-style-type: none"> • Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. • Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography. • The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> • Logging is qualitative and descriptive for rock and soil samples.
<i>Sub-sampling techniques and sample preparation</i>	<ul style="list-style-type: none"> • If core, whether cut or sawn and whether quarter, half or all core taken. • If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry. 	<ul style="list-style-type: none"> • Insertion of standards and blanks by the company was not necessary for the type of sampling undertaken. Routine QA/QC processes at the ALS Laboratory included insertion of duplicates, blanks and standards as per standard procedures.

Criteria	JORC Code Explanation	Commentary
	<ul style="list-style-type: none"> • For all sample types, the nature, quality and appropriateness of the sample preparation technique. • Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. • Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. • Whether sample sizes are appropriate to the grain size of the material being sampled 	<ul style="list-style-type: none"> • Soil and rock samples were collected in variable conditions.
<p>Quality of assay data and laboratory tests</p>	<ul style="list-style-type: none"> • The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. • For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. • Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	<ul style="list-style-type: none"> • Samples are tested for gold using ALS Fire Assay Au-ICP21 technique. This technique has a lower detection limit of 0.001 g/t with an upper detection limit of 10 g/t. If samples have grades in excess of 10 g/t then Au-GRA21 is used to determine the over detect limit. Au-GRA21 has a detection limit of 0.05 g/t and an upper limit of 1000 g/t. Samples are also analysed for 61 other elements using ALS ME-MS61r. • Soil samples are dried at <60degC/140degF and sieved to -180micron/80mesh. Samples are tested for gold using ALS Fire Assay Au-ICP21. If samples have grades in excess of 10g/t then Au-GRA21 is used. Sampling and sample preparation protocols for RC drilling followed industry best practices and are appropriate for the mineralization type being evaluated.
<p>Verification of sampling and assaying</p>	<ul style="list-style-type: none"> • The verification of significant intersections by either independent or alternative company personnel. 	<ul style="list-style-type: none"> • Assay data intercepts are compiled and calculated by the CP and then verified by corporate management prior to the release to the public.

Criteria	JORC Code Explanation	Commentary
	<ul style="list-style-type: none"> The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	
Location of data points	<ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control 	<ul style="list-style-type: none"> All maps and locations are in UTM grid (NAD83 Z5N) and have been measured by hand-held GPS with a lateral accuracy of ± 4 metres and a vertical accuracy of ± 10 metres.
Data spacing and distribution	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<ul style="list-style-type: none"> Rock samples were collected with the focus on quartz-arsenopyrite veins, copper sulphide mineralization, and for representative lithology Soil samples are collected at intervals ranging from 50m to 400m to provide representative geochemical data across the Estelle property.
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> Structural measurements at West Wing were not obtained in 2025, dominant orientation from 2024 was 190, 60 Mapping with a structural focus will be a priority for 2026
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security 	<ul style="list-style-type: none"> A secure chain of custody protocol has been established with the site geologist locking samples in secure shipping container at site until loaded on to aircraft and shipped to the secure restricted access room at Fairbanks ALS Laboratory for processing.

Criteria	JORC Code Explanation	Commentary
Audit or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> Independent geological consultants have reviewed the sampling techniques, internal QA/QC procedures and associated data.

Section 2 Reporting of Exploration Results

Criteria	JORC Code Explanation	Commentary
Mineral tenement and land tenement status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<ul style="list-style-type: none"> The Estelle Gold and Critical Minerals Project is comprised of 514km² State of Alaska mining claims The mining claims are wholly owned by AKCM (AUST) Pty Ltd. (an incorporated Joint venture (JV Company between Nova Minerals Ltd and AK Minerals Pty Ltd) via 100% ownership of Alaskan incorporate company AK Custom Mining LLC. AKCM (AUST) Pty Ltd is owned 85% by Nova Minerals Ltd, 15% by AK Minerals Pty Ltd. AK Minerals Pty Ltd holds a 2% NSR (ASX Announcement: 20 November 2017). Nova owns 85% of the project through the joint venture agreement. The Company is not aware of any other impediments that would prevent an exploration or mining activity.
Exploration done by other parties	<ul style="list-style-type: none"> Acknowledgement and appraisal of exploration by other parties 	<ul style="list-style-type: none"> Geophysical, Soil testing, and drilling was completed by previous operators in the past. Nova Minerals has no access to this data.
Geology	<ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation 	<ul style="list-style-type: none"> Nova Minerals is primarily exploring for Intrusion Related Gold System (IRGS) type deposits, as well antimony bearing stibnite vein systems, within the Estelle Gold and Critical Minerals Project

Criteria	JORC Code Explanation	Commentary
<i>Drill hole information</i>	<ul style="list-style-type: none"> • A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> - easting and northing of the drill hole collar - elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar - dip and azimuth of the hole - down hole length and interception depth -hole length. • If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<ul style="list-style-type: none"> • Not applicable – No drilling reported.
<i>Data aggregation methods</i>	<ul style="list-style-type: none"> • In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. • Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. • The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> • Raw assay information was reported without any aggregation for surface samples.
<i>Relationship between mineralisation widths and intercept lengths</i>	<ul style="list-style-type: none"> • These relationships are particularly important in the reporting of Exploration Results. 	<ul style="list-style-type: none"> • Not applicable – No drilling reported.

Criteria	JORC Code Explanation	Commentary
	<ul style="list-style-type: none"> • If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. • If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	
Diagrams	<ul style="list-style-type: none"> • Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> • Plan view map shows the location of the prospects with respect to other prospects within the Estelle Project.
Balanced reporting	<ul style="list-style-type: none"> • Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> • Does not apply. All Nova results have been disclosed to the ASX via news releases.
Other substantive exploration data	<ul style="list-style-type: none"> • Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> • No other substantive exploration data has been collected.
Further work	<ul style="list-style-type: none"> • The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). • Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> • Drilling for 2025, and all assay results from it, have been received and announced. Further results of rock and soil samples from the 2025 surface exploration are pending.