

## EXCELLENT DRILL RESULTS AT EMERGING TITAN ZONE – APOLLO HILL GOLD PROJECT

**Significant new intercepts returned from the emerging higher grade ‘Titan Zone’, further reinforcing the prospectivity of the Iris Footwall structure at Apollo Hill.**

### HIGHLIGHTS


- **High-grade, thick and shallow assay results from recent Reverse Circulation (RC) drilling at the emerging Titan Zone include:** (illustrated in Plan View on Figure 2, page 4)
  - **15m @ 5.53g/t Au from 10m– AHRC1499**
  - **2m @ 17.71g/t Au from 178m– AHRC1552**
  - **7m @ 3.50g/t Au from 16m – AHRC1617**
  - **4m @ 3.62g/t Au from 85m – AHRC1500**
- The second round of results received from Titan this year build on results from the initial discovery holes reported on 25 February 2026, including:
  - **10m @ 2.09g/t Au from 46m – AHRC1493**
  - **9m @ 1.90g/t Au from 90m including 2m @ 7.74g/t Au from 90m – AHRC1496**
  - **7m @ 1.36g/t Au from 16m within 13m @ 0.85g/t Au from 10m – AHRC1390**
- The mineralisation remains open both down-plunge and along strike.
- The geology at Titan and along the Iris Trend continues to exhibit typical Archean lode gold characteristics capable of focusing gold at higher grades.
- Closer-spaced Resource drilling is in progress (assays pending) around these discovery holes. An additional ~2,000m of drilling is planned before the end of March.
- All results will be utilised in the next Mineral Resource upgrade, planned for the second quarter of 2026.

#### **Saturn’s Managing Director, Ian Bamborough, said:**

*“This second exciting batch of assay results for 2026 confirms a positive trajectory for the newly discovered Titan Lode and highlights the potential for further higher-grade gold zones to repeat along the Iris Trend near-surface in footwall and adjacent positions to the 2.24Moz Apollo Hill Mineral Resource<sup>1</sup>.*

*“Assay results remain pending from 92 drill holes across the deposit, including in-fill drilling at the Titan Zone. We look forward to reporting further results in the coming weeks.”*

<sup>1</sup> Complete details of the Mineral Resource (137.1Mt @ 0.51g/t Au for 2,239,000oz Au) and the associated Competent Persons Statement were published in the ASX Announcement dated 18 July 2025 titled “Apollo Hill Gold Resource Increases to 2.24Moz; 82% Classified as Measure and Indicated”. Saturn reports that it is not aware of any new information or data that materially affects the information included in that Mineral Resource announcement and that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and there have been no adverse material changes.



**Figure 1 – Long Section of the Apollo Hill Footwall Structure, looking west, illustrating the Iris, Titan, Ra, Tefnut and Wadget lodes. Location of long section (A-A<sup>1</sup>) illustrated on plan overview diagram (Figure 3). Interpreted >2 gram metre (Grams \* Metre) grade contours illustrated.**

For personal use only

Saturn Metals Limited (ASX: **STN**) ("**Saturn**" or "**the Company**") is pleased to report significant new high-grade assay results from ongoing Resource development drilling at its flagship 100%-owned Apollo Hill Heap Leach Gold Project, located near Leonora in Western Australia.

Key intersections – **15m @ 5.53g/t Au** from **10m** – AHRC1499 and **2m @ 17.71g/t Au** from – AHRC1552 – have continued to outline a new shallow zone of structurally controlled, higher-grade gold mineralisation at the recently discovered 'Titan Zone' (Figure 1 Long Section, Figure 2 Plan View, Figure 3 Long Section & Figure 4 Cross Section).

Following receipt of these significant intersections from 60m drill spacing, follow-up and in-fill drilling (to 30m spacing and, in some areas, 15m spacing) continues. Several holes have now been completed with further assays pending.

This announcement reports results from 55 drill-holes for 8,464m. All significant intersections are reported in Appendix 1. Drill-hole details are listed in Appendix 2.

These results will contribute towards Saturn's next Mineral Resource update (second quarter, 2026), the Definitive Feasibility Study (DFS) currently in progress, and an updated Ore Reserve.

A total of 92 holes for 15,849m remain pending assay, with an additional ~2,000m of drilling planned or in progress.

This announcement has been approved for release by the Saturn Metals Limited Board of Directors.



**IAN BAMBOROUGH**  
Managing Director

---

***For further information please contact:***

**Investors & Corporate:**

Ian Bamborough  
Managing Director  
T: +61 (0)8 6234 1114  
E: [info@saturnmetals.com.au](mailto:info@saturnmetals.com.au)

**Media Inquiries:**

Nicholas Read  
Read Corporate  
T: +61 (0)8 9388 1474  
E: [nicholas@readcorporate.com.au](mailto:nicholas@readcorporate.com.au)

---

***Competent Persons Statement:***

The information in this report that relates to exploration results is based on information compiled and/or reviewed by David Smith, a Competent Person who is a Member of The Australian Institute of Geoscientists. Mr Smith is a full-time employee of the Company, in addition to being a shareholder of the Company. Mr Smith has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Smith consents to the inclusion in the report of the matters based on his information in the form and context in which it appears





Figure 2 – Plan Overview, Apollo Hill RC Holes. Previously reported holes >1 Gram Metre (g/t Au x Metres) with all holes reported in this announcement illustrated. February 2025 2.24Moz Apollo Hill Mineral Resource<sup>1</sup> Pit Shell Outline seen at 350RL (Average Surface RL); Figure 1 and Figure 3 long-section illustrated as line A-A' on this diagram. Figure 4 cross-section illustrated as line B-B' on this diagram.



**Figure 3 – Long Section of the Apollo Hill Footwall Structure, looking west, illustrating the Iris, Titan, Ra, Tefnut and Wadget lodes. Location of long section (A-A1) illustrated on plan overview diagram (Figure 2). New drill results collars or sectional pierce points highlighted as yellow glowing circles.**



## Appendix 1:

### Significant RC Results Reported in this Announcement

| Hole Number                       | Down Hole Width (m) | Grade (g/t Au) | From (m)  |
|-----------------------------------|---------------------|----------------|-----------|
| AHRC1466                          | 7                   | 0.70           | 50        |
| <b>AHRC1467</b><br>incl.          | <b>17</b>           | <b>0.86</b>    | <b>34</b> |
|                                   | <b>8</b>            | <b>1.41</b>    | <b>40</b> |
| AHRC1468                          | 2                   | 0.69           | 49        |
|                                   | 5                   | 0.34           | 62        |
| AHRC1469                          | 2                   | 0.54           | 109       |
| AHRC1470                          | NSI                 |                |           |
| AHRC1482                          | 1                   | 1.25           | 210       |
|                                   | 6                   | 0.70           | 216       |
| AHRC1486                          | 1                   | 0.23           | 10        |
| AHRC1487                          | 1                   | 1.00           | 70        |
| AHRC1488                          | 1                   | 0.98           | 68        |
| AHRC1489                          | 1                   | 2.81           | 203       |
| AHRC1494                          | 4                   | 1.22           | 96        |
| AHRC1495                          | 1                   | 0.60           | 126       |
| AHRC1497                          | 1                   | 0.29           | 182       |
| AHRC1498                          | 28                  | 0.28           | 3         |
|                                   | 2                   | 1.75           | 13        |
| <b>AHRC1499</b><br>Incl.<br>Incl. | <b>15</b>           | <b>5.53</b>    | <b>10</b> |
|                                   | <b>7</b>            | <b>11.23</b>   | <b>16</b> |
|                                   | 1                   | 0.98           | 77        |
| <b>AHRC1500</b>                   | <b>4</b>            | <b>3.62</b>    | <b>85</b> |
| AHRC1511                          | 6                   | 0.96           | 81        |
| AHRC1512                          | 1                   | 1.48           | 71        |
| AHRC1513                          | 4                   | 0.28           | 46        |
| AHRC1515                          | 1                   | 0.95           | 16        |
| AHRC1516                          | NSI                 |                |           |
| AHRC1517                          | 2                   | 0.81           | 112       |
| AHRC1518                          | 2                   | 0.22           | 142       |
| AHRC1520                          | 1                   | 3.10           | 69        |
| <b>AHRC1521</b><br>Incl.          | <b>6</b>            | <b>1.90</b>    | <b>94</b> |
|                                   | <b>3</b>            | <b>3.69</b>    | <b>97</b> |
| AHRC1522                          | 3                   | 0.97           | 110       |

| Hole Number              | Down Hole Width (m) | Grade (g/t Au) | From (m)   |
|--------------------------|---------------------|----------------|------------|
| AHRC1523                 | 2                   | 2.01           | 101        |
|                          | 4                   | 0.51           | 136        |
| <b>AHRC1524</b><br>Incl. | <b>41</b>           | <b>0.39</b>    | <b>42</b>  |
|                          | <b>5</b>            | <b>1.09</b>    | <b>42</b>  |
| AHRC1525                 | 3                   | 0.37           | 104        |
| AHRC1526                 | 7                   | 0.60           | 47         |
| AHRC1527                 | NSI                 |                |            |
| AHRC1529                 | 2                   | 1.22           | 146        |
|                          | 2                   | 1.10           | 160        |
| AHRC1530                 | 30                  | 0.32           | 46         |
| AHRC1531                 | 1                   | 8.30           | 67         |
| AHRC1533                 | 1                   | 1.45           | 125        |
| AHRC1534                 | 7                   | 0.22           | 40         |
| AHRC1551                 | 1                   | 0.22           | 132        |
| <b>AHRC1552</b><br>incl. | <b>2</b>            | <b>17.71</b>   | <b>178</b> |
|                          | <b>1</b>            | <b>33.90</b>   | <b>178</b> |
| AHRC1553                 | 30                  | 0.29           | 39         |
|                          | 5                   | 0.96           | 76         |
| AHRC1554                 | 7                   | 0.28           | 53         |
| AHRC1555                 | 8                   | 0.34           | 34         |
|                          | 2                   | 0.66           | 51         |
|                          | 3                   | 0.95           | 58         |
|                          | 2                   | 1.18           | 67         |
| AHRC1556                 | 1                   | 0.29           | 75         |
| AHRC1557                 | 9                   | 0.62           | 62         |
|                          | 4                   | 0.57           | 97         |
| AHRC1561                 | 1                   | 0.23           | 100        |
| AHRC1562                 | NSI                 |                |            |
| AHRC1563                 | 2                   | 2.30           | 166        |
| AHRC1572                 | 1                   | 1.16           | 26         |
|                          | 10                  | 0.41           | 39         |
|                          | 2                   | 2.25           | 188        |
| AHRC1577                 | 2                   | 1.43           | 44         |

| Hole Number     | Down Hole Width (m) | Grade (g/t Au) | From (m)   |
|-----------------|---------------------|----------------|------------|
| AHRC1578        | 2                   | 1.36           | 138        |
|                 | <b>16</b>           | <b>0.70</b>    | <b>182</b> |
| AHRC1602        | 2                   | 0.92           | 176        |
|                 | 1                   | 1.00           | 184        |
| AHRC1603        | 2                   | 0.66           | 114        |
| <b>AHRC1604</b> | <b>6</b>            | <b>1.70</b>    | <b>32</b>  |
| AHRC1605        | 8                   | 0.46           | 29         |
| AHRC1615        | 1                   | 0.79           | 63         |
| <b>AHRC1617</b> | <b>7</b>            | <b>3.50</b>    | <b>16</b>  |
|                 | 2                   | 1.09           | 34         |
|                 | 2                   | 1.41           | 48         |

All results reported as interpreted for a bulk mining style heap leach operation – See STN announcement ‘Positive Apollo Hill Pre-Feasibility Study and Maiden Ore Reserve’ – December 17<sup>th</sup>, 2025, for further details.

## Appendix 2:

### Completed and Reported RC Holes

| Hole Number | Easting<br>GDA94-Z51 | Northing<br>GDA94-Z51 | RL<br>(m) | Dip° | Azi° | Depth<br>(m) |
|-------------|----------------------|-----------------------|-----------|------|------|--------------|
| AHRC1466    | 371980               | 6773028               | 351       | -60  | 220  | 78           |
| AHRC1467    | 371982               | 6773069               | 352       | -60  | 220  | 90           |
| AHRC1468    | 371936               | 6773113               | 351       | -60  | 220  | 126          |
| AHRC1469    | 371896               | 6773117               | 351       | -60  | 220  | 114          |
| AHRC1470    | 371915               | 6773137               | 352       | -60  | 220  | 114          |
| AHRC1482    | 370843               | 6774484               | 355       | -60  | 220  | 246          |
| AHRC1486    | 370625               | 6774434               | 355       | -60  | 220  | 126          |
| AHRC1487    | 370668               | 6774479               | 354       | -60  | 220  | 150          |
| AHRC1488    | 370696               | 6774506               | 355       | -60  | 220  | 180          |
| AHRC1489    | 370739               | 6774549               | 355       | -60  | 220  | 264          |
| AHRC1494    | 371273               | 6773935               | 352       | -60  | 220  | 204          |
| AHRC1495    | 371167               | 6773914               | 353       | -60  | 220  | 138          |
| AHRC1497    | 371239               | 6773976               | 350       | -60  | 220  | 204          |
| AHRC1498    | 371268               | 6774022               | 352       | -60  | 220  | 252          |
| AHRC1499    | 371086               | 6773920               | 354       | -60  | 220  | 84           |
| AHRC1500    | 371127               | 6773963               | 353       | -60  | 220  | 150          |
| AHRC1511    | 370952               | 6774168               | 354       | -60  | 220  | 137          |
| AHRC1512    | 370918               | 6774197               | 356       | -60  | 245  | 84           |
| AHRC1513    | 370863               | 6774172               | 354       | -60  | 220  | 84           |
| AHRC1515    | 370900               | 6774270               | 355       | -60  | 173  | 180          |
| AHRC1516    | 370588               | 6774479               | 350       | -60  | 220  | 120          |
| AHRC1517    | 370633               | 6774522               | 350       | -60  | 220  | 156          |
| AHRC1518    | 370657               | 6774547               | 350       | -60  | 220  | 186          |
| AHRC1520    | 370543               | 6774519               | 350       | -60  | 220  | 120          |
| AHRC1521    | 371944               | 6773162               | 352       | -60  | 220  | 150          |
| AHRC1522    | 371961               | 6773174               | 351       | -60  | 220  | 162          |
| AHRC1523    | 372062               | 6773126               | 350       | -59  | 220  | 186          |
| AHRC1524    | 371875               | 6773177               | 352       | -60  | 220  | 120          |
| AHRC1525    | 371892               | 6773198               | 352       | -60  | 220  | 150          |
| AHRC1526    | 371913               | 6773220               | 352       | -60  | 220  | 150          |
| AHRC1527    | 371876               | 6773139               | 353       | -60  | 220  | 114          |
| AHRC1529    | 371972               | 6773233               | 350       | -60  | 220  | 192          |
| AHRC1530    | 371849               | 6773197               | 352       | -60  | 220  | 126          |
| AHRC1531    | 371058               | 6774919               | 354       | -60  | 220  | 251          |
| AHRC1533    | 370491               | 6774755               | 351       | -65  | 220  | 150          |
| AHRC1534    | 370537               | 6774798               | 350       | -65  | 220  | 204          |
| AHRC1551    | 371170               | 6774009               | 353       | -60  | 220  | 204          |
| AHRC1552    | 371211               | 6774051               | 354       | -60  | 220  | 264          |

| Hole Number | Easting<br>GDA94-Z51 | Northing<br>GDA94-Z51 | RL<br>(m) | Dip° | Azi° | Depth<br>(m) |
|-------------|----------------------|-----------------------|-----------|------|------|--------------|
| AHRC1553    | 372100               | 6772983               | 350       | -60  | 220  | 108          |
| AHRC1554    | 372090               | 6772933               | 350       | -60  | 220  | 102          |
| AHRC1555    | 372115               | 6772913               | 352       | -60  | 220  | 78           |
| AHRC1556    | 372043               | 6772952               | 352       | -60  | 220  | 132          |
| AHRC1557    | 372153               | 6772956               | 350       | -60  | 223  | 102          |
| AHRC1561    | 370589               | 6774566               | 350       | -60  | 220  | 150          |
| AHRC1562    | 370614               | 6774595               | 350       | -60  | 220  | 186          |
| AHRC1563    | 370655               | 6774636               | 350       | -60  | 220  | 228          |
| AHRC1572    | 371944               | 6773367               | 351       | -60  | 220  | 264          |
| AHRC1577    | 371276               | 6773898               | 352       | -60  | 220  | 180          |
| AHRC1578    | 372180               | 6773064               | 350       | -60  | 220  | 204          |
| AHRC1602    | 371385               | 6773805               | 350       | -60  | 225  | 186          |
| AHRC1603    | 371386               | 6773759               | 352       | -60  | 220  | 150          |
| AHRC1604    | 371314               | 6773779               | 353       | -60  | 220  | 66           |
| AHRC1605    | 371294               | 6773792               | 352       | -60  | 220  | 66           |
| AHRC1615    | 370891               | 6774236               | 350       | -60  | 220  | 150          |
| AHRC1617    | 371187               | 6773894               | 354       | -60  | 220  | 102          |

## Appendix 3:

### Apollo Hill Deposit – Mineral Resources

| Mineral Resource Classification | Oxidation    | Tonnes (Mt)  | Au (g/t)    | Au metal (Kozs) |
|---------------------------------|--------------|--------------|-------------|-----------------|
| Measured                        | Oxide        | 0.04         | 0.70        | 1               |
|                                 | Transitional | 1.3          | 0.57        | 24              |
|                                 | Fresh        | 3.5          | 0.52        | 59              |
| <b>Subtotal</b>                 |              | <b>4.8</b>   | <b>0.54</b> | <b>83</b>       |
| Indicated                       | Oxide        | 0.7          | 0.51        | 11              |
|                                 | Transitional | 7.1          | 0.50        | 113             |
|                                 | Fresh        | 99.7         | 0.51        | 1629            |
| <b>Subtotal</b>                 |              | <b>107.4</b> | <b>0.51</b> | <b>1,753</b>    |
| Inferred                        | Oxide        | 0.1          | 0.50        | 1               |
|                                 | Transitional | 0.9          | 0.49        | 15              |
|                                 | Fresh        | 23.8         | 0.51        | 387             |
| <b>Subtotal</b>                 |              | <b>24.8</b>  | <b>0.51</b> | <b>403</b>      |
| <b>Grand Total</b>              |              | <b>137.1</b> | <b>0.51</b> | <b>2,239</b>    |

Complete details of the Mineral Resource (137.1Mt @ 0.51g/t Au for 2,239,000oz Au) and the associated Competent Persons Statement were published in the ASX Announcement dated 18 July 2025 titled "Apollo Hill Gold Resource Increases to 2.24Moz; 82% Classified as Measure and Indicated". Saturn reports that it is not aware of any new information or data that materially affects the information included in that Mineral Resource announcement and that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and there have been no adverse material changes.

## Appendix 4:

### Apollo Hill Deposit – Ore Reserves

| Mineral Reserve Classification | Oxidation    | Tonnes (Mt)  | Au (g/t)    | Au Metal (koz) |
|--------------------------------|--------------|--------------|-------------|----------------|
| Proven                         | Oxide        | 0.0          | 0.56        | 0              |
|                                | Transitional | 1.4          | 0.54        | 24             |
|                                | Fresh        | 3.4          | 0.49        | 54             |
| <b>Subtotal</b>                |              | <b>4.8</b>   | <b>0.51</b> | <b>78</b>      |
| Probable                       | Oxide        | 0.6          | 0.50        | 9              |
|                                | Transitional | 7.4          | 0.45        | 108            |
|                                | Fresh        | 91.9         | 0.47        | 1,391          |
| <b>Subtotal</b>                |              | <b>99.8</b>  | <b>0.47</b> | <b>1,508</b>   |
| <b>Grand Total</b>             |              | <b>104.6</b> | <b>0.47</b> | <b>1,586</b>   |

Complete details of the Ore Reserve (104.6Mt @ 0.47g/t Au for 1,586,000oz Au) and the associated Competent Persons Statement were published in the ASX Announcement dated 17 December 2025 titled "Apollo Hill Pre-Feasibility Study and Maiden Ore Reserve". Saturn reports that it is not aware of any new information or data that materially affects the information included in that announcement and that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and there have been no adverse material changes.

## Appendix 5:

### Saturn Metals Project Areas

Apollo Hill (29.15°S and 121.68°E) is located approximately 60km south-east of Leonora in the heart of WA's goldfields region (Figure 5). The deposit and the Apollo Hill project are 100% owned by Saturn and are surrounded by good infrastructure and several significant gold deposits. The Apollo Hill Project has the potential to become a large tonnage, simple metallurgy, low strip open pit mining operation.




Figure 5 – Apollo Hill location, Saturn Metals' tenements and surrounding gold deposits, gold endowment and infrastructure.

In addition, Saturn has a second quality gold exploration project in Australia. The Company has an option to earn an 85% joint venture interest in the West Wyalong Project (Figure 6), which represents a high-grade vein opportunity on the highly gold prospective Gilmore suture within the famous Lachlan Fold belt of NSW.




Figure 6 – Regional setting and location of the West Wyalong Gold Project in relation to other gold projects in New South Wales and Victoria (map taken from Saturn ASX announcement on 28 April 2020 where full references are provided).

## Appendix 6:

### JORC Code, 2012 Edition – Table 1 – Apollo Hill Exploration Area

#### Section 1 Sampling Techniques and Data

(Criteria in this section apply to the Apollo Hill, Apollo Hill Regional, Apollo Hill Hanging-wall and Iris zone exploration areas all succeeding sections).

Table II Extract of JORC Code 2012 Table 1

| Criteria                     | JORC Code Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sampling techniques</b>   | <p>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling.</p> <p>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</p> <p>Aspects of the determination of mineralisation that are Material to the Public Report.</p> <p>In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.</p> | <p>Measures taken to ensure the representivity of RC sampling include close supervision by geologists, use of appropriate sub-sampling methods, routine cleaning of splitters and cyclones, and RC rigs with sufficient capacity to provide generally dry, reasonable recovery samples. Information available to demonstrate sample representivity includes RC sample weights, sample recovery, sample consistency, field duplicates, standards and blanks.</p> <p>RC holes were sampled over 1 m intervals using a cone-splitter mounted to the RC drill rig. RC samples were analysed by Bureau Veritas in Kalgoorlie. At the laboratory the samples were oven dried and crushed to 90% passing 2 mm, and pulverized to 95% passing 106 microns, with analysis by a 40 g or 50 g fire assay.</p> <p>RC samples were generally taken at 1m intervals. Historically some samples were composited to 4 m to produce a 3 kg representative sample to be submitted to the laboratory. If the 4 m composite sample was anomalous (Au&gt;0.16 g/t), the original 1 m samples were retrieved and submitted to the laboratory. In general, the expected mineralised zones are all sampled using 1 m intervals.</p> <p>Sampling was undertaken using STN sampling and QAQC procedures in line with industry best practice, which includes the submission of standards, blanks and duplicates at regular intervals within each submission, for RC samples.</p> <p>All samples collected are recorded in the Company's Database.</p> |
| <b>Drilling techniques</b>   | <p>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.).</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <p>RC drilling used a 4.4-inch or 5.5-inch face-sampling bit.</p> <p>All RC holes were surveyed by Gyro, every 30 m down hole.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Drill sample recovery</b> | <p>Method of recording and assessing core and chip sample recoveries and results assessed.</p> <p>Measures taken to maximise sample recovery and ensure representative nature of the samples.</p> <p>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <p>RC sample recovery was visually estimated by volume for each 1 m bulk sample bag and recorded digitally in the sample database. Very little variation was observed.</p> <p>Measures taken to maximize recovery for RC drilling included use of face sampling bits and drilling rigs of sufficient capacity to provide generally dry, high recovery samples.</p> <p>RC sample weights indicate an average recovery of 85% to 95% and were dry.</p> <p>The cone splitter was regularly cleaned with compressed air at the completion of each rod.</p> <p>The RC Drilling was completed using auxiliary compressors and boosters to keep the hole dry and ensure the sample was lifted to the sampling equipment as efficiently as possible.</p> <p>The cyclone and cone splitter were kept dry and clean, with the cyclone cleaned after each drillhole, and the splitter cleaned after each rod to minimize down-hole or cross-hole contamination.</p> <p>The 2.5-3 kg calico bag samples representing 1 m were taken directly from the cyclone and packaged for</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

| Criteria                                              | JORC Code Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | freight to Kalgoorlie. The calico represents both fine and coarse material from the drill rig.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Logging</b>                                        | <p>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</p> <p>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography.</p> <p>The total length and percentage of the relevant intersections logged.</p>                                                                                                                                                                                                                                                                                       | <p>All holes in the current program have been geologically logged to a high level of detail to support the definition of geological domains appropriate to support Mineral Resource estimation and classification.</p> <p>All geologists logging drilling have been trained how to log to a high level of detail through their university studies as well as by supervising geologists experienced in the geology of the region.</p> <p>Representative rock chips from every metre were collected in chip trays and logged by the geologist at the drill site.</p> <p>Lithology, weathering (oxidation state), veining, mineralisation and alteration are recorded in detail using standard digital logging sheets and defined look-up tables to ensure that all data are collected in a consistent manner. Reference cards aided the logging of sulphides, which along with the experience of logging geologists, ensure sulphide estimates are reliable and reproduceable.</p> <p>Logging data are entered using Toughbook computers. All data are validated by the logging geologist before being entered into an SQL database.</p>                                                                                        |
| <b>Sub-sampling techniques and sample preparation</b> | <p>If core, whether cut or sawn and whether quarter, half or all core taken.</p> <p>If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry.</p> <p>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</p> <p>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</p> <p>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</p> <p>Whether sample sizes are appropriate to the grain size of the material being sampled.</p> | <p>RC holes were sampled over 1 m intervals by cone-splitting. RC sampling was closely supervised by field geologists and included appropriate sampling methods, routine cleaning of splitters and cyclones, and rigs with sufficient capacity to provide generally dry, high recovery RC samples. Sample quality monitoring included weighing RC samples and field duplicates.</p> <p>Assay samples were crushed to 90% passing 2 mm. A 3kg split sub sample was then pulverised to 85% passing 75 microns using an LM5 pulverising mill, with analysis by 40 g or 50 g fire assay with AAS finish. Assay quality monitoring included reference standards and inter-laboratory checks assays.</p> <p>Duplicate samples were collected every 40 samples, and certified reference material and blank material were inserted every 25 samples.</p> <p>The available data suggests that sampling procedures provide sufficiently representative sub-samples for the current interpretation.</p>                                                                                                                                                                                                                                  |
| <b>Quality of assay data and laboratory tests</b>     | <p>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</p> <p>For geophysical tools, spectrometres, handheld XRF instruments, etc., the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</p> <p>Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</p>                                                                   | <p>Field quality control procedures adopted comprised of entering a sequence of matrix-matched commercially available certified reference materials (CRMs), and blanks into the sample run at a frequency of approximately 1 in 25 or 1 in 50 samples. Field duplicates were collected at a frequency of approximately 1 in 40 samples.</p> <p>Gold CRMs have been sourced from Geostats Pty Ltd and are used to check accuracy and bias of the analytical method. The certified values have ranged between 0.18 g/t Au and 2.38 g/t Au.</p> <p>Washed quartz sand was utilised as blank material.</p> <p>QAQC samples were monitored on a batch-by-batch basis. An assay batch is accepted if the blank samples and standards are within the + 3SD (standard deviations). One failed standard can cause rejection if the results around the failed standard are not in the normal grade range. A batch is also re-assayed when assay results from two or more standards are outside the acceptable limits. The inserted blank materials did not show any consistent issues with sample contamination.</p> <p>Review of CRMs and blanks suggest that an acceptable level of accuracy (lack of bias) has been established.</p> |

| Criteria                                     | JORC Code Explanation                                                                                                                                                                                                                                                                                                                             | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                              |                                                                                                                                                                                                                                                                                                                                                   | <p>The performance of field duplicates in RC samples is generally reasonable and the variations are related to the style of mineralisation.</p> <p>Internal laboratory checks are conducted, including insertion of CRMs, blanks and conducting laboratory duplicates. Review of the internal laboratory QAQC checks suggests the laboratory is performing within acceptable limits.</p> <p>Inter-laboratory checks are completed at a rate of 5% of all samples, re-testing the pulps (remains of the pulverised sample) at a different laboratory to the original analysis</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Verification of sampling and assaying</b> | <p>The verification of significant intersections by either independent or alternative company personnel.</p> <p>The use of twinned holes.</p> <p>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</p> <p>Discuss any adjustment to assay data.</p>                      | <p>No independent geologists were engaged to verify results. Saturn's geologists were supervised by the company's Exploration Manager, or delegate.</p> <p>High standard QAQC procedures are in place. Therefore, repeatability issues from a QAQC point of view are not considered to be significant.</p> <p>Significant and/or unexpected intersections were reviewed by other company personnel through review of geological logging data, physical examination of remaining samples and review of digital geological interpretations.</p> <p>All assay data were accepted into the database as supplied by the laboratory.</p> <p>Data importation into the database is documented through standard operating procedures and is guided by SQL import validations to prevent incorrect data capture/importation.</p> <p>Geological, structural and density determination data are directly captured in the database through a validation-controlled interface using Toughbook computers and SQL database import validations.</p> <p>Primary data are stored in their source electronic form. Assay data are retained in both the original certificate (.pdf) form and the excel files received from the laboratory. Data entry, validation and storage are discussed in the section on database integrity below.</p> <p>The database contains several RC and diamond core holes that are sufficiently close to be used to prepare twinned datasets. Twinned data comparisons indicated similar characteristics in terms of grade tenor and intercept thicknesses, with generally no significant issues identified.</p> <p>No adjustments to assay data were undertaken.</p> |
| <b>Location of data points</b>               | <p>Accuracy and quality of surveys used to locate drillholes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</p> <p>Specification of the grid system used.</p> <p>Quality and adequacy of topographic control.</p>                                                               | <p>Collars are initially surveyed by hand-held GPS, utilising GDA94, Zone 51.</p> <p>Final drillhole collars are all surveyed by DGPS by an external contractor - Goldfield Surveyor. No adjustments were undertaken of DGPS data.</p> <p>All RC were down-hole surveyed using a gyroscopic survey tool.</p> <p>A topographic triangulation 3D DXF was generated by PhotoSat from 50cm pixel resolution WorldView-2 satellite photos, the survey utilises 925 control points (Surveyed drill hole collar points). The survey projects vertical accuracy is 43 cm RMSE; 72 cm LE90.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Data spacing and distribution</b>         | <p>Data spacing for reporting of Exploration Results.</p> <p>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</p> <p>Whether sample compositing has been applied.</p> | <p>Apollo Hill mineralisation has been tested by generally 30 m spaced traverses of south- westerly inclined drillholes towards 225°. Across strike spacing is variable. Material within approximately 50 m of surface has been generally tested by 12.5 m to 30 m spaced holes, with deeper drilling ranging from 30 m to greater than 60 m spacing.</p> <p>The data spacing is sufficient to establish geological and grade continuity</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Orientation of data in relation</b>       | <p>Whether the orientation of sampling achieves unbiased sampling of possible structures and the</p>                                                                                                                                                                                                                                              | <p>Mineralised zones dip at an average of around 30° to 60° towards the northeast. Detailed orientations of all short-scale mineralised features have not yet been</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

| Criteria                       | JORC Code Explanation                                                                                                                                                                                                                                                      | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>to geological structure</b> | extent to which this is known, considering the deposit type.<br>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. | confidently established. The majority of the drillholes were inclined at around 60° to the southwest.<br>No bias is assumed from the samples due to the orientation of samples.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Sample security</b>         | The measures taken to ensure sample security.                                                                                                                                                                                                                              | Apollo Hill is in an isolated area, with little access to the general public.<br>All drill samples are systematically numbered and placed in pre-printed (numbered) calico bags and placed into numbered polyweave bags that were tied securely with cable ties.<br>Assay samples were stored at a dispatch area and dispatched weekly or bi-weekly. Samples were shipped via a local logistics company directly to laboratories in Kalgoorlie.<br>The sample dispatches were accompanied by supporting sample submission documentation signed by the geologist and showing the sample submission number, analysis suite and number of samples.<br>The chain of custody is maintained by the laboratories once the samples are received from site and a full audit is conducted.<br>Assay results are emailed to the responsible geology administrators in Perth and are loaded into the SQL database by Saturn's database managers. QAQC on import is completed as a batch summary report before the results are finalised. |
| <b>Audits reviews</b> or       | The results of any audits or reviews of sampling techniques and data.                                                                                                                                                                                                      | The Competent Person independently reviewed STN sample quality information and database validity. These reviews included consistency checks within and between database tables and comparison of assay entries with original source records for STN's drilling. These reviews showed no material discrepancies. The Competent Person considers that the Apollo Hill drilling data has been sufficiently verified to provide an adequate basis for the current reporting of exploration results.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

## Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section).

| Criteria                                       | JORC Code Explanation                                                                                                                                                                                                                                                                                                                                                                                                    | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mineral tenement and land tenure status</b> | Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.<br>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. | The Apollo Hill Project lies within Exploration License E39/1198, M31/486 and M39/296. These tenements are wholly owned by Saturn Metals Limited. These tenements, along with certain other tenure, are the subject of a 5% gross over-riding royalty (payable to HHM) on Apollo Hill gold production exceeding 1 Moz. M39/296 is the subject of a \$1/t royalty (payable to a group of parties) on any production.<br>The tenements are in good standing, and no known impediments exist.                                                       |
| <b>Exploration done by other parties</b>       | Acknowledgment and appraisal of exploration by other parties.                                                                                                                                                                                                                                                                                                                                                            | RC and diamond drilling by previous tenement holders, At Apollo Hill, provides around 13.5% of the estimation dataset. The data is primarily from RC and diamond drilling by Battle Mountain, Apex Minerals, Fimiston Mining, Hampton Hill, Homestake, MPI and Peel Mining.                                                                                                                                                                                                                                                                      |
| <b>Geology</b>                                 | Deposit type, geological setting, and style of mineralisation.                                                                                                                                                                                                                                                                                                                                                           | The Apollo Hill project comprises two deposits/trends: the main Apollo Hill deposit comprised of the 'Main lode' and 'Hanging Wall' Lodes in the northwest of the project area, and the Southern Apollo Hill Corridor trend, comprised of the Wadjet-Ra-Iris-Tefnut lodes in the south. Gold mineralisation is associated with quartz veins and carbonate-pyrite alteration along a steeply north-east dipping contact between a schist unit to the west, and mafic dominated volcanic and intrusive rocks to the east. The combined mineralised |

| Criteria                                                                | JORC Code Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <p>zones extend over a strike length of approximately 3 km and have been intersected by drilling to approximately 500 m vertical depth.</p> <p>The depth of complete oxidation averages around 4 m with depth to fresh rock averaging around 21 m.</p>                                                                                                                                                                                                                                                                               |
| <b>Drillhole Information</b>                                            | <p>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drillholes:</p> <ul style="list-style-type: none"> <li>• easting and northing of the drillhole collar</li> <li>• elevation or RL (Reduced Level – elevation above sea level in metres) of the drillhole collar</li> <li>• dip and azimuth of the hole.</li> <li>• down hole length and interception depth</li> <li>• hole length.</li> </ul> <p>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</p> | <p>Any relevant information material to the understanding of exploration results has been included within the body of the announcement or as appendices.</p> <p>No information has been excluded.</p>                                                                                                                                                                                                                                                                                                                                |
| <b>Data aggregation methods</b>                                         | <p>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg. cutting of high grades) and cut-off grades are usually Material and should be stated.</p> <p>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</p> <p>The assumptions used for any reporting of metal equivalent values should be clearly stated.</p>                                                                                                                                                                                     | <p>For exploration data, no top-cuts have been applied.</p> <p>All reported AC, RC and diamond drill assay results have been length weighted (arithmetic length weighting).</p> <p>No metal equivalent values are used for reporting exploration results.</p>                                                                                                                                                                                                                                                                        |
| <b>Relationship between mineralisation widths and intercept lengths</b> | <p>These relationships are particularly important in the reporting of Exploration Results.</p> <p>If the geometry of the mineralisation with respect to the drillhole angle is known, its nature should be reported.</p> <p>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg. 'down hole length, true width not known').</p>                                                                                                                                                                                                                                                                                                                                                                  | <p>All drillhole intercepts are measured in downhole metres, with true widths estimated to be about 60 % of the down-hole width.</p> <p>The orientation of the drilling has the potential to introduce some sampling bias (positive or negative).</p>                                                                                                                                                                                                                                                                                |
| <b>Diagrams</b>                                                         | <p>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drillhole collar locations and appropriate sectional views.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | <p>Refer to Figures and Tables within the body of the text.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Balanced reporting</b>                                               | <p>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <p>For any exploration results, all results are reported, no lower cut-off or top-cuts have been applied.</p>                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Other substantive exploration data</b>                               | <p>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</p>                                                                                                                                                                                                                                                                                                                                                                      | <p>At this stage there are no substantive other exploration data from the recent drilling that is meaningful and material to report.</p>                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Further work</b>                                                     | <p>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).</p> <p>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</p>                                                                                                                                                                                                                                                                                                                                                                                                            | <p>Additional RC drilling is scheduled for the remainder of calendar year 2025 to support the development studies of the Apollo Hill Project.</p> <p>In addition, AC drilling will be conducted over areas designated for infrastructure to assess the underlying ground for gold anomalies before placing non-movable infrastructure. This will further support the advancement of the Apollo Hill Project.</p> <p>Further metallurgical diamond drilling is planned to continue as the project develops, along with additional</p> |

| Criteria | JORC Code Explanation | Commentary                                                            |
|----------|-----------------------|-----------------------------------------------------------------------|
|          |                       | geotechnical diamond drilling to assist in the project's progression. |