

## Significant New Gold Anomaly Developing at Portage Pass

2025 surface sampling at Portage Pass identifies broad zone of gold mineralization 2.5km from Korbel.

### Highlights

- Potentially significant new gold anomaly defined at Portage Pass from field observations and 2025 surface assays (Figure 3).
- Geochemical signature comparable to the multi-million ounce Korbel gold deposit across the ridgeline to the north, with mineralisation appearing more consistent and higher grade.
- Strong potential for valley-scale extension analogous to the exploration pathway that led to the Korbel discovery.
- Anomaly supported by seven rock samples grading >2 g/t Au including a high of 14.3 g/t Au (Table 1), and 10 soil samples grading >0.5 g/t Au with a peak of 1.8 g/t Au (Table 2) discovered along the ridgelines above the Portage Creek valley floor.
- 2026 soil sampling program planned, with a follow-up IP geophysical survey to be undertaken in line with the exploration approach that led to the Korbel discovery (Figure 3).

### Nova General Manager and Geologist, Mr Hans Hoffman, commented:

*“The 2025 surface sampling at Portage Pass has outlined a broad gold anomaly just over the ridge from the established Korbel deposit. The proximity to existing resources and proposed infrastructure makes Portage Pass particularly compelling. These early results reinforce our belief that the greater Estelle district continues to deliver new opportunities with real upside potential.”*

**Nova Minerals Limited** (Nova or the Company) (ASX: NVA, NASDAQ: NVA, FSE: QM3) is pleased to announce the results of its 2025 surface sampling program at the Company's flagship Estelle Gold and Critical Minerals Project, located in the prolific Tintina Gold Belt in Alaska.

### 2025 Estelle Surficial Reconnaissance Program

During the 2025 field season, Nova's geologist team, led by General Manager and geologist Mr Hans Hoffman, undertook an extensive surface exploration mapping and sampling program across three main areas of the Estelle Project comprised of over 30 traverses covering 75-line kilometres, 430 soil samples, 170 rock samples, and 26 stream sediment samples (Figure 1).

#### Main Operations

Whiskey Bravo Airstrip  
Matanuska-Susitna Borough, Alaska, USA  
1150 S Colony Way Suite 3-440, Palmer, AK 99645

#### Corporate

Suite 5, 242 Hawthorn Road,  
Caulfield, VICTORIA 3161, Australia  
Phone +61 3 9537 1238

#### [www.novaminerals.com.au](http://www.novaminerals.com.au)


[info@novaminerals.com.au](mailto:info@novaminerals.com.au)  
ACN 006 690 348  
NASDAQ: NVA ASX: NVA

For personal use only

As a result of that program and reported to date:

- Assay results from recent rock and soil sampling have outlined a newly developing large-scale gold-copper system at West Wing (ASX Announcement: 2 March 2026).
- Surface results from the RPM regional and ridgeline areas, including high-grade RPM-style gold assays of up to 24.6 g/t Au, have identified new drill targets at RPM, as outlined in this announcement.
- Assay results from recent rock and soil sampling have identified a significant new gold anomaly at Portage Pass, as detailed in this announcement.

All results from 2025 soil and rock sampling across the project district have now been reported.



**Figure 1.** Estelle property map showing the extensive 2025 exploration program

For personal use only

## Portage Pass

139 soil samples and 68 rock samples were collected along traverses in the central portion of the claim block between Korbel and Stoney/West Wing. A moderate grade anomaly is developing in the headwaters of Portage Creek with 23 soil samples greater or equal to 0.2 g/t Au, including 10 soil samples greater or equal to 0.5 g/t Au. 11 rock samples primarily focused on the Estelle pluton granodiorite are greater than 1.0 g/t Au, including 5 greater or equal to 4 g/t Au and a high of 14.3 g/t Au.

The anomalies were identified across two separate traverses of approximately 3.5km and 2.8km, highlighting the potential for this moderate-grade mineralisation to extend into the valley in a manner comparable to the Korbel deposit, located immediately north across the ridge. Notably, mineralisation identified in talus fines and base of outcrop samples above the Portage Pass valley appears more consistent and of slightly higher grade than that observed at Korbel.

A detailed soil sampling grid is planned across the valley in 2026. Subject to the results, a ground-based induced polarization (IP) geophysical survey will be undertaken, following a similar exploration pathway to that which led to the discovery at Korbel.

While stronger geochemical anomalies are present elsewhere at Estelle, Portage Pass represents a compelling target given its proximity to Korbel and the associated proposed infrastructure.



**Figure 2.** Portage Pass Valley looking East and Sample E397324 – 9.6 g/t Au

For personal use only

For personal use only




Figure 3. Portage Pass Sampling

**Table 1. Significant Results – Rocks > 1.0 g/t Au**

Prospect	Sample ID	Easting	Northing	Au g/t
Portage	E397326	502728	6871902	14.3
Portage	E397324	502907	6872101	9.6
Portage	G994157	503248	6872882	6.6
Portage	G994160	503804	6872402	6.4
Portage	G994165	502962	6870696	4.0
Portage	G994353	504342	6869889	2.5
Portage	E397323	502690	6872459	2.0
Portage	E397322	502662	6872615	1.6
Portage	E397325	502760	6871921	1.5
Portage	E397330	504241	6869844	1.1

**Table 2: Significant Results – Soils > 0.5 g/t Au**

Prospect	Sample ID	Easting	Northing	Au g/t
Portage	G994313	504211	6869835	1.8
Portage	G994229	503330	6870669	1.6
Portage	E405280	502875	6871979	0.9
Portage	G994232	503552	6870192	0.8
Portage	G994231	503544	6870384	0.8
Portage	E409303	502252	6871906	0.6
Portage	G994321	504221	6870232	0.6
Portage	E405278	502901	6872115	0.6
Portage	E405276	502817	6872248	0.5
Portage	G994228	503134	6870724	0.5

### Upcoming Milestones

- Material PFS test-work results as they become available
- Airborne geophysical surveys to commence in the spring of 2026
- Antimony phase 1 project updates
- Metallurgical test work ongoing
- Environmental test work ongoing
- West Susitna access road updates
- Updated MRE
- Updates on the company redomiciliation to the US

For personal use only

## Estelle Gold and Critical Minerals Project Discussion and Analysis

Further discussion and analysis of the Estelle Gold and Critical Minerals Project is available through the interactive Vriify 3D animations, presentations and videos, all available on the Company's website.

[www.novaminerals.com.au](http://www.novaminerals.com.au)

*This announcement has been authorized for release by the Executive Directors.*

Christopher Gerteisen  
CEO and Executive Director  
E: [info@novaminerals.com.au](mailto:info@novaminerals.com.au)

Annalise Batchelor  
Sodali & Co  
Investor Relations & Media  
E: [annalise.batchelor@sodali.com](mailto:annalise.batchelor@sodali.com)  
M: +61 432 312 807

Cameron Gilenko  
Sodali & Co  
Investor Relations & Media  
E: [cameron.gilenko@sodali.com](mailto:cameron.gilenko@sodali.com)  
M: +61 466 984 953

## About Nova Minerals Limited

Nova Minerals Limited is a Gold, Antimony and Critical Minerals exploration and development company focused on advancing the Estelle Project, comprised of 514 km<sup>2</sup> of State of Alaska mining claims, which contains multiple mining complexes across a 35 km long mineralized corridor of over 20 advanced Gold and Antimony prospects, including two already defined multi-million ounce resources, and several drill ready Antimony prospects with massive outcropping stibnite vein systems observed at surface. The 85% owned project is located 150 km northwest of Anchorage, Alaska, USA, in the prolific Tintina Gold Belt, a province which hosts a >220 million ounce (Moz) documented gold endowment and some of the world's largest gold mines and discoveries including, Kinross Gold Corporation's Fort Knox Gold Mine. The belt also hosts significant Antimony deposits and was a historical North American Antimony producer.

## Competent Person Statements

Mr Vannu Khounphakdy P.Geol., who is an independent consulting geologist of a number of mineral exploration and development companies, reviewed and approves the technical information in this release and is a member of the Australian Institute of Geoscientists (AIG), which is ROPO accepted for the purpose of reporting in accordance with ASX listing rules. Mr Khounphakdy has sufficient experience relevant to the gold deposits under evaluation to qualify as a Competent Person as defined in the 2012 edition of the 'Australian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Khounphakdy is also a Qualified Person as defined by S-K 1300 rules for mineral deposit disclosure. Mr Khounphakdy consents to the inclusion in the report of the matters based on information in the form and context in which it appears.

The information in the announcement dated today that relates to exploration results and exploration targets is based on information compiled by Mr. Hans Hoffman. Mr. Hoffman, Owner of First Tracks Exploration, LLC, who is providing geologic consulting services to Nova Minerals, compiled the technical information in this release and is a member of the American Institute of

For personal use only

Professional Geologists (AIPG), which is ROPO, accepted for the purpose of reporting in accordance with ASX listing rules. Mr. Hoffman has sufficient experience relevant to the style of mineralization and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 edition of the 'Australian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr. Hoffman consents to the inclusion in the report of the matters based on information in the form and context in which it appears.

The Exploration results were reported in accordance with Clause 18 of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (2012 Edition) (JORC Code).

The Company is also listed on the NASDAQ in the United States and, as a result, is required in respect of its exploration and resource reporting to comply with the US Securities and Exchange Commission (SEC) requirements in respect of resource reporting in the USA. This requires compliance with the SEC's S-K 1300 resource regulations. Investors accessing the Company's NASDAQ press releases should be aware that S-K 1300 statements made in those releases are not JORC Code compliant statements.

Nova Minerals confirms that it is not aware of any new information or data that materially affects the information included in the relevant market announcements, and in the case of the exploration results, that all material assumptions and technical parameters underpinning the results in the relevant market announcement continue to apply and have not materially changed.

### **Cautionary Note Regarding Forward-Looking Statements**

This news release contains "forward-looking information" within the meaning of applicable securities laws. Generally, any statements that are not historical facts may contain forward-looking information, and forward looking information can be identified by the use of forward-looking terminology such as "plans", "expects" or "does not expect", "is expected", "budget" "scheduled", "estimates", "forecasts", "intends", "anticipates" or "does not anticipate", or "believes", or variations of such words and phrases or indicates that certain actions, events or results "may", "could", "would", "might" or "will be" taken, "occur" or "be achieved." Forward-looking information is based on certain factors and assumptions management believes to be reasonable at the time such statements are made, including but not limited to, continued exploration activities, Gold and other metal prices, the estimation of initial and sustaining capital requirements, the estimation of labor costs, the estimation of mineral reserves and resources, assumptions with respect to currency fluctuations, the timing and amount of future exploration and development expenditures, receipt of required regulatory approvals, the availability of necessary financing for the Project, permitting and such other assumptions and factors as set out herein. apparent inconsistencies in the figures shown in the MRE are due to rounding Forward-looking information is subject to known and unknown risks, uncertainties and other factors that may cause the actual results, level of activity, performance or achievements of the Company to be materially different from those expressed or implied by such forward-looking information, including but not limited to: risks related to changes in Gold prices; sources and

cost of power and water for the Project; the estimation of initial capital requirements; the lack of historical operations; the estimation of labor costs; general global markets and economic conditions; risks associated with exploration of mineral deposits; the estimation of initial targeted mineral resource tonnage and grade for the Project; risks associated with uninsurable risks arising during the course of exploration; risks associated with currency fluctuations; environmental risks; competition faced in securing experienced personnel; access to adequate infrastructure to support exploration activities; risks associated with changes in the mining regulatory regime governing the Company and the Project; completion of the environmental assessment process; risks related to regulatory and permitting delays; risks related to potential conflicts of interest; the reliance on key personnel; financing, capitalization and liquidity risks including the risk that the financing necessary to fund continued exploration and development activities at the Project may not be available on satisfactory terms, or at all; the risk of potential dilution through the issuance of additional common shares of the Company; the risk of litigation.

Although the Company has attempted to identify important factors that cause results not to be as anticipated, estimated or intended, there can be no assurance that such forward-looking information will prove to be accurate, as actual results and future events could differ materially from those anticipated in such information. Accordingly, readers should not place undue reliance on forward-looking information. Forward looking information is made as of the date of this announcement and the Company does not undertake to update or revise any forward-looking information which is included herein, except in accordance with applicable securities laws. All drilling and exploration activities is subject to no unforeseen circumstances.

For personal use only

## Appendix 1: JORC Code, 2012 Edition – Table 1 Estelle Gold and Critical Minerals Project - Alaska

### Section 1 Sampling Techniques and Data

Criteria	JORC Code Explanation	Commentary
<b>Sampling techniques</b>	<ul style="list-style-type: none"> <li>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling.</li> <li>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</li> <li>Aspects of the determination of mineralisation that are Material to the Public Report.</li> <li>In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse Au that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.</li> </ul>	<ul style="list-style-type: none"> <li>Rock samples were collected from outcrop in-situ lithology or local float/talus</li> <li>Soil samples collected were representative</li> <li>Sampling practice is appropriate and complies with industry best practice.</li> <li>Sample preparation and analysis was performed by ALS laboratories in Fairbanks, following industry best practice standards.</li> <li>The majority of soil samples were collected at predetermined spacing of 400m, 200m, 100m, and 50m distances. Slight deviations are made due to terrain or insufficient soil. Samples are sorted by hand to remove coarser fraction. Typical sample volume is 0.5 - 1kg. Talus fine sampling is representative of the outcrop above.</li> <li>The majority of rock samples in this announcement were targeting high-grade veins on site as reference material.</li> </ul>
<b>Drilling techniques</b>	<ul style="list-style-type: none"> <li>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type,</li> </ul>	<ul style="list-style-type: none"> <li>Not applicable – No drilling reported</li> </ul>

Criteria	JORC Code Explanation	Commentary
	whether core is oriented and if so, by what method, etc.).	
<b><i>Drill sample recovery</i></b>	<ul style="list-style-type: none"> <li>• Method of recording and assessing core and chip sample recoveries and results assessed.</li> <li>• Measures taken to maximise sample recovery and ensure representative nature of the samples.</li> <li>• Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material</li> </ul>	<ul style="list-style-type: none"> <li>• Not applicable – No drilling reported</li> </ul>
<b><i>Logging</i></b>	<ul style="list-style-type: none"> <li>• Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</li> <li>• Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography.</li> <li>• The total length and percentage of the relevant intersections logged.</li> </ul>	<ul style="list-style-type: none"> <li>• Logging is qualitative and descriptive for rock and soil samples.</li> </ul>
<b><i>Sub-sampling techniques and sample preparation</i></b>	<ul style="list-style-type: none"> <li>• If core, whether cut or sawn and whether quarter, half or all core taken.</li> <li>• If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry.</li> </ul>	<ul style="list-style-type: none"> <li>• Insertion of standards and blanks by the company was not necessary for the type of sampling undertaken. Routine QA/QC processes at the ALS Laboratory included insertion of duplicates, blanks and standards as per standard procedures.</li> </ul>

personal use only

Criteria	JORC Code Explanation	Commentary
	<ul style="list-style-type: none"> <li>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> <li>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li> <li>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</li> <li>Whether sample sizes are appropriate to the grain size of the material being sampled</li> </ul>	<ul style="list-style-type: none"> <li>Soil and rock samples were collected in variable conditions.</li> </ul>
<b>Quality of assay data and laboratory tests</b>	<ul style="list-style-type: none"> <li>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> <li>For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</li> <li>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</li> </ul>	<ul style="list-style-type: none"> <li>Samples are tested for gold using ALS Fire Assay Au-ICP21 technique. This technique has a lower detection limit of 0.001 g/t with an upper detection limit of 10 g/t. If samples have grades in excess of 10 g/t then Au-GRA21 is used to determine the over detect limit. Au-GRA21 has a detection limit of 0.05 g/t and an upper limit of 1000 g/t. Samples are also analysed for 61 other elements using ALS ME-MS61r.</li> <li>Soil samples are dried at &lt;60degC/140degF and sieved to -180micron/80mesh. Samples are tested for gold using ALS Fire Assay Au-ICP21. If samples have grades in excess of 10g/t then Au-GRA21 is used. Sampling and sample preparation protocols for RC drilling followed industry best practices and are appropriate for the mineralization type being evaluated.</li> </ul>
<b>Verification of sampling and assaying</b>	<ul style="list-style-type: none"> <li>The verification of significant intersections by either independent or alternative company personnel.</li> </ul>	<ul style="list-style-type: none"> <li>Assay data intercepts are compiled and calculated by the CP and then verified by corporate management prior to the release to the public.</li> </ul>

personal use only

Criteria	JORC Code Explanation	Commentary
	<ul style="list-style-type: none"> <li>The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</li> <li>Discuss any adjustment to assay data.</li> </ul>	
<b>Location of data points</b>	<ul style="list-style-type: none"> <li>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> <li>Specification of the grid system used.</li> <li>Quality and adequacy of topographic control</li> </ul>	<ul style="list-style-type: none"> <li>All maps and locations are in UTM grid (NAD83 Z5N) and have been measured by hand-held GPS with a lateral accuracy of <math>\pm 4</math> metres and a vertical accuracy of <math>\pm 10</math> metres.</li> </ul>
<b>Data spacing and distribution</b>	<ul style="list-style-type: none"> <li>Data spacing for reporting of Exploration Results.</li> <li>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</li> <li>Whether sample compositing has been applied.</li> </ul>	<ul style="list-style-type: none"> <li>Rock samples were collected with the focus on quartz-arsenopyrite veins, copper sulphide mineralization, and for representative lithology</li> <li>Soil samples are collected at intervals ranging from 50m to 400m to provide representative geochemical data across the Estelle property.</li> </ul>
<b>Orientation of data in relation to geological structure</b>	<ul style="list-style-type: none"> <li>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</li> <li>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</li> </ul>	<ul style="list-style-type: none"> <li>Structural measurements at West Wing were not obtained in 2025, dominant orientation from 2024 was 190, 60</li> <li>Mapping with a structural focus will be a priority for 2026</li> </ul>
<b>Sample security</b>	<ul style="list-style-type: none"> <li>The measures taken to ensure sample security</li> </ul>	<ul style="list-style-type: none"> <li>A secure chain of custody protocol has been established with the site geologist locking samples in secure shipping container at site until loaded on to aircraft and shipped to the secure restricted access room at Fairbanks ALS Laboratory for processing.</li> </ul>

personal use only

Criteria	JORC Code Explanation	Commentary
<b>Audit or reviews</b>	<ul style="list-style-type: none"> <li>The results of any audits or reviews of sampling techniques and data.</li> </ul>	<ul style="list-style-type: none"> <li>Independent geological consultants have reviewed the sampling techniques, internal QA/QC procedures and associated data.</li> </ul>

## Section 2 Reporting of Exploration Results

Criteria	JORC Code Explanation	Commentary
<b>Mineral tenement and land tenement status</b>	<ul style="list-style-type: none"> <li>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</li> </ul>	<ul style="list-style-type: none"> <li>The Estelle Gold and Critical Minerals Project is comprised of 514km<sup>2</sup> State of Alaska mining claims</li> <li>The mining claims are wholly owned by AKCM (AUST) Pty Ltd. (an incorporated Joint venture (JV Company between Nova Minerals Ltd and AK Minerals Pty Ltd) via 100% ownership of Alaskan incorporate company AK Custom Mining LLC. AKCM (AUST) Pty Ltd is owned 85% by Nova Minerals Ltd, 15% by AK Minerals Pty Ltd. AK Minerals Pty Ltd holds a 2% NSR (ASX Announcement: 20 November 2017). Nova owns 85% of the project through the joint venture agreement.</li> <li>The Company is not aware of any other impediments that would prevent an exploration or mining activity.</li> </ul>
<b>Exploration done by other parties</b>	<ul style="list-style-type: none"> <li>Acknowledgement and appraisal of exploration by other parties</li> </ul>	<ul style="list-style-type: none"> <li>Geophysical, Soil testing, and drilling was completed by previous operators in the past. Nova Minerals has no access to this data.</li> </ul>
<b>Geology</b>	<ul style="list-style-type: none"> <li>Deposit type, geological setting and style of mineralisation</li> </ul>	<ul style="list-style-type: none"> <li>Nova Minerals is primarily exploring for Intrusion Related Gold System (IRGS) type deposits, as well antimony bearing stibnite vein systems, within the Estelle Gold and Critical Minerals Project.</li> </ul>

Criteria	JORC Code Explanation	Commentary
<b><i>Drill hole information</i></b>	<ul style="list-style-type: none"> <li>• A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:               <ul style="list-style-type: none"> <li>- easting and northing of the drill hole collar</li> <li>- elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</li> <li>- dip and azimuth of the hole</li> <li>- down hole length and interception depth</li> <li>-hole length.</li> </ul> </li> <li>• If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</li> </ul>	<ul style="list-style-type: none"> <li>• Not applicable – No drilling reported.</li> </ul>
<b><i>Data aggregation methods</i></b>	<ul style="list-style-type: none"> <li>• In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</li> <li>• Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</li> <li>• The assumptions used for any reporting of metal equivalent values should be clearly stated.</li> </ul>	<ul style="list-style-type: none"> <li>• Raw assay information was reported without any aggregation for surface samples.</li> </ul>
<b><i>Relationship between mineralisation widths and intercept lengths</i></b>	<ul style="list-style-type: none"> <li>• These relationships are particularly important in the reporting of Exploration Results.</li> </ul>	<ul style="list-style-type: none"> <li>• Not applicable – No drilling reported.</li> </ul>

personal use only

Criteria	JORC Code Explanation	Commentary
	<ul style="list-style-type: none"> <li>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</li> <li>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</li> </ul>	
<b>Diagrams</b>	<ul style="list-style-type: none"> <li>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</li> </ul>	<ul style="list-style-type: none"> <li>Plan view map shows the location of the prospects with respect to other prospects within the Estelle Project.</li> </ul>
<b>Balanced reporting</b>	<ul style="list-style-type: none"> <li>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</li> </ul>	<ul style="list-style-type: none"> <li>Does not apply. All Nova results have been disclosed to the ASX via news releases.</li> </ul>
<b>Other substantive exploration data</b>	<ul style="list-style-type: none"> <li>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</li> </ul>	<ul style="list-style-type: none"> <li>No other substantive exploration data has been collected.</li> </ul>
<b>Further work</b>	<ul style="list-style-type: none"> <li>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</li> <li>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</li> </ul>	<ul style="list-style-type: none"> <li>Drilling for 2025, and all assay results from it, have been received and announced. All assay results of rock and soil samples from the 2025 surface exploration have now also been received and announced.</li> </ul>

personal use only