

21 April 2026

Aurum hits multiple thick gold intersections at Boundiali's BDT2 deposit

Aurum Resources (ASX: AUE, "Aurum" or "the Company") is pleased to announce the latest gold results from its ongoing 100,000m diamond drilling program at the 3.03Moz Boundiali Gold Project¹ in Côte d'Ivoire. These **BDT2** assay results are from 40 holes for 12,093.30m designed to grow Mineral Resources and increase geological confidence.

Key drill intercepts from the **BDT2** deposit include²:

- **36m @ 1.99 g/t Au** from 280m inc. **1.85m @ 27.97 g/t Au** (DSDD0395)
- **4.84m @ 7.23 g/t Au** from 147.10m inc. **1.24m @ 26.73 g/t Au** (DSDD0395)
- **22m @ 1.40 g/t Au** from 97m inc. **1m @ 22.00 g/t Au** (DSDD0408)
- **2m @ 11.40 g/t Au** from 115m inc. **1m @ 22.31 g/t Au** (DSDD0415)
- **18.50m @ 1.18 g/t Au** from 245m inc. **3.50m @ 4.60 g/t Au** (DSDD0394)
- **30m @ 0.84 g/t Au** from 280m inc. **2.70m @ 3.65 g/t Au** (DSDD0394).

Investment Highlights:

- **Resource growth potential:** Drilling confirms gold mineralisation outside of current MRE boundaries at BDT2; gold system remains open.
- **130,000m planned for CY2026:** 14 diamond drill rigs turning to drive resource growth at Boundiali and Napié.
- **Boundiali Pre-Feasibility Study (PFS)** expected in May 2026 and **Definitive Feasibility Study (DFS)** expected late CY2026.
- **Combined group resources of 4.2Moz gold**, including the flagship **3.03Moz Boundiali Gold Project** and the **1.16Moz Napié Gold Project**³.
- **Strong financial position:** Aurum is well-funded with **\$61M** cash (31 March 2026 unaudited) for continued exploration success.

Aurum's Managing Director Dr. Caigen Wang said: *"These new results continue to demonstrate our drilling team's ability to cost-effectively grow Mineral Resources at Boundiali at a rate our peers cannot match. Most of the 40 holes have been drilled to lift Inferred Resources to Indicated status, while others have been designed to test the limits of known mineralisation. The deeper holes confirm the gold system remains open at depth and most of the new holes have intersected multiple zones of thick gold mineralisation, with standout results including **36m @ 1.99 g/t Au** from 280m (DSDD0395).*

*These results demonstrate the scale potential on offer at Boundiali. Our drilling at Boundiali has targeted only the most obvious outcropping anomalies and we have achieved rapid resource growth to **3.03Moz** since acquiring the ground. All deposits remain open and we now have 14 diamond drill rigs operating to drive resource growth of these deposits, as well as testing the enormous potential for blind discoveries.*

*Group gold resources now stand at **4.2Moz** and with **\$61M** in the bank, we are perfectly positioned for our diamond drills to deliver further resource growth, in addition to delivering the Boundiali PFS in May 2026, as we drive towards a DFS in late 2026."*

¹ "Boundiali Resource Grows to 3Moz - Indicated Up 49%" released to the Australian Securities Exchange on 23 February 2026 and available to view on www.asx.com.au

² Refer to tables accompanying this report for collar location information and assay results for the new drilling

³ "Napié Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au" released to the Australian Securities Exchange on 10 April 2026 and available to view on www.asx.com.au

New Drilling – Boundiali Gold Project⁴

Aurum received assay results⁵ from 40 diamond drill (DD) holes totalling 12,093.30m, conducted as part of an integrated step-out, step-back, and infill program on the **BD** tenement (80% interest). The assay results from drilling on the **BDT2** deposits were received from our 100,000m Boundiali drilling program designed to increase resource growth and resource confidence.

Details of drill collar location and assay results and intercepts⁶ for the new drilling at Boundiali can be found in Table 1 and Table 2 respectively. Plans showing location of the Boundiali Gold Project and the assay results are presented in Figure 1, Figure 2, and project details in Figure 3. A detailed plan showing the latest results is presented in Figure 4. Example cross section of the latest results can be found presented in Figure 5.

BDT2

Most of these holes have been designed to convert Inferred Resources to Indicated Resources and in some areas have been designed to push the limits of known gold resources at depth and along strike. Drilling has intersected multiple zones of thick gold intersections downhole, and better results include:

- **36m @ 1.99 g/t Au** from 280m inc. **1.85m @ 27.97 g/t Au** (DSDD0395)
- **4.84m @ 7.23 g/t Au** from 147.10m inc. **1.24m @ 26.73 g/t Au** (DSDD0395)
- **22m @ 1.40 g/t Au** from 97m inc. **1m @ 22.00 g/t Au** (DSDD0408)
- **30m @ 0.84 g/t Au** from 280m inc. **2.70m @ 3.65 g/t Au** (DSDD0394)
- **2m @ 11.40 g/t Au** from 115m inc. **1m @ 22.31 g/t Au** (DSDD0415)
- **18.50m @ 1.18 g/t Au** from 245m inc. **3.50m @ 4.60 g/t Au** (DSDD0394)
- **30m @ 0.66 g/t Au** from 269.00m inc. **2m @ 4.34 g/t Au** (DSDD0378)
- **6.60m @ 2.92 g/t Au** from 173.40m inc. **1m @ 16.89 g/t Au** (DSDD0400)
- **4m @ 4.19 g/t Au** from 80.00m inc. **3m @ 5.47 g/t Au** (DSDD0400)
- **15m @ 1.00 g/t Au** from 215.00m inc. **2m @ 5.12 g/t Au** (DSDD0408)
- **25m @ 0.58 g/t Au** from 237.00m inc. **3.36m @ 2.14 g/t Au** (DSDD0420)
- **32.90m @ 0.44 g/t Au** from 145.00m inc. **1m @ 1.34 g/t Au** (DSDD0402)
- **20.21m @ 0.58 g/t Au** from 144.79m inc. **1m @ 3.71 g/t Au** (DSDD0381).

These new results are in addition to previous exploration drilling at **BDT2** that returned significant results⁷:

- **74m @ 1.00 g/t Au** from 167m inc. **1m @ 24.73 g/t Au** (DSDD0044)
- **18m @ 3.93 g/t Au** from 198m inc. **5m @ 11.07 g/t Au** (DSDD0267)
- **4.03m @ 10.22 g/t Au** from 13.5m inc. **1.5m @ 27.13 g/t Au** (DSDD0290)
- **28m @ 1.54 g/t Au** from 82m inc. **4m @ 7.51 g/t Au** (DSDD0265)
- **7.15m @ 4.71 g/t Au** from 121.15m inc. **1m @ 31.24 g/t Au** (DSDD00288)
- **16m @ 1.79 g/t Au** from 347m inc. **4m @ 6.36 g/t Au** (DSDD0235)
- **10.50m @ 2.39 g/t Au** from 43.50m inc. **1m @ 22.81 g/t Au** (DSDD0254)
- **15.78m @ 1.70 g/t Au** from 121.22m inc. **6m @ 2.99 g/t Au** (DSDD0110)
- **33m @ 0.84 g/t Au** from 146m inc. **1m @ 9.95 g/t Au** (DSDD0046)
- **18m @ 2.58 g/t Au** from 110m inc. **2m @ 28.90 g/t Au** (DSDD0038).

⁴ Refer to About Aurum's Boundiali Gold Project

⁵ Refer to Table 1 for collar information and Table 2 for full assay results for the new drilling.

⁶ All intercepts are reported as downhole lengths using a 0.2 g/t Au cut-off grade with up to 3m consecutive internal dilution and no top cut applied.

⁷ ASX release dated 24 May 2024, 23 April 2024, 18 December 2024, 7 November 2025 and 15 January 2026



The **BDT2** gold deposit lies within an underexplored **13km by 3km mineralised corridor**. Gold mineralisation is hosted in a thick, north-south trending sandstone unit, positioned between hanging wall and footwall volcano-sedimentary rocks. The gold, which is free milling⁸, is associated with fine disseminated pyrite and an alteration assemblage of hematite, silica, chlorite, tourmaline, quartz veinlets, albite, and carbonate. True widths for these gold intercepts are estimated at about 60% - 85% of reported downhole lengths.

Gold mineralisation at all of the Boundiali deposits is still open along strike and at depth, and Aurum is planning further work with drilling currently ongoing at **BDT2**. So far, ongoing drilling at Boundiali has only targeted the most obvious outcropping anomalies. Aurum believes the potential for blind discoveries also remains, providing a clear pathway for resource growth in CY2026.

Next Steps

Aurum is using its strong balance sheet and self-owned drill fleet to drive multi-rig drilling activity throughout CY2026 focussed on rapid resource conversion and economic de-risking.

1. Boundiali: Moving to Development

- **Drilling (100,000m):** 14 diamond rigs will continue testing strike and depth extensions across **BD, BM, and BST** tenements.
- **Resource Updates:** Next major MRE update is targeted for Q3 CY2026.
- **PFS Delivery:** Open-pit Pre-Feasibility Study is expected in May 2026 to evaluate project economics.
- **DFS Transition:** Results from new 2026 drilling and the PFS will be incorporated in a **Definitive Feasibility Study (DFS)** expected in late 2026.

2. Napié: Scaling the Resource

- **Resource Expansion:** A **30,000m diamond drilling** program is planned to grow the 1.16Moz gold resource.
- **Drilling Efficiency:** Aurum is building an exploration camp near the gold deposits to reduce operating costs.

3. Regional Exploration & Discovery

- **Pipeline Generation:** Scout drilling is planned for the **BD, BM, and BST** tenements to test new targets identified via soil anomalies and geological mapping.
- **Early-Stage Growth:** Advancement of the **Encore JV** and **Major Star Plus** partnership projects to identify new gold systems.

This update has been authorised by the Board of Aurum Resources Limited.

ENDS

⁸ ASX release dated 23 December 2024, AUE achieves in excess of 95% gold recoveries from Boundiali

FORWARD-LOOKING STATEMENTS

This ASX release contains forward-looking statements about Aurum Resources Limited's exploration activities, drilling programs, and potential Mineral Resource Estimate at the Boundiali and Napié Gold Projects. These statements are based on current expectations and are subject to risks and uncertainties inherent in mineral exploration and mining. Factors that could cause actual results to differ materially include exploration risks, drilling results, resource estimation, gold prices, operational risks, regulatory changes, and broader economic conditions. Investors should not place undue reliance on these forward-looking statements.

COMPETENT PERSON'S STATEMENT

The information in this release that relates to Exploration Targets and Exploration Results is based on information compiled by Mr Mark Strizek, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Strizek has been a non-executive Director of the Company since 1 February 2024 and joined as an executive Director on 1 June 2024. Mr Strizek has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaking to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Strizek consents to the inclusion in the announcement of the matters based on his information in the form and context in which it appears. Additionally, Mr Strizek confirms that the entity is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this release.

COMPLIANCE STATEMENT

The information in this release that relates to Boundiali Mineral Resources is extracted from the announcement "Boundiali Resource Grows to 3Moz - Indicated Up 49%" released to the Australian Securities Exchange on 23 February 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this report that relates to Napié Mineral Resources is extracted from the announcement "Napié Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au" released to the Australian Securities Exchange on 10 April 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

This report contains information extracted from ASX market announcements reported in accordance with the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" ("2012 JORC Code") and available for viewing at www.asx.com.au and includes results reported previously and published on ASX platform:

16 Apr 2026, Boundiali BST1 depth extension 220m below current MRE (ASX:AUE)
 10 Apr 2026, Napié Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au (ASX:AUE)
 23 Mar 2026, Aurum raises \$28.8M via Strategic Placement (ASX:AUE)
 13 Mar 2026, Half Yearly Report and Accounts (ASX:AUE)
 5 Mar 2026, Aurum Hits High-Grade Gold at Napié, Cote d'Ivoire (ASX:AUE)
 23 Feb 2026, Boundiali Resource Grows to 3Moz - Indicated Up 49% (ASX:AUE)
 16 Feb 2026, Boundiali extends strike and depth at BDT3 and BST1 (ASX:AUE)
 5 Feb 2026, High-Grade Extensions at BD Deposits for Resource Growth (ASX:AUE)
 28 Jan 2026, Further high-grade intercepts at BMT3 in Boundiali (ASX:AUE)
 14 Jan 2026, Boundiali Gold Project produces more good drilling results (ASX:AUE)
 7 Jan 2026, Aurum advances Boundiali development with 3 ML Applications (ASX:AUE)
 19 Dec 2025, More high grade gold intercepts at BMT3 in Boundiali (ASX:AUE)
 11 Dec 2025, Drilling at Napié Extends Gold Mineralisation to 400m Depth (ASX:AUE)
 28 Nov 2025, Aurum completes \$22.98M Montage share sale (ASX:AUE)
 18 Nov 2025, Aurum hits 3.10m @ 70.78 g/t gold from 112.90m at Boundiali (ASX:AUE)
 07 Nov 2025, Aurum hits 5m @ 11.07 g/t gold from outside BDT2 resources (ASX:AUE)
 06 Nov 2025, Addendum to the 2025 Annual Report (ASX:AUE)
 30 Oct 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 27 Oct 2025, Aurum hits 0.8m @ 350 g/t gold at Boundiali Gold Project (ASX:AUE)
 06 Oct 2025, Boundiali indicated gold resources grows by 53% in two month (ASX:AUE)

29 Sep 2025, Aurum hits 1m @ 152.35 g/t gold from 96m at Boundiali (ASX:AUE)
 10 Sep 2025, Aurum hits 17m @ 9.38 g/t gold from 236m at Napié (ASX:AUE)
 01 Sep 2025, Aurum expands footprint of Boundiali and Napié Gold Projects (ASX:AUE)
 05 Aug 2025, Boundiali Gold Project Resource grows ~50% to 2.41Moz (ASX:AUE)
 29 Jul 2025, Encouraging Drilling Results at BD & BST (ASX:AUE)
 25 Jul 2025, Aurum hits 1.43m at 234.35 g/t gold from 107m at BMT3 (ASX:AUE)
 23 Jul 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 15 Jul 2025, 100 million share placement to strategic investors completed (ASX:AUE)
 27 Jun 2025, Aurum commenced 30,000m diamond drilling at Napié (ASX:AUE)
 17 Jun 2025, AUE hits 66m @ 1.07g/t gold from 33m @ Boundiali BD tenement (ASX:AUE)
 27 May 25, AUE expands Boundiali Gold Project exploration ground (ASX:AUE)
 21 May 25, AUE hits 34m @ 2.32g/t gold from 56m @ Boundiali BD tenement (ASX:AUE)
 13 May 25, Assay Results at Boundiali BM Tenement (Amended) (ASX:AUE)
 13 May 25, Aurum hits 73.10 g/t gold at Boundiali BM tenement (ASX:AUE)
 07 May 2025, Aurum to raise \$35.6 million from strategic investment (ASX:AUE)
 16 Apr 2025, AUE hits 89m @ 2.42 g/t gold at 1.59Moz Boundiali Project (ASX:AUE)
 08 Apr 2025, AUE to start diamond drilling at Boundiali South tenement (ASX:AUE)
 31 Mar 2025, AUE to commence environmental study - Boundiali Gold Project (ASX:AUE)
 27 Mar 2025, Aurum hits 83m@4.87 g/t Au at 1.59Moz Boundiali Project (ASX:AUE)
 19 Mar 2025, Hits 4m at 54.64 g/t Au outside 1.59Moz Boundiali MRE area (ASX:AUE)



14 Mar 2025, Half Yearly Report and Accounts (ASX:AUE)
7 Mar 25, Investor Presentation March 2025 (ASX:AUE)
6 Mar 25, AUE Completes Acquisition of Mako Gold Limited (ASX:AUE)
27 Feb 25, 12m at 22.02g/t from 145m outside 1.59Moz Boundiali MRE area (ASX:AUE)
21 Feb 2025, 8m at 8.23g/t from 65m outside 1.59Moz Boundiali MRE area (ASX:AUE)
4 Feb 2025, Napié Project Listing Rule 5.6 Disclosure (Amended) (ASX:AUE)
3 Feb 2025, Mako Takeover Offer Closes (ASX:AUE)
31 Jan 2025, Drill Collar Table Addendum (ASX:AUE)
31 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
31 Jan 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
30 Jan 2025, Aurum hits 150 g/t gold at Boundiali, Côte d'Ivoire (ASX:AUE)
29 Jan 2025, MKG - Suspension of Trading and Delisting From ASX (ASX:AUE)
24 Jan 2025, Compulsory Acquisition Notice Mako Takeover (ASX:AUE)
24 Jan 2025, Non-Binding MoU with SANY Heavy Equipment Co (ASX:AUE)
23 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
9 Jan 2025, Best and Final offer for Mako Gold Limited (ASX:AUE)
31 Dec 2024, Boundiali Project Maiden Resource delivers 1.6 Moz (amended) (ASX:AUE)
30 Dec 2024, Boundiali Gold Project Maiden Resource delivers 1.6 Moz (ASX:AUE)
24 Dec 2024, Change in substantial holding for MKG (ASX:AUE)
23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali (ASX:AUE)
18 Dec 2024, Aurum hits 277 g/t gold at Boundiali BM Target 3
13 Dec 2024, Change of Directors and Addition of Joint Company Secretary (ASX:AUE & ASX:MKG)
6 Dec 2024, AUE receives firm commitments for A\$10 million placement (ASX:AUE)
29 Nov 2024, Aurum earns 80% interest in Boundiali BM tenement (ASX:AUE)
28 Nov 2024, AUE appoints Mr. Steve Zaninovich as Non-Executive Director (ASX:AUE)
22 Nov 2024, AUE Declares Takeover Offer for all MKG Shares Unconditional (ASX:AUE)
15 Nov 2024, Supplementary Bidders Statement (ASX:AUE)
11 Nov 2024, Aurum hits 36 g/t gold at BM T1 of 2.5km strike (ASX:AUE)

30 Oct 2024, Bidders Statement (ASX:AUE)
16 Oct 2024, Recommended Takeover of Mako Gold By Aurum Resources (ASX:AUE)
09 Sep 2024, Aurum earns 51% interest in Boundiali BM tenement (ASX:AUE)
05 Sep 2024, AUE hits 40m at 1.03 g/t gold at Boundiali BD Target 1 (ASX:AUE)
03 Sep 2024, Boundiali South Exploration Licence Renewed (ASX:AUE)
07 Aug 2024, Aurum to advance met studies for Boundiali Gold Project (ASX:AUE)
22 July 2024, Prelim metallurgical tests deliver up to 99% gold recovery (ASX:AUE)
17 June 2024, Aurum hits 69m at 1.05 g/t gold at Boundiali BD Target 1 (ASX:AUE)
28 May 2024, AUE hits 163 g/t gold in 12m @ 14.56 g/t gold at BD Target 1 (ASX:AUE)
24 May 2024, Aurum hits 74m @ 1.0 g/t gold at Boundiali BD Target 2 (ASX:AUE)
15 May 2024, Aurum expands Boundiali Gold Project footprint (ASX:AUE)
10 May 2024, AUE hits 90m @ 1.16 g/t gold at Boundiali BD Target 1 (ASX:AUE)
01 May 2024, Aurum Appoints Country Manager in Côte d'Ivoire (ASX:AUE)
23 April 2024, AUE drilling hits up to 45 g/t gold at Boundiali BD Target 2 (ASX:AUE)
19 March 2024, AUE signs binding term sheet for 100% of Boundiali South (ASX:AUE)
12 March 2024, AUE hits 73m at 2.15g/t inc. 1m at 72g/t gold at Boundiali (ASX:AUE)
01 March 2024, Aurum hits 4m at 22 g/t gold in Boundiali diamond drilling (ASX:AUE)
22 January 2024, Aurum hits shallow, wide gold intercepts at Boundiali, Côte d'Ivoire (ASX:AUE)
21 December 2023, Rapid Drilling at Boundiali Gold Project (ASX:AUE)
21 November 2023, AUE Acquisition Presentation (ASX:AUE)
21 June 2021, Notice of General Meeting/Proxy Form (MSR:ASX)
21 May 2021, PlusOr to Acquire 6194 sq kms Ground Position in Côte d'Ivoire (MSR:ASX)
22 August 2019, Boundiali RC Drill Results Continue to Impress (PDI:ASX)
15 July 2019, RC, Trench Results Grow Boundiali Potential In Côte D'Ivoire (PDI:ASX)
27 May 2019, New Drill Results Strengthen Boundiali Project Côte D'Ivoire (PDI:ASX)
16 January 2019, PDI-Toro JV Sharpens Focus with Major Drilling Program (PDI:ASX)
26 November 2018, Boundiali North - Large Coherent Gold Anomalies in 14km Zone (PDI:ASX)

The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcements.

For personal use only




Figure 1: Location of Aurum's projects in Côte d'Ivoire




Figure 2: Location of Aurum's Boundiali and Napié gold projects in Côte d'Ivoire

For personal use only




Figure 3: Aurum's Boundiali Gold Project

For personal use only




Figure 4: Plan view showing new drill results (yellow) for BDT2⁹

⁹ Only showing intercepts greater than 2.5 gold gram metres, full list of new intercepts included in assay results table.

For personal use only




Figure 5: Cross Section looking north (+/-25m) showing new drill results (yellow) for BDT2¹⁰

¹⁰ Only showing intercepts greater than 2.5 gold gram metres, full list of new intercepts included in assay results table.

Table 1: Drill collar information for holes drilled at Boundiali (BDT2)

Hole ID	UTM East Zone 29N	UTM North Zone 29N	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
DSDD0378	789,381	1,059,348	355	366.90	270	-50	BDT2	DD
DSDD0379	789,081	1,059,448	363	432.70	270	-50		
DSDD0380	788,801	1,059,576	368	250.60	270	-50		
DSDD0381	788,903	1,059,528	366	271.20	270	-50		
DSDD0382A	788,953	1,059,750	367	303.00	270	-50		
DSDD0383	788,931	1,059,825	367	309.65	270	-50		
DSDD0384	788,690	1,059,633	368	209.10	270	-50		
DSDD0385	788,750	1,059,687	368	271.00	270	-50		
DSDD0386	789,000	1,059,926	362	222.00	270	-50		
DSDD0387	788,700	1,059,575	369	251.00	270	-50		
DSDD0388	789,451	1,059,349	353	462.70	270	-50		
DSDD0389	788,789	1,059,630	368	302.90	270	-50		
DSDD0390	788,932	1,059,247	361	342.30	270	-50		
DSDD0391	788,678	1,059,302	367	173.30	270	-50		
DSDD0392	788,901	1,059,401	364	285.10	270	-50		
DSDD0393	788,850	1,059,687	368	271.00	270	-50		
DSDD0394	789,001	1,059,518	365	343.40	270	-50		
DSDD0395	789,000	1,059,576	365	359.60	270	-50		
DSDD0396	788,889	1,059,634	367	305.05	270	-50		
DSDD0397	789,190	1,059,926	358	240.80	270	-50		
DSDD0398	789,030	1,059,824	360	305.90	270	-50		
DSDD0399	789,150	1,059,460	362	311.60	270	-50		
DSDD0400	788,850	1,059,302	364	292.20	270	-50		
DSDD0401	789,049	1,059,749	362	315.70	270	-50		
DSDD0402	789,326	1,059,251	355	447.00	270	-50		
DSDD0403	789,050	1,059,401	362	272.30	270	-50		
DSDD0404	788,951	1,059,688	367	270.60	270	-50		
DSDD0405	788,991	1,059,629	365	320.90	270	-50		
DSDD0406	788,739	1,059,199	364	140.45	270	-50		
DSDD0407A	789,093	1,059,631	362	350.30	270	-50		
DSDD0408	789,293	1,059,459	357	333.40	270	-50		
DSDD0409	789,097	1,059,524	362	378.00	270	-50		
DSDD0410	789,099	1,059,576	362	450.50	270	-50		
DSDD0411	788,837	1,059,200	363	233.70	270	-50		
DSDD0413	789,049	1,059,686	364	351.50	270	-50		
DSDD0414	789,152	1,059,689	360	302.70	270	-50		
DSDD0415	789,190	1,059,630	359	307.70	270	-50		
DSDD0417	788,786	1,059,101	362	219.35	270	-50		
DSDD0418	788,722	1,059,149	364	162.40	270	-50		
DSDD0420	789,241	1,059,576	358	353.80	270	-50		
40 holes				12,093.30m				

Table 2: Significant assay results for holes drilled at Boundiali (BDT2)¹¹

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0378	0.00	1.00	1.00	0.223	1.00 m @ 0.22 g/t Au	0.2	
BDT2	DSDD0378	2.06	3.40	1.34	0.117			
BDT2	DSDD0378	3.40	4.50	1.10	0.134			
BDT2	DSDD0378	25.50	27.00	1.50	0.158			
BDT2	DSDD0378	29.52	30.30	0.78	0.387	1.98 m @ 0.43 g/t Au	0.8	
BDT2	DSDD0378	30.30	31.50	1.20	0.452			
BDT2	DSDD0378	36.00	37.00	1.00	0.143			
BDT2	DSDD0378	37.00	38.00	1.00	0.137			
BDT2	DSDD0378	38.00	39.45	1.45	0.151			
BDT2	DSDD0378	39.45	40.00	0.55	0.116			
BDT2	DSDD0378	40.00	41.00	1.00	0.153			
BDT2	DSDD0378	41.00	41.57	0.57	0.501	3.00 m @ 0.23 g/t Au	0.7	
BDT2	DSDD0378	41.57	43.00	1.43	0.121			
BDT2	DSDD0378	43.00	44.00	1.00	0.239			
BDT2	DSDD0378	52.00	53.00	1.00	0.163	15.00 m @ 0.21 g/t Au	3.2	
BDT2	DSDD0378	53.00	54.00	1.00	0.483			
BDT2	DSDD0378	54.00	55.00	1.00	0.211			
BDT2	DSDD0378	55.00	56.00	1.00	0.159			
BDT2	DSDD0378	56.00	57.00	1.00	0.350			
BDT2	DSDD0378	57.00	58.00	1.00	0.289			
BDT2	DSDD0378	58.00	59.00	1.00	0.124			
BDT2	DSDD0378	59.00	60.00	1.00	0.238			
BDT2	DSDD0378	60.00	61.00	1.00	0.228			
BDT2	DSDD0378	61.00	62.00	1.00	0.075			
BDT2	DSDD0378	62.00	63.00	1.00	0.046			
BDT2	DSDD0378	63.00	64.00	1.00	0.332			
BDT2	DSDD0378	64.00	65.00	1.00	0.067			
BDT2	DSDD0378	65.00	66.00	1.00	0.123			
BDT2	DSDD0378	66.00	67.00	1.00	0.212			
BDT2	DSDD0378	67.00	68.00	1.00	0.236			
BDT2	DSDD0378	71.00	72.00	1.00	0.347	1.00 m @ 0.35 g/t Au	0.3	
BDT2	DSDD0378	74.00	75.00	1.00	0.195			
BDT2	DSDD0378	75.00	76.00	1.00	0.199			
BDT2	DSDD0378	76.00	77.00	1.00	0.116			
BDT2	DSDD0378	77.00	78.00	1.00	0.189			
BDT2	DSDD0378	78.00	79.00	1.00	0.138			
BDT2	DSDD0378	79.00	80.00	1.00	0.142			
BDT2	DSDD0378	80.00	81.00	1.00	0.148			
BDT2	DSDD0378	81.00	82.00	1.00	0.217	2.00 m @ 0.22 g/t Au	0.4	
BDT2	DSDD0378	82.00	83.00	1.00	0.230			
BDT2	DSDD0378	83.00	84.00	1.00	0.131			
BDT2	DSDD0378	85.00	86.00	1.00	0.241	1.00 m @ 0.24 g/t Au	0.2	
BDT2	DSDD0378	87.00	88.00	1.00	0.278	1.00 m @ 0.28 g/t Au	0.3	
BDT2	DSDD0378	89.00	90.00	1.00	0.162			
BDT2	DSDD0378	92.00	93.00	1.00	0.190			
BDT2	DSDD0378	93.00	94.00	1.00	0.170			
BDT2	DSDD0378	94.00	95.00	1.00	0.600	3.00 m @ 0.38 g/t Au	1.1	
BDT2	DSDD0378	95.00	96.00	1.00	0.210			
BDT2	DSDD0378	96.00	97.00	1.00	0.328			
BDT2	DSDD0378	97.00	98.00	1.00	0.165			

¹¹ 0.2 g/t Au cut off used with up to 3m consecutive internal dilution and no top cut applied

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0378	98.00	99.00	1.00	0.106			
BDT2	DSDD0378	99.00	100.00	1.00	0.192			
BDT2	DSDD0378	100.00	101.00	1.00	0.130			
BDT2	DSDD0378	101.00	102.00	1.00	0.101			
BDT2	DSDD0378	102.00	103.00	1.00	0.189			
BDT2	DSDD0378	103.00	104.00	1.00	0.657			
BDT2	DSDD0378	104.00	105.00	1.00	0.264			
BDT2	DSDD0378	105.00	106.00	1.00	0.174			
BDT2	DSDD0378	106.00	107.00	1.00	0.297			
BDT2	DSDD0378	107.00	108.00	1.00	0.552			
BDT2	DSDD0378	108.00	109.00	1.00	0.391			
BDT2	DSDD0378	109.00	110.00	1.00	0.052			
BDT2	DSDD0378	110.00	111.00	1.00	0.239			
BDT2	DSDD0378	111.00	112.00	1.00	0.037			
BDT2	DSDD0378	112.00	113.00	1.00	0.086	18.69 m @ 0.28 g/t Au	5.3	
BDT2	DSDD0378	113.00	114.00	1.00	0.362			
BDT2	DSDD0378	114.00	115.00	1.00	0.084			
BDT2	DSDD0378	115.00	116.00	1.00	0.937			
BDT2	DSDD0378	116.00	117.00	1.00	0.273			
BDT2	DSDD0378	117.00	118.00	1.00	0.017			
BDT2	DSDD0378	118.00	119.00	1.00	0.119			
BDT2	DSDD0378	119.00	120.00	1.00	0.218			
BDT2	DSDD0378	120.00	121.00	1.00	0.298			
BDT2	DSDD0378	121.00	121.69	0.69	0.336			
BDT2	DSDD0378	123.00	124.00	1.00	0.108			
BDT2	DSDD0378	132.00	133.10	1.10	0.117			
BDT2	DSDD0378	133.10	134.00	0.90	0.259	0.90 m @ 0.26 g/t Au	0.2	
BDT2	DSDD0378	139.00	140.00	1.00	0.137			
BDT2	DSDD0378	140.00	141.00	1.00	0.306	1.00 m @ 0.31 g/t Au	0.3	
BDT2	DSDD0378	141.00	142.00	1.00	0.137			
BDT2	DSDD0378	142.00	143.00	1.00	0.196			
BDT2	DSDD0378	143.00	144.00	1.00	0.140			
BDT2	DSDD0378	144.00	145.00	1.00	0.112			
BDT2	DSDD0378	145.00	146.00	1.00	0.110			
BDT2	DSDD0378	148.00	149.00	1.00	0.127			
BDT2	DSDD0378	149.00	150.00	1.00	0.369			
BDT2	DSDD0378	150.00	150.95	0.95	0.079			
BDT2	DSDD0378	150.95	152.00	1.05	0.105			
BDT2	DSDD0378	152.00	153.00	1.00	0.329			
BDT2	DSDD0378	153.00	154.00	1.00	0.073			
BDT2	DSDD0378	154.00	154.90	0.90	0.008			
BDT2	DSDD0378	154.90	156.00	1.10	0.027			
BDT2	DSDD0378	156.00	157.00	1.00	0.264			
BDT2	DSDD0378	157.00	158.00	1.00	0.240			
BDT2	DSDD0378	158.00	159.00	1.00	0.476			
BDT2	DSDD0378	159.00	160.00	1.00	0.008	26.00 m @ 0.33 g/t Au	8.6	
BDT2	DSDD0378	160.00	161.00	1.00	0.058			
BDT2	DSDD0378	161.00	162.00	1.00	1.132			1.00 m @ 1.13 g/t Au
BDT2	DSDD0378	162.00	163.00	1.00	0.154			
BDT2	DSDD0378	163.00	164.00	1.00	0.039			
BDT2	DSDD0378	164.00	165.00	1.00	0.143			
BDT2	DSDD0378	165.00	166.00	1.00	0.246			
BDT2	DSDD0378	166.00	167.00	1.00	0.203			
BDT2	DSDD0378	167.00	168.00	1.00	0.777			
BDT2	DSDD0378	168.00	169.00	1.00	1.941			1.00 m @ 1.94 g/t Au

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0378	169.00	170.00	1.00	0.677			
BDT2	DSDD0378	170.00	171.00	1.00	0.236			
BDT2	DSDD0378	171.00	172.00	1.00	0.334			
BDT2	DSDD0378	172.00	173.00	1.00	0.326			
BDT2	DSDD0378	173.00	174.00	1.00	0.148			
BDT2	DSDD0378	174.00	175.00	1.00	0.221			
BDT2	DSDD0378	175.00	176.00	1.00	0.176			
BDT2	DSDD0378	178.00	179.00	1.00	0.144			
BDT2	DSDD0378	179.00	180.00	1.00	0.154			
BDT2	DSDD0378	180.00	181.00	1.00	0.109			
BDT2	DSDD0378	181.00	182.00	1.00	0.213			
BDT2	DSDD0378	182.00	183.00	1.00	0.258			
BDT2	DSDD0378	183.00	184.00	1.00	0.154			
BDT2	DSDD0378	184.00	185.00	1.00	0.383			
BDT2	DSDD0378	185.00	186.00	1.00	0.150			
BDT2	DSDD0378	186.00	187.00	1.00	0.607			
BDT2	DSDD0378	187.00	188.00	1.00	0.144			
BDT2	DSDD0378	188.00	189.00	1.00	0.197			
BDT2	DSDD0378	189.00	190.00	1.00	0.112			
BDT2	DSDD0378	193.00	194.00	1.00	0.237	1.00 m @ 0.24 g/t Au	0.2	
BDT2	DSDD0378	196.00	197.00	1.00	0.131			
BDT2	DSDD0378	197.00	198.00	1.00	0.171			
BDT2	DSDD0378	198.00	199.00	1.00	0.271			
BDT2	DSDD0378	199.00	200.00	1.00	0.076			
BDT2	DSDD0378	200.00	201.00	1.00	0.051			
BDT2	DSDD0378	201.00	202.00	1.00	0.292			
BDT2	DSDD0378	202.00	203.36	1.36	0.475			
BDT2	DSDD0378	203.36	204.00	0.64	0.089			
BDT2	DSDD0378	204.00	205.00	1.00	0.071			
BDT2	DSDD0378	205.00	206.00	1.00	0.308			
BDT2	DSDD0378	206.00	207.00	1.00	0.107			
BDT2	DSDD0378	207.00	208.00	1.00	0.244			
BDT2	DSDD0378	208.00	209.00	1.00	0.115			
BDT2	DSDD0378	209.00	210.00	1.00	0.111			
BDT2	DSDD0378	212.00	213.00	1.00	0.147			
BDT2	DSDD0378	213.00	214.00	1.00	0.229			
BDT2	DSDD0378	214.00	215.00	1.00	0.225			
BDT2	DSDD0378	215.00	216.00	1.00	0.235			
BDT2	DSDD0378	216.00	217.00	1.00	0.573			
BDT2	DSDD0378	217.00	218.00	1.00	0.211			
BDT2	DSDD0378	218.00	219.00	1.00	0.212			
BDT2	DSDD0378	219.00	220.00	1.00	0.050			
BDT2	DSDD0378	220.00	221.00	1.00	0.350			
BDT2	DSDD0378	221.00	222.00	1.00	0.246			
BDT2	DSDD0378	222.00	222.60	0.60	0.554			
BDT2	DSDD0378	222.60	224.00	1.40	0.060			
BDT2	DSDD0378	224.00	225.00	1.00	0.093			
BDT2	DSDD0378	225.00	226.00	1.00	0.322			
BDT2	DSDD0378	226.00	227.00	1.00	0.283			
BDT2	DSDD0378	227.00	228.00	1.00	0.471			
BDT2	DSDD0378	228.00	229.00	1.00	0.248			
BDT2	DSDD0378	229.00	230.00	1.00	0.194			
BDT2	DSDD0378	230.00	231.00	1.00	0.183			
BDT2	DSDD0378	231.00	231.72	0.72	0.365			
BDT2	DSDD0378	231.72	233.00	1.28	0.214			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0378	233.00	234.00	1.00	0.104			
BDT2	DSDD0378	234.00	235.00	1.00	0.161			
BDT2	DSDD0378	237.00	238.00	1.00	0.131			
BDT2	DSDD0378	238.00	239.00	1.00	0.208	1.00 m @ 0.21 g/t Au	0.2	
BDT2	DSDD0378	239.00	240.00	1.00	0.101			
BDT2	DSDD0378	269.00	270.00	1.00	0.545			
BDT2	DSDD0378	270.00	271.00	1.00	0.917			
BDT2	DSDD0378	271.00	271.86	0.86	0.105			
BDT2	DSDD0378	271.86	273.00	1.14	0.264			
BDT2	DSDD0378	273.00	274.00	1.00	0.246			
BDT2	DSDD0378	274.00	275.00	1.00	0.105			
BDT2	DSDD0378	275.00	276.00	1.00	1.033			
BDT2	DSDD0378	276.00	277.00	1.00	1.326			2.00 m @ 1.18 g/t Au
BDT2	DSDD0378	277.00	278.00	1.00	0.808			
BDT2	DSDD0378	278.00	279.00	1.00	0.503			
BDT2	DSDD0378	279.00	280.00	1.00	0.214			
BDT2	DSDD0378	280.00	281.22	1.22	0.908			
BDT2	DSDD0378	281.22	282.00	0.78	0.260			
BDT2	DSDD0378	282.00	283.00	1.00	3.382			
BDT2	DSDD0378	283.00	284.00	1.00	5.304			2.00 m @ 4.34 g/t Au
BDT2	DSDD0378	284.00	285.00	1.00	0.146	30.00 m @ 0.66 g/t Au	19.8	
BDT2	DSDD0378	285.00	286.00	1.00	0.059			
BDT2	DSDD0378	286.00	287.00	1.00	0.451			
BDT2	DSDD0378	287.00	288.00	1.00	0.021			
BDT2	DSDD0378	288.00	289.20	1.20	0.008			
BDT2	DSDD0378	289.20	290.20	1.00	0.313			
BDT2	DSDD0378	290.20	291.00	0.80	0.023			
BDT2	DSDD0378	291.00	292.00	1.00	1.168			1.00 m @ 1.17 g/t Au
BDT2	DSDD0378	292.00	293.00	1.00	0.259			
BDT2	DSDD0378	293.00	294.00	1.00	0.378			
BDT2	DSDD0378	294.00	295.00	1.00	0.252			
BDT2	DSDD0378	295.00	296.00	1.00	0.187			
BDT2	DSDD0378	296.00	297.00	1.00	0.018			
BDT2	DSDD0378	297.00	298.00	1.00	0.008			
BDT2	DSDD0378	298.00	299.00	1.00	0.406			
BDT2	DSDD0378	299.00	300.00	1.00	0.106			
BDT2	DSDD0378	303.00	304.00	1.00	0.225			
BDT2	DSDD0378	304.00	305.00	1.00	0.255			
BDT2	DSDD0378	305.00	306.00	1.00	0.670			
BDT2	DSDD0378	306.00	307.00	1.00	0.112			
BDT2	DSDD0378	307.00	308.00	1.00	0.119			
BDT2	DSDD0378	308.00	309.00	1.00	0.640			
BDT2	DSDD0378	309.00	310.00	1.00	0.449			
BDT2	DSDD0378	310.00	311.00	1.00	0.348			
BDT2	DSDD0378	311.00	311.85	0.85	0.546			
BDT2	DSDD0378	311.85	313.00	1.15	0.018			
BDT2	DSDD0378	313.00	314.00	1.00	0.133			
BDT2	DSDD0378	314.00	315.00	1.00	0.431			
BDT2	DSDD0378	315.00	315.71	0.71	0.721			
BDT2	DSDD0378	315.71	316.50	0.79	2.714			0.79 m @ 2.71 g/t Au
BDT2	DSDD0378	316.50	318.00	1.50	0.031			
BDT2	DSDD0378	318.00	319.00	1.00	0.237			
BDT2	DSDD0378	322.44	323.00	0.56	0.235			
BDT2	DSDD0378	323.00	324.00	1.00	0.891	6.56 m @ 0.91 g/t Au	6.0	
BDT2	DSDD0378	324.00	325.00	1.00	0.384			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
BDT2	DSDD0378	325.00	326.00	1.00	1.062			4.00 m @ 1.14 g/t Au	
BDT2	DSDD0378	326.00	327.00	1.00	0.068				
BDT2	DSDD0378	327.00	328.00	1.00	1.525				
BDT2	DSDD0378	328.00	329.00	1.00	1.908				
BDT2	DSDD0378	331.00	332.00	1.00	0.153				
BDT2	DSDD0378	341.00	342.00	1.00	0.193				
BDT2	DSDD0378	342.00	343.10	1.10	0.281	1.10 m @ 0.28 g/t Au	0.3		
BDT2	DSDD0379	5.17	5.67	0.50	0.105				
BDT2	DSDD0379	66.00	67.00	1.00	1.739	1.00 m @ 1.74 g/t Au	1.7	1.00 m @ 1.74 g/t Au	
BDT2	DSDD0379	71.00	72.00	1.00	0.184				
BDT2	DSDD0379	73.00	74.00	1.00	0.223	2.00 m @ 0.85 g/t Au	1.7		
BDT2	DSDD0379	74.00	75.00	1.00	1.480			1.00 m @ 1.48 g/t Au	
BDT2	DSDD0379	75.00	76.00	1.00	0.158				
BDT2	DSDD0379	88.00	89.00	1.00	0.100				
BDT2	DSDD0379	89.00	90.00	1.00	2.785	6.00 m @ 0.62 g/t Au	3.7	1.00 m @ 2.79 g/t Au	
BDT2	DSDD0379	90.00	91.00	1.00	0.133				
BDT2	DSDD0379	91.00	92.00	1.00	0.050				
BDT2	DSDD0379	92.00	93.00	1.00	0.111				
BDT2	DSDD0379	93.00	94.00	1.00	0.253				
BDT2	DSDD0379	94.00	95.00	1.00	0.360				
BDT2	DSDD0379	127.59	129.00	1.41	0.152				
BDT2	DSDD0379	131.00	132.00	1.00	0.302	1.00 m @ 0.30 g/t Au	0.3		
BDT2	DSDD0379	136.00	137.00	1.00	0.378	1.00 m @ 0.38 g/t Au	0.4		
BDT2	DSDD0379	140.00	141.00	1.00	0.424	2.00 m @ 0.34 g/t Au	0.7		
BDT2	DSDD0379	141.00	142.00	1.00	0.257				
BDT2	DSDD0379	171.00	172.00	1.00	0.113				
BDT2	DSDD0379	184.00	185.00	1.00	0.123				
BDT2	DSDD0379	185.00	186.00	1.00	3.365	1.00 m @ 3.37 g/t Au	3.4	1.00 m @ 3.37 g/t Au	
BDT2	DSDD0379	206.00	207.00	1.00	0.147				
BDT2	DSDD0379	207.00	208.00	1.00	0.102				
BDT2	DSDD0379	213.00	214.00	1.00	0.703	5.00 m @ 0.29 g/t Au	1.5		
BDT2	DSDD0379	214.00	215.00	1.00	0.008				
BDT2	DSDD0379	215.00	216.00	1.00	0.483				
BDT2	DSDD0379	216.00	217.00	1.00	0.008				
BDT2	DSDD0379	217.00	218.00	1.00	0.265				
BDT2	DSDD0379	219.00	220.00	1.00	0.133				
BDT2	DSDD0379	277.00	277.93	0.93	0.303	0.93 m @ 0.30 g/t Au	0.3		
BDT2	DSDD0379	277.93	279.00	1.07	0.191				
BDT2	DSDD0379	279.00	280.00	1.00	0.101				
BDT2	DSDD0379	281.00	282.00	1.00	0.482	11.00 m @ 0.23 g/t Au	2.6		
BDT2	DSDD0379	282.00	283.00	1.00	0.177				
BDT2	DSDD0379	283.00	284.00	1.00	0.089				
BDT2	DSDD0379	284.00	285.00	1.00	0.251				
BDT2	DSDD0379	285.00	286.00	1.00	0.679				
BDT2	DSDD0379	286.00	287.00	1.00	0.105				
BDT2	DSDD0379	287.00	288.00	1.00	0.283				
BDT2	DSDD0379	288.00	289.00	1.00	0.201				
BDT2	DSDD0379	289.00	290.00	1.00	0.027				
BDT2	DSDD0379	290.00	291.00	1.00	0.046				
BDT2	DSDD0379	291.00	292.00	1.00	0.216				
BDT2	DSDD0379	293.00	294.00	1.00	0.186				
BDT2	DSDD0379	298.50	299.60	1.10	0.445	2.10 m @ 4.03 g/t Au	8.5		
BDT2	DSDD0379	299.60	300.60	1.00	7.965			1.00 m @ 7.96 g/t Au	
BDT2	DSDD0379	300.60	302.00	1.40	0.136				
BDT2	DSDD0379	304.19	305.00	0.81	0.265	2.81 m @ 0.58 g/t Au	1.6		

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0379	305.00	306.00	1.00	0.008			
BDT2	DSDD0379	306.00	307.00	1.00	1.402			1.00 m @ 1.40 g/t Au
BDT2	DSDD0379	312.00	313.00	1.00	4.098			1.00 m @ 4.10 g/t Au
BDT2	DSDD0379	313.00	314.00	1.00	0.034			
BDT2	DSDD0379	314.00	315.00	1.00	0.046			
BDT2	DSDD0379	315.00	316.00	1.00	0.370			
BDT2	DSDD0379	316.00	317.00	1.00	0.195			
BDT2	DSDD0379	317.00	318.00	1.00	0.394			
BDT2	DSDD0379	318.00	319.00	1.00	0.359			
BDT2	DSDD0379	319.00	320.00	1.00	0.074			
BDT2	DSDD0379	320.00	321.00	1.00	0.409			
BDT2	DSDD0379	321.00	322.00	1.00	0.398			
BDT2	DSDD0379	328.00	329.00	1.00	0.109			
BDT2	DSDD0379	386.00	387.00	1.00	1.419			1.00 m @ 1.42 g/t Au
BDT2	DSDD0379	387.00	388.00	1.00	0.762			
BDT2	DSDD0379	388.00	389.00	1.00	0.362			
BDT2	DSDD0379	389.00	390.00	1.00	0.165			
BDT2	DSDD0379	390.00	391.00	1.00	0.290			
BDT2	DSDD0379	391.00	392.00	1.00	0.101			
BDT2	DSDD0379	392.00	393.00	1.00	0.090			
BDT2	DSDD0379	393.00	394.00	1.00	0.149			
BDT2	DSDD0379	394.00	395.00	1.00	0.233			
BDT2	DSDD0379	395.00	396.00	1.00	0.057			
BDT2	DSDD0379	396.00	397.00	1.00	0.564			
BDT2	DSDD0379	397.00	398.00	1.00	0.052			
BDT2	DSDD0379	398.00	399.00	1.00	0.482			
BDT2	DSDD0379	412.00	413.12	1.12	0.603			
BDT2	DSDD0379	413.12	414.00	0.88	0.890	2.00 m @ 0.73 g/t Au	1.5	
BDT2	DSDD0379	428.00	429.00	1.00	0.109			
BDT2	DSDD0380	0.00	0.65	0.65	0.171			
BDT2	DSDD0380	1.50	3.00	1.50	0.128			
BDT2	DSDD0380	3.00	3.90	0.90	0.111			
BDT2	DSDD0380	3.90	5.00	1.10	0.102			
BDT2	DSDD0380	12.55	13.50	0.95	0.693	0.95 m @ 0.69 g/t Au	0.7	
BDT2	DSDD0380	13.50	14.16	0.66	0.177			
BDT2	DSDD0380	45.00	46.00	1.00	0.108			
BDT2	DSDD0380	47.30	48.56	1.26	0.107			
BDT2	DSDD0380	50.17	51.00	0.83	0.350			
BDT2	DSDD0380	51.00	51.86	0.86	1.302	1.69 m @ 0.83 g/t Au	1.4	0.86 m @ 1.30 g/t Au
BDT2	DSDD0380	54.96	55.50	0.54	0.946	0.54 m @ 0.95 g/t Au	0.5	
BDT2	DSDD0380	119.00	120.00	1.00	0.283	1.00 m @ 0.28 g/t Au	0.3	
BDT2	DSDD0380	146.00	147.00	1.00	0.129			
BDT2	DSDD0380	147.00	148.00	1.00	0.640			
BDT2	DSDD0380	148.00	149.00	1.00	0.411	2.00 m @ 0.53 g/t Au	1.1	
BDT2	DSDD0380	149.00	150.00	1.00	0.164			
BDT2	DSDD0380	172.00	173.00	1.00	1.007	1.00 m @ 1.01 g/t Au	1.0	1.00 m @ 1.01 g/t Au
BDT2	DSDD0380	190.00	191.00	1.00	0.438	1.00 m @ 0.44 g/t Au	0.4	
BDT2	DSDD0380	207.00	208.00	1.00	0.140			
BDT2	DSDD0380	208.00	209.00	1.00	0.133			
BDT2	DSDD0380	212.00	213.00	1.00	0.235			
BDT2	DSDD0380	213.00	214.00	1.00	1.009	2.00 m @ 0.62 g/t Au	1.2	1.00 m @ 1.01 g/t Au
BDT2	DSDD0380	242.00	243.00	1.00	0.116			
BDT2	DSDD0381	3.00	4.50	1.50	0.105			
BDT2	DSDD0381	27.00	28.50	1.50	0.214	1.50 m @ 0.21 g/t Au	0.3	
BDT2	DSDD0381	28.50	30.00	1.50	0.110			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0381	48.00	49.50	1.50	0.173			
BDT2	DSDD0381	49.50	50.19	0.69	2.054	0.69 m @ 2.05 g/t Au	1.4	0.69 m @ 2.05 g/t Au
BDT2	DSDD0381	89.00	90.00	1.00	0.436	1.00 m @ 0.44 g/t Au	0.4	
BDT2	DSDD0381	96.00	97.00	1.00	0.321	11.00 m @ 0.38 g/t Au	4.2	
BDT2	DSDD0381	97.00	98.00	1.00	0.401			
BDT2	DSDD0381	98.00	99.00	1.00	0.434			
BDT2	DSDD0381	99.00	100.00	1.00	0.038			
BDT2	DSDD0381	100.00	101.00	1.00	0.008			
BDT2	DSDD0381	101.00	102.00	1.00	0.852			
BDT2	DSDD0381	102.00	103.00	1.00	0.071			
BDT2	DSDD0381	103.00	104.00	1.00	1.200			1.00 m @ 1.20 g/t Au
BDT2	DSDD0381	104.00	105.00	1.00	0.115			
BDT2	DSDD0381	105.00	106.00	1.00	0.245			
BDT2	DSDD0381	106.00	107.00	1.00	0.512			
BDT2	DSDD0381	131.00	132.00	1.00	0.314	1.00 m @ 0.31 g/t Au	0.3	
BDT2	DSDD0381	144.79	146.00	1.21	0.729	20.21 m @ 0.58 g/t Au	11.7	
BDT2	DSDD0381	146.00	147.00	1.00	0.375			
BDT2	DSDD0381	147.00	148.00	1.00	0.291			
BDT2	DSDD0381	148.00	149.00	1.00	0.272			
BDT2	DSDD0381	149.00	150.00	1.00	3.707			1.00 m @ 3.71 g/t Au
BDT2	DSDD0381	150.00	151.00	1.00	0.151			
BDT2	DSDD0381	151.00	152.00	1.00	0.227			
BDT2	DSDD0381	152.00	153.00	1.00	0.199			
BDT2	DSDD0381	153.00	154.00	1.00	0.186			
BDT2	DSDD0381	154.00	155.00	1.00	0.052			
BDT2	DSDD0381	155.00	156.00	1.00	0.211			
BDT2	DSDD0381	156.00	157.00	1.00	0.036			
BDT2	DSDD0381	157.00	158.00	1.00	1.256			1.00 m @ 1.26 g/t Au
BDT2	DSDD0381	158.00	159.00	1.00	0.158			
BDT2	DSDD0381	159.00	160.00	1.00	1.523			1.00 m @ 1.52 g/t Au
BDT2	DSDD0381	160.00	161.00	1.00	0.025			
BDT2	DSDD0381	161.00	162.00	1.00	0.179			
BDT2	DSDD0381	162.00	163.00	1.00	0.532			
BDT2	DSDD0381	163.00	164.00	1.00	0.219			
BDT2	DSDD0381	164.00	165.00	1.00	1.224	1.00 m @ 1.22 g/t Au		
BDT2	DSDD0381	165.00	166.00	1.00	0.178			
BDT2	DSDD0381	169.00	170.00	1.00	0.564	1.00 m @ 0.56 g/t Au	0.6	
BDT2	DSDD0381	171.00	171.72	0.72	0.123			
BDT2	DSDD0381	174.00	175.05	1.05	0.907	9.50 m @ 0.59 g/t Au	5.6	
BDT2	DSDD0381	175.05	176.00	0.95	0.697			
BDT2	DSDD0381	176.00	177.00	1.00	1.386			1.00 m @ 1.39 g/t Au
BDT2	DSDD0381	177.00	178.00	1.00	0.191			
BDT2	DSDD0381	178.00	179.00	1.00	0.589			
BDT2	DSDD0381	179.00	180.00	1.00	0.175			
BDT2	DSDD0381	180.00	181.00	1.00	0.069			
BDT2	DSDD0381	181.00	182.00	1.00	0.019			
BDT2	DSDD0381	182.00	183.00	1.00	1.183			1.00 m @ 1.18 g/t Au
BDT2	DSDD0381	183.00	183.50	0.50	0.771			
BDT2	DSDD0381	188.00	189.00	1.00	0.595	1.00 m @ 0.59 g/t Au	0.6	
BDT2	DSDD0381	222.00	223.00	1.00	0.198			
BDT2	DSDD0381	223.00	224.00	1.00	0.252	1.00 m @ 0.25 g/t Au	0.3	
BDT2	DSDD0381	235.00	236.00	1.00	0.432	18.00 m @ 0.28 g/t Au	5.0	
BDT2	DSDD0381	236.00	237.00	1.00	0.139			
BDT2	DSDD0381	237.00	238.00	1.00	0.065			
BDT2	DSDD0381	238.00	239.00	1.00	0.008			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0381	239.00	240.00	1.00	0.252			
BDT2	DSDD0381	240.00	241.00	1.00	0.228			
BDT2	DSDD0381	241.00	242.00	1.00	0.008			
BDT2	DSDD0381	242.00	243.00	1.00	0.008			
BDT2	DSDD0381	243.00	244.00	1.00	0.269			
BDT2	DSDD0381	244.00	245.00	1.00	0.020			
BDT2	DSDD0381	245.00	246.00	1.00	0.008			
BDT2	DSDD0381	246.00	247.00	1.00	2.289			1.00 m @ 2.29 g/t Au
BDT2	DSDD0381	247.00	248.00	1.00	0.035			
BDT2	DSDD0381	248.00	249.00	1.00	0.041			
BDT2	DSDD0381	249.00	250.00	1.00	0.023			
BDT2	DSDD0381	250.00	251.00	1.00	0.772			
BDT2	DSDD0381	251.00	252.00	1.00	0.143			
BDT2	DSDD0381	252.00	253.00	1.00	0.281			
BDT2	DSDD0381	260.00	261.00	1.00	0.278			
BDT2	DSDD0381	261.00	262.00	1.00	0.359	2.00 m @ 0.32 g/t Au	0.6	
BDT2	DSDD0381	266.00	267.00	1.00	0.131			
BDT2	DSDD0381	269.00	270.00	1.00	1.229	1.00 m @ 1.23 g/t Au	1.2	1.00 m @ 1.23 g/t Au
BDT2	DSDD0382A	0.77	1.91	1.14	0.119			
BDT2	DSDD0382A	4.98	6.00	1.02	0.171			
BDT2	DSDD0382A	10.50	12.00	1.50	0.138			
BDT2	DSDD0382A	139.00	140.00	1.00	0.179			
BDT2	DSDD0382A	140.00	141.00	1.00	0.163			
BDT2	DSDD0382A	142.00	143.00	1.00	0.296			
BDT2	DSDD0382A	143.00	144.00	1.00	0.118			
BDT2	DSDD0382A	144.00	145.00	1.00	0.157	4.00 m @ 0.24 g/t Au	0.9	
BDT2	DSDD0382A	145.00	146.00	1.00	0.374			
BDT2	DSDD0382A	173.00	174.00	1.00	0.297			
BDT2	DSDD0382A	174.00	175.00	1.00	1.456	2.00 m @ 0.88 g/t Au	1.8	1.00 m @ 1.46 g/t Au
BDT2	DSDD0382A	176.00	177.00	1.00	0.104			
BDT2	DSDD0382A	186.00	187.00	1.00	0.136			
BDT2	DSDD0382A	187.00	188.00	1.00	8.039	1.00 m @ 8.04 g/t Au	8.0	1.00 m @ 8.04 g/t Au
BDT2	DSDD0382A	198.00	199.00	1.00	0.164			
BDT2	DSDD0382A	200.00	201.00	1.00	0.117			
BDT2	DSDD0382A	205.85	207.00	1.15	0.188			
BDT2	DSDD0382A	207.00	207.90	0.90	0.312			
BDT2	DSDD0382A	207.90	209.00	1.10	0.035			
BDT2	DSDD0382A	209.00	210.00	1.00	0.023	4.00 m @ 0.28 g/t Au	1.1	
BDT2	DSDD0382A	210.00	211.00	1.00	0.782			
BDT2	DSDD0382A	220.00	221.00	1.00	0.121			
BDT2	DSDD0382A	221.00	222.00	1.00	0.146			
BDT2	DSDD0382A	222.00	223.00	1.00	0.106			
BDT2	DSDD0382A	223.00	224.00	1.00	0.402	1.00 m @ 0.40 g/t Au	0.4	
BDT2	DSDD0383	1.50	2.50	1.00	0.202	1.00 m @ 0.20 g/t Au	0.2	
BDT2	DSDD0383	40.00	41.29	1.29	0.104			
BDT2	DSDD0383	42.00	43.50	1.50	0.186			
BDT2	DSDD0383	43.50	45.00	1.50	0.181			
BDT2	DSDD0383	45.00	46.50	1.50	0.149			
BDT2	DSDD0383	70.50	72.00	1.50	0.123			
BDT2	DSDD0383	72.00	73.50	1.50	0.108			
BDT2	DSDD0383	73.50	74.57	1.07	0.132			
BDT2	DSDD0383	75.87	77.00	1.13	0.110			
BDT2	DSDD0383	82.00	83.00	1.00	0.105			
BDT2	DSDD0383	87.00	88.00	1.00	0.155			
BDT2	DSDD0383	88.00	89.00	1.00	0.174			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0383	90.00	91.00	1.00	0.140			
BDT2	DSDD0383	189.00	190.00	1.00	0.398	1.00 m @ 0.40 g/t Au	0.4	
BDT2	DSDD0383	207.00	208.00	1.00	0.117			
BDT2	DSDD0384	3.00	4.50	1.50	0.193			
BDT2	DSDD0384	18.00	19.50	1.50	0.202	1.50 m @ 0.20 g/t Au	0.3	
BDT2	DSDD0384	19.50	20.39	0.89	0.109			
BDT2	DSDD0384	21.00	22.50	1.50	0.424	5.45 m @ 0.27 g/t Au	1.5	
BDT2	DSDD0384	22.50	24.00	1.50	0.087			
BDT2	DSDD0384	24.00	25.50	1.50	0.208			
BDT2	DSDD0384	25.50	26.45	0.95	0.440			
BDT2	DSDD0384	75.00	76.00	1.00	0.132			
BDT2	DSDD0384	92.00	93.00	1.00	0.153			
BDT2	DSDD0384	109.00	110.00	1.00	0.568	1.00 m @ 0.57 g/t Au	0.6	
BDT2	DSDD0384	127.00	127.50	0.50	0.126			
BDT2	DSDD0384	132.00	133.00	1.00	0.118			
BDT2	DSDD0384	143.00	143.90	0.90	0.104			
BDT2	DSDD0384	205.00	206.00	1.00	0.108			
BDT2	DSDD0385	43.98	45.00	1.02	0.110			
BDT2	DSDD0385	195.00	196.00	1.00	0.153			
BDT2	DSDD0385	217.00	218.00	1.00	0.105			
BDT2	DSDD0385	222.00	223.00	1.00	0.264	2.00 m @ 0.29 g/t Au	0.6	
BDT2	DSDD0385	223.00	224.00	1.00	0.312			
BDT2	DSDD0385	229.00	230.00	1.00	0.128			
BDT2	DSDD0385	230.00	231.00	1.00	0.276	1.00 m @ 0.28 g/t Au	0.3	
BDT2	DSDD0385	236.00	237.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BDT2	DSDD0386	5.25	6.00	0.75	0.107			
BDT2	DSDD0386	11.00	12.00	1.00	0.288	1.00 m @ 0.29 g/t Au	0.3	
BDT2	DSDD0386	152.00	153.00	1.00	1.766	1.00 m @ 1.77 g/t Au	1.8	1.00 m @ 1.77 g/t Au
BDT2	DSDD0386	154.00	155.00	1.00	0.130			
BDT2	DSDD0387	0.00	1.50	1.50	0.127			
BDT2	DSDD0387	3.00	4.50	1.50	0.138			
BDT2	DSDD0387	6.00	6.64	0.64	0.102			
BDT2	DSDD0387	36.96	38.30	1.34	0.138			
BDT2	DSDD0387	98.00	99.00	1.00	0.344	1.00 m @ 0.34 g/t Au	0.3	
BDT2	DSDD0387	104.00	105.00	1.00	0.457	1.00 m @ 0.46 g/t Au	0.5	
BDT2	DSDD0387	108.00	109.00	1.00	0.215	1.00 m @ 0.21 g/t Au	0.2	
BDT2	DSDD0388	1.00	2.47	1.47	0.127			
BDT2	DSDD0388	51.20	52.00	0.80	0.537	0.80 m @ 0.54 g/t Au	0.4	
BDT2	DSDD0388	52.00	53.00	1.00	0.126			
BDT2	DSDD0388	127.00	128.00	1.00	0.106			
BDT2	DSDD0388	136.00	137.00	1.00	0.114			
BDT2	DSDD0388	140.00	141.40	1.40	0.149			
BDT2	DSDD0388	141.40	142.20	0.80	0.198			
BDT2	DSDD0388	145.00	146.00	1.00	0.100			
BDT2	DSDD0388	152.00	153.00	1.00	0.162			
BDT2	DSDD0388	164.00	165.48	1.48	0.599	2.00 m @ 1.29 g/t Au	2.6	
BDT2	DSDD0388	165.48	166.00	0.52	3.255			0.52 m @ 3.25 g/t Au
BDT2	DSDD0388	167.00	168.00	1.00	0.162			
BDT2	DSDD0388	168.00	169.00	1.00	0.189			
BDT2	DSDD0388	169.00	170.00	1.00	0.124			
BDT2	DSDD0388	170.00	171.00	1.00	0.176			
BDT2	DSDD0388	171.00	172.00	1.00	0.129			
BDT2	DSDD0388	172.00	173.00	1.00	0.145			
BDT2	DSDD0388	173.00	174.00	1.00	0.150			
BDT2	DSDD0388	174.00	175.00	1.00	1.453	1.00 m @ 1.45 g/t Au	1.5	1.00 m @ 1.45 g/t Au

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0388	176.00	177.00	1.00	0.132			
BDT2	DSDD0388	178.00	179.00	1.00	0.117			
BDT2	DSDD0388	179.00	180.00	1.00	0.127			
BDT2	DSDD0388	181.00	182.00	1.00	0.111			
BDT2	DSDD0388	182.00	183.00	1.00	0.175			
BDT2	DSDD0388	183.00	184.00	1.00	0.204	1.00 m @ 0.20 g/t Au	0.2	
BDT2	DSDD0388	184.00	185.00	1.00	0.159			
BDT2	DSDD0388	186.00	187.36	1.36	0.299	4.10 m @ 0.22 g/t Au	0.9	
BDT2	DSDD0388	187.36	188.00	0.64	0.210			
BDT2	DSDD0388	188.00	189.00	1.00	0.127			
BDT2	DSDD0388	189.00	190.10	1.10	0.231			
BDT2	DSDD0388	190.10	191.00	0.90	0.101			
BDT2	DSDD0388	192.00	193.37	1.37	0.111	4.38 m @ 0.29 g/t Au	1.3	
BDT2	DSDD0388	193.37	194.00	0.63	0.347			
BDT2	DSDD0388	194.00	195.00	1.00	0.232			
BDT2	DSDD0388	195.00	196.00	1.00	0.322			
BDT2	DSDD0388	196.00	197.00	1.00	0.106			
BDT2	DSDD0388	197.00	197.75	0.75	0.514			
BDT2	DSDD0388	197.75	199.00	1.25	0.111			
BDT2	DSDD0388	200.00	201.00	1.00	0.149	13.00 m @ 0.41 g/t Au	5.3	
BDT2	DSDD0388	201.00	202.00	1.00	0.299			
BDT2	DSDD0388	202.00	203.00	1.00	0.066			
BDT2	DSDD0388	203.00	203.86	0.86	0.027			
BDT2	DSDD0388	203.86	205.00	1.14	0.008			
BDT2	DSDD0388	205.00	206.00	1.00	0.280			
BDT2	DSDD0388	206.00	207.00	1.00	0.328			
BDT2	DSDD0388	207.00	208.00	1.00	0.051			
BDT2	DSDD0388	208.00	209.00	1.00	0.167			
BDT2	DSDD0388	209.00	210.00	1.00	3.084			1.00 m @ 3.08 g/t Au
BDT2	DSDD0388	210.00	211.00	1.00	0.212			
BDT2	DSDD0388	211.00	212.00	1.00	0.160			
BDT2	DSDD0388	212.00	213.00	1.00	0.340			
BDT2	DSDD0388	213.00	214.00	1.00	0.291	6.00 m @ 0.23 g/t Au	1.4	
BDT2	DSDD0388	216.00	217.00	1.00	0.105			
BDT2	DSDD0388	218.00	219.00	1.00	0.292			
BDT2	DSDD0388	219.00	220.00	1.00	0.095			
BDT2	DSDD0388	220.00	221.00	1.00	0.402			
BDT2	DSDD0388	221.00	222.00	1.00	0.066			
BDT2	DSDD0388	222.00	223.00	1.00	0.272			
BDT2	DSDD0388	223.00	224.00	1.00	0.236			
BDT2	DSDD0388	224.00	225.00	1.00	0.171			
BDT2	DSDD0388	240.00	241.00	1.00	0.130			
BDT2	DSDD0388	241.00	242.00	1.00	0.318	1.00 m @ 0.32 g/t Au	0.3	
BDT2	DSDD0388	243.00	244.00	1.00	0.107			
BDT2	DSDD0388	248.50	249.15	0.65	0.211	0.65 m @ 0.21 g/t Au	0.1	
BDT2	DSDD0388	255.00	256.00	1.00	3.234	1.00 m @ 3.23 g/t Au	3.2	1.00 m @ 3.23 g/t Au
BDT2	DSDD0388	263.00	264.00	1.00	0.122	5.00 m @ 0.23 g/t Au	1.1	
BDT2	DSDD0388	269.00	270.00	1.00	0.403			
BDT2	DSDD0388	270.00	271.00	1.00	0.078			
BDT2	DSDD0388	271.00	271.85	0.85	0.211			
BDT2	DSDD0388	271.85	273.00	1.15	0.047			
BDT2	DSDD0388	273.00	274.00	1.00	0.421			
BDT2	DSDD0388	274.00	275.00	1.00	0.173			
BDT2	DSDD0388	275.00	276.00	1.00	0.125			
BDT2	DSDD0388	279.00	280.44	1.44	0.116			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0388	280.44	281.00	0.56	0.279	0.56 m @ 0.28 g/t Au	0.2	
BDT2	DSDD0388	281.00	282.00	1.00	0.122			
BDT2	DSDD0388	284.00	284.70	0.70	0.101			
BDT2	DSDD0388	286.00	287.00	1.00	0.136			
BDT2	DSDD0388	288.00	289.00	1.00	0.162			
BDT2	DSDD0388	290.00	291.00	1.00	0.186			
BDT2	DSDD0388	291.00	292.00	1.00	0.327	3.00 m @ 0.31 g/t Au	0.9	
BDT2	DSDD0388	292.00	293.00	1.00	0.056			
BDT2	DSDD0388	293.00	294.00	1.00	0.539			
BDT2	DSDD0388	296.00	297.00	1.00	0.138			
BDT2	DSDD0388	298.00	299.00	1.00	0.115			
BDT2	DSDD0388	301.00	302.00	1.00	0.140			
BDT2	DSDD0388	302.00	303.38	1.38	0.133			
BDT2	DSDD0388	306.00	307.00	1.00	0.156			
BDT2	DSDD0388	309.00	310.00	1.00	0.105			
BDT2	DSDD0388	311.00	312.00	1.00	0.309	2.00 m @ 0.32 g/t Au	0.6	
BDT2	DSDD0388	312.00	313.00	1.00	0.329			
BDT2	DSDD0388	314.00	315.00	1.00	0.191			
BDT2	DSDD0388	315.00	316.00	1.00	0.188			
BDT2	DSDD0388	316.00	317.00	1.00	0.109			
BDT2	DSDD0388	317.00	318.00	1.00	0.198			
BDT2	DSDD0388	318.00	319.00	1.00	0.247	1.00 m @ 0.25 g/t Au	0.2	
BDT2	DSDD0388	319.00	320.50	1.50	0.156			
BDT2	DSDD0388	321.00	322.00	1.00	0.154			
BDT2	DSDD0388	322.00	323.00	1.00	0.194			
BDT2	DSDD0388	323.00	324.00	1.00	0.235	4.00 m @ 0.31 g/t Au	1.2	
BDT2	DSDD0388	324.00	325.00	1.00	0.119			
BDT2	DSDD0388	325.00	326.00	1.00	0.129			
BDT2	DSDD0388	326.00	327.00	1.00	0.749			
BDT2	DSDD0388	327.00	328.00	1.00	0.125			
BDT2	DSDD0388	328.00	329.00	1.00	0.163			
BDT2	DSDD0388	329.00	330.00	1.00	0.116			
BDT2	DSDD0388	331.00	332.00	1.00	0.236	2.00 m @ 0.23 g/t Au	0.5	
BDT2	DSDD0388	332.00	333.00	1.00	0.227			
BDT2	DSDD0388	333.00	334.00	1.00	0.125			
BDT2	DSDD0388	334.00	335.00	1.00	0.103			
BDT2	DSDD0388	335.00	336.00	1.00	0.128			
BDT2	DSDD0388	336.00	337.00	1.00	0.115			
BDT2	DSDD0388	337.00	338.00	1.00	0.190			
BDT2	DSDD0388	339.00	340.00	1.00	0.189			
BDT2	DSDD0388	343.00	344.00	1.00	0.457	51.00 m @ 0.36 g/t Au	18.3	
BDT2	DSDD0388	344.00	345.00	1.00	0.112			
BDT2	DSDD0388	345.00	346.30	1.30	0.111			
BDT2	DSDD0388	346.30	347.00	0.70	0.850			
BDT2	DSDD0388	347.00	348.00	1.00	0.306			
BDT2	DSDD0388	348.00	349.25	1.25	0.356			
BDT2	DSDD0388	349.25	350.00	0.75	0.173			
BDT2	DSDD0388	350.00	351.00	1.00	0.335			
BDT2	DSDD0388	351.00	352.00	1.00	0.417			
BDT2	DSDD0388	352.00	353.00	1.00	0.202			
BDT2	DSDD0388	353.00	354.00	1.00	0.255			
BDT2	DSDD0388	354.00	355.00	1.00	0.111			
BDT2	DSDD0388	355.00	356.00	1.00	0.284			
BDT2	DSDD0388	356.00	357.00	1.00	0.155			
BDT2	DSDD0388	357.00	358.00	1.00	0.119			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0388	358.00	359.00	1.00	0.145			
BDT2	DSDD0388	359.00	360.00	1.00	0.308			
BDT2	DSDD0388	360.00	361.00	1.00	0.162			
BDT2	DSDD0388	361.00	362.00	1.00	0.223			
BDT2	DSDD0388	362.00	363.00	1.00	0.119			
BDT2	DSDD0388	363.00	364.00	1.00	0.130			
BDT2	DSDD0388	364.00	365.00	1.00	0.570			
BDT2	DSDD0388	365.00	366.00	1.00	0.151			
BDT2	DSDD0388	366.00	367.00	1.00	0.046			
BDT2	DSDD0388	367.00	368.00	1.00	0.309			
BDT2	DSDD0388	368.00	369.00	1.00	0.318			
BDT2	DSDD0388	369.00	370.00	1.00	0.165			
BDT2	DSDD0388	370.00	371.00	1.00	0.217			
BDT2	DSDD0388	371.00	372.00	1.00	0.749			
BDT2	DSDD0388	372.00	373.00	1.00	0.096			
BDT2	DSDD0388	373.00	374.00	1.00	0.258			
BDT2	DSDD0388	374.00	375.00	1.00	0.905			
BDT2	DSDD0388	375.00	376.00	1.00	0.731			
BDT2	DSDD0388	376.00	377.00	1.00	0.450			
BDT2	DSDD0388	377.00	378.00	1.00	0.318			
BDT2	DSDD0388	378.00	379.00	1.00	0.203			
BDT2	DSDD0388	379.00	380.00	1.00	0.097			
BDT2	DSDD0388	380.00	381.00	1.00	0.376			
BDT2	DSDD0388	381.00	382.00	1.00	0.043			
BDT2	DSDD0388	382.00	383.00	1.00	0.482			
BDT2	DSDD0388	383.00	384.00	1.00	0.096			
BDT2	DSDD0388	384.00	384.60	0.60	6.588			0.60 m @ 6.59 g/t Au
BDT2	DSDD0388	384.60	386.00	1.40	0.676			
BDT2	DSDD0388	386.00	387.00	1.00	0.030			
BDT2	DSDD0388	387.00	388.00	1.00	0.185			
BDT2	DSDD0388	388.00	389.00	1.00	0.314			
BDT2	DSDD0388	389.00	390.00	1.00	0.515			
BDT2	DSDD0388	390.00	391.00	1.00	0.059			
BDT2	DSDD0388	391.00	392.00	1.00	0.008			
BDT2	DSDD0388	392.00	393.00	1.00	0.017			
BDT2	DSDD0388	393.00	394.00	1.00	0.587			
BDT2	DSDD0388	394.00	395.00	1.00	0.109			
BDT2	DSDD0388	396.50	397.00	0.50	5.331			0.50 m @ 5.33 g/t Au
BDT2	DSDD0388	397.00	398.00	1.00	0.008			
BDT2	DSDD0388	398.00	399.00	1.00	0.107			
BDT2	DSDD0388	399.00	400.50	1.50	0.486			
BDT2	DSDD0388	400.50	401.60	1.10	0.279			
BDT2	DSDD0388	401.60	403.00	1.40	0.449			
BDT2	DSDD0388	403.00	404.50	1.50	0.515			
BDT2	DSDD0388	404.50	405.00	0.50	0.689			
BDT2	DSDD0388	405.00	405.92	0.92	1.161			0.92 m @ 1.16 g/t Au
BDT2	DSDD0388	405.92	407.00	1.08	0.148			
BDT2	DSDD0388	407.00	408.50	1.50	0.119			
BDT2	DSDD0388	408.50	409.92	1.42	0.211			
BDT2	DSDD0388	409.92	411.00	1.08	0.308			
BDT2	DSDD0388	411.00	412.21	1.21	0.331			
BDT2	DSDD0388	421.04	422.00	0.96	0.214			
BDT2	DSDD0388	422.00	422.78	0.78	0.172			
BDT2	DSDD0388	422.78	423.30	0.52	0.492			
BDT2	DSDD0388	423.30	424.00	0.70	0.114			
						15.71 m @ 0.51 g/t Au	8.0	
						4.96 m @ 0.26 g/t Au	1.3	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0388	424.00	425.40	1.40	0.125			
BDT2	DSDD0388	425.40	426.00	0.60	0.712			
BDT2	DSDD0388	435.00	436.00	1.00	0.367	1.00 m @ 0.37 g/t Au	0.4	
BDT2	DSDD0388	439.00	440.00	1.00	0.398	1.00 m @ 0.40 g/t Au	0.4	
BDT2	DSDD0388	461.50	462.70	1.20	0.108			
BDT2	DSDD0389	0.79	1.50	0.71	0.163			
BDT2	DSDD0389	1.50	2.15	0.65	0.105			
BDT2	DSDD0389	48.00	48.96	0.96	0.231	0.96 m @ 0.23 g/t Au	0.2	
BDT2	DSDD0389	55.50	57.00	1.50	0.329	1.50 m @ 0.33 g/t Au	0.5	
BDT2	DSDD0389	145.00	146.00	1.00	0.805			
BDT2	DSDD0389	146.00	147.00	1.00	0.421	2.00 m @ 0.61 g/t Au	1.2	
BDT2	DSDD0389	156.00	157.00	1.00	0.425			
BDT2	DSDD0389	157.00	158.00	1.00	0.018			
BDT2	DSDD0389	158.00	159.00	1.00	0.027	5.00 m @ 0.30 g/t Au	1.5	
BDT2	DSDD0389	159.00	160.00	1.00	0.822			
BDT2	DSDD0389	160.00	161.00	1.00	0.208			
BDT2	DSDD0389	164.00	165.00	1.00	0.126			
BDT2	DSDD0389	168.00	169.00	1.00	0.131			
BDT2	DSDD0389	172.00	173.00	1.00	0.279	1.00 m @ 0.28 g/t Au	0.3	
BDT2	DSDD0389	196.00	197.00	1.00	0.100			
BDT2	DSDD0389	254.00	255.00	1.00	0.106			
BDT2	DSDD0389	277.00	278.00	1.00	0.110			
BDT2	DSDD0390	31.00	32.00	1.00	0.226	1.00 m @ 0.23 g/t Au	0.2	
BDT2	DSDD0390	37.50	38.37	0.87	0.487	0.87 m @ 0.49 g/t Au	0.4	
BDT2	DSDD0390	52.00	52.50	0.50	0.124			
BDT2	DSDD0390	52.50	53.52	1.02	0.585	1.02 m @ 0.58 g/t Au	0.6	
BDT2	DSDD0390	60.00	61.00	1.00	0.169			
BDT2	DSDD0390	62.10	62.95	0.85	0.115			
BDT2	DSDD0390	68.50	70.00	1.50	0.102			
BDT2	DSDD0390	74.00	75.00	1.00	0.261	1.00 m @ 0.26 g/t Au	0.3	
BDT2	DSDD0390	75.00	76.00	1.00	0.115			
BDT2	DSDD0390	82.00	83.00	1.00	1.580	1.00 m @ 1.58 g/t Au	1.6	1.00 m @ 1.58 g/t Au
BDT2	DSDD0390	93.19	94.00	0.81	0.268			
BDT2	DSDD0390	94.00	95.00	1.00	1.074	3.62 m @ 0.45 g/t Au	1.6	1.00 m @ 1.07 g/t Au
BDT2	DSDD0390	95.00	96.00	1.00	0.038			
BDT2	DSDD0390	96.00	96.81	0.81	0.371			
BDT2	DSDD0390	109.00	110.00	1.00	0.224	1.00 m @ 0.22 g/t Au	0.2	
BDT2	DSDD0390	110.00	111.17	1.17	0.121			
BDT2	DSDD0390	122.00	123.00	1.00	0.666	1.00 m @ 0.67 g/t Au	0.7	
BDT2	DSDD0390	123.00	124.00	1.00	0.135			
BDT2	DSDD0390	129.60	130.50	0.90	1.065			0.90 m @ 1.06 g/t Au
BDT2	DSDD0390	130.50	131.00	0.50	0.249			
BDT2	DSDD0390	131.00	132.00	1.00	0.120	4.40 m @ 0.44 g/t Au	1.9	
BDT2	DSDD0390	132.00	133.00	1.00	0.252			
BDT2	DSDD0390	133.00	134.00	1.00	0.479			
BDT2	DSDD0390	134.00	135.00	1.00	0.106			
BDT2	DSDD0390	137.00	138.40	1.40	0.172			
BDT2	DSDD0390	143.77	145.00	1.23	0.407			
BDT2	DSDD0390	145.00	146.50	1.50	0.406	2.73 m @ 0.41 g/t Au	1.1	
BDT2	DSDD0390	163.00	164.00	1.00	0.223			
BDT2	DSDD0390	164.00	165.00	1.00	1.212	2.00 m @ 0.72 g/t Au	1.4	1.00 m @ 1.21 g/t Au
BDT2	DSDD0390	171.00	172.00	1.00	0.129			
BDT2	DSDD0390	172.00	173.00	1.00	0.518	1.00 m @ 0.52 g/t Au	0.5	
BDT2	DSDD0390	180.00	181.00	1.00	0.488			
BDT2	DSDD0390	181.00	182.00	1.00	0.571	2.00 m @ 0.53 g/t Au	1.1	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
BDT2	DSDD0390	183.00	184.00	1.00	0.108				
BDT2	DSDD0390	185.00	186.00	1.00	0.125				
BDT2	DSDD0390	188.00	189.00	1.00	0.182				
BDT2	DSDD0390	189.00	190.00	1.00	0.108				
BDT2	DSDD0390	197.00	198.00	1.00	1.283	1.00 m @ 1.28 g/t Au	1.3	1.00 m @ 1.28 g/t Au	
BDT2	DSDD0390	206.00	207.00	1.00	0.100	17.00 m @ 0.36 g/t Au	6.0		
BDT2	DSDD0390	207.00	208.00	1.00	0.411				
BDT2	DSDD0390	208.00	209.00	1.00	0.152				
BDT2	DSDD0390	209.00	210.00	1.00	0.431				
BDT2	DSDD0390	210.00	211.00	1.00	0.729				
BDT2	DSDD0390	211.00	212.00	1.00	0.111				
BDT2	DSDD0390	212.00	213.00	1.00	0.065				
BDT2	DSDD0390	213.00	214.00	1.00	0.337				
BDT2	DSDD0390	214.00	215.00	1.00	0.561				
BDT2	DSDD0390	215.00	216.00	1.00	0.204				
BDT2	DSDD0390	216.00	217.00	1.00	0.182				
BDT2	DSDD0390	217.00	217.90	0.90	0.328				
BDT2	DSDD0390	217.90	219.00	1.10	0.114				
BDT2	DSDD0390	219.00	220.00	1.00	1.263				1.00 m @ 1.26 g/t Au
BDT2	DSDD0390	220.00	221.00	1.00	0.199				
BDT2	DSDD0390	221.00	221.69	0.69	0.487				
BDT2	DSDD0390	221.69	223.00	1.31	0.144				
BDT2	DSDD0390	223.00	224.00	1.00	0.449				
BDT2	DSDD0390	224.00	225.00	1.00	0.151				
BDT2	DSDD0390	229.00	230.50	1.50	0.306	2.40 m @ 0.29 g/t Au	0.7		
BDT2	DSDD0390	230.50	231.40	0.90	0.262				
BDT2	DSDD0390	264.00	265.00	1.00	0.367	7.00 m @ 0.43 g/t Au	3.0		
BDT2	DSDD0390	265.00	266.00	1.00	0.218				
BDT2	DSDD0390	266.00	267.00	1.00	0.015				
BDT2	DSDD0390	267.00	268.00	1.00	0.008				
BDT2	DSDD0390	268.00	269.00	1.00	0.017				
BDT2	DSDD0390	269.00	270.00	1.00	0.319				
BDT2	DSDD0390	270.00	271.00	1.00	2.052				1.00 m @ 2.05 g/t Au
BDT2	DSDD0390	272.00	273.00	1.00	0.177				
BDT2	DSDD0390	278.00	279.00	1.00	0.519	1.00 m @ 0.52 g/t Au	0.5		
BDT2	DSDD0390	299.00	300.00	1.00	0.112				
BDT2	DSDD0390	305.00	306.00	1.00	0.133				
BDT2	DSDD0390	306.00	307.00	1.00	0.204	5.00 m @ 0.38 g/t Au	1.9		
BDT2	DSDD0390	307.00	308.00	1.00	0.907				
BDT2	DSDD0390	308.00	309.00	1.00	0.075				
BDT2	DSDD0390	309.00	310.00	1.00	0.229				
BDT2	DSDD0390	310.00	311.00	1.00	0.474				
BDT2	DSDD0390	315.00	316.50	1.50	0.262	1.50 m @ 0.26 g/t Au	0.4		
BDT2	DSDD0390	316.50	317.00	0.50	0.180				
BDT2	DSDD0390	324.00	325.40	1.40	0.189				
BDT2	DSDD0390	325.40	326.00	0.60	2.052	0.60 m @ 2.05 g/t Au	1.2	0.60 m @ 2.05 g/t Au	
BDT2	DSDD0390	326.00	327.00	1.00	0.143				
BDT2	DSDD0390	327.00	328.00	1.00	0.172				
BDT2	DSDD0391	6.00	7.00	1.00	0.115				
BDT2	DSDD0391	7.00	7.82	0.82	0.113				
BDT2	DSDD0391	9.00	10.50	1.50	0.110				
BDT2	DSDD0391	27.00	28.50	1.50	0.255	1.50 m @ 0.26 g/t Au	0.4		
BDT2	DSDD0391	35.00	35.93	0.93	0.544	0.93 m @ 0.54 g/t Au	0.5		
BDT2	DSDD0391	49.53	51.00	1.47	0.334	1.47 m @ 0.33 g/t Au	0.5		
BDT2	DSDD0391	51.00	51.86	0.86	0.184				

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0391	67.00	68.00	1.00	0.519	5.00 m @ 0.33 g/t Au	1.7	
BDT2	DSDD0391	68.00	68.85	0.85	0.344			
BDT2	DSDD0391	68.85	70.00	1.15	0.053			
BDT2	DSDD0391	70.00	71.00	1.00	0.297			
BDT2	DSDD0391	71.00	72.00	1.00	0.484			
BDT2	DSDD0391	73.00	74.00	1.00	0.119			
BDT2	DSDD0391	84.00	85.00	1.00	0.126			
BDT2	DSDD0391	85.00	86.00	1.00	0.128			
BDT2	DSDD0391	86.00	87.00	1.00	0.283	4.00 m @ 0.49 g/t Au	2.0	
BDT2	DSDD0391	87.00	88.00	1.00	0.075			
BDT2	DSDD0391	88.00	89.00	1.00	0.243			
BDT2	DSDD0391	89.00	90.00	1.00	1.365			1.00 m @ 1.36 g/t Au
BDT2	DSDD0391	94.00	95.00	1.00	0.171			
BDT2	DSDD0391	101.00	102.00	1.00	0.272	3.00 m @ 0.69 g/t Au	2.1	
BDT2	DSDD0391	102.00	103.00	1.00	0.496			
BDT2	DSDD0391	103.00	104.00	1.00	1.290			1.00 m @ 1.29 g/t Au
BDT2	DSDD0391	105.00	106.00	1.00	0.162			
BDT2	DSDD0391	115.00	116.00	1.00	0.137			
BDT2	DSDD0391	116.00	117.00	1.00	0.391	1.00 m @ 0.39 g/t Au	0.4	
BDT2	DSDD0391	117.00	118.00	1.00	0.171			
BDT2	DSDD0391	139.00	140.20	1.20	0.169			
BDT2	DSDD0391	141.00	142.00	1.00	0.163			
BDT2	DSDD0391	143.00	144.00	1.00	0.204	4.00 m @ 0.83 g/t Au	3.3	
BDT2	DSDD0391	144.00	145.00	1.00	2.005			1.00 m @ 2.00 g/t Au
BDT2	DSDD0391	145.00	146.00	1.00	0.789			
BDT2	DSDD0391	146.00	147.00	1.00	0.309			
BDT2	DSDD0391	147.00	148.00	1.00	0.113			
BDT2	DSDD0391	157.00	158.00	1.00	0.108			
BDT2	DSDD0391	158.00	159.00	1.00	2.229	5.90 m @ 1.82 g/t Au	10.8	1.00 m @ 2.23 g/t Au
BDT2	DSDD0391	159.00	160.00	1.00	0.688			
BDT2	DSDD0391	160.00	161.00	1.00	0.199			
BDT2	DSDD0391	161.00	162.50	1.50	0.008			
BDT2	DSDD0391	162.50	163.90	1.40	5.454			1.40 m @ 5.45 g/t Au
BDT2	DSDD0391	165.00	166.00	1.00	0.163			
BDT2	DSDD0391	166.00	167.00	1.00	0.128			
BDT2	DSDD0391	167.00	168.00	1.00	0.564	1.00 m @ 0.56 g/t Au	0.6	
BDT2	DSDD0391	168.00	169.00	1.00	0.166			
BDT2	DSDD0392	0.00	0.75	0.75	0.165			
BDT2	DSDD0392	2.13	3.00	0.87	0.140			
BDT2	DSDD0392	3.00	4.00	1.00	0.237	1.96 m @ 0.39 g/t Au	0.8	
BDT2	DSDD0392	4.00	4.96	0.96	0.545			
BDT2	DSDD0392	7.50	9.00	1.50	0.115			
BDT2	DSDD0392	15.00	15.70	0.70	0.124			
BDT2	DSDD0392	114.00	115.00	1.00	0.137			
BDT2	DSDD0392	115.00	116.00	1.00	0.618	1.00 m @ 0.62 g/t Au	0.6	
BDT2	DSDD0392	132.73	134.00	1.27	0.371	3.27 m @ 0.25 g/t Au	0.8	
BDT2	DSDD0392	134.00	135.00	1.00	0.137			
BDT2	DSDD0392	135.00	136.00	1.00	0.204			
BDT2	DSDD0392	137.00	138.00	1.00	0.112			
BDT2	DSDD0392	142.14	143.00	0.86	3.423	0.86 m @ 3.42 g/t Au	2.9	0.86 m @ 3.42 g/t Au
BDT2	DSDD0392	143.00	144.00	1.00	0.158			
BDT2	DSDD0392	144.00	145.00	1.00	0.149			
BDT2	DSDD0392	152.00	153.00	1.00	1.154	2.00 m @ 0.84 g/t Au	1.7	1.00 m @ 1.15 g/t Au
BDT2	DSDD0392	153.00	154.00	1.00	0.533			
BDT2	DSDD0392	158.10	159.00	0.90	0.129			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0392	164.00	165.00	1.00	0.257	6.00 m @ 0.31 g/t Au	1.9	
BDT2	DSDD0392	165.00	166.00	1.00	0.294			
BDT2	DSDD0392	166.00	167.00	1.00	0.254			
BDT2	DSDD0392	167.00	168.00	1.00	0.040			
BDT2	DSDD0392	168.00	169.00	1.00	0.069			
BDT2	DSDD0392	169.00	170.00	1.00	0.944			
BDT2	DSDD0392	171.00	172.00	1.00	0.127	8.17 m @ 0.73 g/t Au	6.0	
BDT2	DSDD0392	174.00	175.00	1.00	1.220			
BDT2	DSDD0392	175.00	176.00	1.00	1.210			2.00 m @ 1.22 g/t Au
BDT2	DSDD0392	176.00	177.00	1.00	0.318			
BDT2	DSDD0392	177.00	178.00	1.00	0.251			
BDT2	DSDD0392	178.00	179.00	1.00	1.591			1.00 m @ 1.59 g/t Au
BDT2	DSDD0392	179.00	180.00	1.00	0.543			
BDT2	DSDD0392	180.00	181.00	1.00	0.519			
BDT2	DSDD0392	181.00	182.17	1.17	0.287			
BDT2	DSDD0392	187.60	189.00	1.40	0.110			
BDT2	DSDD0392	190.00	190.50	0.50	0.164			
BDT2	DSDD0392	190.50	191.00	0.50	0.103			
BDT2	DSDD0392	191.00	192.00	1.00	0.115			
BDT2	DSDD0392	192.00	193.00	1.00	0.196			
BDT2	DSDD0392	193.00	194.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.2	
BDT2	DSDD0392	244.00	245.00	1.00	0.117			
BDT2	DSDD0392	245.00	246.00	1.00	0.212	1.00 m @ 0.21 g/t Au	0.2	
BDT2	DSDD0392	246.00	247.00	1.00	0.131			
BDT2	DSDD0392	247.00	248.00	1.00	0.134			
BDT2	DSDD0392	251.00	252.00	1.00	0.242	2.00 m @ 0.24 g/t Au	0.5	
BDT2	DSDD0392	252.00	253.00	1.00	0.242			
BDT2	DSDD0392	259.00	260.00	1.00	1.201	5.00 m @ 0.54 g/t Au	2.7	1.00 m @ 1.20 g/t Au
BDT2	DSDD0392	260.00	261.00	1.00	0.052			
BDT2	DSDD0392	261.00	262.00	1.00	0.188			
BDT2	DSDD0392	262.00	263.00	1.00	0.146			
BDT2	DSDD0392	263.00	264.00	1.00	1.112			1.00 m @ 1.11 g/t Au
BDT2	DSDD0392	268.00	269.00	1.00	0.110			
BDT2	DSDD0392	271.00	272.00	1.00	0.107	8.00 m @ 0.22 g/t Au	1.7	
BDT2	DSDD0392	274.00	275.00	1.00	0.105			
BDT2	DSDD0392	275.00	276.00	1.00	0.288			
BDT2	DSDD0392	276.00	277.00	1.00	0.031			
BDT2	DSDD0392	277.00	278.00	1.00	0.053			
BDT2	DSDD0392	278.00	278.89	0.89	0.121			
BDT2	DSDD0392	278.89	280.00	1.11	0.415			
BDT2	DSDD0392	280.00	281.00	1.00	0.199			
BDT2	DSDD0392	281.00	282.00	1.00	0.400			
BDT2	DSDD0392	282.00	283.00	1.00	0.205			
BDT2	DSDD0393	0.00	1.50	1.50	0.772	1.50 m @ 0.77 g/t Au	1.2	
BDT2	DSDD0393	12.95	14.00	1.05	0.103			
BDT2	DSDD0393	17.00	17.59	0.59	0.129			
BDT2	DSDD0393	36.00	36.73	0.73	0.198			
BDT2	DSDD0393	38.59	39.39	0.80	0.240	0.80 m @ 0.24 g/t Au	0.2	
BDT2	DSDD0393	41.29	42.00	0.71	0.190			
BDT2	DSDD0393	112.00	113.00	1.00	0.142			
BDT2	DSDD0393	114.00	115.00	1.00	0.121			
BDT2	DSDD0393	133.00	134.00	1.00	0.494	1.00 m @ 0.49 g/t Au	0.5	
BDT2	DSDD0394	0.89	1.50	0.61	0.124			
BDT2	DSDD0394	1.50	2.19	0.69	0.203	0.69 m @ 0.20 g/t Au	0.1	
BDT2	DSDD0394	15.84	16.65	0.81	0.114			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0394	32.73	34.00	1.27	0.131			
BDT2	DSDD0394	84.75	86.00	1.25	0.175			
BDT2	DSDD0394	121.85	122.65	0.80	0.105			
BDT2	DSDD0394	122.65	124.00	1.35	0.234	1.35 m @ 0.23 g/t Au	0.3	
BDT2	DSDD0394	133.00	134.00	1.00	0.265	1.00 m @ 0.27 g/t Au	0.3	
BDT2	DSDD0394	135.00	136.00	1.00	0.267		0.3	
BDT2	DSDD0394	139.00	140.00	1.00	0.101			
BDT2	DSDD0394	146.00	147.00	1.00	3.695	2.00 m @ 2.32 g/t Au	4.6	1.00 m @ 3.69 g/t Au
BDT2	DSDD0394	147.00	148.00	1.00	0.943			
BDT2	DSDD0394	155.00	156.00	1.00	0.963	1.00 m @ 0.96 g/t Au	1.0	
BDT2	DSDD0394	163.00	164.00	1.00	0.640	7.00 m @ 0.49 g/t Au	3.4	
BDT2	DSDD0394	164.00	165.00	1.00	0.410			
BDT2	DSDD0394	165.00	166.00	1.00	0.166			
BDT2	DSDD0394	166.00	167.00	1.00	0.296			
BDT2	DSDD0394	167.00	168.50	1.50	0.322			
BDT2	DSDD0394	168.50	169.00	0.50	0.114			
BDT2	DSDD0394	169.00	170.00	1.00	1.346			1.00 m @ 1.35 g/t Au
BDT2	DSDD0394	198.00	199.00	1.00	0.171			
BDT2	DSDD0394	201.80	203.00	1.20	0.489	6.20 m @ 0.27 g/t Au	1.7	
BDT2	DSDD0394	203.00	204.00	1.00	0.008			
BDT2	DSDD0394	204.00	205.00	1.00	0.008			
BDT2	DSDD0394	205.00	206.00	1.00	0.049			
BDT2	DSDD0394	206.00	207.00	1.00	0.239			
BDT2	DSDD0394	207.00	208.00	1.00	0.802	1.00 m @ 0.36 g/t Au	0.4	
BDT2	DSDD0394	245.00	246.00	1.00	0.342	18.50 m @ 1.18 g/t Au	21.8	
BDT2	DSDD0394	246.00	247.00	1.00	0.196			
BDT2	DSDD0394	247.00	247.60	0.60	0.037			
BDT2	DSDD0394	247.60	248.50	0.90	0.073			
BDT2	DSDD0394	248.50	249.00	0.50	28.598			
BDT2	DSDD0394	249.00	250.00	1.00	0.076			3.50 m @ 4.60 g/t Au
BDT2	DSDD0394	250.00	251.00	1.00	0.066			
BDT2	DSDD0394	251.00	252.00	1.00	1.660			
BDT2	DSDD0394	252.00	253.00	1.00	0.327			
BDT2	DSDD0394	253.00	253.60	0.60	0.426			
BDT2	DSDD0394	253.60	254.50	0.90	0.109			
BDT2	DSDD0394	254.50	255.00	0.50	0.044			
BDT2	DSDD0394	255.00	256.00	1.00	1.066			1.00 m @ 1.07 g/t Au
BDT2	DSDD0394	256.00	257.43	1.43	0.044			
BDT2	DSDD0394	257.43	258.00	0.57	0.019			
BDT2	DSDD0394	258.00	259.00	1.00	0.031			
BDT2	DSDD0394	259.00	260.00	1.00	1.795	1.00 m @ 1.79 g/t Au		
BDT2	DSDD0394	260.00	261.00	1.00	0.289			
BDT2	DSDD0394	261.00	262.00	1.00	0.612			
BDT2	DSDD0394	262.00	263.00	1.00	0.108			
BDT2	DSDD0394	263.00	263.50	0.50	0.805			
BDT2	DSDD0394	264.00	265.00	1.00	0.108			
BDT2	DSDD0394	266.00	267.00	1.00	0.146			
BDT2	DSDD0394	270.00	271.00	1.00	0.254	4.50 m @ 1.49 g/t Au	6.7	
BDT2	DSDD0394	271.00	272.00	1.00	3.539			
BDT2	DSDD0394	272.00	273.00	1.00	0.147			
BDT2	DSDD0394	273.00	273.50	0.50	0.314			
BDT2	DSDD0394	273.50	274.00	0.50	3.689			3.50 m @ 1.84 g/t Au
BDT2	DSDD0394	274.00	274.50	0.50	1.533			
BDT2	DSDD0394	280.00	281.00	1.00	0.659	30.00 m @ 0.84 g/t Au	25.3	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0394	281.00	282.00	1.00	2.414			1.00 m @ 2.41 g/t Au
BDT2	DSDD0394	282.00	283.00	1.00	0.051			
BDT2	DSDD0394	283.00	283.50	0.50	0.035			
BDT2	DSDD0394	283.50	284.00	0.50	1.429			
BDT2	DSDD0394	284.00	285.00	1.00	0.633			2.50 m @ 1.12 g/t Au
BDT2	DSDD0394	285.00	286.00	1.00	1.452			
BDT2	DSDD0394	286.00	287.00	1.00	0.108			
BDT2	DSDD0394	287.00	288.00	1.00	0.133			
BDT2	DSDD0394	288.00	289.00	1.00	0.023			
BDT2	DSDD0394	289.00	290.00	1.00	0.813			
BDT2	DSDD0394	290.00	291.00	1.00	1.055			1.00 m @ 1.05 g/t Au
BDT2	DSDD0394	291.00	292.00	1.00	0.167			
BDT2	DSDD0394	292.00	293.00	1.00	0.295			
BDT2	DSDD0394	293.00	294.00	1.00	0.216			
BDT2	DSDD0394	294.00	295.00	1.00	0.193			
BDT2	DSDD0394	295.00	296.00	1.00	0.060			
BDT2	DSDD0394	296.00	297.00	1.00	0.047			
BDT2	DSDD0394	297.00	298.00	1.00	0.268			
BDT2	DSDD0394	298.00	299.00	1.00	0.566			
BDT2	DSDD0394	299.00	300.00	1.00	0.143			
BDT2	DSDD0394	300.00	301.00	1.00	1.154			
BDT2	DSDD0394	301.00	301.80	0.80	0.964			2.70 m @ 3.65 g/t Au
BDT2	DSDD0394	301.80	302.70	0.90	8.797			
BDT2	DSDD0394	302.70	303.50	0.80	0.489			
BDT2	DSDD0394	303.50	304.00	0.50	0.448			
BDT2	DSDD0394	304.00	305.00	1.00	0.157			
BDT2	DSDD0394	305.00	306.00	1.00	0.337			
BDT2	DSDD0394	306.00	307.00	1.00	2.383			
BDT2	DSDD0394	307.00	308.00	1.00	0.399			
BDT2	DSDD0394	308.00	309.00	1.00	0.099			4.00 m @ 1.07 g/t Au
BDT2	DSDD0394	309.00	310.00	1.00	1.398			
BDT2	DSDD0394	310.00	311.00	1.00	0.196			
BDT2	DSDD0394	314.00	315.00	1.00	0.381	1.00 m @ 0.38 g/t Au	0.4	
BDT2	DSDD0394	316.00	316.81	0.81	0.118			
BDT2	DSDD0394	341.00	342.00	1.00	0.374			
BDT2	DSDD0394	342.00	343.40	1.40	0.219	2.40 m @ 0.28 g/t Au	0.7	
BDT2	DSDD0395	0.82	1.68	0.86	0.138			
BDT2	DSDD0395	22.50	24.00	1.50	0.311	1.50 m @ 0.31 g/t Au	0.5	
BDT2	DSDD0395	28.50	29.55	1.05	0.412	1.05 m @ 0.41 g/t Au	0.4	
BDT2	DSDD0395	30.00	31.00	1.00	0.334	1.00 m @ 0.33 g/t Au	0.3	
BDT2	DSDD0395	35.00	36.00	1.00	0.792	1.00 m @ 0.79 g/t Au	0.8	
BDT2	DSDD0395	36.00	36.92	0.92	0.103			
BDT2	DSDD0395	39.00	39.86	0.86	0.984	0.86 m @ 0.98 g/t Au	0.8	
BDT2	DSDD0395	40.50	41.50	1.00	0.212			
BDT2	DSDD0395	41.50	42.42	0.92	3.398	1.92 m @ 1.74 g/t Au	3.3	0.92 m @ 3.40 g/t Au
BDT2	DSDD0395	43.50	44.00	0.50	0.137			
BDT2	DSDD0395	44.00	45.00	1.00	0.652			
BDT2	DSDD0395	45.00	46.00	1.00	0.373			
BDT2	DSDD0395	46.00	47.00	1.00	0.396	4.80 m @ 0.89 g/t Au	4.3	
BDT2	DSDD0395	47.00	48.00	1.00	2.583			1.00 m @ 2.58 g/t Au
BDT2	DSDD0395	48.00	48.80	0.80	0.328			
BDT2	DSDD0395	49.50	50.00	0.50	0.188			
BDT2	DSDD0395	50.00	51.00	1.00	0.198			
BDT2	DSDD0395	51.00	52.00	1.00	1.494			1.00 m @ 1.49 g/t Au
BDT2	DSDD0395	52.00	53.00	1.00	0.268	2.00 m @ 0.88 g/t Au	1.8	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0395	53.00	54.00	1.00	0.102			
BDT2	DSDD0395	58.50	59.00	0.50	0.719	0.50 m @ 0.72 g/t Au	0.4	
BDT2	DSDD0395	63.00	64.00	1.00	0.523	4.00 m @ 0.36 g/t Au	1.5	
BDT2	DSDD0395	64.00	65.00	1.00	0.221			
BDT2	DSDD0395	65.00	66.00	1.00	0.276			
BDT2	DSDD0395	66.00	67.00	1.00	0.432			
BDT2	DSDD0395	67.00	68.00	1.00	0.129			
BDT2	DSDD0395	71.00	72.00	1.00	0.392	3.00 m @ 2.41 g/t Au	7.2	1.00 m @ 6.63 g/t Au
BDT2	DSDD0395	72.00	73.00	1.00	6.631			
BDT2	DSDD0395	73.00	74.00	1.00	0.214	17.00 m @ 0.26 g/t Au	4.3	
BDT2	DSDD0395	80.00	81.00	1.00	0.330			
BDT2	DSDD0395	81.00	82.00	1.00	0.390			
BDT2	DSDD0395	82.00	83.00	1.00	0.345			
BDT2	DSDD0395	83.00	84.00	1.00	0.403			
BDT2	DSDD0395	84.00	85.00	1.00	0.125			
BDT2	DSDD0395	85.00	86.00	1.00	0.015			
BDT2	DSDD0395	86.00	87.00	1.00	0.008			
BDT2	DSDD0395	87.00	88.00	1.00	0.304			
BDT2	DSDD0395	88.00	89.00	1.00	0.461			
BDT2	DSDD0395	89.00	90.00	1.00	0.243			
BDT2	DSDD0395	90.00	91.00	1.00	0.374			
BDT2	DSDD0395	91.00	92.29	1.29	0.302			
BDT2	DSDD0395	92.29	93.00	0.71	0.147			
BDT2	DSDD0395	93.00	94.00	1.00	0.049			
BDT2	DSDD0395	94.00	95.00	1.00	0.296			
BDT2	DSDD0395	95.00	96.00	1.00	0.214			
BDT2	DSDD0395	96.00	97.00	1.00	0.288			
BDT2	DSDD0395	97.00	98.00	1.00	0.112			
BDT2	DSDD0395	100.00	101.00	1.00	0.194			
BDT2	DSDD0395	101.00	102.00	1.00	0.207	1.00 m @ 0.21 g/t Au	0.2	
BDT2	DSDD0395	147.10	148.00	0.90	0.730	4.84 m @ 7.23 g/t Au	35.0	
BDT2	DSDD0395	148.00	149.00	1.00	0.046			
BDT2	DSDD0395	149.00	149.76	0.76	0.947			
BDT2	DSDD0395	149.76	151.00	1.24	26.729			
BDT2	DSDD0395	151.00	151.94	0.94	0.447			1.24 m @ 26.73 g/t Au
BDT2	DSDD0395	151.94	153.00	1.06	0.178			
BDT2	DSDD0395	155.00	155.80	0.80	0.185			
BDT2	DSDD0395	158.00	159.00	1.00	0.153			
BDT2	DSDD0395	164.00	165.00	1.00	1.734	4.00 m @ 0.60 g/t Au	2.4	1.00 m @ 1.73 g/t Au
BDT2	DSDD0395	165.00	166.00	1.00	0.131			
BDT2	DSDD0395	166.00	167.00	1.00	0.176			
BDT2	DSDD0395	167.00	168.00	1.00	0.355			
BDT2	DSDD0395	176.00	177.00	1.00	0.373	1.00 m @ 0.37 g/t Au	0.4	
BDT2	DSDD0395	186.00	187.00	1.00	0.539	1.00 m @ 0.54 g/t Au	0.5	
BDT2	DSDD0395	195.89	197.00	1.11	1.456	7.11 m @ 0.63 g/t Au	4.5	2.11 m @ 1.46 g/t Au
BDT2	DSDD0395	197.00	197.50	0.50	1.726			
BDT2	DSDD0395	197.50	198.00	0.50	1.198			
BDT2	DSDD0395	198.00	199.00	1.00	0.701			
BDT2	DSDD0395	199.00	200.00	1.00	0.294			
BDT2	DSDD0395	200.00	201.00	1.00	0.141			
BDT2	DSDD0395	201.00	202.00	1.00	0.018			
BDT2	DSDD0395	202.00	203.00	1.00	0.249			
BDT2	DSDD0395	210.00	211.00	1.00	0.490	1.00 m @ 0.49 g/t Au	0.5	
BDT2	DSDD0395	211.00	212.00	1.00	0.195			
BDT2	DSDD0395	218.00	218.80	0.80	0.237	0.80 m @ 0.24 g/t Au	0.2	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0395	240.60	242.00	1.40	0.110			
BDT2	DSDD0395	243.00	243.80	0.80	0.176			
BDT2	DSDD0395	243.80	245.00	1.20	0.118			
BDT2	DSDD0395	250.00	250.50	0.50	0.536			
BDT2	DSDD0395	250.50	251.00	0.50	0.252			
BDT2	DSDD0395	251.00	252.00	1.00	0.467			
BDT2	DSDD0395	252.00	253.10	1.10	0.081			
BDT2	DSDD0395	253.10	254.00	0.90	0.008			
BDT2	DSDD0395	254.00	254.50	0.50	0.016			
BDT2	DSDD0395	254.50	255.00	0.50	0.673			
BDT2	DSDD0395	255.00	256.00	1.00	0.325			
BDT2	DSDD0395	256.00	257.00	1.00	0.172			
BDT2	DSDD0395	257.00	258.00	1.00	4.091	17.00 m @ 0.53 g/t Au	9.0	1.00 m @ 4.09 g/t Au
BDT2	DSDD0395	258.00	259.00	1.00	0.097			
BDT2	DSDD0395	259.00	260.00	1.00	0.877			
BDT2	DSDD0395	260.00	261.00	1.00	0.008			
BDT2	DSDD0395	261.00	262.00	1.00	0.008			
BDT2	DSDD0395	262.00	263.00	1.00	0.008			
BDT2	DSDD0395	263.00	264.00	1.00	0.776			
BDT2	DSDD0395	264.00	265.00	1.00	0.249			
BDT2	DSDD0395	265.00	266.00	1.00	0.681			
BDT2	DSDD0395	266.00	267.00	1.00	0.448			
BDT2	DSDD0395	280.00	281.00	1.00	1.666	36.00 m @ 1.99 g/t Au	71.7	
BDT2	DSDD0395	281.00	282.00	1.00	0.517			
BDT2	DSDD0395	282.00	283.00	1.00	2.224			5.00 m @ 1.23 g/t Au
BDT2	DSDD0395	283.00	284.00	1.00	0.131			
BDT2	DSDD0395	284.00	285.00	1.00	1.610			
BDT2	DSDD0395	285.00	286.00	1.00	0.066			
BDT2	DSDD0395	286.00	287.00	1.00	0.545			
BDT2	DSDD0395	287.00	288.00	1.00	0.413			
BDT2	DSDD0395	288.00	289.00	1.00	2.367			1.00 m @ 2.37 g/t Au
BDT2	DSDD0395	289.00	290.00	1.00	0.085			
BDT2	DSDD0395	290.00	291.00	1.00	0.442			
BDT2	DSDD0395	291.00	292.00	1.00	0.182			
BDT2	DSDD0395	292.00	293.00	1.00	44.618			1.85 m @ 27.97 g/t Au
BDT2	DSDD0395	293.00	293.85	0.85	8.388			
BDT2	DSDD0395	293.85	294.70	0.85	0.039			
BDT2	DSDD0395	294.70	295.50	0.80	0.008			
BDT2	DSDD0395	295.50	296.00	0.50	0.008			
BDT2	DSDD0395	296.00	297.00	1.00	0.653			
BDT2	DSDD0395	297.00	298.00	1.00	0.336			
BDT2	DSDD0395	298.00	299.00	1.00	0.263			
BDT2	DSDD0395	299.00	300.00	1.00	1.018			
BDT2	DSDD0395	300.00	301.00	1.00	1.384			2.00 m @ 1.20 g/t Au
BDT2	DSDD0395	301.00	302.03	1.03	0.320			
BDT2	DSDD0395	302.03	303.00	0.97	0.453			
BDT2	DSDD0395	303.00	304.00	1.00	0.487			
BDT2	DSDD0395	304.00	305.00	1.00	0.212			
BDT2	DSDD0395	305.00	306.00	1.00	1.959			1.00 m @ 1.96 g/t Au
BDT2	DSDD0395	306.00	307.00	1.00	0.246			
BDT2	DSDD0395	307.00	308.00	1.00	0.371			
BDT2	DSDD0395	308.00	309.00	1.00	0.090			
BDT2	DSDD0395	309.00	310.30	1.30	0.658			
BDT2	DSDD0395	310.30	311.00	0.70	0.078			
BDT2	DSDD0395	311.00	312.00	1.00	0.109			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0395	312.00	313.00	1.00	0.025			
BDT2	DSDD0395	313.00	314.00	1.00	0.571			
BDT2	DSDD0395	314.00	315.00	1.00	0.065			
BDT2	DSDD0395	315.00	316.00	1.00	0.230			
BDT2	DSDD0395	338.00	339.00	1.00	0.281	1.00 m @ 0.28 g/t Au	0.3	
BDT2	DSDD0395	341.00	342.00	1.00	0.322	1.00 m @ 0.32 g/t Au	0.3	
BDT2	DSDD0395	342.00	343.00	1.00	0.112			
BDT2	DSDD0396	0.00	1.50	1.50	0.220	1.50 m @ 0.22 g/t Au	0.3	
BDT2	DSDD0396	1.50	3.00	1.50	0.100			
BDT2	DSDD0396	6.00	7.50	1.50	0.120			
BDT2	DSDD0396	10.50	12.00	1.50	0.160			
BDT2	DSDD0396	12.00	13.50	1.50	0.180			
BDT2	DSDD0396	13.50	15.00	1.50	0.110			
BDT2	DSDD0396	21.00	22.50	1.50	0.130			
BDT2	DSDD0396	22.50	24.00	1.50	0.130			
BDT2	DSDD0396	24.00	25.10	1.10	0.170			
BDT2	DSDD0396	36.00	37.50	1.50	0.130			
BDT2	DSDD0396	65.50	67.00	1.50	0.100			
BDT2	DSDD0396	67.00	68.30	1.30	0.430	1.30 m @ 0.43 g/t Au	0.6	
BDT2	DSDD0396	69.50	70.00	0.50	7.030	1.82 m @ 2.26 g/t Au	4.1	0.50 m @ 7.03 g/t Au
BDT2	DSDD0396	70.00	71.32	1.32	0.450			
BDT2	DSDD0396	73.50	74.52	1.02	0.320	1.02 m @ 0.32 g/t Au	0.3	
BDT2	DSDD0396	75.00	76.50	1.50	2.790	1.50 m @ 2.79 g/t Au	4.2	1.50 m @ 2.79 g/t Au
BDT2	DSDD0396	82.50	84.00	1.50	0.230			
BDT2	DSDD0396	84.00	85.50	1.50	0.670	3.00 m @ 0.45 g/t Au	1.4	
BDT2	DSDD0396	85.50	87.00	1.50	0.160			
BDT2	DSDD0396	94.00	95.00	1.00	0.160			
BDT2	DSDD0396	95.00	96.00	1.00	0.240			
BDT2	DSDD0396	96.00	97.00	1.00	0.350			
BDT2	DSDD0396	97.00	98.00	1.00	0.250	5.00 m @ 0.22 g/t Au	1.1	
BDT2	DSDD0396	98.00	99.00	1.00	0.070			
BDT2	DSDD0396	99.00	100.00	1.00	0.210			
BDT2	DSDD0396	101.00	102.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.2	
BDT2	DSDD0396	107.00	108.00	1.00	0.300			
BDT2	DSDD0396	108.00	109.00	1.00	0.400			
BDT2	DSDD0396	109.00	110.00	1.00	0.040			
BDT2	DSDD0396	110.00	111.00	1.00	0.530			
BDT2	DSDD0396	111.00	112.00	1.00	0.770			
BDT2	DSDD0396	112.00	113.00	1.00	0.010	11.00 m @ 0.29 g/t Au	3.2	
BDT2	DSDD0396	113.00	114.00	1.00	0.350			
BDT2	DSDD0396	114.00	115.00	1.00	0.130			
BDT2	DSDD0396	115.00	116.00	1.00	0.090			
BDT2	DSDD0396	116.00	117.00	1.00	0.250			
BDT2	DSDD0396	117.00	118.00	1.00	0.290			
BDT2	DSDD0396	118.00	119.00	1.00	0.190			
BDT2	DSDD0396	119.00	120.00	1.00	0.140			
BDT2	DSDD0396	125.00	126.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BDT2	DSDD0396	128.00	129.00	1.00	0.200			
BDT2	DSDD0396	129.00	130.00	1.00	0.370	2.00 m @ 0.28 g/t Au	0.6	
BDT2	DSDD0396	130.00	131.00	1.00	0.140			
BDT2	DSDD0396	133.70	134.50	0.80	0.150			
BDT2	DSDD0396	134.50	135.00	0.50	0.400			
BDT2	DSDD0396	135.00	136.00	1.00	0.130	7.50 m @ 0.28 g/t Au	2.1	
BDT2	DSDD0396	136.00	137.00	1.00	0.450			
BDT2	DSDD0396	137.00	138.00	1.00	0.080			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0396	138.00	139.00	1.00	0.040			
BDT2	DSDD0396	139.00	140.00	1.00	0.250			
BDT2	DSDD0396	140.00	141.00	1.00	0.190			
BDT2	DSDD0396	141.00	142.00	1.00	0.780			
BDT2	DSDD0396	142.00	143.00	1.00	0.110			
BDT2	DSDD0396	147.00	147.50	0.50	0.490	0.50 m @ 0.49 g/t Au	0.2	
BDT2	DSDD0396	216.00	217.00	1.00	0.660	1.00 m @ 0.66 g/t Au	0.7	
BDT2	DSDD0396	233.00	234.00	1.00	0.190			
BDT2	DSDD0396	284.00	285.00	1.00	0.290	1.00 m @ 0.29 g/t Au	0.3	
BDT2	DSDD0396	285.00	286.00	1.00	0.140			
BDT2	DSDD0397	119.50	121.00	1.50	0.592			
BDT2	DSDD0397	121.00	122.00	1.00	1.425			
BDT2	DSDD0397	122.00	123.00	1.00	1.694			
BDT2	DSDD0397	123.00	124.00	1.00	2.794	7.50 m @ 1.07 g/t Au	8.0	3.00 m @ 1.97 g/t Au
BDT2	DSDD0397	124.00	125.00	1.00	0.466			
BDT2	DSDD0397	125.00	126.00	1.00	0.235			
BDT2	DSDD0397	126.00	127.00	1.00	0.487			
BDT2	DSDD0397	128.50	129.60	1.10	0.191			
BDT2	DSDD0397	131.00	132.00	1.00	0.264			
BDT2	DSDD0397	132.00	133.00	1.00	0.483			
BDT2	DSDD0397	133.00	134.00	1.00	0.297			
BDT2	DSDD0397	134.00	135.00	1.00	0.689			
BDT2	DSDD0397	135.00	136.00	1.00	1.915			1.00 m @ 1.92 g/t Au
BDT2	DSDD0397	136.00	137.00	1.00	0.491			
BDT2	DSDD0397	137.00	138.00	1.00	0.189	12.00 m @ 0.51 g/t Au	6.2	
BDT2	DSDD0397	138.00	139.00	1.00	0.008			
BDT2	DSDD0397	139.00	140.00	1.00	0.448			
BDT2	DSDD0397	140.00	141.00	1.00	0.453			
BDT2	DSDD0397	141.00	142.00	1.00	0.431			
BDT2	DSDD0397	142.00	143.00	1.00	0.493			
BDT2	DSDD0397	143.00	143.77	0.77	0.160			
BDT2	DSDD0397	224.00	225.00	1.00	0.186			
BDT2	DSDD0397	230.00	231.00	1.00	6.299			1.00 m @ 6.30 g/t Au
BDT2	DSDD0397	231.00	231.80	0.80	0.092	3.00 m @ 2.22 g/t Au	6.7	
BDT2	DSDD0397	231.80	233.00	1.20	0.238			
BDT2	DSDD0398	161.00	162.50	1.50	3.132	1.50 m @ 3.13 g/t Au	4.7	1.50 m @ 3.13 g/t Au
BDT2	DSDD0398	187.00	188.00	1.00	0.763			
BDT2	DSDD0398	188.00	189.00	1.00	0.673	2.00 m @ 0.72 g/t Au	1.4	
BDT2	DSDD0398	204.00	205.00	1.00	0.446	1.00 m @ 0.45 g/t Au	0.4	
BDT2	DSDD0398	213.00	214.00	1.00	0.485			
BDT2	DSDD0398	214.00	215.00	1.00	0.070			
BDT2	DSDD0398	215.00	216.00	1.00	0.173			
BDT2	DSDD0398	216.00	217.00	1.00	0.260	7.00 m @ 0.62 g/t Au	4.3	
BDT2	DSDD0398	217.00	218.00	1.00	2.709			1.00 m @ 2.71 g/t Au
BDT2	DSDD0398	218.00	219.00	1.00	0.314			
BDT2	DSDD0398	219.00	220.00	1.00	0.304			
BDT2	DSDD0398	220.00	221.00	1.00	0.194			
BDT2	DSDD0398	264.00	265.00	1.00	0.424	1.00 m @ 0.42 g/t Au	0.4	
BDT2	DSDD0399	2.28	3.00	0.72	0.138			
BDT2	DSDD0399	3.00	3.96	0.96	0.102			
BDT2	DSDD0399	99.00	100.00	1.00	0.122			
BDT2	DSDD0399	101.00	102.00	1.00	0.532	1.00 m @ 0.53 g/t Au	0.5	
BDT2	DSDD0399	104.00	105.10	1.10	0.161			
BDT2	DSDD0399	129.00	130.00	1.00	1.154	1.00 m @ 1.15 g/t Au	1.2	1.00 m @ 1.15 g/t Au
BDT2	DSDD0399	135.00	136.00	1.00	0.261	3.00 m @ 0.26 g/t Au	0.8	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0399	136.00	137.00	1.00	0.062			
BDT2	DSDD0399	137.00	138.00	1.00	0.443			
BDT2	DSDD0399	144.00	145.00	1.00	0.526	1.00 m @ 0.53 g/t Au	0.5	
BDT2	DSDD0399	150.00	151.00	1.00	0.109			
BDT2	DSDD0399	154.81	156.00	1.19	0.371			
BDT2	DSDD0399	156.00	157.00	1.00	0.022			
BDT2	DSDD0399	157.00	158.00	1.00	0.008			
BDT2	DSDD0399	158.00	159.00	1.00	0.008			
BDT2	DSDD0399	159.00	160.00	1.00	0.809			
BDT2	DSDD0399	160.00	161.00	1.00	5.521			1.00 m @ 5.52 g/t Au
BDT2	DSDD0399	161.00	162.00	1.00	0.351	13.45 m @ 0.79 g/t Au	10.6	
BDT2	DSDD0399	162.00	163.35	1.35	0.008			
BDT2	DSDD0399	163.35	164.00	0.65	0.023			
BDT2	DSDD0399	164.00	165.00	1.00	0.226			
BDT2	DSDD0399	165.00	166.00	1.00	0.866			
BDT2	DSDD0399	166.00	167.00	1.00	0.033			
BDT2	DSDD0399	167.00	168.26	1.26	1.793			1.26 m @ 1.79 g/t Au
BDT2	DSDD0399	173.00	174.00	1.00	0.156			
BDT2	DSDD0399	174.00	175.00	1.00	0.269			
BDT2	DSDD0399	175.00	176.00	1.00	0.016	4.00 m @ 0.27 g/t Au	1.1	
BDT2	DSDD0399	176.00	177.00	1.00	0.291			
BDT2	DSDD0399	177.00	178.00	1.00	0.506			
BDT2	DSDD0399	178.00	179.00	1.00	0.105			
BDT2	DSDD0399	179.00	180.00	1.00	0.199			
BDT2	DSDD0399	187.00	188.00	1.00	0.368			
BDT2	DSDD0399	188.00	189.00	1.00	0.187	3.13 m @ 0.25 g/t Au	0.8	
BDT2	DSDD0399	189.00	190.13	1.13	0.208			
BDT2	DSDD0399	205.00	206.00	1.00	0.132			
BDT2	DSDD0399	206.00	207.00	1.00	0.273	1.00 m @ 0.27 g/t Au	0.3	
BDT2	DSDD0399	212.00	213.00	1.00	0.221	1.00 m @ 0.22 g/t Au	0.2	
BDT2	DSDD0399	219.00	220.00	1.00	0.147			
BDT2	DSDD0399	234.00	235.00	1.00	0.146			
BDT2	DSDD0399	247.00	248.00	1.00	0.363	1.00 m @ 0.36 g/t Au	0.4	
BDT2	DSDD0399	277.00	278.00	1.00	0.289	1.00 m @ 0.29 g/t Au	0.3	
BDT2	DSDD0399	281.00	282.00	1.00	0.146			
BDT2	DSDD0399	287.00	288.00	1.00	2.134	1.00 m @ 2.13 g/t Au	2.1	1.00 m @ 2.13 g/t Au
BDT2	DSDD0399	288.00	289.00	1.00	0.169			
BDT2	DSDD0399	289.85	291.00	1.15	0.131			
BDT2	DSDD0400	4.40	5.85	1.45	0.134			
BDT2	DSDD0400	24.50	25.64	1.14	0.143			
BDT2	DSDD0400	27.55	28.30	0.75	0.162			
BDT2	DSDD0400	44.50	45.17	0.67	0.126			
BDT2	DSDD0400	46.00	47.00	1.00	0.100			
BDT2	DSDD0400	47.00	48.37	1.37	0.194			
BDT2	DSDD0400	51.77	52.81	1.04	0.145			
BDT2	DSDD0400	56.50	58.00	1.50	1.656			1.50 m @ 1.66 g/t Au
BDT2	DSDD0400	58.00	59.00	1.00	0.171			
BDT2	DSDD0400	59.00	60.00	1.00	0.245			
BDT2	DSDD0400	60.00	61.00	1.00	0.024			
BDT2	DSDD0400	61.00	62.00	1.00	0.690	8.50 m @ 0.63 g/t Au	5.4	
BDT2	DSDD0400	62.00	63.00	1.00	0.244			
BDT2	DSDD0400	63.00	64.00	1.00	0.743			
BDT2	DSDD0400	64.00	65.00	1.00	0.767			
BDT2	DSDD0400	70.00	71.00	1.00	0.885			
BDT2	DSDD0400	71.00	72.00	1.00	0.308	6.00 m @ 0.28 g/t Au	1.7	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0400	72.00	73.00	1.00	0.169			
BDT2	DSDD0400	73.00	74.00	1.00	0.041			
BDT2	DSDD0400	74.00	75.00	1.00	0.039			
BDT2	DSDD0400	75.00	76.00	1.00	0.259			
BDT2	DSDD0400	76.00	77.00	1.00	0.171			
BDT2	DSDD0400	80.00	81.00	1.00	0.333			
BDT2	DSDD0400	81.00	82.00	1.00	1.119	4.00 m @ 4.19 g/t Au	16.8	3.00 m @ 5.47 g/t Au
BDT2	DSDD0400	82.00	83.00	1.00	6.191			
BDT2	DSDD0400	83.00	84.00	1.00	9.113			
BDT2	DSDD0400	103.00	104.00	1.00	0.268			
BDT2	DSDD0400	104.00	105.00	1.00	5.621	6.00 m @ 1.27 g/t Au	7.6	2.00 m @ 3.37 g/t Au
BDT2	DSDD0400	105.00	106.00	1.00	1.120			
BDT2	DSDD0400	106.00	107.00	1.00	0.138			
BDT2	DSDD0400	107.00	108.00	1.00	0.008			
BDT2	DSDD0400	108.00	109.00	1.00	0.472			
BDT2	DSDD0400	109.00	110.00	1.00	0.127			
BDT2	DSDD0400	110.00	111.00	1.00	0.115			
BDT2	DSDD0400	117.00	118.00	1.00	0.315	1.00 m @ 0.32 g/t Au	0.3	
BDT2	DSDD0400	122.00	123.00	1.00	0.336	5.00 m @ 0.34 g/t Au	1.7	
BDT2	DSDD0400	123.00	124.00	1.00	0.218			
BDT2	DSDD0400	124.00	125.00	1.00	0.047			
BDT2	DSDD0400	125.00	126.00	1.00	0.284			
BDT2	DSDD0400	126.00	127.00	1.00	0.836			
BDT2	DSDD0400	135.00	136.00	1.00	0.126			
BDT2	DSDD0400	151.50	152.73	1.23	0.146			
BDT2	DSDD0400	152.73	154.00	1.27	0.104			
BDT2	DSDD0400	156.00	157.00	1.00	0.225	1.00 m @ 0.23 g/t Au	0.2	
BDT2	DSDD0400	162.00	163.00	1.00	0.586	8.00 m @ 0.52 g/t Au	4.2	
BDT2	DSDD0400	163.00	164.00	1.00	0.283			
BDT2	DSDD0400	164.00	165.30	1.30	0.208			
BDT2	DSDD0400	165.30	166.00	0.70	0.479			
BDT2	DSDD0400	166.00	167.00	1.00	0.186			
BDT2	DSDD0400	167.00	168.30	1.30	0.274			
BDT2	DSDD0400	168.30	169.00	0.70	1.838			0.70 m @ 1.84 g/t Au
BDT2	DSDD0400	169.00	170.00	1.00	0.851			
BDT2	DSDD0400	170.00	171.00	1.00	0.133			
BDT2	DSDD0400	172.00	173.40	1.40	0.190	6.60 m @ 2.92 g/t Au	19.3	
BDT2	DSDD0400	173.40	174.00	0.60	0.593			
BDT2	DSDD0400	174.00	175.00	1.00	16.885			1.00 m @ 16.89 g/t Au
BDT2	DSDD0400	175.00	176.00	1.00	0.120			
BDT2	DSDD0400	176.00	177.00	1.00	0.092			
BDT2	DSDD0400	177.00	178.00	1.00	0.067			
BDT2	DSDD0400	178.00	179.00	1.00	0.441			
BDT2	DSDD0400	179.00	180.00	1.00	1.332			1.00 m @ 1.33 g/t Au
BDT2	DSDD0400	180.00	181.00	1.00	0.160			
BDT2	DSDD0400	193.35	194.00	0.65	0.168			
BDT2	DSDD0400	201.00	202.00	1.00	1.535	1.00 m @ 1.53 g/t Au	1.5	1.00 m @ 1.53 g/t Au
BDT2	DSDD0400	208.00	209.00	1.00	0.144			
BDT2	DSDD0400	214.00	215.00	1.00	0.104			
BDT2	DSDD0400	217.00	218.00	1.00	0.110			
BDT2	DSDD0400	247.00	248.00	1.00	0.761	9.00 m @ 0.67 g/t Au	6.0	
BDT2	DSDD0400	248.00	249.00	1.00	0.239			
BDT2	DSDD0400	249.00	249.50	0.50	4.043			0.50 m @ 4.04 g/t Au
BDT2	DSDD0400	249.50	250.00	0.50	0.805			
BDT2	DSDD0400	250.00	251.00	1.00	0.148			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0400	251.00	252.00	1.00	0.835			
BDT2	DSDD0400	252.00	253.00	1.00	0.151			
BDT2	DSDD0400	253.00	254.00	1.00	0.028			
BDT2	DSDD0400	254.00	255.00	1.00	0.089			
BDT2	DSDD0400	255.00	256.00	1.00	1.322			1.00 m @ 1.32 g/t Au
BDT2	DSDD0400	256.00	257.00	1.00	0.120			
BDT2	DSDD0400	262.00	263.00	1.00	0.251			
BDT2	DSDD0400	263.00	264.00	1.00	0.242			
BDT2	DSDD0400	264.00	265.00	1.00	0.044	4.00 m @ 0.46 g/t Au	1.9	
BDT2	DSDD0400	265.00	266.00	1.00	1.318			1.00 m @ 1.32 g/t Au
BDT2	DSDD0400	275.00	276.00	1.00	1.627			1.00 m @ 1.63 g/t Au
BDT2	DSDD0400	276.00	277.00	1.00	0.092	4.00 m @ 0.61 g/t Au	2.4	
BDT2	DSDD0400	277.00	278.00	1.00	0.262			
BDT2	DSDD0400	278.00	279.00	1.00	0.448			
BDT2	DSDD0400	283.00	284.00	1.00	0.106			
BDT2	DSDD0400	284.00	284.50	0.50	0.903	0.50 m @ 0.90 g/t Au	0.5	
BDT2	DSDD0400	287.00	288.00	1.00	0.131			
BDT2	DSDD0400	289.00	290.00	1.00	0.437	1.00 m @ 0.44 g/t Au	0.4	
BDT2	DSDD0401	0.80	1.90	1.10	0.107			
BDT2	DSDD0401	82.00	83.00	1.00	0.150			
BDT2	DSDD0401	83.00	84.00	1.00	0.136			
BDT2	DSDD0401	84.00	85.00	1.00	0.112			
BDT2	DSDD0401	88.00	89.00	1.00	0.115			
BDT2	DSDD0401	272.00	273.00	1.00	0.123			
BDT2	DSDD0401	276.00	277.00	1.00	0.231	1.00 m @ 0.23 g/t Au	0.2	
BDT2	DSDD0401	277.00	278.00	1.00	0.103			
BDT2	DSDD0401	281.20	282.00	0.80	0.121			
BDT2	DSDD0401	282.00	283.00	1.00	4.563			
BDT2	DSDD0401	283.00	284.00	1.00	1.070	5.00 m @ 1.64 g/t Au	8.2	3.00 m @ 2.55 g/t Au
BDT2	DSDD0401	284.00	285.00	1.00	2.015			
BDT2	DSDD0401	285.00	285.66	0.66	0.369			
BDT2	DSDD0401	285.66	286.50	0.84	0.231			
BDT2	DSDD0401	286.50	287.00	0.50	0.201			
BDT2	DSDD0401	287.00	288.00	1.00	0.136			
BDT2	DSDD0401	288.00	289.00	1.00	0.170			
BDT2	DSDD0401	289.00	290.00	1.00	0.116			
BDT2	DSDD0401	290.00	291.00	1.00	0.181			
BDT2	DSDD0401	292.00	293.00	1.00	0.124			
BDT2	DSDD0401	293.00	294.00	1.00	0.391			
BDT2	DSDD0401	294.00	295.00	1.00	0.142			
BDT2	DSDD0401	295.00	296.00	1.00	0.834			
BDT2	DSDD0401	296.00	297.00	1.00	0.170			
BDT2	DSDD0401	297.00	298.00	1.00	0.533			
BDT2	DSDD0401	298.00	299.00	1.00	0.606			
BDT2	DSDD0401	299.00	300.00	1.00	1.058			1.00 m @ 1.06 g/t Au
BDT2	DSDD0401	300.00	301.00	1.00	0.183			
BDT2	DSDD0401	301.00	302.00	1.00	0.731	20.00 m @ 0.44 g/t Au	8.9	
BDT2	DSDD0401	302.00	303.00	1.00	0.206			
BDT2	DSDD0401	303.00	304.00	1.00	0.193			
BDT2	DSDD0401	304.00	305.00	1.00	0.094			
BDT2	DSDD0401	305.00	306.00	1.00	0.056			
BDT2	DSDD0401	306.00	307.00	1.00	0.254			
BDT2	DSDD0401	307.00	308.00	1.00	0.077			
BDT2	DSDD0401	308.00	309.00	1.00	2.301			1.00 m @ 2.30 g/t Au
BDT2	DSDD0401	309.00	310.00	1.00	0.222			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0402	163.00	164.00	1.00	0.380			
BDT2	DSDD0402	164.00	165.00	1.00	0.100			
BDT2	DSDD0402	165.00	166.00	1.00	0.250			
BDT2	DSDD0402	166.00	167.00	1.00	0.510			
BDT2	DSDD0402	167.00	168.00	1.00	0.470			
BDT2	DSDD0402	168.00	169.00	1.00	0.210			
BDT2	DSDD0402	169.00	170.00	1.00	0.260			
BDT2	DSDD0402	170.00	171.00	1.00	0.450			
BDT2	DSDD0402	171.00	172.00	1.00	0.390			
BDT2	DSDD0402	172.00	173.00	1.00	0.520			
BDT2	DSDD0402	173.00	174.00	1.00	0.500			
BDT2	DSDD0402	174.00	175.00	1.00	0.090			
BDT2	DSDD0402	175.00	176.00	1.00	0.350			
BDT2	DSDD0402	176.00	177.00	1.00	0.990			
BDT2	DSDD0402	177.00	177.90	0.90	0.380			
BDT2	DSDD0402	188.85	189.50	0.65	1.920			
BDT2	DSDD0402	189.50	190.00	0.50	1.470			1.15 m @ 1.72 g/t Au
BDT2	DSDD0402	190.00	191.00	1.00	0.250	4.15 m @ 0.69 g/t Au	2.8	
BDT2	DSDD0402	191.00	192.00	1.00	0.380			
BDT2	DSDD0402	192.00	193.00	1.00	0.230			
BDT2	DSDD0402	194.00	195.00	1.00	0.140			
BDT2	DSDD0402	195.00	196.00	1.00	0.170			
BDT2	DSDD0402	196.00	197.00	1.00	0.110			
BDT2	DSDD0402	197.00	198.00	1.00	0.220	5.00 m @ 0.34 g/t Au	1.7	
BDT2	DSDD0402	198.00	199.00	1.00	0.220			
BDT2	DSDD0402	199.00	200.16	1.16	0.190			
BDT2	DSDD0402	200.16	201.00	0.84	0.830			
BDT2	DSDD0402	201.00	202.00	1.00	0.350			
BDT2	DSDD0402	202.00	203.00	1.00	0.150			
BDT2	DSDD0402	203.00	204.40	1.40	0.110			
BDT2	DSDD0402	204.40	205.00	0.60	0.190			
BDT2	DSDD0402	206.00	207.00	1.00	0.100			
BDT2	DSDD0402	207.00	208.00	1.00	1.970	20.00 m @ 0.49 g/t Au	9.8	1.00 m @ 1.97 g/t Au
BDT2	DSDD0402	208.00	209.00	1.00	0.060			
BDT2	DSDD0402	209.00	210.00	1.00	0.470			
BDT2	DSDD0402	210.00	211.00	1.00	0.220			
BDT2	DSDD0402	211.00	212.00	1.00	0.870			
BDT2	DSDD0402	212.00	213.00	1.00	0.120			
BDT2	DSDD0402	213.00	214.00	1.00	0.140			
BDT2	DSDD0402	214.00	215.00	1.00	0.670			
BDT2	DSDD0402	215.00	216.00	1.00	0.570			
BDT2	DSDD0402	216.00	217.00	1.00	0.470			
BDT2	DSDD0402	217.00	218.00	1.00	0.300			
BDT2	DSDD0402	218.00	219.00	1.00	0.560			
BDT2	DSDD0402	219.00	220.00	1.00	0.270			
BDT2	DSDD0402	220.00	221.00	1.00	0.290			
BDT2	DSDD0402	221.00	222.00	1.00	0.500			
BDT2	DSDD0402	222.00	223.00	1.00	0.740			
BDT2	DSDD0402	223.00	224.00	1.00	0.940			
BDT2	DSDD0402	224.00	225.45	1.45	0.190			
BDT2	DSDD0402	225.45	226.00	0.55	0.030			
BDT2	DSDD0402	226.00	227.00	1.00	0.320			
BDT2	DSDD0402	226.00	227.00	1.00	0.320			
BDT2	DSDD0402	252.00	253.00	1.00	0.110			
BDT2	DSDD0402	257.00	258.00	1.00	0.100			
BDT2	DSDD0402	258.00	259.00	1.00	0.410	2.00 m @ 0.43 g/t Au	0.9	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0402	259.00	260.00	1.00	0.460			
BDT2	DSDD0402	275.00	276.00	1.00	0.110			
BDT2	DSDD0402	297.00	298.20	1.20	0.180			
BDT2	DSDD0402	298.20	299.00	0.80	0.200	0.80 m @ 0.20 g/t Au	0.2	
BDT2	DSDD0402	301.00	302.00	1.00	0.150			
BDT2	DSDD0402	302.00	303.00	1.00	0.130			
BDT2	DSDD0402	303.00	304.00	1.00	0.240			
BDT2	DSDD0402	304.00	305.00	1.00	0.150			
BDT2	DSDD0402	305.00	306.00	1.00	0.070			
BDT2	DSDD0402	306.00	307.00	1.00	0.140			
BDT2	DSDD0402	307.00	308.00	1.00	0.260			
BDT2	DSDD0402	308.00	309.00	1.00	0.260			
BDT2	DSDD0402	309.00	310.00	1.00	0.040			
BDT2	DSDD0402	310.00	311.00	1.00	0.120			
BDT2	DSDD0402	311.00	312.00	1.00	0.910	16.00 m @ 0.23 g/t Au	3.6	
BDT2	DSDD0402	312.00	313.00	1.00	0.320			
BDT2	DSDD0402	313.00	314.00	1.00	0.030			
BDT2	DSDD0402	314.00	315.00	1.00	0.030			
BDT2	DSDD0402	315.00	316.00	1.00	0.170			
BDT2	DSDD0402	316.00	317.00	1.00	0.380			
BDT2	DSDD0402	317.00	318.48	1.48	0.270			
BDT2	DSDD0402	318.48	319.00	0.52	0.200			
BDT2	DSDD0402	325.00	326.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.2	
BDT2	DSDD0402	326.00	327.00	1.00	0.170			
BDT2	DSDD0402	327.00	328.00	1.00	0.100			
BDT2	DSDD0402	337.00	338.00	1.00	0.220			
BDT2	DSDD0402	338.00	339.00	1.00	0.400			
BDT2	DSDD0402	339.00	340.00	1.00	0.020			
BDT2	DSDD0402	340.00	341.00	1.00	0.020			
BDT2	DSDD0402	341.00	342.00	1.00	0.760			
BDT2	DSDD0402	342.00	343.00	1.00	0.910	11.00 m @ 0.43 g/t Au	4.7	
BDT2	DSDD0402	343.00	344.00	1.00	0.330			
BDT2	DSDD0402	344.00	345.00	1.00	0.350			
BDT2	DSDD0402	345.00	346.00	1.00	0.420			
BDT2	DSDD0402	346.00	347.00	1.00	0.790			
BDT2	DSDD0402	347.00	348.00	1.00	0.470			
BDT2	DSDD0402	348.00	349.00	1.00	0.170			
BDT2	DSDD0402	367.00	368.00	1.00	0.820			
BDT2	DSDD0402	368.00	369.00	1.00	0.580			
BDT2	DSDD0402	369.00	370.00	1.00	0.010	5.00 m @ 0.65 g/t Au	3.3	
BDT2	DSDD0402	370.00	371.00	1.00	1.010			1.00 m @ 1.01 g/t Au
BDT2	DSDD0402	371.00	372.00	1.00	0.830			
BDT2	DSDD0402	393.00	394.00	1.00	0.130			
BDT2	DSDD0402	397.00	398.00	1.00	0.100			
BDT2	DSDD0402	398.00	399.00	1.00	0.190			
BDT2	DSDD0402	400.00	401.00	1.00	1.340	2.00 m @ 0.78 g/t Au	1.6	1.00 m @ 1.34 g/t Au
BDT2	DSDD0402	401.00	402.00	1.00	0.220			
BDT2	DSDD0402	402.00	403.00	1.00	0.150			
BDT2	DSDD0402	427.00	428.00	1.00	0.680			
BDT2	DSDD0402	428.00	429.00	1.00	0.230			
BDT2	DSDD0402	429.00	430.00	1.00	0.010			
BDT2	DSDD0402	430.00	431.00	1.00	1.430	6.00 m @ 0.52 g/t Au	3.1	1.00 m @ 1.43 g/t Au
BDT2	DSDD0402	431.00	432.00	1.00	0.180			
BDT2	DSDD0402	432.00	433.00	1.00	0.610			
BDT2	DSDD0403	32.11	33.00	0.89	0.223	1.68 m @ 0.22 g/t Au	0.4	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0403	33.00	33.79	0.79	0.223			
BDT2	DSDD0403	80.00	81.00	1.00	0.158			
BDT2	DSDD0403	84.00	85.00	1.00	0.744	1.00 m @ 0.74 g/t Au	0.7	
BDT2	DSDD0403	95.00	96.00	1.00	0.292	1.00 m @ 0.29 g/t Au	0.3	
BDT2	DSDD0403	102.00	103.00	1.00	0.221	1.00 m @ 0.22 g/t Au	0.2	
BDT2	DSDD0403	139.00	140.00	1.00	0.212	1.00 m @ 0.21 g/t Au	0.2	
BDT2	DSDD0403	144.00	145.00	1.00	1.026	1.00 m @ 1.03 g/t Au	1.0	1.00 m @ 1.03 g/t Au
BDT2	DSDD0403	160.00	161.00	1.00	0.311	3.00 m @ 0.31 g/t Au	0.9	
BDT2	DSDD0403	161.00	162.00	1.00	0.405			
BDT2	DSDD0403	162.00	163.00	1.00	0.200			
BDT2	DSDD0403	168.00	169.00	1.00	0.105			
BDT2	DSDD0403	169.00	170.00	1.00	1.071	1.00 m @ 1.07 g/t Au	1.1	1.00 m @ 1.07 g/t Au
BDT2	DSDD0403	187.00	188.00	1.00	0.111	17.41 m @ 0.47 g/t Au	8.2	
BDT2	DSDD0403	210.00	211.00	1.00	0.201			
BDT2	DSDD0403	211.00	212.00	1.00	0.008			
BDT2	DSDD0403	212.00	213.00	1.00	0.021			
BDT2	DSDD0403	213.00	214.00	1.00	0.438			
BDT2	DSDD0403	214.00	215.00	1.00	0.450			
BDT2	DSDD0403	215.00	216.00	1.00	0.061			
BDT2	DSDD0403	216.00	217.00	1.00	0.161			
BDT2	DSDD0403	217.00	218.00	1.00	0.532			
BDT2	DSDD0403	218.00	219.00	1.00	1.132			1.00 m @ 1.13 g/t Au
BDT2	DSDD0403	219.00	220.00	1.00	0.028			
BDT2	DSDD0403	220.00	221.00	1.00	0.985			
BDT2	DSDD0403	221.00	221.70	0.70	0.025			
BDT2	DSDD0403	221.70	223.00	1.30	0.236			
BDT2	DSDD0403	223.00	224.00	1.00	1.011			
BDT2	DSDD0403	224.00	225.00	1.00	0.594			3.00 m @ 1.14 g/t Au
BDT2	DSDD0403	225.00	226.00	1.00	1.829			
BDT2	DSDD0403	226.00	227.41	1.41	0.329			
BDT2	DSDD0403	232.00	233.00	1.00	1.030	4.00 m @ 0.48 g/t Au	1.9	1.00 m @ 1.03 g/t Au
BDT2	DSDD0403	233.00	234.00	1.00	0.008			
BDT2	DSDD0403	234.00	235.00	1.00	0.008			
BDT2	DSDD0403	235.00	236.00	1.00	0.867			
BDT2	DSDD0403	251.00	252.00	1.00	0.124			
BDT2	DSDD0404	7.50	9.00	1.50	0.213	1.50 m @ 0.21 g/t Au	0.3	
BDT2	DSDD0404	76.00	77.00	1.00	0.332	1.00 m @ 0.33 g/t Au	0.3	
BDT2	DSDD0404	77.00	78.00	1.00	0.190			
BDT2	DSDD0404	82.00	83.00	1.00	0.198	2.00 m @ 0.36 g/t Au	0.7	
BDT2	DSDD0404	83.00	84.00	1.00	0.426			
BDT2	DSDD0404	84.00	85.00	1.00	0.304			
BDT2	DSDD0404	115.00	116.00	1.00	0.109			
BDT2	DSDD0404	124.00	125.00	1.00	0.231	2.00 m @ 0.33 g/t Au	0.7	
BDT2	DSDD0404	125.00	126.00	1.00	0.423			
BDT2	DSDD0404	132.00	133.00	1.00	0.121			
BDT2	DSDD0404	162.00	163.00	1.00	0.896	1.00 m @ 0.90 g/t Au	0.9	
BDT2	DSDD0404	163.00	164.00	1.00	0.124			
BDT2	DSDD0404	171.00	172.00	1.00	0.198			
BDT2	DSDD0404	172.00	173.00	1.00	0.111			
BDT2	DSDD0404	174.00	175.00	1.00	0.106			
BDT2	DSDD0404	175.00	176.00	1.00	0.983	2.00 m @ 0.60 g/t Au	1.2	
BDT2	DSDD0404	176.00	177.00	1.00	0.227			
BDT2	DSDD0404	178.00	179.00	1.00	0.167			
BDT2	DSDD0404	179.00	180.00	1.00	0.190			
BDT2	DSDD0404	180.00	181.00	1.00	0.109			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0404	182.00	183.00	1.00	0.523	1.00 m @ 0.52 g/t Au	0.5	
BDT2	DSDD0404	183.00	184.00	1.00	0.170			
BDT2	DSDD0404	187.00	188.00	1.00	0.136			
BDT2	DSDD0404	188.00	189.00	1.00	0.131			
BDT2	DSDD0404	189.00	190.00	1.00	4.965	10.00 m @ 1.12 g/t Au	11.2	1.00 m @ 4.96 g/t Au
BDT2	DSDD0404	190.00	191.00	1.00	0.087			
BDT2	DSDD0404	191.00	192.00	1.00	0.066			
BDT2	DSDD0404	192.00	193.00	1.00	0.342			
BDT2	DSDD0404	193.00	194.00	1.00	0.563			
BDT2	DSDD0404	194.00	195.00	1.00	0.066			
BDT2	DSDD0404	195.00	196.00	1.00	0.008			
BDT2	DSDD0404	196.00	197.00	1.00	0.988			
BDT2	DSDD0404	197.00	198.00	1.00	0.964			
BDT2	DSDD0404	198.00	199.00	1.00	3.166			1.00 m @ 3.17 g/t Au
BDT2	DSDD0404	203.00	204.40	1.40	0.745	4.50 m @ 0.31 g/t Au	1.4	
BDT2	DSDD0404	204.40	205.00	0.60	0.159			
BDT2	DSDD0404	205.00	206.00	1.00	0.059			
BDT2	DSDD0404	206.00	206.60	0.60	0.017			
BDT2	DSDD0404	206.60	207.50	0.90	0.215			
BDT2	DSDD0404	212.00	212.60	0.60	0.161			
BDT2	DSDD0404	212.60	214.00	1.40	0.130			
BDT2	DSDD0404	215.00	216.00	1.00	0.274	1.00 m @ 0.27 g/t Au	0.3	
BDT2	DSDD0404	243.00	244.00	1.00	2.029	6.00 m @ 0.85 g/t Au	5.1	2.00 m @ 1.95 g/t Au
BDT2	DSDD0404	244.00	245.00	1.00	1.869			
BDT2	DSDD0404	245.00	246.00	1.00	0.038			
BDT2	DSDD0404	246.00	247.00	1.00	0.090			
BDT2	DSDD0404	247.00	248.30	1.30	0.689			
BDT2	DSDD0404	248.30	249.00	0.70	0.281			
BDT2	DSDD0405	0.00	1.00	1.00	0.411	1.00 m @ 0.41 g/t Au	0.4	
BDT2	DSDD0405	3.00	4.50	1.50	0.141			
BDT2	DSDD0405	4.50	6.00	1.50	0.175			
BDT2	DSDD0405	7.00	8.00	1.00	0.217	1.00 m @ 0.22 g/t Au	0.2	
BDT2	DSDD0405	13.50	15.00	1.50	0.103			
BDT2	DSDD0405	16.50	18.00	1.50	0.173			
BDT2	DSDD0405	18.00	19.50	1.50	2.114	1.50 m @ 2.11 g/t Au	3.2	1.50 m @ 2.11 g/t Au
BDT2	DSDD0405	21.00	22.50	1.50	0.272	1.50 m @ 0.27 g/t Au	0.4	
BDT2	DSDD0405	22.50	24.00	1.50	0.117			
BDT2	DSDD0405	25.50	27.00	1.50	0.122			
BDT2	DSDD0405	28.50	30.00	1.50	0.130			
BDT2	DSDD0405	30.00	31.50	1.50	0.160			
BDT2	DSDD0405	31.50	33.00	1.50	0.126			
BDT2	DSDD0405	33.00	34.10	1.10	0.181			
BDT2	DSDD0405	34.50	36.00	1.50	0.180			
BDT2	DSDD0405	64.50	65.50	1.00	0.609	1.00 m @ 0.61 g/t Au	0.6	
BDT2	DSDD0405	116.00	117.00	1.00	0.305	1.00 m @ 0.30 g/t Au	0.3	
BDT2	DSDD0405	117.00	118.00	1.00	0.120			
BDT2	DSDD0405	130.00	131.00	1.00	0.574	3.00 m @ 0.43 g/t Au	1.3	
BDT2	DSDD0405	131.00	132.00	1.00	0.465			
BDT2	DSDD0405	132.00	133.00	1.00	0.261			
BDT2	DSDD0405	137.00	138.00	1.00	0.265	1.00 m @ 0.27 g/t Au	0.3	
BDT2	DSDD0405	138.00	139.00	1.00	0.143			
BDT2	DSDD0405	148.00	149.00	1.00	0.101			
BDT2	DSDD0405	162.00	163.00	1.00	0.103			
BDT2	DSDD0405	182.00	183.00	1.00	1.066	1.00 m @ 1.07 g/t Au	1.1	1.00 m @ 1.07 g/t Au
BDT2	DSDD0405	212.00	213.00	1.00	0.189			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
BDT2	DSDD0405	217.91	219.00	1.09	0.126				
BDT2	DSDD0405	219.00	220.00	1.00	0.183				
BDT2	DSDD0405	221.00	222.00	1.00	1.728	14.00 m @ 0.49 g/t Au	6.8	1.00 m @ 1.73 g/t Au	
BDT2	DSDD0405	222.00	223.00	1.00	0.335				
BDT2	DSDD0405	223.00	224.00	1.00	0.987				
BDT2	DSDD0405	224.00	225.00	1.00	0.434				
BDT2	DSDD0405	225.00	226.00	1.00	0.046				
BDT2	DSDD0405	226.00	227.00	1.00	1.523				1.00 m @ 1.52 g/t Au
BDT2	DSDD0405	227.00	228.00	1.00	0.858				
BDT2	DSDD0405	228.00	229.40	1.40	0.103				
BDT2	DSDD0405	229.40	230.00	0.60	0.008				
BDT2	DSDD0405	230.00	231.00	1.00	0.063				
BDT2	DSDD0405	231.00	232.00	1.00	0.290				
BDT2	DSDD0405	232.00	233.00	1.00	0.083				
BDT2	DSDD0405	233.00	234.00	1.00	0.056				
BDT2	DSDD0405	234.00	235.00	1.00	0.273				
BDT2	DSDD0405	245.00	246.00	1.00	0.236	9.00 m @ 1.20 g/t Au	10.8		
BDT2	DSDD0405	246.00	247.00	1.00	0.008				
BDT2	DSDD0405	247.00	247.72	0.72	0.047				
BDT2	DSDD0405	247.72	249.00	1.28	0.025				
BDT2	DSDD0405	249.00	250.00	1.00	0.441				
BDT2	DSDD0405	250.00	251.00	1.00	0.070				
BDT2	DSDD0405	251.00	252.00	1.00	8.731				1.00 m @ 8.73 g/t Au
BDT2	DSDD0405	252.00	253.00	1.00	0.461				
BDT2	DSDD0405	253.00	254.00	1.00	0.773				
BDT2	DSDD0405	258.00	259.00	1.00	0.310				
BDT2	DSDD0405	259.00	260.00	1.00	0.008	4.00 m @ 0.45 g/t Au	1.8		
BDT2	DSDD0405	260.00	261.00	1.00	0.208				
BDT2	DSDD0405	261.00	262.00	1.00	1.278				1.00 m @ 1.28 g/t Au
BDT2	DSDD0405	262.00	263.00	1.00	0.116				
BDT2	DSDD0405	267.00	268.00	1.00	2.250	11.00 m @ 0.58 g/t Au	6.4	1.00 m @ 2.25 g/t Au	
BDT2	DSDD0405	268.00	269.00	1.00	0.096				
BDT2	DSDD0405	269.00	270.00	1.00	0.319				
BDT2	DSDD0405	270.00	271.00	1.00	0.048				
BDT2	DSDD0405	271.00	272.00	1.00	1.393				1.00 m @ 1.39 g/t Au
BDT2	DSDD0405	272.00	273.00	1.00	0.230				
BDT2	DSDD0405	273.00	274.00	1.00	0.642				
BDT2	DSDD0405	274.00	275.25	1.25	0.773				
BDT2	DSDD0405	275.25	276.00	0.75	0.008				
BDT2	DSDD0405	276.00	277.00	1.00	0.064				
BDT2	DSDD0405	277.00	278.00	1.00	0.418				
BDT2	DSDD0405	305.00	306.00	1.00	0.287	1.00 m @ 0.29 g/t Au	0.3		
BDT2	DSDD0406	0.00	1.50	1.50	0.120				
BDT2	DSDD0406	37.94	39.00	1.06	0.181				
BDT2	DSDD0406	43.50	45.00	1.50	0.368	1.50 m @ 0.37 g/t Au	0.6		
BDT2	DSDD0406	45.00	46.00	1.00	0.104				
BDT2	DSDD0406	52.50	54.00	1.50	0.404	1.50 m @ 0.40 g/t Au	0.6		
BDT2	DSDD0406	58.50	60.00	1.50	0.104				
BDT2	DSDD0406	60.00	61.50	1.50	0.154				
BDT2	DSDD0406	61.50	62.28	0.78	0.316	0.78 m @ 0.32 g/t Au	0.2		
BDT2	DSDD0406	66.00	67.00	1.00	0.109				
BDT2	DSDD0406	71.00	72.00	1.00	0.206	1.00 m @ 0.21 g/t Au	0.2		
BDT2	DSDD0406	72.00	73.00	1.00	0.109				
BDT2	DSDD0406	76.00	77.30	1.30	0.264	1.30 m @ 0.26 g/t Au	0.3		
BDT2	DSDD0406	79.00	80.00	1.00	0.232	2.00 m @ 0.23 g/t Au	0.5		

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0406	80.00	81.00	1.00	0.230			
BDT2	DSDD0406	81.00	82.00	1.00	0.135			
BDT2	DSDD0406	84.00	85.00	1.00	0.478	1.00 m @ 0.48 g/t Au	0.5	
BDT2	DSDD0406	85.00	86.00	1.00	0.110			
BDT2	DSDD0406	93.00	94.10	1.10	0.381			
BDT2	DSDD0406	94.10	95.00	0.90	1.550	4.00 m @ 0.57 g/t Au	2.3	0.90 m @ 1.55 g/t Au
BDT2	DSDD0406	95.00	96.00	1.00	0.160			
BDT2	DSDD0406	96.00	97.00	1.00	0.310			
BDT2	DSDD0406	102.31	103.47	1.16	0.130			
BDT2	DSDD0406	105.05	106.00	0.95	0.444			
BDT2	DSDD0406	106.00	107.00	1.00	0.019			
BDT2	DSDD0406	107.00	108.00	1.00	1.033	4.95 m @ 0.71 g/t Au	3.5	2.00 m @ 1.13 g/t Au
BDT2	DSDD0406	108.00	109.00	1.00	1.232			
BDT2	DSDD0406	109.00	110.00	1.00	0.815			
BDT2	DSDD0406	110.00	111.00	1.00	0.112			
BDT2	DSDD0406	119.40	120.60	1.20	1.355			1.20 m @ 1.35 g/t Au
BDT2	DSDD0406	120.60	121.50	0.90	0.056	4.10 m @ 0.52 g/t Au	2.1	
BDT2	DSDD0406	121.50	122.45	0.95	0.083			
BDT2	DSDD0406	122.45	123.50	1.05	0.351			
BDT2	DSDD0407A	0.00	0.70	0.70	0.252	0.70 m @ 0.25 g/t Au	0.2	
BDT2	DSDD0407A	5.00	6.22	1.22	5.457	1.22 m @ 5.46 g/t Au	6.7	1.22 m @ 5.46 g/t Au
BDT2	DSDD0407A	10.50	11.50	1.00	0.607			
BDT2	DSDD0407A	11.50	12.30	0.80	0.219	1.80 m @ 0.43 g/t Au	0.8	
BDT2	DSDD0407A	14.16	15.32	1.16	3.798	1.16 m @ 3.80 g/t Au	4.4	1.16 m @ 3.80 g/t Au
BDT2	DSDD0407A	16.50	18.00	1.50	0.509			
BDT2	DSDD0407A	18.00	19.06	1.06	0.308	2.56 m @ 0.43 g/t Au	1.1	
BDT2	DSDD0407A	24.00	25.01	1.01	0.225	1.01 m @ 0.23 g/t Au	0.2	
BDT2	DSDD0407A	65.00	66.00	1.00	0.157			
BDT2	DSDD0407A	81.00	82.00	1.00	0.236	1.00 m @ 0.24 g/t Au	0.2	
BDT2	DSDD0407A	101.00	102.00	1.00	0.348	1.00 m @ 0.35 g/t Au	0.3	
BDT2	DSDD0408	4.16	4.75	0.59	0.110			
BDT2	DSDD0408	6.68	7.97	1.29	1.370	1.29 m @ 1.37 g/t Au	1.8	1.29 m @ 1.37 g/t Au
BDT2	DSDD0408	9.00	9.61	0.61	0.690	0.61 m @ 0.69 g/t Au	0.4	
BDT2	DSDD0408	11.15	12.00	0.85	0.360	0.85 m @ 0.36 g/t Au	0.3	
BDT2	DSDD0408	14.40	15.85	1.45	0.380	1.45 m @ 0.38 g/t Au	0.6	
BDT2	DSDD0408	17.66	18.57	0.91	0.400	0.91 m @ 0.40 g/t Au	0.4	
BDT2	DSDD0408	20.16	21.00	0.84	0.450			
BDT2	DSDD0408	21.00	22.50	1.50	0.620	2.84 m @ 0.62 g/t Au	1.8	
BDT2	DSDD0408	22.50	23.00	0.50	0.910			
BDT2	DSDD0408	25.06	26.42	1.36	0.600	1.36 m @ 0.60 g/t Au	0.8	
BDT2	DSDD0408	28.16	29.23	1.07	0.210	1.07 m @ 0.21 g/t Au	0.2	
BDT2	DSDD0408	30.99	32.00	1.01	0.190			
BDT2	DSDD0408	32.00	33.00	1.00	0.130			
BDT2	DSDD0408	33.00	33.65	0.65	0.140			
BDT2	DSDD0408	79.00	80.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.2	
BDT2	DSDD0408	96.00	97.00	1.00	0.150			
BDT2	DSDD0408	97.00	98.00	1.00	0.210			
BDT2	DSDD0408	98.00	99.00	1.00	0.500			
BDT2	DSDD0408	99.00	100.00	1.00	0.240			
BDT2	DSDD0408	100.00	101.00	1.00	0.310			
BDT2	DSDD0408	101.00	102.00	1.00	22.000	22.00 m @ 1.40 g/t Au	30.9	1.00 m @ 22.00 g/t Au
BDT2	DSDD0408	102.00	103.05	1.05	0.840			
BDT2	DSDD0408	103.05	104.00	0.95	0.970			
BDT2	DSDD0408	104.00	105.00	1.00	0.170			
BDT2	DSDD0408	105.00	106.00	1.00	0.060			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0408	106.00	107.00	1.00	0.840			
BDT2	DSDD0408	107.00	108.00	1.00	0.490			
BDT2	DSDD0408	108.00	109.00	1.00	0.080			
BDT2	DSDD0408	109.00	110.00	1.00	0.200			
BDT2	DSDD0408	110.00	111.00	1.00	0.120			
BDT2	DSDD0408	111.00	112.00	1.00	0.280			
BDT2	DSDD0408	112.00	113.00	1.00	0.240			
BDT2	DSDD0408	113.00	114.50	1.50	0.540			
BDT2	DSDD0408	114.50	115.50	1.00	0.160			
BDT2	DSDD0408	115.50	117.00	1.50	0.220			
BDT2	DSDD0408	117.00	118.00	1.00	0.700			
BDT2	DSDD0408	118.00	119.00	1.00	1.320			1.00 m @ 1.32 g/t Au
BDT2	DSDD0408	130.00	131.00	1.00	0.140			
BDT2	DSDD0408	136.00	137.00	1.00	0.170			
BDT2	DSDD0408	215.00	216.00	1.00	0.230			
BDT2	DSDD0408	216.00	217.00	1.00	0.650			
BDT2	DSDD0408	217.00	218.00	1.00	0.020			
BDT2	DSDD0408	218.00	218.80	0.80	0.020			
BDT2	DSDD0408	218.80	220.00	1.20	0.400			
BDT2	DSDD0408	220.00	221.00	1.00	0.820			
BDT2	DSDD0408	221.00	222.00	1.00	0.590			
BDT2	DSDD0408	222.00	223.00	1.00	0.240			
BDT2	DSDD0408	223.00	223.68	0.68	1.130	15.00 m @ 1.00 g/t Au	15.0	0.68 m @ 1.13 g/t Au
BDT2	DSDD0408	223.68	225.00	1.32	0.420			
BDT2	DSDD0408	225.00	226.00	1.00	0.010			
BDT2	DSDD0408	226.00	227.00	1.00	0.040			
BDT2	DSDD0408	227.00	228.00	1.00	6.840			
BDT2	DSDD0408	228.00	229.00	1.00	3.410			2.00 m @ 5.12 g/t Au
BDT2	DSDD0408	229.00	230.00	1.00	0.300			
BDT2	DSDD0408	230.00	231.00	1.00	0.110			
BDT2	DSDD0408	234.00	235.00	1.00	0.100			
BDT2	DSDD0408	242.00	243.00	1.00	0.160			
BDT2	DSDD0408	243.00	244.00	1.00	0.140			
BDT2	DSDD0408	277.00	278.00	1.00	0.340	1.00 m @ 0.34 g/t Au	0.3	
BDT2	DSDD0408	303.00	304.00	1.00	0.590			
BDT2	DSDD0408	304.00	305.00	1.00	0.150	3.00 m @ 0.32 g/t Au	1.0	
BDT2	DSDD0408	305.00	306.00	1.00	0.220			
BDT2	DSDD0408	319.00	320.00	1.00	0.350	1.00 m @ 0.35 g/t Au	0.4	
BDT2	DSDD0409	6.00	7.50	1.50	0.129			
BDT2	DSDD0409	9.52	10.50	0.98	0.106			
BDT2	DSDD0409	43.25	44.34	1.09	5.541	1.09 m @ 5.54 g/t Au	6.0	1.09 m @ 5.54 g/t Au
BDT2	DSDD0409	52.50	54.00	1.50	0.198			
BDT2	DSDD0409	107.00	108.00	1.00	0.182			
BDT2	DSDD0409	146.00	147.00	1.00	0.682	1.00 m @ 0.68 g/t Au	0.7	
BDT2	DSDD0409	151.00	152.00	1.00	2.297			
BDT2	DSDD0409	152.00	153.00	1.00	5.489			4.00 m @ 2.26 g/t Au
BDT2	DSDD0409	153.00	154.00	1.00	0.102			
BDT2	DSDD0409	154.00	155.00	1.00	1.163			
BDT2	DSDD0409	155.00	156.00	1.00	0.304			
BDT2	DSDD0409	156.00	157.00	1.00	0.029			
BDT2	DSDD0409	157.00	158.00	1.00	0.146			
BDT2	DSDD0409	158.00	159.00	1.00	0.974			
BDT2	DSDD0409	159.00	160.00	1.00	0.025			
BDT2	DSDD0409	160.00	160.53	0.53	0.020			
BDT2	DSDD0409	160.53	162.00	1.47	0.059			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0409	162.00	163.00	1.00	0.499			
BDT2	DSDD0409	288.00	289.00	1.00	0.270			
BDT2	DSDD0409	289.00	290.00	1.00	0.545			
BDT2	DSDD0409	290.00	291.00	1.00	1.011			
BDT2	DSDD0409	291.00	292.00	1.00	1.514			2.00 m @ 1.26 g/t Au
BDT2	DSDD0409	292.00	293.00	1.00	0.047			
BDT2	DSDD0409	293.00	293.88	0.88	0.131			
BDT2	DSDD0409	293.88	294.50	0.62	0.120			
BDT2	DSDD0409	294.50	295.00	0.50	0.008			
BDT2	DSDD0409	295.00	296.00	1.00	0.315	15.00 m @ 0.35 g/t Au	5.2	
BDT2	DSDD0409	296.00	297.00	1.00	0.098			
BDT2	DSDD0409	297.00	298.00	1.00	0.180			
BDT2	DSDD0409	298.00	299.00	1.00	0.494			
BDT2	DSDD0409	299.00	300.02	1.02	0.193			
BDT2	DSDD0409	300.02	301.00	0.98	0.064			
BDT2	DSDD0409	301.00	302.00	1.00	0.008			
BDT2	DSDD0409	302.00	303.00	1.00	0.278			
BDT2	DSDD0409	303.00	304.00	1.00	0.190			
BDT2	DSDD0409	308.00	308.90	0.90	0.147			
BDT2	DSDD0409	308.90	309.40	0.50	2.037			
BDT2	DSDD0409	309.40	310.00	0.60	1.686			1.10 m @ 1.85 g/t Au
BDT2	DSDD0409	310.00	311.00	1.00	0.423			
BDT2	DSDD0409	311.00	312.00	1.00	0.057	4.90 m @ 0.59 g/t Au	2.9	
BDT2	DSDD0409	312.00	313.30	1.30	0.111			
BDT2	DSDD0409	313.30	313.80	0.50	0.486			
BDT2	DSDD0409	320.00	321.00	1.00	0.396			
BDT2	DSDD0409	321.00	322.00	1.00	0.543			
BDT2	DSDD0409	322.00	323.00	1.00	1.985	4.00 m @ 1.28 g/t Au	5.1	
BDT2	DSDD0409	323.00	324.00	1.00	2.179			2.00 m @ 2.08 g/t Au
BDT2	DSDD0409	324.00	325.00	1.00	0.154			
BDT2	DSDD0409	325.00	326.00	1.00	0.187			
BDT2	DSDD0409	329.00	330.00	1.00	0.203			
BDT2	DSDD0409	330.00	331.00	1.00	0.117			
BDT2	DSDD0409	331.00	332.00	1.00	0.008			
BDT2	DSDD0409	332.00	333.00	1.00	0.380	7.00 m @ 0.28 g/t Au	2.0	
BDT2	DSDD0409	333.00	334.00	1.00	0.905			
BDT2	DSDD0409	334.00	335.00	1.00	0.083			
BDT2	DSDD0409	335.00	336.00	1.00	0.283			
BDT2	DSDD0409	336.00	337.00	1.00	0.161			
BDT2	DSDD0409	339.61	341.00	1.39	0.305			
BDT2	DSDD0409	341.00	342.00	1.00	0.620			
BDT2	DSDD0409	342.00	343.00	1.00	0.185			
BDT2	DSDD0409	343.00	344.00	1.00	0.157			
BDT2	DSDD0409	344.00	345.00	1.00	0.860			
BDT2	DSDD0409	345.00	346.00	1.00	0.043			
BDT2	DSDD0409	346.00	347.00	1.00	0.029			
BDT2	DSDD0409	347.00	348.00	1.00	0.029			
BDT2	DSDD0409	348.00	349.00	1.00	0.522			
BDT2	DSDD0409	349.00	349.90	0.90	0.938			
BDT2	DSDD0409	349.90	351.00	1.10	0.351			
BDT2	DSDD0409	351.00	352.00	1.00	2.651			1.00 m @ 2.65 g/t Au
BDT2	DSDD0409	355.00	356.00	1.00	0.106			
BDT2	DSDD0409	356.00	357.00	1.00	0.114			
BDT2	DSDD0409	357.00	358.00	1.00	0.853	1.00 m @ 0.85 g/t Au	0.9	
BDT2	DSDD0409	366.00	367.00	1.00	1.339	4.00 m @ 0.73 g/t Au	2.9	2.00 m @ 1.26 g/t Au

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0409	367.00	368.00	1.00	1.177			
BDT2	DSDD0409	368.00	369.00	1.00	0.132			
BDT2	DSDD0409	369.00	370.00	1.00	0.256			
BDT2	DSDD0409	371.00	372.00	1.00	0.129			
BDT2	DSDD0409	374.00	375.00	1.00	0.128			
BDT2	DSDD0410	0.00	1.00	1.00	0.165			
BDT2	DSDD0410	4.10	4.66	0.56	0.198			
BDT2	DSDD0410	4.66	6.00	1.34	0.107			
BDT2	DSDD0410	25.50	26.43	0.93	0.295	0.93 m @ 0.29 g/t Au	0.3	
BDT2	DSDD0410	57.00	57.78	0.78	0.114			
BDT2	DSDD0410	58.50	60.00	1.50	0.179			
BDT2	DSDD0410	68.00	69.00	1.00	3.800			1.00 m @ 3.80 g/t Au
BDT2	DSDD0410	69.00	70.00	1.00	0.034			
BDT2	DSDD0410	70.00	71.00	1.00	0.008			
BDT2	DSDD0410	71.00	72.00	1.00	0.187			
BDT2	DSDD0410	72.00	73.00	1.00	0.779			
BDT2	DSDD0410	73.00	74.00	1.00	0.234			
BDT2	DSDD0410	91.65	93.00	1.35	0.282			
BDT2	DSDD0410	93.00	94.00	1.00	1.186	2.35 m @ 0.67 g/t Au	1.6	1.00 m @ 1.19 g/t Au
BDT2	DSDD0410	96.00	97.00	1.00	0.122			
BDT2	DSDD0410	102.00	102.70	0.70	0.114			
BDT2	DSDD0410	102.70	104.20	1.50	0.546			
BDT2	DSDD0410	104.20	105.00	0.80	0.901	4.30 m @ 0.45 g/t Au	1.9	
BDT2	DSDD0410	105.00	106.00	1.00	0.109			
BDT2	DSDD0410	106.00	107.00	1.00	0.283			
BDT2	DSDD0410	209.00	210.35	1.35	0.487			
BDT2	DSDD0410	210.35	211.00	0.65	0.411	2.00 m @ 0.46 g/t Au	0.9	
BDT2	DSDD0410	284.70	286.00	1.30	0.390			
BDT2	DSDD0410	286.00	287.00	1.00	0.120			
BDT2	DSDD0410	287.00	288.00	1.00	0.061			
BDT2	DSDD0410	288.00	288.50	0.50	0.162			
BDT2	DSDD0410	288.50	289.37	0.87	6.431			0.87 m @ 6.43 g/t Au
BDT2	DSDD0410	298.38	299.10	0.72	0.163			
BDT2	DSDD0410	303.00	304.30	1.30	0.116			
BDT2	DSDD0410	317.00	318.00	1.00	0.232	1.00 m @ 0.23 g/t Au	0.2	
BDT2	DSDD0410	321.00	322.00	1.00	0.117			
BDT2	DSDD0410	322.00	323.00	1.00	0.258			
BDT2	DSDD0410	323.00	324.00	1.00	0.156			
BDT2	DSDD0410	324.00	325.00	1.00	0.441			
BDT2	DSDD0410	325.00	326.00	1.00	0.681			
BDT2	DSDD0410	326.00	327.00	1.00	0.856			
BDT2	DSDD0410	327.00	328.00	1.00	0.095			
BDT2	DSDD0410	328.00	329.00	1.00	0.008			
BDT2	DSDD0410	329.00	330.00	1.00	0.201			
BDT2	DSDD0410	330.00	330.50	0.50	0.132			
BDT2	DSDD0410	330.50	331.40	0.90	2.492			0.90 m @ 2.49 g/t Au
BDT2	DSDD0410	331.40	332.00	0.60	0.117			
BDT2	DSDD0410	332.00	333.00	1.00	0.233			
BDT2	DSDD0410	338.00	339.00	1.00	0.580			
BDT2	DSDD0410	339.00	340.00	1.00	0.144			
BDT2	DSDD0410	340.00	341.00	1.00	1.510			1.00 m @ 1.51 g/t Au
BDT2	DSDD0410	341.00	342.00	1.00	0.030			
BDT2	DSDD0410	342.00	343.00	1.00	0.050			
BDT2	DSDD0410	343.00	344.00	1.00	0.108			
BDT2	DSDD0410	344.00	345.19	1.19	0.255	20.00 m @ 0.31 g/t Au	6.1	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0410	345.19	346.00	0.81	0.476			
BDT2	DSDD0410	346.00	347.00	1.00	0.155			
BDT2	DSDD0410	347.00	348.00	1.00	0.341			
BDT2	DSDD0410	348.00	349.00	1.00	0.060			
BDT2	DSDD0410	349.00	350.00	1.00	0.461			
BDT2	DSDD0410	350.00	351.00	1.00	0.025			
BDT2	DSDD0410	351.00	352.00	1.00	0.140			
BDT2	DSDD0410	352.00	353.00	1.00	0.285			
BDT2	DSDD0410	353.00	353.83	0.83	0.427			
BDT2	DSDD0410	353.83	355.00	1.17	0.445			
BDT2	DSDD0410	355.00	356.00	1.00	0.298			
BDT2	DSDD0410	356.00	357.00	1.00	0.165			
BDT2	DSDD0410	357.00	358.00	1.00	0.204			
BDT2	DSDD0410	358.00	359.10	1.10	0.198			
BDT2	DSDD0410	360.00	361.00	1.00	0.102			
BDT2	DSDD0410	361.00	362.00	1.00	0.135			
BDT2	DSDD0410	362.80	364.00	1.20	0.297			
BDT2	DSDD0410	364.00	365.00	1.00	0.765			
BDT2	DSDD0410	365.00	366.00	1.00	0.120			
BDT2	DSDD0410	366.00	367.00	1.00	0.047			
BDT2	DSDD0410	367.00	368.00	1.00	0.401			
BDT2	DSDD0410	368.00	369.00	1.00	0.384			
BDT2	DSDD0410	369.00	370.00	1.00	0.049			
BDT2	DSDD0410	370.00	371.00	1.00	0.165			
BDT2	DSDD0410	371.00	372.00	1.00	0.276			
BDT2	DSDD0410	372.00	373.00	1.00	0.104			
BDT2	DSDD0410	373.00	374.00	1.00	0.228			
BDT2	DSDD0410	374.00	375.00	1.00	0.396			
BDT2	DSDD0410	375.00	376.00	1.00	0.183			
BDT2	DSDD0410	376.00	377.30	1.30	0.179			
BDT2	DSDD0410	377.30	378.00	0.70	0.110			
BDT2	DSDD0410	381.00	382.00	1.00	0.216	1.00 m @ 0.22 g/t Au	0.2	
BDT2	DSDD0410	386.00	387.00	1.00	0.228			
BDT2	DSDD0410	387.00	388.00	1.00	1.368	2.00 m @ 0.80 g/t Au	1.6	1.00 m @ 1.37 g/t Au
BDT2	DSDD0410	393.00	394.00	1.00	0.418			
BDT2	DSDD0410	394.00	395.00	1.00	0.189			
BDT2	DSDD0410	395.00	395.89	0.89	0.111			
BDT2	DSDD0410	395.89	397.00	1.11	1.278			
BDT2	DSDD0410	397.00	398.00	1.00	1.865			2.11 m @ 1.56 g/t Au
BDT2	DSDD0410	398.00	399.00	1.00	0.812			
BDT2	DSDD0410	399.00	399.50	0.50	0.475			
BDT2	DSDD0410	399.50	400.00	0.50	0.041			
BDT2	DSDD0410	400.00	401.00	1.00	0.030			
BDT2	DSDD0410	401.00	402.00	1.00	0.037			
BDT2	DSDD0410	402.00	403.00	1.00	0.277			
BDT2	DSDD0410	403.00	404.00	1.00	0.181			
BDT2	DSDD0410	404.00	405.00	1.00	1.316			1.00 m @ 1.32 g/t Au
BDT2	DSDD0410	405.00	406.00	1.00	0.040			
BDT2	DSDD0410	406.00	407.00	1.00	0.086			
BDT2	DSDD0410	407.00	408.00	1.00	0.020			
BDT2	DSDD0410	408.00	409.00	1.00	0.681			
BDT2	DSDD0410	409.00	410.00	1.00	1.991			1.00 m @ 1.99 g/t Au
BDT2	DSDD0410	410.00	411.00	1.00	0.102			
BDT2	DSDD0410	412.00	413.00	1.00	0.185			
BDT2	DSDD0410	421.00	422.00	1.00	0.549	5.50 m @ 0.33 g/t Au	1.8	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0410	422.00	423.00	1.00	0.333			
BDT2	DSDD0410	423.00	424.00	1.00	0.288			
BDT2	DSDD0410	424.00	425.00	1.00	0.040			
BDT2	DSDD0410	425.00	426.00	1.00	0.033			
BDT2	DSDD0410	426.00	426.50	0.50	1.182			0.50 m @ 1.18 g/t Au
BDT2	DSDD0411	0.00	1.50	1.50	0.120			
BDT2	DSDD0411	2.00	3.40	1.40	1.100	1.40 m @ 1.10 g/t Au	1.5	1.40 m @ 1.10 g/t Au
BDT2	DSDD0411	21.00	22.00	1.00	0.110			
BDT2	DSDD0411	60.00	61.50	1.50	0.260	1.50 m @ 0.26 g/t Au	0.4	
BDT2	DSDD0411	95.00	96.20	1.20	0.110			
BDT2	DSDD0411	96.20	97.00	0.80	0.400	0.80 m @ 0.40 g/t Au	0.3	
BDT2	DSDD0411	99.00	100.00	1.00	0.130			
BDT2	DSDD0411	101.00	102.00	1.00	0.140			
BDT2	DSDD0411	102.00	103.00	1.00	0.170			
BDT2	DSDD0411	103.00	104.00	1.00	0.180			
BDT2	DSDD0411	107.00	108.00	1.00	0.420	1.00 m @ 0.42 g/t Au	0.4	
BDT2	DSDD0411	117.00	118.00	1.00	0.500			
BDT2	DSDD0411	118.00	119.00	1.00	0.560	2.00 m @ 0.53 g/t Au	1.1	
BDT2	DSDD0411	137.00	138.00	1.00	0.100			
BDT2	DSDD0411	138.00	139.00	1.00	0.100			
BDT2	DSDD0411	139.00	140.00	1.00	0.610			
BDT2	DSDD0411	140.00	141.00	1.00	0.130			
BDT2	DSDD0411	141.00	142.00	1.00	0.800	4.00 m @ 0.50 g/t Au	2.0	
BDT2	DSDD0411	142.00	143.00	1.00	0.470			
BDT2	DSDD0411	145.79	147.00	1.21	0.120			
BDT2	DSDD0411	147.00	148.00	1.00	0.200			
BDT2	DSDD0411	148.00	149.00	1.00	0.180			
BDT2	DSDD0411	149.00	150.00	1.00	0.030	5.00 m @ 0.31 g/t Au	1.5	
BDT2	DSDD0411	150.00	151.00	1.00	0.180			
BDT2	DSDD0411	151.00	152.00	1.00	0.940			
BDT2	DSDD0411	155.00	156.00	1.00	0.170			
BDT2	DSDD0411	156.00	157.00	1.00	0.240			
BDT2	DSDD0411	157.00	158.00	1.00	0.830			
BDT2	DSDD0411	158.00	159.00	1.00	0.370	6.00 m @ 0.32 g/t Au	1.9	
BDT2	DSDD0411	159.00	160.00	1.00	0.010			
BDT2	DSDD0411	160.00	161.00	1.00	0.170			
BDT2	DSDD0411	161.00	162.00	1.00	0.320			
BDT2	DSDD0411	166.00	167.00	1.00	0.610			
BDT2	DSDD0411	167.00	168.00	1.00	0.640	6.00 m @ 0.25 g/t Au	1.5	
BDT2	DSDD0411	168.00	169.00	1.00	0.010			
BDT2	DSDD0411	169.00	170.00	1.00	0.010			
BDT2	DSDD0411	170.00	170.91	0.91	0.010			
BDT2	DSDD0411	170.91	172.00	1.09	0.200			
BDT2	DSDD0411	177.00	178.00	1.00	0.140			
BDT2	DSDD0411	178.00	179.00	1.00	0.140			
BDT2	DSDD0411	180.00	181.00	1.00	0.180			
BDT2	DSDD0411	182.00	183.00	1.00	0.350			
BDT2	DSDD0411	183.00	184.00	1.00	0.070			
BDT2	DSDD0411	184.00	185.00	1.00	0.090			
BDT2	DSDD0411	185.00	185.76	0.76	0.150			
BDT2	DSDD0411	185.76	187.00	1.24	0.440	12.00 m @ 0.35 g/t Au	4.3	
BDT2	DSDD0411	187.00	188.00	1.00	0.140			
BDT2	DSDD0411	188.00	189.00	1.00	0.230			
BDT2	DSDD0411	189.00	190.00	1.00	0.050			
BDT2	DSDD0411	190.00	191.37	1.37	0.350			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0411	191.37	192.00	0.63	0.050			
BDT2	DSDD0411	192.00	193.00	1.00	1.730			1.00 m @ 1.73 g/t Au
BDT2	DSDD0411	193.00	194.00	1.00	0.420			
BDT2	DSDD0413	0.00	1.50	1.50	0.183			
BDT2	DSDD0413	61.50	63.00	1.50	1.632	1.50 m @ 1.63 g/t Au	2.4	1.50 m @ 1.63 g/t Au
BDT2	DSDD0413	81.00	82.00	1.00	0.132			
BDT2	DSDD0413	83.00	84.00	1.00	0.570			
BDT2	DSDD0413	84.00	85.00	1.00	2.687			1.00 m @ 2.69 g/t Au
BDT2	DSDD0413	85.00	86.00	1.00	0.941			
BDT2	DSDD0413	86.00	87.00	1.00	0.307			
BDT2	DSDD0413	87.00	88.00	1.00	0.340			
BDT2	DSDD0413	88.00	89.00	1.00	0.284			
BDT2	DSDD0413	89.00	90.00	1.00	0.316			
BDT2	DSDD0413	90.00	91.00	1.00	0.245			
BDT2	DSDD0413	91.00	92.00	1.00	0.309			
BDT2	DSDD0413	92.00	93.00	1.00	0.691			
BDT2	DSDD0413	93.00	93.85	0.85	0.693			
BDT2	DSDD0413	99.00	100.00	1.00	0.110			
BDT2	DSDD0413	240.00	241.00	1.00	0.132			
BDT2	DSDD0413	281.00	282.00	1.00	0.164			
BDT2	DSDD0413	285.50	286.00	0.50	0.183			
BDT2	DSDD0413	286.00	287.00	1.00	0.221			
BDT2	DSDD0413	287.00	288.00	1.00	0.059			
BDT2	DSDD0413	288.00	289.00	1.00	0.024			
BDT2	DSDD0413	289.00	290.00	1.00	0.402			
BDT2	DSDD0413	290.00	291.00	1.00	0.304			
BDT2	DSDD0413	291.00	292.00	1.00	0.316			
BDT2	DSDD0413	292.00	293.00	1.00	1.040			1.00 m @ 1.04 g/t Au
BDT2	DSDD0413	293.00	294.00	1.00	0.493			
BDT2	DSDD0413	295.00	296.00	1.00	0.123			
BDT2	DSDD0413	300.00	301.00	1.00	0.120			
BDT2	DSDD0413	301.00	302.00	1.00	0.286	1.00 m @ 0.29 g/t Au	0.3	
BDT2	DSDD0413	308.00	309.00	1.00	0.152			
BDT2	DSDD0413	309.00	310.00	1.00	0.484			
BDT2	DSDD0413	310.00	311.00	1.00	0.249			
BDT2	DSDD0413	311.00	312.00	1.00	0.311			
BDT2	DSDD0413	312.00	313.00	1.00	0.095			
BDT2	DSDD0413	313.00	314.00	1.00	0.038			
BDT2	DSDD0413	314.00	315.00	1.00	0.053			
BDT2	DSDD0413	315.00	316.00	1.00	0.432			
BDT2	DSDD0413	316.00	316.55	0.55	0.174			
BDT2	DSDD0413	316.55	318.00	1.45	0.016			
BDT2	DSDD0413	318.00	319.00	1.00	0.025			
BDT2	DSDD0413	319.00	320.00	1.00	0.399			
BDT2	DSDD0413	330.00	331.00	1.00	0.514			
BDT2	DSDD0413	331.00	332.00	1.00	0.556			
BDT2	DSDD0413	332.00	333.00	1.00	0.200			
BDT2	DSDD0413	333.00	334.00	1.00	0.036			
BDT2	DSDD0413	334.00	335.00	1.00	0.546			
BDT2	DSDD0413	340.00	341.00	1.00	0.135			
BDT2	DSDD0413	341.00	342.00	1.00	0.118			
BDT2	DSDD0413	345.00	346.00	1.00	1.130	1.00 m @ 1.13 g/t Au	1.1	1.00 m @ 1.13 g/t Au
BDT2	DSDD0414	0.00	1.50	1.50	0.175			
BDT2	DSDD0414	1.50	2.00	0.50	0.163			
BDT2	DSDD0414	2.00	3.11	1.11	0.286	1.11 m @ 0.29 g/t Au	0.3	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0414	34.50	35.51	1.01	0.123			
BDT2	DSDD0414	37.50	39.00	1.50	0.151			
BDT2	DSDD0414	39.00	40.50	1.50	0.687	1.50 m @ 0.69 g/t Au	1.0	
BDT2	DSDD0414	81.00	82.00	1.00	0.169			
BDT2	DSDD0414	82.00	83.00	1.00	0.102			
BDT2	DSDD0414	105.00	106.00	1.00	0.112			
BDT2	DSDD0414	106.00	107.00	1.00	0.252	1.00 m @ 0.25 g/t Au	0.3	
BDT2	DSDD0414	169.00	170.00	1.00	0.122			
BDT2	DSDD0414	172.00	173.00	1.00	1.028	1.00 m @ 1.03 g/t Au	1.0	1.00 m @ 1.03 g/t Au
BDT2	DSDD0414	227.30	228.00	0.70	0.150			
BDT2	DSDD0414	235.00	236.00	1.00	0.113			
BDT2	DSDD0414	237.69	238.50	0.81	0.240			
BDT2	DSDD0414	238.50	239.00	0.50	0.008			
BDT2	DSDD0414	239.00	240.00	1.00	0.008	3.93 m @ 1.07 g/t Au	4.2	
BDT2	DSDD0414	240.00	241.00	1.00	0.051			
BDT2	DSDD0414	241.00	241.62	0.62	6.362			0.62 m @ 6.36 g/t Au
BDT2	DSDD0414	241.62	242.50	0.88	0.102			
BDT2	DSDD0414	249.00	250.00	1.00	0.328	1.00 m @ 0.33 g/t Au	0.3	
BDT2	DSDD0415	0.00	1.50	1.50	0.286	1.50 m @ 0.29 g/t Au	0.4	
BDT2	DSDD0415	1.50	2.00	0.50	0.126			
BDT2	DSDD0415	5.00	6.00	1.00	0.103			
BDT2	DSDD0415	13.50	15.00	1.50	0.123			
BDT2	DSDD0415	16.50	18.00	1.50	0.312	1.50 m @ 0.31 g/t Au	0.5	
BDT2	DSDD0415	19.50	21.00	1.50	0.312	3.00 m @ 0.42 g/t Au	1.3	
BDT2	DSDD0415	21.00	22.50	1.50	0.531			
BDT2	DSDD0415	28.50	30.00	1.50	0.188			
BDT2	DSDD0415	31.50	33.00	1.50	0.102			
BDT2	DSDD0415	35.50	36.50	1.00	0.106			
BDT2	DSDD0415	39.73	40.50	0.77	0.373			
BDT2	DSDD0415	40.50	42.00	1.50	0.216	5.27 m @ 0.46 g/t Au	2.4	
BDT2	DSDD0415	42.00	43.50	1.50	0.478			
BDT2	DSDD0415	43.50	45.00	1.50	0.730			
BDT2	DSDD0415	51.50	52.50	1.00	0.137			
BDT2	DSDD0415	52.50	53.48	0.98	0.213	0.98 m @ 0.21 g/t Au	0.2	
BDT2	DSDD0415	54.67	55.50	0.83	0.706			
BDT2	DSDD0415	55.50	56.00	0.50	0.983			
BDT2	DSDD0415	56.00	57.00	1.00	0.904	6.33 m @ 0.83 g/t Au	5.3	
BDT2	DSDD0415	57.00	58.00	1.00	0.709			
BDT2	DSDD0415	58.00	59.00	1.00	1.749			1.00 m @ 1.75 g/t Au
BDT2	DSDD0415	59.00	60.00	1.00	0.123			
BDT2	DSDD0415	60.00	61.00	1.00	0.722			
BDT2	DSDD0415	61.00	61.68	0.68	0.118			
BDT2	DSDD0415	65.30	66.00	0.70	0.108			
BDT2	DSDD0415	66.00	67.00	1.00	0.137			
BDT2	DSDD0415	69.00	70.20	1.20	0.115			
BDT2	DSDD0415	70.20	71.00	0.80	0.159			
BDT2	DSDD0415	72.00	73.00	1.00	0.284			
BDT2	DSDD0415	73.00	74.00	1.00	0.459	3.00 m @ 0.34 g/t Au	1.0	
BDT2	DSDD0415	74.00	75.00	1.00	0.286			
BDT2	DSDD0415	100.00	101.00	1.00	0.101			
BDT2	DSDD0415	101.00	102.00	1.00	10.240	1.00 m @ 10.24 g/t Au	10.2	1.00 m @ 10.24 g/t Au
BDT2	DSDD0415	105.00	106.00	1.00	0.125			
BDT2	DSDD0415	106.00	107.00	1.00	0.173			
BDT2	DSDD0415	115.00	116.00	1.00	22.312	2.00 m @ 11.40 g/t Au	22.8	1.00 m @ 22.31 g/t Au
BDT2	DSDD0415	116.00	117.00	1.00	0.491			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0415	125.00	126.00	1.00	0.119			
BDT2	DSDD0415	126.00	127.00	1.00	0.234			
BDT2	DSDD0415	127.00	128.00	1.00	0.465	3.00 m @ 0.44 g/t Au	1.3	
BDT2	DSDD0415	128.00	129.00	1.00	0.635			
BDT2	DSDD0415	132.00	133.00	1.00	0.152			
BDT2	DSDD0415	215.00	216.00	1.00	1.048	1.00 m @ 1.05 g/t Au	1.0	1.00 m @ 1.05 g/t Au
BDT2	DSDD0415	222.00	223.00	1.00	0.116			
BDT2	DSDD0415	223.00	224.00	1.00	0.116			
BDT2	DSDD0415	224.00	225.00	1.00	0.739	4.00 m @ 0.26 g/t Au	1.0	
BDT2	DSDD0415	225.00	226.00	1.00	0.053			
BDT2	DSDD0415	226.00	227.00	1.00	0.008			
BDT2	DSDD0415	227.00	228.00	1.00	0.250			
BDT2	DSDD0415	228.00	229.00	1.00	0.188			
BDT2	DSDD0415	234.00	235.00	1.00	0.307	3.00 m @ 0.66 g/t Au	2.0	
BDT2	DSDD0415	235.00	236.00	1.00	0.309			
BDT2	DSDD0415	236.00	237.00	1.00	1.371			1.00 m @ 1.37 g/t Au
BDT2	DSDD0415	302.00	303.00	1.00	1.294	1.00 m @ 1.29 g/t Au	1.3	1.00 m @ 1.29 g/t Au
BDT2	DSDD0417	2.00	2.50	0.50	0.227	0.50 m @ 0.23 g/t Au	0.1	
BDT2	DSDD0417	3.88	4.50	0.62	0.157			
BDT2	DSDD0417	10.04	10.93	0.89	1.810	0.89 m @ 1.81 g/t Au	1.6	0.89 m @ 1.81 g/t Au
BDT2	DSDD0417	25.92	27.18	1.26	0.273	1.26 m @ 0.27 g/t Au	0.3	
BDT2	DSDD0417	45.00	46.00	1.00	0.140			
BDT2	DSDD0417	55.50	56.00	0.50	0.218	9.50 m @ 0.38 g/t Au	3.6	
BDT2	DSDD0417	56.00	57.00	1.00	0.514			
BDT2	DSDD0417	57.00	58.00	1.00	1.235			1.00 m @ 1.24 g/t Au
BDT2	DSDD0417	58.00	59.00	1.00	0.748			
BDT2	DSDD0417	59.00	60.00	1.00	0.116			
BDT2	DSDD0417	60.00	61.13	1.13	0.534			
BDT2	DSDD0417	61.13	62.00	0.87	0.017			
BDT2	DSDD0417	62.00	63.00	1.00	0.041			
BDT2	DSDD0417	63.00	64.00	1.00	0.028			
BDT2	DSDD0417	64.00	65.00	1.00	0.220			
BDT2	DSDD0417	65.00	66.00	1.00	0.122			
BDT2	DSDD0417	67.00	68.00	1.00	0.127			
BDT2	DSDD0417	69.00	70.00	1.00	0.495	1.00 m @ 0.49 g/t Au	0.5	
BDT2	DSDD0417	72.00	73.00	1.00	0.162			
BDT2	DSDD0417	77.00	78.00	1.00	0.167			
BDT2	DSDD0417	86.00	87.00	1.00	0.119			
BDT2	DSDD0417	182.35	183.00	0.65	0.104			
BDT2	DSDD0417	184.00	184.62	0.62	0.125			
BDT2	DSDD0417	194.00	195.00	1.00	0.261	1.00 m @ 0.26 g/t Au	0.3	
BDT2	DSDD0418	3.53	5.00	1.47	1.010	2.47 m @ 1.72 g/t Au	4.2	2.47 m @ 1.72 g/t Au
BDT2	DSDD0418	5.00	6.00	1.00	2.752			
BDT2	DSDD0418	11.50	12.60	1.10	0.307	1.10 m @ 0.31 g/t Au	0.3	
BDT2	DSDD0418	51.00	52.50	1.50	0.315	1.50 m @ 0.32 g/t Au	0.5	
BDT2	DSDD0418	63.00	64.00	1.00	0.113			
BDT2	DSDD0418	66.00	66.75	0.75	0.101			
BDT2	DSDD0418	70.00	71.00	1.00	0.231	1.00 m @ 0.23 g/t Au	0.2	
BDT2	DSDD0420	7.00	7.95	0.95	0.294	0.95 m @ 0.29 g/t Au	0.3	
BDT2	DSDD0420	11.00	12.00	1.00	0.146			
BDT2	DSDD0420	12.00	13.10	1.10	0.103			
BDT2	DSDD0420	26.37	27.55	1.18	0.195			
BDT2	DSDD0420	28.50	30.00	1.50	1.515	1.50 m @ 1.51 g/t Au	2.3	1.50 m @ 1.51 g/t Au
BDT2	DSDD0420	30.00	31.50	1.50	0.163			
BDT2	DSDD0420	51.00	52.50	1.50	0.277	8.00 m @ 0.23 g/t Au	1.8	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0420	52.50	54.00	1.50	0.422			
BDT2	DSDD0420	54.00	55.00	1.00	0.186			
BDT2	DSDD0420	55.00	56.00	1.00	0.234			
BDT2	DSDD0420	56.00	57.00	1.00	0.008			
BDT2	DSDD0420	57.00	58.00	1.00	0.038			
BDT2	DSDD0420	58.00	59.00	1.00	0.308			
BDT2	DSDD0420	61.50	63.00	1.50	0.125			
BDT2	DSDD0420	64.50	66.00	1.50	0.207			
BDT2	DSDD0420	66.00	67.00	1.00	0.321	2.50 m @ 0.25 g/t Au	0.6	
BDT2	DSDD0420	86.00	87.00	1.00	0.198			
BDT2	DSDD0420	87.00	88.00	1.00	0.167			
BDT2	DSDD0420	88.00	89.00	1.00	1.227			1.00 m @ 1.23 g/t Au
BDT2	DSDD0420	89.00	90.00	1.00	0.486			
BDT2	DSDD0420	90.00	91.00	1.00	0.033			
BDT2	DSDD0420	91.00	92.00	1.00	0.231			
BDT2	DSDD0420	92.00	93.00	1.00	1.180	9.00 m @ 0.60 g/t Au	5.4	1.00 m @ 1.18 g/t Au
BDT2	DSDD0420	93.00	94.00	1.00	0.322			
BDT2	DSDD0420	94.00	95.00	1.00	0.760			
BDT2	DSDD0420	95.00	96.00	1.00	0.754			
BDT2	DSDD0420	96.00	97.00	1.00	0.452			
BDT2	DSDD0420	107.00	108.00	1.00	0.178			
BDT2	DSDD0420	124.00	125.00	1.00	0.312			
BDT2	DSDD0420	125.00	126.00	1.00	0.724			
BDT2	DSDD0420	126.00	127.00	1.00	0.152			
BDT2	DSDD0420	127.00	128.00	1.00	1.116			
BDT2	DSDD0420	128.00	129.00	1.00	0.929			3.00 m @ 1.35 g/t Au
BDT2	DSDD0420	129.00	130.00	1.00	2.005	12.00 m @ 0.59 g/t Au	7.1	
BDT2	DSDD0420	130.00	131.00	1.00	0.095			
BDT2	DSDD0420	131.00	132.00	1.00	0.028			
BDT2	DSDD0420	132.00	133.00	1.00	0.044			
BDT2	DSDD0420	133.00	134.00	1.00	0.219			
BDT2	DSDD0420	134.00	135.00	1.00	0.578			
BDT2	DSDD0420	135.00	136.00	1.00	0.913			
BDT2	DSDD0420	136.00	137.00	1.00	0.171			
BDT2	DSDD0420	137.00	138.00	1.00	0.106			
BDT2	DSDD0420	141.00	142.00	1.00	0.275			
BDT2	DSDD0420	142.00	143.00	1.00	0.102			
BDT2	DSDD0420	143.00	144.00	1.00	0.676			
BDT2	DSDD0420	144.00	145.00	1.00	0.041			
BDT2	DSDD0420	145.00	146.50	1.50	0.100			
BDT2	DSDD0420	146.50	147.00	0.50	0.054			
BDT2	DSDD0420	147.00	148.00	1.00	1.210			1.00 m @ 1.21 g/t Au
BDT2	DSDD0420	148.00	149.34	1.34	0.150			
BDT2	DSDD0420	149.34	150.00	0.66	0.726	17.00 m @ 0.47 g/t Au	8.0	
BDT2	DSDD0420	150.00	151.00	1.00	0.344			
BDT2	DSDD0420	151.00	152.00	1.00	0.094			
BDT2	DSDD0420	152.00	153.00	1.00	1.008			2.10 m @ 1.45 g/t Au
BDT2	DSDD0420	153.00	154.10	1.10	1.853			
BDT2	DSDD0420	154.10	155.00	0.90	0.149			
BDT2	DSDD0420	155.00	156.00	1.00	0.172			
BDT2	DSDD0420	156.00	156.90	0.90	0.292			
BDT2	DSDD0420	156.90	158.00	1.10	0.735			
BDT2	DSDD0420	185.00	186.19	1.19	0.351			
BDT2	DSDD0420	186.19	187.00	0.81	3.771	8.00 m @ 0.94 g/t Au	7.5	2.81 m @ 2.36 g/t Au
BDT2	DSDD0420	187.00	188.00	1.00	0.807			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0420	188.00	189.00	1.00	2.773			
BDT2	DSDD0420	189.00	190.00	1.00	0.019			
BDT2	DSDD0420	190.00	191.00	1.00	0.021			
BDT2	DSDD0420	191.00	192.00	1.00	0.027			
BDT2	DSDD0420	192.00	193.00	1.00	0.414			
BDT2	DSDD0420	224.00	225.00	1.00	0.104			
BDT2	DSDD0420	225.00	226.00	1.00	0.645			
BDT2	DSDD0420	226.00	227.00	1.00	0.146			
BDT2	DSDD0420	227.00	228.40	1.40	0.188			
BDT2	DSDD0420	228.40	229.00	0.60	0.049			
BDT2	DSDD0420	229.00	230.00	1.00	0.474			
BDT2	DSDD0420	230.00	231.00	1.00	0.153			
BDT2	DSDD0420	231.00	232.00	1.00	0.433			
BDT2	DSDD0420	235.00	236.00	1.00	0.180			
BDT2	DSDD0420	237.00	238.00	1.00	0.599			
BDT2	DSDD0420	238.00	239.00	1.00	0.045			
BDT2	DSDD0420	239.00	239.64	0.64	0.168			
BDT2	DSDD0420	239.64	241.00	1.36	2.164			
BDT2	DSDD0420	241.00	242.00	1.00	1.116			
BDT2	DSDD0420	242.00	243.00	1.00	3.129			
BDT2	DSDD0420	243.00	244.00	1.00	0.122			
BDT2	DSDD0420	244.00	245.00	1.00	0.492			
BDT2	DSDD0420	245.00	246.00	1.00	0.313			
BDT2	DSDD0420	246.00	247.00	1.00	0.144			
BDT2	DSDD0420	247.00	248.10	1.10	0.773			
BDT2	DSDD0420	248.10	249.00	0.90	0.024			
BDT2	DSDD0420	249.00	250.00	1.00	0.391			
BDT2	DSDD0420	250.00	251.00	1.00	0.739			
BDT2	DSDD0420	251.00	252.00	1.00	0.379			
BDT2	DSDD0420	252.00	253.00	1.00	0.551			
BDT2	DSDD0420	253.00	254.00	1.00	0.435			
BDT2	DSDD0420	254.00	255.00	1.00	0.191			
BDT2	DSDD0420	255.00	256.00	1.00	0.225			
BDT2	DSDD0420	256.00	257.00	1.00	0.101			
BDT2	DSDD0420	257.00	257.69	0.69	0.008			
BDT2	DSDD0420	257.69	259.00	1.31	0.431			
BDT2	DSDD0420	259.00	260.00	1.00	0.374			
BDT2	DSDD0420	260.00	261.00	1.00	0.474			
BDT2	DSDD0420	261.00	262.00	1.00	0.254			
BDT2	DSDD0420	275.00	276.00	1.00	0.105			
BDT2	DSDD0420	277.40	278.40	1.00	0.100			
BDT2	DSDD0420	305.00	306.00	1.00	0.747	1.00 m @ 0.75 g/t Au	0.7	
BDT2	DSDD0420	306.00	307.00	1.00	0.120			
BDT2	DSDD0420	307.00	308.00	1.00	0.123			
BDT2	DSDD0420	312.00	313.00	1.00	0.305	1.00 m @ 0.30 g/t Au	0.3	
BDT2	DSDD0420	316.00	317.00	1.00	0.134			
BDT2	DSDD0420	317.00	318.00	1.00	0.107			
BDT2	DSDD0420	322.00	323.00	1.00	0.167			
BDT2	DSDD0420	328.00	329.00	1.00	0.322	1.00 m @ 0.32 g/t Au	0.3	
BDT2	DSDD0420	331.00	332.00	1.00	0.188			
BDT2	DSDD0420	333.00	334.00	1.00	0.136			
BDT2	DSDD0420	336.00	337.00	1.00	0.238			
BDT2	DSDD0420	337.00	338.00	1.00	0.078			
BDT2	DSDD0420	338.00	339.00	1.00	1.046	3.00 m @ 0.45 g/t Au	1.4	
BDT2	DSDD0420	346.00	347.00	1.00	0.117			1.00 m @ 1.05 g/t Au

About Aurum

Aurum Resources (ASX:AUE) is an Australian based gold exploration company focused on discovery and development of major gold projects in Côte d'Ivoire, West Africa. Aurum has 4.2Moz gold resources coming from two gold projects, the 3.03 Moz Boundiali Gold Project and the 1.16Moz Napié Gold Project. Aurum owns and is operating 14 diamond drill rigs allowing it to explore faster and more cost effectively than its peers.

Group Mineral Resources

Table 3: Group Mineral Resources Statement for contained gold based on drilling as at 6 February 2026 (figures may not add up due to appropriate rounding)

Mineral Resources			Indicated			Inferred			Total Resources		
Project	Type	Cut-off	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)
Boundiali	Oxide	0.4 g/t Au above 300m depth and 1.0 g/t below 300m depth	2.7	1.0	0.08	2.4	0.8	0.06	5.1	0.9	0.15
	Transition		2.7	1.0	0.09	2.5	0.8	0.07	5.2	0.9	0.15
	Fresh		35.4	1.1	1.20	53.9	0.9	1.53	89.3	1.0	2.73
	Total		40.8	1.0	1.37	58.8	0.9	1.66	99.7	1.0	3.03
Napié	Oxide	0.3 g/t Au above 300m depth and 1.0 g/t below 300m depth	1.0	1.4	0.04	0.9	1.0	0.03	1.9	1.2	0.07
	Transition		0.8	1.2	0.03	1.3	0.9	0.04	2.1	1.0	0.07
	Fresh		7.1	1.2	0.27	19.0	1.2	0.74	26.1	1.2	1.01
	Total		8.9	1.2	0.35	21.2	1.2	0.82	30.0	1.2	1.16
Total			49.7	1.0	1.72	80.0	1.0	2.48	129.7	1.0	4.19

Boundiali Gold Project (3.03Moz)

The flagship 3.03Moz Boundiali Gold Project is comprised of seven neighbouring exploration tenements and is located within the same greenstone belt as Resolute's large Syama (11.5Moz) gold mine and Perseus' Sissingué (1.4 Moz) gold mine to the north and Montage Gold's 6Moz Koné project located to the south. Atlantic Group's Tongon mine (5.0Moz) is located to the northeast:

BM gold project JV 80% interest - PR0893 ("BM"), 400km²

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry

BD gold project JV 80% interest - PR808 ("BD"), 260km²

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry

BST gold project 100% interest – Application No. 0781 ("BST") 100%, 167.34km²

- *Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025.*
- 90% interest in future gold production company (Government get 10% free carry from Aurum interest)

BN gold project JV - PR283 ("BN"), 208.87km²

Aurum is earning interest through carrying out exploration to earn 70% interest in three stages:

- Stage 1: Aurum earns 35% interest by spending USD 1.2 million within 36 months of license grant
- Stage 2: Aurum earns 51% interest by spending USD 2.5 million within 60 months of license grant
- Stage 3: Aurum earns 70% interest upon completion of a pre-feasibility study on the tenement.
- Diamond drilling conducted by Aurum will be valued at US\$140 per meter for expenditure calculations
- Upon grant of a mining exploitation license, the ownership structure will be: Aurum (70%), GNRR (20%), Ivorian Government (10%)

Encore JV Project

- Applications (No. 1740 and No. 1745) totalling nearly 320km² are strategically located between Aurum's existing **BD** and **BST** tenements and south of **BM**, offering growth potential for its Boundiali Gold Project.
- Staged earn-in agreement aligns expenditure with milestones for each permit area:
 - Path to 51% interest: 4,000m diamond drilling.
 - Path to 80% interest: Additional 8,000m diamond drilling (total 12,000m) OR US\$2.5 million nominal expenditure.

Major Star Plus Partnership Projects

- Application (No. 0791), 114.53km², is strategically located on the immediate south and west of **BST** tenement, offering growth potential for its Boundiali Gold Project.
- Application (No. 0793), 99.12km², are structurally located on the immediate west of the Napié gold project, offering growth potential for its Napié Gold Project.
- 35% project interest from the Company's ownership of 35% registered share capital of Major Star Plus Sarl.
 - Path to 51% interest in an exploration permit: Either USD1.5 million normal expenditure or 7,000m diamond drilling.



- Path to 80% interest in an exploration permit: Either USD3.0 million normal expenditure or 15,000m diamond drilling
- Path to 95% interest in an exploration permit: Completion of Pre-Feasibility Study
- 85.5~87% interest in a future production mine

Mako Gold Pty Ltd (1.16Moz)

Wholly owned subsidiary of Aurum and holds the following projects:

- 1.16Moz Napié Gold Project. 90% Mako and African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study.
- Korhogo Project (100%), significant manganese discovery
- Brobo Project (100%), prospective for lithium/rare earths

For personal use only

Section 1 of the JORC Code, 2012 Edition – Table 1

Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> Samples were collected using diamond drilling techniques generally angled at 50° towards north-northwest to optimally intersect the mineralised zones. Diamond core was logged both for geological and mineralised structures as noted above. The core was then cut in half using a diamond brick cutting saw on 1m intervals. Typically, the core was sampled to geological intervals as defined by the geologist within the even two metre sample intervals utilised. The right-hand side of the core was always submitted for analysis with the left side being stored in trays on site. Sampling and QAQC procedures were carried out to industry standards. Sample preparation and assay was completed by independent international accredited laboratory MSALABS. Following cutting or splitting, the samples were bagged by the Client employees and then sent to the laboratory for preparation. These samples were subsequently sent to MSALABS at Yamousoukro for analysis via 500g Photon Assay.
Drilling techniques	<ul style="list-style-type: none"> Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<ul style="list-style-type: none"> Diamond drilling carried out with mostly NTW and some HQ sized equipment. PQ-size rods and casing were used at the top the holes to stabilise the collars although no samples were taken from the PQ size core.
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> Diamond drilling core recoveries ranged between 85% and 100% for all holes with no significant issues noted.
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining 	<ul style="list-style-type: none"> All holes were field logged by company geologists. Lithological, alteration and mineralogical nomenclature of the deposit as well as sulphide content were recorded.

For personal use only

For personal use only

Criteria	JORC Code explanation	Commentary
	<p>studies and metallurgical studies.</p> <ul style="list-style-type: none"> • Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. • The total length and percentage of the relevant intersections logged. 	<p>Metallurgical, Geotechnical and structural data has been recorded</p> <ul style="list-style-type: none"> • Photography and recovery measurements were carried out by assistants under a geologist's supervision. • All drill holes were logged in full. • Logging was qualitative and quantitative in nature.
<ul style="list-style-type: none"> • Sub-sampling techniques and sample preparation 	<ul style="list-style-type: none"> • If core, whether cut or sawn and whether quarter, half or all core taken. • If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. • For all sample types, the nature, quality and appropriateness of the sample preparation technique. • Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. • Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. • Whether sample sizes are appropriate to the grain size of the material being sampled. 	<ul style="list-style-type: none"> • NTW core cut in half using a core saw. Typically, the core was sampled to major geological intervals as defined by the geologist within the even two metre sample intervals utilised. All samples were collected from the same side of the core. • Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for Au. • The entire sample was crushed to 70% passing 2mm. • Crushed sample was split to produce 500g sample for analysis and the remaining reject kept for checks. • Field QC procedures involved the use of 2 types of certified reference materials (1 in 20) which is certified by Geostats Ltd, • Primary DD duplicate: Generated by cutting the remaining half core into a ¼ and sampled. • Coarse blank samples: Inserted 1 in every 20 samples • Laboratory Internal Duplicates and Standards • Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for gold
<ul style="list-style-type: none"> • Quality of assay data and laboratory tests 	<ul style="list-style-type: none"> • The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. • For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and 	<ul style="list-style-type: none"> • The analytical technique used is ChrysoTM PhotonAssay methodology. This uses a high-energy X-ray source that is used to irradiate large mineral samples, typically about 500g compared to the 50g of the fire assay. The X-rays induce short-lived changes in the structure of any gold nuclei present. As the excited gold nuclei return to

For personal use only

Criteria	JORC Code explanation	Commentary
	<p><i>model, reading times, calibrations factors applied and their derivation, etc.</i></p> <ul style="list-style-type: none"> • <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</i> 	<p><i>their ground state, they emit a characteristic gamma-ray signature, the intensity of which is directly proportional to the concentration of gold. The penetrating nature of Chrysos™ PhotonAssay provides much higher energy than those used in conventional X-ray fluorescence (XRF), which provides a true bulk analysis of the entire sample. Samples are presented into a fully automatic process where samples are irradiated, measured, data collection and reporting.</i></p> <ul style="list-style-type: none"> • <i>No geophysical tools were used to determine any element concentrations used for this report.</i> • <i>Sample preparation checks for fineness were carried out by the laboratory as part of internal procedures to ensure the grind size was being attained. Laboratory QAQC includes the use of internal standards using certified reference material, and pulp replicates. No anomalous assays were noted in information provided to the Client.</i> • <i>The QAQC results confirm that acceptable levels of accuracy and precision have been established for the Classifications applied (exploration results only).</i>
<ul style="list-style-type: none"> • Verification of sampling and assaying 	<ul style="list-style-type: none"> • <i>The verification of significant intersections by either independent or alternative company personnel.</i> • <i>The use of twinned holes.</i> • <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> • <i>Discuss any adjustment to assay data.</i> 	<ul style="list-style-type: none"> • <i>NA</i> • <i>No holes have been twinned</i> • <i>No adjustment to assay data</i> • <i>Logging records were mostly registered in physical format and were input into a digital format. The core photographs, collar coordinates and down the hole surveys were received in digital format.</i> • <i>Assay values that were below detection limit were adjusted to equal half of the detection limit value. Un-sampled intervals were assumed to have no mineralisation and they were therefore set to blank in the database, however these are minimal.</i>
<ul style="list-style-type: none"> • Location of data points 	<ul style="list-style-type: none"> • <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> • <i>Specification of the grid system used.</i> • <i>Quality and adequacy of topographic control.</i> 	<ul style="list-style-type: none"> • <i>DD collar positions were initially located using a handheld GPS with a location error of +/-3m.</i> • <i>The datum employed is WGS84, Zone 29</i> • <i>All drill hole locations are then surveyed utilising the differential GPS methods by both company and third-party surveyors.</i> • <i>DGPS system utilised is typically within a 10 cm accuracy range which is suitable for the classification applied.</i>

Criteria	JORC Code explanation	Commentary
<ul style="list-style-type: none"> Data spacing and distribution 	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<ul style="list-style-type: none"> Drillholes were completed on variable line spacings (from 100m to 50m) and orientations. The drill hole spacing and distribution is considered sufficient to establish the degree of continuity appropriate for the Inferred Mineral Resource estimation procedures. The samples were not composited prior to assay.
<ul style="list-style-type: none"> Orientation of data in relation to geological structure 	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> Drill holes were drilled approximately at right angles to the anticipated strike of the target geochemical anomaly and orthogonal to the interpreted mineralisation orientation.
<ul style="list-style-type: none"> Sample security 	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<ul style="list-style-type: none"> Chain of custody is managed by the Client's senior site geologists and geotechnicians. Samples are stored in a core shed at site and samples were delivered to the laboratory by client geologists. Client employees have no further involvement in the preparation or analysis of the samples.
<ul style="list-style-type: none"> Audits or reviews 	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> Detailed reviews of sampling techniques were carried out on the site visit by RPM in October 2024 and follow up visit in March 2025.

For personal use only

• Section 2 of the JORC Code, 2012 Edition – Table 1

• Criteria	• JORC Code explanation	• Commentary
<ul style="list-style-type: none"> • Mineral tenement and land tenure status 	<ul style="list-style-type: none"> • Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. • The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area. 	<ul style="list-style-type: none"> • Exploration results are from the Boundiali project area • PR893 (BM), 400km², holder Minex West Africa, of which Aurum has earned 80% interest and can earn up to 88% in a mining licence through its fully owned subsidiary Plusor Global Pty Ltd (“Plusor”). Boundiali DS tenement PR808 (“BD”), 260km², holder DS Resources Joint Venture Company, of which Aurum is 80% share capital owner through its fully owned subsidiary Plusor. BST mining licence application of which Aurum is 100% owner. • There are no impediments to working in the area.
<ul style="list-style-type: none"> • Exploration done by other parties 	<ul style="list-style-type: none"> • Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> • The exploration results reported in this announcement are from work undertaken by PlusOr a wholly owned subsidiary of Aurum Resources Limited • The license area is known as a prospective region for gold and recent artisanal workings revealed the presence of primary gold mineralisation in artisanal pits and small-scale underground mining.
<ul style="list-style-type: none"> • Geology 	<ul style="list-style-type: none"> • Deposit type, geological setting and style of mineralisation. 	<ul style="list-style-type: none"> • The Boundiali Deposits are located within the Proterozoic Birimian rocks of the Man shield. It is situated on, 100km west of Korhogo in the northern part of the Côte d'Ivoire. They are located in the Bagoué-Syama shear zone within the sedimentary rock with minor associated intrusions of mafic dykes and late-stage granitoids. The various rock units trend NS to NNE similar to the regional metamorphic grade. The regional trend is NE to N. • The Boundiali deposits resemble typical shear zone deposits of the West African granite-greenstone terrane. The deposits themselves are associated with a major regional shear zone and are developed in a sandstone. Mineralisation may be spatially related to the emplacement of intrusives. The gold mineralisation is mesothermal in origin and occurs as free gold in quartz vein stockworks and zones of silicification, associated with pyrite and chalcopyrite. The gold mineralisation is found in linear zones with the contacts showing evidence of shearing. Free gold is

For personal use only

For personal use only

• Criteria	• JORC Code explanation	• Commentary
		<p>frequently observed. Alteration is weak to strong depending on the development of the system typically being sericite.</p> <ul style="list-style-type: none"> Two types of deformation are present in the drill cores: ductile deformation and brittle deformation. The gold mineralisation is related to deformed sandstone and graywacke, in shear zones, with sulphides (mainly pyrite and minor chalcopyrite) associated with visible gold. Alteration is characterized by chlorite, sericite, calcite, secondary quartz and disseminated pyrite. This assemblage is well developed in schistose, foliated rocks with presence of quartz veins or veinlets.
<ul style="list-style-type: none"> Drill hole information 	<ul style="list-style-type: none"> A summary of all information material to the under-standing of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<ul style="list-style-type: none"> Complete drill hole data has been provided. Drill hole collar locations are shown in figures in main body of announcement.
<ul style="list-style-type: none"> Data aggregation methods 	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> Assay Intervals are shown in detail. Drilling intervals are predominantly 1m. Metal equivalent values are not being reported.
<ul style="list-style-type: none"> Relationship between mineralisation 	<ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration Results. 	<ul style="list-style-type: none"> True widths are estimated at approximately 60–85% of reported downhole, based on the interpreted

For personal use only

• <i>Criteria</i>	• <i>JORC Code explanation</i>	• <i>Commentary</i>
<ul style="list-style-type: none"> • widths and intercept lengths 	<ul style="list-style-type: none"> • <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i> • <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').</i> 	<ul style="list-style-type: none"> • <i>geometry of the mineralised zones.</i> • <i>The holes were drilled to test a steeply east dipping foliation in the limited rock exposures seen in the area. The mineralisation lies within what has been interpreted to be a ductile shear zone which would suggest that mineralisation should lie parallel to foliation.</i>
<ul style="list-style-type: none"> • Diagrams 	<ul style="list-style-type: none"> • <i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i> 	<ul style="list-style-type: none"> • <i>Appropriate diagrams relevant to material results are shown in the body of this announcement.</i>
<ul style="list-style-type: none"> • Balanced Reporting 	<ul style="list-style-type: none"> • <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> • <i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i> 	<ul style="list-style-type: none"> • <i>All drill hole and trench collar locations were surveyed utilising handheld GPS methods. Exploration results only being reported.</i> • <i>Drilling teams utilised the Reflex EZ-shot instrument to measure deviations in azimuth and inclination angles for all holes; however, vertical holes were not surveyed. The first measurement is taken at 6 m depth, and then at approximately every 30m depth interval and at the end of the hole being reported.</i>
<ul style="list-style-type: none"> • Other substantive exploration data 	<ul style="list-style-type: none"> • <i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i> 	<ul style="list-style-type: none"> • <i>All relevant exploration data is either reported in this announcement or has been reported previously by Aurum, Randgold or Predictive Discovery and is referred to in the announcement.</i>
<ul style="list-style-type: none"> • Further work 	<ul style="list-style-type: none"> • <i>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling).</i> • <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i> 	<ul style="list-style-type: none"> • <i>The Company intends to continue exploration on the project and this work will include auger, aircore, RC and diamond core drilling, along with further geophysical surveys and geochemical sampling programs.</i> • <i>Diagrams included in body of report as deemed appropriate by competent person</i>