


# LUNI NIOBIUM PROJECT

A WORLD-CLASS NIOBIUM DEPOSIT

Personal use only



Canaccord Genuity - Global Metals & Mining Conference

May 2026



# IMPORTANT NOTICES AND DISCLAIMER

**Nature of Document:** This presentation has been prepared and issued by WAI Resources Ltd (WAI, the Company) to provide general information about the Company. The information in this document is in summary form and should not be relied upon as a complete and accurate representation of any matters that a reader should consider in evaluating the Company. While management has taken every effort to ensure the accuracy of the material in this presentation, the Company and its advisers have not verified the accuracy or completeness of the material contained in this presentation.

**Forward-Looking Statements:** This presentation contains forward-looking information about the Company and its operations. In certain cases, forward-looking information may be identified by such terms as "anticipates", "believes", "should", "could", "estimates", "target", "likely", "plan", "expects", "may", "intend", "shall", "will", or "would". These statements are based on information currently available to the Company and the Company provides no assurance that actual results will meet management's expectations. Forward-looking statements are subject to risk factors associated with the Company's business, many of which are beyond the control of the Company. It is believed that the expectations reflected in these statements are reasonable but they may be affected by a variety of variables and changes in underlying assumptions which could cause actual results or trends to differ materially from those expressed or implied in such statements. There can be no assurance that actual outcomes will not differ materially from these statements.

**Disclaimer:** No representation or warranty, express or implied, is made by the Company that the material contained in this presentation will be achieved or proved correct. Except for statutory liability which cannot be excluded, each of the Company, its directors, officers, employees, advisors and agents expressly disclaims any responsibility for the accuracy, fairness, sufficiency or completeness of the material contained in this presentation and excludes all liability whatsoever (including in negligence) for any loss or damage which may be suffered by any person as a consequence of any information in this presentation or any effort or omission therefrom. The Company will not update or keep current the information contained in this presentation or to correct any inaccuracy or omission which may become apparent, or to furnish any person with any further information. Any opinions expressed in the presentation are subject to change without notice.

**Not an offer:** This presentation and its contents are not an invitation, offer, solicitation or recommendation with respect to the purchase or sale of any securities in the Company in any jurisdiction and must not be distributed, transmitted, or viewed by any person in any jurisdiction where the distribution, transmission or viewing of this document would be unlawful under the securities or other laws of that or any other jurisdiction. This presentation is not a prospectus or any other offering document under Australian law (and will not be lodged with the Australian Securities and Investments Commission) or any other law.

**All currency amounts are in Australian dollars unless specified otherwise.**

**Not financial product advice:** Neither the Company nor any of its related bodies corporate is licensed to provide financial product advice in respect of the Company's securities or any other financial products. You should not act and refrain from acting in reliance on this presentation. Nothing contained in this presentation constitutes investment, legal, tax or other advice. This presentation does not take into account the individual investment objectives, financial situation and particular needs of Company shareholders. Before making a decision to invest in the Company at any time, you should conduct, with the assistance of your broker or other financial or professional adviser, your own investigation in light of your particular investment needs, objectives and financial circumstances and perform your own analysis of the Company before making any investment decision.

# LUNI NIOBIUM PROJECT

The Luni Niobium Project was discovered in 2022 and was awarded Major Project Status by the Australian government in 2025

**100% owned by WA1**

**A\$131M in cash** to advance key Project workstreams

High-quality share register of long-term institutional investors

Board of directors have significant shareholdings and are aligned to shareholder interests

**Experience permitting and developing mines in Western Australia**

Highly-capable executive team with extensive history operating safely in the West Arunta



# CORPORATE SNAPSHOT

## CAPITAL STRUCTURE

Share price (19 May 2026)	A\$14.04
Shares on issue	74.3M
Performance rights	0.5M
Market capitalisation (undiluted)	A\$1.04B
Cash	A\$131M
Enterprise value	A\$911M

## BOARD OF DIRECTORS

**Kathleen Bozanic**  
Non-Executive Chair

**Paul Savich**  
Managing Director

**Tom Lyons**  
Executive Director

**Lee Bowers**  
Non-Executive Director

**Rhys Bradley**  
Non-Executive Director

## LEADERSHIP TEAM

**David English**  
Project Director


**Paul Goodchild**  
Project Advisor

**Tom Hunter**  
GM Corporate & Finance

**Emma Gaunt**  
GM Approvals & External Relations

**Elizabeth Maynard**  
General Counsel & Company Secretary

## REGISTER COMPOSITION



- Board and Management
- Niobium Holdings Pty Ltd
- Institutions
- HNW & Other Investors

**Substantial Institutions**

Regal Partners	~8%
Helikon Investments	~7%
Datt Capital	~5%

## RESEARCH COVERAGE

**cg/Canaccord Genuity**

**ARGONAUT**

**Goldman Sachs**

**BELL POTTER**

## INDUSTRY RECOGNITION

2025 DMPE Community Partnership Award



2024 Prospector of the Year




2024 Best Emerging Company





1. Cash balance as at 31 March 2026

# EVOLUTION OF THE LUNI RESOURCE<sup>1</sup>

- Updated 2026 Mineral Resource estimate (**MRE**) represents another methodical increase in resource confidence
- Western Indicated zone was the primary focus of the MRE update
- The Indicated MRE has grown to:
  - **93 Mt at 1.32% Nb<sub>2</sub>O<sub>5</sub>** within a total MRE of **220 Mt at 1.0% Nb<sub>2</sub>O<sub>5</sub>**
- With a high-grade subset of:
  - **35 Mt at 2.57% Nb<sub>2</sub>O<sub>5</sub>** within a total subset of **56 Mt at 2.3% Nb<sub>2</sub>O<sub>5</sub>**



LUNI MRE OBLIQUE VIEW (LOOKING NNW, EXCL. OVERLYING TRANSPORTED COVER)



■ Inferred ■ Indicated  
COMPARISON OF 2025 AND 2026 MRE (CONTAINED Nb<sub>2</sub>O<sub>5</sub>)

# LUNI MRE – GRADE-TONNAGE CURVE<sup>1</sup>

At 0.25% cut-off grade

**220 Mt**


1.0% Nb<sub>2</sub>O<sub>5</sub> avg grade

At 1.0% cut-off grade

**56 Mt**

2.3% Nb<sub>2</sub>O<sub>5</sub> avg grade


Deposit scale provides strategic optionality




LUNI MRE GRADE-TONNAGE CURVE

Refer to appendices for full list of references


# INDICATED LUNI MRE<sup>1</sup>



LUNI MRE OBLIQUE SLICE WE (LOOKING NNW, EXCL. OVERLYING TRANSPORTED COVER)




LUNI MRE OBLIQUE VIEW (LOOKING NNW, EXCL. OVERLYING TRANSPORTED COVER)




LUNI CARBONATITE SCHEMATIC<sup>2</sup>

Advancing key workstreams to support conversion of the Indicated zone to an Ore Reserve



# A ONCE IN A GENERATION NIOBIUM RESOURCE

## MINERAL RESOURCE ESTIMATES OF UNDEVELOPED NIOBIUM DEPOSITS<sup>1</sup>



\*Bubble size = Resource (Mt)

● = Luni MRE (Mt) – no Reserve defined    ● = MRE (Mt) - Reserve defined    ● = MRE (Mt) – no Reserve defined

Refer to appendices for full list of references

# CBMM'S ARAXÁ DEPOSIT


- The Araxá niobium deposit was discovered in 1953 and is in the state of Minas Gerais, Brazil<sup>1</sup>
- Araxá supplies approximately 80% of the world's niobium
- The carbonatite complex is circular in shape with an average grade of 2.5% Nb<sub>2</sub>O<sub>5</sub> within its shallow high-grade enriched blanket<sup>3</sup>
- Privately controlled with 30% strategic ownership acquired in 2011 for US\$3.75b by some of the world's largest steel makers<sup>4</sup>
- Approximately 100kt ferroniobium (FeNb) eq. produced in 2024<sup>6</sup>




ARAXÁ OPEN PIT



LOCATION OF CBMM'S OPERATIONS



ARAXÁ CARBONATITE PLUG<sup>2</sup>



CARBONATITE SCHEMATIC<sup>5</sup>

## CBMM'S STRATEGIC SHAREHOLDERS<sup>4</sup>

Chinese Steel Consortium: 15%




Japanese/Korean Consortium: 15%




# NIOBIUM INDUSTRY PROCESS FLOWSHEETS

- The three existing niobium mines follow a similar flowsheet to produce a FeNb end-product for direct use in the steelmaking process
- WAI is optimising a conventional flowsheet utilising similar steps to the three existing mines



SIMPLIFIED, ADAPTED PROCESS FLOWSHEETS FOR THE THREE EXISTING NIOBIUM OPERATIONS

# PROOF OF CONCEPT FERRONIBIUM TESTWORK<sup>1</sup>



SIMPLIFIED, PROCESS FLOWSHEET TO PRODUCE FERRONIBIUM AND FIRST SAMPLE

## BENEFICIATION & REFINING TESTWORK ANALYSES

	Nb <sub>2</sub> O <sub>5</sub> %	Fe <sub>2</sub> O <sub>3</sub> %	Ta %	SiO <sub>2</sub> %	Al <sub>2</sub> O <sub>3</sub> %	P <sub>2</sub> O <sub>5</sub> %	CaO %	SrO %	Pb %	U ppm	Th ppm
Sample Feed <sup>2</sup>	4.15	6.29	0.1	22.6	3.56	24.9	30.8	1.55	<0.01	87	84
<b>Beneficiation Concentrate<sup>2</sup></b>	<b>57.90</b>	<b>11.70</b>	<b>&lt;0.1</b>	<b>1.90</b>	<b>1.02</b>	<b>4.51</b>	<b>6.83</b>	<b>6.45</b>	<b>0.06</b>	<b>161</b>	<b>326</b>
<b>Refined Concentrate<sup>3</sup></b>	<b>66.90</b>	<b>13.81</b>	<b>0.04</b>	<b>2.76</b>	<b>0.62</b>	<b>0.18</b>	<b>2.20</b>	<b>6.43</b>	<b>0.09</b>	<b>181</b>	<b>383</b>


## CONVERSION TESTWORK ANALYSES

	Nb %	Fe %	Ta %	Si %	Al %	P %	Mn %	S %	C %	Sn %	Pb %	U ppm	Th ppm
<b>Ferroniobium Sample<sup>4</sup></b>	<b>64.58</b>	<b>28.91</b>	<b>0.04</b>	<b>2.12</b>	<b>1.08</b>	<b>0.20</b>	<b>0.51</b>	<b>0.08</b>	<b>0.10</b>	<b>0.05</b>	<b>0.06</b>	<b>4</b>	<b>6</b>



CONVERSION VESSEL COOLING FOLLOWING FERRONIBIUM TESTWORK

# PRODUCT MIX ENABLES OPPORTUNITY<sup>1</sup>



SIMPLIFIED, PROCESS FLOWSHEET TO PRODUCE FERRONIOBIUM AND NIOBIUM OXIDE

- First niobium oxide produced directly from concentrate
- High-quality concentrate allows the production of ferroniobium and niobium oxide samples
- Opportunity to establish an optimal product mix to maximise the Project's development, offtake and funding options




NIOBIUM OXIDE AND FERRONIOBIUM PRODUCED FROM RECENT TESTWORK


# INITIAL BENEFICIATION VARIABILITY TESTWORK<sup>1</sup>

## THREE DRILLHOLE COMPOSITE

- Excellent beneficiation testwork results on an initial three drillhole variability composite sample covering 400m extent
- Results demonstrate the flotation regime can treat a wider portion of mineralisation



LOCATION OF DRILLHOLES USED IN BENEFICIATION TESTWORK




GRADE RECOVERY CHART OF THE LOCKED CYCLE (CONCENTRATE ONLY) TESTS

	Nb <sub>2</sub> O <sub>5</sub> %	Fe <sub>2</sub> O <sub>3</sub> %	Ta %	SiO <sub>2</sub> %	CaO %	Al <sub>2</sub> O <sub>3</sub> %	P <sub>2</sub> O <sub>5</sub> %	SrO %	U ppm	Th ppm	Pb %
Sample Feed (Composite)	3.8	5.0	<0.1	15.8	29.2	7.9	26.0	2.3	128	13	0.3
<b>Locked Cycle Concentrate (Composite)</b>	<b>50.4</b>	<b>5.7</b>	<b>&lt;0.1</b>	<b>5.5</b>	<b>3.0</b>	<b>5.5</b>	<b>3.1</b>	<b>7.2</b>	<b>821</b>	<b>217</b>	<b>0.1</b>


INITIAL VARIABILITY COMPOSITE TESTWORK ANALYSES

# FROM EMERGING TO ESSENTIAL IN 60 YEARS


RESOURCE GRADE OF KEY NIOBIUM PRODUCERS<sup>1</sup> (Nb<sub>2</sub>O<sub>5</sub>)



KEY NIOBIUM PRODUCTION<sup>2</sup>




HISTORIC NIOBIUM PRICING BY TYPE



Refer to appendices for full list of references

# INSTALLED MARKET CAPACITY

- Supported by the scale and quality of the Araxá deposit, CBMM maintains excess installed capacity to respond to shifts in global niobium demand
- Disciplined utilisation of installed capacity enhances market stability
- Future demand growth continues to put increased global reliance on CBMM to maintain supply



INSTALLED CAPACITY AT EXISTING PRIMARY NIOBIUM PRODUCERS AND CBMM'S UTILISATION OF INSTALLED CAPACITY<sup>1</sup>


# THE ONLY REPLACEMENT FOR STEEL IS BETTER STEEL

Steel will not become obsolete,  
it will continue to be optimised.  
With niobium, it is future ready.


One World Trade Centre used advanced high strength,  
low alloy structural steels which are typically enabled  
by niobium microalloying

# MODERN STEELMAKING DEMANDS MORE FERRONIUMIUM

- Global FeNb production is currently ~115ktpa with a price of ~US\$37,000/t<sup>1</sup>
- FeNb is an alloy typically containing ~65% Nb
- FeNb is primarily utilised as a micro-alloy in high-strength low-alloy steels, including flat, structural, rebar and stainless steels
- Steel alloyed with niobium has enhanced properties, increasing material efficiency
- In 2024, FeNb demand increased by approximately 5,000t



## Key ferroniobium markets (by demand<sup>2</sup>)



Structural  
**47%**



Automotive  
**28%**




Pipelines  
**17%**




Stainless and other  
**8%**

# NIOBIUM IN MODERN STEELMAKING

- FeNb is a micro-alloy which is added to steel in quantities as low as 0.02% Nb<sup>1</sup>
- Niobium is the most efficient micro-alloy for grain refinement
- It refines the steel's grain microstructure, enhancing mechanical properties including strength, toughness and formability<sup>2</sup>
- Enables stronger, cleaner welds by controlling grain growth during the welding process



- NIOBIUM



+ NIOBIUM

GRAIN REFINEMENT: IMPACT ON MICROSTRUCTURE OF STEEL WITH NIOBIUM ADDITION<sup>4</sup>

**MAKING STEEL STRONGER,  
TOUGHER AND MORE  
WORKABLE THROUGH  
GRAIN REFINEMENT**



## Eiffel Tower<sup>3</sup> – France (1889)

Used 7kt of wrought iron

Could be built using 2kt of niobium-alloyed steel



## Zun Tower<sup>1</sup> – China (2018)

130kt total steel weight

Added 0.02% Nb to steel


40t of FeNb saved 12kt of steel

9% less CO<sub>2</sub>e



IMPROVED FLAT SHEET FORMABILITY WITH NIOBIUM<sup>4</sup>



# A CRITICAL MINERAL SUPPLIED BY FEW DEMANDED BY MANY



**Favourable market dynamics amplified by current geopolitical climate**

EU Critical Mineral Rankings - 2023 <sup>3</sup>	
Supply Risk	
1	HREE
2	<b>Niobium</b>
3	Magnesium
4	Gallium
5	LREE
6	Boron
7	Phosphorus
8	Cobalt
9	PGM
10	Strontium


US Critical Mineral List - 2025 review <sup>4</sup>	
Impact of supply disruption on GDP	
1	Rhodium
2	<b>Niobium</b>
3	Samarium
4	Potash
5	Lutetium
6	Terbium
7	Dysprosium
8	Aluminium
9	Gallium
10	Ruthenium / Iridium



Refer to appendices for full list of references

# NIOBIUM OXIDE: GROWING DEMAND, STRATEGIC VALUE<sup>1</sup>

- Niobium oxide production is currently ~18ktpa with a price of ~US\$47,000/t of Nb<sub>2</sub>O<sub>5</sub>
- Niobium oxide is a critical material and essential across a variety of industries including the defence, aerospace and medical sectors
- CBMM is the only primary niobium producer supplying this market (estimated 50-60% market share) with remaining supply coming from small scale operations
- In 2024, niobium oxide demand increased by approximately 2,400t



## KEY NIOBIUM OXIDE INDUSTRIES



JETS

SUPERCONDUCTORS

MRI

AEROSPACE

OPTICAL

BATTERIES

# DEVELOPING ONE OF AUSTRALIA'S MOST STRATEGIC CRITICAL MINERAL PROJECTS



## Mine Design

Updated MRE to inform mine design and ongoing pre-development activities



## Process Testwork

Ongoing testwork to refine process flowsheet development across the niobium product suite



## Environmental

Targeted surveys and studies to support formal permitting and approvals



## Logistics

Transport corridors and supply chain options are being actively assessed



## Power & Water

Wind and solar data present a potential low carbon power solution<sup>1</sup>  
Detailed hydrogeological investigations and studies are in progress



## Engineering Studies

Project design and engineering studies are underway



## Niobium Marketing

Early customer engagement progressing utilising niobium product samples



## Culture & Heritage

Negotiation protocol signed with two key native title holders<sup>2</sup> and ongoing community programs




## Critical Mineral

Favourable sentiment supporting engagement with State and Federal Governments

# DRILLING TO SUPPORT DEVELOPMENT<sup>1</sup>


- Drilling completed in 2025 was across a broad area to inform site design and development envelopes
- Hydrogeological bore installation and pump testing was completed in 2025 to inform water studies and modelling
- Resource definition drilling has been primarily focused on increasing confidence in niobium mineralisation captured within the current MRE
- Current drilling is targeting definition of a Measured component in the Eastern zone of Luni in late 2026



BROADER LUNI PLAN VIEW, DRILLING COMPLETED IN 2025, MRE WITH INDICATED (COLOUR) AND INFERRED MRE (GREYSCALE)

# KEY SITE WORKS

Personal use only



Ongoing construction of the airstrip at Luni



Water sump for long-term pump testing to inform hydrogeological activities

# WAI IN THE COMMUNITY

PARTNERING WITH LOCAL GROUPS TO CREATE ON-COUNTRY OPPORTUNITIES IN AUSTRALIA'S MOST REMOTE COMMUNITIES



2025 DMPE Community Partnership Award



2025 Resources Sector Awards for Excellence





# AN ESSENTIAL CRITICAL MINERAL PROJECT FOR THE HIGH-VALUE NIOBIUM MARKET

## Investors

**Paul Savich**

Managing Director

E: [psavich@wa1.com.au](mailto:psavich@wa1.com.au)

T: +61 8 6478 7866

## Media

**Michael Vaughan**

Fivemark Partners

E: [michael.vaughan@fivemark.com.au](mailto:michael.vaughan@fivemark.com.au)

T: +61 422 602 720

## WA1 Resources Ltd

Lvl 2, 437 Roberts Road

Subiaco, WA 6008

# APPENDIX A - REFERENCES AND NOTES

## SLIDE 3

1. Cash balance as at 31 March 2026
2. For full details refer to WA1 website and previous ASX announcements

## SLIDE 5

1. For full details refer to ASX announcement dated 14 May 2026

## SLIDE 6

1. For full details refer to ASX announcement dated 14 May 2026

## SLIDE 7

1. For full details refer to ASX announcement dated 14 May 2026
2. Adapted from Lynas Corporation Ltd- Investor Presentation January 2010

## SLIDE 8

1. Refer to Appendix C. Mineral Resources shown are limited to projects with a publicly disclosed JORC-compliant or equivalent MRE. Information has been compiled from Company internal research and may not be exhaustive.

## SLIDE 9

1. <https://cbmm.com/en/our-company/our-history>
2. Adaptation from Zhou, L., 'Simplified geological map of the alkaline-carbonatitic complex, Araxá'
3. Source: CBMM Sustainability Report 2018
4. Reuters Article available at <<https://www.reuters.com/article/us-cbmm-niobium-idUKTRE7811UB20110902>>
5. Adapted from Lynas Corporation Ltd- Investor Presentation January 2010
6. Source: Project Blue

## SLIDE 10

Internally generated schematic, simplified and adapted, all information derived from Henrique. P: 'Production of niobium: Overview of processes from the mine to products' Journal of Mining and Metallurgy. (2022) unless otherwise referenced

1. Gibson, C.E: 'Niobium Oxide Mineral Flotation: A Review of Relevant Literature and the Current State of Industrial Operations' International Journal of Mineral Processing. (2015)
2. Shikik, A: 'A review on extractive metallurgy of tantalum and niobium' Journal of Metallurgy. (2020)
3. IAMGOLD Corporation, NI 43-101 Technical Report, Update on Niobec Expansion. (2013)
4. CBMM Infographic, viewed at <<https://cbmm.com/assets/infographic/en/index.html>> on 13/2/2024
5. China Molybdenum Co., Ltd. 'Major Transaction Acquisition of Angle America PLC's Niobium and Phosphates Businesses'. (2016)
6. One of Niobec flotation steps is completed after HCl leaching
7. Does not include niobium pentoxide production steps, outputs or recoveries

## SLIDE 11

1. For full details refer to ASX announcements dated 19 June 2024, 7 October 2024 and 4 August 2025
2. For full details refer to ASX announcement dated 19 June 2024
3. For full details refer to ASX announcement dated 7 October 2024
4. For full details refer to ASX announcement dated 4 August 2025

## SLIDE 12

1. For full details refer to ASX announcements dated 19 June 2024, 7 October 2024 and 4 August 2025
2. For full details refer to ASX announcement dated 19 June 2024
3. For full details refer to ASX announcement dated 7 October 2024
4. For full details refer to ASX announcement dated 4 August 2025

## SLIDE 13

1. For full details refer to ASX announcement dated 9 December 2024

## SLIDE 14

Note: All information derived from Project Blue unless otherwise referenced, ferroniobium pricing (66% Nb), Rotterdam Europe, sourced from Asian Metals, January 2026, niobium oxide pricing (~99% Nb<sub>2</sub>O<sub>3</sub>), China FOB, sourced from Asian Metals, January 2026

1. For full details refer to ASX announcement dated 28 August 2023
2. Internal company estimated production figures adapted from: Project Blue, USGS Annual Production Reports, IAMGOLD Corporation Technical Reports, CBMM Annual Sustainability Reports, Brazilian Mineral Economy Reports, National Department of Mineral Production of Brazil, <[https://www.researchgate.net/publication/276106866\\_The\\_Evolution\\_of\\_the\\_Niobium\\_Production\\_in\\_Brazil](https://www.researchgate.net/publication/276106866_The_Evolution_of_the_Niobium_Production_in_Brazil)> viewed on 10/11/2023

## SLIDE 15

1. Source: Project Blue

## SLIDE 17

1. Source: Project Blue, ferroniobium pricing (66% Nb), Rotterdam Europe, sourced from Asian Metals, January 2026
2. Source: Magris Performance Metals "2023 Sustainability Report", viewed at <<https://minedocs.com/27/MagrisResourcesInc-ESG-2023.pdf>> on 7/7/2025

## SLIDE 18

1. Source: Niobium Tech presentation "Niobium solutions for a sustainable future" viewed at <<https://niobium.tech/-/media/NiobiumTech/Images/Images---Pages--HUB/Embaixada-Toquio/PDFs/Niobium-solutions-for-a-sustainable-future---Niobium-technology-for-clean-energy.pdf>> on 19/7/2023
2. Source: Niobium Tech presentation "Dual Phase Steels" viewed at <[https://niobium.tech/-/media/NiobiumTech/Documentos/Resource-Center/NT\\_Niobium-in-dual-phase-steels.pdf](https://niobium.tech/-/media/NiobiumTech/Documentos/Resource-Center/NT_Niobium-in-dual-phase-steels.pdf)> on 7/7/2025
3. Source: Niobium Tech "History of niobium as a microalloying element" viewed at <[https://niobium.tech/-/media/niobiumtech/attachments-biblioteca-tecnica/nt\\_history-of-niobium-as-a-microalloying-element.pdf](https://niobium.tech/-/media/niobiumtech/attachments-biblioteca-tecnica/nt_history-of-niobium-as-a-microalloying-element.pdf)> on 24/5/2024
4. Images sourced from <http://Niobium.Tech>

## SLIDE 19

1. Source: Project Blue
2. Australian Critical Mineral List 2023
3. EU Critical Mineral List, retrieved from <<https://op.europa.eu/en/publication-detail/-/publication/57318397-fdd4-11ed-a05c-01aa75ed71a1>> on 24/10/2023>
4. US Critical Mineral List, retrieved from <<https://pubs.usgs.gov/of/2025/1047/ofr20251047.pdf>> on 10/12/2025

## SLIDE 20

1. Source: Project Blue, niobium oxide pricing (~99% Nb<sub>2</sub>O<sub>3</sub>), China FOB, sourced from Asian Metals, January 2026

## SLIDE 21

1. ASX: AMN released on 21 July 2020 and 17 November 2021
2. For full details refer to ASX announcements dated 19 October 2023 and 17 September 2024

## SLIDE 22

1. For full details refer to ASX announcement dated 14 May 2026

# APPENDIX B – MINERAL RESOURCE & COMPETENT PERSON STATEMENTS

	Tonnes (Mt)	Nb <sub>2</sub> O <sub>5</sub> (%)	Nb <sub>2</sub> O <sub>5</sub> (kt)
Indicated	93	1.32	1,230
Inferred	130	0.7	940
<b>Total</b>	<b>220</b>	<b>1.0</b>	<b>2,200</b>

1. Mineral Resources are classified and reported in accordance with the JORC Code (2012).
2. The effective date of the Mineral Resource estimate is 13 May 2026.
3. Part of the Mineral Resource that would potentially be extractable by open-pit techniques is the portion of the block model that is constrained within an FeNb price of ~US\$30/kg (contained Nb in FeNb payable at a price of US\$45/kg), optimised pit shell, and above a 0.25% Nb<sub>2</sub>O<sub>5</sub> cut-off grade.
4. Estimates are rounded to reflect the level of confidence in the Mineral Resources at the time of reporting.
5. Rounding may cause computational discrepancies.
6. The Mineral Resources (and RPEEE shell that constrained the MRE) are reported within the WA1 licence boundaries.
7. The information in this presentation that relates to Mineral Resources has been extracted from the ASX announcement titled “Luni Niobium Project – MRE” dated 14 May 2026. This announcement is available to view on the Company’s website at [www.wal.com.au](http://www.wal.com.au).
8. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original announcement and that all material assumptions and technical parameters underpinning the estimates in the original release continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person’s findings are presented have not been materially modified from the relevant original market announcement.

## Competent Person Statements:

The information in this presentation that relates to Exploration Results is based on information compiled by Mr. Andrew Dunn who is a Member of the Australian Institute of Geoscientists. Mr. Dunn is an employee of WA1 Resources Ltd and has sufficient experience which is relevant to the style of mineralisation under consideration to qualify as a Competent Person as defined in the 2012 Edition of the “Australian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves”. Mr. Dunn consents to the inclusion in the presentation of the matters based on his information in the form and context in which it appears.

The information in this presentation that relates to metallurgical testwork results is based on information compiled by Mr. Roy Gordon who is a Member of the Australian Institute of Mining and Metallurgy (AusIMM). Mr. Gordon is a full-time employee of WA1 Resources Ltd and has sufficient experience which is relevant to the information and activities under consideration to qualify as competent to compile and report such information. Mr. Gordon consents to the inclusion in the presentation of the matters based on his information in the form and context in which it appears.

The information in this presentation that relates to Mineral Resources is based on information and supporting documentation compiled under the supervision of Mr René Sterk, a Competent Person, who is a Fellow and Chartered Professional of The Australasian Institute of Mining and Metallurgy (AusIMM) and member and Registered Professional (Geo) of the Australian Institute of Geoscientists (AIG). Mr Sterk is Managing Director of RSC, a global resource development consultancy. Mr Sterk, and those under his supervision, prepared the previous MRE for Luni. WA1 Resources Ltd has also contracted RSC to provide limited contracting and other advisory services. The full nature of the relationship between Mr Sterk, RSC, and WA1 Resources Ltd, including any issue that could be perceived by investors as a conflict of interest, has been disclosed. Mr Sterk has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the ‘Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves’. Mr. Sterk consents to the inclusion in the presentation of the matters based on his information in the form and context in which it appears.

# APPENDIX C – RESOURCES AND RESERVES OF OTHER NIOBIUM DEPOSITS

## RESOURCES OF UNDEVELOPED NIOBIUM DEPOSITS

Deposit	Owner	Country	Total			Measured			Indicated			Inferred		
			Tonnes (mt)	Grade (% Nb <sub>2</sub> O <sub>5</sub> )	Contained (kt Nb <sub>2</sub> O <sub>5</sub> )	Tonnes (mt)	Grade (% Nb <sub>2</sub> O <sub>5</sub> )	Contained (kt Nb <sub>2</sub> O <sub>5</sub> )	Tonnes (mt)	Grade (% Nb <sub>2</sub> O <sub>5</sub> )	Contained (kt Nb <sub>2</sub> O <sub>5</sub> )	Tonnes (mt)	Grade (% Nb <sub>2</sub> O <sub>5</sub> )	Contained (kt Nb <sub>2</sub> O <sub>5</sub> )
Mount Weld	Lynas Rare Earths	Australia	38	1.1%	405	-	-	-	1.5	1.40%	21	36	1.1%	384
Kanyika <sup>1</sup>	Globe Metals & Mining	Malawi	68	0.3%	192	5.3	0.38%	20.0	47.0	0.29%	134	16	0.2%	134
Luni	WAI Resources Ltd	Australia	220	1.0%	2,200	-	-	-	93	1.32%	1,230	130	0.7%	940
Luni - High Grade		Australia	56	2.3%	1,300	-	-	-	35	2.57%	900	21	2.0%	410
James Bay	Niobay Metals	Canada	64	0.5%	335	-	-	-	29.7	0.53%	158	34	0.5%	177
Crevier	Niobay Metals	Canada	33	0.2%	51	16.3	0.17%	28	4.5	0.17%	8	13	0.1%	15
Elk Creek <sup>1</sup>	Niocorp Developments	USA	260	0.4%	1,076	-	-	-	151.7	0.43%	650	108	0.4%	427
Araxa (SGQ)	St George Mining	Brazil	71	0.6%	436	8.0	1.06%	85	21.5	0.63%	135	41	0.5%	215
Panda Hill	Cradle Resources	Tanzania	178	0.5%	891	16.0	0.63%	99.0	53.0	0.50%	263	109	0.5%	528
Dubbo <sup>1</sup>	Australian Strategic Materials	Australia	75	0.4%	335	42.8	0.45%	193	-	-	-	32	0.4%	142
Brockman	Hastings Technology Metals	Australia	42	0.4%	146	-	-	-	-	-	-	42	0.4%	146
Yangibana	Hastings Technology Metals	Australia	7	0.2%	16	2.4	0.10%	2.3	4.4	0.30%	13	0	0.1%	0
Prarie Lake	Nuinsco Resources Limited	Canada	887	0.1%	897	-	-	-	15.6	0.16%	25	872	0.1%	872
Aley <sup>1</sup>	Taseko Mines	Canada	430	0.4%	1,530	113.0	0.41%	463	173.0	0.35%	606	144	0.3%	461
Tardiff	Vital Metals	Canada	193	0.3%	582	7.6	0.24%	18	41.0	0.25%	103	144	0.3%	461
Martinson	Fox River Resources	Canada	194	0.5%	871	-	-	-	60.0	0.49%	296	134	0.4%	575
Motzfeldt	Stallion Resources	Greenland	340	0.2%	629	-	-	-	-	-	-	340	0.2%	629
Aileron	Encounter Resources	Australia	120	0.8%	919	-	-	-	-	-	-	120	0.8%	919
Strange Lake	N/A	Canada	492	0.2%	800	-	-	-	278.0	0.18%	500	214	0.1%	300
Thor Lake <sup>1</sup>	N/A	Canada	305	0.3%	1,024	10.9	0.40%	43	110.4	0.34%	375	183	0.3%	605
Blue River	Capacitor Metals Corp.	Canada	54	0.2%	87	-	-	-	48.4	0.16%	78	5	0.2%	10

Note: 1. Ore Reserve defined see slide 30

2. Some numbers have been rounded to reflect the level of confidence in the Mineral Resource estimate



# APPENDIX C – RESOURCES AND RESERVES OF OTHER NIOBIUM DEPOSITS

## RESERVES OF UNDEVELOPED NIOBIUM DEPOSITS

Deposit	Owner	Country	Total			Proven			Probable		
			Tonnes (mt)	Grade (% Nb <sub>2</sub> O <sub>5</sub> )	Contained (kt Nb <sub>2</sub> O <sub>5</sub> )	Tonnes (mt)	Grade (% Nb <sub>2</sub> O <sub>5</sub> )	Contained (kt Nb <sub>2</sub> O <sub>5</sub> )	Tonnes (mt)	Grade (% Nb <sub>2</sub> O <sub>5</sub> )	Contained (kt Nb <sub>2</sub> O <sub>5</sub> )
Kanyika	Globe Metals & Mining	Malawi	34	0.30%	103	5	0.37%	20	29	0.29%	84
Elk Creek	Niocorp Developments	USA	37	0.81%	297	-	-	-	37	0.81%	297
Dubbo	Australian Strategic Materials	Australia	19	0.44%	83	19	0.44%	83	-	-	-
Aley	Taseko Mines	Canada	84	0.50%	421	44	0.52%	229	40	0.48%	192
Thor Lake	N/A	Canada	15	0.42%	61	4	0.43%	16	11	0.41%	45

# APPENDIX C – RESOURCES AND RESERVES OF OTHER NIOBIUM DEPOSITS

Deposit	Owner	Country	Reporting Standard	Reference
Mount Weld	Lynas Rare Earths	Australia	JORC	<a href="https://wcsecure.weblink.com.au/pdf/LYC/02985262.pdf">https://wcsecure.weblink.com.au/pdf/LYC/02985262.pdf</a>
Kanyika	Globe Metals & Mining	Malawi	JORC	<a href="https://company-announcements.afr.com/asx/gbe/efb231db-3256-11ee-9e97-fef68616d084.pdf">https://company-announcements.afr.com/asx/gbe/efb231db-3256-11ee-9e97-fef68616d084.pdf</a>
Luni	WAI Resources Ltd	Australia	JORC	<a href="https://app.sharelinktechnologies.com/announcement-preview/asx/069e35a43e27668930f6ab7f642b8df1">https://app.sharelinktechnologies.com/announcement-preview/asx/069e35a43e27668930f6ab7f642b8df1</a>
James Bay	Niobay Metals	Canada	NI 43-101	<a href="https://niobaymetals.com/wp-content/uploads/2023/02/James-Bay_Technical-Report_August-2020.pdf">https://niobaymetals.com/wp-content/uploads/2023/02/James-Bay_Technical-Report_August-2020.pdf</a>
Crevier	Niobay Metals	Canada	NI 43-101	<a href="https://niobaymetals.com/en/niobay-announces-a-new-resource-estimate-on-its-crevier-project/">https://niobaymetals.com/en/niobay-announces-a-new-resource-estimate-on-its-crevier-project/</a>
Elk Creek	Niocorp Developments	USA	S-K 1300	<a href="https://www.niocorp.com/wp-content/uploads/Elk_Creek_Mineral_Resource_and_Reserve.pdf">https://www.niocorp.com/wp-content/uploads/Elk_Creek_Mineral_Resource_and_Reserve.pdf</a>
Araxa (SQQ)	St George Mining	Brazil	JORC	<a href="https://www.stgm.com.au/pdf/796c009c-35cf-4112-8ce2-33d381179a18/Major-Resource-Upgrade-for-Araxa.pdf?Platform=ListPage">https://www.stgm.com.au/pdf/796c009c-35cf-4112-8ce2-33d381179a18/Major-Resource-Upgrade-for-Araxa.pdf?Platform=ListPage</a>
Panda Hill	Cradle Resources	Tanzania	JORC	<a href="https://announcements.asx.com.au/asxpdf/20150526/pdf/42ysmsxsxbd6ws.pdf">https://announcements.asx.com.au/asxpdf/20150526/pdf/42ysmsxsxbd6ws.pdf</a>
Dubbo	Australian Strategic Materials	Australia	JORC	<a href="https://wcsecure.weblink.com.au/pdf/ASM/02996889.pdf">https://wcsecure.weblink.com.au/pdf/ASM/02996889.pdf</a>
Brockman	Hastings Technology Metals	Australia	JORC	<a href="https://cdn-api.markitdigital.com/apiman-gateway/ASX/asx-research/1.0/file/2924-03001338-6A1287366&amp;v=undefined">https://cdn-api.markitdigital.com/apiman-gateway/ASX/asx-research/1.0/file/2924-03001338-6A1287366&amp;v=undefined</a>
Yangibana	Hastings Technology Metals	Australia	JORC	<a href="https://cdn-api.markitdigital.com/apiman-gateway/ASX/asx-research/1.0/file/2924-03001338-6A1287366&amp;v=undefined">https://cdn-api.markitdigital.com/apiman-gateway/ASX/asx-research/1.0/file/2924-03001338-6A1287366&amp;v=undefined</a>
Prarie Lake	Nuinsco Resources Limited	Canada	NI 43-101	<a href="https://nuinsco.ca/_resources/projects/Prarie-Lake-Techninal-Report.pdf?v=112512">https://nuinsco.ca/_resources/projects/Prarie-Lake-Techninal-Report.pdf?v=112512</a>
Aley	Taseko Mines	Canada	NI 43-101	<a href="https://www.tasekominer.com/_resources/presentations/November-2025-Corporate-Presentation.pdf">https://www.tasekominer.com/_resources/presentations/November-2025-Corporate-Presentation.pdf</a>
Tardiff	Vital Metals	Canada	JORC	<a href="https://wcsecure.weblink.com.au/pdf/VML/02971521.pdf">https://wcsecure.weblink.com.au/pdf/VML/02971521.pdf</a>
Martinson	Fox River Resources	Canada	NI 43-101	<a href="https://fox-river.ca/wp-content/uploads/2025/09/Fox-River-Resources-2025-Corporate.pdf">https://fox-river.ca/wp-content/uploads/2025/09/Fox-River-Resources-2025-Corporate.pdf</a>
Motzfeldt	Stallion Resources	Greenland	JORC	<a href="https://static1.squarespace.com/static/5f59384f308f974eaea22a1b/t/623901e43e0b200878a3341f/1647903214538/20220321+Motzfeldt+Critical+Minerals+%28Q1+2022+Presentation%29.pdf">https://static1.squarespace.com/static/5f59384f308f974eaea22a1b/t/623901e43e0b200878a3341f/1647903214538/20220321+Motzfeldt+Critical+Minerals+%28Q1+2022+Presentation%29.pdf</a>
Aileron	Encounter Resources	Australia	JORC	<a href="https://www.encounterresources.com.au/wp-admin/admin-ajax.php?juwpfisadmin=false&amp;action=wpfd&amp;task=file.download&amp;wpfd_category_id=4&amp;wpfd_file_id=2026&amp;preview=1">https://www.encounterresources.com.au/wp-admin/admin-ajax.php?juwpfisadmin=false&amp;action=wpfd&amp;task=file.download&amp;wpfd_category_id=4&amp;wpfd_file_id=2026&amp;preview=1</a>
Strange Lake	N/A	Canada	NI 43-101	<a href="https://www.sedarplus.ca/csfsprod/data201/filings/02594679/00000001/i%3A%5CSoco%5CSedar%5C2017_UR%5CQuest_varias_2017%5CMarch10_TecnicalReport_43-101.pdf">https://www.sedarplus.ca/csfsprod/data201/filings/02594679/00000001/i%3A%5CSoco%5CSedar%5C2017_UR%5CQuest_varias_2017%5CMarch10_TecnicalReport_43-101.pdf</a>
Thor Lake	N/A	Canada	NI 43-101	<a href="https://avalonadvancedmaterials.com/wp-content/uploads/2024/07/Nechalacho-Feasibility-may_2013_ni43_report.pdf">https://avalonadvancedmaterials.com/wp-content/uploads/2024/07/Nechalacho-Feasibility-may_2013_ni43_report.pdf</a>
Blue River	Capacitor Metals Corp.	Canada	NI 43-101	<a href="https://capacitormetals.com/wp-content/uploads/2025/07/Capacitor-Upper-Fir-Deposit-Presentation-July-7-2025.pdf">https://capacitormetals.com/wp-content/uploads/2025/07/Capacitor-Upper-Fir-Deposit-Presentation-July-7-2025.pdf</a>