

15 June 2026

Blue Tungsten Prospect Expands to 4.7km x 3.4km

Highlights

- **Large-scale tungsten anomaly expands to 4.7km x 3.4km**, following accelerated surface sampling at the Blue Prospect, with the system remaining open in all directions.
- **Strong tungsten anomaly confirmed**, with multiple samples from the second phase of geochemical exploration continuing to return results **greater than 10 times background levels (pXRF)**.
- **High-grade tungsten potential demonstrated**, with previous rock chip results of up to **4.3% WO₃** (ASX Announcement: 21 May 2026).
- The Company has successfully collected surface outcrop material for its **maiden tungsten metallurgical testwork program**, with **testwork underway** to assess tungsten recovery characteristics.
- Ongoing tungsten prospectivity continues to support the Company's preliminary **RIRGS exploration model**, developed in collaboration with **CODES (University of Tasmania)**, increasing confidence in its application to the region.
- New tenement **EL9922 (Rosewood) granted**, expanding the Company's tenure across a **highly prospective corridor south and west of Tumarumba**
- **Tungsten is an Australian Government critical mineral**, with growing strategic demand across defence, advanced manufacturing and energy sectors.

Right Resources Limited (ASX: RRE) (Right Resources or the Company) is pleased to provide an update on activities at the Blue tungsten prospect (**Blue Prospect or Blue**), located near Tumarumba, New South Wales. Ongoing soil sampling, geological mapping and rock chip collection continue to enhance the prospectivity of the project to host economic tungsten mineralisation.

Commenting on the results, Managing Director Graham Howard said:

"These latest results from the Blue tungsten prospect at Tumarumba confirm that the target is expanding at significant scale, with the anomalous tungsten zone remaining open in all directions. The combination of elevated geochemical results and observable tungsten mineralisation in outcrop gives us increasing confidence in the project's subsurface potential."

Phase 2 Surface Mapping and Sampling

Geochemical Analysis

Systematic pXRF soil sampling has significantly expanded the previously defined geochemically anomalous area at Blue by more than 320%, with the target now extending across 4.7km x 3.4km (Figure 1 and Figure 2). Phase 2 work has focused primarily on the eastern and southern extents of the anomaly, with Phase 3 planned to test the northern and western extensions.

The target area is characterised by coincident tungsten (W) (Figure 2), bismuth (Bi) and molybdenum (Mo) (Figure 5) enrichment and remains open in all directions.

Sampling is being undertaken on a nominal 200m x 200m grid to establish the scale of the mineralised system. Results continue to indicate that the system remains open. Multiple vein zones have been mapped and documented within the anomalous footprint, and representative outcrop samples have been submitted for multi-element assay analysis.

The anomaly is interpreted to extend westward onto EL9889 (Figure 4, granted April 2026). Additional soil and outcrop sampling is ongoing to define the full extent of the system.

During concurrent mapping activities, the Company's geological team has identified primary tungsten mineralisation including scheelite and wolframite, along with additional tungsten oxide minerals interpreted from field observations, including tungstite, meymacite and stolzite.

These observations are consistent with the interpretation of a coherent tungsten-bearing mineralised system underlying the geochemical anomaly.

The target area has already demonstrated the potential to host high-grade tungsten mineralisation, with the Company previously reporting a peak rock chip result of **34,600 ppm W (3.4% W, equivalent to approximately 4.3% WO₃)** (ASX Announcement: 21 May 2026).

Grade Context:

- Tungsten deposits are typically reported in WO₃ (tungsten trioxide); 3.4% W is equivalent to approximately 4.3% WO₃.
- Rock chip results are selective samples of outcrop and subcrop and are not necessarily representative of average mineralisation across the broader prospect area; however, they confirm the presence of high-grade tungsten mineralisation within the defined anomaly and support ongoing systematic exploration.




Figure 1: Blue Prospect Phase 1 and Phase 2 surface sampling location map, Tumbarumba district, NSW.




Figure 2: Tungsten (W) pXRF soil anomaly at Blue Prospect (4.7 km x 3.4 km). High-grade certified rock chip results occur within the defined anomaly¹.

¹ Refer to ASX announcement dated: 21 May 2026

Maiden Metallurgical Sample

The Company has collected the maiden metallurgical sample from the Blue Prospect (Figure 3). Testwork will be conducted in Perth, Western Australia, with results to be released progressively as stages are completed. This work is aimed at understanding the metallurgical characteristics and recovery potential of the tungsten mineralisation.




Figure 3: Photographs of material from maiden metallurgical sample showing scheelite under short-wave UV light displaying characteristic bright blue fluorescence, **assays pending**.

Grant of New Tenement – Rosewood EL9922

The Company confirms that exploration licence EL9922 (Rosewood) was granted on 29 May 2026 (Figure 4). This increases the Company's total tenure in the Tumbarumba region to 2,261km², and 2,459km² across its total NSW tenure package, securing additional prospective ground to the south and west of Tumbarumba.

Background - Blue Prospect Discovery

The Blue Prospect lies within the broader regional setting of the Pilot Project but represents a distinct and independent mineral system. It was identified through the Company's systematic regional exploration program, applying the Reduced Intrusion-Related Gold System (RIRGS) model developed in collaboration with CODES (Centre for Ore Deposit and Earth Sciences, University of Tasmania).

The model predicts a characteristic metal zonation pattern, with tungsten and bismuth expected in a proximal position to an intrusion-related hydrothermal system, consistent with the geochemical signature observed at Blue.

For personal use only




Figure 4: Company tenement overview

Next Steps

- Continue systematic soil sampling and geological mapping at Blue Prospect to define the full extent of the anomaly, including the northern and western extension on EL9028 and EL9889
- Complete assay analysis of outcrop samples used in the metallurgy testwork program
- Progress early-stage metallurgical testwork to support understanding of tungsten recovery characteristics
- Advance targeting with follow-up geophysics and subsurface interpretation to identify drill targets
- Completion of permitting for drill testing of the Blue Prospect system
- Release initial CODES analysis of the broader Tumbarumba district following review

ENDS

This announcement has been approved for release by the Board of Right Resources Limited.

Further Information

Graham Howard

Managing Director

E: info@rightresources.com.au

Jessamyn Lyons

Company Secretary

E: jessamyn.lyons@rightresources.com.au

Media

David Tasker

Chapter One Advisors

E: dtasker@chapteroneadvisors.com.au

Follow Us



About Right Resources (ASX: RRE)

Right Resources Limited is a New South Wales-based mineral exploration company focused on advancing a portfolio of gold, copper and critical mineral assets across 2,459 km² of tenements in the Tumbarumba and New England regions, both located within historically significant goldfields and mineral provinces.

The Company's flagship asset is the Pilot Project, a high-grade gold target in the Tumbarumba Region with a history of high-grade underground gold production (~38 g/t Au), which is being advanced through a maiden diamond drilling programme in collaboration with CODES (Centre for Ore Deposit and Earth Sciences, University of Tasmania). The Blue Prospect tungsten discovery adds a significant critical minerals dimension to the Company's portfolio.

Forward Statements

This announcement may contain forward-looking statements or information, including forecasts, projections, opinions and conclusions. These statements are not guarantees of future performance or statements of fact. Actual events and results may differ materially due to a variety of risks, uncertainties and other factors, including funding requirements, metal prices, exploration and development risks, and operational challenges. Rock chip results are selective samples of outcrop and are not necessarily representative of average mineralisation across the broader prospect area and should not be relied upon as an indication of bulk grade or mineralised tonnage.

Competent Person Statement

Graham Howard

The information in this announcement that relates to Exploration Results is based on and fairly represents information and supporting documentation compiled by Graham Howard, who is Managing Director of Right Resources Limited. Mr Howard is a Competent Person who is a Fellow of the Australian Institute of Mining and Metallurgy (AusIMM).

Mr Howard has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration, and to the activity being undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" (JORC, 2012). Mr Howard consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears.

Previously Reported Exploration Results

The information in this announcement that relates to the Company's Exploration Results has been extracted from the Company's previous ASX announcements dated 21 May 2026, 26 May 2026 and 4 June 2026. The Company confirms that it is unaware of any new information or data that materially affects the information included in those announcements. To the extent disclosed above, the Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcements. All previously released market announcements referred to within this announcement can be found on the Company's website at rightresources.com.au.

Appendix 1 - JORC Table 1, Sections 1 - 2

Section 1 Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> No drilling has been completed by the Company across EL9028. Samples taken by the Company across the Blue Prospect, EL9028 include: <ul style="list-style-type: none"> Metallurgy surface rock samples of outcrop and subcrop were collected by experienced field crew. These samples included; in-field UV light, pXRF and geological mineral identification. A subset of the metallurgy sample has been issued for initial head grade analysis to ALS Brisbane. Rocks f between 5 centimetres to 15 centimetres in diameter were collected in a single location (Figure 1) and approximately 50 kg issued for metallurgy testwork A further 35 samples of rock outcrop have also been completed as part of surface mapping and sampling and have been submitted for assay. 211 surface soil samples (Phase 1: 107, Phase 2: 104) from the B Horizon were analysed using a portable XRF analyser. XRF analysis are point samples of soil samples collected. Company protocol is to take five (5) XRF readings per soil sample. Readings are recorded and primary sample retained for future analysis The Company also applied visual and use of short wavelength ultraviolet light to confirm visible scheelite.
Drilling Techniques	<ul style="list-style-type: none"> Drill type (eg. core, reverse circulation, open hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc) 	<ul style="list-style-type: none"> No drilling has occurred across the Blue Prospect on EL9028.
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> No drilling has occurred across the Blue Prospect on EL9028.
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. 	<ul style="list-style-type: none"> All rock samples were geologically logged. Geological logging per sample is qualitative in nature. The rock samples reflect a surface point sample and do not represent a total length across the area. Photos of the samples were taken of samples as part of company protocols. This includes taking photographs using

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> both normal and UV light to define potential tungsten mineralisation
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	<ul style="list-style-type: none"> Whole sample processing of the rock samples was completed at the laboratory. No splitting of the samples occurred due to sample weight <3kg. Samples were dried, crushed and pulverised with 85% passing 75 microns Representative samples of outcrop were taken. The rock samples taken by the Company indicate the potential grade variability within the project area. No field duplicates were taken.
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie. lack of bias) and precision have been established. 	<p>For all Company Rock Samples:</p> <ul style="list-style-type: none"> Rock samples were dried, crushed and pulverised to produce a 50g charge for multielement analysis Multi-element analysis was completed using Triple Quad, Four Acid Super Trace and Four Acid Digest methodologies (ME-MS85), with ICP-MS utilised as the analytical instrument. Samples returning >10,000 ppm W were additionally analysed by XRF (ME-XRF 15B). Gold samples have been submitted to ALS Perth for PhotonAssay, results pending. Photon analysis only requires rock sample to be crushed. The Company uses certified reference material (CRM) for all gold, geochemistry samples at a targeted frequency of 1 every 20 samples. No blank material has been used. No external laboratory checks have occurred. CRM performance falls within acceptable limits of 2 Standard Deviations. <p>For all Company Soil Samples:</p> <ul style="list-style-type: none"> Portable XRF (Olympus Vanta V2MR portable XRF analyser) was calibrated using inbuilt Vanta calibration methodology for each session of XRF analysis. Vanta XRF confirmed it was calibrated to manufacturers specification for each analytical session. Company protocol included testing using portable XRF unit output with CRM material
Verification of sampling and assaying	<ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. 	<ul style="list-style-type: none"> Company completed XRF analysis at laboratory for select rock samples including high grade samples

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	<ul style="list-style-type: none"> Two batches of soil samples were issued to laboratory for QAQC of XRF results. No field duplicates of rock samples were taken Assay lab duplicate was completed on assays >10000 ppm No field duplicates of soil samples have been taken by the Company. No adjustments have been made to the assay data received by the laboratory.
Location of data points	<ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. 	<ul style="list-style-type: none"> The horizontal datum used is GDA 94 and projection is MGA zone 55. The vertical datum is AHD71. Surface topography has been generated using high resolution LiDAR survey completed by the Company in October 2023. The surface topography has been used to improve elevations of the sample data. Handheld GPS unit has been used to determine location with an estimated accuracy of +/- 5m.
Data spacing and distribution	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<ul style="list-style-type: none"> Soil samples were completed on a nominal 200m x 200m grid in a recently planted pine forest Rock samples were collected as part of completing soil grid and where outcrop was located Limited rock out crop occurs at surface resulting in data spacing is clustered and not evenly distributed across the surface. This program traversed a recently planted pine forest No drilling has occurred at the project. The distribution of sampling is limited to the surface distribution of W, Bi, Mo and associated path finder elements and is not used for Mineral Resource and Ore Reserve estimations. No sample compositing has been applied. Rock samples reflect point sampling at surface.
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> Soil samples were collected on a nominal 200m x 200m square patten. Rock samples reflect reconnaissance along roads and in forest area where outcrop / subcrop was located Mineralisation system is hosted within dominantly granodiorite intrusive package. Sheeted quartz and quartz tourmaline veins up to 40 cm width have been mapped to extend over tens of meters in strike within alteration and sheared package. Intense zones as observed range from a 20m to 70m width. Vein systems trend between 230 deg to 280 deg within a quasi-circular shaped tungsten soil anomaly, which is interpreted to be ringed by molybdenum

Criteria	JORC Code explanation	Commentary
		soil results. Pegmatite veins common and work is progressing to understand relationships. Work by CODES has defined metal zonation in the Blue Prospect area based on review of outcrop and geochemistry.
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<ul style="list-style-type: none"> The Company maintains a chain of custody of all samples from collection through to laboratory submission.
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> CODES have visited sites in Blue Prospect in February 2026 and independently verified tungsten minerals. Samples collected by CODES are currently being analysed to define mineralisation system characteristics

Section 2 Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<ul style="list-style-type: none"> The tenement EL9028 is 100% owned by Right Resources Ltd in New South Wales, Australia. The samples were collected in the Green Hills State Forest (pine) operated by NSW forestry. Historical alluvial mining has been mined in the creeks through the Project Areas.
Exploration done by other parties	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> Historic mining work occurred between 1855 and 1954 across the Tumbarumba Gold Fields. The Company has obtained hardcopy reports and maps in relation to this information as part of its historical review in preparation for their current work program. The historic data comprises mine production records from the NSW Mine Registrar. There is no known modern exploration in the Blue Prospect area on EL9028.
Geology	<ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. 	<ul style="list-style-type: none"> The broader mineralisation system is interpreted to be reduced intrusive related system.
Drill hole Information	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of 	<ul style="list-style-type: none"> No drilling has occurred across the Blue Prospect on EL9028.

For personal use only

Criteria	JORC Code explanation	Commentary
	the report, the Competent Person should clearly explain why this is the case.	
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg. cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> No data aggregation or grade cuts, calibrations have occurred.
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg. 'down hole length, true width not known'). 	<ul style="list-style-type: none"> The nature of the potential mineralisation is striking 230 to 260 degrees Surface mapping and rock samples reflected clustered data which has been utilised to determine potential geometry and width of mineralisation.
Diagrams	<ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> For a plan image of the sample distribution across the project area refer to Figure 1, 2 and 5. Only surface point samples have been reported therefore sections are not applicable.
Balanced reporting	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> All data presented in this announcement are based on Company Sample data within the Tumbarumba Tenement Areas. Reporting of both low and high grades have been included. Refer to Appendix 2 for reported results.
Other substantive exploration data	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> The Company completed a high-resolution LiDAR survey in October 2023, followed by surface petrology sampling in 2024 and 2025.
Further work	<ul style="list-style-type: none"> The nature and scale of planned further work (eg. tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> The Company will conduct follow-up mapping and systematic rock and soil sampling along the structures hosting the high-grade and anomalous samples within EL9028 to better define the geological architecture and extent of the anomalies.

Appendix 2 - Reporting Results

Table 1: Reported pXRF Results (Soils) (Coordinate system GDA94/MGA55)

SAMPLE ID	LOCATION	SAMPLE TYPE	EASTING	NORTHING	W PPM	Bi PPM	Mo PPM
RTSS0001	EL9028	SOIL	592799	6061094	6.4	0	8.8
RTSS0002	EL9028	SOIL	592598	6061202	13.6	0	8.4
RTSS0003	EL9028	SOIL	592602	6061011	12	0	7.4
RTSS0004	EL9028	SOIL	592802	6061286	16.4	0	9.4
RTSS0005	EL9028	SOIL	592599	6061396	9	0	4.8
RTSS0006	EL9028	SOIL	592804	6061501	20.2	0	4.8
RTSS0007	EL9028	SOIL	592602	6061592	15.6	0	6.2
RTSS0008	EL9028	SOIL	592791	6061695	13.2	0	2.6
RTSS0009	EL9028	SOIL	592995	6062003	19.2	0	4.8
RTSS0010	EL9028	SOIL	592984	6061763	3.8	0	5.6
RTSS0011	EL9028	SOIL	593196	6061901	12.6	0	5.8
RTSS0012	EL9028	SOIL	593012	6061597	22.8	0	5
RTSS0013	EL9028	SOIL	593020	6061402	23.6	0	5.6
RTSS0014	EL9028	SOIL	593011	6061192	16.4	0	6.4
RTSS0015	EL9028	SOIL	592997	6061002	14.8	0	5
RTSS0016	EL9028	SOIL	592398	6061196	32.4	0	2.8
RTSS0017	EL9028	SOIL	592602	6061805	9	0	0
RTSS0018	EL9028	SOIL	592405	6061585	14.6	0	4.4
RTSS0019	EL9028	SOIL	592391	6061395	19.4	5.8	1.4
RTSS0020	EL9028	SOIL	592219	6061291	11.8	0	3.6
RTSS0021	EL9028	SOIL	592196	6061105	26.2	0	6.8
RTSS0022	EL9028	SOIL	592798	6061896	19.2	5	0
RTSS0023	EL9028	SOIL	592595	6062010	30.4	0	6
RTSS0024	EL9028	SOIL	592798	6062100	11	0	4.2
RTSS0025	EL9028	SOIL	592798	6062293	18	23.4	3.4
RTSS0026	EL9028	SOIL	592837	6062495	12	0	7.6
RTSS0027	EL9028	SOIL	593001	6062402	7	0	5.4
RTSS0028	EL9028	SOIL	592797	6062707	15.8	0	6.2
RTSS0029	EL9028	SOIL	593003	6062600	3.6	6.4	0
RTSS0030	EL9028	SOIL	593004	6062808	15.4	5.2	4.8
RTSS0031	EL9028	SOIL	592997	6062995	3.8	0	7
RTSS0032	EL9028	SOIL	593183	6063077	7.4	10.6	6.4
RTSS0033	EL9028	SOIL	593196	6062899	13.4	0	1.6
RTSS0034	EL9028	SOIL	592403	6060999	8.6	0	7.6
RTSS0035	EL9028	SOIL	593197	6061093	13.6	0	6.6
RTSS0036	EL9028	SOIL	593202	6061283	16.8	0	2.4
RTSS0037	EL9028	SOIL	593178	6061490	22.6	0	6.2
RTSS0038	EL9028	SOIL	593196	6061660	17	5.2	4.4
RTSS0039	EL9028	SOIL	593002	6062196	18.6	5.4	6.8
RTSS0040	EL9028	SOIL	593195	6062296	12.2	0	4.4
RTSS0041	EL9028	SOIL	593197	6062097	15.4	0	4.8
RTSS0042	EL9028	SOIL	593199	6062699	13.8	0	2.6
RTSS0043	EL9028	SOIL	593203	6062496	16.8	0	2.8

SAMPLE ID	LOCATION	SAMPLE TYPE	EASTING	NORTHING	W PPM	Bi PPM	Mo PPM
RTSS0044	EL9028	SOIL	592806	6063103	19	0	5.4
RTSS0045	EL9028	SOIL	592804	6062918	25.8	0	8
RTSS0046	EL9028	SOIL	592401	6062995	26	5.8	1.4
RTSS0051	EL9028	SOIL	591740	6061081	15.4	0	6
RTSS0052	EL9028	SOIL	591601	6060993	8	0	3.2
RTSS0053	EL9028	SOIL	591403	6061103	12.2	0	2.8
RTSS0054	EL9028	SOIL	591596	6061200	5	0	6.8
RTSS0055	EL9028	SOIL	591396	6061296	14	0	6.2
RTSS0056	EL9028	SOIL	591402	6061498	26.4	0	5.2
RTSS0057	EL9028	SOIL	591399	6061697	30.8	0	3.4
RTSS0058	EL9028	SOIL	591400	6061884	10.6	0	1.6
RTSS0059	EL9028	SOIL	591367	6062108	17.8	0	5.2
RTSS0060	EL9028	SOIL	591404	6062511	14.6	0	3.2
RTSS0061	EL9028	SOIL	591410	6062309	21	0	4.2
RTSS0062	EL9028	SOIL	591612	6062432	13.2	0	3.8
RTSS0063	EL9028	SOIL	591802	6062514	37	0	3
RTSS0064	EL9028	SOIL	591600	6062601	4.6	0	7.6
RTSS0065	EL9028	SOIL	591662	6062799	23.4	0	3.6
RTSS0066	EL9028	SOIL	591600	6062994	13	0	3.2
RTSS0067	EL9028	SOIL	591802	6063100	10.8	0	2.4
RTSS0068	EL9028	SOIL	592202	6062900	13.6	0	7.2
RTSS0069	EL9028	SOIL	591996	6062799	13.6	0	2.8
RTSS0070	EL9028	SOIL	591795	6062704	17	0	3
RTSS0071	EL9028	SOIL	591795	6062898	4	0	4
RTSS0072	EL9028	SOIL	591993	6062999	16.8	0	2.8
RTSS0073	EL9028	SOIL	592194	6063098	9.2	5.8	6.2
RTSS0074	EL9028	SOIL	592401	6062815	14.6	0	6.6
RTSS0075	EL9028	SOIL	592202	6062717	3.8	0	1.4
RTSS0076	EL9028	SOIL	592004	6062607	27.2	5.6	4.4
RTSS0077	EL9028	SOIL	591794	6062300	15.2	0	4
RTSS0078	EL9028	SOIL	591997	6062203	10.8	0	3
RTSS0079	EL9028	SOIL	592000	6062405	22	7.4	4
RTSS0080	EL9028	SOIL	591657	6062246	25.6	0	1.8
RTSS0081	EL9028	SOIL	591759	6062142	18.6	0	4.8
RTSS0082	EL9028	SOIL	591609	6061997	12.2	0	6
RTSS0083	EL9028	SOIL	591587	6061843	19	0	3.6
RTSS0084	EL9028	SOIL	592602	6062999	11	0	4
RTSS0086	EL9028	SOIL	592599	6062793	12	0	2.6
RTSS0087	EL9028	SOIL	592599	6062600	15.2	0	2.6
RTSS0088	EL9028	SOIL	592398	6062592	15.4	0	4
RTSS0089	EL9028	SOIL	592208	6062496	11.8	0	2.6
RTSS0090	EL9028	SOIL	592200	6062306	22	0	2.8
RTSS0091	EL9028	SOIL	592590	6062181	6.4	0	2.4
RTSS0092	EL9028	SOIL	592610	6062367	12.4	0	2.4
RTSS0093	EL9028	SOIL	592421	6062394	23.6	0	3.8
RTSS0094	EL9028	SOIL	592403	6062203	13.4	5.6	0

For personal use only

SAMPLE ID	LOCATION	SAMPLE TYPE	EASTING	NORTHING	W PPM	Bi PPM	Mo PPM
RTSS0095	EL9028	SOIL	592312	6062064	19.4	0	2.6
RTSS0096	EL9028	SOIL	592385	6062001	14.8	6	1.2
RTSS0097	EL9028	SOIL	592408	6061815	20	0	4.6
RTSS0098	EL9028	SOIL	592214	6061897	11.8	0	1.2
RTSS0099	EL9028	SOIL	592051	6062000	6.8	0	3
RTSS0102	EL9028	SOIL	591990	6061806	18	6.4	2
RTSS0103	EL9028	SOIL	591816	6061893	21.6	0	2.4
RTSS0104	EL9028	SOIL	591827	6061754	34	0	1.2
RTSS0105	EL9028	SOIL	591979	6061583	16	0	1.2
RTSS0106	EL9028	SOIL	592015	6061452	12.4	0	1.6
RTSS0107	EL9028	SOIL	591810	6061474	23.2	0	4
RTSS0108	EL9028	SOIL	591738	6061359	19.6	0	0
RTSS0109	EL9028	SOIL	591622	6061365	27.2	0	0
RTSS0110	EL9028	SOIL	592049	6060976	17	0	1.2
RTSS0111	EL9028	SOIL	592093	6061142	27	6.6	4.6
RTSS0112	EL9028	SOIL	591400	6062694	7.4	0	4.8
RTSS0113	EL9028	SOIL	591281	6062981	0	5.4	2.8
RTSS0114	EL9028	SOIL	591348	6063130	4.2	8.2	0
RTSS0119	EL9028	SOIL	590824	6064032	21	0	0
RTSS0120	EL9028	SOIL	594216	6063991	24	0	0
RTSS0121	EL9028	SOIL	593796	6063194	0	0	10
RTSS0122	EL9028	SOIL	593798	6063398	0	27	5
RTSS0123	EL9028	SOIL	593792	6063564	0	0	0
RTSS0124	EL9028	SOIL	593798	6063803	0	0	8
RTSS0125	EL9028	SOIL	594208	6063604	15	0	14
RTSS0126	EL9028	SOIL	594189	6063779	0	0	12
RTSS0127	EL9028	SOIL	593995	6063862	0	0	0
RTSS0128	EL9028	SOIL	593998	6063705	16	0	8
RTSS0129	EL9028	SOIL	594002	6063506	15	0	0
RTSS0130	EL9028	SOIL	593999	6063304	0	0	7
RTSS0131	EL9028	SOIL	594197	6063402	0	0	0
RTSS0132	EL9028	SOIL	594202	6063201	22	0	8
RTSS0133	EL9028	SOIL	594200	6063003	0	0	7
RTSS0134	EL9028	SOIL	594209	6062809	0	0	12
RTSS0135	EL9028	SOIL	594048	6063086	28	0	0
RTSS0136	EL9028	SOIL	593799	6062400	25	0	12
RTSS0137	EL9028	SOIL	593799	6062202	0	0	10
RTSS0138	EL9028	SOIL	593791	6061997	18	0	0
RTSS0139	EL9028	SOIL	593788	6061817	22	0	8
RTSS0142	EL9028	SOIL	593982	6061717	0	0	9
RTSS0143	EL9028	SOIL	593997	6061902	20	0	0
RTSS0144	EL9028	SOIL	594003	6062100	17	0	0
RTSS0145	EL9028	SOIL	594003	6062297	17	0	7
RTSS0146	EL9028	SOIL	594202	6062193	0	0	0
RTSS0147	EL9028	SOIL	593803	6062997	0	0	8
RTSS0148	EL9028	SOIL	593801	6062804	17	0	8

For personal use only

SAMPLE ID	LOCATION	SAMPLE TYPE	EASTING	NORTHING	W PPM	Bi PPM	Mo PPM
RTSS0149	EL9028	SOIL	593797	6062597	0	0	7
RTSS0150	EL9028	SOIL	593993	6062493	0	0	0
RTSS0151	EL9028	SOIL	594183	6062413	0	0	0
RTSS0152	EL9028	SOIL	594185	6062589	0	0	18
RTSS0153	EL9028	SOIL	594003	6062700	0	0	0
RTSS0154	EL9028	SOIL	593997	6062892	0	0	8
RTSS0155	EL9028	SOIL	593584	6061892	17	0	9
RTSS0156	EL9028	SOIL	593589	6062094	0	0	0
RTSS0157	EL9028	SOIL	593580	6062298	0	0	6
RTSS0158	EL9028	SOIL	593604	6062490	0	0	7
RTSS0159	EL9028	SOIL	593409	6061995	17	0	0
RTSS0162	EL9028	SOIL	593376	6062179	19	0	6
RTSS0163	EL9028	SOIL	593398	6062390	0	0	9
RTSS0164	EL9028	SOIL	593420	6062605	0	0	9
RTSS0165	EL9028	SOIL	593400	6062799	31	0	0
RTSS0166	EL9028	SOIL	593403	6062970	17	27	6
RTSS0167	EL9028	SOIL	593596	6062900	0	0	13
RTSS0168	EL9028	SOIL	593588	6062693	22	0	8
RTSS0169	EL9028	SOIL	593799	6061579	0	0	8
RTSS0170	EL9028	SOIL	593807	6061397	0	0	8
RTSS0171	EL9028	SOIL	593805	6061202	0	0	15
RTSS0172	EL9028	SOIL	593995	6061111	0	0	0
RTSS0173	EL9028	SOIL	594002	6061298	0	0	8
RTSS0174	EL9028	SOIL	593999	6061498	14	0	8
RTSS0175	EL9028	SOIL	593585	6061097	18	0	6
RTSS0176	EL9028	SOIL	593398	6060597	0	0	0
RTSS0177	EL9028	SOIL	593603	6060499	0	0	8
RTSS0178	EL9028	SOIL	593597	6060698	0	0	0
RTSS0179	EL9028	SOIL	593537	6060868	24	42	0
RTSS0182	EL9028	SOIL	593400	6060821	0	0	8
RTSS0183	EL9028	SOIL	593196	6060497	0	0	12
RTSS0184	EL9028	SOIL	593201	6060303	0	0	0
RTSS0185	EL9028	SOIL	593202	6060107	16	0	6
RTSS0186	EL9028	SOIL	593398	6060000	0	0	10
RTSS0187	EL9028	SOIL	593594	6060101	0	0	7
RTSS0188	EL9028	SOIL	593604	6060292	0	0	12
RTSS0189	EL9028	SOIL	593397	6060197	0	0	8
RTSS0190	EL9028	SOIL	593402	6060398	19	0	8
RTSS0191	EL9028	SOIL	593001	6059981	27	0	0
RTSS0192	EL9028	SOIL	593808	6059998	16	0	0
RTSS0193	EL9028	SOIL	593945	6060085	17	0	7
RTSS0194	EL9028	SOIL	593988	6060276	0	0	0
RTSS0195	EL9028	SOIL	593986	6060492	17	0	0
RTSS0196	EL9028	SOIL	593967	6060687	15	0	0
RTSS0197	EL9028	SOIL	594015	6060897	0	0	13
RTSS0198	EL9028	SOIL	593814	6060994	0	0	0

For personal use only

SAMPLE ID	LOCATION	SAMPLE TYPE	EASTING	NORTHING	W PPM	Bi PPM	Mo PPM
RTSS0199	EL9028	SOIL	593798	6060803	0	0	7
RTSS0202	EL9028	SOIL	593796	6060597	21	0	0
RTSS0203	EL9028	SOIL	593797	6060399	0	0	6
RTSS0204	EL9028	SOIL	593791	6060190	21	0	13
RTSS0205	EL9028	SOIL	593589	6061272	20	0	0
RTSS0206	EL9028	SOIL	593612	6061496	17	33	6
RTSS0207	EL9028	SOIL	593571	6061683	0	0	7
RTSS0208	EL9028	SOIL	593405	6061577	0	0	10
RTSS0209	EL9028	SOIL	593401	6061398	26	0	0
RTSS0210	EL9028	SOIL	593388	6061220	17	0	0
RTSS0211	EL9028	SOIL	593209	6060890	20	0	0
RTSS0212	EL9028	SOIL	593203	6060689	24	0	10
RTSS0213	EL9028	SOIL	593000	6060803	16	0	0
RTSS0214	EL9028	SOIL	592802	6060703	16	0	9
RTSS0215	EL9028	SOIL	592600	6060802	0	0	0
RTSS0216	EL9028	SOIL	592798	6060900	24	0	6
RTSS0217	EL9028	SOIL	593002	6060602	0	0	11
RTSS0218	EL9028	SOIL	592761	6060482	19	0	7
RTSS0219	EL9028	SOIL	592700	6060400	26	0	0
RTSS0220	EL9028	SOIL	592399	6060403	18.8	0	2.8
RTSS0221	EL9028	SOIL	592401	6060197	7.6	0	6
RTSS0222	EL9028	SOIL	592601	6060206	30	0	8
RTSS0223	EL9028	SOIL	592602	6059994	14.4	0	5.6
RTSS0224	EL9028	SOIL	592406	6059993	14.4	0	2.6
RTSS0227	EL9028	SOIL	593602	6062694	16.2	0	5.6
RTSS0228	EL9028	SOIL	593594	6062899	6.2	0	8
RTSS0229	EL9028	SOIL	593603	6063114	6.6	0	7.2
RTSS0230	EL9028	SOIL	593608	6063304	10.4	0	7.2
RTSS0231	EL9028	SOIL	593616	6063496	14.8	0	4.6
RTSS0232	EL9028	SOIL	593411	6063413	4.6	5.8	5.8

For personal use only





Figure 5: Bismuth (Bi) and Molybdenum (Mo) pXRF soil anomaly at Blue Prospect (4.7 km x 3.4 km).

For personal use only