

MONS PROJECT, WA

Release Date 18 June 2026

More strong assays outline a second major Gold anomaly at Mons Project in WA

The new anomaly is 3.6km from the first and will be included in the proposed drill program set to start in coming quarter

KEY POINTS:

- **Soil sampling has identified a second large gold anomaly at Mons Project**
- **The Corporate James South anomaly is 3.6km south-west of the Corporate James Gold anomaly announced earlier this month (see ASX release dated 9 June 2026)**
- **The spatial relationship of the new anomaly to the granite-greenstone contact mirrors the geometry seen at Corporate James Prospect**
- **The latest assays from soil sampling have demonstrated the consistency of the Corporate James Gold Trend**
- **In addition, coherent multi-element pathfinder signatures including As, Sb, Bi, Mo, Te, W and Ag**
- **The Corporate James Trend which hosts the two anomalies has been outlined over ~16kms and remains open ended along strike**
- **Drill program design is well advanced**

Nimy Resources Limited (ASX: NIM) is pleased to advise that new assays from soil sampling have identified a coherent, multi-element gold-in-soil anomaly consistent with the style of mineralisation identified at the main Corporate James Gold Prospect.

The newly identified prospect lies 3.6km south-west of the Corporate James Gold Prospect at the Mons Project, Western Australia.

The new results confirm the 16km-long anomalous gold corridor remains open and materially expands the footprint of priority drill targets ahead of the Company's planned maiden gold drill campaign.

Managing Director Luke Hampson said:

“These are more extremely promising results which further highlight the strong gold potential emerging at Mons. They confirm that the Corporate James Gold Prospect does not stop at the edge of our original discovery. Finding a coherent, multi-element anomaly 3.6km to the south-west tells us the corridor is larger than initially mapped and reinforces our confidence in the scale of this discovery.

“We are moving forward quickly on a drill program design and look forward to putting the bit in the ground in Q3 2026. With the gallium scoping study underway, ongoing geophysics at Masson and Sneaky Squirrel, and now a growing gold target at Corporate James, the second half of 2026 is shaping up to be a defining and exciting period for Nimy”.

Corporate James Gold Trend

On 9 June 2026, Nimy reported strong gold-in-soil geochemistry results across the newly defined Corporate James Prospect, including coherent anomalism along a ~16km NNE-SSW corridor parallel to the eastern granite-greenstone contact. The trend exhibited anomalous gold values together with a suite of pathfinder elements including arsenic (As), antimony (Sb), bismuth (Bi), molybdenum (Mo), silver (Ag), tellurium (Te), and tungsten (W) - a geochemical signature consistent with orogenic and intrusion-related gold styles.

The Corporate James Prospect returned the highest anomalies over a 720m north-south striking zone within that corridor. The broader corridor extends along a contact that continues for approximately 85km, largely untested within the Mons Belt.

Infill Program Results

A targeted infill and extensional soil geochemistry program was promptly executed across this area to establish whether the anomalous corridor extended beyond the initial survey grid.

Key observations from the infill program include:

- A coherent, multi-element gold-in-soil anomaly has been defined, spatially coincident with the projection of the Corporate James Trend.
- Pathfinder element associations (As, Sb, Bi, Mo, Ag, Te, W) are consistent with those observed at the Corporate James Prospect, supporting a common geological source.
- The anomaly is open to the south-west, warranting further infill and extensional sampling along strike.

Analysis of the complete 9,644-sample dataset remains ongoing. Additional assay batches are expected to be received in coming weeks, with results to be reported as they are received.

Implications for Drill Program

The identification of a south-western extension increases the total strike length of geochemically anomalous gold ground to be drill-tested and provides additional vector information to guide collar placement.

Drill program design has been updated to incorporate:

- The original Corporate James Prospect target zone (720m NS strike, highest anomaly density).
- The newly defined south-western anomaly 3.6km from Corporate James.
- Selected high-priority zones within the broader ~16km trend corridor.




Figure 1 – Corporate James South Prospect in relation to Corporate James Prospect within the Corporate James Trend over 1VD magnetics.

For personal use only




Figure 3 - Location of Corporate James Trend within Nimy Resources tenement package

Previously Related Announcements:

| | |
|----------|--|
| 11/06/26 | Funding Awarded to advance Gallium Processing Research |
| 09/06/26 | Strong Gold soil assays at Mons |
| 29/04/26 | Quarterly Activities and Cashflow Report |
| 12/03/26 | Half Yearly Report and Accounts |
| 05/03/26 | Response to ASX Price and Volume Query |
| 27/02/26 | Nimy to join W.A. Critical Mineral Delegation to the U.S. |
| 25/02/26 | Scoping Study underway on Block 3 |
| 10/02/26 | Nimy Resources to Present at RSS Summer Series Conference |
| 06/02/26 | Amended - High Grade Gallium Test Material Shipment to U.S |
| 04/02/26 | High Grade Gallium Ore Shipment to U.S. |
| 03/02/26 | Significant Gallium Extensions identified at Block 3 |
| 26/11/25 | CSIRO Kick-Start Advancing Nimy Gallium Exploration |
| 19/11/25 | Nimy Resources Receives \$1.38m R&D Refund |
| 13/11/25 | Amended Extremely high-grade Gallium and Rare Earth Resource |
| 12/11/25 | Extremely high-grade Gallium and Rare Earths Resource |
| 22/10/25 | Share Purchase Plan Closes Oversubscribed |
| 15/10/25 | Geochemical work to extend mineralisation commences |
| 03/09/25 | Nimy Appoints Tony Tang as Technical Advisor |
| 27/08/25 | Critical Metals Exploration Update August 2025 |
| 27/08/25 | Nimy Raises \$1.72m via Share Placement |
| 05/08/25 | Nimy Resources signs M2i Agreement |
| 04/08/25 | Diggers and Dealers Company Update August 2025 |
| 29/07/25 | Gallium Resource Drilling Final Assays |
| 04/07/25 | Outstanding Gallium assays continue at Block 3 |

Company Information
Nimy Resources Limited
Richard Moody

info@nimyresources.com.au

(08) 9261 4600

Investor Information
Read Corporate
Paul Armstrong

info@readcorporate.com.au

(08) 9388 1474

This announcement has been approved for release by the Nimy Resources Board.

Board and Management

Neil Warburton
Non-Executive Chairman

Luke Hampson
Managing Director

Bruce Stewart
Non-Executive Director

Henko Vos
Joint Co-Secretary/CFO

Geraldine Holland
Joint Co-Secretary

John Simmonds
Technical Advisor - Geology

Fergus Jockel
Exploration Manager

Capital Structure

Shares on Issue – 353.46m

Options on Issue – 85.4m

Contact: info@nimyresources.com.au

Nimy Resources ASX:NIM

About Nimy Resources and the Mons Project

Nimy Resources is a Western Australian exploration company that has prioritised the development of its recently discovered Mons Greenstone Belt, situated 370km northeast of Perth and 140km north-northwest of Southern Cross, a Tier 1 jurisdiction in Western Australia.


The Mons Belt represents a district scale discovery, spanning ~80km x 30km over 17 tenements with a north/south strike of some 80km of mafic and ultramafic sequences covering ~3004km² north of the Forrestania greenstone belt.

The Mons Belt provides a new and exciting frontier in critical metal and gold exploration in Western Australia, the company is currently working with the CSIRO to advance the lithology and mineralisation types within one of Australia's newest greenstone belt discoveries in the Yilgarn Craton, a region with significant untapped potential.

Nimy Resources believes the Mons Belt offers multi commodity potential with the initial discovery of Masson (Cu, Ni, Co, Au & PGE's) in addition to high-grade gallium (Ga) with the Block 3 East resource discovered in the northern tenements.

In addition to these discoveries, the southern tenements have significant fertile komatiite sequences like those found in the Kambalda region of WA.

Nimy Resources is always mindful of its shareholders and the need to continue efforts in creating shareholder value through a methodical and science-based approach.



Competent Person's Statement

The information contained in this report that pertains to the exploration results is based upon information compiled by Mr. Fergus Jockel, a full-time employee of Fergus Jockel Geological Services Pty Ltd. Mr. Jockel is a Member of the Australasian Institute of Mining and Metallurgy (1987) and has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the December 2012 edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" (the JORC Code). Mr Jockel consents to the inclusion in the report of the matters based upon his information in the form and context in which it appears.

No New Information

To the extent that this announcement contains references to prior exploration results which have been cross referenced to previous market announcements made by the Company, unless explicitly stated, no new information is contained. The Company confirms that it is not aware of any new information or data that materially affects the information included in the relevant market announcements and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcements continue to apply and have not materially changed.

Forward Looking Statement

This report contains forward looking statements concerning the projects owned by Nimy Resources Limited. Statements concerning mining reserves and resources may also be deemed to be forward looking statements in that they involve estimates based on specific assumptions. Forward-looking statements are not statements of historical fact and actual events, and results may differ materially from those described in the forward-looking statements as a result of a variety of risks, uncertainties and other factors. Forward looking statements are based on management's beliefs, opinions and estimates as of the dates the forward-looking statements are made and no obligation is assumed to update forward looking statements if these beliefs, opinions and estimates should change or to reflect other future developments.

Table 1 – Geochemical assays of Gold in soil samples along the Corporate James Trend

| SampleID | Northing | Easting | Au ppb | Ag ppm | As ppm | Bi ppm | Mo ppm | Sb ppm | Te ppm | W ppm |
|----------|----------|---------|--------|--------|--------|--------|--------|--------|--------|-------|
| NRZ13996 | 6680204 | 665704 | 6.2 | 0.026 | 4.2 | 0.536 | 2.29 | 0.224 | 0.051 | 0.146 |
| NRZ13997 | 6680201 | 665749 | 2.4 | 0.021 | 4.7 | 0.509 | 1.9 | 0.211 | 0.046 | 0.147 |
| NRZ13998 | 6680203 | 665799 | 3.7 | 0.044 | 5.7 | 0.563 | 2.15 | 0.203 | 0.046 | 0.134 |
| NRZ13992 | 6680205 | 665499 | 4.2 | 0.04 | 4.9 | 0.533 | 1.81 | 0.264 | 0.053 | 0.334 |
| NRZ13993 | 6680204 | 665549 | 3 | 0.034 | 5.2 | 0.547 | 2.27 | 0.288 | 0.061 | 0.276 |
| NRZ13994 | 6680201 | 665604 | 1.5 | 0.038 | 4.7 | 0.551 | 2.61 | 0.266 | 0.058 | 0.313 |
| NRZ13995 | 6680202 | 665654 | 4.8 | 0.051 | 4.8 | 0.558 | 2.53 | 0.255 | 0.061 | 0.294 |
| NRZ13988 | 6680203 | 665304 | 4.1 | 0.041 | 4.6 | 0.527 | 1.37 | 0.248 | 0.05 | 0.278 |
| NRZ13989 | 6680196 | 665350 | 3.6 | 0.026 | 4.4 | 0.547 | 1.41 | 0.199 | 0.038 | 0.166 |
| NRZ13990 | 6680198 | 665399 | 4.4 | 0.033 | 5.1 | 0.632 | 1.97 | 0.282 | 0.062 | 0.259 |
| NRZ13991 | 6680201 | 665451 | 5.3 | 0.035 | 4.7 | 0.569 | 1.88 | 0.26 | 0.049 | 0.312 |
| NRZ13984 | 6680204 | 665100 | 2.5 | 0.025 | 4.5 | 0.659 | 1.74 | 0.248 | 0.059 | 0.328 |
| NRZ13985 | 6680203 | 665151 | 2.4 | 0.04 | 4.4 | 0.778 | 1.65 | 0.248 | 0.061 | 0.547 |
| NRZ13986 | 6680199 | 665202 | 2 | 0.028 | 4.4 | 0.588 | 1.57 | 0.229 | 0.052 | 0.385 |
| NRZ13987 | 6680201 | 665252 | 2.6 | 0.027 | 4.4 | 0.553 | 1.56 | 0.232 | 0.047 | 0.205 |
| NRZ13980 | 6680199 | 664899 | 2.7 | 0.044 | 4.6 | 0.738 | 0.89 | 0.223 | 0.044 | 0.21 |
| NRZ13981 | 6680202 | 664954 | 1.6 | 0.052 | 4.4 | 0.502 | 0.9 | 0.211 | 0.053 | 0.207 |
| NRZ13982 | 6680199 | 664999 | 2.4 | 0.07 | 3.7 | 0.612 | 0.81 | 0.177 | 0.046 | 0.197 |
| NRZ13983 | 6680199 | 665051 | 1.6 | 0.05 | 4.5 | 0.493 | 1.08 | 0.218 | 0.048 | 0.242 |
| NRZ13936 | 6679803 | 662599 | 4.5 | 0.028 | 4.9 | 0.455 | 1.58 | 0.239 | 0.05 | 0.188 |
| NRZ13937 | 6679797 | 662650 | 8.2 | 0.023 | 4.2 | 0.441 | 1.39 | 0.216 | 0.048 | 0.208 |
| NRZ13938 | 6679804 | 662706 | 3.6 | 0.029 | 5.1 | 0.456 | 1.3 | 0.232 | 0.058 | 0.116 |
| NRZ13939 | 6679801 | 662748 | 3.9 | 0.024 | 4.4 | 0.41 | 1.22 | 0.229 | 0.047 | 0.146 |
| NRZ13932 | 6679803 | 662401 | 5.9 | 0.031 | 5.2 | 0.43 | 1.42 | 0.266 | 0.056 | 0.198 |
| NRZ13933 | 6679803 | 662453 | 7.6 | 0.023 | 5 | 0.402 | 1.27 | 0.226 | 0.051 | 0.168 |
| NRZ13934 | 6679800 | 662498 | 5.6 | 0.033 | 4.9 | 0.45 | 1.26 | 0.21 | 0.048 | 0.109 |
| NRZ13935 | 6679798 | 662550 | 3.8 | 0.024 | 4.3 | 0.551 | 1.2 | 0.277 | 0.064 | 0.144 |
| NRZ13928 | 6679803 | 662197 | 3.3 | 0.038 | 3.8 | 0.4 | 2.69 | 0.251 | 0.051 | 0.143 |
| NRZ13929 | 6679803 | 662250 | 5.5 | 0.037 | 5.1 | 0.481 | 2.21 | 0.256 | 0.056 | 0.171 |
| NRZ13930 | 6679796 | 662300 | 4.5 | 0.041 | 5.4 | 0.436 | 2.05 | 0.254 | 0.058 | 0.208 |
| NRZ13931 | 6679796 | 662353 | 5.5 | 0.034 | 5.5 | 0.429 | 1.68 | 0.267 | 0.06 | 0.125 |
| NRZ13924 | 6679797 | 662002 | < 0.5 | 0.027 | 3.8 | 0.397 | 2.8 | 0.246 | 0.056 | 0.147 |
| NRZ13925 | 6679799 | 662051 | 1.1 | 0.024 | 4.1 | 0.443 | 1.74 | 0.242 | 0.051 | 0.076 |
| NRZ13926 | 6679800 | 662103 | 1.5 | 0.028 | 3.2 | 0.413 | 2.11 | 0.247 | 0.054 | 0.232 |
| NRZ13927 | 6679803 | 662149 | 2.1 | 0.033 | 4 | 0.408 | 2.59 | 0.264 | 0.048 | 0.131 |
| NRZ13952 | 6679800 | 663401 | 1.6 | 0.039 | 4.2 | 0.398 | 0.84 | 0.225 | 0.056 | 0.216 |
| NRZ13953 | 6679800 | 663448 | 3.3 | 0.046 | 4.3 | 0.425 | 0.85 | 0.204 | 0.043 | 0.125 |
| NRZ13954 | 6679803 | 663503 | 2.2 | 0.03 | 3.8 | 0.414 | 0.91 | 0.192 | 0.037 | 0.109 |
| NRZ13948 | 6679804 | 663201 | 1.7 | 0.026 | 4.4 | 0.433 | 1.07 | 0.265 | 0.054 | 0.15 |
| NRZ13949 | 6679798 | 663251 | 1.3 | 0.023 | 4 | 0.404 | 0.9 | 0.206 | 0.048 | 0.092 |
| NRZ13950 | 6679801 | 663301 | 1.8 | 0.024 | 4.1 | 0.386 | 0.79 | 0.21 | 0.048 | 0.123 |

| SampleID | Northing | Easting | Au ppb | Ag ppm | As ppm | Bi ppm | Mo ppm | Sb ppm | Te ppm | W ppm |
|----------|----------|---------|--------|--------|--------|--------|--------|--------|--------|-------|
| NRZ13951 | 6679801 | 663354 | 2.2 | 0.039 | 4.5 | 0.412 | 0.85 | 0.25 | 0.055 | 0.179 |
| NRZ13944 | 6679797 | 663004 | 1.3 | 0.025 | 4.4 | 0.389 | 0.76 | 0.224 | 0.047 | 0.147 |
| NRZ13945 | 6679803 | 663050 | 3.1 | 0.029 | 4.4 | 0.423 | 0.83 | 0.209 | 0.046 | 0.138 |
| NRZ13946 | 6679800 | 663100 | 3 | 0.027 | 4.9 | 0.399 | 0.94 | 0.239 | 0.051 | 0.12 |
| NRZ13947 | 6679797 | 663154 | 1.4 | 0.028 | 4 | 0.379 | 0.77 | 0.198 | 0.045 | 0.12 |
| NRZ13940 | 6679800 | 662800 | 2.3 | 0.035 | 4.6 | 0.45 | 1.18 | 0.289 | 0.061 | 0.2 |
| NRZ13941 | 6679798 | 662850 | 3.1 | 0.039 | 4.5 | 0.415 | 0.81 | 0.27 | 0.061 | 0.211 |
| NRZ13942 | 6679804 | 662900 | 1.5 | 0.022 | 4.1 | 0.379 | 0.68 | 0.236 | 0.05 | 0.16 |
| NRZ13943 | 6679802 | 662951 | 2.1 | 0.026 | 3.9 | 0.36 | 0.71 | 0.214 | 0.051 | 0.124 |
| NRZ13920 | 6679802 | 661800 | 0.8 | 0.03 | 4.6 | 0.486 | 2.87 | 0.309 | 0.066 | 0.114 |
| NRZ13921 | 6679799 | 661852 | 1.5 | 0.024 | 3.6 | 0.427 | 2.42 | 0.266 | 0.058 | 0.142 |
| NRZ13922 | 6679803 | 661902 | 0.9 | 0.035 | 3.7 | 0.403 | 2.58 | 0.243 | 0.06 | 0.17 |
| NRZ13923 | 6679798 | 661951 | 0.5 | 0.029 | 3.5 | 0.41 | 2.78 | 0.242 | 0.044 | 0.112 |
| NRZ13916 | 6679802 | 661601 | 5.3 | 0.03 | 4.7 | 0.452 | 1.42 | 0.234 | 0.044 | 0.14 |
| NRZ13917 | 6679801 | 661655 | 2.5 | 0.039 | 6.4 | 0.547 | 2.6 | 0.335 | 0.073 | 0.234 |
| NRZ13918 | 6679796 | 661704 | 2.8 | 0.039 | 5.4 | 0.53 | 2.57 | 0.265 | 0.059 | 0.189 |
| NRZ13919 | 6679801 | 661755 | 1.1 | 0.022 | 5.1 | 0.502 | 3 | 0.309 | 0.067 | 0.097 |
| NRZ13912 | 6679800 | 661403 | 4 | 0.032 | 4.6 | 0.467 | 1.43 | 0.226 | 0.046 | 0.129 |
| NRZ13913 | 6679800 | 661449 | 7.5 | 0.037 | 4.6 | 0.478 | 2.04 | 0.222 | 0.044 | 0.164 |
| NRZ13914 | 6679801 | 661499 | 9 | 0.04 | 4.1 | 0.441 | 1.76 | 0.209 | 0.045 | 0.104 |
| NRZ13915 | 6679803 | 661552 | 6.4 | 0.029 | 5 | 0.463 | 1.96 | 0.239 | 0.053 | 0.171 |
| NRZ13744 | 6678797 | 664304 | 2.5 | 0.06 | 3.4 | 0.465 | 0.63 | 0.206 | 0.046 | 0.185 |
| NRZ13745 | 6678798 | 664351 | 1.9 | 0.044 | 3.8 | 0.462 | 0.75 | 0.229 | 0.05 | 0.331 |
| NRZ13740 | 6678801 | 664103 | 3.6 | 0.053 | 3.6 | 0.407 | 0.76 | 0.193 | 0.042 | 0.17 |
| NRZ13741 | 6678799 | 664154 | 2.6 | 0.057 | 3.9 | 0.445 | 0.86 | 0.197 | 0.046 | 0.143 |
| NRZ13742 | 6678800 | 664204 | 3.5 | 0.054 | 4.3 | 0.43 | 0.85 | 0.231 | 0.053 | 0.346 |
| NRZ13743 | 6678800 | 664249 | 3 | 0.049 | 3.7 | 0.409 | 0.63 | 0.212 | 0.049 | 0.32 |
| NRZ13736 | 6678803 | 663900 | 3.5 | 0.049 | 4.5 | 0.461 | 0.92 | 0.239 | 0.053 | 0.39 |
| NRZ13737 | 6678802 | 663951 | 3.3 | 0.067 | 3.6 | 0.443 | 0.73 | 0.181 | 0.049 | 0.147 |
| NRZ13738 | 6678800 | 664001 | 3.5 | 0.064 | 3.6 | 0.408 | 0.79 | 0.198 | 0.041 | 0.171 |
| NRZ13739 | 6678800 | 664052 | 2.8 | 0.031 | 3.7 | 0.418 | 0.97 | 0.188 | 0.043 | 0.176 |
| NRZ13732 | 6678795 | 663702 | 4 | 0.061 | 4 | 0.41 | 0.71 | 0.223 | 0.049 | 0.339 |
| NRZ13733 | 6678800 | 663751 | 4.6 | 0.045 | 2.7 | 0.38 | 0.56 | 0.174 | 0.041 | 0.112 |
| NRZ13734 | 6678802 | 663802 | 2.8 | 0.042 | 3.9 | 0.441 | 0.66 | 0.233 | 0.053 | 0.342 |
| NRZ13735 | 6678798 | 663852 | 3.3 | 0.067 | 3.3 | 0.407 | 0.72 | 0.171 | 0.042 | 0.137 |
| NRZ13712 | 6678801 | 662703 | 5 | 0.065 | 4.1 | 0.44 | 0.93 | 0.229 | 0.056 | 0.094 |
| NRZ13713 | 6678799 | 662749 | 5.5 | 0.052 | 3.9 | 0.421 | 0.72 | 0.196 | 0.045 | 0.071 |
| NRZ13714 | 6678800 | 662805 | 3 | 0.039 | 3.6 | 0.384 | 0.62 | 0.201 | 0.046 | 0.085 |
| NRZ13715 | 6678797 | 662852 | 4.3 | 0.066 | 3.6 | 0.343 | 0.53 | 0.179 | 0.039 | 0.087 |
| NRZ13709 | 6678800 | 662551 | 5.3 | 0.053 | 4.3 | 0.421 | 0.88 | 0.23 | 0.047 | 0.13 |
| NRZ13710 | 6678798 | 662602 | 4.4 | 0.121 | 4.5 | 0.451 | 0.95 | 0.255 | 0.06 | 0.206 |
| NRZ13711 | 6678801 | 662655 | 4 | 0.045 | 4 | 0.421 | 0.77 | 0.22 | 0.054 | 0.128 |

| SampleID | Northing | Easting | Au ppb | Ag ppm | As ppm | Bi ppm | Mo ppm | Sb ppm | Te ppm | W ppm |
|----------|----------|---------|--------|--------|--------|--------|--------|--------|--------|-------|
| NRZ13728 | 6678796 | 663499 | 3.4 | 0.065 | 4.1 | 0.399 | 0.72 | 0.221 | 0.058 | 0.17 |
| NRZ13729 | 6678800 | 663551 | 2.2 | 0.038 | 3.9 | 0.392 | 0.61 | 0.203 | 0.051 | 0.092 |
| NRZ13730 | 6678799 | 663602 | 3.4 | 0.052 | 3.4 | 0.36 | 0.65 | 0.203 | 0.042 | 0.233 |
| NRZ13731 | 6678798 | 663651 | 3.3 | 0.053 | 4.1 | 0.412 | 0.71 | 0.244 | 0.047 | 0.35 |
| NRZ13724 | 6678801 | 663301 | 3.6 | 0.036 | 4.2 | 0.429 | 0.74 | 0.234 | 0.058 | 0.118 |
| NRZ13725 | 6678801 | 663349 | 3 | 0.046 | 4.6 | 0.377 | 0.67 | 0.25 | 0.055 | 0.346 |
| NRZ13726 | 6678803 | 663403 | 3 | 0.039 | 4.1 | 0.395 | 0.66 | 0.228 | 0.056 | 0.122 |
| NRZ13727 | 6678803 | 663452 | 4.5 | 0.059 | 5.1 | 0.43 | 0.75 | 0.267 | 0.064 | 0.332 |
| NRZ13720 | 6678800 | 663101 | 3 | 0.052 | 4.1 | 0.419 | 0.72 | 0.239 | 0.051 | 0.159 |
| NRZ13721 | 6678798 | 663151 | 3.4 | 0.056 | 3.7 | 0.374 | 0.62 | 0.214 | 0.053 | 0.134 |
| NRZ13722 | 6678798 | 663201 | 3.3 | 0.071 | 4.5 | 0.411 | 0.72 | 0.252 | 0.056 | 0.183 |
| NRZ13723 | 6678800 | 663251 | 2.7 | 0.047 | 3.6 | 0.375 | 0.53 | 0.199 | 0.049 | 0.118 |
| NRZ13716 | 6678797 | 662901 | 3.1 | 0.047 | 3.5 | 0.348 | 0.58 | 0.213 | 0.047 | 0.164 |
| NRZ13717 | 6678801 | 662951 | 4.2 | 0.044 | 3.7 | 0.384 | 0.53 | 0.18 | 0.044 | 0.053 |
| NRZ13718 | 6678800 | 663000 | 3.6 | 0.045 | 3.6 | 0.368 | 0.54 | 0.223 | 0.053 | 0.13 |
| NRZ13719 | 6678799 | 663050 | 4.4 | 0.06 | 4.1 | 0.454 | 0.89 | 0.284 | 0.061 | 0.125 |
| NRZ13808 | 6678801 | 667502 | 2.4 | 0.033 | 3.2 | 0.358 | 0.65 | 0.162 | 0.033 | 0.183 |
| NRZ13809 | 6678803 | 667551 | 1.7 | 0.028 | 3.5 | 0.443 | 0.79 | 0.191 | 0.045 | 0.169 |
| NRZ13810 | 6678802 | 667604 | 2.2 | 0.044 | 3.4 | 0.434 | 0.76 | 0.193 | 0.048 | 0.143 |
| NRZ13811 | 6678799 | 667651 | 2.2 | 0.039 | 3.7 | 0.382 | 0.7 | 0.205 | 0.05 | 0.287 |
| NRZ13804 | 6678800 | 667299 | 2.9 | 0.027 | 3.9 | 0.507 | 1.46 | 0.212 | 0.052 | 0.197 |
| NRZ13805 | 6678801 | 667350 | 2.9 | 0.026 | 4.1 | 0.454 | 1.26 | 0.187 | 0.04 | 0.143 |
| NRZ13806 | 6678802 | 667405 | 4.1 | 0.028 | 3.8 | 0.455 | 1.06 | 0.196 | 0.045 | 0.217 |
| NRZ13807 | 6678799 | 667451 | 2 | 0.036 | 3.4 | 0.452 | 0.96 | 0.184 | 0.048 | 0.18 |
| NRZ13800 | 6678803 | 667100 | 5.7 | 0.025 | 3.6 | 0.8 | 1.47 | 0.193 | 0.046 | 0.184 |
| NRZ13801 | 6678801 | 667151 | 4.2 | 0.043 | 4.8 | 0.836 | 1.59 | 0.212 | 0.059 | 0.212 |
| NRZ13802 | 6678797 | 667201 | 2.3 | 0.039 | 4.2 | 0.609 | 1.49 | 0.217 | 0.047 | 0.248 |
| NRZ13803 | 6678800 | 667252 | 2.6 | 0.033 | 4.3 | 0.576 | 1.66 | 0.212 | 0.051 | 0.222 |
| NRZ13796 | 6678797 | 666903 | 1.7 | 0.048 | 3.3 | 0.49 | 0.71 | 0.206 | 0.048 | 0.157 |
| NRZ13797 | 6678799 | 666953 | 2.5 | 0.043 | 4 | 0.525 | 0.9 | 0.222 | 0.055 | 0.328 |
| NRZ13798 | 6678801 | 667002 | 2.8 | 0.051 | 3.7 | 0.645 | 0.92 | 0.199 | 0.044 | 0.146 |
| NRZ13799 | 6678802 | 667051 | 4.1 | 0.029 | 4.5 | 0.833 | 1.63 | 0.215 | 0.056 | 0.201 |
| NRZ13816 | 6678795 | 667905 | 2.2 | 0.026 | 2.8 | 0.359 | 0.56 | 0.189 | 0.042 | 0.111 |
| NRZ13817 | 6678799 | 667950 | 4 | 0.045 | 2.9 | 0.323 | 0.54 | 0.155 | 0.037 | 0.233 |
| NRZ13818 | 6678801 | 668000 | 2 | 0.032 | 3.2 | 0.358 | 0.59 | 0.22 | 0.054 | 0.229 |
| NRZ13812 | 6678800 | 667702 | 3.5 | 0.028 | 3.1 | 0.417 | 0.58 | 0.192 | 0.041 | 0.152 |
| NRZ13813 | 6678799 | 667756 | 3 | 0.025 | 2.9 | 0.364 | 0.48 | 0.184 | 0.039 | 0.146 |
| NRZ13814 | 6678801 | 667803 | 3.9 | 0.032 | 3.1 | 0.359 | 0.57 | 0.183 | 0.043 | 0.164 |
| NRZ13815 | 6678800 | 667854 | 2.6 | 0.026 | 2.7 | 0.351 | 0.58 | 0.168 | 0.035 | 0.121 |
| NRZ13792 | 6678799 | 666702 | 2.9 | 0.058 | 3.9 | 0.681 | 0.92 | 0.21 | 0.047 | 0.154 |
| NRZ13793 | 6678798 | 666750 | 3.8 | 0.054 | 5.1 | 0.709 | 1.02 | 0.271 | 0.056 | 0.384 |
| NRZ13794 | 6678799 | 666801 | 1.7 | 0.057 | 3.6 | 0.505 | 0.68 | 0.211 | 0.044 | 0.336 |

| SampleID | Northing | Easting | Au ppb | Ag ppm | As ppm | Bi ppm | Mo ppm | Sb ppm | Te ppm | W ppm |
|----------|----------|---------|--------|--------|--------|--------|--------|--------|--------|-------|
| NRZ13795 | 6678800 | 666851 | 2 | 0.055 | 3.6 | 0.513 | 0.9 | 0.208 | 0.044 | 0.335 |
| NRZ13788 | 6678801 | 666504 | 2.1 | 0.046 | 3.2 | 0.402 | 0.56 | 0.221 | 0.044 | 0.281 |
| NRZ13789 | 6678801 | 666551 | 3.4 | 0.072 | 2.9 | 0.415 | 0.63 | 0.216 | 0.041 | 0.26 |
| NRZ13790 | 6678797 | 666602 | 3.5 | 0.055 | 2.7 | 0.382 | 0.54 | 0.143 | 0.03 | 0.265 |
| NRZ13791 | 6678801 | 666652 | 4.2 | 0.042 | 3.6 | 0.514 | 0.77 | 0.226 | 0.041 | 0.292 |
| NRZ13784 | 6678801 | 666302 | 5.2 | 0.102 | 3.1 | 0.415 | 0.82 | 0.178 | 0.036 | 0.294 |
| NRZ13785 | 6678801 | 666351 | 4.3 | 0.082 | 3.1 | 0.432 | 0.51 | 0.227 | 0.047 | 0.311 |
| NRZ13786 | 6678800 | 666403 | 4.4 | 0.06 | 3 | 0.397 | 0.49 | 0.202 | 0.043 | 0.258 |
| NRZ13787 | 6678800 | 666451 | 3.1 | 0.067 | 3 | 0.43 | 0.57 | 0.218 | 0.044 | 0.268 |
| NRZ13781 | 6678801 | 666153 | 7.7 | 0.054 | 3.1 | 0.382 | 0.48 | 0.144 | 0.035 | 0.141 |
| NRZ13782 | 6678799 | 666202 | 5.3 | 0.06 | 3.5 | 0.392 | 0.51 | 0.201 | 0.044 | 0.28 |
| NRZ13783 | 6678799 | 666249 | 3.1 | 0.057 | 2.4 | 0.281 | 0.4 | 0.108 | 0.02 | 0.218 |
| NRZ13632 | 6678501 | 666552 | 2.8 | 0.023 | 4.4 | 0.428 | 1.1 | 0.18 | 0.043 | 0.222 |
| NRZ13633 | 6678504 | 666604 | 1.7 | 0.023 | 3.6 | 0.487 | 0.94 | 0.189 | 0.045 | 0.179 |
| NRZ13634 | 6678501 | 666654 | 2.5 | 0.023 | 4.1 | 0.545 | 0.93 | 0.206 | 0.046 | 0.23 |
| NRZ13635 | 6678499 | 666701 | 3.3 | 0.024 | 3.1 | 0.519 | 0.85 | 0.187 | 0.045 | 0.241 |
| NRZ13628 | 6678500 | 666353 | 0.8 | 0.056 | 2.2 | 0.446 | 0.69 | 0.137 | 0.032 | 0.201 |
| NRZ13629 | 6678500 | 666401 | 0.9 | 0.055 | 3 | 0.525 | 0.83 | 0.161 | 0.031 | 0.214 |
| NRZ13630 | 6678501 | 666449 | 1.3 | 0.038 | 3.9 | 0.614 | 1.08 | 0.179 | 0.039 | 0.228 |
| NRZ13631 | 6678498 | 666502 | 0.7 | 0.029 | 2.7 | 0.486 | 0.85 | 0.128 | 0.03 | 0.125 |
| NRZ13624 | 6678499 | 666151 | 2.8 | 0.021 | 2.4 | 0.333 | 0.47 | 0.164 | 0.037 | 0.182 |
| NRZ13625 | 6678499 | 666203 | 2.6 | 0.039 | 2.3 | 0.276 | 0.34 | 0.101 | 0.023 | 0.107 |
| NRZ13626 | 6678500 | 666252 | 4.4 | 0.059 | 2.7 | 0.27 | 0.31 | 0.126 | 0.023 | 0.2 |
| NRZ13627 | 6678500 | 666299 | 3.5 | 0.053 | 2.9 | 0.272 | 0.52 | 0.12 | 0.025 | 0.221 |
| NRZ13584 | 6678499 | 664152 | 2.4 | 0.056 | 4.1 | 0.415 | 0.74 | 0.213 | 0.042 | 0.251 |
| NRZ13585 | 6678502 | 664201 | 2.6 | 0.058 | 3.8 | 0.431 | 0.78 | 0.197 | 0.047 | 0.222 |
| NRZ13586 | 6678500 | 664252 | 4.5 | 0.068 | 3.2 | 0.405 | 0.74 | 0.161 | 0.035 | 0.096 |
| NRZ13587 | 6678492 | 664303 | 3.3 | 0.063 | 3.2 | 0.397 | 0.82 | 0.187 | 0.042 | 0.226 |
| NRZ13580 | 6678500 | 663954 | 3.2 | 0.063 | 3.6 | 0.415 | 0.82 | 0.207 | 0.047 | 0.159 |
| NRZ13581 | 6678499 | 664002 | 4.7 | 0.062 | 3.9 | 0.422 | 0.7 | 0.203 | 0.047 | 0.247 |
| NRZ13582 | 6678501 | 664054 | 3.8 | 0.042 | 3.7 | 0.401 | 0.68 | 0.215 | 0.049 | 0.208 |
| NRZ13583 | 6678497 | 664101 | 2.5 | 0.051 | 3.6 | 0.401 | 0.65 | 0.207 | 0.05 | 0.203 |
| NRZ13576 | 6678499 | 663751 | 5.2 | 0.061 | 4.1 | 0.442 | 0.9 | 0.214 | 0.047 | 0.145 |
| NRZ13577 | 6678500 | 663803 | 4.8 | 0.105 | 3.7 | 0.454 | 0.78 | 0.189 | 0.044 | 0.138 |
| NRZ13578 | 6678499 | 663852 | 3.9 | 0.059 | 3.8 | 0.431 | 0.82 | 0.218 | 0.055 | 0.158 |
| NRZ13579 | 6678497 | 663902 | 4.7 | 0.037 | 4.3 | 0.47 | 0.97 | 0.225 | 0.053 | 0.269 |
| NRZ13572 | 6678499 | 663551 | 2.9 | 0.046 | 3.4 | 0.358 | 0.62 | 0.217 | 0.045 | 0.148 |
| NRZ13573 | 6678500 | 663602 | 2.9 | 0.044 | 3 | 0.382 | 0.56 | 0.19 | 0.04 | 0.12 |
| NRZ13574 | 6678502 | 663650 | 3 | 0.045 | 3 | 0.366 | 0.54 | 0.146 | 0.04 | 0.039 |
| NRZ13575 | 6678500 | 663701 | 3.1 | 0.055 | 3.4 | 0.429 | 0.69 | 0.179 | 0.049 | 0.128 |
| NRZ13588 | 6678499 | 664350 | 2.6 | 0.035 | 3.4 | 0.4 | 0.81 | 0.209 | 0.048 | 0.235 |
| NRZ13648 | 6678497 | 667353 | 3.1 | 0.023 | 3.8 | 0.431 | 0.71 | 0.206 | 0.047 | 0.082 |

| SampleID | Northing | Easting | Au ppb | Ag ppm | As ppm | Bi ppm | Mo ppm | Sb ppm | Te ppm | W ppm |
|----------|----------|---------|--------|--------|--------|--------|--------|--------|--------|-------|
| NRZ13649 | 6678499 | 667400 | 4.5 | 0.049 | 3.8 | 0.408 | 0.7 | 0.181 | 0.039 | 0.117 |
| NRZ13650 | 6678496 | 667452 | 2.9 | 0.03 | 3.7 | 0.38 | 0.76 | 0.202 | 0.041 | 0.173 |
| NRZ13651 | 6678500 | 667503 | 3.2 | 0.029 | 3.8 | 0.419 | 0.81 | 0.199 | 0.043 | 0.088 |
| NRZ13644 | 6678501 | 667150 | 3.8 | 0.048 | 4.1 | 0.451 | 0.9 | 0.211 | 0.042 | 0.202 |
| NRZ13645 | 6678499 | 667206 | 3.2 | 0.046 | 3.4 | 0.395 | 0.64 | 0.192 | 0.038 | 0.191 |
| NRZ13646 | 6678499 | 667251 | 4.2 | 0.047 | 3.4 | 0.396 | 0.64 | 0.184 | 0.042 | 0.193 |
| NRZ13647 | 6678500 | 667302 | 5.1 | 0.04 | 3.9 | 0.425 | 0.91 | 0.207 | 0.034 | 0.188 |
| NRZ13640 | 6678498 | 666952 | 5.1 | 0.053 | 3.4 | 0.501 | 0.95 | 0.184 | 0.039 | 0.217 |
| NRZ13641 | 6678500 | 667000 | 5.4 | 0.034 | 3.5 | 0.47 | 0.84 | 0.185 | 0.038 | 0.201 |
| NRZ13642 | 6678499 | 667055 | 3 | 0.051 | 3 | 0.433 | 0.71 | 0.183 | 0.043 | 0.193 |
| NRZ13643 | 6678499 | 667102 | 4.6 | 0.021 | 2.9 | 0.436 | 0.8 | 0.15 | 0.036 | 0.049 |
| NRZ13636 | 6678500 | 666752 | 3.7 | 0.031 | 3.4 | 0.57 | 1.19 | 0.197 | 0.045 | 0.209 |
| NRZ13637 | 6678499 | 666801 | 4.7 | 0.038 | 3.5 | 0.597 | 1.02 | 0.2 | 0.044 | 0.23 |
| NRZ13638 | 6678499 | 666852 | 3.6 | 0.048 | 3.9 | 0.601 | 1.21 | 0.202 | 0.045 | 0.251 |
| NRZ13639 | 6678500 | 666902 | 3.4 | 0.046 | 2.7 | 0.51 | 0.77 | 0.162 | 0.034 | 0.079 |
| NRZ13660 | 6678499 | 667951 | 4.2 | 0.035 | 3.3 | 0.387 | 0.49 | 0.192 | 0.038 | 0.06 |
| NRZ13656 | 6678500 | 667753 | 3 | 0.026 | 2.9 | 0.41 | 0.47 | 0.195 | 0.043 | 0.081 |
| NRZ13657 | 6678503 | 667802 | 4.5 | 0.033 | 3.4 | 0.345 | 0.52 | 0.199 | 0.037 | 0.158 |
| NRZ13658 | 6678499 | 667850 | 2.5 | 0.033 | 3.3 | 0.342 | 0.5 | 0.197 | 0.043 | 0.13 |
| NRZ13659 | 6678501 | 667905 | 3.4 | 0.037 | 3.3 | 0.34 | 0.49 | 0.2 | 0.033 | 0.152 |
| NRZ13652 | 6678499 | 667552 | 4.6 | 0.047 | 3.8 | 0.426 | 0.81 | 0.198 | 0.042 | 0.096 |
| NRZ13653 | 6678497 | 667605 | 3 | 0.042 | 3.3 | 0.394 | 0.73 | 0.171 | 0.038 | 0.097 |
| NRZ13654 | 6678497 | 667651 | 3.4 | 0.034 | 3.6 | 0.396 | 0.8 | 0.192 | 0.045 | 0.086 |
| NRZ13655 | 6678501 | 667703 | 3.6 | 0.028 | 3.6 | 0.397 | 0.59 | 0.201 | 0.043 | 0.104 |
| NRZ13488 | 6676401 | 664148 | 4.3 | 0.036 | 4.5 | 0.376 | 1.02 | 0.231 | 0.052 | 0.159 |
| NRZ13489 | 6676399 | 664202 | 4 | 0.037 | 4.2 | 0.353 | 0.93 | 0.232 | 0.052 | 0.166 |
| NRZ13490 | 6676802 | 662450 | 4 | 0.034 | 3.4 | 0.324 | 0.62 | 0.19 | 0.044 | 0.134 |
| NRZ13491 | 6676803 | 662501 | 4.5 | 0.043 | 3.8 | 0.327 | 0.65 | 0.186 | 0.047 | 0.149 |
| NRZ13484 | 6676401 | 663951 | 3.4 | 0.034 | 4.8 | 0.398 | 2.28 | 0.244 | 0.051 | 0.08 |
| NRZ13485 | 6676400 | 664001 | 3.8 | 0.024 | 5.4 | 0.43 | 1.89 | 0.24 | 0.05 | 0.139 |
| NRZ13486 | 6676400 | 664048 | 3.2 | 0.029 | 5.1 | 0.384 | 1.5 | 0.251 | 0.055 | 0.218 |
| NRZ13487 | 6676400 | 664099 | 4.1 | 0.047 | 3.6 | 0.325 | 0.78 | 0.198 | 0.049 | 0.083 |
| NRZ13480 | 6676404 | 663751 | 3.9 | 0.031 | 4.2 | 0.399 | 2.16 | 0.231 | 0.039 | 0.088 |
| NRZ13481 | 6676404 | 663801 | 3.5 | 0.045 | 5 | 0.448 | 2.29 | 0.283 | 0.055 | 0.247 |
| NRZ13482 | 6676404 | 663846 | 3.7 | 0.037 | 4.4 | 0.422 | 2.14 | 0.217 | 0.043 | 0.096 |
| NRZ13483 | 6676398 | 663900 | 2.4 | 0.037 | 5.1 | 0.411 | 2.2 | 0.248 | 0.052 | 0.088 |
| NRZ13476 | 6676401 | 663549 | 6.2 | 0.028 | 4.6 | 0.375 | 1.4 | 0.237 | 0.05 | 0.213 |
| NRZ13477 | 6676400 | 663598 | 7.5 | 0.023 | 4.8 | 0.379 | 1.69 | 0.244 | 0.051 | 0.157 |
| NRZ13478 | 6676400 | 663645 | 3.6 | 0.037 | 5.6 | 0.407 | 2.09 | 0.271 | 0.067 | 0.137 |
| NRZ13479 | 6676402 | 663701 | 4.8 | 0.051 | 5.5 | 0.38 | 2.07 | 0.257 | 0.057 | 0.3 |
| NRZ13504 | 6676800 | 663153 | 10.6 | 0.063 | 4.6 | 0.371 | 0.76 | 0.269 | 0.066 | 0.281 |
| NRZ13505 | 6676801 | 663199 | 10.6 | 0.056 | 4.9 | 0.396 | 0.97 | 0.237 | 0.059 | 0.09 |

| SampleID | Northing | Easting | Au ppb | Ag ppm | As ppm | Bi ppm | Mo ppm | Sb ppm | Te ppm | W ppm |
|----------|----------|---------|--------|--------|--------|--------|--------|--------|--------|-------|
| NRZ13506 | 6676798 | 663250 | 7.9 | 0.058 | 4.4 | 0.38 | 0.94 | 0.232 | 0.058 | 0.124 |
| NRZ13507 | 6676799 | 663301 | 8 | 0.047 | 4.5 | 0.387 | 0.84 | 0.248 | 0.057 | 0.197 |
| NRZ13500 | 6676801 | 662953 | 13.6 | 0.059 | 4.2 | 0.391 | 0.83 | 0.219 | 0.053 | 0.16 |
| NRZ13501 | 6676800 | 663002 | 16.1 | 0.062 | 4.2 | 0.379 | 0.89 | 0.239 | 0.059 | 0.202 |
| NRZ13502 | 6676798 | 663052 | 12 | 0.065 | 4.3 | 0.372 | 0.86 | 0.245 | 0.062 | 0.203 |
| NRZ13503 | 6676800 | 663103 | 17.6 | 0.083 | 4.5 | 0.401 | 0.91 | 0.217 | 0.057 | 0.426 |
| NRZ13496 | 6676804 | 662753 | 12.1 | 0.045 | 3.6 | 0.398 | 0.77 | 0.198 | 0.047 | 0.116 |
| NRZ13497 | 6676802 | 662799 | 16 | 0.101 | 4.3 | 0.375 | 0.94 | 0.227 | 0.055 | 0.112 |
| NRZ13498 | 6676793 | 662846 | 12.3 | 0.057 | 3.9 | 0.372 | 0.86 | 0.241 | 0.058 | 0.177 |
| NRZ13499 | 6676796 | 662904 | 14.7 | 0.051 | 4 | 0.386 | 1.14 | 0.218 | 0.057 | 0.171 |
| NRZ13492 | 6676798 | 662552 | 6.4 | 0.027 | 4.2 | 0.367 | 1.01 | 0.218 | 0.048 | 0.218 |
| NRZ13493 | 6676800 | 662601 | 7.5 | 0.035 | 4 | 0.376 | 0.96 | 0.197 | 0.043 | 0.109 |
| NRZ13494 | 6676795 | 662653 | 10.2 | 0.034 | 4.2 | 0.359 | 0.95 | 0.212 | 0.045 | 0.144 |
| NRZ13495 | 6676800 | 662702 | 7.2 | 0.047 | 3.7 | 0.356 | 0.73 | 0.2 | 0.045 | 0.147 |
| NRZ13456 | 6676397 | 662550 | 13.5 | 0.055 | 5.2 | 0.487 | 2.43 | 0.292 | 0.057 | 0.184 |
| NRZ13457 | 6676410 | 662590 | 17.1 | 0.048 | 5.2 | 0.444 | 1.95 | 0.278 | 0.062 | 0.184 |
| NRZ13458 | 6676400 | 662653 | 25.9 | 0.036 | 4.7 | 0.432 | 1.81 | 0.247 | 0.046 | 0.137 |
| NRZ13459 | 6676401 | 662696 | 19.9 | 0.04 | 4.8 | 0.372 | 1.31 | 0.258 | 0.052 | 0.252 |
| NRZ13452 | 6676000 | 663801 | 2.7 | 0.039 | 5.2 | 0.434 | 1.74 | 0.256 | 0.058 | 0.173 |
| NRZ13453 | 6676000 | 663850 | 2.3 | 0.038 | 5.3 | 0.438 | 1.9 | 0.255 | 0.044 | 0.142 |
| NRZ13454 | 6676000 | 663899 | 1.9 | 0.042 | 4.6 | 0.376 | 1.83 | 0.244 | 0.047 | 0.162 |
| NRZ13455 | 6676008 | 663953 | 1.5 | 0.04 | 4.2 | 0.404 | 1.93 | 0.234 | 0.047 | 0.121 |
| NRZ13448 | 6676003 | 663596 | 3.3 | 0.036 | 4.1 | 0.431 | 1.84 | 0.247 | 0.045 | 0.124 |
| NRZ13449 | 6675999 | 663649 | 2.6 | 0.038 | 4.6 | 0.405 | 1.9 | 0.272 | 0.054 | 0.234 |
| NRZ13450 | 6676002 | 663702 | 4.4 | 0.033 | 4.7 | 0.407 | 1.68 | 0.228 | 0.046 | 0.081 |
| NRZ13451 | 6675997 | 663754 | 2.1 | 0.143 | 5 | 0.42 | 1.74 | 0.276 | 0.047 | 0.17 |
| NRZ13444 | 6676001 | 663399 | < 0.5 | 0.03 | 5.4 | 0.458 | 2.4 | 0.292 | 0.064 | 0.093 |
| NRZ13445 | 6675996 | 663452 | 2 | 0.047 | 5.9 | 0.495 | 2.45 | 0.348 | 0.073 | 0.261 |
| NRZ13446 | 6676001 | 663501 | 3 | 0.049 | 6.6 | 0.439 | 2.46 | 0.279 | 0.057 | 0.209 |
| NRZ13447 | 6675999 | 663549 | 2.4 | 0.037 | 4.3 | 0.42 | 1.9 | 0.231 | 0.044 | 0.086 |
| NRZ13472 | 6676395 | 663346 | 3.9 | 0.028 | 4.3 | 0.371 | 1.04 | 0.233 | 0.052 | 0.139 |
| NRZ13473 | 6676398 | 663399 | 4.9 | 0.03 | 4.5 | 0.378 | 1.03 | 0.24 | 0.057 | 0.216 |
| NRZ13474 | 6676400 | 663448 | 4.7 | 0.029 | 3.9 | 0.356 | 1.29 | 0.179 | 0.038 | 0.066 |
| NRZ13475 | 6676403 | 663500 | 5.1 | 0.03 | 4.6 | 0.376 | 1.28 | 0.243 | 0.049 | 0.231 |
| NRZ13468 | 6676401 | 663146 | 6.2 | 0.036 | 5.1 | 0.414 | 1.47 | 0.275 | 0.056 | 0.215 |
| NRZ13469 | 6676403 | 663196 | 5.1 | 0.033 | 4.6 | 0.388 | 1.29 | 0.228 | 0.053 | 0.14 |
| NRZ13470 | 6676403 | 663249 | 4.3 | 0.045 | 4.7 | 0.391 | 1.11 | 0.247 | 0.049 | 0.273 |
| NRZ13471 | 6676400 | 663299 | 3.6 | 0.034 | 4.6 | 0.419 | 1.23 | 0.25 | 0.054 | 0.192 |
| NRZ13464 | 6676403 | 662949 | 8.4 | 0.06 | 4.4 | 0.383 | 0.96 | 0.216 | 0.046 | 0.12 |
| NRZ13465 | 6676398 | 662995 | 5.7 | 0.044 | 3.8 | 0.316 | 0.93 | 0.209 | 0.045 | 0.112 |
| NRZ13466 | 6676406 | 663042 | 6.2 | 0.042 | 5.4 | 0.401 | 1.39 | 0.269 | 0.056 | 0.248 |
| NRZ13467 | 6676401 | 663099 | 9.5 | 0.036 | 5.5 | 0.388 | 1.6 | 0.262 | 0.051 | 0.242 |

| SampleID | Northing | Easting | Au ppb | Ag ppm | As ppm | Bi ppm | Mo ppm | Sb ppm | Te ppm | W ppm |
|----------|----------|---------|--------|--------|--------|--------|--------|--------|--------|-------|
| NRZ13460 | 6676399 | 662749 | 27.4 | 0.05 | 4.6 | 0.373 | 0.99 | 0.24 | 0.052 | 0.173 |
| NRZ13461 | 6676400 | 662798 | 10.7 | 0.038 | 4 | 0.376 | 0.87 | 0.246 | 0.049 | 0.136 |
| NRZ13462 | 6676401 | 662845 | 16.2 | 0.053 | 4.1 | 0.337 | 0.73 | 0.165 | 0.037 | 0.083 |
| NRZ13463 | 6676400 | 662899 | 11.6 | 0.057 | 4 | 0.344 | 0.68 | 0.244 | 0.05 | 0.194 |
| NRZ13552 | 6678251 | 665298 | 3.7 | 0.058 | 3.4 | 0.369 | 0.6 | 0.233 | 0.056 | 0.18 |
| NRZ13553 | 6678247 | 665348 | 3.2 | 0.042 | 3.1 | 0.365 | 0.62 | 0.19 | 0.048 | 0.102 |
| NRZ13554 | 6678250 | 665394 | 3.3 | 0.059 | 2.7 | 0.36 | 0.53 | 0.153 | 0.041 | 0.073 |
| NRZ13555 | 6678252 | 665448 | 2.8 | 0.076 | 2.9 | 0.345 | 0.5 | 0.188 | 0.038 | 0.105 |
| NRZ13548 | 6678247 | 665096 | 1.4 | 0.03 | 1.8 | 0.3 | 0.71 | 0.111 | 0.019 | 0.155 |
| NRZ13549 | 6678251 | 665149 | 1.4 | 0.027 | 2.8 | 0.255 | 0.93 | 0.137 | 0.036 | 0.311 |
| NRZ13550 | 6678250 | 665201 | 1.6 | 0.016 | 3.1 | 0.194 | 0.83 | 0.111 | 0.024 | 0.158 |
| NRZ13551 | 6678253 | 665246 | 4.8 | 0.028 | 3.6 | 0.297 | 0.74 | 0.162 | 0.041 | 0.15 |
| NRZ13544 | 6678252 | 664900 | 6.9 | 0.045 | 2.7 | 0.224 | 0.51 | 0.127 | 0.022 | 0.093 |
| NRZ13545 | 6678249 | 664950 | 6.9 | 0.054 | 2.4 | 0.22 | 0.42 | 0.121 | 0.025 | 0.165 |
| NRZ13546 | 6678251 | 664997 | 3.9 | 0.039 | 2.2 | 0.242 | 0.49 | 0.121 | 0.022 | 0.17 |
| NRZ13547 | 6678252 | 665048 | 0.9 | 0.031 | 1.7 | 0.282 | 0.85 | 0.116 | 0.025 | 0.095 |
| NRZ13540 | 6678251 | 664698 | 3.7 | 0.032 | 3.9 | 0.385 | 0.75 | 0.201 | 0.039 | 0.132 |
| NRZ13541 | 6678248 | 664745 | 3 | 0.026 | 3.8 | 0.375 | 0.63 | 0.207 | 0.04 | 0.207 |
| NRZ13542 | 6678250 | 664800 | 2.1 | 0.022 | 3 | 0.32 | 0.5 | 0.179 | 0.039 | 0.161 |
| NRZ13543 | 6678248 | 664850 | 2.5 | 0.022 | 2.4 | 0.258 | 0.4 | 0.153 | 0.026 | 0.091 |
| NRZ13568 | 6678499 | 663352 | 3.2 | 0.061 | 3.4 | 0.418 | 0.63 | 0.211 | 0.047 | 0.131 |
| NRZ13569 | 6678498 | 663403 | 3 | 0.053 | 3.5 | 0.352 | 0.63 | 0.23 | 0.058 | 0.14 |
| NRZ13570 | 6678506 | 663451 | 3.9 | 0.072 | 3.4 | 0.381 | 0.63 | 0.24 | 0.052 | 0.18 |
| NRZ13571 | 6678500 | 663503 | 3.1 | 0.047 | 3.4 | 0.372 | 0.58 | 0.214 | 0.051 | 0.09 |
| NRZ13564 | 6678501 | 663149 | 3.5 | 0.048 | 3.9 | 0.431 | 0.79 | 0.19 | 0.043 | 0.131 |
| NRZ13565 | 6678501 | 663203 | 2.7 | 0.05 | 3.1 | 0.368 | 0.58 | 0.194 | 0.041 | 0.07 |
| NRZ13566 | 6678500 | 663254 | 2.6 | 0.045 | 3 | 0.322 | 0.54 | 0.163 | 0.033 | 0.074 |
| NRZ13567 | 6678498 | 663301 | 4.8 | 0.098 | 4.7 | 0.399 | 0.91 | 0.225 | 0.051 | 0.113 |
| NRZ13560 | 6678497 | 662950 | 3 | 0.097 | 3.2 | 0.322 | 0.82 | 0.206 | 0.041 | 0.175 |
| NRZ13561 | 6678501 | 663002 | 1.7 | 0.057 | 2.9 | 0.407 | 0.49 | 0.183 | 0.047 | 0.076 |
| NRZ13562 | 6678501 | 663051 | 2.8 | 0.058 | 2.9 | 0.364 | 0.54 | 0.202 | 0.042 | 0.129 |
| NRZ13563 | 6678500 | 663104 | 4.6 | 0.08 | 2.8 | 0.305 | 0.46 | 0.163 | 0.036 | 0.112 |
| NRZ13556 | 6678501 | 662752 | 3.8 | 0.1 | 3.1 | 0.321 | 0.46 | 0.161 | 0.037 | 0.092 |
| NRZ13557 | 6678500 | 662802 | 3.4 | 0.056 | 3.1 | 0.412 | 0.52 | 0.18 | 0.046 | 0.09 |
| NRZ13558 | 6678501 | 662854 | 2.6 | 0.064 | 2.9 | 0.35 | 0.54 | 0.213 | 0.047 | 0.156 |
| NRZ13559 | 6678501 | 662902 | 2.9 | 0.069 | 2.8 | 0.307 | 0.54 | 0.161 | 0.034 | 0.173 |
| NRZ13520 | 6676802 | 663951 | 5.4 | 0.041 | 4.5 | 0.394 | 1.09 | 0.218 | 0.046 | 0.134 |
| NRZ13521 | 6676799 | 664003 | 4 | 0.04 | 4 | 0.343 | 0.71 | 0.198 | 0.042 | 0.128 |
| NRZ13522 | 6676792 | 664051 | 4.1 | 0.037 | 4.3 | 0.374 | 0.89 | 0.245 | 0.052 | 0.16 |
| NRZ13523 | 6676800 | 664101 | 5.8 | 0.038 | 4.1 | 0.371 | 0.75 | 0.225 | 0.049 | 0.147 |
| NRZ13516 | 6676798 | 663751 | 3.3 | 0.035 | 4.7 | 0.392 | 1.26 | 0.244 | 0.052 | 0.182 |
| NRZ13517 | 6676797 | 663799 | 3.6 | 0.043 | 4.2 | 0.366 | 0.87 | 0.209 | 0.042 | 0.108 |

| SampleID | Northing | Easting | Au ppb | Ag ppm | As ppm | Bi ppm | Mo ppm | Sb ppm | Te ppm | W ppm |
|----------|----------|---------|--------|--------|--------|--------|--------|--------|--------|-------|
| NRZ13518 | 6676801 | 663853 | 3.4 | 0.048 | 4.5 | 0.403 | 1.17 | 0.25 | 0.053 | 0.148 |
| NRZ13519 | 6676801 | 663902 | 5.2 | 0.05 | 4.1 | 0.381 | 1.01 | 0.24 | 0.053 | 0.206 |
| NRZ13512 | 6676804 | 663553 | 4.8 | 0.068 | 3.8 | 0.381 | 0.69 | 0.226 | 0.05 | 0.131 |
| NRZ13513 | 6676800 | 663602 | 3.4 | 0.055 | 4.2 | 0.323 | 0.82 | 0.187 | 0.044 | 0.111 |
| NRZ13514 | 6676797 | 663651 | 2.7 | 0.041 | 5 | 0.413 | 1.16 | 0.221 | 0.051 | 0.121 |
| NRZ13515 | 6676803 | 663700 | 6 | 0.07 | 3.7 | 0.34 | 0.81 | 0.169 | 0.04 | 0.087 |
| NRZ13508 | 6676802 | 663351 | 9.3 | 0.054 | 4.3 | 0.379 | 0.95 | 0.192 | 0.056 | 0.147 |
| NRZ13509 | 6676805 | 663398 | 5.3 | 0.051 | 3.5 | 0.351 | 0.76 | 0.213 | 0.051 | 0.183 |
| NRZ13510 | 6676798 | 663451 | 4.9 | 0.095 | 4.6 | 0.397 | 0.85 | 0.211 | 0.046 | 0.13 |
| NRZ13511 | 6676799 | 663505 | 3.3 | 0.058 | 4.2 | 0.407 | 0.78 | 0.264 | 0.055 | 0.185 |
| NRZ13536 | 6678253 | 664496 | 6.2 | 0.057 | 4 | 0.429 | 1.09 | 0.213 | 0.045 | 0.127 |
| NRZ13537 | 6678250 | 664548 | 6.1 | 0.045 | 4.2 | 0.474 | 1.19 | 0.23 | 0.045 | 0.428 |
| NRZ13538 | 6678248 | 664599 | 3.1 | 0.053 | 4.1 | 0.45 | 0.95 | 0.225 | 0.051 | 0.112 |
| NRZ13539 | 6678248 | 664651 | 5.2 | 0.046 | 4.2 | 0.437 | 0.86 | 0.191 | 0.037 | 0.383 |
| NRZ13532 | 6678244 | 664297 | 2.3 | 0.04 | 3.3 | 0.407 | 1.38 | 0.171 | 0.035 | 0.157 |
| NRZ13533 | 6678251 | 664346 | 4.2 | 0.052 | 3.7 | 0.413 | 1.37 | 0.185 | 0.042 | 0.227 |
| NRZ13534 | 6678251 | 664396 | 3.9 | 0.054 | 4 | 0.463 | 1.39 | 0.196 | 0.047 | 0.23 |
| NRZ13535 | 6678248 | 664450 | 4.1 | 0.044 | 4 | 0.463 | 1.25 | 0.236 | 0.046 | 0.363 |
| NRZ13528 | 6676799 | 664349 | 7.3 | 0.055 | 4.2 | 0.378 | 0.75 | 0.234 | 0.048 | 0.134 |
| NRZ13529 | 6676795 | 664401 | 6.9 | 0.059 | 4.3 | 0.379 | 0.73 | 0.257 | 0.046 | 0.132 |
| NRZ13530 | 6676804 | 664454 | 16.9 | 0.115 | 4.1 | 0.363 | 0.68 | 0.217 | 0.048 | 0.141 |
| NRZ13531 | 6676801 | 664504 | 10 | 0.075 | 4.3 | 0.381 | 0.81 | 0.244 | 0.044 | 0.136 |
| NRZ13524 | 6676799 | 664153 | 5.8 | 0.04 | 4 | 0.373 | 0.69 | 0.197 | 0.042 | 0.113 |
| NRZ13525 | 6676804 | 664198 | 7.3 | 0.053 | 3.8 | 0.353 | 0.64 | 0.21 | 0.045 | 0.137 |
| NRZ13526 | 6676801 | 664252 | 6.7 | 0.045 | 4.1 | 0.436 | 0.72 | 0.245 | 0.051 | 0.14 |
| NRZ13527 | 6676800 | 664302 | 5.5 | 0.052 | 4.2 | 0.353 | 0.67 | 0.235 | 0.051 | 0.188 |
| NRZ13360 | 6674799 | 662498 | < 0.5 | 0.06 | 3.9 | 0.383 | 1.67 | 0.142 | 0.041 | 0.123 |
| NRZ13361 | 6674800 | 662549 | < 0.5 | 0.061 | 4.2 | 0.379 | 1.58 | 0.161 | 0.046 | 0.106 |
| NRZ13362 | 6674802 | 662598 | 0.9 | 0.034 | 3.6 | 0.347 | 1.5 | 0.154 | 0.039 | 0.085 |
| NRZ13363 | 6674805 | 662649 | 1.2 | 0.045 | 3.2 | 0.486 | 1.42 | 0.15 | 0.043 | 0.047 |
| NRZ13356 | 6674801 | 662298 | 1.1 | 0.036 | 3.9 | 0.347 | 1.41 | 0.193 | 0.039 | 0.087 |
| NRZ13357 | 6674796 | 662348 | 1.2 | 0.054 | 4.2 | 0.397 | 1.79 | 0.188 | 0.048 | 0.106 |
| NRZ13358 | 6674804 | 662399 | 1.1 | 0.049 | 4.3 | 0.424 | 1.95 | 0.186 | 0.051 | 0.124 |
| NRZ13359 | 6674801 | 662449 | < 0.5 | 0.046 | 4.3 | 0.472 | 1.65 | 0.166 | 0.042 | 0.121 |
| NRZ13352 | 6674800 | 662098 | 2.5 | 0.031 | 4.6 | 0.403 | 2.4 | 0.237 | 0.051 | 0.151 |
| NRZ13353 | 6674801 | 662146 | 2.7 | 0.036 | 4.5 | 0.396 | 1.99 | 0.239 | 0.048 | 0.102 |
| NRZ13354 | 6674802 | 662200 | 1.5 | 0.041 | 4.3 | 0.39 | 1.76 | 0.197 | 0.044 | 0.08 |
| NRZ13355 | 6674804 | 662249 | 1.9 | 0.045 | 4.6 | 0.397 | 1.83 | 0.214 | 0.053 | 0.089 |
| NRZ13348 | 6674400 | 662400 | 1.2 | 0.046 | 2.9 | 0.425 | 1.28 | 0.155 | 0.052 | 0.096 |
| NRZ13349 | 6674398 | 662450 | 1.7 | 0.039 | 3.7 | 0.502 | 2.29 | 0.209 | 0.084 | 0.2 |
| NRZ13350 | 6674400 | 662503 | 1.2 | 0.051 | 3.5 | 0.441 | 2.48 | 0.184 | 0.065 | 0.161 |
| NRZ13351 | 6674804 | 662051 | 2.5 | 0.027 | 4.3 | 0.415 | 2.05 | 0.229 | 0.052 | 0.088 |

| SampleID | Northing | Easting | Au ppb | Ag ppm | As ppm | Bi ppm | Mo ppm | Sb ppm | Te ppm | W ppm |
|----------|----------|---------|--------|--------|--------|--------|--------|--------|--------|-------|
| NRZ13376 | 6675199 | 662401 | 3.7 | 0.024 | 4.9 | 0.42 | 1.97 | 0.278 | 0.053 | 0.193 |
| NRZ13377 | 6675200 | 662453 | 2 | 0.037 | 5.7 | 0.414 | 1.95 | 0.3 | 0.057 | 0.201 |
| NRZ13378 | 6675198 | 662507 | 3 | 0.033 | 5.1 | 0.387 | 1.95 | 0.278 | 0.051 | 0.183 |
| NRZ13379 | 6675200 | 662551 | 3.4 | 0.028 | 4.3 | 0.366 | 1.9 | 0.223 | 0.042 | 0.237 |
| NRZ13372 | 6675202 | 662203 | 2.3 | 0.041 | 3.8 | 0.349 | 0.97 | 0.217 | 0.051 | 0.139 |
| NRZ13373 | 6675195 | 662249 | 2.4 | 0.054 | 4.5 | 0.374 | 1.18 | 0.234 | 0.056 | 0.144 |
| NRZ13374 | 6675201 | 662301 | 2.8 | 0.052 | 3.9 | 0.379 | 1.21 | 0.205 | 0.046 | 0.111 |
| NRZ13375 | 6675202 | 662353 | 1 | 0.03 | 5.3 | 0.414 | 1.76 | 0.243 | 0.049 | 0.273 |
| NRZ13368 | 6674799 | 662900 | 1.1 | 0.032 | 3 | 0.311 | 0.86 | 0.132 | 0.036 | 0.036 |
| NRZ13369 | 6675199 | 662053 | 1.6 | 0.024 | 3.8 | 0.343 | 1.29 | 0.197 | 0.043 | 0.115 |
| NRZ13370 | 6675203 | 662099 | 1.4 | 0.034 | 4.8 | 0.45 | 1.95 | 0.247 | 0.058 | 0.108 |
| NRZ13371 | 6675196 | 662152 | 1.4 | 0.041 | 4.9 | 0.382 | 1.44 | 0.24 | 0.059 | 0.174 |
| NRZ13364 | 6674799 | 662697 | 0.5 | 0.022 | 3.9 | 0.482 | 1.86 | 0.159 | 0.048 | 0.069 |
| NRZ13365 | 6674801 | 662749 | < 0.5 | 0.045 | 3.3 | 0.395 | 1.29 | 0.138 | 0.038 | 0.081 |
| NRZ13366 | 6674801 | 662799 | < 0.5 | 0.05 | 3.1 | 0.33 | 1.59 | 0.121 | 0.046 | 0.075 |
| NRZ13367 | 6674803 | 662848 | 1.7 | 0.028 | 2.9 | 0.292 | 1.11 | 0.153 | 0.037 | 0.062 |
| NRZ13344 | 6674399 | 662200 | 0.9 | 0.022 | 4.3 | 0.376 | 2.08 | 0.224 | 0.058 | 0.104 |
| NRZ13345 | 6674410 | 662253 | 1.4 | 0.025 | 3.8 | 0.38 | 1.86 | 0.177 | 0.044 | 0.051 |
| NRZ13346 | 6674399 | 662301 | 0.9 | 0.041 | 5.2 | 0.506 | 2.16 | 0.178 | 0.054 | 0.155 |
| NRZ13347 | 6674408 | 662349 | 2 | 0.046 | 3.3 | 0.379 | 1.9 | 0.143 | 0.043 | 0.072 |
| NRZ13341 | 6674399 | 662052 | 0.9 | 0.033 | 4.7 | 0.455 | 2.16 | 0.277 | 0.063 | 0.183 |
| NRZ13342 | 6674403 | 662100 | 1.6 | 0.033 | 4 | 0.397 | 1.95 | 0.236 | 0.057 | 0.15 |
| NRZ13343 | 6674404 | 662151 | 1.6 | 0.025 | 4 | 0.38 | 1.75 | 0.247 | 0.058 | 0.149 |
| NRZ13424 | 6675998 | 662402 | 3.5 | 0.026 | 4.4 | 0.359 | 1.21 | 0.215 | 0.035 | 0.118 |
| NRZ13425 | 6676003 | 662453 | 4.7 | 0.029 | 4.9 | 0.386 | 1.47 | 0.256 | 0.05 | 0.14 |
| NRZ13426 | 6675999 | 662502 | 4.2 | 0.035 | 5.1 | 0.433 | 1.66 | 0.311 | 0.053 | 0.11 |
| NRZ13427 | 6676004 | 662554 | 3.8 | 0.051 | 5.1 | 0.387 | 1.72 | 0.265 | 0.046 | 0.137 |
| NRZ13420 | 6676001 | 662202 | 2.6 | 0.043 | 5.3 | 0.415 | 1.69 | 0.292 | 0.056 | 0.314 |
| NRZ13421 | 6675997 | 662250 | 5 | 0.05 | 5.4 | 0.46 | 1.98 | 0.305 | 0.058 | 0.119 |
| NRZ13422 | 6675997 | 662303 | 7 | 0.047 | 3.9 | 0.368 | 1.4 | 0.249 | 0.045 | 0.08 |
| NRZ13423 | 6676005 | 662350 | 4.1 | 0.031 | 4.8 | 0.386 | 1.53 | 0.224 | 0.041 | 0.113 |
| NRZ13416 | 6675603 | 663699 | 7.2 | 0.079 | 4 | 0.404 | 1.25 | 0.233 | 0.049 | 0.16 |
| NRZ13417 | 6675999 | 662046 | 2.3 | 0.038 | 4.7 | 0.385 | 0.77 | 0.239 | 0.049 | 0.19 |
| NRZ13418 | 6676002 | 662102 | 4.2 | 0.034 | 5.3 | 0.355 | 1.01 | 0.231 | 0.047 | 0.155 |
| NRZ13419 | 6676001 | 662154 | 9.5 | 0.028 | 5.2 | 0.41 | 1.45 | 0.267 | 0.054 | 0.122 |
| NRZ13412 | 6675598 | 663498 | 2.2 | 0.051 | 3.9 | 0.338 | 1.07 | 0.207 | 0.04 | 0.149 |
| NRZ13413 | 6675599 | 663548 | 8.1 | 0.134 | 4.5 | 0.349 | 0.9 | 0.218 | 0.047 | 0.12 |
| NRZ13414 | 6675601 | 663598 | 4 | 0.105 | 5 | 0.367 | 0.98 | 0.281 | 0.061 | 0.196 |
| NRZ13415 | 6675603 | 663643 | 4.7 | 0.06 | 4.4 | 0.417 | 1.34 | 0.259 | 0.056 | 0.192 |
| NRZ13440 | 6675999 | 663201 | 2.5 | 0.038 | 5.6 | 0.489 | 1.53 | 0.286 | 0.052 | 0.135 |
| NRZ13441 | 6676001 | 663250 | 3.2 | 0.045 | 6.1 | 0.503 | 1.96 | 0.311 | 0.051 | 0.155 |
| NRZ13442 | 6676001 | 663303 | 2.4 | 0.03 | 5.4 | 0.427 | 2.18 | 0.292 | 0.048 | 0.148 |

| SampleID | Northing | Easting | Au ppb | Ag ppm | As ppm | Bi ppm | Mo ppm | Sb ppm | Te ppm | W ppm |
|----------|----------|---------|--------|--------|--------|--------|--------|--------|--------|-------|
| NRZ13443 | 6675997 | 663351 | 1.3 | 0.033 | 5.6 | 0.487 | 2.42 | 0.289 | 0.053 | 0.119 |
| NRZ13436 | 6676001 | 663003 | 2.8 | 0.056 | 4 | 0.356 | 0.9 | 0.177 | 0.038 | 0.096 |
| NRZ13437 | 6676001 | 663052 | 3.2 | 0.03 | 4.7 | 0.381 | 1.46 | 0.245 | 0.048 | 0.09 |
| NRZ13438 | 6675999 | 663105 | 1.2 | 0.029 | 4.2 | 0.373 | 1.29 | 0.276 | 0.055 | 0.214 |
| NRZ13439 | 6675998 | 663152 | 4.4 | 0.049 | 4 | 0.354 | 0.96 | 0.238 | 0.046 | 0.141 |
| NRZ13432 | 6676000 | 662801 | 6.3 | 0.036 | 4.6 | 0.355 | 0.81 | 0.236 | 0.048 | 0.095 |
| NRZ13433 | 6675999 | 662852 | 3.7 | 0.039 | 5.8 | 0.456 | 1.33 | 0.27 | 0.051 | 0.116 |
| NRZ13434 | 6676004 | 662903 | 3.6 | 0.035 | 5.5 | 0.46 | 2.03 | 0.345 | 0.073 | 0.237 |
| NRZ13435 | 6675999 | 662953 | 2.4 | 0.034 | 5.8 | 0.421 | 1.78 | 0.241 | 0.04 | 0.125 |
| NRZ13428 | 6675997 | 662605 | 1.4 | 0.049 | 4.5 | 0.423 | 2 | 0.273 | 0.04 | 0.217 |
| NRZ13429 | 6675999 | 662646 | 5.7 | 0.033 | 4.5 | 0.388 | 1.82 | 0.229 | 0.038 | 0.128 |
| NRZ13430 | 6675998 | 662702 | 5.7 | 0.03 | 4.4 | 0.345 | 0.92 | 0.197 | 0.038 | 0.119 |
| NRZ13431 | 6676000 | 662753 | 7.1 | 0.052 | 4.9 | 0.38 | 0.93 | 0.265 | 0.051 | 0.13 |
| NRZ13392 | 6675199 | 663203 | 0.7 | 0.031 | 3.1 | 0.359 | 0.98 | 0.148 | 0.043 | 0.185 |
| NRZ13393 | 6675601 | 662551 | 1 | 0.032 | 4.9 | 0.432 | 1.31 | 0.265 | 0.053 | 0.224 |
| NRZ13394 | 6675598 | 662597 | 2.3 | 0.03 | 5.5 | 0.422 | 1.47 | 0.274 | 0.059 | 0.214 |
| NRZ13395 | 6675604 | 662646 | 2.8 | 0.031 | 5.5 | 0.479 | 2.22 | 0.284 | 0.055 | 0.18 |
| NRZ13388 | 6675199 | 663001 | 1.1 | 0.024 | 3.5 | 0.364 | 1.77 | 0.144 | 0.036 | 0.117 |
| NRZ13389 | 6675200 | 663053 | 1.6 | 0.035 | 4.2 | 0.267 | 0.87 | 0.142 | 0.031 | 0.152 |
| NRZ13390 | 6675198 | 663100 | 1.5 | 0.023 | 2.8 | 0.305 | 1.56 | 0.134 | 0.046 | 0.179 |
| NRZ13391 | 6675197 | 663149 | 1.8 | 0.02 | 3.7 | 0.328 | 1.5 | 0.134 | 0.046 | 0.234 |
| NRZ13384 | 6675204 | 662797 | 1.8 | 0.042 | 5.2 | 0.413 | 1.87 | 0.253 | 0.047 | 0.239 |
| NRZ13385 | 6675202 | 662850 | 0.9 | 0.04 | 5 | 0.378 | 2.03 | 0.221 | 0.048 | 0.212 |
| NRZ13386 | 6675197 | 662898 | 1.8 | 0.029 | 3.2 | 0.267 | 1.47 | 0.158 | 0.032 | 0.03 |
| NRZ13387 | 6675200 | 662951 | 1.9 | 0.024 | 2.1 | 0.183 | 1.03 | 0.091 | 0.017 | 0.019 |
| NRZ13380 | 6675194 | 662600 | 1.2 | 0.026 | 4.8 | 0.367 | 1.46 | 0.216 | 0.044 | 0.24 |
| NRZ13381 | 6675204 | 662654 | 1.3 | 0.031 | 5 | 0.416 | 1.71 | 0.26 | 0.048 | 0.206 |
| NRZ13382 | 6675198 | 662704 | 2.8 | 0.027 | 4.9 | 0.418 | 2.03 | 0.255 | 0.049 | 0.19 |
| NRZ13383 | 6675196 | 662745 | 3.6 | 0.041 | 5.2 | 0.41 | 1.78 | 0.258 | 0.048 | 0.176 |
| NRZ13408 | 6675596 | 663300 | 0.9 | 0.032 | 3.9 | 0.302 | 1.85 | 0.213 | 0.045 | 0.135 |
| NRZ13409 | 6675600 | 663348 | 1.9 | 0.026 | 3.6 | 0.315 | 1.42 | 0.164 | 0.034 | 0.064 |
| NRZ13410 | 6675601 | 663397 | 3.1 | 0.034 | 3.3 | 0.323 | 1.38 | 0.181 | 0.043 | 0.216 |
| NRZ13411 | 6675597 | 663446 | 2.1 | 0.074 | 4 | 0.298 | 0.94 | 0.191 | 0.042 | 0.114 |
| NRZ13404 | 6675597 | 663102 | 1 | 0.028 | 3.9 | 0.478 | 2.18 | 0.228 | 0.047 | 0.1 |
| NRZ13405 | 6675598 | 663145 | 2.4 | 0.029 | 3.5 | 0.397 | 1.89 | 0.184 | 0.038 | 0.07 |
| NRZ13406 | 6675596 | 663193 | < 0.5 | 0.038 | 4.7 | 0.416 | 2.1 | 0.257 | 0.048 | 0.142 |
| NRZ13407 | 6675598 | 663252 | 1 | 0.037 | 5 | 0.404 | 2.4 | 0.233 | 0.054 | 0.066 |
| NRZ13400 | 6675599 | 662898 | 1.2 | 0.033 | 5.3 | 0.428 | 1.91 | 0.293 | 0.057 | 0.249 |
| NRZ13401 | 6675599 | 662951 | 1.8 | 0.041 | 5.3 | 0.404 | 1.91 | 0.272 | 0.051 | 0.256 |
| NRZ13402 | 6675604 | 662999 | 1.5 | 0.034 | 5.6 | 0.462 | 2.18 | 0.318 | 0.058 | 0.291 |
| NRZ13403 | 6675601 | 663050 | 1.4 | 0.046 | 6 | 0.502 | 2.39 | 0.306 | 0.07 | 0.268 |
| NRZ13396 | 6675603 | 662698 | 2.6 | 0.036 | 5 | 0.409 | 1.26 | 0.238 | 0.05 | 0.204 |

| SampleID | Northing | Easting | Au ppb | Ag ppm | As ppm | Bi ppm | Mo ppm | Sb ppm | Te ppm | W ppm |
|----------|----------|---------|--------|--------|--------|--------|--------|--------|--------|-------|
| NRZ13397 | 6675601 | 662746 | 1.1 | 0.029 | 4.5 | 0.385 | 0.9 | 0.233 | 0.052 | 0.206 |
| NRZ13398 | 6675604 | 662796 | < 0.5 | 0.032 | 5.4 | 0.443 | 1.45 | 0.272 | 0.061 | 0.248 |
| NRZ13399 | 6675602 | 662846 | 1.6 | 0.024 | 4.9 | 0.37 | 1.19 | 0.271 | 0.045 | 0.213 |

JORC Code, 2012 Edition – Table 1 report template.

Section 1 Sampling Techniques and Data (Criteria in this section apply to all succeeding sections)

| Criteria | JORC Code Explanation | Commentary |
|------------------------------|--|---|
| Sampling Techniques | <ul style="list-style-type: none"> ❖ Nature and quality of sampling (e.g., cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or hand-held XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. ❖ Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. ❖ Aspects of the determination of mineralisation that are Material to the Public Report. ❖ In cases where ‘industry standard’ work has been done this would be relatively simple (e.g. ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information. | <ul style="list-style-type: none"> ❖ Soil samples were collected by digging a small hole to collect a B-horizon sample from a nominal 30cm depth. Samples size collected is approximately 200g sample of total material collected. The collected sample is put into a numbered paper geochemical bag and submitted to the laboratory for analysis. ❖ The soil sample was collected from a depth of 30cm to ensure sample was free from any surface disturbance. ❖ A nominal 200g sample of approximately <2mm B-horizon material was collected from a nominal 30cm depth. Samples were submitted to Labwest for analysis by their patented Ultrafine™ assay method. ❖ Samples were collected at 50m intervals along lines and sample line separation varies from 400m to 1200m. ❖ Sample locations are recorded by hand-held GPS. |
| Drill Techniques | <ul style="list-style-type: none"> ❖ Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.). | <ul style="list-style-type: none"> ❖ N/A – no drilling was completed. |
| Drill Sample Recovery | <ul style="list-style-type: none"> ❖ Method of recording and assessing core and chip sample recoveries and results assessed. ❖ Measures taken to maximise sample recovery and ensure representative nature of the samples. ❖ Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. | <ul style="list-style-type: none"> ❖ N/A – no drilling was completed. |

| Criteria | JORC Code Explanation | Commentary |
|---|--|--|
| Logging | <ul style="list-style-type: none"> ❖ Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. ❖ Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography. ❖ The total length and percentage of the relevant intersections logged. | <ul style="list-style-type: none"> ❖ N/A - no logging of rock material has been undertaken during the collection of soil samples. ❖ N/A - no logging of rock chips has been carried out. |
| Sub-sampling techniques and sample preparation | <ul style="list-style-type: none"> ❖ If core, whether cut or sawn and whether quarter, half or all core taken. ❖ If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry. ❖ For all sample types, the nature, quality and appropriateness of the sample preparation technique. ❖ Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. ❖ Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/ second-half sampling. ❖ Whether sample sizes are appropriate to the grain size of the material being sampled. | <ul style="list-style-type: none"> ❖ N/A – no diamond core drilling has been undertaken. ❖ A soil sample has been collected from the designated depth for sampling. Samples have been dry sieved to a <2mm size fraction. ❖ Soil sampling is designed to identify geochemical trends to assist in targeting potential mineralisation. The sampling technique and preparation is considered appropriate for the sample media. ❖ A soil sample of <2mm soil material was collected from bottom of 30cm hole. No selective sampling of material other than sieving out surficial organic material was undertaken. ❖ The sample size collected is considered appropriate for the assay method being undertaken. |
| Quality of assay data and laboratory tests | <ul style="list-style-type: none"> ❖ The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. ❖ For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. ❖ Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established. | <ul style="list-style-type: none"> ❖ Samples were submitted to Labwest for analysis by their Ultrafine™ method, which involves splitting off a -2µm size fraction and assayed using an aqua regia digest. The technique can be considered partial digest but is considered appropriate for the type of material being sampled. ❖ N/A – no such instruments have been reported. ❖ Labwest's QA/QC procedures are considered appropriate; the standards and duplicates used are accredited and as such are considered satisfactory. |

| Criteria | JORC Code Explanation | Commentary |
|--|--|--|
| Verification of sampling and assaying | <ul style="list-style-type: none"> ❖ The verification of significant intersections by either independent or alternative company personnel. ❖ The use of twinned holes. ❖ Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. ❖ Discuss any adjustment to assay data. | <ul style="list-style-type: none"> ❖ Sample results are merged by the company's database consultants. ❖ Results are uploaded into the company database, with verification ongoing. Adjustments are never made to the raw assay data. |
| Location of data points | <ul style="list-style-type: none"> ❖ Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. ❖ Specification of the grid system used. ❖ Quality and adequacy of topographic control. | <ul style="list-style-type: none"> ❖ Soil sample locations are located by handheld Garmin GPS to an accuracy of approximately +/-5 metres. ❖ Locations are given in MGA94 Zone 50 projection. ❖ Diagrams and location table are provided in the report. ❖ Topographic control is by detailed air photo and GPS data. |
| Data spacing and distribution | <ul style="list-style-type: none"> ❖ Data spacing for reporting of Exploration Results. ❖ Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. ❖ Whether sample compositing has been applied. | <ul style="list-style-type: none"> ❖ Soil sample spacing is approximately 50m along lines and sample line separation varies from approximately 400m to 1200m. Sample locations are included in the report. ❖ The sample location separation is considered sufficient enough to outline potential areas of mineralisation for the commodities the Company is exploring for. |
| Orientation of data in relation to geological structure | <ul style="list-style-type: none"> ❖ Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. ❖ If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. | <ul style="list-style-type: none"> ❖ The sampling lines are believed to be approximately perpendicular to the strike of mineralisation and therefore the sampling is considered representative with respect to potential mineralisation. ❖ This is allowed for when geological interpretations are being completed. |

| Criteria | JORC Code Explanation | Commentary |
|--------------------------|---|---|
| Sample Security | <ul style="list-style-type: none"> The measures taken to ensure sample security. | <ul style="list-style-type: none"> Samples are collected by company personnel, or company supervised contractors, and delivered directly to the laboratory. Under certain circumstances samples are kept in a locked storage facility for short periods of time prior to being sent to the laboratory. |
| Audits or reviews | <ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. | <ul style="list-style-type: none"> No audits have been completed. Review of QA/QC data by database consultants and company geologists is ongoing. The data are individually verified by the Company's consultant GIS database manager. |

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section)

| Criteria | JORC Code Explanation | Commentary |
|--|--|---|
| Mineral tenement and land tenure status | <ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. | <ul style="list-style-type: none"> E77/2810, E77/2438, E77/3241, E77/2332 are registered in the name of Nimy Resources (ASX:NIM) or its 100% owned subsidiaries. The Mons Project is approximately 140km NNW of Southern Cross. |
| Exploration done by other parties | <ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. | <ul style="list-style-type: none"> The tenements have had low levels of surface geochemical sampling and wide spaced aircore and RAB drilling and ground EM surveys by Image Resources and Emu Nickel. |
| Geology | <ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. | <ul style="list-style-type: none"> Potential gold, copper, nickel, zinc, lead, bismuth, molybdenum and silver (sulphide hosted) mineralisation. Interpreted as mafic and felsic intrusive related – geological interpretations are ongoing. |

| Criteria | JORC Code Explanation | Commentary |
|---|--|--|
| Drill hole information | <ul style="list-style-type: none"> ❖ A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> ❖ easting and northing of the drill hole collar. ❖ elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar. ❖ down hole length and interception depth. ❖ hole length. ❖ If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case | <ul style="list-style-type: none"> ❖ Sample locations and directional information provided in the report. |
| Data aggregation methods | <ul style="list-style-type: none"> ❖ In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. ❖ Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. ❖ The assumptions used for any reporting of metal equivalent values should be clearly stated. | <ul style="list-style-type: none"> ❖ Nil. |
| Relationship between mineralisation widths and intercept lengths | <ul style="list-style-type: none"> ❖ These relationships are particularly important in the reporting of Exploration Results. ❖ If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. ❖ If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g) 'down hole length, true width not known'. | <ul style="list-style-type: none"> ❖ Not applicable as this report refers to soil sampling only. |
| Diagrams | <ul style="list-style-type: none"> ❖ Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. | <ul style="list-style-type: none"> ❖ Maps / plans are provided in the report. |

| Criteria | JORC Code Explanation | Commentary |
|---|---|--|
| Balanced reporting | <ul style="list-style-type: none"> ❖ Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. | <ul style="list-style-type: none"> ❖ All soil sample locations are shown in figures, and all significant results are provided in this report. ❖ The report is considered balanced and provided in context. |
| Other substantive exploration data | <ul style="list-style-type: none"> ❖ Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. | <ul style="list-style-type: none"> ❖ Refer to historic exploration (drilling and ground magnetic) survey carried out, and also to “Exploration done by other parties” within this table. |
| Further work | <ul style="list-style-type: none"> ❖ The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). ❖ Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. | <ul style="list-style-type: none"> ❖ Programs of follow up rock chip, soil sampling, magnetic survey, DHEM, FLEM and RC and diamond drilling are currently in the planning and/or approval stage. |