

29 June 2026

## Aurum hits 1.7m @ 70.35 g/t gold from 276.5m at Boundiali's BDT2 deposit

Aurum Resources (ASX: AUE, "Aurum" or "the Company") is pleased to announce the latest gold intercepts from its ongoing 100,000m diamond drilling program at the 3.22Moz Boundiali Gold Project<sup>1</sup> in Côte d'Ivoire. These assay results from the BDT2 deposit are from 26 holes for 8,720.23m, designed to grow Mineral Resources and increase geological confidence.

Key drill intercepts from the BDT2 deposit include<sup>2</sup>:

- **6.54m @ 13.36 g/t Au** from 272m inc. **3.70m @ 23.32 g/t Au** from 274m inc. **1.7m @ 70.35 g/t Au** (DSDD0445)
- **21m @ 1.12 g/t Au** from 228m inc. **1m @ 14.99 g/t Au** (DSDD0447)
- **2.80m @ 4.39 g/t Au** from 220.70m inc. **0.90m @ 12.68 g/t Au** (DSDD0476).

### Highlights:

- **Resource growth potential:** Drilling confirms gold mineralisation outside of current MRE boundaries at BDT2; gold system remains open.
- **130,000m drilling planned for CY2026:** 16 diamond drill rigs to drive resource growth at Boundiali and Napié.
- **Next Boundiali MRE update** is targeted for end Q3 CY2026; **Boundiali Definitive Feasibility Study** (DFS) expected late CY2026.
- Aurum has **4.4Moz gold combined group resources** including flagship **3.22Moz Boundiali Gold Project** and **1.16Moz Napié Gold Project**<sup>3</sup>.
- **Strong financial position:** Aurum is well-funded for continued exploration success with **\$61.5M** cash (31 March 2026 unaudited).

Aurum's Managing Director Dr Caigen Wang said: "These BDT2 results again demonstrate our team's ability to cost-effectively grow Mineral Resources at Boundiali at a rate our peers cannot match. Of the 25 holes drilled, the majority were designed to upgrade Inferred Resources to Indicated status, while others tested the limits of known mineralisation. Deeper holes confirm the gold system remains open at depth, with most intersecting multiple zones of thick mineralisation — including the standout result of **3.70m @ 23.32 g/t Au** from 274m, including **1.7m @ 70.35 g/t Au** (DSDD0445).

These results also speak to the scale potential at Boundiali. Drilling so far has only targeted the most obvious outcropping anomalies, yet we have rapidly grown resources to 3.22Moz since acquiring the ground — with all deposits remaining open. We currently have 16 diamond drill rigs operating across the Boundiali deposits, targeting increased resource confidence, further resource growth, and the enormous potential for new discoveries.

Group gold resources stand at 4.4Moz, and with \$61.5M in the bank at 31 March 2026, we are well positioned to continue delivering on both resource growth and project studies. Critically, these holes — drilled after the cut-off for the May 2026 MRE update — will feed into a major MRE update expected at the end of Q3 CY2026.

Our development momentum at Boundiali is building. Environmental approval granted in May<sup>4</sup> opens the pathway to granting of Mining Licences, expected late Q3 CY2026. We delivered PFS results and Maiden Ore Reserves for the Project in June<sup>5</sup>, followed by key appointments<sup>6</sup> to drive the Definitive Feasibility Study and project execution. We are targeting DFS delivery by end of CY2026, with a goal of first gold production in H1 CY2028."

<sup>1</sup> "Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz" released to the Australian Securities Exchange on 14 May 2026 and available to view on [www.asx.com.au](http://www.asx.com.au)

<sup>2</sup> Refer to tables accompanying this report for collar location information and assay results for the new drilling

<sup>3</sup> "Napié Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au" released to the Australian Securities Exchange on 10 April 2026 and available to view on [www.asx.com.au](http://www.asx.com.au)

<sup>4</sup> "Aurum Receives Environmental Approvals for Boundiali" released to the Australian Securities Exchange on 25 May 2026 and available to view on [www.asx.com.au](http://www.asx.com.au)

<sup>5</sup> "Boundiali PFS and Maiden Ore Reserve delivered" released to the Australian Securities Exchange on 11 June 2026 and available to view on [www.asx.com.au](http://www.asx.com.au)

<sup>6</sup> "AUE adds key personnel to strengthen Boundiali development" released to the Australian Securities Exchange on 17 June 2026 and available to view on [www.asx.com.au](http://www.asx.com.au)

## New Drilling – Boundiali Gold Project<sup>7</sup>

Aurum has received assay results<sup>8</sup> from 26 diamond drill (DD) holes totalling 8,720.23m, completed as part of an integrated step-out, step-back, and infill program on the BD tenement (80% interest). Drilling on the BDT2 deposits form part of an ongoing 100,000m Boundiali drilling program aimed at increasing resources and improving resource confidence, and Aurum will incorporate results into the next MRE update, expected at the end of Q3 CY2026.

Details of drill collar locations and assay results and intercepts<sup>9</sup> for the new drilling at Boundiali are provided in Table 1 and Table 2. Plans showing location of the Boundiali Gold Project are presented in Figure 1 and Figure 2, and project details in Figure 3. A detailed plan showing the latest assay results is presented in Figure 4. Example cross section of the latest results can be found presented in Figure 5.

## BDT2

The 26 holes referenced in this announcement were designed to convert Inferred Resources to Indicated Resources, and to push the limits of known gold resources at depth and along strike. Drilling returned multiple zones of thick gold intersections downhole; better results include:

- **6.54m @ 13.36 g/t Au** from 272m inc. **3.70m @ 23.32 g/t Au** from 274m inc. **1.7m @ 70.35 g/t Au** (DSDD0445)
- **21m @ 1.12 g/t Au** from 228m inc. **1m @ 14.99 g/t Au** (DSDD0447)
- **9m @ 1.84 g/t Au** from 263m inc. **2m @ 5.04 g/t Au** (DSDD0444)
- **13.18m @ 1.06 g/t Au** from 420.82m inc. **1.69m @ 5.51 g/t Au** (DSDD0445)
- **2.80m @ 4.39 g/t Au** from 220.70m inc. **0.90m @ 12.68 g/t Au** (DSDD0476)
- **9m @ 1.26 g/t Au** from 327m inc. **3m @ 2.61 g/t Au** (DSDD0463)
- **19m @ 0.58 g/t Au** from 224m inc. **1m @ 3.28 g/t Au** (DSDD0458)
- **5m @ 2.19 g/t Au** from 391.50m inc. **3.11m @ 3.27 g/t Au** (DSDD0445)
- **0.80m @ 12.63 g/t Au** from 281.20m (DSDD0458)
- **2m @ 3.62 g/t Au** from 387m inc. **1m @ 7 g/t Au** (DSDD0451)
- **7m @ 0.97 g/t Au** from 205m inc. **2m @ 3.07 g/t Au** (DSDD0447)
- **2.80m @ 2.37 g/t Au** from 127m (DSDD0479)
- **2m @ 3.10 g/t Au** from 273m inc. **1m @ 5.90 g/t Au** (DSDD0453).

The high-grade intercept of **3.70m @ 23.32 g/t Au** from 274m inc. **1.7m @ 70.35 g/t Au** in DSDD0445 is located approximately 40m down dip below drilling that returned 7m @ 0.36 g/t Au from 216m inc. 1m @ 1.08 g/t Au (DSDD0105) that was included in the current MRE. Gold mineralisation at depth has been extended with this latest batch of drilling down to ~410m below surface in DSDD0457A, which returned 6.4m @ 0.54 g/t Au from 457m on this section at this depth.

These new results are in addition to previous exploration drilling at **BDT2** that returned significant results<sup>10</sup> including:

- **74m @ 1.00 g/t Au** from 167m inc. **1m @ 24.73 g/t Au** (DSDD044)
- **18m @ 3.93 g/t Au** from 198m inc. **5m @ 11.07 g/t Au** (DSDD0267)
- **40.60m @ 1.06 g/t Au** from 299.40m inc. **6m @ 2.77 g/t Au** (DSDD0437)
- **4.03m @ 10.22 g/t Au** from 13.5m inc. **1.5m @ 27.13 g/t Au** (DSDD0290)
- **28m @ 1.54 g/t Au** from 82m inc. **4m @ 7.51 g/t Au** (DSDD0265)
- **7.15m @ 4.71 g/t Au** from 121.15m inc. **1m @ 31.24 g/t Au** (DSDD00288)
- **16m @ 1.79 g/t Au** from 347m inc. **4m @ 6.36 g/t Au** (DSDD0235)
- **10.50m @ 2.39 g/t Au** from 43.50m inc. **1m @ 22.81 g/t Au** (DSDD0254)

<sup>7</sup> Refer to About Aurum's Boundiali Gold Project

<sup>8</sup> Refer to Table 1 for collar information and Table 2 for full assay results for the new drilling

<sup>9</sup> All intercepts are reported as downhole lengths using a 0.2 g/t Au cut-off grade with up to 3m consecutive internal dilution and no top cut applied.

<sup>10</sup> ASX release dated 24 May 2024, 23 April 2024, 18 December 2024, 7 November 2025, 15 January 2026, 5 February 2026, 21 April 2026 and 7 May 2026

- **15.78m @ 1.70 g/t Au** from 121.22m inc. **6m @ 2.99 g/t Au** (DSDD0110)
- **33m @ 0.84 g/t Au** from 146m inc. **1m @ 9.95 g/t Au** (DSDD0046)
- **18m @ 2.58 g/t Au** from 110m inc. **2m @ 28.90 g/t Au** (DSDD0038).

The **BDT2** gold deposit lies within an underexplored **13km by 3km mineralised corridor**. Gold mineralisation is hosted in a thick, north-south trending sandstone unit, positioned between hanging wall and footwall volcano-sedimentary rocks. The gold, which is free milling<sup>11</sup>, is associated with fine disseminated pyrite and an alteration assemblage of hematite, silica, chlorite, tourmaline, quartz veinlets, albite, and carbonate. True widths for these gold intercepts are estimated at about 60% - 85% of reported downhole lengths.

Gold mineralisation at the Boundiali deposits is still open along strike and at depth, and Aurum is planning further work with drilling currently ongoing at **BDT2**. So far, drilling at Boundiali has targeted the most obvious outcropping anomalies. Aurum believes there remains a high potential for blind discoveries, providing a clear pathway for continued resource growth in CY2026.

### Next Steps

Aurum will continue to use its strong balance sheet and self-owned drill rig fleet to drive multi-rig drilling activity throughout CY2026 focussed on rapid resource conversion, resource growth and economic de-risking.

#### 1. Boundiali: Moving to Development

- **Drilling (100,000m):** 16 diamond rigs to test strike and depth extensions across **BD, BM, and BST** tenements.
- **Resource Update:** Next major MRE update is targeted for end Q3 CY2026.
- **DFS Delivery:** Results from 2026 drilling and the PFS will be incorporated in a **DFS** expected in late 2026.

#### 2. Napié: Scaling the Resource

- **Resource Expansion:** A **30,000m diamond drilling** program is underway to grow the 1.16Moz gold resource.
- **Drilling Efficiency:** Aurum is building an exploration camp close to the Napié gold deposits to reduce operating costs and improve access efficiency.

#### 3. Regional Exploration & Discovery

- **Pipeline Generation:** Scout drilling is planned for the **BD, BM, and BST** tenements to test new targets identified via soil anomalies and geological mapping.
- **Early-Stage Growth:** Aurum is advancing its **Encore JV<sup>12</sup>** and **Major Star Plus<sup>13</sup>** partnership projects to identify new gold systems in ar.

This update has been authorised by the Board of Aurum Resources Limited.

ENDS

<sup>11</sup> ASX release dated 11 June 2026, Boundiali PFS and Maiden Ore Reserve delivered

<sup>12</sup> ASX release dated 27 May 2025, Aurum secures strategic Joint Venture to expand Boundiali Gold Project, summarised in "About" section

<sup>13</sup> ASX release dated 1 September 2025, Aurum expands footprint of Boundiali and Napié Gold Projects, summarised in "About" section

## FORWARD-LOOKING STATEMENTS

*This ASX release contains forward-looking statements about Aurum Resources Limited's exploration activities, drilling programs, Mineral Resource Estimates, Ore Reserves, the Pre-Feasibility Study and potential Definitive Feasibility Study, project development timelines, and the potential for first gold production. Forward-looking statements are identified by words such as "target", "expected", "planned", "potential", "anticipated", "goal" and similar expressions. These statements are based on the Company's current expectations, assumptions, and estimates as at the date of this release, and are subject to risks and uncertainties that could cause actual results to differ materially from those expressed or implied. Key risks include, but are not limited to: exploration and drilling outcomes; resource and reserve estimation uncertainty; commodity price fluctuations, including the gold price; currency exchange rate movements; the ability to obtain and maintain required regulatory, environmental, and mining approvals; operational and project execution risks; capital and financing risks; geopolitical and sovereign risks associated with operations in Côte d'Ivoire; and broader economic and market conditions. The Ore Reserve and PFS outcomes referred to in this release were prepared in accordance with the JORC Code 2012 and the assumptions underlying those studies are summarised in the relevant ASX announcements (ASX:AUE, 11 June 2026). Those assumptions remain subject to change as the project advances toward a Definitive Feasibility Study and as new information becomes available. Investors and potential investors are cautioned not to place undue reliance on forward-looking statements, which reflect the Company's views only as at the date of this release. The Company undertakes no obligation to update forward-looking statements, whether as a result of new information, future events, or otherwise, except to the extent required by applicable law or ASX Listing Rules.*

## COMPETENT PERSON'S STATEMENT

*The information in this release that relates to Exploration Targets and Exploration Results is based on information compiled by Mr Mark Strizek, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Strizek has been a Non-Executive Director of the Company since 1 February 2024 and joined as an Executive Director on 1 June 2024. Mr Strizek holds shares in Aurum Resources Limited and holds options and performance rights that have been approved by shareholders of the Company. Mr Strizek has sufficient experience relevant to the style of mineralisation and type of deposit under consideration, and to the activity being undertaken, to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Strizek consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears. Additionally, Mr Strizek confirms that the Company is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this release.*

## COMPLIANCE STATEMENT

*The information in this release that relates to Boundiali Mineral Resources is extracted from the announcement "Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz" released to the Australian Securities Exchange on 14 May 2026 and available to view on [www.asx.com.au](http://www.asx.com.au). The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this release that relates to Boundiali Ore Reserves is extracted from the announcement "Boundiali PFS and Maiden Ore Reserve delivered" released to the Australian Securities Exchange on 11 June 2026 and available to view on [www.asx.com.au](http://www.asx.com.au). The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this report that relates to Napié Mineral Resources is extracted from the announcement "Napie Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au" released to the Australian Securities Exchange on 10 April 2026 and available to view on [www.asx.com.au](http://www.asx.com.au). The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in*

the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

## PREVIOUSLY REPORTED INFORMATION

This report contains information extracted from ASX market announcements reported in accordance with the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" ("2012 JORC Code") and available for viewing at [www.asx.com.au](http://www.asx.com.au) and includes results reported previously and published on ASX platform:

17 Jun 2026, AUE adds key personnel to strengthen Boundiali development (ASX:AUE)  
 11 Jun 2026, Boundiali PFS and Maiden Ore Reserve delivered (ASX:AUE)  
 25 May 2026, Aurum Receives Environmental Approvals for Boundiali (ASX:AUE)  
 14 May 2026, Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz (ASX:AUE)  
 7 May 2026, Aurum hits thick gold intersections at BDT2 (ASX:AUE)  
 28 Apr 2026, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)  
 21 Apr 2026, Aurum hits multiple thick gold intersections at BDT2 (ASX:AUE)  
 16 Apr 2026, Boundiali BST1 depth extension 220m below current MRE (ASX:AUE)  
 10 Apr 2026, Napie Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au (ASX:AUE)  
 23 Mar 2026, Aurum raises \$28.8M via Strategic Placement (ASX:AUE)  
 13 Mar 2026, Half Yearly Report and Accounts (ASX:AUE)  
 5 Mar 2026, Aurum Hits High-Grade Gold at Napie, Côte d'Ivoire (ASX:AUE)  
 23 Feb 2026, Boundiali Resource Grows to 3Moz - Indicated Up 49% (ASX:AUE)  
 16 Feb 2026, Boundiali extends strike and depth at BDT3 and BST1 (ASX:AUE)  
 5 Feb 2026, High-Grade Extensions at BD Deposits for Resource Growth (ASX:AUE)  
 28 Jan 2026, Further high-grade intercepts at BMT3 in Boundiali (ASX:AUE)  
 14 Jan 2026, Boundiali Gold Project produces more good drilling results (ASX:AUE)  
 7 Jan 2026, Aurum advances Boundiali development with 3 ML Applications (ASX:AUE)  
 19 Dec 2025, More high grade gold intercepts at BMT3 in Boundiali (ASX:AUE)  
 11 Dec 2025, Drilling at Napie Extends Gold Mineralisation to 400m Depth (ASX:AUE)  
 28 Nov 2025, Aurum completes \$22.98M Montage share sale (ASX:AUE)  
 18 Nov 2025, Aurum hits 3.10m @ 70.78 g/t gold from 112.90m at Boundiali (ASX:AUE)  
 07 Nov 2025, Aurum hits 5m @ 11.07 g/t gold from outside BDT2 resources (ASX:AUE)  
 06 Nov 2025, Addendum to the 2025 Annual Report (ASX:AUE)  
 30 Oct 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)  
 27 Oct 2025, Aurum hits 0.8m @ 350 g/t gold at Boundiali Gold Project (ASX:AUE)  
 06 Oct 2025, Boundiali indicated gold resources grows by 53% in two month (ASX:AUE)  
 29 Sep 2025, Aurum hits 1m @ 152.35 g/t gold from 96m at Boundiali (ASX:AUE)  
 10 Sep 2025, Aurum hits 17m @ 9.38 g/t gold from 236m at Napie (ASX:AUE)  
 01 Sep 2025, Aurum expands footprint of Boundiali and Napie Gold Projects (ASX:AUE)  
 05 Aug 2025, Boundiali Gold Project Resource grows ~50% to 2.41Moz (ASX:AUE)  
 29 Jul 2025, Encouraging Drilling Results at BD & BST (ASX:AUE)  
 25 Jul 2025, Aurum hits 1.43m at 234.35 g/t gold from 107m at BMT3 (ASX:AUE)  
 23 Jul 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)  
 15 Jul 2025, 100 million share placement to strategic investors completed (ASX:AUE)  
 27 Jun 2025, Aurum commenced 30,000m diamond drilling at Napie (ASX:AUE)  
 17 Jun 2025, AUE hits 66m @ 1.07g/t gold from 33m @ Boundiali BD tenement (ASX:AUE)  
 27 May 25, AUE expands Boundiali Gold Project exploration ground (ASX:AUE)  
 21 May 25, AUE hits 34m @ 2.32g/t gold from 56m @ Boundiali BD tenement (ASX:AUE)  
 13 May 25, Assay Results at Boundiali BM Tenement (Amended) (ASX:AUE)  
 13 May 25, Aurum hits 73.10 g/t gold at Boundiali BM tenement (ASX:AUE)  
 07 May 2025, Aurum to raise \$35.6 million from strategic investment (ASX:AUE)  
 16 Apr 2025, AUE hits 89m @ 2.42 g/t gold at 1.59Moz Boundiali Project (ASX:AUE)  
 08 Apr 2025, AUE to start diamond drilling at Boundiali South tenement (ASX:AUE)  
 31 Mar 2025, AUE to commence environmental study - Boundiali Gold Project (ASX:AUE)  
 27 Mar 2025, Aurum hits 83m@4.87 g/t Au at 1.59Moz Boundiali Project (ASX:AUE)  
 19 Mar 2025, Hits 4m at 54.64 g/t Au outside 1.59Moz Boundiali MRE area (ASX:AUE)  
 14 Mar 2025, Half Yearly Report and Accounts (ASX:AUE)  
 7 Mar 25, Investor Presentation March 2025 (ASX:AUE)  
 6 Mar 25, AUE Completes Acquisition of Mako Gold Limited (ASX:AUE)  
 27 Feb 25, 12m at 22.02g/t from 145m outside 1.59Moz Boundiali MRE area (ASX:AUE)  
 21 Feb 2025, 8m at 8.23g/t from 65m outside 1.59Moz Boundiali MRE area (ASX:AUE)  
 4 Feb 2025, Napie Project Listing Rule 5.6 Disclosure (Amended) (ASX:AUE)  
 3 Feb 2025, Mako Takeover Offer Closes (ASX:AUE)  
 31 Jan 2025, Drill Collar Table Addendum (ASX:AUE)  
 31 Jan 2025, Change in substantial holding for MKG (ASX:AUE)  
 31 Jan 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)  
 30 Jan 2025, Aurum hits 150 g/t gold at Boundiali, Côte d'Ivoire (ASX:AUE)  
 29 Jan 2025, MKG - Suspension of Trading and Delisting From ASX (ASX:AUE)  
 24 Jan 2025, Compulsory Acquisition Notice Mako Takeover (ASX:AUE)  
 24 Jan 2025, Non-Binding MoU with SANY Heavy Equipment Co (ASX:AUE)  
 23 Jan 2025, Change in substantial holding for MKG (ASX:AUE)  
 9 Jan 2025, Best and Final offer for Mako Gold Limited (ASX:AUE)  
 31 Dec 2024, Boundiali Project Maiden Resource delivers 1.6 Moz (amended) (ASX:AUE)  
 30 Dec 2024, Boundiali Gold Project Maiden Resource delivers 1.6 Moz (ASX:AUE)  
 24 Dec 2024, Change in substantial holding for MKG (ASX:AUE)  
 23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali (ASX:AUE)  
 18 Dec 2024, Aurum hits 277 g/t gold at Boundiali BM Target 3  
 13 Dec 2024, Change of Directors and Addition of Joint Company Secretary (ASX:AUE & ASX:MKG)  
 6 Dec 2024, AUE receives firm commitments for A\$10 million placement (ASX:AUE)  
 29 Nov 2024, Aurum earns 80% interest in Boundiali BM tenement (ASX:AUE)  
 28 Nov 2024, AUE appoints Mr. Steve Zaninovich as Non-Executive Director (ASX:AUE)  
 22 Nov 2024, AUE Declares Takeover Offer for all MKG Shares Unconditional (ASX:AUE)  
 15 Nov 2024, Supplementary Bidders Statement (ASX:AUE)  
 11 Nov 2024, Aurum hits 36 g/t gold at BM T1 of 2.5km strike (ASX:AUE)  
 30 Oct 2024, Bidders Statement (ASX:AUE)  
 16 Oct 2024, Recommended Takeover of Mako Gold By Aurum Resources (ASX:AUE)  
 09 Sep 2024, Aurum earns 51% interest in Boundiali BM tenement (ASX:AUE)  
 05 Sep 2024, AUE hits 40m at 1.03 g/t gold at Boundiali BD Target 1 (ASX:AUE)  
 03 Sep 2024, Boundiali South Exploration Licence Renewed (ASX:AUE)  
 07 Aug 2024, Aurum to advance met studies for Boundiali Gold Project (ASX:AUE)  
 22 July 2024, Prelim metallurgical tests deliver up to 99% gold recovery (ASX:AUE)  
 17 June 2024, Aurum hits 69m at 1.05 g/t gold at Boundiali BD Target 1 (ASX:AUE)  
 28 May 2024, AUE hits 163 g/t gold in 12m @ 14.56 g/t gold at BD Target 1 (ASX:AUE)  
 24 May 2024, Aurum hits 74m @ 1.0 g/t gold at Boundiali BD Target 2 (ASX:AUE)  
 15 May 2024, Aurum expands Boundiali Gold Project footprint (ASX:AUE)  
 10 May 2024, AUE hits 90m @ 1.16 g/t gold at Boundiali BD Target 1 (ASX:AUE)  
 01 May 2024, Aurum Appoints Country Manager in Côte d'Ivoire (ASX:AUE)  
 23 April 2024, AUE drilling hits up to 45 g/t gold at Boundiali BD Target 2 (ASX:AUE)  
 19 March 2024, AUE signs binding term sheet for 100% of Boundiali South (ASX:AUE)  
 12 March 2024, AUE hits 73m at 2.15g/t Inc. 1m at 72g/t gold at Boundiali (ASX:AUE)  
 01 March 2024, Aurum hits 4m at 22 g/t gold in Boundiali diamond drilling (ASX:AUE)  
 22 January 2024, Aurum hits shallow, wide gold intercepts at Boundiali, Côte d'Ivoire (ASX:AUE)  
 21 December 2023, Rapid Drilling at Boundiali Gold Project (ASX:AUE)  
 21 November 2023, AUE Acquisition Presentation (ASX:AUE)  
 21 June 2021, Notice of General Meeting/Proxy Form (MSR:ASX)  
 21 May 2021, PlusOr to Acquire 6194 sq kms Ground Position in Côte d'Ivoire (MSR:ASX)  
 22 August 2019, Boundiali RC Drill Results Continue to Impress (PDI:ASX)  
 15 July 2019, RC, Trench Results Grow Boundiali Potential In Côte D'Ivoire (PDI:ASX)  
 27 May 2019, New Drill Results Strengthen Boundiali Project Côte D'Ivoire (PDI:ASX)  
 16 January 2019, PDI-Toro JV Sharpens Focus with Major Drilling Program (PDI:ASX)  
 26 November 2018, Boundiali North - Large Coherent Gold Anomalies in 14km Zone (PDI:ASX)

The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcements.




Figure 1: Location of Aurum's projects in Côte d'Ivoire




Figure 2: Location of Aurum's Boundiali and Napié gold projects in Côte d'Ivoire




Figure 3: Aurum's Boundiali Gold Project




Figure 4: Plan view showing new drill results (yellow) for BDT2<sup>14</sup>

<sup>14</sup> Only showing intercepts greater than 2.5 gold gram metres, full list of new intercepts included in assay results table




Figure 5: Cross Section looking north (+/-25m) showing new drill results (yellow) for BDT215

<sup>15</sup> Only showing intercepts greater than 2.5 gold gram metres, full list of new intercepts included in assay results table

**Table 1: Drill collar information for holes drilled at Boundiali (BDT2)**

| Hole ID         | UTM East<br>Zone 29N | UTM North<br>Zone 29N | Elevation (m) | Depth (m)        | Azi deg | Dip deg | Deposit | Type |
|-----------------|----------------------|-----------------------|---------------|------------------|---------|---------|---------|------|
| DSDD0443        | 789,320              | 1,059,825             | 356           | 388.20           | 270     | -50     | BDT2    | DD   |
| DSDD0444        | 789,535              | 1,059,750             | 352           | 469.30           | 270     | -50     |         |      |
| DSDD0445        | 789,450              | 1,059,825             | 354           | 438.30           | 270     | -50     |         |      |
| DSDD0446        | 788,900              | 1,060,025             | 362           | 203.50           | 270     | -50     |         |      |
| DSDD0447        | 789,110              | 1,059,350             | 360           | 300.70           | 270     | -57     |         |      |
| DSDD0448        | 789,000              | 1,060,025             | 360           | 203.45           | 270     | -50     |         |      |
| DSDD0449        | 788,975              | 1,060,125             | 360           | 250.40           | 270     | -50     |         |      |
| DSDD0450        | 789,477              | 1,059,400             | 353           | 477.75           | 270     | -50     |         |      |
| DSDD0451        | 789,051              | 1,059,300             | 361           | 395.40           | 270     | -56     |         |      |
| DSDD0452        | 789,520              | 1,059,925             | 352           | 409.30           | 270     | -50     |         |      |
| DSDD0453        | 788,935              | 1,059,200             | 361           | 336.80           | 270     | -50     |         |      |
| DSDD0454        | 789,336              | 1,059,299             | 356           | 402.90           | 270     | -52     |         |      |
| DSDD0455        | 789,100              | 1,060,025             | 357           | 203.65           | 270     | -50     |         |      |
| DSDD0456        | 789,211              | 1,059,100             | 355           | 416.90           | 270     | -56     |         |      |
| DSDD0457A       | 789,448              | 1,059,150             | 352           | 600.80           | 270     | -50     |         |      |
| DSDD0458        | 789,175              | 1,060,125             | 357           | 314.70           | 270     | -50     |         |      |
| DSDD0459        | 788,725              | 1,060,225             | 357           | 202.90           | 270     | -50     |         |      |
| DSDD0460        | 788,675              | 1,060,325             | 354           | 201.30           | 270     | -50     |         |      |
| DSDD0462        | 788,725              | 1,060,425             | 354           | 251.20           | 270     | -50     |         |      |
| DSDD0463        | 789,275              | 1,060,125             | 354           | 383.80           | 270     | -50     |         |      |
| DSDD0464        | 788,915              | 1,060,225             | 359           | 312.50           | 270     | -55     |         |      |
| DSDD0465        | 788,825              | 1,060,425             | 374           | 257.65           | 270     | -50     |         |      |
| DSDD0470        | 789,295              | 1,059,050             | 353           | 484.55           | 270     | -56     |         |      |
| DSDD0474        | 788,975              | 1,060,325             | 356           | 311.10           | 270     | -50     |         |      |
| DSDD0476        | 789,125              | 1,060,425             | 352           | 288.60           | 270     | -50     |         |      |
| DSDD0479        | 789,075              | 1,060,325             | 354           | 214.60           | 270     | -50     |         |      |
| <b>26 holes</b> |                      |                       |               | <b>8,720.23m</b> |         |         |         |      |

**Table 2: Significant assay results for holes drilled at Boundiali (BDT2)<sup>16</sup>**

| Deposit | Hole ID  | From   | To     | Interval | Au (ppm)     | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au           |
|---------|----------|--------|--------|----------|--------------|----------------------|----------------|-----------------------------|
| BDT2    | DSDD0443 | 0.00   | 1.50   | 1.50     | 0.101        |                      |                |                             |
| BDT2    | DSDD0443 | 49.00  | 50.00  | 1.00     | 0.131        |                      |                |                             |
| BDT2    | DSDD0443 | 50.00  | 51.00  | 1.00     | 0.166        |                      |                |                             |
| BDT2    | DSDD0443 | 161.00 | 162.00 | 1.00     | <b>1.855</b> | 1.00 m @ 1.85 g/t Au | 1.855          | <b>1.00 m @ 1.85 g/t Au</b> |
| BDT2    | DSDD0443 | 192.00 | 193.00 | 1.00     | 0.214        | 1.00 m @ 0.21 g/t Au | 0.214          |                             |
| BDT2    | DSDD0443 | 216.00 | 217.40 | 1.40     | 0.223        | 2.00 m @ 0.22 g/t Au | 0.437          |                             |
| BDT2    | DSDD0443 | 217.40 | 218.00 | 0.60     | 0.208        |                      |                |                             |
| BDT2    | DSDD0443 | 229.00 | 230.00 | 1.00     | 0.172        |                      |                |                             |
| BDT2    | DSDD0443 | 234.00 | 235.00 | 1.00     | 0.395        | 4.00 m @ 0.30 g/t Au | 1.194          |                             |
| BDT2    | DSDD0443 | 235.00 | 236.00 | 1.00     | 0.041        |                      |                |                             |
| BDT2    | DSDD0443 | 236.00 | 237.00 | 1.00     | 0.040        |                      |                |                             |
| BDT2    | DSDD0443 | 237.00 | 238.00 | 1.00     | 0.718        |                      |                |                             |
| BDT2    | DSDD0443 | 266.00 | 267.00 | 1.00     | 0.126        |                      |                |                             |
| BDT2    | DSDD0443 | 267.00 | 268.00 | 1.00     | <b>1.204</b> | 1.00 m @ 1.20 g/t Au | 1.204          | <b>1.00 m @ 1.20 g/t Au</b> |
| BDT2    | DSDD0443 | 269.00 | 270.00 | 1.00     | 0.121        |                      |                |                             |
| BDT2    | DSDD0443 | 302.00 | 303.00 | 1.00     | 0.348        | 1.00 m @ 0.35 g/t Au | 0.348          |                             |
| BDT2    | DSDD0443 | 371.00 | 372.00 | 1.00     | 0.103        |                      |                |                             |
| BDT2    | DSDD0444 | 71.00  | 72.00  | 1.00     | 0.197        |                      |                |                             |
| BDT2    | DSDD0444 | 73.00  | 74.00  | 1.00     | 0.147        |                      |                |                             |
| BDT2    | DSDD0444 | 84.00  | 85.00  | 1.00     | 0.154        |                      |                |                             |
| BDT2    | DSDD0444 | 105.00 | 106.00 | 1.00     | 0.148        |                      |                |                             |
| BDT2    | DSDD0444 | 119.50 | 121.00 | 1.50     | 0.132        |                      |                |                             |
| BDT2    | DSDD0444 | 137.00 | 138.00 | 1.00     | 0.366        | 1.00 m @ 0.37 g/t Au | 0.366          |                             |
| BDT2    | DSDD0444 | 239.00 | 240.00 | 1.00     | 0.189        |                      |                |                             |
| BDT2    | DSDD0444 | 241.00 | 242.00 | 1.00     | 0.200        | 1.00 m @ 0.20 g/t Au | 0.2            |                             |
| BDT2    | DSDD0444 | 245.25 | 246.50 | 1.25     | 0.356        | 1.25 m @ 0.36 g/t Au | 0.445          |                             |
| BDT2    | DSDD0444 | 263.00 | 264.00 | 1.00     | <b>4.759</b> | 9.00 m @ 1.84 g/t Au | 16.5726        | <b>1.00 m @ 4.76 g/t Au</b> |
| BDT2    | DSDD0444 | 264.00 | 265.00 | 1.00     | 0.152        |                      |                |                             |
| BDT2    | DSDD0444 | 265.00 | 266.00 | 1.00     | 0.171        |                      |                |                             |
| BDT2    | DSDD0444 | 266.00 | 267.00 | 1.00     | 0.188        |                      |                |                             |
| BDT2    | DSDD0444 | 267.00 | 268.00 | 1.00     | 0.263        |                      |                |                             |
| BDT2    | DSDD0444 | 268.00 | 269.00 | 1.00     | <b>3.624</b> |                      |                | <b>2.00 m @ 5.04 g/t Au</b> |
| BDT2    | DSDD0444 | 269.00 | 270.00 | 1.00     | <b>6.454</b> |                      |                |                             |
| BDT2    | DSDD0444 | 270.00 | 271.00 | 1.00     | 0.618        |                      |                |                             |
| BDT2    | DSDD0444 | 271.00 | 272.00 | 1.00     | 0.344        |                      |                |                             |
| BDT2    | DSDD0444 | 272.00 | 273.00 | 1.00     | 0.190        |                      |                |                             |
| BDT2    | DSDD0444 | 277.00 | 278.00 | 1.00     | 0.572        | 5.00 m @ 0.26 g/t Au | 1.282          |                             |
| BDT2    | DSDD0444 | 278.00 | 279.00 | 1.00     | 0.151        |                      |                |                             |
| BDT2    | DSDD0444 | 279.00 | 280.00 | 1.00     | 0.049        |                      |                |                             |
| BDT2    | DSDD0444 | 280.00 | 281.00 | 1.00     | 0.296        |                      |                |                             |
| BDT2    | DSDD0444 | 281.00 | 282.00 | 1.00     | 0.214        |                      |                |                             |
| BDT2    | DSDD0444 | 288.00 | 289.00 | 1.00     | 0.169        |                      |                |                             |
| BDT2    | DSDD0444 | 378.00 | 379.00 | 1.00     | <b>1.654</b> | 1.00 m @ 1.65 g/t Au | 1.654          | <b>1.00 m @ 1.65 g/t Au</b> |
| BDT2    | DSDD0444 | 379.00 | 380.00 | 1.00     | 0.134        |                      |                |                             |
| BDT2    | DSDD0444 | 391.00 | 392.00 | 1.00     | 0.479        | 2.00 m @ 0.49 g/t Au | 0.984          |                             |
| BDT2    | DSDD0444 | 392.00 | 393.00 | 1.00     | 0.505        |                      |                |                             |
| BDT2    | DSDD0444 | 393.00 | 394.00 | 1.00     | 0.120        |                      |                |                             |
| BDT2    | DSDD0444 | 396.00 | 397.00 | 1.00     | 0.167        |                      |                |                             |
| BDT2    | DSDD0444 | 397.00 | 398.00 | 1.00     | 0.515        | 4.00 m @ 0.50 g/t Au | 1.9932         |                             |
| BDT2    | DSDD0444 | 398.00 | 399.00 | 1.00     | 0.100        |                      |                |                             |
| BDT2    | DSDD0444 | 399.00 | 400.00 | 1.00     | 0.058        |                      |                |                             |
| BDT2    | DSDD0444 | 400.00 | 401.00 | 1.00     | <b>1.320</b> |                      |                | <b>1.00 m @ 1.32 g/t Au</b> |
| BDT2    | DSDD0444 | 401.00 | 402.00 | 1.00     | 0.160        |                      |                |                             |

<sup>16</sup> 0.2 g/t Au cut off used with up to 3m consecutive internal dilution and no top cut applied

| Deposit | Hole ID  | From   | To     | Interval | Au (ppm) | Sig Int > 0.2 g/t Au  | m*g/t Au (gpm) | Sig Int >1 g/t Au    |
|---------|----------|--------|--------|----------|----------|-----------------------|----------------|----------------------|
| BDT2    | DSDD0444 | 411.00 | 412.00 | 1.00     | 0.873    | 5.00 m @ 0.66 g/t Au  | 3.324          |                      |
| BDT2    | DSDD0444 | 412.00 | 413.00 | 1.00     | 0.990    |                       |                |                      |
| BDT2    | DSDD0444 | 413.00 | 414.00 | 1.00     | 0.513    |                       |                |                      |
| BDT2    | DSDD0444 | 414.00 | 415.00 | 1.00     | 0.748    |                       |                |                      |
| BDT2    | DSDD0444 | 415.00 | 416.00 | 1.00     | 0.200    |                       |                |                      |
| BDT2    | DSDD0444 | 416.00 | 417.00 | 1.00     | 0.170    |                       |                |                      |
| BDT2    | DSDD0444 | 417.00 | 417.64 | 0.64     | 0.173    |                       |                |                      |
| BDT2    | DSDD0444 | 420.00 | 421.00 | 1.00     | 0.215    | 17.00 m @ 0.28 g/t Au | 4.7872         |                      |
| BDT2    | DSDD0444 | 421.00 | 422.00 | 1.00     | 0.137    |                       |                |                      |
| BDT2    | DSDD0444 | 422.00 | 423.00 | 1.00     | 0.337    |                       |                |                      |
| BDT2    | DSDD0444 | 423.00 | 424.00 | 1.00     | 0.144    |                       |                |                      |
| BDT2    | DSDD0444 | 424.00 | 425.00 | 1.00     | 0.247    |                       |                |                      |
| BDT2    | DSDD0444 | 425.00 | 426.00 | 1.00     | 0.091    |                       |                |                      |
| BDT2    | DSDD0444 | 426.00 | 427.25 | 1.25     | 0.008    |                       |                |                      |
| BDT2    | DSDD0444 | 427.25 | 428.50 | 1.25     | 0.640    |                       |                |                      |
| BDT2    | DSDD0444 | 428.50 | 430.00 | 1.50     | 0.339    |                       |                |                      |
| BDT2    | DSDD0444 | 430.00 | 431.00 | 1.00     | 0.139    |                       |                |                      |
| BDT2    | DSDD0444 | 431.00 | 432.00 | 1.00     | 0.108    |                       |                |                      |
| BDT2    | DSDD0444 | 432.00 | 433.00 | 1.00     | 0.382    |                       |                |                      |
| BDT2    | DSDD0444 | 433.00 | 433.70 | 0.70     | 0.292    |                       |                |                      |
| BDT2    | DSDD0444 | 433.70 | 435.00 | 1.30     | 0.616    |                       |                |                      |
| BDT2    | DSDD0444 | 435.00 | 436.10 | 1.10     | 0.153    |                       |                |                      |
| BDT2    | DSDD0444 | 436.10 | 437.00 | 0.90     | 0.551    |                       |                |                      |
| BDT2    | DSDD0444 | 439.00 | 440.00 | 1.00     | 0.135    |                       |                |                      |
| BDT2    | DSDD0444 | 442.00 | 443.00 | 1.00     | 1.222    | 2.00 m @ 0.80 g/t Au  | 1.593          | 1.00 m @ 1.22 g/t Au |
| BDT2    | DSDD0444 | 443.00 | 444.00 | 1.00     | 0.371    |                       |                |                      |
| BDT2    | DSDD0444 | 444.00 | 445.00 | 1.00     | 0.179    |                       |                |                      |
| BDT2    | DSDD0444 | 448.00 | 449.00 | 1.00     | 0.134    |                       |                |                      |
| BDT2    | DSDD0444 | 449.00 | 450.00 | 1.00     | 0.883    | 12.00 m @ 0.52 g/t Au | 6.2004         |                      |
| BDT2    | DSDD0444 | 450.00 | 450.94 | 0.94     | 0.401    |                       |                |                      |
| BDT2    | DSDD0444 | 450.94 | 452.00 | 1.06     | 0.173    |                       |                |                      |
| BDT2    | DSDD0444 | 452.00 | 453.00 | 1.00     | 0.624    |                       |                |                      |
| BDT2    | DSDD0444 | 453.00 | 454.00 | 1.00     | 0.256    |                       |                |                      |
| BDT2    | DSDD0444 | 454.00 | 455.05 | 1.05     | 0.294    |                       |                |                      |
| BDT2    | DSDD0444 | 455.05 | 456.00 | 0.95     | 0.109    |                       |                |                      |
| BDT2    | DSDD0444 | 456.00 | 457.00 | 1.00     | 0.764    |                       |                |                      |
| BDT2    | DSDD0444 | 457.00 | 458.00 | 1.00     | 0.023    |                       |                |                      |
| BDT2    | DSDD0444 | 458.00 | 459.00 | 1.00     | 0.021    |                       |                |                      |
| BDT2    | DSDD0444 | 459.00 | 460.00 | 1.00     | 0.319    |                       |                |                      |
| BDT2    | DSDD0444 | 460.00 | 461.00 | 1.00     | 2.338    |                       |                | 1.00 m @ 2.34 g/t Au |
| BDT2    | DSDD0445 | 0.00   | 0.76   | 0.76     | 0.140    |                       |                |                      |
| BDT2    | DSDD0445 | 3.50   | 4.50   | 1.00     | 1.479    | 1.00 m @ 1.48 g/t Au  | 1.479          | 1.00 m @ 1.48 g/t Au |
| BDT2    | DSDD0445 | 76.00  | 77.00  | 1.00     | 0.175    |                       |                |                      |
| BDT2    | DSDD0445 | 141.00 | 142.00 | 1.00     | 0.107    |                       |                |                      |
| BDT2    | DSDD0445 | 142.00 | 143.00 | 1.00     | 0.173    |                       |                |                      |
| BDT2    | DSDD0445 | 143.00 | 144.00 | 1.00     | 0.111    |                       |                |                      |
| BDT2    | DSDD0445 | 147.90 | 149.00 | 1.10     | 0.123    |                       |                |                      |
| BDT2    | DSDD0445 | 157.80 | 159.00 | 1.20     | 0.100    |                       |                |                      |
| BDT2    | DSDD0445 | 163.54 | 165.00 | 1.46     | 0.159    |                       |                |                      |
| BDT2    | DSDD0445 | 165.00 | 166.00 | 1.00     | 0.170    |                       |                |                      |
| BDT2    | DSDD0445 | 174.00 | 175.00 | 1.00     | 0.149    |                       |                |                      |
| BDT2    | DSDD0445 | 202.00 | 203.00 | 1.00     | 0.837    | 6.00 m @ 0.33 g/t Au  | 1.9908         |                      |
| BDT2    | DSDD0445 | 203.00 | 204.00 | 1.00     | 0.318    |                       |                |                      |
| BDT2    | DSDD0445 | 204.00 | 205.00 | 1.00     | 0.419    |                       |                |                      |
| BDT2    | DSDD0445 | 205.00 | 206.00 | 1.00     | 0.024    |                       |                |                      |
| BDT2    | DSDD0445 | 206.00 | 207.00 | 1.00     | 0.158    |                       |                |                      |
| BDT2    | DSDD0445 | 207.00 | 208.00 | 1.00     | 0.235    |                       |                |                      |
| BDT2    | DSDD0445 | 208.00 | 209.00 | 1.00     | 0.114    |                       |                |                      |
| BDT2    | DSDD0445 | 209.00 | 210.00 | 1.00     | 0.167    |                       |                |                      |

| Deposit | Hole ID  | From   | To     | Interval | Au (ppm) | Sig Int > 0.2 g/t Au  | m*g/t Au (gpm) | Sig Int >1 g/t Au     |
|---------|----------|--------|--------|----------|----------|-----------------------|----------------|-----------------------|
| BDT2    | DSDD0445 | 210.00 | 211.00 | 1.00     | 0.150    |                       |                |                       |
| BDT2    | DSDD0445 | 212.00 | 213.00 | 1.00     | 0.142    |                       |                |                       |
| BDT2    | DSDD0445 | 217.00 | 218.00 | 1.00     | 0.138    |                       |                |                       |
| BDT2    | DSDD0445 | 218.00 | 219.40 | 1.40     | 0.105    |                       |                |                       |
| BDT2    | DSDD0445 | 224.00 | 225.00 | 1.00     | 0.188    |                       |                |                       |
| BDT2    | DSDD0445 | 226.00 | 227.00 | 1.00     | 0.134    |                       |                |                       |
| BDT2    | DSDD0445 | 227.00 | 228.00 | 1.00     | 0.444    | 1.00 m @ 0.44 g/t Au  | 0.444          |                       |
| BDT2    | DSDD0445 | 228.00 | 229.00 | 1.00     | 0.194    |                       |                |                       |
| BDT2    | DSDD0445 | 229.00 | 230.00 | 1.00     | 0.165    |                       |                |                       |
| BDT2    | DSDD0445 | 230.00 | 231.00 | 1.00     | 0.129    |                       |                |                       |
| BDT2    | DSDD0445 | 231.00 | 232.00 | 1.00     | 0.100    |                       |                |                       |
| BDT2    | DSDD0445 | 232.00 | 233.00 | 1.00     | 0.171    |                       |                |                       |
| BDT2    | DSDD0445 | 233.00 | 234.00 | 1.00     | 0.142    |                       |                |                       |
| BDT2    | DSDD0445 | 234.00 | 235.00 | 1.00     | 0.104    |                       |                |                       |
| BDT2    | DSDD0445 | 238.00 | 239.00 | 1.00     | 0.135    |                       |                |                       |
| BDT2    | DSDD0445 | 239.00 | 240.00 | 1.00     | 0.202    | 1.00 m @ 0.20 g/t Au  | 0.202          |                       |
| BDT2    | DSDD0445 | 241.00 | 242.00 | 1.00     | 0.197    |                       |                |                       |
| BDT2    | DSDD0445 | 244.00 | 245.00 | 1.00     | 0.283    | 8.00 m @ 0.23 g/t Au  | 1.8592         |                       |
| BDT2    | DSDD0445 | 245.00 | 246.00 | 1.00     | 0.056    |                       |                |                       |
| BDT2    | DSDD0445 | 246.00 | 247.00 | 1.00     | 0.161    |                       |                |                       |
| BDT2    | DSDD0445 | 247.00 | 248.00 | 1.00     | 0.201    |                       |                |                       |
| BDT2    | DSDD0445 | 248.00 | 249.00 | 1.00     | 0.160    |                       |                |                       |
| BDT2    | DSDD0445 | 249.00 | 250.00 | 1.00     | 0.295    |                       |                |                       |
| BDT2    | DSDD0445 | 250.00 | 251.00 | 1.00     | 0.477    |                       |                |                       |
| BDT2    | DSDD0445 | 251.00 | 252.00 | 1.00     | 0.226    |                       |                |                       |
| BDT2    | DSDD0445 | 252.00 | 253.00 | 1.00     | 0.158    |                       |                |                       |
| BDT2    | DSDD0445 | 253.00 | 254.00 | 1.00     | 0.139    |                       |                |                       |
| BDT2    | DSDD0445 | 254.00 | 255.00 | 1.00     | 0.139    |                       |                |                       |
| BDT2    | DSDD0445 | 255.00 | 256.00 | 1.00     | 0.153    |                       |                |                       |
| BDT2    | DSDD0445 | 259.00 | 260.00 | 1.00     | 0.276    | 9.00 m @ 0.32 g/t Au  | 2.8719         |                       |
| BDT2    | DSDD0445 | 260.00 | 261.00 | 1.00     | 0.089    |                       |                |                       |
| BDT2    | DSDD0445 | 261.00 | 262.00 | 1.00     | 0.196    |                       |                |                       |
| BDT2    | DSDD0445 | 262.00 | 263.00 | 1.00     | 0.204    |                       |                |                       |
| BDT2    | DSDD0445 | 263.00 | 264.00 | 1.00     | 0.126    |                       |                |                       |
| BDT2    | DSDD0445 | 264.00 | 265.00 | 1.00     | 0.938    |                       |                |                       |
| BDT2    | DSDD0445 | 265.00 | 266.00 | 1.00     | 0.117    |                       |                |                       |
| BDT2    | DSDD0445 | 266.00 | 267.00 | 1.00     | 0.648    |                       |                |                       |
| BDT2    | DSDD0445 | 267.00 | 268.00 | 1.00     | 0.278    |                       |                |                       |
| BDT2    | DSDD0445 | 272.00 | 273.00 | 1.00     | 0.419    | 6.54 m @ 13.36 g/t Au | 87.406446      |                       |
| BDT2    | DSDD0445 | 273.00 | 274.00 | 1.00     | 0.019    |                       |                |                       |
| BDT2    | DSDD0445 | 274.00 | 275.00 | 1.00     | 1.433    |                       |                | 3.70 m @ 23.32 g/t Au |
| BDT2    | DSDD0445 | 275.00 | 276.50 | 1.50     | 0.278    |                       |                |                       |
| BDT2    | DSDD0445 | 276.50 | 277.20 | 0.70     | 95.811   |                       |                |                       |
| BDT2    | DSDD0445 | 277.20 | 277.70 | 0.50     | 34.712   |                       |                |                       |
| BDT2    | DSDD0445 | 277.70 | 278.54 | 0.84     | 0.827    |                       |                |                       |
| BDT2    | DSDD0445 | 282.00 | 283.00 | 1.00     | 0.162    |                       |                |                       |
| BDT2    | DSDD0445 | 284.00 | 284.81 | 0.81     | 0.101    |                       |                |                       |
| BDT2    | DSDD0445 | 311.00 | 312.00 | 1.00     | 0.104    |                       |                |                       |
| BDT2    | DSDD0445 | 313.00 | 314.00 | 1.00     | 0.109    |                       |                |                       |
| BDT2    | DSDD0445 | 314.00 | 315.15 | 1.15     | 1.500    | 4.54 m @ 0.69 g/t Au  | 3.132146       | 1.15 m @ 1.50 g/t Au  |
| BDT2    | DSDD0445 | 315.15 | 316.00 | 0.85     | 0.170    |                       |                |                       |
| BDT2    | DSDD0445 | 316.00 | 317.00 | 1.00     | 0.369    |                       |                |                       |
| BDT2    | DSDD0445 | 317.00 | 318.00 | 1.00     | 0.095    |                       |                |                       |
| BDT2    | DSDD0445 | 318.00 | 318.54 | 0.54     | 1.479    |                       |                | 0.54 m @ 1.48 g/t Au  |
| BDT2    | DSDD0445 | 318.54 | 320.00 | 1.46     | 0.153    |                       |                |                       |
| BDT2    | DSDD0445 | 372.00 | 372.50 | 0.50     | 0.109    |                       |                |                       |
| BDT2    | DSDD0445 | 376.00 | 377.00 | 1.00     | 0.423    | 1.00 m @ 0.42 g/t Au  | 0.423          |                       |
| BDT2    | DSDD0445 | 391.50 | 392.50 | 1.00     | 0.454    | 5.00 m @ 2.19 g/t Au  | 10.9365        |                       |
| BDT2    | DSDD0445 | 392.50 | 393.00 | 0.50     | 14.307   |                       |                | 3.11 m @ 3.27 g/t Au  |

| Deposit | Hole ID  | From   | To     | Interval | Au (ppm) | Sig Int > 0.2 g/t Au  | m*g/t Au (gpm) | Sig Int >1 g/t Au    |
|---------|----------|--------|--------|----------|----------|-----------------------|----------------|----------------------|
| BDT2    | DSDD0445 | 393.00 | 394.50 | 1.50     | 1.155    |                       |                |                      |
| BDT2    | DSDD0445 | 394.50 | 395.61 | 1.11     | 1.164    |                       |                |                      |
| BDT2    | DSDD0445 | 395.61 | 396.50 | 0.89     | 0.342    |                       |                |                      |
| BDT2    | DSDD0445 | 405.00 | 405.65 | 0.65     | 0.519    | 1.50 m @ 0.39 g/t Au  | 0.5847         |                      |
| BDT2    | DSDD0445 | 405.65 | 406.50 | 0.85     | 0.291    |                       |                |                      |
| BDT2    | DSDD0445 | 406.50 | 407.00 | 0.50     | 0.134    | 13.18 m @ 1.06 g/t Au | 14.002432      | 1.50 m @ 1.34 g/t Au |
| BDT2    | DSDD0445 | 420.82 | 421.50 | 0.68     | 0.358    |                       |                |                      |
| BDT2    | DSDD0445 | 421.50 | 422.00 | 0.50     | 1.966    |                       |                |                      |
| BDT2    | DSDD0445 | 422.00 | 423.00 | 1.00     | 1.026    |                       |                |                      |
| BDT2    | DSDD0445 | 423.00 | 424.00 | 1.00     | 0.146    |                       |                |                      |
| BDT2    | DSDD0445 | 424.00 | 425.00 | 1.00     | 0.724    |                       |                | 1.69 m @ 5.51 g/t Au |
| BDT2    | DSDD0445 | 425.00 | 426.00 | 1.00     | 0.220    |                       |                |                      |
| BDT2    | DSDD0445 | 426.00 | 427.00 | 1.00     | 0.312    |                       |                |                      |
| BDT2    | DSDD0445 | 427.00 | 428.00 | 1.00     | 0.033    |                       |                |                      |
| BDT2    | DSDD0445 | 428.00 | 429.00 | 1.00     | 0.048    |                       |                |                      |
| BDT2    | DSDD0445 | 429.00 | 430.00 | 1.00     | 0.051    |                       |                |                      |
| BDT2    | DSDD0445 | 430.00 | 431.00 | 1.00     | 0.504    |                       |                |                      |
| BDT2    | DSDD0445 | 431.00 | 432.31 | 1.31     | 0.305    |                       |                |                      |
| BDT2    | DSDD0445 | 432.31 | 433.34 | 1.03     | 7.893    |                       |                |                      |
| BDT2    | DSDD0445 | 433.34 | 434.00 | 0.66     | 1.791    |                       |                |                      |
| BDT2    | DSDD0446 | 79.00  | 80.00  | 1.00     | 0.238    | 1.00 m @ 0.24 g/t Au  | 0.238          |                      |
| BDT2    | DSDD0446 | 130.00 | 131.00 | 1.00     | 0.172    | 2.00 m @ 0.38 g/t Au  | 0.769          |                      |
| BDT2    | DSDD0446 | 138.00 | 139.00 | 1.00     | 0.210    |                       |                |                      |
| BDT2    | DSDD0446 | 139.00 | 140.00 | 1.00     | 0.559    | 2.00 m @ 0.36 g/t Au  | 0.718          |                      |
| BDT2    | DSDD0446 | 159.00 | 160.00 | 1.00     | 0.515    |                       |                |                      |
| BDT2    | DSDD0446 | 160.00 | 161.00 | 1.00     | 0.203    |                       |                |                      |
| BDT2    | DSDD0447 | 0.00   | 1.00   | 1.00     | 0.155    |                       |                |                      |
| BDT2    | DSDD0447 | 1.00   | 1.93   | 0.93     | 0.229    | 0.93 m @ 0.23 g/t Au  | 0.21297        |                      |
| BDT2    | DSDD0447 | 6.00   | 7.00   | 1.00     | 0.101    |                       |                |                      |
| BDT2    | DSDD0447 | 7.00   | 8.15   | 1.15     | 0.543    | 1.15 m @ 0.54 g/t Au  | 0.62445        |                      |
| BDT2    | DSDD0447 | 9.00   | 10.00  | 1.00     | 1.287    | 1.82 m @ 1.02 g/t Au  | 1.848756       | 1.00 m @ 1.29 g/t Au |
| BDT2    | DSDD0447 | 10.00  | 10.82  | 0.82     | 0.685    |                       |                |                      |
| BDT2    | DSDD0447 | 14.82  | 15.73  | 0.91     | 0.283    | 0.91 m @ 0.28 g/t Au  | 0.25753        |                      |
| BDT2    | DSDD0447 | 17.78  | 18.62  | 0.84     | 0.299    | 0.84 m @ 0.30 g/t Au  | 0.25116        |                      |
| BDT2    | DSDD0447 | 22.00  | 23.05  | 1.05     | 0.171    |                       |                |                      |
| BDT2    | DSDD0447 | 24.00  | 24.59  | 0.59     | 0.279    | 5.36 m @ 0.33 g/t Au  | 1.749504       |                      |
| BDT2    | DSDD0447 | 24.59  | 25.50  | 0.91     | 0.263    |                       |                |                      |
| BDT2    | DSDD0447 | 25.50  | 27.00  | 1.50     | 0.297    |                       |                |                      |
| BDT2    | DSDD0447 | 27.00  | 28.00  | 1.00     | 0.503    |                       |                |                      |
| BDT2    | DSDD0447 | 28.00  | 29.36  | 1.36     | 0.292    |                       |                |                      |
| BDT2    | DSDD0447 | 30.70  | 31.50  | 0.80     | 0.271    | 0.80 m @ 0.27 g/t Au  | 0.2168         |                      |
| BDT2    | DSDD0447 | 35.48  | 36.50  | 1.02     | 0.361    | 1.02 m @ 0.36 g/t Au  | 0.36822        |                      |
| BDT2    | DSDD0447 | 36.50  | 37.50  | 1.00     | 0.126    |                       |                |                      |
| BDT2    | DSDD0447 | 37.50  | 39.00  | 1.50     | 0.178    |                       |                |                      |
| BDT2    | DSDD0447 | 40.00  | 40.64  | 0.64     | 0.408    | 0.64 m @ 0.41 g/t Au  | 0.26112        |                      |
| BDT2    | DSDD0447 | 43.00  | 44.00  | 1.00     | 0.247    | 1.00 m @ 0.25 g/t Au  | 0.247          |                      |
| BDT2    | DSDD0447 | 46.50  | 48.00  | 1.50     | 0.912    | 1.50 m @ 0.91 g/t Au  | 1.368          |                      |
| BDT2    | DSDD0447 | 51.00  | 52.00  | 1.00     | 0.433    | 8.00 m @ 0.53 g/t Au  | 4.2384         | 1.00 m @ 1.18 g/t Au |
| BDT2    | DSDD0447 | 52.00  | 53.00  | 1.00     | 0.198    |                       |                |                      |
| BDT2    | DSDD0447 | 53.00  | 54.00  | 1.00     | 0.904    |                       |                |                      |
| BDT2    | DSDD0447 | 54.00  | 55.00  | 1.00     | 0.008    |                       |                |                      |
| BDT2    | DSDD0447 | 55.00  | 56.00  | 1.00     | 1.182    |                       |                |                      |
| BDT2    | DSDD0447 | 56.00  | 57.00  | 1.00     | 0.259    |                       |                |                      |
| BDT2    | DSDD0447 | 57.00  | 58.00  | 1.00     | 0.733    |                       |                |                      |
| BDT2    | DSDD0447 | 58.00  | 59.00  | 1.00     | 0.522    |                       |                |                      |
| BDT2    | DSDD0447 | 71.00  | 72.00  | 1.00     | 0.259    | 1.00 m @ 0.26 g/t Au  | 0.259          |                      |
| BDT2    | DSDD0447 | 74.00  | 75.00  | 1.00     | 0.378    | 1.00 m @ 0.38 g/t Au  | 0.378          |                      |
| BDT2    | DSDD0447 | 79.00  | 80.00  | 1.00     | 0.245    | 1.00 m @ 0.24 g/t Au  | 0.245          |                      |
| BDT2    | DSDD0447 | 204.00 | 205.00 | 1.00     | 0.122    |                       |                |                      |

| Deposit | Hole ID  | From   | To     | Interval | Au (ppm) | Sig Int > 0.2 g/t Au  | m*g/t Au (gpm) | Sig Int >1 g/t Au     |
|---------|----------|--------|--------|----------|----------|-----------------------|----------------|-----------------------|
| BDT2    | DSDD0447 | 205.00 | 206.00 | 1.00     | 4.862    | 7.00 m @ 0.97 g/t Au  | 6.7557         | 2.00 m @ 3.07 g/t Au  |
| BDT2    | DSDD0447 | 206.00 | 207.00 | 1.00     | 1.285    |                       |                |                       |
| BDT2    | DSDD0447 | 207.00 | 208.00 | 1.00     | 0.338    |                       |                |                       |
| BDT2    | DSDD0447 | 208.00 | 209.00 | 1.00     | 0.008    |                       |                |                       |
| BDT2    | DSDD0447 | 209.00 | 210.00 | 1.00     | 0.016    |                       |                |                       |
| BDT2    | DSDD0447 | 210.00 | 211.00 | 1.00     | 0.017    |                       |                |                       |
| BDT2    | DSDD0447 | 211.00 | 212.00 | 1.00     | 0.230    |                       |                |                       |
| BDT2    | DSDD0447 | 214.00 | 215.00 | 1.00     | 0.112    |                       |                |                       |
| BDT2    | DSDD0447 | 218.00 | 219.00 | 1.00     | 0.117    |                       |                |                       |
| BDT2    | DSDD0447 | 219.00 | 220.00 | 1.00     | 0.889    | 5.00 m @ 0.31 g/t Au  | 1.5465         |                       |
| BDT2    | DSDD0447 | 220.00 | 221.00 | 1.00     | 0.008    |                       |                |                       |
| BDT2    | DSDD0447 | 221.00 | 222.00 | 1.00     | 0.024    |                       |                |                       |
| BDT2    | DSDD0447 | 222.00 | 223.00 | 1.00     | 0.015    |                       |                |                       |
| BDT2    | DSDD0447 | 223.00 | 224.00 | 1.00     | 0.611    |                       |                |                       |
| BDT2    | DSDD0447 | 224.00 | 225.00 | 1.00     | 0.112    |                       |                |                       |
| BDT2    | DSDD0447 | 227.00 | 228.00 | 1.00     | 0.133    |                       |                |                       |
| BDT2    | DSDD0447 | 228.00 | 229.00 | 1.00     | 14.991   | 21.00 m @ 1.12 g/t Au | 23.5977        | 1.00 m @ 14.99 g/t Au |
| BDT2    | DSDD0447 | 229.00 | 230.00 | 1.00     | 0.008    |                       |                |                       |
| BDT2    | DSDD0447 | 230.00 | 231.00 | 1.00     | 0.722    |                       |                |                       |
| BDT2    | DSDD0447 | 231.00 | 232.00 | 1.00     | 0.404    |                       |                |                       |
| BDT2    | DSDD0447 | 232.00 | 233.00 | 1.00     | 0.059    |                       |                |                       |
| BDT2    | DSDD0447 | 233.00 | 234.00 | 1.00     | 0.365    |                       |                |                       |
| BDT2    | DSDD0447 | 234.00 | 235.00 | 1.00     | 0.039    |                       |                |                       |
| BDT2    | DSDD0447 | 235.00 | 236.00 | 1.00     | 0.260    |                       |                |                       |
| BDT2    | DSDD0447 | 236.00 | 237.26 | 1.26     | 0.126    |                       |                |                       |
| BDT2    | DSDD0447 | 237.26 | 237.79 | 0.53     | 0.470    |                       |                |                       |
| BDT2    | DSDD0447 | 237.79 | 239.00 | 1.21     | 0.216    |                       |                |                       |
| BDT2    | DSDD0447 | 239.00 | 240.00 | 1.00     | 0.060    |                       |                |                       |
| BDT2    | DSDD0447 | 240.00 | 241.00 | 1.00     | 0.339    |                       |                |                       |
| BDT2    | DSDD0447 | 241.00 | 242.00 | 1.00     | 0.046    |                       |                |                       |
| BDT2    | DSDD0447 | 242.00 | 243.00 | 1.00     | 0.049    |                       |                |                       |
| BDT2    | DSDD0447 | 243.00 | 243.60 | 0.60     | 0.067    |                       |                |                       |
| BDT2    | DSDD0447 | 243.60 | 245.00 | 1.40     | 3.152    |                       |                | 1.40 m @ 3.15 g/t Au  |
| BDT2    | DSDD0447 | 245.00 | 246.00 | 1.00     | 0.149    |                       |                |                       |
| BDT2    | DSDD0447 | 246.00 | 247.00 | 1.00     | 0.130    |                       |                |                       |
| BDT2    | DSDD0447 | 247.00 | 248.00 | 1.00     | 0.046    |                       |                |                       |
| BDT2    | DSDD0447 | 248.00 | 249.00 | 1.00     | 0.809    |                       |                |                       |
| BDT2    | DSDD0447 | 254.00 | 255.00 | 1.00     | 1.228    | 2.00 m @ 0.78 g/t Au  | 1.562          | 1.00 m @ 1.23 g/t Au  |
| BDT2    | DSDD0447 | 255.00 | 256.00 | 1.00     | 0.334    |                       |                |                       |
| BDT2    | DSDD0448 | 113.00 | 114.00 | 1.00     | 0.116    |                       |                |                       |
| BDT2    | DSDD0448 | 122.00 | 123.00 | 1.00     | 0.120    |                       |                |                       |
| BDT2    | DSDD0448 | 125.00 | 125.50 | 0.50     | 0.925    | 0.50 m @ 0.93 g/t Au  | 0.4625         |                       |
| BDT2    | DSDD0448 | 138.00 | 139.00 | 1.00     | 0.118    |                       |                |                       |
| BDT2    | DSDD0448 | 139.00 | 140.00 | 1.00     | 0.224    | 1.00 m @ 0.22 g/t Au  | 0.224          |                       |
| BDT2    | DSDD0448 | 142.00 | 143.00 | 1.00     | 0.431    | 7.00 m @ 0.21 g/t Au  | 1.4728         |                       |
| BDT2    | DSDD0448 | 143.00 | 144.00 | 1.00     | 0.030    |                       |                |                       |
| BDT2    | DSDD0448 | 144.00 | 145.00 | 1.00     | 0.031    |                       |                |                       |
| BDT2    | DSDD0448 | 145.00 | 146.00 | 1.00     | 0.372    |                       |                |                       |
| BDT2    | DSDD0448 | 146.00 | 147.00 | 1.00     | 0.305    |                       |                |                       |
| BDT2    | DSDD0448 | 147.00 | 148.00 | 1.00     | 0.093    |                       |                |                       |
| BDT2    | DSDD0448 | 148.00 | 149.00 | 1.00     | 0.211    |                       |                |                       |
| BDT2    | DSDD0448 | 150.00 | 151.00 | 1.00     | 0.102    |                       |                |                       |
| BDT2    | DSDD0448 | 152.00 | 153.00 | 1.00     | 0.207    | 2.00 m @ 0.22 g/t Au  | 0.448          |                       |
| BDT2    | DSDD0448 | 153.00 | 154.00 | 1.00     | 0.241    |                       |                |                       |
| BDT2    | DSDD0448 | 154.00 | 155.00 | 1.00     | 0.156    |                       |                |                       |
| BDT2    | DSDD0448 | 155.00 | 156.00 | 1.00     | 0.159    |                       |                |                       |
| BDT2    | DSDD0448 | 156.00 | 157.00 | 1.00     | 0.101    |                       |                |                       |
| BDT2    | DSDD0448 | 158.00 | 159.00 | 1.00     | 0.169    |                       |                |                       |
| BDT2    | DSDD0449 | 29.00  | 30.00  | 1.00     | 0.155    |                       |                |                       |

| Deposit | Hole ID  | From   | To     | Interval | Au (ppm)     | Sig Int > 0.2 g/t Au  | m*g/t Au (gpm) | Sig Int >1 g/t Au           |
|---------|----------|--------|--------|----------|--------------|-----------------------|----------------|-----------------------------|
| BDT2    | DSDD0449 | 89.00  | 90.00  | 1.00     | 0.244        | 2.00 m @ 0.24 g/t Au  | 0.48           |                             |
| BDT2    | DSDD0449 | 90.00  | 91.00  | 1.00     | 0.236        |                       |                |                             |
| BDT2    | DSDD0449 | 91.00  | 92.00  | 1.00     | 0.105        |                       |                |                             |
| BDT2    | DSDD0449 | 112.00 | 113.00 | 1.00     | 0.101        |                       |                |                             |
| BDT2    | DSDD0449 | 160.00 | 161.00 | 1.00     | 0.116        |                       |                |                             |
| BDT2    | DSDD0449 | 178.00 | 179.00 | 1.00     | <b>1.543</b> | 1.00 m @ 1.54 g/t Au  | 1.543          | <b>1.00 m @ 1.54 g/t Au</b> |
| BDT2    | DSDD0449 | 179.00 | 180.00 | 1.00     | 0.163        | 6.00 m @ 0.38 g/t Au  | 2.3088         |                             |
| BDT2    | DSDD0449 | 185.00 | 186.00 | 1.00     | 0.256        |                       |                |                             |
| BDT2    | DSDD0449 | 186.00 | 187.00 | 1.00     | 0.008        |                       |                |                             |
| BDT2    | DSDD0449 | 187.00 | 188.00 | 1.00     | 0.209        |                       |                |                             |
| BDT2    | DSDD0449 | 188.00 | 189.00 | 1.00     | 0.079        |                       |                |                             |
| BDT2    | DSDD0449 | 189.00 | 190.00 | 1.00     | 0.025        |                       |                |                             |
| BDT2    | DSDD0449 | 190.00 | 191.00 | 1.00     | <b>1.732</b> |                       |                | <b>1.00 m @ 1.73 g/t Au</b> |
| BDT2    | DSDD0449 | 195.00 | 196.00 | 1.00     | 0.131        |                       |                |                             |
| BDT2    | DSDD0449 | 205.07 | 206.30 | 1.23     | 0.235        | 1.23 m @ 0.23 g/t Au  | 0.28905        |                             |
| BDT2    | DSDD0450 | 0.00   | 1.00   | 1.00     | 0.131        |                       |                |                             |
| BDT2    | DSDD0450 | 1.00   | 1.70   | 0.70     | 0.206        | 0.70 m @ 0.21 g/t Au  | 0.1442         |                             |
| BDT2    | DSDD0450 | 6.00   | 7.50   | 1.50     | 0.148        |                       |                |                             |
| BDT2    | DSDD0450 | 7.50   | 9.00   | 1.50     | 0.173        |                       |                |                             |
| BDT2    | DSDD0450 | 15.00  | 16.50  | 1.50     | 0.112        |                       |                |                             |
| BDT2    | DSDD0450 | 16.50  | 18.00  | 1.50     | <b>1.176</b> | 1.50 m @ 1.18 g/t Au  | 1.764          | <b>1.50 m @ 1.18 g/t Au</b> |
| BDT2    | DSDD0450 | 19.50  | 20.50  | 1.00     | 0.182        |                       |                |                             |
| BDT2    | DSDD0450 | 23.00  | 24.00  | 1.00     | 0.234        | 1.00 m @ 0.23 g/t Au  | 0.234          |                             |
| BDT2    | DSDD0450 | 24.00  | 24.90  | 0.90     | 0.140        |                       |                |                             |
| BDT2    | DSDD0450 | 36.00  | 37.00  | 1.00     | 0.259        | 1.00 m @ 0.26 g/t Au  | 0.259          |                             |
| BDT2    | DSDD0450 | 43.00  | 44.00  | 1.00     | 0.230        | 16.00 m @ 0.24 g/t Au | 3.8352         |                             |
| BDT2    | DSDD0450 | 44.00  | 45.00  | 1.00     | 0.686        |                       |                |                             |
| BDT2    | DSDD0450 | 45.00  | 46.00  | 1.00     | 0.132        |                       |                |                             |
| BDT2    | DSDD0450 | 46.00  | 47.00  | 1.00     | 0.122        |                       |                |                             |
| BDT2    | DSDD0450 | 47.00  | 47.75  | 0.75     | 0.197        |                       |                |                             |
| BDT2    | DSDD0450 | 47.75  | 48.50  | 0.75     | 0.330        |                       |                |                             |
| BDT2    | DSDD0450 | 48.50  | 49.00  | 0.50     | 0.152        |                       |                |                             |
| BDT2    | DSDD0450 | 49.00  | 50.00  | 1.00     | 0.778        |                       |                |                             |
| BDT2    | DSDD0450 | 50.00  | 51.00  | 1.00     | 0.133        |                       |                |                             |
| BDT2    | DSDD0450 | 51.00  | 52.00  | 1.00     | 0.153        |                       |                |                             |
| BDT2    | DSDD0450 | 52.00  | 53.00  | 1.00     | 0.217        |                       |                |                             |
| BDT2    | DSDD0450 | 53.00  | 54.00  | 1.00     | 0.020        |                       |                |                             |
| BDT2    | DSDD0450 | 54.00  | 55.00  | 1.00     | 0.302        |                       |                |                             |
| BDT2    | DSDD0450 | 55.00  | 56.00  | 1.00     | 0.008        |                       |                |                             |
| BDT2    | DSDD0450 | 56.00  | 57.00  | 1.00     | 0.228        |                       |                |                             |
| BDT2    | DSDD0450 | 57.00  | 58.00  | 1.00     | 0.079        |                       |                |                             |
| BDT2    | DSDD0450 | 58.00  | 59.00  | 1.00     | 0.276        |                       |                |                             |
| BDT2    | DSDD0450 | 61.00  | 62.00  | 1.00     | 0.120        |                       |                |                             |
| BDT2    | DSDD0450 | 62.00  | 63.00  | 1.00     | 0.105        |                       |                |                             |
| BDT2    | DSDD0450 | 83.00  | 84.00  | 1.00     | 0.120        |                       |                |                             |
| BDT2    | DSDD0450 | 85.00  | 86.00  | 1.00     | 0.753        | 5.00 m @ 1.00 g/t Au  | 4.977          |                             |
| BDT2    | DSDD0450 | 86.00  | 87.00  | 1.00     | 0.067        |                       |                |                             |
| BDT2    | DSDD0450 | 87.00  | 88.00  | 1.00     | 0.017        |                       |                |                             |
| BDT2    | DSDD0450 | 88.00  | 89.00  | 1.00     | 0.094        |                       |                |                             |
| BDT2    | DSDD0450 | 89.00  | 90.00  | 1.00     | <b>4.046</b> |                       |                | <b>1.00 m @ 4.05 g/t Au</b> |
| BDT2    | DSDD0450 | 93.00  | 94.00  | 1.00     | 0.194        |                       |                |                             |
| BDT2    | DSDD0450 | 94.00  | 95.00  | 1.00     | 0.106        |                       |                |                             |
| BDT2    | DSDD0450 | 103.00 | 104.00 | 1.00     | <b>1.323</b> | 1.00 m @ 1.32 g/t Au  | 1.323          | <b>1.00 m @ 1.32 g/t Au</b> |
| BDT2    | DSDD0450 | 112.00 | 113.00 | 1.00     | 0.603        | 4.00 m @ 0.35 g/t Au  | 1.3976         |                             |
| BDT2    | DSDD0450 | 113.00 | 114.00 | 1.00     | 0.030        |                       |                |                             |
| BDT2    | DSDD0450 | 114.00 | 115.00 | 1.00     | 0.008        |                       |                |                             |
| BDT2    | DSDD0450 | 115.00 | 116.00 | 1.00     | 0.757        |                       |                |                             |
| BDT2    | DSDD0450 | 121.00 | 122.10 | 1.10     | 0.126        |                       |                |                             |
| BDT2    | DSDD0450 | 124.00 | 125.00 | 1.00     | 0.215        | 5.00 m @ 0.29 g/t Au  | 1.462          |                             |

| Deposit | Hole ID  | From   | To     | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au    |
|---------|----------|--------|--------|----------|----------|----------------------|----------------|----------------------|
| BDT2    | DSDD0450 | 125.00 | 126.00 | 1.00     | 0.325    |                      |                |                      |
| BDT2    | DSDD0450 | 126.00 | 127.00 | 1.00     | 0.470    |                      |                |                      |
| BDT2    | DSDD0450 | 127.00 | 128.00 | 1.00     | 0.250    |                      |                |                      |
| BDT2    | DSDD0450 | 128.00 | 129.00 | 1.00     | 0.202    |                      |                |                      |
| BDT2    | DSDD0450 | 152.00 | 153.00 | 1.00     | 0.168    |                      |                |                      |
| BDT2    | DSDD0450 | 153.00 | 153.90 | 0.90     | 0.389    | 0.90 m @ 0.39 g/t Au | 0.3501         |                      |
| BDT2    | DSDD0450 | 191.04 | 192.00 | 0.96     | 0.190    |                      |                |                      |
| BDT2    | DSDD0450 | 198.00 | 199.00 | 1.00     | 0.363    |                      |                |                      |
| BDT2    | DSDD0450 | 199.00 | 200.00 | 1.00     | 0.202    |                      |                |                      |
| BDT2    | DSDD0450 | 200.00 | 201.00 | 1.00     | 0.008    |                      |                |                      |
| BDT2    | DSDD0450 | 201.00 | 202.00 | 1.00     | 0.033    |                      |                |                      |
| BDT2    | DSDD0450 | 202.00 | 203.00 | 1.00     | 0.125    |                      |                |                      |
| BDT2    | DSDD0450 | 203.00 | 204.00 | 1.00     | 1.094    |                      |                | 1.00 m @ 1.09 g/t Au |
| BDT2    | DSDD0450 | 204.00 | 205.00 | 1.00     | 0.126    |                      |                |                      |
| BDT2    | DSDD0450 | 213.00 | 214.00 | 1.00     | 0.356    |                      |                |                      |
| BDT2    | DSDD0450 | 214.00 | 215.00 | 1.00     | 0.508    |                      |                |                      |
| BDT2    | DSDD0450 | 215.00 | 215.75 | 0.75     | 0.107    |                      |                |                      |
| BDT2    | DSDD0450 | 215.75 | 216.50 | 0.75     | 0.121    |                      |                |                      |
| BDT2    | DSDD0450 | 216.50 | 217.00 | 0.50     | 0.157    |                      |                |                      |
| BDT2    | DSDD0450 | 217.00 | 218.00 | 1.00     | 0.152    |                      |                |                      |
| BDT2    | DSDD0450 | 218.00 | 219.00 | 1.00     | 0.515    |                      |                |                      |
| BDT2    | DSDD0450 | 219.00 | 220.00 | 1.00     | 0.371    |                      |                |                      |
| BDT2    | DSDD0450 | 220.00 | 221.00 | 1.00     | 0.194    |                      |                |                      |
| BDT2    | DSDD0450 | 221.00 | 222.19 | 1.19     | 0.220    |                      |                |                      |
| BDT2    | DSDD0450 | 222.19 | 223.00 | 0.81     | 0.071    |                      |                |                      |
| BDT2    | DSDD0450 | 223.00 | 224.00 | 1.00     | 0.298    |                      |                |                      |
| BDT2    | DSDD0450 | 224.00 | 225.00 | 1.00     | 0.181    |                      |                |                      |
| BDT2    | DSDD0450 | 225.00 | 226.00 | 1.00     | 0.108    |                      |                |                      |
| BDT2    | DSDD0450 | 229.00 | 230.00 | 1.00     | 0.124    |                      |                |                      |
| BDT2    | DSDD0450 | 235.00 | 236.00 | 1.00     | 0.122    |                      |                |                      |
| BDT2    | DSDD0450 | 236.00 | 237.00 | 1.00     | 0.165    |                      |                |                      |
| BDT2    | DSDD0450 | 237.00 | 238.00 | 1.00     | 0.114    |                      |                |                      |
| BDT2    | DSDD0450 | 238.00 | 239.00 | 1.00     | 0.100    |                      |                |                      |
| BDT2    | DSDD0450 | 239.00 | 240.00 | 1.00     | 0.115    |                      |                |                      |
| BDT2    | DSDD0450 | 262.00 | 263.00 | 1.00     | 0.208    |                      |                |                      |
| BDT2    | DSDD0450 | 263.00 | 264.00 | 1.00     | 0.166    |                      |                |                      |
| BDT2    | DSDD0450 | 264.00 | 265.00 | 1.00     | 0.815    |                      |                |                      |
| BDT2    | DSDD0450 | 268.00 | 269.00 | 1.00     | 0.184    |                      |                |                      |
| BDT2    | DSDD0450 | 269.00 | 270.00 | 1.00     | 0.124    |                      |                |                      |
| BDT2    | DSDD0450 | 270.00 | 271.00 | 1.00     | 0.158    |                      |                |                      |
| BDT2    | DSDD0450 | 271.00 | 272.00 | 1.00     | 0.226    | 1.00 m @ 0.23 g/t Au | 0.226          |                      |
| BDT2    | DSDD0450 | 272.57 | 273.50 | 0.93     | 0.126    |                      |                |                      |
| BDT2    | DSDD0450 | 274.87 | 275.50 | 0.63     | 0.127    |                      |                |                      |
| BDT2    | DSDD0450 | 275.50 | 276.00 | 0.50     | 0.138    |                      |                |                      |
| BDT2    | DSDD0450 | 276.00 | 277.00 | 1.00     | 0.276    | 1.00 m @ 0.28 g/t Au | 0.276          |                      |
| BDT2    | DSDD0450 | 278.00 | 279.00 | 1.00     | 0.123    |                      |                |                      |
| BDT2    | DSDD0450 | 280.00 | 281.00 | 1.00     | 0.356    | 1.00 m @ 0.36 g/t Au | 0.356          |                      |
| BDT2    | DSDD0450 | 281.00 | 282.00 | 1.00     | 0.105    |                      |                |                      |
| BDT2    | DSDD0450 | 290.00 | 291.00 | 1.00     | 0.123    |                      |                |                      |
| BDT2    | DSDD0450 | 291.00 | 292.00 | 1.00     | 0.104    |                      |                |                      |
| BDT2    | DSDD0450 | 299.00 | 299.90 | 0.90     | 0.125    |                      |                |                      |
| BDT2    | DSDD0450 | 301.00 | 302.00 | 1.00     | 0.135    |                      |                |                      |
| BDT2    | DSDD0450 | 303.00 | 304.00 | 1.00     | 0.130    |                      |                |                      |
| BDT2    | DSDD0450 | 308.00 | 309.00 | 1.00     | 0.203    | 1.00 m @ 0.20 g/t Au | 0.203          |                      |
| BDT2    | DSDD0450 | 310.00 | 311.00 | 1.00     | 0.107    |                      |                |                      |
| BDT2    | DSDD0450 | 315.00 | 316.00 | 1.00     | 0.147    |                      |                |                      |
| BDT2    | DSDD0450 | 349.50 | 350.00 | 0.50     | 0.238    |                      |                |                      |
| BDT2    | DSDD0450 | 350.00 | 351.00 | 1.00     | 0.228    |                      |                |                      |
| BDT2    | DSDD0450 | 351.00 | 352.00 | 1.00     | 0.059    |                      |                |                      |

| Deposit | Hole ID  | From   | To     | Interval | Au (ppm) | Sig Int > 0.2 g/t Au  | m*g/t Au (gpm) | Sig Int >1 g/t Au    |
|---------|----------|--------|--------|----------|----------|-----------------------|----------------|----------------------|
| BDT2    | DSDD0450 | 352.00 | 353.00 | 1.00     | 0.455    |                       |                |                      |
| BDT2    | DSDD0450 | 353.00 | 354.00 | 1.00     | 0.224    |                       |                |                      |
| BDT2    | DSDD0450 | 354.00 | 355.00 | 1.00     | 0.157    |                       |                |                      |
| BDT2    | DSDD0450 | 356.00 | 357.00 | 1.00     | 0.119    |                       |                |                      |
| BDT2    | DSDD0450 | 357.00 | 358.00 | 1.00     | 0.113    |                       |                |                      |
| BDT2    | DSDD0450 | 358.00 | 359.00 | 1.00     | 0.146    |                       |                |                      |
| BDT2    | DSDD0450 | 359.00 | 360.30 | 1.30     | 0.353    | 9.00 m @ 0.39 g/t Au  | 3.5055         |                      |
| BDT2    | DSDD0450 | 360.30 | 361.68 | 1.38     | 0.454    |                       |                |                      |
| BDT2    | DSDD0450 | 361.68 | 362.50 | 0.82     | 0.350    |                       |                |                      |
| BDT2    | DSDD0450 | 362.50 | 364.00 | 1.50     | 0.158    |                       |                |                      |
| BDT2    | DSDD0450 | 364.00 | 365.00 | 1.00     | 0.141    |                       |                |                      |
| BDT2    | DSDD0450 | 365.00 | 366.00 | 1.00     | 0.329    |                       |                |                      |
| BDT2    | DSDD0450 | 366.00 | 367.00 | 1.00     | 0.494    |                       |                |                      |
| BDT2    | DSDD0450 | 367.00 | 368.00 | 1.00     | 0.932    |                       |                |                      |
| BDT2    | DSDD0450 | 368.00 | 368.70 | 0.70     | 0.109    |                       |                |                      |
| BDT2    | DSDD0450 | 372.83 | 374.00 | 1.17     | 0.123    | 6.00 m @ 0.31 g/t Au  | 1.8372         |                      |
| BDT2    | DSDD0450 | 374.00 | 375.00 | 1.00     | 0.224    |                       |                |                      |
| BDT2    | DSDD0450 | 375.00 | 376.00 | 1.00     | 0.383    |                       |                |                      |
| BDT2    | DSDD0450 | 376.00 | 377.00 | 1.00     | 0.099    |                       |                |                      |
| BDT2    | DSDD0450 | 377.00 | 378.00 | 1.00     | 0.100    |                       |                |                      |
| BDT2    | DSDD0450 | 378.00 | 379.00 | 1.00     | 0.807    |                       |                |                      |
| BDT2    | DSDD0450 | 379.00 | 380.00 | 1.00     | 0.224    |                       |                |                      |
| BDT2    | DSDD0450 | 382.00 | 383.00 | 1.00     | 0.162    |                       |                |                      |
| BDT2    | DSDD0450 | 383.75 | 385.00 | 1.25     | 0.391    | 1.25 m @ 0.39 g/t Au  | 0.48875        |                      |
| BDT2    | DSDD0450 | 413.00 | 414.00 | 1.00     | 0.371    | 1.00 m @ 0.37 g/t Au  | 0.371          |                      |
| BDT2    | DSDD0450 | 439.00 | 440.00 | 1.00     | 0.137    | 15.55 m @ 0.28 g/t Au | 4.408425       |                      |
| BDT2    | DSDD0450 | 440.93 | 442.00 | 1.07     | 0.246    |                       |                |                      |
| BDT2    | DSDD0450 | 442.00 | 443.00 | 1.00     | 0.380    |                       |                |                      |
| BDT2    | DSDD0450 | 443.00 | 444.00 | 1.00     | 0.316    |                       |                |                      |
| BDT2    | DSDD0450 | 444.00 | 445.00 | 1.00     | 0.430    |                       |                |                      |
| BDT2    | DSDD0450 | 445.00 | 446.00 | 1.00     | 0.374    |                       |                |                      |
| BDT2    | DSDD0450 | 446.00 | 447.00 | 1.00     | 0.819    |                       |                |                      |
| BDT2    | DSDD0450 | 447.00 | 448.00 | 1.00     | 0.142    |                       |                |                      |
| BDT2    | DSDD0450 | 448.00 | 449.00 | 1.00     | 0.050    |                       |                |                      |
| BDT2    | DSDD0450 | 449.00 | 450.00 | 1.00     | 0.076    |                       |                |                      |
| BDT2    | DSDD0450 | 450.00 | 451.00 | 1.00     | 0.225    |                       |                |                      |
| BDT2    | DSDD0450 | 451.00 | 452.00 | 1.00     | 0.210    |                       |                |                      |
| BDT2    | DSDD0450 | 452.00 | 453.00 | 1.00     | 0.116    |                       |                |                      |
| BDT2    | DSDD0450 | 453.00 | 454.00 | 1.00     | 0.276    |                       |                |                      |
| BDT2    | DSDD0450 | 454.00 | 455.00 | 1.00     | 0.251    |                       |                |                      |
| BDT2    | DSDD0450 | 455.00 | 456.48 | 1.48     | 0.324    |                       |                |                      |
| BDT2    | DSDD0450 | 469.00 | 470.33 | 1.33     | 0.108    |                       |                |                      |
| BDT2    | DSDD0451 | 1.00   | 1.80   | 0.80     | 0.152    |                       |                |                      |
| BDT2    | DSDD0451 | 6.00   | 7.50   | 1.50     | 0.233    | 1.50 m @ 0.23 g/t Au  | 0.3495         |                      |
| BDT2    | DSDD0451 | 7.50   | 9.00   | 1.50     | 0.111    |                       |                |                      |
| BDT2    | DSDD0451 | 59.50  | 61.00  | 1.50     | 1.848    | 4.50 m @ 0.73 g/t Au  | 3.3075         | 1.50 m @ 1.85 g/t Au |
| BDT2    | DSDD0451 | 61.00  | 62.00  | 1.00     | 0.107    |                       |                |                      |
| BDT2    | DSDD0451 | 62.00  | 62.78  | 0.78     | 0.108    |                       |                |                      |
| BDT2    | DSDD0451 | 62.78  | 64.00  | 1.22     | 0.282    |                       |                |                      |
| BDT2    | DSDD0451 | 65.30  | 66.36  | 1.06     | 0.173    |                       |                |                      |
| BDT2    | DSDD0451 | 82.00  | 83.00  | 1.00     | 0.104    |                       |                |                      |
| BDT2    | DSDD0451 | 188.29 | 189.00 | 0.71     | 0.124    |                       |                |                      |
| BDT2    | DSDD0451 | 190.00 | 191.00 | 1.00     | 0.127    |                       |                |                      |
| BDT2    | DSDD0451 | 191.00 | 192.00 | 1.00     | 0.127    |                       |                |                      |
| BDT2    | DSDD0451 | 192.00 | 193.00 | 1.00     | 0.123    |                       |                |                      |
| BDT2    | DSDD0451 | 193.00 | 194.00 | 1.00     | 0.121    |                       |                |                      |
| BDT2    | DSDD0451 | 194.00 | 195.00 | 1.00     | 0.125    |                       |                |                      |
| BDT2    | DSDD0451 | 195.00 | 196.00 | 1.00     | 0.114    |                       |                |                      |
| BDT2    | DSDD0451 | 207.00 | 208.00 | 1.00     | 0.115    |                       |                |                      |

| Deposit | Hole ID  | From   | To     | Interval | Au (ppm) | Sig Int > 0.2 g/t Au  | m*g/t Au (gpm) | Sig Int >1 g/t Au    |
|---------|----------|--------|--------|----------|----------|-----------------------|----------------|----------------------|
| BDT2    | DSDD0451 | 208.00 | 209.00 | 1.00     | 0.168    |                       |                |                      |
| BDT2    | DSDD0451 | 209.00 | 210.00 | 1.00     | 0.117    |                       |                |                      |
| BDT2    | DSDD0451 | 230.00 | 231.00 | 1.00     | 0.128    |                       |                |                      |
| BDT2    | DSDD0451 | 231.00 | 232.00 | 1.00     | 0.180    |                       |                |                      |
| BDT2    | DSDD0451 | 232.00 | 233.00 | 1.00     | 0.142    |                       |                |                      |
| BDT2    | DSDD0451 | 233.00 | 234.00 | 1.00     | 0.159    |                       |                |                      |
| BDT2    | DSDD0451 | 234.00 | 235.00 | 1.00     | 0.204    | 1.00 m @ 0.20 g/t Au  | 0.204          |                      |
| BDT2    | DSDD0451 | 235.00 | 236.00 | 1.00     | 0.177    |                       |                |                      |
| BDT2    | DSDD0451 | 236.00 | 237.00 | 1.00     | 0.199    |                       |                |                      |
| BDT2    | DSDD0451 | 237.00 | 238.00 | 1.00     | 0.121    |                       |                |                      |
| BDT2    | DSDD0451 | 238.00 | 239.00 | 1.00     | 0.168    |                       |                |                      |
| BDT2    | DSDD0451 | 239.00 | 240.00 | 1.00     | 0.205    | 30.00 m @ 0.31 g/t Au | 9.213          |                      |
| BDT2    | DSDD0451 | 240.00 | 241.00 | 1.00     | 0.247    |                       |                |                      |
| BDT2    | DSDD0451 | 241.00 | 242.00 | 1.00     | 0.249    |                       |                |                      |
| BDT2    | DSDD0451 | 242.00 | 243.00 | 1.00     | 0.217    |                       |                |                      |
| BDT2    | DSDD0451 | 243.00 | 244.00 | 1.00     | 0.214    |                       |                |                      |
| BDT2    | DSDD0451 | 244.00 | 245.00 | 1.00     | 0.115    |                       |                |                      |
| BDT2    | DSDD0451 | 245.00 | 246.00 | 1.00     | 0.138    |                       |                |                      |
| BDT2    | DSDD0451 | 246.00 | 247.00 | 1.00     | 0.315    |                       |                |                      |
| BDT2    | DSDD0451 | 247.00 | 248.00 | 1.00     | 0.394    |                       |                |                      |
| BDT2    | DSDD0451 | 248.00 | 249.40 | 1.40     | 0.386    |                       |                |                      |
| BDT2    | DSDD0451 | 249.40 | 250.00 | 0.60     | 0.323    |                       |                |                      |
| BDT2    | DSDD0451 | 250.00 | 251.10 | 1.10     | 0.336    |                       |                |                      |
| BDT2    | DSDD0451 | 251.10 | 252.00 | 0.90     | 0.365    |                       |                |                      |
| BDT2    | DSDD0451 | 252.00 | 253.00 | 1.00     | 0.201    |                       |                |                      |
| BDT2    | DSDD0451 | 253.00 | 254.00 | 1.00     | 0.207    |                       |                |                      |
| BDT2    | DSDD0451 | 254.00 | 255.00 | 1.00     | 0.224    |                       |                |                      |
| BDT2    | DSDD0451 | 255.00 | 256.00 | 1.00     | 0.037    |                       |                |                      |
| BDT2    | DSDD0451 | 256.00 | 257.00 | 1.00     | 0.253    |                       |                |                      |
| BDT2    | DSDD0451 | 257.00 | 258.00 | 1.00     | 0.280    |                       |                |                      |
| BDT2    | DSDD0451 | 258.00 | 259.00 | 1.00     | 0.212    |                       |                |                      |
| BDT2    | DSDD0451 | 259.00 | 260.00 | 1.00     | 0.185    |                       |                |                      |
| BDT2    | DSDD0451 | 260.00 | 261.00 | 1.00     | 0.252    |                       |                |                      |
| BDT2    | DSDD0451 | 261.00 | 262.00 | 1.00     | 0.229    |                       |                |                      |
| BDT2    | DSDD0451 | 262.00 | 263.00 | 1.00     | 0.300    |                       |                |                      |
| BDT2    | DSDD0451 | 263.00 | 264.00 | 1.00     | 0.195    |                       |                |                      |
| BDT2    | DSDD0451 | 264.00 | 265.00 | 1.00     | 0.225    |                       |                |                      |
| BDT2    | DSDD0451 | 265.00 | 266.40 | 1.40     | 0.206    |                       |                |                      |
| BDT2    | DSDD0451 | 266.40 | 267.00 | 0.60     | 3.614    |                       |                | 0.60 m @ 3.61 g/t Au |
| BDT2    | DSDD0451 | 267.00 | 268.00 | 1.00     | 0.210    |                       |                |                      |
| BDT2    | DSDD0451 | 268.00 | 269.00 | 1.00     | 0.221    |                       |                |                      |
| BDT2    | DSDD0451 | 288.00 | 289.00 | 1.00     | 0.226    | 1.00 m @ 0.23 g/t Au  | 0.226          |                      |
| BDT2    | DSDD0451 | 292.00 | 293.00 | 1.00     | 0.128    |                       |                |                      |
| BDT2    | DSDD0451 | 296.00 | 297.35 | 1.35     | 0.219    | 1.35 m @ 0.22 g/t Au  | 0.29565        |                      |
| BDT2    | DSDD0451 | 299.00 | 300.00 | 1.00     | 0.551    | 7.12 m @ 0.22 g/t Au  | 1.562128       |                      |
| BDT2    | DSDD0451 | 300.00 | 301.00 | 1.00     | 0.232    |                       |                |                      |
| BDT2    | DSDD0451 | 301.00 | 302.00 | 1.00     | 0.115    |                       |                |                      |
| BDT2    | DSDD0451 | 302.00 | 302.88 | 0.88     | 0.036    |                       |                |                      |
| BDT2    | DSDD0451 | 302.88 | 304.00 | 1.12     | 0.070    |                       |                |                      |
| BDT2    | DSDD0451 | 304.00 | 305.00 | 1.00     | 0.225    |                       |                |                      |
| BDT2    | DSDD0451 | 305.00 | 306.12 | 1.12     | 0.294    |                       |                |                      |
| BDT2    | DSDD0451 | 306.12 | 307.00 | 0.88     | 0.139    |                       |                |                      |
| BDT2    | DSDD0451 | 309.00 | 310.00 | 1.00     | 0.111    |                       |                |                      |
| BDT2    | DSDD0451 | 314.00 | 315.00 | 1.00     | 0.580    | 5.20 m @ 0.73 g/t Au  | 3.80016        |                      |
| BDT2    | DSDD0451 | 315.00 | 316.00 | 1.00     | 0.726    |                       |                |                      |
| BDT2    | DSDD0451 | 316.00 | 317.00 | 1.00     | 0.084    |                       |                |                      |
| BDT2    | DSDD0451 | 317.00 | 318.10 | 1.10     | 0.204    |                       |                |                      |
| BDT2    | DSDD0451 | 318.10 | 319.20 | 1.10     | 1.987    |                       |                | 1.10 m @ 1.99 g/t Au |
| BDT2    | DSDD0451 | 335.00 | 336.00 | 1.00     | 0.224    | 22.67 m @ 0.43 g/t Au | 9.797974       |                      |

| Deposit | Hole ID  | From   | To     | Interval | Au (ppm)     | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au    |
|---------|----------|--------|--------|----------|--------------|----------------------|----------------|----------------------|
| BDT2    | DSDD0451 | 336.00 | 337.00 | 1.00     | 0.774        |                      |                |                      |
| BDT2    | DSDD0451 | 337.00 | 338.00 | 1.00     | 0.127        |                      |                |                      |
| BDT2    | DSDD0451 | 338.00 | 339.00 | 1.00     | 0.201        |                      |                |                      |
| BDT2    | DSDD0451 | 339.00 | 340.00 | 1.00     | 0.352        |                      |                |                      |
| BDT2    | DSDD0451 | 340.00 | 340.80 | 0.80     | 0.008        |                      |                |                      |
| BDT2    | DSDD0451 | 340.80 | 342.00 | 1.20     | 0.891        |                      |                |                      |
| BDT2    | DSDD0451 | 342.00 | 343.00 | 1.00     | 0.857        |                      |                |                      |
| BDT2    | DSDD0451 | 343.00 | 344.00 | 1.00     | 0.267        |                      |                |                      |
| BDT2    | DSDD0451 | 344.00 | 345.00 | 1.00     | 0.251        |                      |                |                      |
| BDT2    | DSDD0451 | 345.00 | 346.00 | 1.00     | 0.069        |                      |                |                      |
| BDT2    | DSDD0451 | 346.00 | 347.00 | 1.00     | 0.076        |                      |                |                      |
| BDT2    | DSDD0451 | 347.00 | 348.00 | 1.00     | <b>1.096</b> |                      |                | 1.00 m @ 1.10 g/t Au |
| BDT2    | DSDD0451 | 348.00 | 349.00 | 1.00     | 0.266        |                      |                |                      |
| BDT2    | DSDD0451 | 349.00 | 350.00 | 1.00     | 0.509        |                      |                |                      |
| BDT2    | DSDD0451 | 350.00 | 351.00 | 1.00     | 0.314        |                      |                |                      |
| BDT2    | DSDD0451 | 351.00 | 352.00 | 1.00     | <b>1.810</b> |                      |                | 1.00 m @ 1.81 g/t Au |
| BDT2    | DSDD0451 | 352.00 | 353.00 | 1.00     | 0.166        |                      |                |                      |
| BDT2    | DSDD0451 | 353.00 | 354.00 | 1.00     | 0.184        |                      |                |                      |
| BDT2    | DSDD0451 | 354.00 | 355.00 | 1.00     | 0.353        |                      |                |                      |
| BDT2    | DSDD0451 | 355.00 | 355.80 | 0.80     | 0.108        |                      |                |                      |
| BDT2    | DSDD0451 | 355.80 | 356.69 | 0.89     | 0.315        |                      |                |                      |
| BDT2    | DSDD0451 | 356.69 | 357.67 | 0.98     | 0.470        |                      |                |                      |
| BDT2    | DSDD0451 | 360.96 | 362.18 | 1.22     | 0.651        | 2.14 m @ 0.90 g/t Au | 1.93135        | 0.92 m @ 1.24 g/t Au |
| BDT2    | DSDD0451 | 362.18 | 363.10 | 0.92     | <b>1.236</b> |                      |                |                      |
| BDT2    | DSDD0451 | 363.10 | 364.07 | 0.97     | 0.133        |                      |                |                      |
| BDT2    | DSDD0451 | 367.04 | 368.14 | 1.10     | 0.170        |                      |                |                      |
| BDT2    | DSDD0451 | 370.08 | 371.04 | 0.96     | 0.187        |                      |                |                      |
| BDT2    | DSDD0451 | 371.04 | 372.30 | 1.26     | <b>1.785</b> | 2.55 m @ 1.03 g/t Au | 2.62701        | 1.26 m @ 1.78 g/t Au |
| BDT2    | DSDD0451 | 372.30 | 373.59 | 1.29     | 0.293        |                      |                |                      |
| BDT2    | DSDD0451 | 373.59 | 374.82 | 1.23     | 0.108        |                      |                |                      |
| BDT2    | DSDD0451 | 381.00 | 382.00 | 1.00     | 0.205        | 1.00 m @ 0.20 g/t Au | 0.205          |                      |
| BDT2    | DSDD0451 | 383.00 | 384.00 | 1.00     | 0.112        |                      |                |                      |
| BDT2    | DSDD0451 | 384.00 | 384.66 | 0.66     | 0.110        |                      |                |                      |
| BDT2    | DSDD0451 | 384.66 | 386.00 | 1.34     | 0.124        |                      |                |                      |
| BDT2    | DSDD0451 | 386.00 | 387.00 | 1.00     | 0.107        |                      |                |                      |
| BDT2    | DSDD0451 | 387.00 | 388.00 | 1.00     | 0.241        | 2.00 m @ 3.62 g/t Au | 7.246          | 1.00 m @ 7.00 g/t Au |
| BDT2    | DSDD0451 | 388.00 | 389.00 | 1.00     | <b>7.005</b> |                      |                |                      |
| BDT2    | DSDD0452 | 0.00   | 1.50   | 1.50     | 0.133        |                      |                |                      |
| BDT2    | DSDD0452 | 263.00 | 264.00 | 1.00     | 0.131        | 3.00 m @ 0.38 g/t Au | 1.1409         |                      |
| BDT2    | DSDD0452 | 264.00 | 265.00 | 1.00     | 0.273        |                      |                |                      |
| BDT2    | DSDD0452 | 265.00 | 266.00 | 1.00     | 0.565        |                      |                |                      |
| BDT2    | DSDD0452 | 266.00 | 267.00 | 1.00     | 0.303        |                      |                |                      |
| BDT2    | DSDD0452 | 267.00 | 268.00 | 1.00     | 0.131        |                      |                |                      |
| BDT2    | DSDD0452 | 277.00 | 278.00 | 1.00     | 0.111        |                      |                |                      |
| BDT2    | DSDD0452 | 280.00 | 281.00 | 1.00     | <b>1.094</b> | 5.00 m @ 0.65 g/t Au | 3.234          | 2.00 m @ 1.17 g/t Au |
| BDT2    | DSDD0452 | 281.00 | 282.00 | 1.00     | <b>1.252</b> |                      |                |                      |
| BDT2    | DSDD0452 | 282.00 | 283.00 | 1.00     | 0.246        |                      |                |                      |
| BDT2    | DSDD0452 | 283.00 | 284.00 | 1.00     | 0.057        |                      |                |                      |
| BDT2    | DSDD0452 | 284.00 | 285.00 | 1.00     | 0.585        |                      |                |                      |
| BDT2    | DSDD0452 | 301.00 | 302.00 | 1.00     | 0.301        | 1.00 m @ 0.30 g/t Au | 0.301          |                      |
| BDT2    | DSDD0452 | 314.00 | 315.00 | 1.00     | 0.559        | 3.00 m @ 0.33 g/t Au | 1.0026         |                      |
| BDT2    | DSDD0452 | 315.00 | 316.00 | 1.00     | 0.008        |                      |                |                      |
| BDT2    | DSDD0452 | 316.00 | 317.00 | 1.00     | 0.436        |                      |                |                      |
| BDT2    | DSDD0452 | 321.00 | 322.00 | 1.00     | 0.269        | 4.00 m @ 0.29 g/t Au | 1.142          |                      |
| BDT2    | DSDD0452 | 322.00 | 323.00 | 1.00     | 0.033        |                      |                |                      |
| BDT2    | DSDD0452 | 323.00 | 324.00 | 1.00     | 0.037        |                      |                |                      |
| BDT2    | DSDD0452 | 324.00 | 325.00 | 1.00     | 0.803        |                      |                |                      |
| BDT2    | DSDD0452 | 325.00 | 326.00 | 1.00     | 0.129        |                      |                |                      |
| BDT2    | DSDD0452 | 334.00 | 335.00 | 1.00     | 0.151        |                      |                |                      |

| Deposit | Hole ID  | From   | To     | Interval | Au (ppm) | Sig Int > 0.2 g/t Au  | m*g/t Au (gpm) | Sig Int >1 g/t Au    |
|---------|----------|--------|--------|----------|----------|-----------------------|----------------|----------------------|
| BDT2    | DSDD0452 | 335.00 | 336.00 | 1.00     | 0.155    |                       |                |                      |
| BDT2    | DSDD0452 | 336.00 | 337.00 | 1.00     | 0.197    |                       |                |                      |
| BDT2    | DSDD0452 | 339.00 | 340.00 | 1.00     | 0.797    | 1.00 m @ 0.80 g/t Au  | 0.797          |                      |
| BDT2    | DSDD0452 | 340.00 | 341.00 | 1.00     | 0.116    |                       |                |                      |
| BDT2    | DSDD0452 | 341.00 | 342.00 | 1.00     | 0.141    |                       |                |                      |
| BDT2    | DSDD0452 | 342.00 | 343.00 | 1.00     | 0.108    |                       |                |                      |
| BDT2    | DSDD0452 | 346.30 | 347.00 | 0.70     | 0.146    |                       |                |                      |
| BDT2    | DSDD0452 | 348.00 | 349.00 | 1.00     | 0.237    | 3.00 m @ 0.24 g/t Au  | 0.7191         |                      |
| BDT2    | DSDD0452 | 349.00 | 350.00 | 1.00     | 0.274    |                       |                |                      |
| BDT2    | DSDD0452 | 350.00 | 351.00 | 1.00     | 0.208    |                       |                |                      |
| BDT2    | DSDD0452 | 351.00 | 352.00 | 1.00     | 0.101    |                       |                |                      |
| BDT2    | DSDD0452 | 352.00 | 353.00 | 1.00     | 0.129    |                       |                |                      |
| BDT2    | DSDD0452 | 356.00 | 357.00 | 1.00     | 0.285    | 12.00 m @ 0.21 g/t Au | 2.5608         |                      |
| BDT2    | DSDD0452 | 357.00 | 358.00 | 1.00     | 0.094    |                       |                |                      |
| BDT2    | DSDD0452 | 358.00 | 359.00 | 1.00     | 0.067    |                       |                |                      |
| BDT2    | DSDD0452 | 359.00 | 360.00 | 1.00     | 0.234    |                       |                |                      |
| BDT2    | DSDD0452 | 360.00 | 361.00 | 1.00     | 0.277    |                       |                |                      |
| BDT2    | DSDD0452 | 361.00 | 362.00 | 1.00     | 0.288    |                       |                |                      |
| BDT2    | DSDD0452 | 362.00 | 363.00 | 1.00     | 0.110    |                       |                |                      |
| BDT2    | DSDD0452 | 363.00 | 364.00 | 1.00     | 0.146    |                       |                |                      |
| BDT2    | DSDD0452 | 364.00 | 365.00 | 1.00     | 0.257    |                       |                |                      |
| BDT2    | DSDD0452 | 365.00 | 366.00 | 1.00     | 0.348    |                       |                |                      |
| BDT2    | DSDD0452 | 366.00 | 367.00 | 1.00     | 0.235    |                       |                |                      |
| BDT2    | DSDD0452 | 367.00 | 368.00 | 1.00     | 0.220    |                       |                |                      |
| BDT2    | DSDD0453 | 16.50  | 18.00  | 1.50     | 0.291    | 4.82 m @ 0.53 g/t Au  | 2.575808       |                      |
| BDT2    | DSDD0453 | 18.00  | 19.00  | 1.00     | 0.074    |                       |                |                      |
| BDT2    | DSDD0453 | 19.00  | 20.00  | 1.00     | 0.258    |                       |                |                      |
| BDT2    | DSDD0453 | 20.00  | 21.32  | 1.32     | 1.369    |                       |                | 1.32 m @ 1.37 g/t Au |
| BDT2    | DSDD0453 | 27.00  | 27.64  | 0.64     | 0.387    | 0.64 m @ 0.39 g/t Au  | 0.24768        |                      |
| BDT2    | DSDD0453 | 71.00  | 72.00  | 1.00     | 0.156    |                       |                |                      |
| BDT2    | DSDD0453 | 91.00  | 92.00  | 1.00     | 0.238    | 1.00 m @ 0.24 g/t Au  | 0.238          |                      |
| BDT2    | DSDD0453 | 101.00 | 102.00 | 1.00     | 0.528    | 3.00 m @ 0.32 g/t Au  | 0.9591         |                      |
| BDT2    | DSDD0453 | 102.00 | 103.00 | 1.00     | 0.035    |                       |                |                      |
| BDT2    | DSDD0453 | 103.00 | 104.00 | 1.00     | 0.396    |                       |                |                      |
| BDT2    | DSDD0453 | 140.00 | 141.00 | 1.00     | 0.562    | 1.00 m @ 0.56 g/t Au  | 0.562          |                      |
| BDT2    | DSDD0453 | 167.00 | 168.00 | 1.00     | 0.930    | 1.00 m @ 0.93 g/t Au  | 0.93           |                      |
| BDT2    | DSDD0453 | 177.29 | 178.30 | 1.01     | 0.241    | 1.01 m @ 0.24 g/t Au  | 0.24341        |                      |
| BDT2    | DSDD0453 | 225.12 | 226.45 | 1.33     | 0.135    |                       |                |                      |
| BDT2    | DSDD0453 | 227.00 | 228.00 | 1.00     | 0.463    | 1.00 m @ 0.46 g/t Au  | 0.463          |                      |
| BDT2    | DSDD0453 | 240.00 | 241.00 | 1.00     | 0.102    |                       |                |                      |
| BDT2    | DSDD0453 | 241.00 | 242.00 | 1.00     | 0.108    |                       |                |                      |
| BDT2    | DSDD0453 | 273.00 | 274.00 | 1.00     | 5.902    | 2.00 m @ 3.10 g/t Au  | 6.192          | 1.00 m @ 5.90 g/t Au |
| BDT2    | DSDD0453 | 274.00 | 275.00 | 1.00     | 0.290    |                       |                |                      |
| BDT2    | DSDD0454 | 0.00   | 1.00   | 1.00     | 0.185    |                       |                |                      |
| BDT2    | DSDD0454 | 1.00   | 1.92   | 0.92     | 0.138    |                       |                |                      |
| BDT2    | DSDD0454 | 3.86   | 4.50   | 0.64     | 0.386    | 0.64 m @ 0.39 g/t Au  | 0.24704        |                      |
| BDT2    | DSDD0454 | 25.00  | 26.12  | 1.12     | 0.284    | 1.12 m @ 0.28 g/t Au  | 0.31808        |                      |
| BDT2    | DSDD0454 | 31.10  | 32.31  | 1.21     | 0.124    |                       |                |                      |
| BDT2    | DSDD0454 | 36.86  | 38.36  | 1.50     | 0.211    | 1.50 m @ 0.21 g/t Au  | 0.3165         |                      |
| BDT2    | DSDD0454 | 39.00  | 40.50  | 1.50     | 0.132    |                       |                |                      |
| BDT2    | DSDD0454 | 40.50  | 42.00  | 1.50     | 0.294    | 2.52 m @ 0.29 g/t Au  | 0.731808       |                      |
| BDT2    | DSDD0454 | 42.00  | 43.02  | 1.02     | 0.285    |                       |                |                      |
| BDT2    | DSDD0454 | 43.50  | 44.50  | 1.00     | 0.308    | 5.51 m @ 0.27 g/t Au  | 1.511944       |                      |
| BDT2    | DSDD0454 | 44.50  | 45.00  | 0.50     | 0.298    |                       |                |                      |
| BDT2    | DSDD0454 | 45.00  | 46.00  | 1.00     | 0.393    |                       |                |                      |
| BDT2    | DSDD0454 | 46.00  | 47.00  | 1.00     | 0.212    |                       |                |                      |
| BDT2    | DSDD0454 | 47.00  | 48.00  | 1.00     | 0.153    |                       |                |                      |
| BDT2    | DSDD0454 | 48.00  | 49.01  | 1.01     | 0.294    |                       |                |                      |
| BDT2    | DSDD0454 | 49.50  | 50.00  | 0.50     | 0.175    |                       |                |                      |

| Deposit | Hole ID  | From   | To     | Interval | Au (ppm) | Sig Int > 0.2 g/t Au  | m*g/t Au (gpm) | Sig Int >1 g/t Au |
|---------|----------|--------|--------|----------|----------|-----------------------|----------------|-------------------|
| BDT2    | DSDD0454 | 50.00  | 51.00  | 1.00     | 0.176    |                       |                |                   |
| BDT2    | DSDD0454 | 53.00  | 54.00  | 1.00     | 0.168    |                       |                |                   |
| BDT2    | DSDD0454 | 54.00  | 55.00  | 1.00     | 0.136    |                       |                |                   |
| BDT2    | DSDD0454 | 55.00  | 56.14  | 1.14     | 0.168    |                       |                |                   |
| BDT2    | DSDD0454 | 57.00  | 58.00  | 1.00     | 0.125    |                       |                |                   |
| BDT2    | DSDD0454 | 58.00  | 59.00  | 1.00     | 0.223    | 15.00 m @ 0.33 g/t Au | 4.881          |                   |
| BDT2    | DSDD0454 | 59.00  | 60.00  | 1.00     | 0.381    |                       |                |                   |
| BDT2    | DSDD0454 | 60.00  | 61.00  | 1.00     | 0.492    |                       |                |                   |
| BDT2    | DSDD0454 | 61.00  | 62.00  | 1.00     | 0.289    |                       |                |                   |
| BDT2    | DSDD0454 | 62.00  | 63.00  | 1.00     | 0.579    |                       |                |                   |
| BDT2    | DSDD0454 | 63.00  | 64.00  | 1.00     | 0.125    |                       |                |                   |
| BDT2    | DSDD0454 | 64.00  | 65.00  | 1.00     | 0.183    |                       |                |                   |
| BDT2    | DSDD0454 | 65.00  | 66.00  | 1.00     | 0.280    |                       |                |                   |
| BDT2    | DSDD0454 | 66.00  | 67.00  | 1.00     | 0.518    |                       |                |                   |
| BDT2    | DSDD0454 | 67.00  | 68.00  | 1.00     | 0.251    |                       |                |                   |
| BDT2    | DSDD0454 | 68.00  | 69.00  | 1.00     | 0.335    |                       |                |                   |
| BDT2    | DSDD0454 | 69.00  | 70.00  | 1.00     | 0.385    |                       |                |                   |
| BDT2    | DSDD0454 | 70.00  | 71.00  | 1.00     | 0.178    |                       |                |                   |
| BDT2    | DSDD0454 | 71.00  | 72.00  | 1.00     | 0.396    |                       |                |                   |
| BDT2    | DSDD0454 | 72.00  | 73.00  | 1.00     | 0.266    |                       |                |                   |
| BDT2    | DSDD0454 | 74.00  | 75.00  | 1.00     | 0.148    |                       |                |                   |
| BDT2    | DSDD0454 | 75.00  | 76.00  | 1.00     | 0.184    |                       |                |                   |
| BDT2    | DSDD0454 | 76.00  | 77.00  | 1.00     | 0.129    |                       |                |                   |
| BDT2    | DSDD0454 | 77.00  | 78.00  | 1.00     | 0.169    |                       |                |                   |
| BDT2    | DSDD0454 | 78.00  | 79.00  | 1.00     | 0.180    |                       |                |                   |
| BDT2    | DSDD0454 | 79.00  | 80.00  | 1.00     | 0.158    | 16.00 m @ 0.24 g/t Au | 3.8224         |                   |
| BDT2    | DSDD0454 | 80.00  | 81.00  | 1.00     | 0.222    |                       |                |                   |
| BDT2    | DSDD0454 | 81.00  | 82.00  | 1.00     | 0.841    |                       |                |                   |
| BDT2    | DSDD0454 | 82.00  | 83.00  | 1.00     | 0.059    |                       |                |                   |
| BDT2    | DSDD0454 | 83.00  | 84.00  | 1.00     | 0.236    |                       |                |                   |
| BDT2    | DSDD0454 | 84.00  | 85.00  | 1.00     | 0.551    |                       |                |                   |
| BDT2    | DSDD0454 | 85.00  | 86.00  | 1.00     | 0.157    |                       |                |                   |
| BDT2    | DSDD0454 | 86.00  | 87.00  | 1.00     | 0.147    |                       |                |                   |
| BDT2    | DSDD0454 | 87.00  | 88.00  | 1.00     | 0.389    |                       |                |                   |
| BDT2    | DSDD0454 | 88.00  | 89.00  | 1.00     | 0.227    |                       |                |                   |
| BDT2    | DSDD0454 | 89.00  | 90.00  | 1.00     | 0.033    |                       |                |                   |
| BDT2    | DSDD0454 | 90.00  | 91.00  | 1.00     | 0.056    |                       |                |                   |
| BDT2    | DSDD0454 | 91.00  | 92.00  | 1.00     | 0.066    |                       |                |                   |
| BDT2    | DSDD0454 | 92.00  | 93.00  | 1.00     | 0.256    |                       |                |                   |
| BDT2    | DSDD0454 | 93.00  | 94.00  | 1.00     | 0.208    |                       |                |                   |
| BDT2    | DSDD0454 | 94.00  | 95.00  | 1.00     | 0.173    |                       |                |                   |
| BDT2    | DSDD0454 | 95.00  | 96.00  | 1.00     | 0.202    |                       |                |                   |
| BDT2    | DSDD0454 | 96.00  | 97.00  | 1.00     | 0.151    |                       |                |                   |
| BDT2    | DSDD0454 | 97.00  | 98.00  | 1.00     | 0.135    |                       |                |                   |
| BDT2    | DSDD0454 | 102.00 | 103.00 | 1.00     | 0.542    | 2.00 m @ 0.48 g/t Au  | 0.962          |                   |
| BDT2    | DSDD0454 | 103.00 | 104.00 | 1.00     | 0.420    |                       |                |                   |
| BDT2    | DSDD0454 | 104.00 | 105.00 | 1.00     | 0.142    | 48.00 m @ 0.24 g/t Au | 11.7504        |                   |
| BDT2    | DSDD0454 | 109.00 | 110.00 | 1.00     | 0.571    |                       |                |                   |
| BDT2    | DSDD0454 | 110.00 | 111.00 | 1.00     | 0.109    |                       |                |                   |
| BDT2    | DSDD0454 | 111.00 | 112.00 | 1.00     | 0.182    |                       |                |                   |
| BDT2    | DSDD0454 | 112.00 | 113.00 | 1.00     | 0.245    |                       |                |                   |
| BDT2    | DSDD0454 | 113.00 | 114.00 | 1.00     | 0.233    |                       |                |                   |
| BDT2    | DSDD0454 | 114.00 | 115.00 | 1.00     | 0.110    |                       |                |                   |
| BDT2    | DSDD0454 | 115.00 | 116.00 | 1.00     | 0.121    |                       |                |                   |
| BDT2    | DSDD0454 | 116.00 | 117.00 | 1.00     | 0.294    |                       |                |                   |
| BDT2    | DSDD0454 | 117.00 | 118.00 | 1.00     | 0.374    |                       |                |                   |
| BDT2    | DSDD0454 | 118.00 | 119.00 | 1.00     | 0.115    |                       |                |                   |
| BDT2    | DSDD0454 | 119.00 | 120.00 | 1.00     | 0.342    |                       |                |                   |
| BDT2    | DSDD0454 | 120.00 | 121.00 | 1.00     | 0.149    |                       |                |                   |

| Deposit | Hole ID  | From   | To     | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au |
|---------|----------|--------|--------|----------|----------|----------------------|----------------|-------------------|
| BDT2    | DSDD0454 | 121.00 | 122.00 | 1.00     | 0.184    |                      |                |                   |
| BDT2    | DSDD0454 | 122.00 | 123.00 | 1.00     | 0.243    |                      |                |                   |
| BDT2    | DSDD0454 | 123.00 | 124.00 | 1.00     | 0.213    |                      |                |                   |
| BDT2    | DSDD0454 | 124.00 | 125.00 | 1.00     | 0.033    |                      |                |                   |
| BDT2    | DSDD0454 | 125.00 | 126.00 | 1.00     | 0.018    |                      |                |                   |
| BDT2    | DSDD0454 | 126.00 | 127.00 | 1.00     | 0.454    |                      |                |                   |
| BDT2    | DSDD0454 | 127.00 | 128.00 | 1.00     | 0.854    |                      |                |                   |
| BDT2    | DSDD0454 | 128.00 | 129.00 | 1.00     | 0.244    |                      |                |                   |
| BDT2    | DSDD0454 | 129.00 | 130.00 | 1.00     | 0.205    |                      |                |                   |
| BDT2    | DSDD0454 | 130.00 | 131.00 | 1.00     | 0.113    |                      |                |                   |
| BDT2    | DSDD0454 | 131.00 | 132.00 | 1.00     | 0.032    |                      |                |                   |
| BDT2    | DSDD0454 | 132.00 | 133.00 | 1.00     | 0.374    |                      |                |                   |
| BDT2    | DSDD0454 | 133.00 | 134.00 | 1.00     | 0.171    |                      |                |                   |
| BDT2    | DSDD0454 | 134.00 | 135.00 | 1.00     | 0.312    |                      |                |                   |
| BDT2    | DSDD0454 | 135.00 | 136.00 | 1.00     | 0.172    |                      |                |                   |
| BDT2    | DSDD0454 | 136.00 | 137.00 | 1.00     | 0.160    |                      |                |                   |
| BDT2    | DSDD0454 | 137.00 | 138.00 | 1.00     | 0.172    |                      |                |                   |
| BDT2    | DSDD0454 | 138.00 | 139.00 | 1.00     | 0.239    |                      |                |                   |
| BDT2    | DSDD0454 | 139.00 | 140.00 | 1.00     | 0.332    |                      |                |                   |
| BDT2    | DSDD0454 | 140.00 | 141.00 | 1.00     | 0.191    |                      |                |                   |
| BDT2    | DSDD0454 | 141.00 | 142.00 | 1.00     | 0.624    |                      |                |                   |
| BDT2    | DSDD0454 | 142.00 | 143.00 | 1.00     | 0.073    |                      |                |                   |
| BDT2    | DSDD0454 | 143.00 | 144.00 | 1.00     | 0.346    |                      |                |                   |
| BDT2    | DSDD0454 | 144.00 | 145.00 | 1.00     | 0.363    |                      |                |                   |
| BDT2    | DSDD0454 | 145.00 | 146.00 | 1.00     | 0.173    |                      |                |                   |
| BDT2    | DSDD0454 | 146.00 | 147.00 | 1.00     | 0.148    |                      |                |                   |
| BDT2    | DSDD0454 | 147.00 | 148.00 | 1.00     | 0.338    |                      |                |                   |
| BDT2    | DSDD0454 | 148.00 | 149.00 | 1.00     | 0.141    |                      |                |                   |
| BDT2    | DSDD0454 | 149.00 | 150.00 | 1.00     | 0.154    |                      |                |                   |
| BDT2    | DSDD0454 | 150.00 | 151.40 | 1.40     | 0.484    |                      |                |                   |
| BDT2    | DSDD0454 | 151.40 | 152.00 | 0.60     | 0.258    |                      |                |                   |
| BDT2    | DSDD0454 | 152.00 | 153.00 | 1.00     | 0.323    |                      |                |                   |
| BDT2    | DSDD0454 | 153.00 | 154.00 | 1.00     | 0.024    |                      |                |                   |
| BDT2    | DSDD0454 | 154.00 | 155.00 | 1.00     | 0.168    |                      |                |                   |
| BDT2    | DSDD0454 | 155.00 | 156.00 | 1.00     | 0.278    |                      |                |                   |
| BDT2    | DSDD0454 | 156.00 | 157.00 | 1.00     | 0.202    |                      |                |                   |
| BDT2    | DSDD0454 | 157.00 | 158.00 | 1.00     | 0.123    |                      |                |                   |
| BDT2    | DSDD0454 | 159.00 | 160.00 | 1.00     | 0.101    |                      |                |                   |
| BDT2    | DSDD0454 | 160.00 | 161.00 | 1.00     | 0.134    |                      |                |                   |
| BDT2    | DSDD0454 | 161.00 | 162.00 | 1.00     | 0.546    | 8.00 m @ 0.39 g/t Au | 3.112          |                   |
| BDT2    | DSDD0454 | 162.00 | 163.00 | 1.00     | 0.620    |                      |                |                   |
| BDT2    | DSDD0454 | 163.00 | 164.00 | 1.00     | 0.364    |                      |                |                   |
| BDT2    | DSDD0454 | 164.00 | 165.00 | 1.00     | 0.049    |                      |                |                   |
| BDT2    | DSDD0454 | 165.00 | 166.00 | 1.00     | 0.137    |                      |                |                   |
| BDT2    | DSDD0454 | 166.00 | 167.00 | 1.00     | 0.099    |                      |                |                   |
| BDT2    | DSDD0454 | 167.00 | 168.00 | 1.00     | 0.855    |                      |                |                   |
| BDT2    | DSDD0454 | 168.00 | 169.00 | 1.00     | 0.442    |                      |                |                   |
| BDT2    | DSDD0454 | 169.00 | 170.00 | 1.00     | 0.199    |                      |                |                   |
| BDT2    | DSDD0454 | 170.00 | 171.00 | 1.00     | 0.181    |                      |                |                   |
| BDT2    | DSDD0454 | 172.00 | 173.00 | 1.00     | 0.166    |                      |                |                   |
| BDT2    | DSDD0454 | 173.00 | 174.00 | 1.00     | 0.133    |                      |                |                   |
| BDT2    | DSDD0454 | 174.00 | 175.00 | 1.00     | 0.254    | 1.00 m @ 0.25 g/t Au | 0.254          |                   |
| BDT2    | DSDD0454 | 176.00 | 177.00 | 1.00     | 0.113    |                      |                |                   |
| BDT2    | DSDD0454 | 186.00 | 187.00 | 1.00     | 0.105    |                      |                |                   |
| BDT2    | DSDD0454 | 187.00 | 188.00 | 1.00     | 0.143    |                      |                |                   |
| BDT2    | DSDD0454 | 188.00 | 189.00 | 1.00     | 0.122    |                      |                |                   |
| BDT2    | DSDD0454 | 189.00 | 190.00 | 1.00     | 0.102    |                      |                |                   |
| BDT2    | DSDD0454 | 191.00 | 192.00 | 1.00     | 0.145    |                      |                |                   |
| BDT2    | DSDD0454 | 192.00 | 193.00 | 1.00     | 0.672    | 1.00 m @ 0.67 g/t Au | 0.672          |                   |

| Deposit | Hole ID  | From   | To     | Interval | Au (ppm) | Sig Int > 0.2 g/t Au  | m*g/t Au (gpm) | Sig Int >1 g/t Au    |
|---------|----------|--------|--------|----------|----------|-----------------------|----------------|----------------------|
| BDT2    | DSDD0454 | 195.00 | 196.00 | 1.00     | 0.133    |                       |                |                      |
| BDT2    | DSDD0454 | 198.00 | 199.00 | 1.00     | 0.143    |                       |                |                      |
| BDT2    | DSDD0454 | 200.00 | 201.00 | 1.00     | 0.146    |                       |                |                      |
| BDT2    | DSDD0454 | 207.00 | 208.00 | 1.00     | 0.140    |                       |                |                      |
| BDT2    | DSDD0454 | 208.00 | 209.00 | 1.00     | 0.199    |                       |                |                      |
| BDT2    | DSDD0454 | 209.00 | 209.66 | 0.66     | 0.149    |                       |                |                      |
| BDT2    | DSDD0454 | 209.66 | 211.00 | 1.34     | 0.182    |                       |                |                      |
| BDT2    | DSDD0454 | 217.00 | 218.00 | 1.00     | 0.239    | 5.00 m @ 0.22 g/t Au  | 1.087          |                      |
| BDT2    | DSDD0454 | 218.00 | 219.00 | 1.00     | 0.149    |                       |                |                      |
| BDT2    | DSDD0454 | 219.00 | 220.10 | 1.10     | 0.152    |                       |                |                      |
| BDT2    | DSDD0454 | 220.10 | 221.00 | 0.90     | 0.310    |                       |                |                      |
| BDT2    | DSDD0454 | 221.00 | 222.00 | 1.00     | 0.253    |                       |                |                      |
| BDT2    | DSDD0454 | 225.00 | 226.00 | 1.00     | 0.183    |                       |                |                      |
| BDT2    | DSDD0454 | 226.00 | 227.00 | 1.00     | 0.271    | 1.00 m @ 0.27 g/t Au  | 0.271          |                      |
| BDT2    | DSDD0454 | 227.00 | 228.00 | 1.00     | 0.125    |                       |                |                      |
| BDT2    | DSDD0454 | 238.00 | 239.00 | 1.00     | 0.298    | 14.10 m @ 0.40 g/t Au | 5.64987        |                      |
| BDT2    | DSDD0454 | 239.00 | 240.00 | 1.00     | 0.071    |                       |                |                      |
| BDT2    | DSDD0454 | 240.00 | 241.14 | 1.14     | 0.137    |                       |                |                      |
| BDT2    | DSDD0454 | 241.14 | 242.00 | 0.86     | 0.638    |                       |                |                      |
| BDT2    | DSDD0454 | 242.00 | 243.00 | 1.00     | 0.307    |                       |                |                      |
| BDT2    | DSDD0454 | 243.00 | 244.00 | 1.00     | 0.124    |                       |                |                      |
| BDT2    | DSDD0454 | 244.00 | 245.00 | 1.00     | 0.190    |                       |                |                      |
| BDT2    | DSDD0454 | 245.00 | 246.00 | 1.00     | 0.229    |                       |                |                      |
| BDT2    | DSDD0454 | 246.00 | 247.00 | 1.00     | 0.117    |                       |                |                      |
| BDT2    | DSDD0454 | 247.00 | 248.00 | 1.00     | 0.038    |                       |                |                      |
| BDT2    | DSDD0454 | 248.00 | 249.00 | 1.00     | 0.144    |                       |                |                      |
| BDT2    | DSDD0454 | 249.00 | 250.14 | 1.14     | 0.312    |                       |                |                      |
| BDT2    | DSDD0454 | 250.14 | 251.00 | 0.86     | 0.273    |                       |                |                      |
| BDT2    | DSDD0454 | 251.00 | 252.10 | 1.10     | 2.579    |                       |                | 1.10 m @ 2.58 g/t Au |
| BDT2    | DSDD0454 | 252.10 | 253.00 | 0.90     | 0.113    |                       |                |                      |
| BDT2    | DSDD0454 | 264.00 | 265.00 | 1.00     | 0.347    | 1.00 m @ 0.35 g/t Au  | 0.347          |                      |
| BDT2    | DSDD0454 | 269.00 | 270.00 | 1.00     | 0.880    | 1.00 m @ 0.88 g/t Au  | 0.88           |                      |
| BDT2    | DSDD0454 | 270.00 | 271.00 | 1.00     | 0.168    |                       |                |                      |
| BDT2    | DSDD0454 | 272.00 | 273.00 | 1.00     | 0.176    |                       |                |                      |
| BDT2    | DSDD0454 | 273.80 | 275.00 | 1.20     | 0.380    | 11.20 m @ 0.63 g/t Au | 7.09072        |                      |
| BDT2    | DSDD0454 | 275.00 | 276.00 | 1.00     | 0.183    |                       |                |                      |
| BDT2    | DSDD0454 | 276.00 | 277.00 | 1.00     | 3.716    |                       |                | 1.00 m @ 3.72 g/t Au |
| BDT2    | DSDD0454 | 277.00 | 278.00 | 1.00     | 0.019    |                       |                |                      |
| BDT2    | DSDD0454 | 278.00 | 279.00 | 1.00     | 0.351    |                       |                |                      |
| BDT2    | DSDD0454 | 279.00 | 280.00 | 1.00     | 0.340    |                       |                |                      |
| BDT2    | DSDD0454 | 280.00 | 281.00 | 1.00     | 0.321    |                       |                |                      |
| BDT2    | DSDD0454 | 281.00 | 282.00 | 1.00     | 0.316    |                       |                |                      |
| BDT2    | DSDD0454 | 282.00 | 283.00 | 1.00     | 1.114    |                       |                | 1.00 m @ 1.11 g/t Au |
| BDT2    | DSDD0454 | 283.00 | 284.00 | 1.00     | 0.037    |                       |                |                      |
| BDT2    | DSDD0454 | 284.00 | 285.00 | 1.00     | 0.238    |                       |                |                      |
| BDT2    | DSDD0454 | 289.00 | 290.00 | 1.00     | 0.464    | 15.00 m @ 0.59 g/t Au | 8.841          |                      |
| BDT2    | DSDD0454 | 290.00 | 291.00 | 1.00     | 0.149    |                       |                |                      |
| BDT2    | DSDD0454 | 291.00 | 292.00 | 1.00     | 0.548    |                       |                |                      |
| BDT2    | DSDD0454 | 292.00 | 293.00 | 1.00     | 0.086    |                       |                |                      |
| BDT2    | DSDD0454 | 293.00 | 294.00 | 1.00     | 0.399    |                       |                |                      |
| BDT2    | DSDD0454 | 294.00 | 295.00 | 1.00     | 0.037    |                       |                |                      |
| BDT2    | DSDD0454 | 295.00 | 296.00 | 1.00     | 0.040    |                       |                |                      |
| BDT2    | DSDD0454 | 296.00 | 297.30 | 1.30     | 0.277    |                       |                |                      |
| BDT2    | DSDD0454 | 297.30 | 298.00 | 0.70     | 0.208    |                       |                |                      |
| BDT2    | DSDD0454 | 298.00 | 299.00 | 1.00     | 0.849    |                       |                |                      |
| BDT2    | DSDD0454 | 299.00 | 300.00 | 1.00     | 1.857    |                       |                |                      |
| BDT2    | DSDD0454 | 300.00 | 300.70 | 0.70     | 0.882    |                       |                | 3.00 m @ 1.52 g/t Au |
| BDT2    | DSDD0454 | 300.70 | 302.00 | 1.30     | 1.594    |                       |                |                      |
| BDT2    | DSDD0454 | 302.00 | 303.00 | 1.00     | 0.959    |                       |                |                      |

| Deposit | Hole ID  | From   | To     | Interval | Au (ppm)     | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au           |
|---------|----------|--------|--------|----------|--------------|----------------------|----------------|-----------------------------|
| BDT2    | DSDD0454 | 303.00 | 304.00 | 1.00     | 0.258        |                      |                |                             |
| BDT2    | DSDD0454 | 313.00 | 314.00 | 1.00     | <b>1.717</b> | 1.00 m @ 1.72 g/t Au | 1.717          | <b>1.00 m @ 1.72 g/t Au</b> |
| BDT2    | DSDD0454 | 332.00 | 332.74 | 0.74     | 0.170        |                      |                |                             |
| BDT2    | DSDD0454 | 332.74 | 334.00 | 1.26     | 0.741        |                      |                |                             |
| BDT2    | DSDD0454 | 334.00 | 335.00 | 1.00     | <b>1.105</b> |                      |                |                             |
| BDT2    | DSDD0454 | 335.00 | 336.00 | 1.00     | 0.821        |                      |                |                             |
| BDT2    | DSDD0454 | 336.00 | 337.00 | 1.00     | <b>1.344</b> |                      |                |                             |
| BDT2    | DSDD0454 | 337.00 | 338.00 | 1.00     | 0.862        |                      |                |                             |
| BDT2    | DSDD0454 | 338.00 | 339.00 | 1.00     | 0.346        |                      |                |                             |
| BDT2    | DSDD0454 | 339.00 | 340.00 | 1.00     | 0.624        |                      |                |                             |
| BDT2    | DSDD0454 | 340.00 | 341.00 | 1.00     | 0.575        |                      |                |                             |
| BDT2    | DSDD0454 | 341.00 | 342.00 | 1.00     | <b>1.685</b> |                      |                |                             |
| BDT2    | DSDD0454 | 342.00 | 343.00 | 1.00     | 0.618        |                      |                |                             |
| BDT2    | DSDD0454 | 343.00 | 344.00 | 1.00     | 0.546        |                      |                |                             |
| BDT2    | DSDD0454 | 344.00 | 344.75 | 0.75     | <b>1.065</b> |                      |                |                             |
| BDT2    | DSDD0454 | 344.75 | 346.00 | 1.25     | 0.092        |                      |                |                             |
| BDT2    | DSDD0454 | 346.00 | 347.00 | 1.00     | 0.724        |                      |                |                             |
| BDT2    | DSDD0454 | 356.00 | 357.00 | 1.00     | 0.214        | 1.00 m @ 0.21 g/t Au | 0.214          |                             |
| BDT2    | DSDD0454 | 368.00 | 369.00 | 1.00     | 0.133        |                      |                |                             |
| BDT2    | DSDD0454 | 369.00 | 370.00 | 1.00     | 0.170        |                      |                |                             |
| BDT2    | DSDD0454 | 376.00 | 377.00 | 1.00     | 0.115        |                      |                |                             |
| BDT2    | DSDD0454 | 377.00 | 378.00 | 1.00     | 0.118        |                      |                |                             |
| BDT2    | DSDD0454 | 380.00 | 381.00 | 1.00     | 0.287        |                      |                |                             |
| BDT2    | DSDD0454 | 381.00 | 382.00 | 1.00     | 0.256        |                      |                |                             |
| BDT2    | DSDD0454 | 382.00 | 383.00 | 1.00     | 0.071        |                      |                |                             |
| BDT2    | DSDD0454 | 383.00 | 384.00 | 1.00     | 0.450        |                      |                |                             |
| BDT2    | DSDD0454 | 384.00 | 385.00 | 1.00     | 0.482        |                      |                |                             |
| BDT2    | DSDD0455 | 55.00  | 56.00  | 1.00     | 0.418        |                      |                |                             |
| BDT2    | DSDD0455 | 56.00  | 57.00  | 1.00     | 0.196        |                      |                |                             |
| BDT2    | DSDD0455 | 57.00  | 58.00  | 1.00     | 0.084        |                      |                |                             |
| BDT2    | DSDD0455 | 58.00  | 58.80  | 0.80     | 0.535        |                      |                |                             |
| BDT2    | DSDD0455 | 58.80  | 60.00  | 1.20     | 0.234        |                      |                |                             |
| BDT2    | DSDD0455 | 60.00  | 61.00  | 1.00     | 0.411        |                      |                |                             |
| BDT2    | DSDD0455 | 61.00  | 62.00  | 1.00     | 0.492        |                      |                |                             |
| BDT2    | DSDD0455 | 79.00  | 80.00  | 1.00     | 0.281        | 1.00 m @ 0.28 g/t Au | 0.281          |                             |
| BDT2    | DSDD0455 | 88.00  | 89.00  | 1.00     | 0.191        |                      |                |                             |
| BDT2    | DSDD0455 | 89.00  | 90.00  | 1.00     | 0.174        |                      |                |                             |
| BDT2    | DSDD0456 | 1.90   | 3.00   | 1.10     | 0.119        |                      |                |                             |
| BDT2    | DSDD0456 | 10.98  | 12.00  | 1.02     | 0.130        |                      |                |                             |
| BDT2    | DSDD0456 | 12.00  | 13.05  | 1.05     | 0.155        |                      |                |                             |
| BDT2    | DSDD0456 | 18.00  | 19.50  | 1.50     | 0.111        |                      |                |                             |
| BDT2    | DSDD0456 | 21.00  | 22.50  | 1.50     | 0.113        |                      |                |                             |
| BDT2    | DSDD0456 | 31.50  | 33.00  | 1.50     | 0.109        |                      |                |                             |
| BDT2    | DSDD0456 | 34.00  | 35.00  | 1.00     | 0.102        |                      |                |                             |
| BDT2    | DSDD0456 | 37.00  | 38.00  | 1.00     | 0.290        |                      |                |                             |
| BDT2    | DSDD0456 | 38.00  | 39.00  | 1.00     | 0.074        |                      |                |                             |
| BDT2    | DSDD0456 | 39.00  | 40.00  | 1.00     | 0.062        |                      |                |                             |
| BDT2    | DSDD0456 | 40.00  | 41.00  | 1.00     | 0.356        |                      |                |                             |
| BDT2    | DSDD0456 | 41.00  | 42.00  | 1.00     | 0.289        |                      |                |                             |
| BDT2    | DSDD0456 | 42.00  | 43.00  | 1.00     | 0.127        |                      |                |                             |
| BDT2    | DSDD0456 | 49.00  | 50.00  | 1.00     | 0.230        |                      |                |                             |
| BDT2    | DSDD0456 | 50.00  | 51.00  | 1.00     | 0.316        | 2.00 m @ 0.27 g/t Au | 0.546          |                             |
| BDT2    | DSDD0456 | 53.00  | 54.00  | 1.00     | 0.153        |                      |                |                             |
| BDT2    | DSDD0456 | 54.00  | 55.00  | 1.00     | 0.217        | 1.00 m @ 0.22 g/t Au | 0.217          |                             |
| BDT2    | DSDD0456 | 55.00  | 55.90  | 0.90     | 0.192        |                      |                |                             |
| BDT2    | DSDD0456 | 76.00  | 77.00  | 1.00     | 0.135        |                      |                |                             |
| BDT2    | DSDD0456 | 252.00 | 253.00 | 1.00     | 0.150        |                      |                |                             |
| BDT2    | DSDD0456 | 254.00 | 255.00 | 1.00     | 0.116        |                      |                |                             |
| BDT2    | DSDD0456 | 264.00 | 265.00 | 1.00     | 0.273        | 9.35 m @ 0.26 g/t Au | 2.398275       |                             |

| Deposit | Hole ID   | From   | To     | Interval | Au (ppm) | Sig Int > 0.2 g/t Au  | m*g/t Au (gpm) | Sig Int >1 g/t Au |
|---------|-----------|--------|--------|----------|----------|-----------------------|----------------|-------------------|
| BDT2    | DSDD0456  | 265.00 | 266.00 | 1.00     | 0.397    |                       |                |                   |
| BDT2    | DSDD0456  | 266.00 | 267.00 | 1.00     | 0.043    |                       |                |                   |
| BDT2    | DSDD0456  | 267.00 | 268.00 | 1.00     | 0.042    |                       |                |                   |
| BDT2    | DSDD0456  | 268.00 | 269.00 | 1.00     | 0.165    |                       |                |                   |
| BDT2    | DSDD0456  | 269.00 | 270.00 | 1.00     | 0.396    |                       |                |                   |
| BDT2    | DSDD0456  | 270.00 | 271.50 | 1.50     | 0.316    |                       |                |                   |
| BDT2    | DSDD0456  | 271.50 | 272.30 | 0.80     | 0.469    |                       |                |                   |
| BDT2    | DSDD0456  | 272.30 | 273.35 | 1.05     | 0.222    |                       |                |                   |
| BDT2    | DSDD0456  | 273.35 | 274.50 | 1.15     | 0.154    |                       |                |                   |
| BDT2    | DSDD0456  | 274.50 | 275.34 | 0.84     | 0.110    |                       |                |                   |
| BDT2    | DSDD0456  | 276.58 | 277.50 | 0.92     | 0.190    |                       |                |                   |
| BDT2    | DSDD0456  | 277.50 | 279.00 | 1.50     | 0.326    | 2.50 m @ 0.30 g/t Au  | 0.75           |                   |
| BDT2    | DSDD0456  | 279.00 | 280.00 | 1.00     | 0.261    |                       |                |                   |
| BDT2    | DSDD0456  | 282.00 | 283.00 | 1.00     | 0.142    |                       |                |                   |
| BDT2    | DSDD0456  | 285.00 | 286.00 | 1.00     | 0.346    | 1.00 m @ 0.35 g/t Au  | 0.346          |                   |
| BDT2    | DSDD0456  | 286.00 | 287.50 | 1.50     | 0.167    |                       |                |                   |
| BDT2    | DSDD0456  | 287.50 | 288.86 | 1.36     | 0.163    |                       |                |                   |
| BDT2    | DSDD0456  | 296.00 | 297.00 | 1.00     | 0.372    | 1.00 m @ 0.37 g/t Au  | 0.372          |                   |
| BDT2    | DSDD0456  | 305.90 | 307.00 | 1.10     | 0.241    | 17.10 m @ 0.23 g/t Au | 3.84921        |                   |
| BDT2    | DSDD0456  | 307.00 | 308.00 | 1.00     | 0.035    |                       |                |                   |
| BDT2    | DSDD0456  | 308.00 | 309.00 | 1.00     | 0.028    |                       |                |                   |
| BDT2    | DSDD0456  | 309.00 | 310.00 | 1.00     | 0.064    |                       |                |                   |
| BDT2    | DSDD0456  | 310.00 | 311.00 | 1.00     | 0.216    |                       |                |                   |
| BDT2    | DSDD0456  | 311.00 | 312.00 | 1.00     | 0.178    |                       |                |                   |
| BDT2    | DSDD0456  | 312.00 | 313.00 | 1.00     | 0.219    |                       |                |                   |
| BDT2    | DSDD0456  | 313.00 | 314.20 | 1.20     | 0.352    |                       |                |                   |
| BDT2    | DSDD0456  | 314.20 | 315.00 | 0.80     | 0.049    |                       |                |                   |
| BDT2    | DSDD0456  | 315.00 | 316.00 | 1.00     | 0.455    |                       |                |                   |
| BDT2    | DSDD0456  | 316.00 | 317.00 | 1.00     | 0.311    |                       |                |                   |
| BDT2    | DSDD0456  | 317.00 | 318.00 | 1.00     | 0.008    |                       |                |                   |
| BDT2    | DSDD0456  | 318.00 | 319.10 | 1.10     | 0.494    |                       |                |                   |
| BDT2    | DSDD0456  | 319.10 | 320.00 | 0.90     | 0.189    |                       |                |                   |
| BDT2    | DSDD0456  | 320.00 | 321.00 | 1.00     | 0.409    |                       |                |                   |
| BDT2    | DSDD0456  | 321.00 | 322.00 | 1.00     | 0.020    |                       |                |                   |
| BDT2    | DSDD0456  | 322.00 | 323.00 | 1.00     | 0.467    |                       |                |                   |
| BDT2    | DSDD0456  | 334.00 | 335.00 | 1.00     | 0.161    |                       |                |                   |
| BDT2    | DSDD0456  | 340.00 | 341.00 | 1.00     | 0.143    |                       |                |                   |
| BDT2    | DSDD0456  | 341.00 | 342.00 | 1.00     | 0.168    |                       |                |                   |
| BDT2    | DSDD0456  | 343.00 | 344.00 | 1.00     | 0.173    |                       |                |                   |
| BDT2    | DSDD0456  | 377.00 | 378.00 | 1.00     | 0.261    | 1.00 m @ 0.26 g/t Au  | 0.261          |                   |
| BDT2    | DSDD0456  | 383.00 | 384.50 | 1.50     | 0.139    |                       |                |                   |
| BDT2    | DSDD0456  | 388.00 | 389.00 | 1.00     | 0.102    |                       |                |                   |
| BDT2    | DSDD0457A | 0.00   | 1.50   | 1.50     | 0.110    |                       |                |                   |
| BDT2    | DSDD0457A | 6.42   | 7.50   | 1.08     | 0.100    |                       |                |                   |
| BDT2    | DSDD0457A | 41.00  | 42.00  | 1.00     | 0.100    |                       |                |                   |
| BDT2    | DSDD0457A | 100.50 | 101.60 | 1.10     | 0.390    | 1.10 m @ 0.39 g/t Au  | 0.429          |                   |
| BDT2    | DSDD0457A | 103.00 | 104.00 | 1.00     | 0.200    | 1.00 m @ 0.20 g/t Au  | 0.2            |                   |
| BDT2    | DSDD0457A | 232.00 | 233.00 | 1.00     | 0.130    |                       |                |                   |
| BDT2    | DSDD0457A | 246.00 | 246.84 | 0.84     | 0.160    |                       |                |                   |
| BDT2    | DSDD0457A | 246.84 | 248.00 | 1.16     | 0.130    |                       |                |                   |
| BDT2    | DSDD0457A | 248.00 | 249.00 | 1.00     | 0.130    |                       |                |                   |
| BDT2    | DSDD0457A | 249.00 | 250.00 | 1.00     | 0.100    |                       |                |                   |
| BDT2    | DSDD0457A | 251.30 | 252.00 | 0.70     | 0.120    |                       |                |                   |
| BDT2    | DSDD0457A | 252.00 | 253.00 | 1.00     | 0.100    |                       |                |                   |
| BDT2    | DSDD0457A | 253.00 | 254.00 | 1.00     | 0.180    |                       |                |                   |
| BDT2    | DSDD0457A | 254.00 | 255.00 | 1.00     | 0.160    |                       |                |                   |
| BDT2    | DSDD0457A | 255.00 | 256.00 | 1.00     | 0.150    |                       |                |                   |
| BDT2    | DSDD0457A | 263.00 | 264.00 | 1.00     | 0.120    |                       |                |                   |
| BDT2    | DSDD0457A | 265.00 | 266.00 | 1.00     | 0.170    |                       |                |                   |

| Deposit | Hole ID   | From   | To     | Interval | Au (ppm)     | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au           |
|---------|-----------|--------|--------|----------|--------------|----------------------|----------------|-----------------------------|
| BDT2    | DSDD0457A | 266.00 | 267.00 | 1.00     | 0.150        |                      |                |                             |
| BDT2    | DSDD0457A | 268.00 | 269.00 | 1.00     | 0.110        |                      |                |                             |
| BDT2    | DSDD0457A | 272.00 | 273.00 | 1.00     | 0.270        | 1.00 m @ 0.27 g/t Au | 0.27           |                             |
| BDT2    | DSDD0457A | 275.00 | 276.00 | 1.00     | 0.260        | 3.00 m @ 0.24 g/t Au | 0.7299         |                             |
| BDT2    | DSDD0457A | 276.00 | 277.00 | 1.00     | 0.270        |                      |                |                             |
| BDT2    | DSDD0457A | 277.00 | 278.00 | 1.00     | 0.200        |                      |                |                             |
| BDT2    | DSDD0457A | 281.00 | 282.00 | 1.00     | 0.180        |                      |                |                             |
| BDT2    | DSDD0457A | 282.00 | 283.00 | 1.00     | 0.120        |                      |                |                             |
| BDT2    | DSDD0457A | 284.00 | 285.00 | 1.00     | 0.110        |                      |                |                             |
| BDT2    | DSDD0457A | 287.00 | 288.00 | 1.00     | 0.170        |                      |                |                             |
| BDT2    | DSDD0457A | 294.00 | 295.00 | 1.00     | 0.100        |                      |                |                             |
| BDT2    | DSDD0457A | 307.00 | 308.15 | 1.15     | 0.140        |                      |                |                             |
| BDT2    | DSDD0457A | 313.00 | 314.20 | 1.20     | 0.140        |                      |                |                             |
| BDT2    | DSDD0457A | 314.20 | 315.00 | 0.80     | 0.260        | 0.80 m @ 0.26 g/t Au | 0.208          |                             |
| BDT2    | DSDD0457A | 319.00 | 320.00 | 1.00     | 0.210        | 2.00 m @ 0.20 g/t Au | 0.41           |                             |
| BDT2    | DSDD0457A | 320.00 | 321.00 | 1.00     | 0.200        |                      |                |                             |
| BDT2    | DSDD0457A | 322.00 | 323.00 | 1.00     | 0.150        |                      |                |                             |
| BDT2    | DSDD0457A | 323.00 | 324.00 | 1.00     | 0.100        |                      |                |                             |
| BDT2    | DSDD0457A | 324.00 | 325.00 | 1.00     | 0.130        |                      |                |                             |
| BDT2    | DSDD0457A | 325.00 | 326.00 | 1.00     | 0.170        |                      |                |                             |
| BDT2    | DSDD0457A | 326.00 | 327.00 | 1.00     | 0.300        | 1.00 m @ 0.30 g/t Au | 0.3            |                             |
| BDT2    | DSDD0457A | 331.00 | 332.00 | 1.00     | 0.180        |                      |                |                             |
| BDT2    | DSDD0457A | 332.00 | 333.00 | 1.00     | 0.200        | 1.00 m @ 0.20 g/t Au | 0.2            |                             |
| BDT2    | DSDD0457A | 435.00 | 436.00 | 1.00     | 0.900        | 1.00 m @ 0.90 g/t Au | 0.9            |                             |
| BDT2    | DSDD0457A | 449.00 | 450.00 | 1.00     | 0.170        |                      |                |                             |
| BDT2    | DSDD0457A | 450.00 | 451.00 | 1.00     | 0.250        | 1.00 m @ 0.25 g/t Au | 0.25           |                             |
| BDT2    | DSDD0457A | 457.00 | 458.00 | 1.00     | <b>1.210</b> | 6.40 m @ 0.54 g/t Au | 3.48032        | <b>1.00 m @ 1.21 g/t Au</b> |
| BDT2    | DSDD0457A | 458.00 | 459.00 | 1.00     | 0.490        |                      |                |                             |
| BDT2    | DSDD0457A | 459.00 | 460.00 | 1.00     | 0.400        |                      |                |                             |
| BDT2    | DSDD0457A | 460.00 | 461.00 | 1.00     | 0.320        |                      |                |                             |
| BDT2    | DSDD0457A | 461.00 | 462.00 | 1.00     | 0.710        |                      |                |                             |
| BDT2    | DSDD0457A | 462.00 | 463.40 | 1.40     | 0.250        |                      |                |                             |
| BDT2    | DSDD0457A | 463.40 | 464.00 | 0.60     | 0.160        |                      |                |                             |
| BDT2    | DSDD0457A | 473.00 | 474.00 | 1.00     | 0.240        | 1.00 m @ 0.24 g/t Au | 0.24           |                             |
| BDT2    | DSDD0457A | 474.00 | 475.00 | 1.00     | 0.110        |                      |                |                             |
| BDT2    | DSDD0457A | 488.00 | 489.40 | 1.40     | 0.100        |                      |                |                             |
| BDT2    | DSDD0457A | 489.40 | 490.00 | 0.60     | 0.260        | 0.60 m @ 0.26 g/t Au | 0.156          |                             |
| BDT2    | DSDD0457A | 499.00 | 500.00 | 1.00     | 0.220        | 1.00 m @ 0.22 g/t Au | 0.22           |                             |
| BDT2    | DSDD0457A | 511.00 | 511.77 | 0.77     | 0.200        | 2.46 m @ 0.24 g/t Au | 0.589416       |                             |
| BDT2    | DSDD0457A | 511.77 | 512.50 | 0.73     | 0.110        |                      |                |                             |
| BDT2    | DSDD0457A | 512.50 | 513.46 | 0.96     | 0.370        |                      |                |                             |
| BDT2    | DSDD0457A | 515.00 | 516.00 | 1.00     | 0.260        | 1.00 m @ 0.26 g/t Au | 0.26           |                             |
| BDT2    | DSDD0457A | 517.37 | 518.00 | 0.63     | 0.330        | 0.63 m @ 0.33 g/t Au | 0.2079         |                             |
| BDT2    | DSDD0457A | 519.80 | 521.00 | 1.20     | 0.170        |                      |                |                             |
| BDT2    | DSDD0457A | 523.00 | 524.00 | 1.00     | 0.400        | 4.00 m @ 0.24 g/t Au | 0.9452         |                             |
| BDT2    | DSDD0457A | 524.00 | 525.00 | 1.00     | 0.280        |                      |                |                             |
| BDT2    | DSDD0457A | 525.00 | 526.24 | 1.24     | 0.030        |                      |                |                             |
| BDT2    | DSDD0457A | 526.24 | 527.00 | 0.76     | 0.300        |                      |                |                             |
| BDT2    | DSDD0457A | 527.00 | 528.00 | 1.00     | 0.170        |                      |                |                             |
| BDT2    | DSDD0457A | 532.00 | 533.00 | 1.00     | 0.150        |                      |                |                             |
| BDT2    | DSDD0457A | 533.00 | 533.90 | 0.90     | 0.120        |                      |                |                             |
| BDT2    | DSDD0457A | 533.90 | 534.80 | 0.90     | 0.160        |                      |                |                             |
| BDT2    | DSDD0457A | 536.00 | 537.00 | 1.00     | 0.430        | 7.80 m @ 0.26 g/t Au | 1.989          |                             |
| BDT2    | DSDD0457A | 537.00 | 538.00 | 1.00     | 0.250        |                      |                |                             |
| BDT2    | DSDD0457A | 538.00 | 539.00 | 1.00     | 0.390        |                      |                |                             |
| BDT2    | DSDD0457A | 539.00 | 540.00 | 1.00     | 0.040        |                      |                |                             |
| BDT2    | DSDD0457A | 540.00 | 541.00 | 1.00     | 0.170        |                      |                |                             |
| BDT2    | DSDD0457A | 541.00 | 542.00 | 1.00     | 0.360        |                      |                |                             |
| BDT2    | DSDD0457A | 542.00 | 543.24 | 1.24     | 0.110        |                      |                |                             |

| Deposit | Hole ID   | From   | To     | Interval | Au (ppm) | Sig Int > 0.2 g/t Au  | m*g/t Au (gpm) | Sig Int >1 g/t Au     |
|---------|-----------|--------|--------|----------|----------|-----------------------|----------------|-----------------------|
| BDT2    | DSDD0457A | 543.24 | 543.80 | 0.56     | 0.380    |                       |                |                       |
| BDT2    | DSDD0457A | 543.80 | 545.00 | 1.20     | 0.170    |                       |                |                       |
| BDT2    | DSDD0457A | 549.00 | 550.00 | 1.00     | 0.140    |                       |                |                       |
| BDT2    | DSDD0457A | 555.00 | 556.00 | 1.00     | 0.410    | 4.00 m @ 0.21 g/t Au  | 0.84           |                       |
| BDT2    | DSDD0457A | 556.00 | 557.00 | 1.00     | 0.010    |                       |                |                       |
| BDT2    | DSDD0457A | 557.00 | 558.00 | 1.00     | 0.010    |                       |                |                       |
| BDT2    | DSDD0457A | 558.00 | 559.00 | 1.00     | 0.410    |                       |                |                       |
| BDT2    | DSDD0457A | 566.00 | 567.00 | 1.00     | 0.320    | 1.00 m @ 0.32 g/t Au  | 0.32           |                       |
| BDT2    | DSDD0458  | 7.00   | 8.00   | 1.00     | 0.358    | 2.40 m @ 0.86 g/t Au  | 2.05896        |                       |
| BDT2    | DSDD0458  | 8.00   | 9.40   | 1.40     | 1.215    |                       |                | 1.40 m @ 1.22 g/t Au  |
| BDT2    | DSDD0458  | 11.34  | 12.71  | 1.37     | 0.141    |                       |                |                       |
| BDT2    | DSDD0458  | 125.00 | 126.00 | 1.00     | 1.808    | 1.00 m @ 1.81 g/t Au  | 1.808          | 1.00 m @ 1.81 g/t Au  |
| BDT2    | DSDD0458  | 143.90 | 145.00 | 1.10     | 0.729    | 1.10 m @ 0.73 g/t Au  | 0.8019         |                       |
| BDT2    | DSDD0458  | 148.00 | 149.30 | 1.30     | 0.102    |                       |                |                       |
| BDT2    | DSDD0458  | 152.15 | 153.00 | 0.85     | 0.128    |                       |                |                       |
| BDT2    | DSDD0458  | 153.00 | 154.00 | 1.00     | 0.128    |                       |                |                       |
| BDT2    | DSDD0458  | 156.50 | 158.00 | 1.50     | 0.130    |                       |                |                       |
| BDT2    | DSDD0458  | 158.00 | 159.00 | 1.00     | 0.217    | 2.00 m @ 0.23 g/t Au  | 0.45           |                       |
| BDT2    | DSDD0458  | 159.00 | 160.00 | 1.00     | 0.233    |                       |                |                       |
| BDT2    | DSDD0458  | 160.00 | 161.00 | 1.00     | 0.132    |                       |                |                       |
| BDT2    | DSDD0458  | 203.00 | 204.00 | 1.00     | 1.013    | 11.71 m @ 0.39 g/t Au | 4.619595       | 1.00 m @ 1.01 g/t Au  |
| BDT2    | DSDD0458  | 204.00 | 205.00 | 1.00     | 0.049    |                       |                |                       |
| BDT2    | DSDD0458  | 205.00 | 206.00 | 1.00     | 0.052    |                       |                |                       |
| BDT2    | DSDD0458  | 206.00 | 207.00 | 1.00     | 0.055    |                       |                |                       |
| BDT2    | DSDD0458  | 207.00 | 208.00 | 1.00     | 0.480    |                       |                |                       |
| BDT2    | DSDD0458  | 208.00 | 209.00 | 1.00     | 0.124    |                       |                |                       |
| BDT2    | DSDD0458  | 209.00 | 209.70 | 0.70     | 0.226    |                       |                |                       |
| BDT2    | DSDD0458  | 209.70 | 210.40 | 0.70     | 1.610    |                       |                | 0.70 m @ 1.61 g/t Au  |
| BDT2    | DSDD0458  | 210.40 | 211.50 | 1.10     | 0.392    |                       |                |                       |
| BDT2    | DSDD0458  | 211.50 | 213.00 | 1.50     | 0.343    |                       |                |                       |
| BDT2    | DSDD0458  | 213.00 | 214.00 | 1.00     | 0.383    |                       |                |                       |
| BDT2    | DSDD0458  | 214.00 | 214.71 | 0.71     | 0.328    |                       |                |                       |
| BDT2    | DSDD0458  | 221.90 | 223.00 | 1.10     | 0.189    |                       |                |                       |
| BDT2    | DSDD0458  | 224.00 | 225.00 | 1.00     | 3.282    | 19.00 m @ 0.58 g/t Au | 10.9402        | 1.00 m @ 3.28 g/t Au  |
| BDT2    | DSDD0458  | 225.00 | 226.00 | 1.00     | 0.720    |                       |                |                       |
| BDT2    | DSDD0458  | 226.00 | 227.00 | 1.00     | 0.195    |                       |                |                       |
| BDT2    | DSDD0458  | 227.00 | 228.00 | 1.00     | 0.099    |                       |                |                       |
| BDT2    | DSDD0458  | 228.00 | 229.00 | 1.00     | 0.743    |                       |                |                       |
| BDT2    | DSDD0458  | 229.00 | 230.00 | 1.00     | 0.148    |                       |                |                       |
| BDT2    | DSDD0458  | 230.00 | 231.00 | 1.00     | 0.056    |                       |                |                       |
| BDT2    | DSDD0458  | 231.00 | 232.00 | 1.00     | 2.213    |                       |                | 1.00 m @ 2.21 g/t Au  |
| BDT2    | DSDD0458  | 232.00 | 233.00 | 1.00     | 0.027    |                       |                |                       |
| BDT2    | DSDD0458  | 233.00 | 234.00 | 1.00     | 0.138    |                       |                |                       |
| BDT2    | DSDD0458  | 234.00 | 235.00 | 1.00     | 0.322    |                       |                |                       |
| BDT2    | DSDD0458  | 235.00 | 236.00 | 1.00     | 0.032    |                       |                |                       |
| BDT2    | DSDD0458  | 236.00 | 237.00 | 1.00     | 0.008    |                       |                |                       |
| BDT2    | DSDD0458  | 237.00 | 238.00 | 1.00     | 0.008    |                       |                |                       |
| BDT2    | DSDD0458  | 238.00 | 239.00 | 1.00     | 2.217    |                       |                | 1.00 m @ 2.22 g/t Au  |
| BDT2    | DSDD0458  | 239.00 | 240.00 | 1.00     | 0.064    |                       |                |                       |
| BDT2    | DSDD0458  | 240.00 | 241.00 | 1.00     | 0.019    |                       |                |                       |
| BDT2    | DSDD0458  | 241.00 | 242.00 | 1.00     | 0.020    |                       |                |                       |
| BDT2    | DSDD0458  | 242.00 | 243.00 | 1.00     | 0.631    |                       |                |                       |
| BDT2    | DSDD0458  | 268.50 | 269.90 | 1.40     | 0.116    |                       |                |                       |
| BDT2    | DSDD0458  | 269.90 | 271.00 | 1.10     | 0.819    | 1.10 m @ 0.82 g/t Au  | 0.9009         |                       |
| BDT2    | DSDD0458  | 271.00 | 272.00 | 1.00     | 0.135    |                       |                |                       |
| BDT2    | DSDD0458  | 281.20 | 282.00 | 0.80     | 12.628   | 0.80 m @ 12.63 g/t Au | 10.1024        | 0.80 m @ 12.63 g/t Au |
| BDT2    | DSDD0458  | 282.00 | 283.00 | 1.00     | 0.196    |                       |                |                       |
| BDT2    | DSDD0458  | 285.00 | 286.25 | 1.25     | 0.108    |                       |                |                       |
| BDT2    | DSDD0458  | 286.25 | 287.60 | 1.35     | 0.122    |                       |                |                       |

| Deposit | Hole ID  | From   | To     | Interval | Au (ppm)     | Sig Int > 0.2 g/t Au  | m*g/t Au (gpm) | Sig Int >1 g/t Au           |
|---------|----------|--------|--------|----------|--------------|-----------------------|----------------|-----------------------------|
| BDT2    | DSDD0458 | 314.00 | 314.70 | 0.70     | 0.201        | 0.70 m @ 0.20 g/t Au  | 0.1407         |                             |
| BDT2    | DSDD0459 | 43.05  | 44.00  | 0.95     | 0.344        | 1.95 m @ 0.53 g/t Au  | 1.024725       |                             |
| BDT2    | DSDD0459 | 44.00  | 45.00  | 1.00     | 0.698        |                       |                |                             |
| BDT2    | DSDD0459 | 68.00  | 69.00  | 1.00     | 0.460        | 1.00 m @ 0.46 g/t Au  | 0.46           |                             |
| BDT2    | DSDD0459 | 72.00  | 73.00  | 1.00     | 0.102        |                       |                |                             |
| BDT2    | DSDD0463 | 76.00  | 77.00  | 1.00     | 0.143        |                       |                |                             |
| BDT2    | DSDD0463 | 77.00  | 78.00  | 1.00     | <b>1.237</b> | 1.00 m @ 1.24 g/t Au  | 1.237          | <b>1.00 m @ 1.24 g/t Au</b> |
| BDT2    | DSDD0463 | 117.00 | 118.00 | 1.00     | 0.144        | 11.00 m @ 0.33 g/t Au | 3.6773         |                             |
| BDT2    | DSDD0463 | 118.00 | 119.00 | 1.00     | 0.451        |                       |                |                             |
| BDT2    | DSDD0463 | 119.00 | 120.00 | 1.00     | 0.306        |                       |                |                             |
| BDT2    | DSDD0463 | 120.00 | 121.00 | 1.00     | 0.106        |                       |                |                             |
| BDT2    | DSDD0463 | 121.00 | 122.00 | 1.00     | 0.250        |                       |                |                             |
| BDT2    | DSDD0463 | 122.00 | 123.00 | 1.00     | 0.075        |                       |                |                             |
| BDT2    | DSDD0463 | 123.00 | 124.00 | 1.00     | 0.244        |                       |                |                             |
| BDT2    | DSDD0463 | 124.00 | 125.00 | 1.00     | 0.212        |                       |                |                             |
| BDT2    | DSDD0463 | 125.00 | 126.00 | 1.00     | 0.290        |                       |                |                             |
| BDT2    | DSDD0463 | 126.00 | 127.00 | 1.00     | 0.116        |                       |                |                             |
| BDT2    | DSDD0463 | 127.00 | 128.00 | 1.00     | 0.245        |                       |                |                             |
| BDT2    | DSDD0463 | 128.00 | 129.00 | 1.00     | <b>1.382</b> |                       |                | <b>1.00 m @ 1.38 g/t Au</b> |
| BDT2    | DSDD0463 | 144.00 | 145.00 | 1.00     | 0.193        | 6.00 m @ 0.63 g/t Au  | 3.7674         |                             |
| BDT2    | DSDD0463 | 145.00 | 146.44 | 1.44     | 0.261        |                       |                |                             |
| BDT2    | DSDD0463 | 146.44 | 147.00 | 0.56     | 0.419        |                       |                |                             |
| BDT2    | DSDD0463 | 147.00 | 148.00 | 1.00     | 0.177        |                       |                |                             |
| BDT2    | DSDD0463 | 148.00 | 149.00 | 1.00     | 0.058        |                       |                |                             |
| BDT2    | DSDD0463 | 149.00 | 150.00 | 1.00     | <b>2.068</b> |                       |                | <b>1.00 m @ 2.07 g/t Au</b> |
| BDT2    | DSDD0463 | 150.00 | 151.00 | 1.00     | 0.854        | 1.00 m @ 0.49 g/t Au  | 0.493          |                             |
| BDT2    | DSDD0463 | 157.00 | 158.00 | 1.00     | 0.493        |                       |                |                             |
| BDT2    | DSDD0463 | 158.00 | 159.00 | 1.00     | 0.144        |                       |                |                             |
| BDT2    | DSDD0463 | 161.00 | 161.51 | 0.51     | 0.150        |                       |                |                             |
| BDT2    | DSDD0463 | 161.51 | 162.10 | 0.59     | 0.157        | 2.90 m @ 1.07 g/t Au  | 3.09285        |                             |
| BDT2    | DSDD0463 | 162.10 | 163.00 | 0.90     | 0.571        |                       |                |                             |
| BDT2    | DSDD0463 | 163.00 | 164.00 | 1.00     | 0.580        |                       |                |                             |
| BDT2    | DSDD0463 | 164.00 | 165.00 | 1.00     | <b>1.999</b> |                       |                | <b>1.00 m @ 2.00 g/t Au</b> |
| BDT2    | DSDD0463 | 167.00 | 168.00 | 1.00     | 0.111        | 6.00 m @ 0.57 g/t Au  | 3.4302         |                             |
| BDT2    | DSDD0463 | 188.00 | 189.00 | 1.00     | 0.298        |                       |                |                             |
| BDT2    | DSDD0463 | 189.00 | 190.00 | 1.00     | 0.071        |                       |                |                             |
| BDT2    | DSDD0463 | 190.00 | 190.75 | 0.75     | 0.037        |                       |                |                             |
| BDT2    | DSDD0463 | 190.75 | 192.00 | 1.25     | <b>1.613</b> |                       |                | <b>1.25 m @ 1.61 g/t Au</b> |
| BDT2    | DSDD0463 | 192.00 | 193.00 | 1.00     | 0.390        |                       |                |                             |
| BDT2    | DSDD0463 | 193.00 | 194.00 | 1.00     | 0.627        | 8.04 m @ 0.24 g/t Au  | 1.967388       |                             |
| BDT2    | DSDD0463 | 194.00 | 195.00 | 1.00     | 0.147        |                       |                |                             |
| BDT2    | DSDD0463 | 196.87 | 198.00 | 1.13     | 0.126        |                       |                |                             |
| BDT2    | DSDD0463 | 198.00 | 199.04 | 1.04     | 0.356        |                       |                |                             |
| BDT2    | DSDD0463 | 199.04 | 200.00 | 0.96     | 0.107        |                       |                |                             |
| BDT2    | DSDD0463 | 200.00 | 201.00 | 1.00     | 0.268        |                       |                |                             |
| BDT2    | DSDD0463 | 201.00 | 202.00 | 1.00     | 0.339        |                       |                |                             |
| BDT2    | DSDD0463 | 202.00 | 203.00 | 1.00     | 0.182        |                       |                |                             |
| BDT2    | DSDD0463 | 203.00 | 204.00 | 1.00     | 0.241        | 3.00 m @ 0.88 g/t Au  | 2.6397         |                             |
| BDT2    | DSDD0463 | 204.00 | 205.10 | 1.10     | 0.076        |                       |                |                             |
| BDT2    | DSDD0463 | 205.10 | 206.04 | 0.94     | 0.405        |                       |                |                             |
| BDT2    | DSDD0463 | 206.04 | 207.00 | 0.96     | 0.165        |                       |                |                             |
| BDT2    | DSDD0463 | 214.00 | 215.05 | 1.05     | <b>1.635</b> | 5.07 m @ 1.01 g/t Au  | 5.104983       | <b>1.05 m @ 1.64 g/t Au</b> |
| BDT2    | DSDD0463 | 215.05 | 216.00 | 0.95     | 0.344        |                       |                |                             |
| BDT2    | DSDD0463 | 216.00 | 217.00 | 1.00     | 0.596        |                       |                |                             |
| BDT2    | DSDD0463 | 217.81 | 219.00 | 1.19     | 0.102        | 5.07 m @ 1.01 g/t Au  | 5.104983       |                             |
| BDT2    | DSDD0463 | 221.00 | 222.00 | 1.00     | 0.118        |                       |                |                             |
| BDT2    | DSDD0463 | 222.00 | 223.00 | 1.00     | 0.650        |                       |                |                             |
| BDT2    | DSDD0463 | 223.00 | 224.00 | 1.00     | <b>3.078</b> | 5.07 m @ 1.01 g/t Au  | 5.104983       | <b>1.00 m @ 3.08 g/t Au</b> |
| BDT2    | DSDD0463 | 224.00 | 225.00 | 1.00     | 0.600        |                       |                |                             |

| Deposit | Hole ID  | From   | To     | Interval | Au (ppm)     | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au    |
|---------|----------|--------|--------|----------|--------------|----------------------|----------------|----------------------|
| BDT2    | DSDD0463 | 225.00 | 226.00 | 1.00     | 0.534        |                      |                |                      |
| BDT2    | DSDD0463 | 226.00 | 227.07 | 1.07     | 0.227        |                      |                |                      |
| BDT2    | DSDD0463 | 254.00 | 255.00 | 1.00     | <b>1.606</b> |                      |                |                      |
| BDT2    | DSDD0463 | 255.00 | 256.00 | 1.00     | 0.093        | 4.00 m @ 1.05 g/t Au | 4.204          | 4.00 m @ 1.05 g/t Au |
| BDT2    | DSDD0463 | 256.00 | 257.00 | 1.00     | 0.086        |                      |                |                      |
| BDT2    | DSDD0463 | 257.00 | 258.00 | 1.00     | <b>2.419</b> |                      |                |                      |
| BDT2    | DSDD0463 | 269.00 | 270.00 | 1.00     | 0.265        | 1.00 m @ 0.27 g/t Au | 0.265          |                      |
| BDT2    | DSDD0463 | 275.00 | 276.00 | 1.00     | 0.191        |                      |                |                      |
| BDT2    | DSDD0463 | 276.00 | 277.00 | 1.00     | <b>2.026</b> | 2.00 m @ 1.16 g/t Au | 2.326          | 1.00 m @ 2.03 g/t Au |
| BDT2    | DSDD0463 | 277.00 | 278.00 | 1.00     | 0.300        |                      |                |                      |
| BDT2    | DSDD0463 | 290.13 | 291.00 | 0.87     | 0.173        |                      |                |                      |
| BDT2    | DSDD0463 | 291.00 | 292.00 | 1.00     | 0.510        | 1.00 m @ 0.51 g/t Au | 0.51           |                      |
| BDT2    | DSDD0463 | 308.00 | 309.00 | 1.00     | 0.815        | 4.00 m @ 1.27 g/t Au | 5.0772         |                      |
| BDT2    | DSDD0463 | 309.00 | 310.00 | 1.00     | 0.028        |                      |                |                      |
| BDT2    | DSDD0463 | 310.00 | 311.00 | 1.00     | 0.080        |                      |                |                      |
| BDT2    | DSDD0463 | 311.00 | 312.00 | 1.00     | <b>4.154</b> |                      |                | 1.00 m @ 4.15 g/t Au |
| BDT2    | DSDD0463 | 324.00 | 325.00 | 1.00     | 0.108        |                      |                |                      |
| BDT2    | DSDD0463 | 327.00 | 328.00 | 1.00     | 0.257        | 9.00 m @ 1.26 g/t Au | 11.3328        |                      |
| BDT2    | DSDD0463 | 328.00 | 329.00 | 1.00     | <b>2.469</b> |                      |                | 1.00 m @ 2.47 g/t Au |
| BDT2    | DSDD0463 | 329.00 | 330.00 | 1.00     | 0.135        |                      |                |                      |
| BDT2    | DSDD0463 | 330.00 | 331.00 | 1.00     | 0.047        |                      |                |                      |
| BDT2    | DSDD0463 | 331.00 | 332.00 | 1.00     | 0.023        |                      |                |                      |
| BDT2    | DSDD0463 | 332.00 | 333.00 | 1.00     | <b>3.114</b> |                      |                | 3.00 m @ 2.61 g/t Au |
| BDT2    | DSDD0463 | 333.00 | 334.26 | 1.26     | 0.017        |                      |                |                      |
| BDT2    | DSDD0463 | 334.26 | 335.00 | 0.74     | <b>6.340</b> |                      |                |                      |
| BDT2    | DSDD0463 | 335.00 | 336.00 | 1.00     | 0.575        |                      |                |                      |
| BDT2    | DSDD0463 | 336.00 | 337.00 | 1.00     | 0.106        |                      |                |                      |
| BDT2    | DSDD0463 | 353.00 | 354.00 | 1.00     | 0.295        | 1.00 m @ 0.29 g/t Au | 0.295          |                      |
| BDT2    | DSDD0463 | 354.69 | 356.00 | 1.31     | 0.212        | 1.31 m @ 0.21 g/t Au | 0.27772        |                      |
| BDT2    | DSDD0463 | 358.00 | 359.00 | 1.00     | 0.170        |                      |                |                      |
| BDT2    | DSDD0463 | 359.00 | 359.77 | 0.77     | 0.292        | 0.77 m @ 0.29 g/t Au | 0.22484        |                      |
| BDT2    | DSDD0464 | 0.00   | 0.86   | 0.86     | 0.131        |                      |                |                      |
| BDT2    | DSDD0464 | 3.00   | 3.94   | 0.94     | 0.942        | 0.94 m @ 0.94 g/t Au | 0.88548        |                      |
| BDT2    | DSDD0464 | 4.50   | 6.00   | 1.50     | 0.144        |                      |                |                      |
| BDT2    | DSDD0464 | 6.00   | 7.50   | 1.50     | 0.155        |                      |                |                      |
| BDT2    | DSDD0464 | 27.00  | 28.00  | 1.00     | 0.199        |                      |                |                      |
| BDT2    | DSDD0464 | 28.00  | 29.44  | 1.44     | 0.338        | 1.44 m @ 0.34 g/t Au | 0.48672        |                      |
| BDT2    | DSDD0464 | 30.57  | 32.00  | 1.43     | 0.422        | 1.93 m @ 0.66 g/t Au | 1.282871       |                      |
| BDT2    | DSDD0464 | 32.00  | 32.50  | 0.50     | <b>1.359</b> |                      |                | 0.50 m @ 1.36 g/t Au |
| BDT2    | DSDD0464 | 40.00  | 40.70  | 0.70     | <b>1.619</b> | 0.70 m @ 1.62 g/t Au | 1.1333         | 0.70 m @ 1.62 g/t Au |
| BDT2    | DSDD0464 | 48.00  | 49.00  | 1.00     | 0.196        |                      |                |                      |
| BDT2    | DSDD0464 | 49.00  | 50.50  | 1.50     | 0.108        |                      |                |                      |
| BDT2    | DSDD0464 | 56.12  | 57.00  | 0.88     | 0.141        |                      |                |                      |
| BDT2    | DSDD0464 | 95.00  | 96.00  | 1.00     | 0.166        |                      |                |                      |
| BDT2    | DSDD0464 | 116.00 | 117.00 | 1.00     | 0.253        | 1.00 m @ 0.25 g/t Au | 0.253          |                      |
| BDT2    | DSDD0464 | 134.40 | 135.00 | 0.60     | 0.221        | 0.60 m @ 0.22 g/t Au | 0.1326         |                      |
| BDT2    | DSDD0464 | 136.00 | 137.00 | 1.00     | 0.358        | 1.00 m @ 0.36 g/t Au | 0.358          |                      |
| BDT2    | DSDD0464 | 139.00 | 140.00 | 1.00     | 0.103        |                      |                |                      |
| BDT2    | DSDD0464 | 140.00 | 141.00 | 1.00     | 0.141        |                      |                |                      |
| BDT2    | DSDD0464 | 148.50 | 150.00 | 1.50     | 0.711        | 3.50 m @ 0.78 g/t Au | 2.7146         |                      |
| BDT2    | DSDD0464 | 150.00 | 151.00 | 1.00     | 0.431        |                      |                |                      |
| BDT2    | DSDD0464 | 151.00 | 152.00 | 1.00     | <b>1.217</b> |                      |                | 1.00 m @ 1.22 g/t Au |
| BDT2    | DSDD0464 | 153.00 | 154.02 | 1.02     | 0.114        |                      |                |                      |
| BDT2    | DSDD0464 | 181.00 | 181.81 | 0.81     | 0.480        | 1.50 m @ 0.37 g/t Au | 0.56055        |                      |
| BDT2    | DSDD0464 | 181.81 | 182.50 | 0.69     | 0.249        |                      |                |                      |
| BDT2    | DSDD0464 | 210.00 | 211.00 | 1.00     | 0.196        |                      |                |                      |
| BDT2    | DSDD0465 | 19.50  | 20.00  | 0.50     | 0.174        |                      |                |                      |
| BDT2    | DSDD0465 | 52.00  | 53.00  | 1.00     | 0.401        | 3.00 m @ 0.23 g/t Au | 0.6849         |                      |
| BDT2    | DSDD0465 | 53.00  | 54.00  | 1.00     | 0.058        |                      |                |                      |

| Deposit | Hole ID  | From   | To     | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au |
|---------|----------|--------|--------|----------|----------|----------------------|----------------|-------------------|
| BDT2    | DSDD0465 | 54.00  | 55.00  | 1.00     | 0.226    |                      |                |                   |
| BDT2    | DSDD0465 | 56.00  | 57.00  | 1.00     | 0.183    |                      |                |                   |
| BDT2    | DSDD0465 | 57.00  | 58.00  | 1.00     | 0.221    | 1.00 m @ 0.22 g/t Au | 0.221          |                   |
| BDT2    | DSDD0465 | 58.00  | 59.00  | 1.00     | 0.147    |                      |                |                   |
| BDT2    | DSDD0465 | 60.00  | 61.00  | 1.00     | 0.110    |                      |                |                   |
| BDT2    | DSDD0465 | 61.00  | 62.00  | 1.00     | 0.129    |                      |                |                   |
| BDT2    | DSDD0465 | 62.00  | 63.00  | 1.00     | 0.300    | 1.00 m @ 0.30 g/t Au | 0.3            |                   |
| BDT2    | DSDD0465 | 63.00  | 64.00  | 1.00     | 0.126    |                      |                |                   |
| BDT2    | DSDD0465 | 65.00  | 66.00  | 1.00     | 0.159    |                      |                |                   |
| BDT2    | DSDD0465 | 66.00  | 67.00  | 1.00     | 0.202    | 1.00 m @ 0.20 g/t Au | 0.202          |                   |
| BDT2    | DSDD0465 | 68.00  | 69.00  | 1.00     | 0.106    |                      |                |                   |
| BDT2    | DSDD0465 | 69.00  | 70.00  | 1.00     | 0.186    |                      |                |                   |
| BDT2    | DSDD0465 | 71.00  | 72.00  | 1.00     | 0.106    |                      |                |                   |
| BDT2    | DSDD0465 | 102.00 | 103.00 | 1.00     | 0.143    |                      |                |                   |
| BDT2    | DSDD0465 | 116.00 | 117.06 | 1.06     | 0.114    |                      |                |                   |
| BDT2    | DSDD0465 | 117.06 | 118.30 | 1.24     | 0.267    | 1.24 m @ 0.27 g/t Au | 0.33108        |                   |
| BDT2    | DSDD0465 | 126.00 | 127.00 | 1.00     | 0.100    |                      |                |                   |
| BDT2    | DSDD0470 | 42.00  | 43.00  | 1.00     | 0.310    | 1.00 m @ 0.31 g/t Au | 0.31           |                   |
| BDT2    | DSDD0470 | 49.00  | 50.00  | 1.00     | 0.260    | 1.00 m @ 0.26 g/t Au | 0.26           |                   |
| BDT2    | DSDD0470 | 52.00  | 53.00  | 1.00     | 0.110    |                      |                |                   |
| BDT2    | DSDD0470 | 57.00  | 58.00  | 1.00     | 0.130    |                      |                |                   |
| BDT2    | DSDD0470 | 59.00  | 60.00  | 1.00     | 0.230    | 1.00 m @ 0.23 g/t Au | 0.23           |                   |
| BDT2    | DSDD0470 | 60.00  | 61.00  | 1.00     | 0.100    | 7.00 m @ 0.21 g/t Au | 1.4798         |                   |
| BDT2    | DSDD0470 | 63.00  | 64.00  | 1.00     | 0.260    |                      |                |                   |
| BDT2    | DSDD0470 | 64.00  | 65.00  | 1.00     | 0.090    |                      |                |                   |
| BDT2    | DSDD0470 | 65.00  | 66.00  | 1.00     | 0.010    |                      |                |                   |
| BDT2    | DSDD0470 | 66.00  | 67.00  | 1.00     | 0.200    |                      |                |                   |
| BDT2    | DSDD0470 | 67.00  | 68.00  | 1.00     | 0.120    |                      |                |                   |
| BDT2    | DSDD0470 | 68.00  | 69.00  | 1.00     | 0.120    |                      |                |                   |
| BDT2    | DSDD0470 | 69.00  | 70.00  | 1.00     | 0.680    |                      |                |                   |
| BDT2    | DSDD0470 | 70.00  | 71.00  | 1.00     | 0.190    |                      |                |                   |
| BDT2    | DSDD0470 | 89.00  | 90.00  | 1.00     | 0.190    |                      |                |                   |
| BDT2    | DSDD0470 | 90.00  | 91.00  | 1.00     | 0.150    |                      |                |                   |
| BDT2    | DSDD0470 | 91.00  | 92.00  | 1.00     | 0.150    |                      |                |                   |
| BDT2    | DSDD0470 | 92.00  | 93.00  | 1.00     | 0.240    | 1.00 m @ 0.24 g/t Au | 0.24           |                   |
| BDT2    | DSDD0470 | 93.00  | 94.00  | 1.00     | 0.170    |                      |                |                   |
| BDT2    | DSDD0470 | 95.00  | 96.30  | 1.30     | 0.110    |                      |                |                   |
| BDT2    | DSDD0470 | 98.00  | 99.00  | 1.00     | 0.220    | 1.00 m @ 0.22 g/t Au | 0.22           |                   |
| BDT2    | DSDD0470 | 99.00  | 100.00 | 1.00     | 0.120    |                      |                |                   |
| BDT2    | DSDD0470 | 100.00 | 101.00 | 1.00     | 0.110    |                      |                |                   |
| BDT2    | DSDD0470 | 109.00 | 110.00 | 1.00     | 0.160    |                      |                |                   |
| BDT2    | DSDD0470 | 110.00 | 111.00 | 1.00     | 0.120    |                      |                |                   |
| BDT2    | DSDD0470 | 112.00 | 113.00 | 1.00     | 0.100    |                      |                |                   |
| BDT2    | DSDD0470 | 117.00 | 118.00 | 1.00     | 0.340    | 1.00 m @ 0.34 g/t Au | 0.34           |                   |
| BDT2    | DSDD0470 | 120.00 | 121.00 | 1.00     | 0.130    |                      |                |                   |
| BDT2    | DSDD0470 | 121.00 | 122.00 | 1.00     | 0.240    | 1.00 m @ 0.24 g/t Au | 0.24           |                   |
| BDT2    | DSDD0470 | 122.00 | 123.00 | 1.00     | 0.100    |                      |                |                   |
| BDT2    | DSDD0470 | 124.00 | 125.00 | 1.00     | 0.100    |                      |                |                   |
| BDT2    | DSDD0470 | 125.00 | 126.00 | 1.00     | 0.260    | 1.00 m @ 0.26 g/t Au | 0.26           |                   |
| BDT2    | DSDD0470 | 126.00 | 127.00 | 1.00     | 0.150    |                      |                |                   |
| BDT2    | DSDD0470 | 131.00 | 132.00 | 1.00     | 0.130    |                      |                |                   |
| BDT2    | DSDD0470 | 133.00 | 134.00 | 1.00     | 0.290    | 1.00 m @ 0.29 g/t Au | 0.29           |                   |
| BDT2    | DSDD0470 | 134.00 | 135.00 | 1.00     | 0.170    |                      |                |                   |
| BDT2    | DSDD0470 | 135.00 | 136.00 | 1.00     | 0.100    |                      |                |                   |
| BDT2    | DSDD0470 | 151.00 | 152.00 | 1.00     | 0.110    |                      |                |                   |
| BDT2    | DSDD0470 | 164.00 | 165.00 | 1.00     | 0.100    |                      |                |                   |
| BDT2    | DSDD0470 | 165.00 | 166.00 | 1.00     | 0.100    |                      |                |                   |
| BDT2    | DSDD0470 | 254.00 | 255.00 | 1.00     | 0.140    |                      |                |                   |
| BDT2    | DSDD0470 | 255.00 | 255.91 | 0.91     | 0.210    | 0.91 m @ 0.21 g/t Au | 0.1911         |                   |

| Deposit | Hole ID  | From   | To     | Interval | Au (ppm)     | Sig Int > 0.2 g/t Au  | m*g/t Au (gpm) | Sig Int >1 g/t Au    |
|---------|----------|--------|--------|----------|--------------|-----------------------|----------------|----------------------|
| BDT2    | DSDD0470 | 261.00 | 262.00 | 1.00     | 0.130        |                       |                |                      |
| BDT2    | DSDD0470 | 263.00 | 264.00 | 1.00     | 0.100        |                       |                |                      |
| BDT2    | DSDD0470 | 264.00 | 265.00 | 1.00     | 0.120        |                       |                |                      |
| BDT2    | DSDD0470 | 268.00 | 269.00 | 1.00     | 0.180        |                       |                |                      |
| BDT2    | DSDD0470 | 271.00 | 271.65 | 0.65     | 0.190        |                       |                |                      |
| BDT2    | DSDD0470 | 271.65 | 273.00 | 1.35     | 0.290        | 1.35 m @ 0.29 g/t Au  | 0.3915         |                      |
| BDT2    | DSDD0470 | 372.00 | 373.00 | 1.00     | 0.100        | 7.00 m @ 0.29 g/t Au  | 2.0601         |                      |
| BDT2    | DSDD0470 | 373.00 | 374.00 | 1.00     | 0.290        |                       |                |                      |
| BDT2    | DSDD0470 | 374.00 | 375.00 | 1.00     | 0.220        |                       |                |                      |
| BDT2    | DSDD0470 | 375.00 | 376.00 | 1.00     | 0.220        |                       |                |                      |
| BDT2    | DSDD0470 | 376.00 | 377.00 | 1.00     | 0.290        |                       |                |                      |
| BDT2    | DSDD0470 | 377.00 | 378.00 | 1.00     | 0.170        |                       |                |                      |
| BDT2    | DSDD0470 | 378.00 | 379.00 | 1.00     | 0.550        |                       |                |                      |
| BDT2    | DSDD0470 | 379.00 | 380.00 | 1.00     | 0.320        |                       |                |                      |
| BDT2    | DSDD0470 | 384.00 | 385.00 | 1.00     | 0.430        | 1.00 m @ 0.43 g/t Au  | 0.43           |                      |
| BDT2    | DSDD0470 | 387.18 | 388.00 | 0.82     | 0.100        |                       |                |                      |
| BDT2    | DSDD0470 | 409.00 | 410.00 | 1.00     | 0.110        |                       |                |                      |
| BDT2    | DSDD0470 | 410.00 | 411.25 | 1.25     | 0.420        | 14.00 m @ 0.56 g/t Au | 7.7728         |                      |
| BDT2    | DSDD0470 | 411.25 | 412.75 | 1.50     | 0.600        |                       |                |                      |
| BDT2    | DSDD0470 | 412.75 | 414.00 | 1.25     | <b>1.130</b> |                       |                | 2.25 m @ 1.41 g/t Au |
| BDT2    | DSDD0470 | 414.00 | 415.00 | 1.00     | <b>1.770</b> |                       |                |                      |
| BDT2    | DSDD0470 | 415.00 | 416.00 | 1.00     | 0.410        |                       |                |                      |
| BDT2    | DSDD0470 | 416.00 | 417.00 | 1.00     | 0.210        |                       |                |                      |
| BDT2    | DSDD0470 | 417.00 | 417.74 | 0.74     | 0.490        |                       |                |                      |
| BDT2    | DSDD0470 | 417.74 | 419.00 | 1.26     | 0.300        |                       |                |                      |
| BDT2    | DSDD0470 | 419.00 | 420.00 | 1.00     | 0.550        |                       |                |                      |
| BDT2    | DSDD0470 | 420.00 | 421.00 | 1.00     | 0.300        |                       |                |                      |
| BDT2    | DSDD0470 | 421.00 | 421.95 | 0.95     | 0.540        |                       |                |                      |
| BDT2    | DSDD0470 | 421.95 | 423.00 | 1.05     | 0.230        |                       |                |                      |
| BDT2    | DSDD0470 | 423.00 | 424.00 | 1.00     | 0.200        |                       |                |                      |
| BDT2    | DSDD0470 | 433.00 | 434.35 | 1.35     | 0.140        |                       |                |                      |
| BDT2    | DSDD0470 | 437.21 | 438.00 | 0.79     | 0.180        |                       |                |                      |
| BDT2    | DSDD0470 | 438.00 | 439.50 | 1.50     | 0.370        | 3.04 m @ 0.31 g/t Au  | 0.929936       |                      |
| BDT2    | DSDD0470 | 439.50 | 440.00 | 0.50     | 0.230        |                       |                |                      |
| BDT2    | DSDD0470 | 440.00 | 441.04 | 1.04     | 0.250        |                       |                |                      |
| BDT2    | DSDD0470 | 447.00 | 448.00 | 1.00     | 0.100        | 2.00 m @ 0.70 g/t Au  | 1.41           |                      |
| BDT2    | DSDD0470 | 448.00 | 449.40 | 1.40     | 0.690        |                       |                |                      |
| BDT2    | DSDD0470 | 449.40 | 450.00 | 0.60     | 0.740        |                       |                |                      |
| BDT2    | DSDD0470 | 454.00 | 455.00 | 1.00     | 0.100        |                       |                |                      |
| BDT2    | DSDD0470 | 465.00 | 466.00 | 1.00     | 0.250        | 1.00 m @ 0.25 g/t Au  | 0.25           |                      |
| BDT2    | DSDD0474 | 0.00   | 1.50   | 1.50     | 0.140        |                       |                |                      |
| BDT2    | DSDD0474 | 10.50  | 12.00  | 1.50     | 0.100        |                       |                |                      |
| BDT2    | DSDD0474 | 27.00  | 28.09  | 1.09     | 0.110        |                       |                |                      |
| BDT2    | DSDD0474 | 50.50  | 51.40  | 0.90     | <b>1.630</b> | 0.90 m @ 1.63 g/t Au  | 1.467          | 0.90 m @ 1.63 g/t Au |
| BDT2    | DSDD0474 | 60.00  | 61.00  | 1.00     | 0.240        | 1.00 m @ 0.24 g/t Au  | 0.24           |                      |
| BDT2    | DSDD0474 | 63.00  | 64.00  | 1.00     | 0.180        |                       |                |                      |
| BDT2    | DSDD0474 | 64.00  | 65.00  | 1.00     | 0.250        | 1.00 m @ 0.25 g/t Au  | 0.25           |                      |
| BDT2    | DSDD0474 | 85.00  | 86.00  | 1.00     | 0.550        | 2.00 m @ 0.45 g/t Au  | 0.9            |                      |
| BDT2    | DSDD0474 | 86.00  | 87.00  | 1.00     | 0.350        |                       |                |                      |
| BDT2    | DSDD0474 | 92.00  | 93.00  | 1.00     | <b>1.650</b> | 5.00 m @ 0.64 g/t Au  | 3.21           | 1.00 m @ 1.65 g/t Au |
| BDT2    | DSDD0474 | 93.00  | 94.00  | 1.00     | 0.130        |                       |                |                      |
| BDT2    | DSDD0474 | 94.00  | 95.00  | 1.00     | 0.040        |                       |                |                      |
| BDT2    | DSDD0474 | 95.00  | 96.00  | 1.00     | 0.210        |                       |                | 1.00 m @ 1.18 g/t Au |
| BDT2    | DSDD0474 | 96.00  | 97.00  | 1.00     | <b>1.180</b> |                       |                |                      |
| BDT2    | DSDD0474 | 105.00 | 106.00 | 1.00     | 0.150        |                       |                |                      |
| BDT2    | DSDD0474 | 163.00 | 164.00 | 1.00     | 0.180        |                       |                |                      |
| BDT2    | DSDD0474 | 164.00 | 165.00 | 1.00     | 0.140        |                       |                |                      |
| BDT2    | DSDD0474 | 165.00 | 166.00 | 1.00     | 0.100        |                       |                |                      |
| BDT2    | DSDD0474 | 166.00 | 167.00 | 1.00     | 0.110        |                       |                |                      |

| Deposit | Hole ID  | From   | To     | Interval | Au (ppm)      | Sig Int > 0.2 g/t Au  | m*g/t Au (gpm) | Sig Int >1 g/t Au            |
|---------|----------|--------|--------|----------|---------------|-----------------------|----------------|------------------------------|
| BDT2    | DSDD0474 | 167.00 | 168.00 | 1.00     | 0.310         | 1.00 m @ 0.31 g/t Au  | 0.31           |                              |
| BDT2    | DSDD0474 | 175.00 | 176.00 | 1.00     | 0.120         |                       |                |                              |
| BDT2    | DSDD0474 | 176.00 | 177.00 | 1.00     | <b>1.630</b>  | 1.00 m @ 1.63 g/t Au  | 1.63           | <b>1.00 m @ 1.63 g/t Au</b>  |
| BDT2    | DSDD0474 | 180.00 | 181.00 | 1.00     | 0.100         |                       |                |                              |
| BDT2    | DSDD0474 | 181.00 | 182.00 | 1.00     | 0.220         | 1.00 m @ 0.22 g/t Au  | 0.22           |                              |
| BDT2    | DSDD0474 | 184.00 | 185.00 | 1.00     | 0.130         |                       |                |                              |
| BDT2    | DSDD0474 | 214.00 | 215.00 | 1.00     | 0.260         | 1.00 m @ 0.26 g/t Au  | 0.26           |                              |
| BDT2    | DSDD0474 | 283.00 | 284.00 | 1.00     | 0.940         | 1.00 m @ 0.94 g/t Au  | 0.94           |                              |
| BDT2    | DSDD0474 | 291.00 | 292.00 | 1.00     | 0.120         |                       |                |                              |
| BDT2    | DSDD0474 | 294.00 | 295.37 | 1.37     | 0.130         |                       |                |                              |
| BDT2    | DSDD0474 | 299.00 | 300.00 | 1.00     | 0.120         |                       |                |                              |
| BDT2    | DSDD0476 | 12.00  | 12.63  | 0.63     | 0.100         |                       |                |                              |
| BDT2    | DSDD0476 | 82.00  | 83.00  | 1.00     | 0.150         |                       |                |                              |
| BDT2    | DSDD0476 | 83.00  | 84.00  | 1.00     | 0.150         |                       |                |                              |
| BDT2    | DSDD0476 | 149.00 | 150.00 | 1.00     | 0.140         |                       |                |                              |
| BDT2    | DSDD0476 | 150.00 | 151.00 | 1.00     | 0.300         | 1.00 m @ 0.30 g/t Au  | 0.3            |                              |
| BDT2    | DSDD0476 | 154.00 | 155.00 | 1.00     | 0.150         |                       |                |                              |
| BDT2    | DSDD0476 | 168.00 | 169.00 | 1.00     | 0.330         | 4.00 m @ 0.41 g/t Au  | 1.64           |                              |
| BDT2    | DSDD0476 | 169.00 | 170.00 | 1.00     | 0.240         |                       |                |                              |
| BDT2    | DSDD0476 | 170.00 | 171.00 | 1.00     | 0.090         |                       |                |                              |
| BDT2    | DSDD0476 | 171.00 | 172.00 | 1.00     | 0.980         |                       |                |                              |
| BDT2    | DSDD0476 | 172.00 | 173.00 | 1.00     | 0.140         | 11.00 m @ 0.50 g/t Au | 5.4681         |                              |
| BDT2    | DSDD0476 | 176.00 | 177.00 | 1.00     | 0.200         |                       |                |                              |
| BDT2    | DSDD0476 | 177.00 | 178.00 | 1.00     | 0.280         |                       |                |                              |
| BDT2    | DSDD0476 | 178.00 | 179.00 | 1.00     | 0.950         |                       |                |                              |
| BDT2    | DSDD0476 | 179.00 | 179.80 | 0.80     | 0.340         |                       |                |                              |
| BDT2    | DSDD0476 | 179.80 | 181.00 | 1.20     | 0.080         |                       |                |                              |
| BDT2    | DSDD0476 | 181.00 | 182.00 | 1.00     | 0.060         |                       |                |                              |
| BDT2    | DSDD0476 | 182.00 | 183.00 | 1.00     | 0.430         |                       |                |                              |
| BDT2    | DSDD0476 | 183.00 | 184.00 | 1.00     | <b>1.810</b>  |                       |                | <b>1.00 m @ 1.81 g/t Au</b>  |
| BDT2    | DSDD0476 | 184.00 | 185.00 | 1.00     | 0.090         |                       |                |                              |
| BDT2    | DSDD0476 | 185.00 | 186.00 | 1.00     | 0.120         |                       |                |                              |
| BDT2    | DSDD0476 | 186.00 | 187.00 | 1.00     | <b>1.160</b>  |                       |                | <b>1.00 m @ 1.16 g/t Au</b>  |
| BDT2    | DSDD0476 | 187.00 | 188.00 | 1.00     | 0.130         |                       |                |                              |
| BDT2    | DSDD0476 | 191.00 | 192.00 | 1.00     | 0.100         |                       |                |                              |
| BDT2    | DSDD0476 | 195.70 | 197.10 | 1.40     | 0.850         | 1.40 m @ 0.85 g/t Au  | 1.19           |                              |
| BDT2    | DSDD0476 | 210.00 | 211.00 | 1.00     | 0.100         |                       |                |                              |
| BDT2    | DSDD0476 | 218.00 | 219.00 | 1.00     | 0.120         |                       |                |                              |
| BDT2    | DSDD0476 | 220.00 | 220.70 | 0.70     | 0.180         |                       |                |                              |
| BDT2    | DSDD0476 | 220.70 | 221.50 | 0.80     | 0.430         | 2.80 m @ 4.39 g/t Au  | 12.28388       |                              |
| BDT2    | DSDD0476 | 221.50 | 222.40 | 0.90     | <b>12.680</b> |                       |                | <b>0.90 m @ 12.68 g/t Au</b> |
| BDT2    | DSDD0476 | 222.40 | 223.50 | 1.10     | 0.480         |                       |                |                              |
| BDT2    | DSDD0476 | 248.00 | 249.00 | 1.00     | 0.110         |                       |                |                              |
| BDT2    | DSDD0476 | 249.00 | 250.00 | 1.00     | 0.110         |                       |                |                              |
| BDT2    | DSDD0476 | 250.00 | 251.00 | 1.00     | 0.130         |                       |                |                              |
| BDT2    | DSDD0476 | 261.00 | 262.00 | 1.00     | 0.330         | 9.00 m @ 0.47 g/t Au  | 4.2696         |                              |
| BDT2    | DSDD0476 | 262.00 | 263.00 | 1.00     | <b>1.510</b>  |                       |                | <b>1.00 m @ 1.51 g/t Au</b>  |
| BDT2    | DSDD0476 | 263.00 | 264.00 | 1.00     | 0.010         |                       |                |                              |
| BDT2    | DSDD0476 | 264.00 | 265.00 | 1.00     | 0.010         |                       |                |                              |
| BDT2    | DSDD0476 | 265.00 | 266.00 | 1.00     | 0.010         |                       |                |                              |
| BDT2    | DSDD0476 | 266.00 | 267.00 | 1.00     | 0.450         |                       |                |                              |
| BDT2    | DSDD0476 | 267.00 | 268.00 | 1.00     | 0.310         |                       |                |                              |
| BDT2    | DSDD0476 | 268.00 | 269.00 | 1.00     | <b>1.200</b>  |                       |                | <b>1.00 m @ 1.20 g/t Au</b>  |
| BDT2    | DSDD0476 | 269.00 | 270.00 | 1.00     | 0.440         |                       |                |                              |
| BDT2    | DSDD0476 | 277.00 | 278.00 | 1.00     | 0.190         |                       |                |                              |
| BDT2    | DSDD0476 | 286.00 | 287.00 | 1.00     | 0.760         | 2.60 m @ 0.38 g/t Au  | 0.99008        |                              |
| BDT2    | DSDD0476 | 287.00 | 288.00 | 1.00     | 0.080         |                       |                |                              |
| BDT2    | DSDD0476 | 288.00 | 288.60 | 0.60     | 0.250         |                       |                |                              |
| BDT2    | DSDD0479 | 0.00   | 1.05   | 1.05     | <b>1.380</b>  | 1.05 m @ 1.38 g/t Au  | 1.449          | <b>1.05 m @ 1.38 g/t Au</b>  |

| Deposit | Hole ID  | From   | To     | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au    |
|---------|----------|--------|--------|----------|----------|----------------------|----------------|----------------------|
| BDT2    | DSDD0479 | 2.93   | 3.80   | 0.87     | 0.130    |                      |                |                      |
| BDT2    | DSDD0479 | 3.80   | 4.50   | 0.70     | 0.160    |                      |                |                      |
| BDT2    | DSDD0479 | 22.00  | 23.05  | 1.05     | 0.690    | 1.05 m @ 0.69 g/t Au | 0.7245         |                      |
| BDT2    | DSDD0479 | 54.00  | 55.00  | 1.00     | 0.300    | 2.00 m @ 0.56 g/t Au | 1.12           |                      |
| BDT2    | DSDD0479 | 55.00  | 56.00  | 1.00     | 0.820    |                      |                |                      |
| BDT2    | DSDD0479 | 63.00  | 64.00  | 1.00     | 0.270    | 1.00 m @ 0.27 g/t Au | 0.27           |                      |
| BDT2    | DSDD0479 | 67.00  | 68.00  | 1.00     | 0.110    |                      |                |                      |
| BDT2    | DSDD0479 | 68.00  | 69.00  | 1.00     | 0.390    | 3.10 m @ 0.43 g/t Au | 1.34385        |                      |
| BDT2    | DSDD0479 | 69.00  | 69.90  | 0.90     | 0.380    |                      |                |                      |
| BDT2    | DSDD0479 | 69.90  | 71.10  | 1.20     | 0.510    |                      |                |                      |
| BDT2    | DSDD0479 | 90.00  | 91.46  | 1.46     | 0.190    |                      |                |                      |
| BDT2    | DSDD0479 | 91.46  | 92.50  | 1.04     | 0.230    | 1.84 m @ 0.28 g/t Au | 0.511152       |                      |
| BDT2    | DSDD0479 | 92.50  | 93.30  | 0.80     | 0.340    |                      |                |                      |
| BDT2    | DSDD0479 | 103.00 | 104.00 | 1.00     | 0.320    | 1.00 m @ 0.32 g/t Au | 0.32           |                      |
| BDT2    | DSDD0479 | 106.60 | 108.00 | 1.40     | 0.200    | 1.40 m @ 0.20 g/t Au | 0.28           |                      |
| BDT2    | DSDD0479 | 108.00 | 109.20 | 1.20     | 0.100    |                      |                |                      |
| BDT2    | DSDD0479 | 126.00 | 127.00 | 1.00     | 0.180    |                      |                |                      |
| BDT2    | DSDD0479 | 127.00 | 128.00 | 1.00     | 1.170    | 2.80 m @ 2.37 g/t Au | 6.64888        | 2.80 m @ 2.37 g/t Au |
| BDT2    | DSDD0479 | 128.00 | 129.30 | 1.30     | 0.180    |                      |                |                      |
| BDT2    | DSDD0479 | 129.30 | 129.80 | 0.50     | 10.490   |                      |                |                      |
| BDT2    | DSDD0479 | 137.35 | 138.30 | 0.95     | 2.010    | 0.95 m @ 2.01 g/t Au | 1.9095         | 0.95 m @ 2.01 g/t Au |
| BDT2    | DSDD0479 | 138.30 | 139.00 | 0.70     | 0.160    |                      |                |                      |
| BDT2    | DSDD0479 | 153.00 | 154.00 | 1.00     | 0.120    |                      |                |                      |
| BDT2    | DSDD0479 | 171.00 | 172.00 | 1.00     | 0.310    | 1.00 m @ 0.31 g/t Au | 0.31           |                      |
| BDT2    | DSDD0479 | 179.00 | 180.00 | 1.00     | 0.230    | 1.00 m @ 0.23 g/t Au | 0.23           |                      |
| BDT2    | DSDD0479 | 190.00 | 191.50 | 1.50     | 0.110    |                      |                |                      |

## About Aurum

Aurum Resources (ASX:AUE) is an Australian based gold exploration company focused on discovery and development of major gold projects in Côte d'Ivoire, West Africa. Aurum has 4.38 Moz gold resources coming from two gold projects, the 3.22 Moz Boundiali Gold Project and the 1.16 Moz Napié Gold Project. Aurum has 16 diamond drill rigs allowing it to explore faster and more cost effectively than its peers.

## Group Mineral Resources and Reserves

The Mineral Resources and Ore Reserves are reported in accordance with the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code). The Mineral Resources are inclusive of the Ore Reserves. All figures are reported on a dry mass basis at 100% equity interest. Rounding may cause minor computational discrepancies. Ore Reserves are not precise calculations.

**Table 3: Group Mineral Resources Statement for contained gold based on drilling as at 30 April 2026 (figures may not add up due to appropriate rounding)**

| Mineral Resources |            |                                                          | Indicated   |                  |            | Inferred    |                  |            | Total Resources |                  |            |
|-------------------|------------|----------------------------------------------------------|-------------|------------------|------------|-------------|------------------|------------|-----------------|------------------|------------|
| Project           | Type       | Cut-off                                                  | Tonnes (Mt) | Gold grade (g/t) | Gold (Moz) | Tonnes (Mt) | Gold grade (g/t) | Gold (Moz) | Tonnes (Mt)     | Gold grade (g/t) | Gold (Moz) |
| Boundiali         | Oxide      | 0.4 g/t Au above 300m depth and 1.5 g/t below 300m depth | 3.1         | 0.9              | 0.09       | 2.3         | 0.8              | 0.06       | 5.4             | 0.9              | 0.15       |
|                   | Transition |                                                          | 3.3         | 0.9              | 0.10       | 2.0         | 0.8              | 0.05       | 5.1             | 0.9              | 0.15       |
|                   | Fresh      |                                                          | 48.2        | 1.0              | 1.51       | 48.7        | 0.9              | 1.41       | 96.9            | 0.9              | 2.91       |
|                   | Total      |                                                          | 54.5        | 1.0              | 1.70       | 52.9        | 0.9              | 1.52       | 107.5           | 1.0              | 3.22       |
| Napié             | Oxide      | 0.3 g/t Au above 300m depth and 1.0 g/t below 300m depth | 1.0         | 1.4              | 0.04       | 0.9         | 1.0              | 0.03       | 1.9             | 1.2              | 0.07       |
|                   | Transition |                                                          | 0.8         | 1.2              | 0.03       | 1.3         | 0.9              | 0.04       | 2.1             | 1.0              | 0.07       |
|                   | Fresh      |                                                          | 7.1         | 1.2              | 0.27       | 19.0        | 1.2              | 0.74       | 26.1            | 1.2              | 1.01       |
|                   | Total      |                                                          | 8.9         | 1.2              | 0.35       | 21.2        | 1.2              | 0.82       | 30.0            | 1.2              | 1.16       |
| Total             |            |                                                          | 63.4        | 1.0              | 2.05       | 74.1        | 1.0              | 2.34       | 137.5           | 1.0              | 4.38       |

**Table 4: Group Ore Reserve Statement as at 30 April 2026 (figures may not add up due to appropriate rounding)**

| Mining Area | Proved      |        |        | Probable    |        |        | Total       |        |        |
|-------------|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|
|             | Quantity Mt | Au g/t | Au koz | Quantity Mt | Au g/t | Au koz | Quantity Mt | Au g/t | Au koz |
| BDT1        | —           | —      | —      | 10.3        | 1.0    | 323    | 10.3        | 1.0    | 323    |
| BDT2        | —           | —      | —      | 17.5        | 0.6    | 354    | 17.5        | 0.6    | 354    |
| BMT3        | —           | —      | —      | 8.8         | 1.4    | 383    | 8.8         | 1.4    | 383    |
| BST         | —           | —      | —      | 5.5         | 0.8    | 145    | 5.5         | 0.8    | 145    |
| TOTAL       | —           | —      | —      | 42.1        | 0.9    | 1,210  | 42.1        | 0.9    | 1,210  |

### Boundiali Gold Project (3.22 Moz)

The flagship Boundiali Gold Project is comprised of seven neighbouring exploration tenements and is located within the same greenstone belt as Resolute's large Syama (11.5Moz) gold mine and Perseus' Sissingué (1.4 Moz) gold mine to the north and Montage Gold's 6Moz Koné project located to the south. Atlantic Group's Tongon mine (5.0Moz) is located to the northeast:

#### BM gold project JV 80% interest - PR0893 ("BM"), 400km<sup>2</sup>

- Can earn 80-88% interest in future gold production company (Government receives 10% free carry from local partner):
  - 80% if local partner contributes 11% capex
  - 85% if local partner does not contribute capex – they go to 5% free carry
  - 88% if local partner sells us 3% of their interest they go to 2% free carry

#### BD gold project JV 80% interest - PR808 ("BD"), 260km<sup>2</sup>

- Can earn 80-88% interest in future gold production company (Government receives 10% free carry from local partner):
  - 80% if local partner contributes 11% capex
  - 85% if local partner does not contribute capex – they go to 5% free carry
  - 88% if local partner sells us 3% of their interest they go to 2% free carry

#### BST gold project 100% interest – Application No. 0781 ("BST") 100%, 167.34km<sup>2</sup>

- *Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025.*
- 90% interest in future gold production company (Government receives 10% free carry from Aurum interest)

#### BN gold project JV - PR283 ("BN"), 208.87km<sup>2</sup>

Aurum is earning interest through carrying out exploration to earn 70% interest in three stages:

- Stage 1: Aurum earns 35% interest by spending USD 1.2 million within 36 months of licence grant
- Stage 2: Aurum earns 51% interest by spending USD 2.5 million within 60 months of licence grant
- Stage 3: Aurum earns 70% interest upon completion of a pre-feasibility study on the tenement
- Diamond drilling conducted by Aurum will be valued at US\$140 per meter for expenditure calculations
- Upon grant of a mining exploitation licence, the ownership structure will be: Aurum (70%), GNRR (20%), Ivorian Government (10%)

### Encore JV Project

- Applications (No. 1740 and No. 1745) totalling nearly 320km<sup>2</sup> are strategically located between Aurum's existing **BD** and **BST** tenements and south of **BM**, offering growth potential for its Boundiali Gold Project.

- Staged earn-in agreement aligns expenditure with milestones for each permit area:
  - Path to 51% interest: 4,000m diamond drilling.
  - Path to 80% interest: Additional 8,000m diamond drilling (total 12,000m) OR US\$2.5 million nominal expenditure.

#### Major Star Plus Partnership Projects

- Application (No. 0791), 114.53km<sup>2</sup>, is strategically located on the immediate south and west of **BST** tenement, offering growth potential for its Boundiali Gold Project.
- Application (No. 0793), 99.12km<sup>2</sup>, are structurally located on the immediate west of the Napié gold project, offering growth potential for its Napié Gold Project.
- 35% project interest from the Company's ownership of 35% registered share capital of Major Star Plus Sarl.
  - Path to 51% interest in an exploration permit: Either USD1.5 million normal expenditure or 7,000m diamond drilling.
  - Path to 80% interest in an exploration permit: Either USD3.0 million normal expenditure or 15,000m diamond drilling
  - Path to 95% interest in an exploration permit: Completion of Pre-Feasibility Study
  - 85.5~87% interest in a future production mine

#### Mako Gold Pty Ltd (1.16Moz)

Wholly owned subsidiary of Aurum and holds the following projects:

- 1.16Moz Napié Gold Project. 90% Mako and African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study.
- Korhogo Project (100%), significant manganese discovery
- Brobo Project (100%), prospective for lithium/rare earths

## Section 1 of the JORC Code, 2012 Edition – Table 1

### Sampling Techniques and Data

| Criteria                     | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Sampling techniques</i>   | <ul style="list-style-type: none"> <li>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</li> <li>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</li> <li>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</li> </ul> | <ul style="list-style-type: none"> <li>Samples were collected using diamond drilling techniques generally angled at 50° towards north-northwest to optimally intersect the mineralised zones.</li> <li>Diamond core was logged both for geological and mineralised structures as noted above. The core was then cut in half using a diamond brick cutting saw on 1m intervals. Typically, the core was sampled to geological intervals as defined by the geologist within the even two metre sample intervals utilised. The right-hand side of the core was always submitted for analysis with the left side being stored in trays on site.</li> <li>Sampling and QAQC procedures were carried out to industry standards.</li> <li>Sample preparation and assay was completed by independent international accredited laboratory MSALABS. Following cutting or splitting, the samples were bagged by the Client employees and then sent to the laboratory for preparation. These samples were subsequently sent to MSALABS at Yamousoukro for analysis via 500g Photon Assay.</li> </ul> |
| <b>Drilling techniques</b>   | <ul style="list-style-type: none"> <li>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <ul style="list-style-type: none"> <li>Diamond drilling carried out with mostly NTW and some HQ sized equipment. PQ-size rods and casing were used at the top the holes to stabilise the collars although no samples were taken from the PQ size core.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Drill sample recovery</b> | <ul style="list-style-type: none"> <li>Method of recording and assessing core and chip sample recoveries and results assessed.</li> <li>Measures taken to maximise sample recovery and ensure representative nature of the samples.</li> <li>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <ul style="list-style-type: none"> <li>Diamond drilling core recoveries ranged between 85% and 100% for all holes with no significant issues noted.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Logging</b>               | <ul style="list-style-type: none"> <li>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <ul style="list-style-type: none"> <li>All holes were field logged by company geologists. Lithological, alteration and mineralogical nomenclature of the deposit as well as sulphide content were recorded.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

| Criteria                                                                                                | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                         | <p>studies and metallurgical studies.</p> <ul style="list-style-type: none"> <li>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li> <li>The total length and percentage of the relevant intersections logged.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <p>Metallurgical, Geotechnical and structural data has been recorded</p> <ul style="list-style-type: none"> <li>Photography and recovery measurements were carried out by assistants under a geologist's supervision.</li> <li>All drill holes were logged in full.</li> <li>Logging was qualitative and quantitative in nature.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <ul style="list-style-type: none"> <li><b>Sub-sampling techniques and sample preparation</b></li> </ul> | <ul style="list-style-type: none"> <li>If core, whether cut or sawn and whether quarter, half or all core taken.</li> <li>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li> <li>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> <li>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li> <li>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</li> <li>Whether sample sizes are appropriate to the grain size of the material being sampled.</li> </ul> | <ul style="list-style-type: none"> <li>NTW core cut in half using a core saw. Typically, the core was sampled to major geological intervals as defined by the geologist within the even two metre sample intervals utilised. All samples were collected from the same side of the core.</li> <li>Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for Au.</li> <li>The entire sample was crushed to 70% passing 2mm.</li> <li>Crushed sample was split to produce 500g sample for analysis and the remaining reject kept for checks.</li> <li>Field QC procedures involved the use of 2 types of certified reference materials (1 in 20) which is certified by Geostats Ltd,</li> <li>Primary DD duplicate: Generated by cutting the remaining half core into a ¼ and sampled.</li> <li>Coarse blank samples: Inserted 1 in every 20 samples</li> <li>Laboratory Internal Duplicates and Standards</li> <li>Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for gold</li> </ul> |
| <ul style="list-style-type: none"> <li><b>Quality of assay data and laboratory tests</b></li> </ul>     | <ul style="list-style-type: none"> <li>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> <li>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                 | <ul style="list-style-type: none"> <li>The analytical technique used is Chrysos™ PhotonAssay methodology. This uses a high-energy X-ray source that is used to irradiate large mineral samples, typically about 500g compared to the 50g of the fire assay. The X-rays induce short-lived changes in the structure of any gold nuclei present. As the excited gold nuclei return to</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

| Criteria                                                                                       | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                         | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                | <p>model, reading times, calibrations factors applied and their derivation, etc.</p> <ul style="list-style-type: none"> <li>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</li> </ul>                         | <p>their ground state, they emit a characteristic gamma-ray signature, the intensity of which is directly proportional to the concentration of gold. The penetrating nature of Chrysos™ PhotonAssay provides much higher energy than those used in conventional X-ray fluorescence (XRF), which provides a true bulk analysis of the entire sample. Samples are presented into a fully automatic process where samples are irradiated, measured, data collection and reporting.</p> <ul style="list-style-type: none"> <li>No geophysical tools were used to determine any element concentrations used for this report.</li> <li>Sample preparation checks for fineness were carried out by the laboratory as part of internal procedures to ensure the grind size was being attained. Laboratory QAQC includes the use of internal standards using certified reference material, and pulp replicates. No anomalous assays were noted in information provided to the Client.</li> <li>The QAQC results confirm that acceptable levels of accuracy and precision have been established for the Classifications applied (exploration results only).</li> </ul> |
| <ul style="list-style-type: none"> <li><b>Verification of sampling and assaying</b></li> </ul> | <ul style="list-style-type: none"> <li>The verification of significant intersections by either independent or alternative company personnel.</li> <li>The use of twinned holes.</li> <li>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</li> <li>Discuss any adjustment to assay data.</li> </ul> | <ul style="list-style-type: none"> <li>NA</li> <li>No holes have been twinned</li> <li>No adjustment to assay data</li> <li>Logging records were mostly registered in physical format and were input into a digital format. The core photographs, collar coordinates and down the hole surveys were received in digital format.</li> <li>Assay values that were below detection limit were adjusted to equal half of the detection limit value. Un-sampled intervals were assumed to have no mineralisation and they were therefore set to blank in the database, however these are minimal.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <ul style="list-style-type: none"> <li><b>Location of data points</b></li> </ul>               | <ul style="list-style-type: none"> <li>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> <li>Specification of the grid system used.</li> <li>Quality and adequacy of topographic control.</li> </ul>                                           | <ul style="list-style-type: none"> <li>DD collar positions were initially located using a handheld GPS with a location error of +/-3m.</li> <li>The datum employed is WGS84, Zone 29</li> <li>All drill hole locations are then surveyed utilising the differential GPS methods by both company and third-party surveyors.</li> <li>DGPS system utilised is typically within a 10 cm accuracy range which is suitable for the classification applied.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

| Criteria                                                                                                         | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                            | Commentary                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li><b>Data spacing and distribution</b></li> </ul>                           | <ul style="list-style-type: none"> <li>Data spacing for reporting of Exploration Results.</li> <li>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</li> <li>Whether sample compositing has been applied.</li> </ul>                                 | <ul style="list-style-type: none"> <li>Drillholes were completed on variable line spacings (from 100m to 50m) and orientations.</li> <li>The drill hole spacing and distribution is considered sufficient to establish the degree of continuity appropriate for the Inferred Mineral Resource estimation procedures.</li> <li>The samples were not composited prior to assay.</li> </ul> |
| <ul style="list-style-type: none"> <li><b>Orientation of data in relation to geological structure</b></li> </ul> | <ul style="list-style-type: none"> <li>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</li> <li>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</li> </ul> | <ul style="list-style-type: none"> <li>Drill holes were drilled approximately at right angles to the anticipated strike of the target geochemical anomaly and orthogonal to the interpreted mineralisation orientation.</li> </ul>                                                                                                                                                       |
| <ul style="list-style-type: none"> <li><b>Sample security</b></li> </ul>                                         | <ul style="list-style-type: none"> <li>The measures taken to ensure sample security.</li> </ul>                                                                                                                                                                                                                                                                                                                                  | <ul style="list-style-type: none"> <li>Chain of custody is managed by the Client's senior site geologists and geotechnicians. Samples are stored in a core shed at site and samples were delivered to the laboratory by client geologists. Client employees have no further involvement in the preparation or analysis of the samples.</li> </ul>                                        |
| <ul style="list-style-type: none"> <li><b>Audits or reviews</b></li> </ul>                                       | <ul style="list-style-type: none"> <li>The results of any audits or reviews of sampling techniques and data.</li> </ul>                                                                                                                                                                                                                                                                                                          | <ul style="list-style-type: none"> <li>Detailed reviews of sampling techniques were carried out on the site visit by RPM in October 2024 and follow up visit in March 2025.</li> </ul>                                                                                                                                                                                                   |

• Section 2 of the JORC Code, 2012 Edition – Table 1

| Criteria                                                                                         | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li><b>Mineral tenement and land tenure status</b></li> </ul> | <ul style="list-style-type: none"> <li>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.</li> </ul> | <ul style="list-style-type: none"> <li>Exploration results are from the Boundiali project area</li> <li>PR893 (BM), 400km<sup>2</sup>, holder Minex West Africa, of which Aurum has earned 80% interest and can earn up to 88% in a mining licence through its fully owned subsidiary Plusor Global Pty Ltd ("Plusor"). Boundiali DS tenement PR808 ("BD"), 260km<sup>2</sup>, holder DS Resources Joint Venture Company, of which Aurum is 80% share capital owner through its fully owned subsidiary Plusor. BST mining licence application of which Aurum is 100% owner.</li> <li>There are no impediments to working in the area.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <ul style="list-style-type: none"> <li><b>Exploration done by other parties</b></li> </ul>       | <ul style="list-style-type: none"> <li>Acknowledgment and appraisal of exploration by other parties.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                  | <ul style="list-style-type: none"> <li>The exploration results reported in this announcement are from work undertaken by PlusOr a wholly owned subsidiary of Aurum Resources Limited</li> <li>The license area is known as a prospective region for gold and recent artisanal workings revealed the presence of primary gold mineralisation in artisanal pits and small-scale underground mining.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <ul style="list-style-type: none"> <li><b>Geology</b></li> </ul>                                 | <ul style="list-style-type: none"> <li>Deposit type, geological setting and style of mineralisation.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                  | <ul style="list-style-type: none"> <li>The Boundiali Deposits are located within the Proterozoic Birimian rocks of the Man shield. It is situated on, 100km west of Korhogo in the northern part of the Côte d'Ivoire. They are located in the Bagoué-Syama shear zone within the sedimentary rock with minor associated intrusions of mafic dykes and late-stage granitoids. The various rock units trend NS to NNE similar to the regional metamorphic grade. The regional trend is NE to N.</li> <li>The Boundiali deposits resemble typical shear zone deposits of the West African granite-greenstone terrane. The deposits themselves are associated with a major regional shear zone and are developed in a sandstone. Mineralisation may be spatially related to the emplacement of intrusives. The gold mineralisation is mesothermal in origin and occurs as free gold in quartz vein stockworks and zones of silicification, associated with pyrite and chalcopyrite. The gold mineralisation is found in linear zones with the contacts showing evidence of shearing. Free gold is</li> </ul> |

| • Criteria                                                                                   | • JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | • Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <p>frequently observed. Alteration is weak to strong depending on the development of the system typically being sericite.</p> <ul style="list-style-type: none"> <li>Two types of deformation are present in the drill cores: ductile deformation and brittle deformation. The gold mineralisation is related to deformed sandstone and graywacke, in shear zones, with sulphides (mainly pyrite and minor chalcopyrite) associated with visible gold. Alteration is characterized by chlorite, sericite, calcite, secondary quartz and disseminated pyrite. This assemblage is well developed in schistose, foliated rocks with presence of quartz veins or veinlets.</li> </ul> |
| <ul style="list-style-type: none"> <li><b>Drill hole information</b></li> </ul>              | <ul style="list-style-type: none"> <li>A summary of all information material to the under-standing of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> <li>easting and northing of the drill hole collar</li> <li>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</li> <li>dip and azimuth of the hole</li> <li>down hole length and interception depth</li> <li>hole length</li> </ul> </li> <li>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</li> </ul> | <ul style="list-style-type: none"> <li>Complete drill hole data has been provided.</li> <li>Drill hole collar locations are shown in figures in main body of announcement.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <ul style="list-style-type: none"> <li><b>Data aggregation methods</b></li> </ul>            | <ul style="list-style-type: none"> <li>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</li> <li>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</li> <li>The assumptions used for any reporting of metal equivalent values should be clearly stated.</li> </ul>                                                                                                                                                                           | <ul style="list-style-type: none"> <li>Assay Intervals are shown in detail. Drilling intervals are predominantly 1m.</li> <li>Metal equivalent values are not being reported.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <ul style="list-style-type: none"> <li><b>Relationship between mineralisation</b></li> </ul> | <ul style="list-style-type: none"> <li>These relationships are particularly important in the reporting of Exploration Results.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <ul style="list-style-type: none"> <li>True widths are estimated at approximately 60–85% of reported downhole, based on the interpreted</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

| • Criteria                                  | • JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                          | • Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| • <b>widths and intercept lengths</b>       | <ul style="list-style-type: none"> <li>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</li> <li>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').</li> </ul>                                                                                                                 | <p>geometry of the mineralised zones.</p> <ul style="list-style-type: none"> <li>The holes were drilled to test a steeply east dipping foliation in the limited rock exposures seen in the area. The mineralisation lies within what has been interpreted to be a ductile shear zone which would suggest that mineralisation should lie parallel to foliation.</li> </ul>                                                                                                                                       |
| • <b>Diagrams</b>                           | <ul style="list-style-type: none"> <li>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</li> </ul>                                                                                                                                              | <ul style="list-style-type: none"> <li>Appropriate diagrams relevant to material results are shown in the body of this announcement.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                 |
| • <b>Balanced Reporting</b>                 | <ul style="list-style-type: none"> <li>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> <li>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</li> </ul> | <ul style="list-style-type: none"> <li>All drill hole and trench collar locations were surveyed utilising handheld GPS methods. Exploration results only being reported.</li> <li>Drilling teams utilised the Reflex EZ-shot instrument to measure deviations in azimuth and inclination angles for all holes; however, vertical holes were not surveyed. The first measurement is taken at 6 m depth, and then at approximately every 30m depth interval and at the end of the hole being reported.</li> </ul> |
| • <b>Other substantive exploration data</b> | <ul style="list-style-type: none"> <li>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</li> </ul>                          | <ul style="list-style-type: none"> <li>All relevant exploration data is either reported in this announcement or has been reported previously by Aurum, Randgold or Predictive Discovery and is referred to in the announcement.</li> </ul>                                                                                                                                                                                                                                                                      |
| • <b>Further work</b>                       | <ul style="list-style-type: none"> <li>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling).</li> <li>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</li> </ul>                                                             | <ul style="list-style-type: none"> <li>The Company intends to continue exploration on the project and this work will include auger, aircore, RC and diamond core drilling, along with further geophysical surveys and geochemical sampling programs.</li> <li>Diagrams included in body of report as deemed appropriate by competent person</li> </ul>                                                                                                                                                          |