

07 August 2026

Aurum hits 0.72m @ 367 g/t gold from 485.94m at Boundiali's BMT3 deposit

Aurum Resources (ASX: AUE, "Aurum" or "the Company") is pleased to announce the latest gold intercepts from an ongoing 100,000m diamond drilling program at its 3.22Moz Boundiali Gold Project¹ in Côte d'Ivoire. Aurum has received assay results from 36 diamond drill (DD) holes totalling 9,452.00m, completed as a mix of infill, step-out and extensional drilling at BMT3 (19 holes for 5,845.85m), BMT2 (six holes for 1,209.30m) and BMT1 (11 holes for 2,396.85m) deposits, which are located on the northern half of the BM tenement (80% interest).

Latest drilling has intersected gold mineralisation outside the current Mineral Resource, supporting further resource growth potential.

Key drill intercepts from the latest drilling include²:

BMT3 (18.6Mt @ 1.3 g/t Au for 750koz)

- **1.76m @ 150.87 g/t Au** from 485.94m inc. **0.72m @ 367.05 g/t Au** (MBDD397) (Figure 1)
- **15.50m @ 3.88 g/t Au** from 179m inc. **9.50m @ 6.04 g/t Au** (MBDD376)
- **10m @ 3.46 g/t Au** from 280m inc. **8m @ 4.24 g/t Au** (MBDD359)

BMT2 (no resources currently defined)

- **15m @ 1.05 g/t Au** from 112m inc. **1m @ 10.29 g/t Au** (MBDD385)
- **6m @ 1.79 g/t Au** from 48m inc. **1.90m @ 4.80 g/t Au** (MBDD384)
- **66.30m @ 0.61 g/t Au** from 129.70m inc. **4.23m @ 1.94 g/t Au** (MBDD385)

BMT1 (8.8Mt @ 1.1 g/t Au for 320koz)

- **6.80m @ 28.76 g/t Au** from 120.20m inc. **2.80m @ 69.53 g/t Au** (MBDD389)
- **2.41m @ 14.38 g/t Au** from 123m (MBDD367)
- **8m @ 2.13 g/t Au** from 135m inc. **4m @ 3.82 g/t Au** (MBDD367).



Figure 1: Visible gold in core from drill hole MBDD397 at BMT3.

¹ "Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz" released to the Australian Securities Exchange on 14 May 2026 and available to view on www.asx.com.au

² Refer to tables accompanying this report for collar location information and assay results for the new drilling

Highlights:

- **Resource growth potential:** Drilling confirms gold mineralisation outside of current MRE boundaries at BMT3; gold system remains open.
- **130,000m drilling planned for CY2026:** 16 Aurum-owned diamond drill rigs now operating to drive resource growth at Boundiali (100,000m) and Napié (30,000m).
- **Next Boundiali MRE update** is targeted for end Q3 CY2026.
- **Boundiali Definitive Feasibility Study (DFS)** expected late CY2026.
- Aurum has **4.4Moz gold combined group resources** including flagship **3.22Moz Boundiali Gold Project** and **1.16Moz Napié Gold Project**³.
- Aurum is well-funded for continued exploration success with **\$54.7M** cash (30 June 2026 unaudited).

Aurum's Managing Director Dr Caigen Wang said: "Our latest results from BM continue to build the case for further resource growth at Boundiali. At BMT3, new holes extend high-grade mineralisation at depth, adding to the strong grades already returned along its 2.3km strike. To date, the resource at BMT1, which extends over 2.5km of strike, is limited by historic drilling that is too widely spaced to support an Inferred classification — new infill drilling is now targeting those areas to bring them into the resource, and we expect it to grow. At BMT2, which sits outside the current Mineral Resource for the same reason, today's results support further growth potential, although more drilling is required before it can be classified.

"We've now tested over 1km of strike at BMT2, including parallel mineralised structures, with several assays still pending. Combined with earlier results to the north indicating potential over roughly 1.2km, we see scope to extend BMT2's mineralised trend beyond 2km with continued drilling success.

"With 16 diamond rigs owned by Aurum now active across Boundiali, these results will feed directly into our next major resource update, targeted for the end of Q3 CY2026.

"Our balance sheet remains strong with A\$54.7M in cash, enabling us to advance drilling, studies and permitting in parallel. Environmental approval in May and the delivery of the PFS and Maiden Ore Reserve in June have set a clear pathway toward Mining Licences and DFS completion later this year.

"Boundiali continues to grow in both scale and confidence, and today's results reinforce that trajectory. We look forward to reporting further progress on Boundiali exploration and development through the remainder of 2026."

New Drilling at BM – Boundiali Gold Project⁴

Aurum has received assay results⁵ from 36 diamond drill (DD) holes totalling 9,452.00m, completed as a mix of infill, step-out and extensional drilling at the **BMT3** (19 holes for 5,845.85m), **BMT2** (six holes for 1,209.30m) and **BMT1** (11 holes for 2,396.85m) deposits which are located on the northern half of the **BM** tenement (80% interest).

These results are from an ongoing 100,000m Boundiali drilling program (CY2026) aimed at increasing resources and improving resource confidence, and Aurum will incorporate results into the next MRE update, expected at the end of Q3 CY2026.

Details of drill collar locations, assay results and intercepts⁶ for the new drilling at Boundiali are provided in Table 1 and Table 2. Plans showing location of the Boundiali Gold Project are presented in **Figure 2** and **Figure 3** and project

³ "Napie Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au" released to the Australian Securities Exchange on 10 April 2026 and available to view on www.asx.com.au

⁴ Refer to About Aurum's Boundiali Gold Project

⁵ Refer to Table 1 for collar information and Table 2 for full assay results for the new drilling

⁶ All intercepts are reported as downhole lengths using a 0.2 g/t Au cut-off grade with up to 3m consecutive internal dilution and no top cut applied

details in **Figure 4**. A detailed plan showing the latest assay results is presented in **Figure 5** and an example cross section of the latest results can be found presented in **Figure 6**.

The 36 holes were drilled to test the limits of gold mineralisation at depth and along strike, and to drive resource growth by drilling previously unclassified mineralisation at a spacing sufficient for Inferred Mineral Resource classification. The drilling has intersected gold mineralisation outside the current Mineral Resource and has returned multiple zones of high-grade gold intersections downhole; better results include:

BMT3

- **1.76m @ 150.87 g/t Au** from 485.94m inc. **0.72m @ 367.05 g/t Au** (MBDD397)
- **15.50m @ 3.88 g/t Au** from 179m inc. **9.50m @ 6.04 g/t Au** (MBDD376)
- **10m @ 3.46 g/t Au** from 280m inc. **8m @ 4.24 g/t Au** (MBDD359)

BMT2

- **15m @ 1.05 g/t Au** from 112m inc. **1m @ 10.29 g/t Au** (MBDD385)
- **6m @ 1.79 g/t Au** from 48m inc. **1.90m @ 4.80 g/t Au** (MBDD384)
- **66.30m @ 0.61 g/t Au** from 129.70m inc. **4.23m @ 1.94 g/t Au** (MBDD385)

BMT1

- **6.80m @ 28.76 g/t Au** from 120.20m inc. **2.80m @ 69.53 g/t Au** (MBDD389)
- **2.41m @ 14.38 g/t Au** from 123m (MBDD367)
- **8m @ 2.13 g/t Au** from 135m inc. **4m @ 3.82 g/t Au** (MBDD367).

These new results are in addition to diamond holes drilled at **BM** and reported⁷ by Aurum, which included:

- **4.20m @ 80.64 g/t Au** from 107m inc. **1.43m @ 234.35 g/t Au** & **5.66 m @ 6.99 g/t Au** from 121m (MBDD214B)
- **3.80m @ 73.82 g/t Au** from 274m inc. **0.80m @ 350 g/t Au** (MBDD277)
- **1m @ 274.89 g/t Au** from 380m (MBDD274)
- **1.19m @ 277.54 g/t Au** from 31m (MBDD118)
- **9m @ 24.61 g/t Au** from 221m inc. **4m @ 54.64 g/t Au** from 222m (MBDD174)
- **5.10m @ 43.13 g/t Au** from 112.90m inc. **3.10m @ 70.78 g/t Au** (MBDD291)
- **1m @ 150.50 g/t Au** within **3m @ 50.56 g/t Au** from 124m (MBDD130)
- **1m @ 152.35 g/t Au** from 96m (MBDD260)
- **2m @ 63.55 g/t Au** from 111m inc. **1m @ 110.95 g/t Au** & **23m @ 2.04 g/t Au** from 118m (MBDD123)
- **4m @ 9.56 g/t Au** from 130m inc. **3m @ 12.65 g/t Au** (MBDD133)
- **1m @ 73.77 g/t Au** from 38m; **12m @ 2.14 g/t Au** from 43m; **6m @ 4.46 g/t Au** from 56m & **15m @ 1.17 g/t Au** from 132m (MBDD112)
- **11.46m @ 6.67 g/t Au** from 162.54m incl. **1.46m @ 45.04 g/t Au** (MBDD049)
- **10.15m @ 6.05 g/t Au** from 125.50m inc. **3.60m @ 13.88 g/t Au** (MBDD299).

Gold mineralisation at **BMT3** is hosted in a diorite emplaced between volcanic and sedimentary rocks and is characterised by disseminated pyrite with quartz veinlets and quartz veins, occasional visible gold and associated with silica, carbonate and chlorite alteration. Gold mineralisation at **BMT1** and **BMT2** is hosted within sandstone rich in quartz veining associated with pyrite. True widths for these shallow gold intercepts are estimated at about 60% - 80% of reported downhole lengths.

Gold mineralisation at **BM** remains open along strike and at depth. Results from these holes will feed the next major Boundiali Mineral Resource update, and follow-up drilling to test the gold mineralisation identified outside the current

⁷ Refer to Compliance Statement for details on previous reporting on ASX



resource is being planned. Aurum's drill rigs continue to work on the **BM** and **BST tenements**. Shareholders are reminded that so far, drilling at Boundiali has only targeted the most obvious outcropping anomalies. Aurum believes there remains a high potential for blind discoveries, providing a clear pathway for continued resource growth in CY2026 and beyond.

Next Steps

Aurum will continue to use its strong balance sheet and self-owned drill rig fleet to drive multi-rig drilling activity throughout CY2026 focussed on rapid resource conversion, resource growth and economic de-risking.

1. Boundiali: Moving to Development

- **Drilling (100,000m):** 16 diamond rigs to test strike and depth extensions across **BD, BM, and BST** tenements.
- **Resource Update:** Next major MRE update is targeted for end Q3 CY2026.
- **DFS Delivery:** Results from 2026 drilling and the PFS will be incorporated in a **DFS** expected in late 2026.

2. Napié: Scaling the Resource

- **Resource Expansion:** A **30,000m diamond drilling** program is planned to grow the 1.16Moz gold resource.
- **Drilling Efficiency:** Aurum is building an exploration camp close to the Napié gold deposits to reduce operating costs and improve access efficiency.

3. Regional Exploration & Discovery

- **Pipeline Generation:** Scout drilling is planned for the **BD, BM, and BST** tenements to test new targets identified via soil anomalies and geological mapping.
- **Early-Stage Growth:** Aurum is advancing its **Encore JV⁸** and **Major Star Plus⁹** partnership projects to identify new gold systems in the region.

This update has been authorised by the Board of Aurum Resources Limited.

ENDS

⁸ ASX release dated 27 May 2025, Aurum secures strategic Joint Venture to expand Boundiali Gold Project, summarised in "About" section

⁹ ASX release dated 1 September 2025, Aurum expands footprint of Boundiali and Napié Gold Projects, summarised in "About" section

FORWARD-LOOKING STATEMENTS

This ASX release contains forward-looking statements about Aurum Resources Limited's exploration activities, drilling programs, Mineral Resource Estimates, Ore Reserves, the Pre-Feasibility Study and potential Definitive Feasibility Study, project development timelines, and the potential for first gold production. Forward-looking statements are identified by words such as "target", "expected", "planned", "potential", "anticipated", "goal" and similar expressions. These statements are based on the Company's current expectations, assumptions, and estimates as at the date of this release, and are subject to risks and uncertainties that could cause actual results to differ materially from those expressed or implied. Key risks include, but are not limited to: exploration and drilling outcomes; resource and reserve estimation uncertainty; commodity price fluctuations, including the gold price; currency exchange rate movements; the ability to obtain and maintain required regulatory, environmental, and mining approvals; operational and project execution risks; capital and financing risks; geopolitical and sovereign risks associated with operations in Côte d'Ivoire; and broader economic and market conditions. The Ore Reserve and PFS outcomes referred to in this release were prepared in accordance with the JORC Code 2012 and the assumptions underlying those studies are summarised in the relevant ASX announcements (ASX:AUE, 11 June 2026). Those assumptions remain subject to change as the project advances toward a Definitive Feasibility Study and as new information becomes available. Investors and potential investors are cautioned not to place undue reliance on forward-looking statements, which reflect the Company's views only as at the date of this release. The Company undertakes no obligation to update forward-looking statements, whether as a result of new information, future events, or otherwise, except to the extent required by applicable law or ASX Listing Rules.

COMPETENT PERSON'S STATEMENT

The information in this release that relates to Exploration Targets and Exploration Results is based on information compiled by Mr Mark Strizek, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Strizek has been a Non-Executive Director of the Company since 1 February 2024 and joined as an Executive Director on 1 June 2024. Mr Strizek holds shares in Aurum Resources Limited and holds options and performance rights that have been approved by shareholders of the Company. Mr Strizek has sufficient experience relevant to the style of mineralisation and type of deposit under consideration, and to the activity being undertaken, to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Strizek consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears. Additionally, Mr Strizek confirms that the Company is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this release.

COMPLIANCE STATEMENT

The information in this release that relates to Boundiali Mineral Resources is extracted from the announcement "Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz" released to the Australian Securities Exchange on 14 May 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this release that relates to Boundiali Ore Reserves is extracted from the announcement "Boundiali PFS and Maiden Ore Reserve delivered" released to the Australian Securities Exchange on 11 June 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Ore Reserves, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this report that relates to Napié Mineral Resources is extracted from the announcement "Napie Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au" released to the Australian Securities Exchange on 10 April 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in

the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

PREVIOUSLY REPORTED INFORMATION

This report contains information extracted from ASX market announcements reported in accordance with the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" ("2012 JORC Code") and available for viewing at www.asx.com.au and includes results reported previously and published on ASX platform:

28 Jul 2026, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 24 Jul 2026, Aurum extends BDT2 gold beyond current resource (ASX:AUE)
 29 Jun 2026, Aurum hits 1.7m @ 70.35 g/t gold from 276.5m at BDT2 (ASX:AUE)
 17 Jun 2026, AUE adds key personnel to strengthen Boundiali development (ASX:AUE)
 11 Jun 2026, Boundiali PFS and Maiden Ore Reserve delivered (ASX:AUE)
 25 May 2026, Aurum Receives Environmental Approvals for Boundiali (ASX:AUE)
 14 May 2026, Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz (ASX:AUE)
 7 May 2026, Aurum hits thick gold intersections at BDT2 (ASX:AUE)
 28 Apr 2026, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 21 Apr 2026, Aurum hits multiple thick gold intersections at BDT2 (ASX:AUE)
 16 Apr 2026, Boundiali BST1 depth extension 220m below current MRE (ASX:AUE)
 10 Apr 2026, Napie Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au (ASX:AUE)
 23 Mar 2026, Aurum raises \$28.8M via Strategic Placement (ASX:AUE)
 13 Mar 2026, Half Yearly Report and Accounts (ASX:AUE)
 5 Mar 2026, Aurum Hits High-Grade Gold at Napie, Cote d'Ivoire (ASX:AUE)
 23 Feb 2026, Boundiali Resource Grows to 3Moz - Indicated Up 49% (ASX:AUE)
 16 Feb 2026, Boundiali extends strike and depth at BDT3 and BST1 (ASX:AUE)
 5 Feb 2026, High-Grade Extensions at BD Deposits for Resource Growth (ASX:AUE)
 28 Jan 2026, Further high-grade intercepts at BMT3 in Boundiali (ASX:AUE)
 14 Jan 2026, Boundiali Gold Project produces more good drilling results (ASX:AUE)
 7 Jan 2026, Aurum advances Boundiali development with 3 ML Applications (ASX:AUE)
 19 Dec 2025, More high grade gold intercepts at BMT3 in Boundiali (ASX:AUE)
 11 Dec 2025, Drilling at Napie Extends Gold Mineralisation to 400m Depth (ASX:AUE)
 28 Nov 2025, Aurum completes \$22.98M Montage share sale (ASX:AUE)
 18 Nov 2025, Aurum hits 3.10m @ 70.78 g/t gold from 112.90m at Boundiali (ASX:AUE)
 07 Nov 2025, Aurum hits 5m @ 11.07 g/t gold from outside BDT2 resources (ASX:AUE)
 06 Nov 2025, Addendum to the 2025 Annual Report (ASX:AUE)
 30 Oct 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 27 Oct 2025, Aurum hits 0.8m @ 350 g/t gold at Boundiali Gold Project (ASX:AUE)
 06 Oct 2025, Boundiali indicated gold resources grows by 53% in two month (ASX:AUE)
 29 Sep 2025, Aurum hits 1m @ 152.35 g/t gold from 96m at Boundiali (ASX:AUE)
 10 Sep 2025, Aurum hits 17m @ 9.38 g/t gold from 236m at Napie (ASX:AUE)
 01 Sep 2025, Aurum expands footprint of Boundiali and Napie Gold Projects (ASX:AUE)
 05 Aug 2025, Boundiali Gold Project Resource grows ~50% to 2.41Moz (ASX:AUE)
 29 Jul 2025, Encouraging Drilling Results at BD & BST (ASX:AUE)
 25 Jul 2025, Aurum hits 1.43m at 234.35 g/t gold from 107m at BMT3 (ASX:AUE)
 23 Jul 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 15 Jul 2025, 100 million share placement to strategic investors completed (ASX:AUE)
 27 Jun 2025, Aurum commenced 30,000m diamond drilling at Napie (ASX:AUE)
 17 Jun 2025, AUE hits 66m @ 1.07g/t gold from 33m @ Boundiali BD tenement (ASX:AUE)
 27 May 25, AUE expands Boundiali Gold Project exploration ground (ASX:AUE)
 21 May 25, AUE hits 34m @ 2.32g/t gold from 56m @ Boundiali BD tenement (ASX:AUE)
 13 May 25, Assay Results at Boundiali BM Tenement (Amended) (ASX:AUE)
 13 May 25, Aurum hits 73.10 g/t gold at Boundiali BM tenement (ASX:AUE)
 07 May 2025, Aurum to raise \$35.6 million from strategic investment (ASX:AUE)
 16 Apr 2025, AUE hits 89m @ 2.42 g/t gold at 1.59Moz Boundiali Project (ASX:AUE)
 08 Apr 2025, AUE to start diamond drilling at Boundiali South tenement (ASX:AUE)
 31 Mar 2025, AUE to commence environmental study - Boundiali Gold Project (ASX:AUE)
 27 Mar 2025, Aurum hits 83m@4.87 g/t Au at 1.59Moz Boundiali Project (ASX:AUE)
 19 Mar 2025, Hits 4m at 54.64 g/t Au outside 1.59Moz Boundiali MRE area (ASX:AUE)
 14 Mar 2025, Half Yearly Report and Accounts (ASX:AUE)
 7 Mar 25, Investor Presentation March 2025 (ASX:AUE)
 6 Mar 25, AUE Completes Acquisition of Mako Gold Limited (ASX:AUE)
 27 Feb 25, 12m at 22.02g/t from 145m outside 1.59Moz Boundiali MRE area (ASX:AUE)
 21 Feb 2025, 8m at 8.23g/t from 65m outside 1.59Moz Boundiali MRE area (ASX:AUE)
 4 Feb 2025, Napie Project Listing Rule 5.6 Disclosure (Amended) (ASX:AUE)
 3 Feb 2025, Mako Takeover Offer Closes (ASX:AUE)
 31 Jan 2025, Drill Collar Table Addendum (ASX:AUE)
 31 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
 31 Jan 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 30 Jan 2025, Aurum hits 150 g/t gold at Boundiali, Côte d'Ivoire (ASX:AUE)
 29 Jan 2025, MKG - Suspension of Trading and Delisting From ASX (ASX:AUE)
 24 Jan 2025, Compulsory Acquisition Notice Mako Takeover (ASX:AUE)
 24 Jan 2025, Non-Binding MoU with SANY Heavy Equipment Co (ASX:AUE)
 23 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
 9 Jan 2025, Best and Final offer for Mako Gold Limited (ASX:AUE)
 31 Dec 2024, Boundiali Project Maiden Resource delivers 1.6 Moz (amended) (ASX:AUE)
 30 Dec 2024, Boundiali Gold Project Maiden Resource delivers 1.6 Moz (ASX:AUE)
 24 Dec 2024, Change in substantial holding for MKG (ASX:AUE)
 23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali (ASX:AUE)
 18 Dec 2024, Aurum hits 277 g/t gold at Boundiali BM Target 3
 13 Dec 2024, Change of Directors and Addition of Joint Company Secretary (ASX:AUE & ASX:MKG)
 6 Dec 2024, AUE receives firm commitments for A\$10 million placement (ASX:AUE)
 29 Nov 2024, Aurum earns 80% interest in Boundiali BM tenement (ASX:AUE)
 28 Nov 2024, AUE appoints Mr. Steve Zaninovich as Non-Executive Director (ASX:AUE)
 22 Nov 2024, AUE Declares Takeover Offer for all MKG Shares Unconditional (ASX:AUE)
 15 Nov 2024, Supplementary Bidders Statement (ASX:AUE)
 11 Nov 2024, Aurum hits 36 g/t gold at BM T1 of 2.5km strike (ASX:AUE)
 30 Oct 2024, Bidders Statement (ASX:AUE)
 16 Oct 2024, Recommended Takeover of Mako Gold By Aurum Resources (ASX:AUE)
 09 Sep 2024, Aurum earns 51% interest in Boundiali BM tenement (ASX:AUE)
 05 Sep 2024, AUE hits 40m at 1.03 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 03 Sep 2024, Boundiali South Exploration Licence Renewed (ASX:AUE)
 07 Aug 2024, Aurum to advance met studies for Boundiali Gold Project (ASX:AUE)
 22 July 2024, Prelim metallurgical tests deliver up to 99% gold recovery (ASX:AUE)
 17 June 2024, Aurum hits 69m at 1.05 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 28 May 2024, AUE hits 163 g/t gold in 12m @ 14.56 g/t gold at BD Target 1 (ASX:AUE)
 24 May 2024, Aurum hits 74m @ 1.0 g/t gold at Boundiali BD Target 2 (ASX:AUE)
 15 May 2024, Aurum expands Boundiali Gold Project footprint (ASX:AUE)
 10 May 2024, AUE hits 90m @ 1.16 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 01 May 2024, Aurum Appoints Country Manager in Côte d'Ivoire (ASX:AUE)
 23 April 2024, AUE drilling hits up to 45 g/t gold at Boundiali BD Target 2 (ASX:AUE)
 19 March 2024, AUE signs binding term sheet for 100% of Boundiali South (ASX:AUE)
 12 March 2024, AUE hits 73m at 2.15g/t Inc. 1m at 72g/t gold at Boundiali (ASX:AUE)
 01 March 2024, Aurum hits 4m at 22 g/t gold in Boundiali diamond drilling (ASX:AUE)
 22 January 2024, Aurum hits shallow, wide gold intercepts at Boundiali, Côte d'Ivoire (ASX:AUE)
 21 December 2023, Rapid Drilling at Boundiali Gold Project (ASX:AUE)
 21 November 2023, AUE Acquisition Presentation (ASX:AUE)
 21 June 2021, Notice of General Meeting/Proxy Form (MSR:ASX)
 21 May 2021, PlusOr to Acquire 6194 sq kms Ground Position in Côte d'Ivoire (MSR:ASX)
 22 August 2019, Boundiali RC Drill Results Continue to Impress (PDI:ASX)
 15 July 2019, RC, Trench Results Grow Boundiali Potential In Côte D'Ivoire (PDI:ASX)
 27 May 2019, New Drill Results Strengthen Boundiali Project Côte D'Ivoire (PDI:ASX)
 16 January 2019, PDI-Toro JV Sharpens Focus with Major Drilling Program (PDI:ASX)
 26 November 2018, Boundiali North - Large Coherent Gold Anomalies in 14km Zone (PDI:ASX)

The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcements.




Figure 2: Location of Aurum's projects in Côte d'Ivoire




Figure 3: Location of Aurum's Boundiali and Napié gold projects in Côte d'Ivoire




Figure 4: Aurum's Boundiali Gold Project





Figure 5: Plan view showing new drill results (yellow) for BM¹⁰

¹⁰ Only showing new intercepts greater than 5 gold gram metres, full list of new intercepts included in assay results table



¹¹ Only showing new intercepts greater than 5 gold gram metres, full list of new intercepts included in assay results table

Table 1: Drill collar information for holes drilled at Boundiali (BM)

Hole ID	UTM East Zone 29N	UTM North Zone 29N	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
MBDD341	795,300	1,080,088	366	277.30	105	-50	BMT3	DD
MBDD342	795,305	1,079,870	366	280.15	105	-50		
MBDD343	795,205	1,079,900	365	278.30	105	-50		
MBDD344	795,199	1,080,117	365	279.50	105	-50		
MBDD345	795,164	1,079,619	368	206.20	105	-50		
MBDD346	795,100	1,080,144	363	282.10	105	-50		
MBDD347	795,119	1,079,631	368	284.60	105	-50		
MBDD348	795,160	1,077,757	374	246.50	105	-60		
MBDD349	795,100	1,077,717	373	232.20	105	-61		
MBDD350	795,076	1,077,620	372	233.10	105	-60		
MBDD352	795,093	1,077,510	370	232.00	105	-60		
MBDD353	795,104	1,077,409	368	247.40	105	-60		
MBDD359	795,108	1,079,208	380	358.00	105	-50		
MBDD371	795,097	1,078,883	392	309.80	105	-55		
MBDD374	795,062	1,079,221	381	385.60	105	-50		
MBDD376	795,017	1,078,788	396	319.50	105	-55		
MBDD386	795,049	1,078,896	390	376.00	105	-55		
MBDD390	794,961	1,078,647	401	490.50	105	-65		
MBDD397	794,898	1,078,572	400	527.10	105	-61		
19 Holes				5,845.85m				
MBDD355	794,138	1,092,308	369	211.20	290	-50		
MBDD360	794,126	1,091,631	372	212.60	305	-55		
MBDD363	794,086	1,092,041	374	214.80	290	-50		
MBDD384	794,056	1,091,701	385	159.20	260	-55		
MBDD385	794,007	1,091,868	390	220.60	115	-55		
MBDD388	793,931	1,091,758	387	190.90	305	-55		
6 Holes				1,209.30m			BMT1	
MBDD364	796,456	1,093,323	360	197.60	290	-60		
MBDD365	796,386	1,093,241	356	269.40	290	-55		
MBDD367	796,499	1,093,308	360	216.05	290	-60		
MBDD373	796,421	1,093,216	356	209.00	290	-55		
MBDD378	796,517	1,093,358	366	239.70	290	-60		
MBDD379	796,478	1,093,264	371	236.75	290	-55		
MBDD383	796,488	1,093,420	367	153.10	290	-55		
MBDD389	796,555	1,093,608	373	186.50	290	-57		
MBDD391	796,528	1,093,406	371	206.35	290	-55		
MBDD392	796,522	1,093,514	371	221.60	290	-55		
MBDD394	796,592	1,093,596	373	260.80	290	-55		
11 Holes				2,396.85m			TOTAL	
36 Holes				9,452.00m				

Table 2: Significant assay results for holes drilled at Boundiali (BM)¹²

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BMT3	MBDD341	106.00	107.00	1.00	0.179			
BMT3	MBDD341	107.00	108.00	1.00	0.208	1.00 m @ 0.21 g/t Au	0.2	
BMT3	MBDD341	247.00	248.00	1.00	0.158			
BMT3	MBDD342	12.40	13.50	1.10	0.116			
BMT3	MBDD342	55.00	56.00	1.00	0.115			
BMT3	MBDD342	65.00	66.00	1.00	0.207	1.00 m @ 0.21 g/t Au	0.2	
BMT3	MBDD342	68.00	69.00	1.00	0.186			
BMT3	MBDD342	69.00	70.00	1.00	2.037	1.00 m @ 2.04 g/t Au	2.0	1.00 m @ 2.04 g/t Au
BMT3	MBDD342	70.00	71.00	1.00	0.130			
BMT3	MBDD342	90.00	91.00	1.00	0.266	2.00 m @ 0.26 g/t Au	0.5	
BMT3	MBDD342	91.00	92.00	1.00	0.256			
BMT3	MBDD342	134.00	135.00	1.00	0.215	1.00 m @ 0.21 g/t Au	0.2	
BMT3	MBDD342	206.00	207.00	1.00	0.124			
BMT3	MBDD343	0.00	1.05	1.05	0.329	1.05 m @ 0.33 g/t Au	0.3	
BMT3	MBDD343	9.50	10.50	1.00	0.104			
BMT3	MBDD343	166.00	167.00	1.00	0.150			
BMT3	MBDD343	191.00	192.00	1.00	0.129			
BMT3	MBDD343	255.00	256.00	1.00	0.532	1.00 m @ 0.53 g/t Au	0.5	
BMT3	MBDD344	0.00	279.50	279.50		NSI		
BMT3	MBDD345	0.00	1.00	1.00	0.607	2.30 m @ 0.38 g/t Au	0.9	
BMT3	MBDD345	1.00	2.30	1.30	0.209			
BMT3	MBDD345	7.05	8.10	1.05	0.181			
BMT3	MBDD345	10.00	11.37	1.37	0.184			
BMT3	MBDD345	13.13	14.15	1.02	0.776	1.02 m @ 0.78 g/t Au	0.8	
BMT3	MBDD345	16.30	17.26	0.96	0.771	0.96 m @ 0.77 g/t Au	0.7	
BMT3	MBDD345	49.50	50.50	1.00	0.571	3.32 m @ 0.43 g/t Au	1.4	
BMT3	MBDD345	50.50	51.50	1.00	0.445			
BMT3	MBDD345	51.50	52.82	1.32	0.306			
BMT3	MBDD345	52.82	54.00	1.18	0.117			
BMT3	MBDD345	65.00	66.00	1.00	0.108			
BMT3	MBDD345	78.40	79.00	0.60	0.222	0.60 m @ 0.22 g/t Au	0.1	
BMT3	MBDD345	83.00	84.00	1.00	1.534	2.00 m @ 1.72 g/t Au	3.4	2.00 m @ 1.72 g/t Au
BMT3	MBDD345	84.00	85.00	1.00	1.904			
BMT3	MBDD345	89.00	90.00	1.00	0.138			
BMT3	MBDD345	195.00	196.00	1.00	0.153			
BMT3	MBDD345	196.00	197.37	1.37	0.660	1.37 m @ 0.66 g/t Au	0.9	
BMT3	MBDD346	0.00	282.10	282.10		NSI		
BMT3	MBDD347	3.81	4.50	0.69	2.907	0.69 m @ 2.91 g/t Au	2.0	0.69 m @ 2.91 g/t Au
BMT3	MBDD347	61.00	62.00	1.00	0.207	1.00 m @ 0.21 g/t Au	0.2	
BMT3	MBDD347	104.00	105.00	1.00	0.621	1.00 m @ 0.62 g/t Au	0.6	
BMT3	MBDD347	105.00	106.00	1.00	0.102	17.51 m @ 0.33 g/t Au	5.8	
BMT3	MBDD347	110.25	111.00	0.75	0.684			
BMT3	MBDD347	111.00	112.00	1.00	0.494			
BMT3	MBDD347	112.00	113.00	1.00	1.357			1.00 m @ 1.36 g/t Au
BMT3	MBDD347	113.00	114.00	1.00	0.229			
BMT3	MBDD347	114.00	114.78	0.78	0.298			
BMT3	MBDD347	114.78	116.00	1.22	0.079			
BMT3	MBDD347	116.00	117.00	1.00	0.376			
BMT3	MBDD347	117.00	118.00	1.00	0.403			
BMT3	MBDD347	118.00	118.65	0.65	0.016			

¹² 0.2 g/t Au cut off used with up to 3m consecutive internal dilution and no top cut applied

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BMT3	MBDD347	118.65	120.00	1.35	0.101			
BMT3	MBDD347	120.00	120.65	0.65	0.213			
BMT3	MBDD347	120.65	122.00	1.35	0.076			
BMT3	MBDD347	122.00	123.00	1.00	0.500			
BMT3	MBDD347	123.00	124.00	1.00	0.445			
BMT3	MBDD347	124.00	125.00	1.00	0.232			
BMT3	MBDD347	125.00	126.00	1.00	0.197			
BMT3	MBDD347	126.00	127.00	1.00	0.008			
BMT3	MBDD347	127.00	127.76	0.76	0.405			
BMT3	MBDD347	135.00	136.00	1.00	0.173			
BMT3	MBDD347	242.49	243.80	1.31	0.334	1.31 m @ 0.33 g/t Au	0.4	
BMT3	MBDD347	250.00	251.00	1.00	3.121	1.00 m @ 3.12 g/t Au	3.1	1.00 m @ 3.12 g/t Au
BMT3	MBDD347	254.00	255.00	1.00	0.186			
BMT3	MBDD348	0.54	1.33	0.79	0.170			
BMT3	MBDD348	4.50	5.00	0.50	0.360	0.50 m @ 0.36 g/t Au	0.2	
BMT3	MBDD348	5.00	6.00	1.00	0.100			
BMT3	MBDD348	30.40	31.33	0.93	0.100			
BMT3	MBDD348	56.00	56.98	0.98	0.110			
BMT3	MBDD348	56.98	57.50	0.52	1.780	0.52 m @ 1.78 g/t Au	0.9	0.52 m @ 1.78 g/t Au
BMT3	MBDD348	69.00	70.00	1.00	0.100			
BMT3	MBDD349	0.00	1.00	1.00	0.244	1.00 m @ 0.24 g/t Au	0.2	
BMT3	MBDD349	1.00	2.00	1.00	0.146			
BMT3	MBDD349	2.50	4.00	1.50	0.172			
BMT3	MBDD349	14.00	15.30	1.30	0.103			
BMT3	MBDD349	205.00	206.00	1.00	0.526	1.00 m @ 0.53 g/t Au	0.5	
BMT3	MBDD350	0.00	0.83	0.83	0.154			
BMT3	MBDD350	2.65	3.50	0.85	0.146			
BMT3	MBDD350	111.00	112.00	1.00	0.335	1.00 m @ 0.34 g/t Au	0.3	
BMT3	MBDD350	208.00	209.00	1.00	0.272	1.00 m @ 0.27 g/t Au	0.3	
BMT3	MBDD350	213.00	214.00	1.00	0.301	1.00 m @ 0.30 g/t Au	0.3	
BMT3	MBDD352	1.50	3.00	1.50	0.137			
BMT3	MBDD353	0.00	1.50	1.50	0.130			
BMT3	MBDD359	223.50	224.37	0.87	0.143			
BMT3	MBDD359	227.85	229.00	1.15	1.786	2.15 m @ 1.24 g/t Au	2.7	1.15 m @ 1.79 g/t Au
BMT3	MBDD359	229.00	230.00	1.00	0.612			
BMT3	MBDD359	230.00	230.75	0.75	0.106			
BMT3	MBDD359	264.00	265.00	1.00	0.102			
BMT3	MBDD359	274.00	275.00	1.00	0.360	3.00 m @ 0.37 g/t Au	1.1	
BMT3	MBDD359	275.00	276.00	1.00	0.518			
BMT3	MBDD359	276.00	277.00	1.00	0.235			
BMT3	MBDD359	280.00	281.44	1.44	0.307	10.00 m @ 3.46 g/t Au	34.6	
BMT3	MBDD359	281.44	282.00	0.56	0.473			
BMT3	MBDD359	282.00	283.00	1.00	1.869			
BMT3	MBDD359	283.00	284.00	1.00	17.596			
BMT3	MBDD359	284.00	285.00	1.00	2.010			
BMT3	MBDD359	285.00	286.00	1.00	1.374			
BMT3	MBDD359	286.00	287.00	1.00	3.517			
BMT3	MBDD359	287.00	288.00	1.00	3.594			
BMT3	MBDD359	288.00	289.00	1.00	2.195	13.00 m @ 1.12 g/t Au	14.5	
BMT3	MBDD359	289.00	290.00	1.00	1.770			
BMT3	MBDD359	295.00	296.26	1.26	0.234			
BMT3	MBDD359	296.26	297.00	0.74	0.377			
BMT3	MBDD359	297.00	298.00	1.00	0.649			
BMT3	MBDD359	298.00	299.00	1.00	2.112			
BMT3	MBDD359	299.00	300.00	1.00	0.934			5.00 m @ 2.03 g/t Au

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BMT3	MBDD359	300.00	301.00	1.00	3.337			
BMT3	MBDD359	301.00	302.00	1.00	2.288			
BMT3	MBDD359	302.00	303.00	1.00	1.461			
BMT3	MBDD359	303.00	304.00	1.00	0.387			
BMT3	MBDD359	304.00	305.00	1.00	0.347			
BMT3	MBDD359	305.00	306.00	1.00	0.353			
BMT3	MBDD359	306.00	307.25	1.25	1.000			
BMT3	MBDD359	307.25	308.00	0.75	1.114			2.00 m @ 1.04 g/t Au
BMT3	MBDD359	319.60	320.10	0.50	0.225	0.50 m @ 0.23 g/t Au	0.1	
BMT3	MBDD359	340.93	342.00	1.07	0.155			
BMT3	MBDD359	342.00	343.00	1.00	1.450	3.00 m @ 0.58 g/t Au	1.7	1.00 m @ 1.45 g/t Au
BMT3	MBDD359	343.00	344.00	1.00	0.077			
BMT3	MBDD359	344.00	345.00	1.00	0.210			
BMT3	MBDD359	345.00	346.00	1.00	0.192			
BMT3	MBDD371	32.00	33.00	1.00	0.100			
BMT3	MBDD371	82.00	83.00	1.00	0.110			
BMT3	MBDD371	100.00	101.00	1.00	1.120	1.00 m @ 1.12 g/t Au	1.1	1.00 m @ 1.12 g/t Au
BMT3	MBDD371	189.90	190.60	0.70	1.150	0.70 m @ 1.15 g/t Au	0.8	0.70 m @ 1.15 g/t Au
BMT3	MBDD371	200.00	201.00	1.00	0.100			
BMT3	MBDD371	207.00	207.80	0.80	0.230	0.80 m @ 0.23 g/t Au	0.2	
BMT3	MBDD371	240.90	242.00	1.10	5.590	7.60 m @ 2.10 g/t Au	16.0	7.60 m @ 2.10 g/t Au
BMT3	MBDD371	242.00	243.00	1.00	4.870			
BMT3	MBDD371	243.00	244.00	1.00	0.760			
BMT3	MBDD371	244.00	245.00	1.00	1.210			
BMT3	MBDD371	245.00	246.00	1.00	0.080			
BMT3	MBDD371	246.00	247.00	1.00	1.080			
BMT3	MBDD371	247.00	248.50	1.50	1.210	10.50 m @ 1.07 g/t Au	11.2	
BMT3	MBDD371	278.60	279.50	0.90	0.170			
BMT3	MBDD371	279.50	281.00	1.50	0.230			
BMT3	MBDD371	281.00	282.00	1.00	0.050			
BMT3	MBDD371	282.00	283.00	1.00	0.500			
BMT3	MBDD371	283.00	283.73	0.73	0.980			
BMT3	MBDD371	283.73	285.00	1.27	0.580			
BMT3	MBDD371	285.00	286.00	1.00	0.250			
BMT3	MBDD371	286.00	287.00	1.00	5.690			
BMT3	MBDD371	287.00	288.00	1.00	0.610			
BMT3	MBDD371	288.00	289.00	1.00	0.010	3.60 m @ 1.38 g/t Au	5.0	4.00 m @ 2.15 g/t Au
BMT3	MBDD371	289.00	290.00	1.00	2.300			
BMT3	MBDD371	291.00	292.00	1.00	0.150			
BMT3	MBDD371	297.00	298.10	1.10	0.300			
BMT3	MBDD371	298.10	299.00	0.90	0.190	3.60 m @ 1.38 g/t Au	5.0	
BMT3	MBDD371	299.00	300.00	1.00	3.430			
BMT3	MBDD371	300.00	300.60	0.60	1.750			1.60 m @ 2.80 g/t Au
BMT3	MBDD371	304.50	306.00	1.50	0.380	1.50 m @ 0.38 g/t Au	0.6	
BMT3	MBDD371	308.00	309.00	1.00	0.150			
BMT3	MBDD374	234.30	235.00	0.70	0.143			
BMT3	MBDD374	278.00	279.00	1.00	0.277	1.00 m @ 0.28 g/t Au	0.3	
BMT3	MBDD374	293.00	294.00	1.00	0.254	1.00 m @ 0.25 g/t Au	0.3	
BMT3	MBDD374	300.00	301.00	1.00	0.270	3.00 m @ 0.48 g/t Au	1.4	
BMT3	MBDD374	301.00	302.00	1.00	0.457			
BMT3	MBDD374	302.00	303.00	1.00	0.700			
BMT3	MBDD374	311.00	311.80	0.80	0.193	2.20 m @ 0.44 g/t Au	1.0	
BMT3	MBDD374	311.80	313.00	1.20	0.303			
BMT3	MBDD374	313.00	314.00	1.00	0.598			
BMT3	MBDD374	317.00	318.00	1.00	1.781	3.00 m @ 0.95 g/t Au	2.8	1.00 m @ 1.78 g/t Au

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BMT3	MBDD374	318.00	319.00	1.00	0.008			
BMT3	MBDD374	319.00	320.00	1.00	1.049			1.00 m @ 1.05 g/t Au
BMT3	MBDD374	320.00	321.00	1.00	0.132			
BMT3	MBDD374	326.00	327.00	1.00	0.709			
BMT3	MBDD374	327.00	328.00	1.00	8.826	5.00 m @ 3.10 g/t Au	15.5	3.00 m @ 4.82 g/t Au
BMT3	MBDD374	328.00	329.00	1.00	1.355			
BMT3	MBDD374	329.00	330.00	1.00	4.286			
BMT3	MBDD374	330.00	331.00	1.00	0.304			
BMT3	MBDD376	0.00	1.50	1.50	0.130			
BMT3	MBDD376	179.00	180.00	1.00	0.940			
BMT3	MBDD376	180.00	181.00	1.00	0.900			
BMT3	MBDD376	181.00	182.00	1.00	0.160			
BMT3	MBDD376	182.00	183.00	1.00	3.390	15.50 m @ 3.88 g/t Au	60.1	9.50 m @ 6.04 g/t Au
BMT3	MBDD376	183.00	184.00	1.00	0.420			
BMT3	MBDD376	184.00	185.50	1.50	3.020			
BMT3	MBDD376	185.50	186.50	1.00	5.830			
BMT3	MBDD376	186.50	187.50	1.00	10.630			
BMT3	MBDD376	187.50	188.50	1.00	2.330			
BMT3	MBDD376	188.50	189.50	1.00	2.250			
BMT3	MBDD376	189.50	190.50	1.00	16.650			
BMT3	MBDD376	190.50	191.50	1.00	11.350			
BMT3	MBDD376	191.50	192.50	1.00	0.310			
BMT3	MBDD376	192.50	193.50	1.00	0.080			
BMT3	MBDD376	193.50	194.50	1.00	0.350			
BMT3	MBDD376	194.50	195.50	1.00	0.140			
BMT3	MBDD376	205.50	206.50	1.00	0.190			
BMT3	MBDD376	218.50	219.50	1.00	1.240	9.00 m @ 1.54 g/t Au	13.8	1.00 m @ 1.24 g/t Au
BMT3	MBDD376	219.50	220.50	1.00	0.010			
BMT3	MBDD376	220.50	221.50	1.00	2.680			5.85 m @ 2.04 g/t Au
BMT3	MBDD376	221.50	222.50	1.00	5.410			
BMT3	MBDD376	222.50	223.50	1.00	1.910			
BMT3	MBDD376	223.50	224.50	1.00	0.700			
BMT3	MBDD376	224.50	225.50	1.00	0.010			
BMT3	MBDD376	225.50	226.35	0.85	1.430			
BMT3	MBDD376	226.35	227.50	1.15	0.570			
BMT3	MBDD376	227.50	228.50	1.00	0.180			
BMT3	MBDD376	228.50	229.50	1.00	0.110			
BMT3	MBDD376	231.88	232.50	0.62	0.740	2.52 m @ 0.40 g/t Au	1.0	
BMT3	MBDD376	232.50	233.50	1.00	0.160			
BMT3	MBDD376	233.50	234.40	0.90	0.440			
BMT3	MBDD376	237.50	238.50	1.00	0.980	1.00 m @ 0.98 g/t Au	1.0	
BMT3	MBDD376	272.50	273.50	1.00	0.360	4.00 m @ 0.64 g/t Au	2.5	
BMT3	MBDD376	273.50	274.50	1.00	0.010			
BMT3	MBDD376	274.50	275.50	1.00	0.010			
BMT3	MBDD376	275.50	276.50	1.00	2.160			1.00 m @ 2.16 g/t Au
BMT3	MBDD376	293.50	294.50	1.00	0.700	3.00 m @ 0.44 g/t Au	1.3	
BMT3	MBDD376	294.50	295.50	1.00	0.040			
BMT3	MBDD376	295.50	296.50	1.00	0.590			
BMT3	MBDD376	301.50	302.50	1.00	0.940	1.00 m @ 0.94 g/t Au	0.9	
BMT3	MBDD386	93.00	94.00	1.00	0.121			
BMT3	MBDD386	102.00	103.00	1.00	0.326	1.00 m @ 0.33 g/t Au	0.3	
BMT3	MBDD386	219.30	220.30	1.00	1.937	1.00 m @ 1.94 g/t Au	1.9	1.00 m @ 1.94 g/t Au
BMT3	MBDD386	228.50	229.50	1.00	1.391	1.00 m @ 1.39 g/t Au	1.4	1.00 m @ 1.39 g/t Au
BMT3	MBDD386	255.50	256.71	1.21	0.447	1.21 m @ 0.45 g/t Au	0.5	
BMT3	MBDD386	264.00	265.00	1.00	1.617	10.37 m @ 1.23 g/t Au	12.8	1.00 m @ 1.62 g/t Au

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BMT3	MBDD386	265.00	266.00	1.00	0.418			3.37 m @ 2.85 g/t Au
BMT3	MBDD386	266.00	267.00	1.00	0.008			
BMT3	MBDD386	267.00	268.00	1.00	0.008			
BMT3	MBDD386	268.00	269.27	1.27	0.202			
BMT3	MBDD386	269.27	270.00	0.73	0.602			
BMT3	MBDD386	270.00	271.00	1.00	0.421			
BMT3	MBDD386	271.00	272.00	1.00	1.990			
BMT3	MBDD386	272.00	273.00	1.00	0.205			
BMT3	MBDD386	273.00	274.37	1.37	5.411	2.10 m @ 1.47 g/t Au	3.1	2.10 m @ 1.47 g/t Au
BMT3	MBDD386	319.15	320.00	0.85	1.920			
BMT3	MBDD386	320.00	321.25	1.25	1.162	0.50 m @ 0.62 g/t Au	0.3	
BMT3	MBDD386	355.00	355.50	0.50	0.617			
BMT3	MBDD390	6.00	7.50	1.50	0.110			
BMT3	MBDD390	443.68	444.64	0.96	0.170			
BMT3	MBDD390	444.64	446.00	1.36	0.380	2.86 m @ 0.37 g/t Au	1.1	
BMT3	MBDD390	446.00	447.50	1.50	0.370	0.50 m @ 0.66 g/t Au	0.3	
BMT3	MBDD390	454.00	454.50	0.50	0.660			
BMT3	MBDD390	468.00	469.00	1.00	0.490	3.30 m @ 0.48 g/t Au	1.6	
BMT3	MBDD390	469.00	469.87	0.87	0.180			
BMT3	MBDD390	469.87	471.30	1.43	0.660			
BMT3	MBDD397	0.00	1.50	1.50	0.626	1.50 m @ 0.63 g/t Au	0.9	
BMT3	MBDD397	1.50	3.00	1.50	0.195			
BMT3	MBDD397	475.85	477.00	1.15	2.353	1.15 m @ 2.35 g/t Au	2.7	1.15 m @ 2.35 g/t Au
BMT3	MBDD397	480.00	481.00	1.00	0.256	1.70 m @ 0.72 g/t Au	1.2	0.70 m @ 1.37 g/t Au
BMT3	MBDD397	481.00	481.70	0.70	1.371			
BMT3	MBDD397	484.82	485.94	1.12	0.283	2.88 m @ 92.31 g/t Au	265.8	1.76 m @ 150.87 g/t Au
BMT3	MBDD397	485.94	486.66	0.72	367.050			
BMT3	MBDD397	486.66	487.70	1.04	1.200			
BMT3	MBDD397	487.70	489.00	1.30	0.154			
BMT3	MBDD397	491.07	492.00	0.93	0.826	1.93 m @ 0.66 g/t Au	1.3	
BMT3	MBDD397	492.00	493.00	1.00	0.511			
BMT3	MBDD397	495.41	496.00	0.59	0.127			
BMT3	MBDD397	496.00	497.00	1.00	3.705	4.50 m @ 1.28 g/t Au	5.8	2.30 m @ 2.30 g/t Au
BMT3	MBDD397	497.00	498.30	1.30	1.222			
BMT3	MBDD397	498.30	499.00	0.70	0.067			
BMT3	MBDD397	499.00	500.00	1.00	0.008			
BMT3	MBDD397	500.00	500.50	0.50	0.820			
BMT3	MBDD397	512.25	513.00	0.75	4.247	5.75 m @ 0.84 g/t Au	4.8	0.75 m @ 4.25 g/t Au
BMT3	MBDD397	513.00	514.00	1.00	0.534			
BMT3	MBDD397	514.00	515.00	1.00	0.190			
BMT3	MBDD397	515.00	516.00	1.00	0.336			
BMT3	MBDD397	516.00	517.00	1.00	0.051			
BMT3	MBDD397	517.00	518.00	1.00	0.540			
BMT3	MBDD397	519.00	520.00	1.00	0.181			
BMT2	MBDD355	70.00	71.00	1.00	0.120			
BMT2	MBDD355	71.00	72.00	1.00	0.132			
BMT2	MBDD355	74.00	75.47	1.47	0.187			
BMT2	MBDD355	75.47	76.00	0.53	0.117			
BMT2	MBDD355	78.00	79.00	1.00	0.107			
BMT2	MBDD355	82.00	83.00	1.00	0.166			
BMT2	MBDD355	83.00	84.00	1.00	0.131			
BMT2	MBDD355	85.00	86.00	1.00	0.195			
BMT2	MBDD355	86.00	87.00	1.00	0.141			
BMT2	MBDD355	87.00	88.00	1.00	0.149			
BMT2	MBDD355	89.00	90.00	1.00	0.121			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BMT2	MBDD355	158.00	159.00	1.00	0.105			
BMT2	MBDD355	159.00	160.00	1.00	0.105			
BMT2	MBDD355	165.00	166.50	1.50	0.151			
BMT2	MBDD355	168.00	169.00	1.00	0.166			
BMT2	MBDD355	185.00	186.00	1.00	0.197			
BMT2	MBDD355	186.00	187.00	1.00	0.244	1.00 m @ 0.24 g/t Au	0.2	
BMT2	MBDD355	188.00	189.00	1.00	0.168			
BMT2	MBDD355	191.00	192.15	1.15	0.196			
BMT2	MBDD360	51.90	53.00	1.10	0.148			
BMT2	MBDD360	71.50	72.50	1.00	0.175			
BMT2	MBDD360	72.50	73.80	1.30	0.265	1.30 m @ 0.27 g/t Au	0.3	
BMT2	MBDD360	82.00	83.00	1.00	0.164			
BMT2	MBDD360	83.00	84.00	1.00	0.364			
BMT2	MBDD360	84.00	85.00	1.00	0.467			
BMT2	MBDD360	85.00	86.42	1.42	0.203			
BMT2	MBDD360	86.42	87.00	0.58	0.368			
BMT2	MBDD360	87.00	88.00	1.00	0.419			
BMT2	MBDD360	88.00	89.00	1.00	0.490			
BMT2	MBDD360	89.00	90.00	1.00	0.482			
BMT2	MBDD360	90.00	91.20	1.20	0.270			
BMT2	MBDD360	91.20	92.00	0.80	0.129			
BMT2	MBDD360	125.50	126.00	0.50	3.944			
BMT2	MBDD360	126.00	127.00	1.00	0.248			2.50 m @ 1.82 g/t Au
BMT2	MBDD360	127.00	128.00	1.00	2.326			
BMT2	MBDD360	128.00	129.00	1.00	0.299			
BMT2	MBDD360	129.00	130.00	1.00	0.138			
BMT2	MBDD360	130.00	131.00	1.00	0.444			
BMT2	MBDD360	131.00	132.00	1.00	1.258			1.00 m @ 1.26 g/t Au
BMT2	MBDD360	132.00	133.00	1.00	0.560			
BMT2	MBDD360	133.00	134.00	1.00	0.436			
BMT2	MBDD360	160.00	161.00	1.00	0.651	1.00 m @ 0.65 g/t Au	0.7	
BMT2	MBDD360	162.00	163.12	1.12	0.117			
BMT2	MBDD360	163.12	164.10	0.98	4.863	0.98 m @ 4.86 g/t Au	4.8	0.98 m @ 4.86 g/t Au
BMT2	MBDD360	196.00	197.00	1.00	0.584	1.00 m @ 0.58 g/t Au	0.6	
BMT2	MBDD363	206.00	207.00	1.00	0.301	1.00 m @ 0.30 g/t Au	0.3	
BMT2	MBDD384	0.00	1.40	1.40	0.100			
BMT2	MBDD384	7.50	8.20	0.70	0.120			
BMT2	MBDD384	46.07	46.57	0.50	0.380	0.50 m @ 0.38 g/t Au	0.2	
BMT2	MBDD384	48.00	48.50	0.50	0.250			
BMT2	MBDD384	48.50	49.50	1.00	0.040			
BMT2	MBDD384	49.50	50.00	0.50	0.860			
BMT2	MBDD384	50.00	51.00	1.00	6.530			
BMT2	MBDD384	51.00	51.90	0.90	2.870			1.90 m @ 4.80 g/t Au
BMT2	MBDD384	51.90	53.00	1.10	0.740			
BMT2	MBDD384	53.00	54.00	1.00	0.230			
BMT2	MBDD384	54.60	55.40	0.80	0.630			
BMT2	MBDD384	55.40	55.94	0.54	2.350	1.34 m @ 1.32 g/t Au	1.8	0.54 m @ 2.35 g/t Au
BMT2	MBDD384	58.24	58.74	0.50	0.750			
BMT2	MBDD384	58.74	60.00	1.26	0.790	1.76 m @ 0.78 g/t Au	1.4	
BMT2	MBDD384	61.40	61.98	0.58	0.720	0.58 m @ 0.72 g/t Au	0.4	
BMT2	MBDD384	67.50	68.00	0.50	1.250			0.50 m @ 1.25 g/t Au
BMT2	MBDD384	68.00	69.00	1.00	0.270	1.50 m @ 0.60 g/t Au	0.9	
BMT2	MBDD384	70.17	71.15	0.98	0.390	0.98 m @ 0.39 g/t Au	0.4	
BMT2	MBDD384	102.00	103.00	1.00	0.130			
BMT2	MBDD384	138.00	139.00	1.00	0.100			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BMT2	MBDD384	151.00	152.00	1.00	0.140			
BMT2	MBDD385	39.00	39.89	0.89	0.106			
BMT2	MBDD385	75.00	75.50	0.50	0.205	3.00 m @ 0.27 g/t Au	0.8	
BMT2	MBDD385	75.50	77.00	1.50	0.177			
BMT2	MBDD385	77.00	78.00	1.00	0.433			
BMT2	MBDD385	78.00	79.50	1.50	0.141			
BMT2	MBDD385	98.00	98.91	0.91	0.103			
BMT2	MBDD385	98.91	99.75	0.84	0.253	0.84 m @ 0.25 g/t Au	0.2	
BMT2	MBDD385	107.00	108.00	1.00	0.446	1.00 m @ 0.45 g/t Au	0.4	
BMT2	MBDD385	112.00	113.00	1.00	0.324	15.00 m @ 1.05 g/t Au	15.8	
BMT2	MBDD385	113.00	114.00	1.00	0.330			
BMT2	MBDD385	114.00	115.00	1.00	0.299			
BMT2	MBDD385	115.00	116.00	1.00	0.470			
BMT2	MBDD385	116.00	117.00	1.00	1.065			1.00 m @ 1.06 g/t Au
BMT2	MBDD385	117.00	118.00	1.00	0.649			
BMT2	MBDD385	118.00	119.00	1.00	0.119			
BMT2	MBDD385	119.00	120.00	1.00	0.448			
BMT2	MBDD385	120.00	121.00	1.00	0.720			
BMT2	MBDD385	121.00	122.00	1.00	0.164			
BMT2	MBDD385	122.00	123.00	1.00	0.581			
BMT2	MBDD385	123.00	124.00	1.00	0.255			
BMT2	MBDD385	124.00	125.45	1.45	0.031			
BMT2	MBDD385	125.45	126.00	0.55	0.039			
BMT2	MBDD385	126.00	127.00	1.00	10.286			1.00 m @ 10.29 g/t Au
BMT2	MBDD385	129.00	129.70	0.70	0.147			
BMT2	MBDD385	129.70	131.00	1.30	3.996	66.30 m @ 0.61 g/t Au	40.1	4.23 m @ 1.94 g/t Au
BMT2	MBDD385	131.00	132.00	1.00	1.129			
BMT2	MBDD385	132.00	133.00	1.00	0.802			
BMT2	MBDD385	133.00	133.93	0.93	1.151			
BMT2	MBDD385	133.93	135.00	1.07	0.955			
BMT2	MBDD385	135.00	136.00	1.00	0.446			
BMT2	MBDD385	136.00	137.00	1.00	0.811			
BMT2	MBDD385	137.00	138.00	1.00	0.098			
BMT2	MBDD385	138.00	139.00	1.00	1.350			1.00 m @ 1.35 g/t Au
BMT2	MBDD385	139.00	140.00	1.00	0.799			
BMT2	MBDD385	140.00	140.95	0.95	0.812			
BMT2	MBDD385	140.95	142.00	1.05	0.071			
BMT2	MBDD385	142.00	143.00	1.00	0.209			
BMT2	MBDD385	143.00	144.00	1.00	0.226			
BMT2	MBDD385	144.00	145.00	1.00	0.216			
BMT2	MBDD385	145.00	146.00	1.00	1.168			1.00 m @ 1.17 g/t Au
BMT2	MBDD385	146.00	147.00	1.00	0.167			
BMT2	MBDD385	147.00	148.00	1.00	0.278			
BMT2	MBDD385	148.00	149.00	1.00	0.452			
BMT2	MBDD385	149.00	150.00	1.00	0.482			
BMT2	MBDD385	150.00	150.65	0.65	0.174			
BMT2	MBDD385	150.65	152.00	1.35	0.853			
BMT2	MBDD385	152.00	152.90	0.90	0.310			
BMT2	MBDD385	152.90	154.00	1.10	0.455			
BMT2	MBDD385	154.00	155.00	1.00	0.485			
BMT2	MBDD385	155.00	156.45	1.45	0.732			
BMT2	MBDD385	156.45	157.30	0.85	0.556			
BMT2	MBDD385	157.30	158.00	0.70	0.155			
BMT2	MBDD385	158.00	159.00	1.00	0.327			
BMT2	MBDD385	159.00	160.00	1.00	1.151			1.00 m @ 1.15 g/t Au

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BMT2	MBDD385	160.00	160.72	0.72	0.902			
BMT2	MBDD385	160.72	162.00	1.28	0.371			
BMT2	MBDD385	162.00	162.90	0.90	0.312			
BMT2	MBDD385	162.90	164.00	1.10	0.411			
BMT2	MBDD385	164.00	165.00	1.00	0.224			
BMT2	MBDD385	165.00	166.00	1.00	0.259			
BMT2	MBDD385	166.00	167.00	1.00	0.061			
BMT2	MBDD385	167.00	168.00	1.00	0.434			
BMT2	MBDD385	168.00	168.90	0.90	0.155			
BMT2	MBDD385	168.90	170.00	1.10	0.301			
BMT2	MBDD385	170.00	171.00	1.00	0.657			
BMT2	MBDD385	171.00	172.00	1.00	0.184			
BMT2	MBDD385	172.00	173.00	1.00	0.194			
BMT2	MBDD385	173.00	174.00	1.00	1.102			1.00 m @ 1.10 g/t Au
BMT2	MBDD385	174.00	175.00	1.00	0.265			
BMT2	MBDD385	175.00	176.00	1.00	0.615			
BMT2	MBDD385	176.00	177.00	1.00	0.421			
BMT2	MBDD385	177.00	178.00	1.00	0.242			
BMT2	MBDD385	178.00	179.00	1.00	0.059			
BMT2	MBDD385	179.00	180.00	1.00	2.001			1.00 m @ 2.00 g/t Au
BMT2	MBDD385	180.00	181.00	1.00	0.008			
BMT2	MBDD385	181.00	182.00	1.00	0.631			
BMT2	MBDD385	182.00	183.00	1.00	0.008			
BMT2	MBDD385	183.00	184.00	1.00	0.837			
BMT2	MBDD385	184.00	185.00	1.00	0.019			
BMT2	MBDD385	185.00	186.00	1.00	0.008			
BMT2	MBDD385	186.00	187.00	1.00	5.396			1.00 m @ 5.40 g/t Au
BMT2	MBDD385	187.00	188.00	1.00	0.008			
BMT2	MBDD385	188.00	189.00	1.00	0.008			
BMT2	MBDD385	189.00	190.00	1.00	0.369			
BMT2	MBDD385	190.00	191.00	1.00	0.008			
BMT2	MBDD385	191.00	192.00	1.00	0.162			
BMT2	MBDD385	192.00	193.00	1.00	0.593			
BMT2	MBDD385	193.00	194.00	1.00	0.115			
BMT2	MBDD385	194.00	195.00	1.00	0.269			
BMT2	MBDD385	195.00	196.00	1.00	0.234			
BMT2	MBDD385	196.00	197.00	1.00	0.173			
BMT2	MBDD385	217.53	219.00	1.47	0.104			
BMT2	MBDD388	110.50	112.00	1.50	1.802	3.13 m @ 1.41 g/t Au	4.4	2.50 m @ 1.58 g/t Au
BMT2	MBDD388	112.00	113.00	1.00	1.238			
BMT2	MBDD388	113.00	113.63	0.63	0.740			
BMT2	MBDD388	114.40	115.71	1.31	0.187			
BMT2	MBDD388	115.71	117.11	1.40	0.188			
BMT2	MBDD388	119.40	120.13	0.73	0.103			
BMT2	MBDD388	123.00	124.00	1.00	0.107			
BMT2	MBDD388	124.00	125.00	1.00	0.120			
BMT2	MBDD388	125.00	126.00	1.00	0.161			
BMT2	MBDD388	127.00	128.00	1.00	0.133			
BMT2	MBDD388	129.35	130.00	0.65	0.122			
BMT2	MBDD388	130.00	131.00	1.00	0.249	1.00 m @ 0.25 g/t Au	0.2	
BMT2	MBDD388	132.00	133.00	1.00	0.179			
BMT2	MBDD388	133.00	134.00	1.00	0.317	4.55 m @ 0.61 g/t Au	2.8	
BMT2	MBDD388	134.00	135.00	1.00	0.181			
BMT2	MBDD388	135.00	136.20	1.20	1.591			1.20 m @ 1.59 g/t Au
BMT2	MBDD388	136.20	137.00	0.80	0.160			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BMT2	MBDD388	137.00	137.55	0.55	0.400			
BMT2	MBDD388	140.00	141.00	1.00	0.950			
BMT2	MBDD388	141.00	142.00	1.00	0.042			
BMT2	MBDD388	142.00	143.00	1.00	1.201	5.00 m @ 0.90 g/t Au	4.5	2.00 m @ 1.31 g/t Au
BMT2	MBDD388	143.00	144.00	1.00	1.410			
BMT2	MBDD388	144.00	145.00	1.00	0.880			
BMT1	MBDD364	0.00	0.94	0.94	0.170			
BMT1	MBDD364	118.00	119.00	1.00	1.050	2.00 m @ 0.81 g/t Au	1.6	1.00 m @ 1.05 g/t Au
BMT1	MBDD364	119.00	120.00	1.00	0.560			
BMT1	MBDD365	10.50	12.00	1.50	0.130			
BMT1	MBDD365	21.00	22.50	1.50	0.530	1.50 m @ 0.53 g/t Au	0.8	
BMT1	MBDD365	106.00	107.00	1.00	0.180			
BMT1	MBDD365	120.00	121.00	1.00	0.130			
BMT1	MBDD365	122.00	123.00	1.00	0.180			
BMT1	MBDD365	124.00	125.00	1.00	0.130			
BMT1	MBDD365	132.00	133.00	1.00	0.140			
BMT1	MBDD365	133.00	134.00	1.00	0.150			
BMT1	MBDD365	139.00	140.00	1.00	0.340	8.93 m @ 0.36 g/t Au	3.2	
BMT1	MBDD365	140.00	141.00	1.00	0.070			
BMT1	MBDD365	141.00	142.00	1.00	0.980			
BMT1	MBDD365	142.00	143.00	1.00	0.120			
BMT1	MBDD365	143.00	144.00	1.00	0.460			
BMT1	MBDD365	144.00	144.80	0.80	0.690			
BMT1	MBDD365	144.80	146.00	1.20	0.210			
BMT1	MBDD365	146.00	147.00	1.00	0.180			
BMT1	MBDD365	147.00	147.93	0.93	0.240			
BMT1	MBDD365	214.00	215.00	1.00	0.340	1.00 m @ 0.34 g/t Au	0.3	
BMT1	MBDD367	122.00	123.00	1.00	0.197			
BMT1	MBDD367	123.00	124.00	1.00	10.241	2.41 m @ 14.38 g/t Au	34.6	2.41 m @ 14.38 g/t Au
BMT1	MBDD367	124.00	125.41	1.41	17.310			
BMT1	MBDD367	132.00	133.00	1.00	0.175			
BMT1	MBDD367	134.00	135.00	1.00	0.100			
BMT1	MBDD367	135.00	136.00	1.00	0.231	8.00 m @ 2.13 g/t Au	17.0	4.00 m @ 3.82 g/t Au
BMT1	MBDD367	136.00	137.00	1.00	3.954			
BMT1	MBDD367	137.00	138.00	1.00	4.107			
BMT1	MBDD367	138.00	139.00	1.00	4.789			
BMT1	MBDD367	139.00	140.00	1.00	2.446			
BMT1	MBDD367	140.00	141.00	1.00	0.568			
BMT1	MBDD367	141.00	142.00	1.00	0.580			
BMT1	MBDD367	142.00	143.00	1.00	0.357			
BMT1	MBDD373	37.00	38.00	1.00	0.101			
BMT1	MBDD373	38.00	39.00	1.00	0.100			
BMT1	MBDD373	101.00	102.00	1.00	0.113			
BMT1	MBDD373	150.00	151.00	1.00	3.177	1.00 m @ 3.18 g/t Au	3.2	1.00 m @ 3.18 g/t Au
BMT1	MBDD373	154.00	155.00	1.00	0.147			
BMT1	MBDD373	156.00	157.00	1.00	0.133			
BMT1	MBDD373	157.00	158.00	1.00	0.596	2.00 m @ 0.49 g/t Au	1.0	
BMT1	MBDD373	158.00	159.00	1.00	0.376			
BMT1	MBDD378	15.00	16.32	1.32	0.130			
BMT1	MBDD378	58.00	59.00	1.00	0.350	1.00 m @ 0.35 g/t Au	0.4	
BMT1	MBDD378	164.30	165.00	0.70	0.100			
BMT1	MBDD378	165.00	166.00	1.00	0.120			
BMT1	MBDD378	167.00	168.00	1.00	0.120			
BMT1	MBDD378	168.00	169.00	1.00	0.310	9.00 m @ 0.86 g/t Au	7.7	
BMT1	MBDD378	169.00	170.00	1.00	0.150			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BMT1	MBDD378	170.00	171.00	1.00	0.420			5.00 m @ 1.27 g/t Au
BMT1	MBDD378	171.00	172.00	1.00	2.910			
BMT1	MBDD378	172.00	173.00	1.00	0.040			
BMT1	MBDD378	173.00	174.00	1.00	0.240			
BMT1	MBDD378	174.00	175.00	1.00	1.800			
BMT1	MBDD378	175.00	176.00	1.00	1.360			
BMT1	MBDD378	176.00	177.00	1.00	0.470			
BMT1	MBDD378	193.00	194.00	1.00	0.100			
BMT1	MBDD379	180.00	181.00	1.00	0.120			
BMT1	MBDD379	182.00	182.80	0.80	0.140			
BMT1	MBDD379	187.00	188.00	1.00	0.100			
BMT1	MBDD379	230.00	231.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.2	
BMT1	MBDD383	16.00	17.00	1.00	0.370	1.00 m @ 0.37 g/t Au	0.4	
BMT1	MBDD383	21.00	22.00	1.00	0.120			
BMT1	MBDD383	22.00	23.00	1.00	2.130	1.00 m @ 2.13 g/t Au	2.1	1.00 m @ 2.13 g/t Au
BMT1	MBDD383	48.40	49.50	1.10	0.100			
BMT1	MBDD383	81.67	82.50	0.83	1.940	1.83 m @ 1.04 g/t Au	1.9	0.83 m @ 1.94 g/t Au
BMT1	MBDD383	82.50	83.50	1.00	0.300			
BMT1	MBDD383	84.75	86.12	1.37	0.170			
BMT1	MBDD383	87.59	88.50	0.91	0.300	0.91 m @ 0.30 g/t Au	0.3	
BMT1	MBDD383	92.00	93.00	1.00	0.650	1.00 m @ 0.65 g/t Au	0.7	
BMT1	MBDD389	120.20	121.50	1.30	4.954	6.80 m @ 28.76 g/t Au	195.6	2.80 m @ 69.53 g/t Au
BMT1	MBDD389	121.50	123.00	1.50	125.488			
BMT1	MBDD389	123.00	124.00	1.00	0.179			
BMT1	MBDD389	124.00	125.00	1.00	0.092			
BMT1	MBDD389	125.00	126.00	1.00	0.411			
BMT1	MBDD389	126.00	127.00	1.00	0.242			
BMT1	MBDD389	130.00	131.00	1.00	2.951	1.00 m @ 2.95 g/t Au	3.0	1.00 m @ 2.95 g/t Au
BMT1	MBDD391	93.00	93.79	0.79	0.143			
BMT1	MBDD391	96.00	96.60	0.60	0.115			
BMT1	MBDD391	97.50	99.00	1.50	0.110			
BMT1	MBDD391	163.00	164.00	1.00	1.738	10.00 m @ 0.79 g/t Au	7.9	1.00 m @ 1.74 g/t Au
BMT1	MBDD391	164.00	165.00	1.00	0.396			
BMT1	MBDD391	165.00	166.00	1.00	0.155			
BMT1	MBDD391	166.00	167.00	1.00	0.008			
BMT1	MBDD391	167.00	168.00	1.00	0.250			
BMT1	MBDD391	168.00	169.00	1.00	0.280			
BMT1	MBDD391	169.00	170.00	1.00	2.037			
BMT1	MBDD391	170.00	171.00	1.00	0.270			4.00 m @ 1.26 g/t Au
BMT1	MBDD391	171.00	172.00	1.00	0.121			
BMT1	MBDD391	172.00	173.00	1.00	2.599			
BMT1	MBDD392	84.00	85.50	1.50	0.100			
BMT1	MBDD392	87.00	87.71	0.71	4.150	0.71 m @ 4.15 g/t Au	2.9	0.71 m @ 4.15 g/t Au
BMT1	MBDD392	88.50	90.00	1.50	0.150			
BMT1	MBDD392	90.00	91.00	1.00	0.190			
BMT1	MBDD392	91.00	92.00	1.00	0.170			
BMT1	MBDD392	92.00	93.00	1.00	1.500	6.00 m @ 2.02 g/t Au	12.1	5.00 m @ 2.33 g/t Au
BMT1	MBDD392	93.00	94.00	1.00	3.790			
BMT1	MBDD392	94.00	95.00	1.00	1.950			
BMT1	MBDD392	95.00	96.00	1.00	1.990			
BMT1	MBDD392	96.00	97.00	1.00	2.400			
BMT1	MBDD392	97.00	98.00	1.00	0.500			
BMT1	MBDD392	98.00	99.00	1.00	0.110			
BMT1	MBDD392	156.00	157.00	1.00	0.100			
BMT1	MBDD392	173.00	174.00	1.00	0.380	1.00 m @ 0.38 g/t Au	0.4	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BMT1	MBDD392	193.00	194.00	1.00	0.140			
BMT1	MBDD392	196.00	197.00	1.00	0.190			
BMT1	MBDD392	202.00	203.00	1.00	0.180			
BMT1	MBDD392	203.00	204.00	1.00	0.390	8.00 m @ 0.60 g/t Au	4.8	
BMT1	MBDD392	204.00	205.00	1.00	0.720			
BMT1	MBDD392	205.00	206.00	1.00	0.050			
BMT1	MBDD392	206.00	207.00	1.00	0.030			
BMT1	MBDD392	207.00	208.00	1.00	1.300			1.00 m @ 1.30 g/t Au
BMT1	MBDD392	208.00	209.00	1.00	0.040			
BMT1	MBDD392	209.00	210.00	1.00	0.010			
BMT1	MBDD392	210.00	211.00	1.00	2.300			1.00 m @ 2.30 g/t Au
BMT1	MBDD394	69.95	71.00	1.05	0.232	1.05 m @ 0.23 g/t Au	0.2	
BMT1	MBDD394	151.16	152.00	0.84	0.534	8.84 m @ 1.02 g/t Au	9.0	
BMT1	MBDD394	152.00	153.00	1.00	0.785			
BMT1	MBDD394	153.00	154.00	1.00	0.237			
BMT1	MBDD394	154.00	155.00	1.00	4.223			5.00 m @ 1.43 g/t Au
BMT1	MBDD394	155.00	156.00	1.00	0.309			
BMT1	MBDD394	156.00	157.00	1.00	0.513			
BMT1	MBDD394	157.00	158.00	1.00	1.066			
BMT1	MBDD394	158.00	159.00	1.00	1.049			
BMT1	MBDD394	159.00	160.00	1.00	0.385	2.00 m @ 6.36 g/t Au	12.7	
BMT1	MBDD394	171.00	172.00	1.00	0.224			
BMT1	MBDD394	172.00	173.00	1.00	12.499			1.00 m @ 12.50 g/t Au
BMT1	MBDD394	189.00	190.00	1.00	0.226	1.00 m @ 0.23 g/t Au	0.2	
BMT1	MBDD394	190.00	191.00	1.00	0.152			
BMT1	MBDD394	191.00	192.00	1.00	0.144			
BMT1	MBDD394	193.00	194.00	1.00	0.183			
BMT1	MBDD394	200.00	201.00	1.00	0.128			
BMT1	MBDD394	201.00	202.12	1.12	0.141			
BMT1	MBDD394	214.50	216.00	1.50	0.362	1.50 m @ 0.36 g/t Au	0.5	
BMT1	MBDD394	218.00	219.00	1.00	0.145			
BMT1	MBDD394	219.00	220.00	1.00	0.114			
BMT1	MBDD394	221.00	222.00	1.00	0.469	1.00 m @ 0.47 g/t Au	0.5	
BMT1	MBDD394	222.00	223.00	1.00	0.140			
BMT1	MBDD394	225.00	226.00	1.00	0.110			
BMT1	MBDD394	229.00	230.00	1.00	0.205	1.00 m @ 0.20 g/t Au	0.2	
BMT1	MBDD394	231.00	232.00	1.00	0.232	3.50 m @ 0.38 g/t Au	1.3	
BMT1	MBDD394	232.00	233.00	1.00	0.127			
BMT1	MBDD394	233.00	234.50	1.50	0.657			
BMT1	MBDD394	242.00	243.00	1.00	3.635	1.00 m @ 3.63 g/t Au	3.6	1.00 m @ 3.63 g/t Au

About Aurum

Aurum Resources (ASX:AUE) is an Australian based gold exploration company focused on discovery and development of major gold projects in Côte d'Ivoire, West Africa. Aurum has 4.38 Moz gold resources coming from two gold projects, the 3.22 Moz Boundiali Gold Project and the 1.16 Moz Napié Gold Project. Aurum has 16 diamond drill rigs allowing it to explore faster and more cost effectively than its peers.

Group Mineral Resources and Reserves

The Mineral Resources and Ore Reserves are reported in accordance with the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code). The Mineral Resources are inclusive of the Ore Reserves. All figures are reported on a dry mass basis at 100% equity interest. Rounding may cause minor computational discrepancies. Ore Reserves are not precise calculations.

Table 3: Group Mineral Resources Statement for contained gold based on drilling as at 30 April 2026 (figures may not add up due to appropriate rounding)

Mineral Resources			Indicated			Inferred			Total Resources		
Project	Type	Cut-off	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)
Boundiali	Oxide	0.4 g/t Au above 300m depth and 1.5 g/t below 300m depth	3.1	0.9	0.09	2.3	0.8	0.06	5.4	0.9	0.15
	Transition		3.3	0.9	0.10	2.0	0.8	0.05	5.1	0.9	0.15
	Fresh		48.2	1.0	1.51	48.7	0.9	1.41	96.9	0.9	2.92
	Total		54.5	1.0	1.70	52.9	0.9	1.52	107.5	1.0	3.22
Napié	Oxide	0.3 g/t Au above 300m depth and 1.0 g/t below 300m depth	1.0	1.4	0.04	0.9	1.0	0.03	1.9	1.2	0.07
	Transition		0.8	1.2	0.03	1.3	0.9	0.04	2.1	1.0	0.07
	Fresh		7.1	1.2	0.27	19.0	1.2	0.74	26.1	1.2	1.01
	Total		8.9	1.2	0.35	21.2	1.2	0.82	30.0	1.2	1.16
Total			63.4	1.0	2.05	74.1	1.0	2.34	137.5	1.0	4.38

Table 4: Group Ore Reserve Statement as at 30 April 2026 (figures may not add up due to appropriate rounding)

Mining Area	Proved			Probable			Total		
	Quantity Mt	Au g/t	Au koz	Quantity Mt	Au g/t	Au koz	Quantity Mt	Au g/t	Au koz
BDT1	—	—	—	10.3	1.0	323	10.3	1.0	323
BDT2	—	—	—	17.5	0.6	354	17.5	0.6	354
BMT3	—	—	—	8.8	1.4	383	8.8	1.4	383
BST	—	—	—	5.5	0.8	145	5.5	0.8	145
TOTAL	—	—	—	42.1	0.9	1,210	42.1	0.9	1,210

Boundiali Gold Project (3.22 Moz)

The flagship Boundiali Gold Project is comprised of seven neighbouring exploration tenements and is located within the same greenstone belt as Resolute's large Syama (11.5Moz) gold mine and Perseus' Sissingué (1.4 Moz) gold mine to the north and Montage Gold's 6Moz Koné project located to the south. Atlantic Group's Tongon mine (5.0Moz) is located to the northeast:

BM gold project JV 80% interest - PR0893 ("BM"), 400km²

- Can earn 80-88% interest in future gold production company (Government receives 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry

BD gold project JV 80% interest - PR808 ("BD"), 260km²

- Can earn 80-88% interest in future gold production company (Government receives 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry

BST gold project 100% interest – Application No. 0781 ("BST") 100%, 167.34km²

- *Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025.*
- 90% interest in future gold production company (Government receives 10% free carry from Aurum interest)

BN gold project JV - PR283 ("BN"), 208.87km²

Aurum is earning interest through carrying out exploration to earn 70% interest in three stages:

- Stage 1: Aurum earns 35% interest by spending USD 1.2 million within 36 months of licence grant
- Stage 2: Aurum earns 51% interest by spending USD 2.5 million within 60 months of licence grant
- Stage 3: Aurum earns 70% interest upon completion of a pre-feasibility study on the tenement
- Diamond drilling conducted by Aurum will be valued at US\$140 per meter for expenditure calculations
- Upon grant of a mining exploitation licence, the ownership structure will be: Aurum (70%), GNRR (20%), Ivorian Government (10%)

Encore JV Project

- Applications (No. 1740 and No. 1745) totalling nearly 320km² are strategically located between Aurum's existing **BD** and **BST** tenements and south of **BM**, offering growth potential for its Boundiali Gold Project.

- Staged earn-in agreement aligns expenditure with milestones for each permit area:
 - Path to 51% interest: 4,000m diamond drilling.
 - Path to 80% interest: Additional 8,000m diamond drilling (total 12,000m) OR US\$2.5 million nominal expenditure.

Major Star Plus Partnership Projects

- Application (No. 0791), 114.53km², is strategically located on the immediate south and west of **BST** tenement, offering growth potential for its Boundiali Gold Project.
- Application (No. 0793), 99.12km², are structurally located on the immediate west of the Napié gold project, offering growth potential for its Napié Gold Project.
- 35% project interest from the Company's ownership of 35% registered share capital of Major Star Plus Sarl.
 - Path to 51% interest in an exploration permit: Either USD1.5 million normal expenditure or 7,000m diamond drilling.
 - Path to 80% interest in an exploration permit: Either USD3.0 million normal expenditure or 15,000m diamond drilling
 - Path to 95% interest in an exploration permit: Completion of Pre-Feasibility Study
 - 85.5~87% interest in a future production mine

Mako Gold Pty Ltd (1.16Moz)

Wholly owned subsidiary of Aurum and holds the following projects:

- 1.16Moz Napié Gold Project. 90% Mako and African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study.
- Korhogo Project (100%), significant manganese discovery
- Brobo Project (100%), prospective for lithium/rare earths

Section 1 of the JORC Code, 2012 Edition – Table 1

Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
<i>Sampling techniques</i>	- Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.	- Samples were collected using diamond drilling techniques generally angled at 50° on an azimuth designed to optimally intersect the mineralised zones. - Diamond core was logged both for geological and mineralised structures as noted above. The core was then cut in half using a diamond brick cutting saw on 1m intervals. Typically, the core was sampled to geological intervals as defined by the geologist within the even two metre sample intervals utilised. The right-hand side of the core was always submitted for analysis with the left side being stored in trays on site. - Sampling and QAQC procedures were carried out to industry standards. - Sample preparation and assay was completed by independent international accredited laboratory MSALABS. Following cutting or splitting, the samples were bagged by the Client employees and then sent to the laboratory for preparation. These samples were subsequently sent to MSALABS at Yamoussoukro for analysis via 500g Photon Assay.
Drilling techniques	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	Diamond drilling carried out with mostly NTW and some HQ sized equipment. PQ-size rods and casing were used at the top the holes to stabilise the collars although no samples were taken from the PQ size core.
Drill sample recovery	- Method of recording and assessing core and chip sample recoveries and results assessed. - Measures taken to maximise sample recovery and ensure representative nature of the samples. - Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	Diamond drilling core recoveries ranged between 85% and 100% for all holes with no significant issues noted.
Logging	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining	All holes were field logged by company geologists. Lithological, alteration and mineralogical nomenclature of the deposit as well as sulphide content were recorded.

Criteria	JORC Code explanation	Commentary
	studies and metallurgical studies. - Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. - The total length and percentage of the relevant intersections logged.	Metallurgical, Geotechnical and structural data has been recorded - Photography and recovery measurements were carried out by assistants under a geologist's supervision. - All drill holes were logged in full. - Logging was qualitative and quantitative in nature.
Sub-sampling techniques and sample preparation	- If core, whether cut or sawn and whether quarter, half or all core taken. - If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. - For all sample types, the nature, quality and appropriateness of the sample preparation technique. - Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. - Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. - Whether sample sizes are appropriate to the grain size of the material being sampled.	- NTW core cut in half using a core saw. Typically, the core was sampled to major geological intervals as defined by the geologist within the even two metre sample intervals utilised. All samples were collected from the same side of the core. - Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for Au. - The entire sample was crushed to 70% passing 2mm. - Crushed sample was split to produce 500g sample for analysis and the remaining reject kept for checks. - Field QC procedures involved the use of 2 types of certified reference materials (1 in 20) which is certified by Geostats Ltd, - Primary DD duplicate: Generated by cutting the remaining half core into a ¼ and sampled. - Coarse blank samples: Inserted 1 in every 20 samples - Laboratory Internal Duplicates and Standards - Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for gold
Quality of assay data and laboratory tests	- The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. - For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and	The analytical technique used is Chrysos™ PhotonAssay methodology. This uses a high-energy X-ray source that is used to irradiate large mineral samples, typically about 500g compared to the 50g of the fire assay. The X-rays induce short-lived changes in the structure of any gold nuclei present. As the excited gold nuclei return to

Criteria	JORC Code explanation	Commentary
	model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	their ground state, they emit a characteristic gamma-ray signature, the intensity of which is directly proportional to the concentration of gold. The penetrating nature of Chrysos™ PhotonAssay provides much higher energy than those used in conventional X-ray fluorescence (XRF), which provides a true bulk analysis of the entire sample. Samples are presented into a fully automatic process where samples are irradiated, measured, data collection and reporting. - No geophysical tools were used to determine any element concentrations used for this report. - Sample preparation checks for fineness were carried out by the laboratory as part of internal procedures to ensure the grind size was being attained. Laboratory QAQC includes the use of internal standards using certified reference material, and pulp replicates. No anomalous assays were noted in information provided to the Client. - The QAQC results confirm that acceptable levels of accuracy and precision have been established for the Classifications applied (exploration results only).
Verification of sampling and assaying	- The verification of significant intersections by either independent or alternative company personnel. - The use of twinned holes. - Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. - Discuss any adjustment to assay data.	- NA - No holes have been twinned - No adjustment to assay data - Logging records were mostly registered in physical format and were input into a digital format. The core photographs, collar coordinates and down the hole surveys were received in digital format. - Assay values that were below detection limit were adjusted to equal half of the detection limit value. Un-sampled intervals were assumed to have no mineralisation and they were therefore set to blank in the database, however these are minimal.
Location of data points	- Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. - Specification of the grid system used. - Quality and adequacy of topographic control.	- DD collar positions were initially located using a handheld GPS with a location error of +/-3m. - The datum employed is WGS84, Zone 29 - All drill hole locations are then surveyed utilising the differential GPS methods by both company and third-party surveyors. - DGPS system utilised is typically within a 10 cm accuracy range which is suitable for the classification applied.

Criteria	JORC Code explanation	Commentary
Data spacing and distribution	- Data spacing for reporting of Exploration Results. - Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. - Whether sample compositing has been applied.	- Drillholes were completed on variable line spacings (from 100m to 50m) and orientations. - The drill hole spacing and distribution is considered sufficient to establish the degree of continuity appropriate for the Inferred Mineral Resource estimation procedures. - The samples were not composited prior to assay.
Orientation of data in relation to geological structure	- Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. - If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	Drill holes were drilled approximately at right angles to the anticipated strike of the target geochemical anomaly and orthogonal to the interpreted mineralisation orientation.
Sample security	The measures taken to ensure sample security.	Chain of custody is managed by the Client's senior site geologists and geotechnicians. Samples are stored in a core shed at site and samples were delivered to the laboratory by client geologists. Client employees have no further involvement in the preparation or analysis of the samples.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	Detailed reviews of sampling techniques were carried out on the site visit by RPM in October 2024 and follow up visit in March 2025.

• Section 2 of the JORC Code, 2012 Edition – Table 1

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	- Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. - The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.	- Exploration results are from the Boundiali project area - PR893 (BM), 400km², holder Minex West Africa, of which Aurum has earned 80% interest and can earn up to 88% in a mining licence through its fully owned subsidiary Plusor Global Pty Ltd ("Plusor"). Boundiali DS tenement PR808 ("BD"), 260km², holder DS Resources Joint Venture Company, of which Aurum is 80% share capital owner through its fully owned subsidiary Plusor. BST mining licence application of which Aurum is 100% owner. - There are no impediments to working in the area.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	- The exploration results reported in this announcement are from work undertaken by PlusOr a wholly owned subsidiary of Aurum Resources Limited - The license area is known as a prospective region for gold and recent artisanal workings revealed the presence of primary gold mineralisation in artisanal pits and small-scale underground mining.
Geology	Deposit type, geological setting and style of mineralisation.	- The Boundiali Deposits are located within the Proterozoic Birimian rocks of the Man shield. It is situated on, 100km west of Korhogo in the northern part of the Côte d'Ivoire. They are located in the Bagoué-Syama shear zone within the sedimentary rock with minor associated intrusions of mafic dykes and late-stage granitoids. The various rock units trend NS to NNE similar to the regional metamorphic grade. The regional trend is NE to N. - The Boundiali deposits resemble typical shear zone deposits of the West African granite-greenstone terrane. The deposits themselves are associated with a major regional shear zone and are developed in a sandstone. Mineralisation may be spatially related to the emplacement of intrusives. The gold mineralisation is mesothermal in origin and occurs as free gold in quartz vein stockworks and zones of silicification, associated with pyrite and chalcopyrite. The gold mineralisation is found in linear zones with the contacts showing evidence of shearing. Free gold is

• Criteria	• JORC Code explanation	• Commentary
		frequently observed. Alteration is weak to strong depending on the development of the system typically being sericite. Two types of deformation are present in the drill cores: ductile deformation and brittle deformation. The gold mineralisation is related to deformed sandstone and graywacke, in shear zones, with sulphides (mainly pyrite and minor chalcopyrite) associated with visible gold. Alteration is characterized by chlorite, sericite, calcite, secondary quartz and disseminated pyrite. This assemblage is well developed in schistose, foliated rocks with presence of quartz veins or veinlets.
Drill hole information	- A summary of all information material to the under-standing of the exploration results including a tabulation of the following information for all Material drill holes: - easting and northing of the drill hole collar - elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar - dip and azimuth of the hole - down hole length and interception depth - hole length - If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	- Complete drill hole data has been provided. - Drill hole collar locations are shown in figures in main body of announcement.
Data aggregation methods	- In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. - Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. - The assumptions used for any reporting of metal equivalent values should be clearly stated.	- Assay Intervals are shown in detail. Drilling intervals are predominantly 1m. - Metal equivalent values are not being reported.
Relationship between mineralisation	These relationships are particularly important in the reporting of Exploration Results.	True widths are estimated at approximately 60–85% of reported downhole, based on the interpreted

• Criteria	• JORC Code explanation	• Commentary
• widths and intercept lengths	• If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. • If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').	geometry of the mineralised zones. • The holes were drilled to test a steeply east dipping foliation in the limited rock exposures seen in the area. The mineralisation lies within what has been interpreted to be a ductile shear zone which would suggest that mineralisation should lie parallel to foliation.
• Diagrams	• Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	• Appropriate diagrams relevant to material results are shown in the body of this announcement.
• Balanced Reporting	• Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. • Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	• All drill hole and trench collar locations were surveyed utilising handheld GPS methods. Exploration results only being reported. • Drilling teams utilised the Reflex EZ-shot instrument to measure deviations in azimuth and inclination angles for all holes; however, vertical holes were not surveyed. The first measurement is taken at 6 m depth, and then at approximately every 30m depth interval and at the end of the hole being reported.
• Other substantive exploration data	• Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	• All relevant exploration data is either reported in this announcement or has been reported previously by Aurum, Randgold or Predictive Discovery and is referred to in the announcement.
• Further work	• The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling). • Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	• The Company intends to continue exploration on the project and this work will include auger, aircore, RC and diamond core drilling, along with further geophysical surveys and geochemical sampling programs. • Diagrams included in body of report as deemed appropriate by competent person