

Grade Control Program Approaches Completion as GoldArc Advances Toward Production at Mt Stirling

Highlights

- **Fourth batch of grade control results from Mt Stirling Well (M37/1305)** continues to deliver strong results, supporting continued grade control coverage and its contribution to Leonora North development.
- Standout intercepts include:
 - **2m @ 13.46g/t Au** from 7m including **1m @ 21.4g/t Au** from 7m (26BSWRC833)
 - **2m @ 9.43g/t Au** from 14m including **1m @ 16.5g/t Au** from 14m (26BSWRC854)
 - **2m @ 6.31g/t Au** from 19m including **1m @ 11.0g/t Au** from 20m (26BSWRC842)
 - **1m @ 31.0g/t Au** from 15m (26BSWRC838)
 - **1m @ 14.7g/t Au** from 15m (26BSWRC855)
- **Four successive batches at Mt Stirling Well have now confirmed the systematic presence of high-grade shoots** consistent with the deposit's 2.3 g/t Au resource grade.
- **Ninth batch of Mt Stirling results covers the central and eastern upper zone**, returning narrow intercepts consistent with the deposit's margin and shallow benches, providing the ore boundary definition data for mine planning in these sectors.
- Notable intercepts include:
 - **2m @ 1.41g/t Au** from 6m (BMLRC742)
 - **3m @ 1.19g/t Au** from 7m (BMLRC743)
 - **1m @ 1.94g/t Au** from 1m (BMLRC748)
 - **3m @ 1.56g/t Au** from 8m (BMLRC753)
- **Phase 1 of the Mt Stirling grade control program is now largely complete**, results are informing updated mining models and mine planning, in preparation for the anticipated approval of the Mining Development and Closure Proposal (MDCP).
- **~25,292m of 34,000m combined program now completed (~74%).** The program is advancing through its final phase, with focus shifting to Mt Stirling Well as well as mine planning at Mt Stirling.

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208



GoldArc Resources Limited (ASX:GA8) ('GoldArc' or 'the Company') reports a fourth batch of grade control results from the Mt Stirling Well deposit (M37/1305) and a ninth batch from the Mt Stirling deposit (M37/1306), both forming part of the partner-funded reverse circulation (RC) grade control program in the Leonora North hub.

Mt Stirling Well has delivered its strongest individual result to date (1m @ 31.0 g/t Au from 15m 26BSWRC838) alongside a further four intercepts exceeding 6 g/t Au. Grade control data from Mt Stirling continues to inform updated mining models and mine planning in preparation for the anticipated approval of the Mining Development and Closure Plan (MDCP).

The 34,000m grade control program is fully funded by BML Ventures Pty Ltd ('BMLV') under a 50/50 net profit share arrangement, with GoldArc retaining 100% ownership of Mt Stirling (M37/1306) and Mt Stirling Well (M37/1305).

Mt Stirling Well Grade Control Drilling Program (Fourth Results Batch)

Mt Stirling Well deposit (M37/1305) is located approximately 700m southwest of Mt Stirling within the Leonora North hub (Figure 1) and hosts a JORC Inferred Mineral Resource of 198,000t @ 2.3 g/t Au (15,000oz). This is the fourth batch of grade results from the deposit.

A further 66 holes for approximately 1,345m have been completed in this submission (Batch 45). The results include the deposit's strongest individual intercept of 1m @ 31.0 g/t Au from 15m (26BSWRC838), together with multiple intercepts above 6 g/t Au and subintervals exceeding 10 g/t Au, confirming the presence of high-grade quartz-vein-hosted shoots across the deposit (see Table 1 and See appendix 1). Four successive batches of results have now demonstrated consistent high-grade mineralisation at Mt Stirling Well, supportive of its inclusion in broader Leonora North mine development planning.

Table 1: Mt Stirling Well Significant intercepts (all widths are downhole widths)

Hole ID	From (m)	To (m)	Width (m)	Grade (g/t Au)
26BSWRC833	7	9	2	13.46
Incl	7	8	1	21.4
26BSWRC838	15	16	1	31.0
26BSWRC854	14	16	2	9.43
Incl	14	15	1	16.5
26BSWRC855	15	16	1	14.7
26BSWRC842	19	21	2	6.31
Incl	20	21	1	11.0

Note: Standout intercepts highlighted in bold; elevated grade intervals in white. Nominal lower cutoff 0.5 g/t Au; maximum 1m internal dilution; all intervals length-weighted; no top cuts applied. See Appendix 1 for full collar information.

At Mt Stirling Well, gold mineralisation is hosted within narrow, flat-dipping quartz veins within a granitoid host rock, a different structural setting to the Hydra Fault-controlled schistose-mylonitic mineralisation at Mt Stirling. Grade control drilling is ongoing to build systematic coverage across the deposit.

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208






Figure 1 – Plan View of Grade Control RC Drilling and the Block Model at Mt Stirling Well Gold Deposit

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208




Figure 2 – Plan View of Grade Control Inset 1 at Mt Stirling Well Gold Deposit with significant Intercepts




Figure 3 – Plan View of Grade Control Inset 2 at Mt Stirling Well Gold Deposit with significant Intercepts

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208



Grade Control Drilling Program (Ninth Round – Mt Stirling)

Approximately 25,292m of the 34,000m combined grade control RC program has now been completed (approx. 74%). The Mt Stirling results reported in this announcement relate to 17 holes for 293m from submissions 27, mostly eastern upper zone of the Mt Stirling deposit (M37/1306)(Figure 4).

This submission covers the deposit's shallow upper benches, where mineralisation is characteristically narrower than the broad central envelope reported in earlier rounds. Results are consistent with this geological setting, returning elevated-grade narrow intervals that are informative for mine boundary definition and ore/waster discrimination in these sectors. See Table 2 for significant intercepts and Appendix 1.

Table 2: Mt Stirling Significant intercepts (all widths are downhole widths)

Hole ID	From (m)	To (m)	Width (m)	Grade (g/t Au)
BMLRC742	6	8	2	1.41
BMLRC753	8	11	3	1.56
BMLRC748	1	2	1	1.94
BMLRC744	8	9	1	1.43
BMLRC743	7	10	3	1.19

Note: Nominal lower cutoff 0.5 g/t Au; maximum 0m internal dilution; all intervals length-weighted; no top cuts applied. See Appendix 1 for full significant intercept table and collar information.




Figure 4 – Plan View of Grade Control RC Drilling and the Block Model at Mt Stirling Gold Deposit




Figure 5 – Plan View of Grade Control at Mt Stirling Gold Deposit with significant Intercepts

Geological Context

At Mt Stirling, gold mineralisation is hosted within high-strain schistose-mylonitic deformation within Hydra Fault, within a greenschist-style strongly hydrothermally altered meta-basalt. Gold is preferentially associated with strongly pervasively silicified/silica-flooded, sulphidic intervals with elevated/enriched arsenic contents.

At Mt Stirling Well, gold mineralisation occurs in a distinct structural setting (narrow, flat-dipping quartz veins within a granitoid host). Results from this third batch continue to confirm near surface, high-grade mineralisation consistent with the resource model, and supportive of continued grade coverage across this adjacent deposit.

Mine Planning and the Mining Development and Closure Proposal (MDCP)

With grade control drilling at Mt Stirling now largely complete, GoldArc and BML Ventures are progressing mine planning, using the grade control dataset to update mining models. This work is being advanced in preparation for the anticipated approval of the Mining and Development Closure Plan (MDCP), the regulatory approval required before mining operations can commence at Mt Stirling.

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208

Subject to MDCP approval, GoldArc and BML Ventures anticipate mining will commence at Mt Stirling. The Company will update the market as this progresses.

Grade control results from Mt Stirling Well are expected to contribute to broader Leonora North development planning as that program advances.

Grade Control Drilling Program

The grade control programme employs a closely spaced drill grid (fences 8m apart; holes approximately 6m apart along fences) to systematically cover the Mt Stirling and Mt Stirling Well deposits ahead of potential open-pit mining. Grade control drilling defines ore grade boundaries at the resolution required for production scheduling, assisting BML Ventures to optimise extraction scenarios, reduce dilution risk, and inform production scheduling for each blast zone.

Program parameters:

- **Contractor:** Datum Drilling (RC methods)
- **Laboratory:** Bureau Veritas, Kalgoorlie – 40g fire assay with AAS finish
- **QA/QC:** Oreas Standards and sand blanks inserted at 1:20; no significant issues identified
- **Sample interval:** 1m to 4m composites; holes drilled at -60° unless otherwise stated
- **Cutoff:** Nominal lower cutoff 0.5 g/t Au; maximum 2m internal dilution; all intervals length-weighted; no top cuts applied

The table below summarises the assay dispatch and results schedule across all submission batches to date:

Batch	Dispatched	Samples	Results	Status
1-3	7, 13 & 18 Mar 2026	2,053	Announced	Previously reported to ASX, 13 April 2026
5 -6,	25-Mar-26	864	Announced	Previously reported to ASX, 5 May 2026
4, 7-10	25 Mar & 2 Apr 2026	1,972	Announced	Previously reported to ASX, 21 May 2026
11-13, 22-25	Apr-May 2026	3,721	Announced	Previously reported to ASX, 28 May 2026
15-17, 26	Apr-May 2026	1,267	Announced	Previously reported to ASX, 3 June 2026
18-20, 28	Apr-May 2026	1,439	Announced	Previously reported to ASX, 11 June 2026
21, 31	May-Jun 2026	786	Announced	Previously reported to ASX, 29 June 2026
34, 39-42	May-Jun 2026	1,752	Announced	Previously reported to ASX, 7 July 2026

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208



27, 29, 30, 45

May-Jun 2026

2,087

This
AnnouncementReported in this
announcement

Note: Expected grade control assay dispatch and results schedule. Batches 27, 29, 30 and 45 results reported in this announcement. Samples vary from 1m to 4m composites.

Next Steps

The Company is advancing the following near-term milestones:

- Progress mine planning and updated mining models at Mt Stirling with BML Ventures in preparation for anticipated MDCP approval
- Subject to MDCP approval, advance toward anticipated commencement of mining at Mt Stirling
- Continue grade control drilling at Mt Stirling Well; release results progressively as batches are received and QAQC-validated

This announcement has been authorised for release by the Board of Directors.

- ENDS -

Investors

Paul Stephen

Managing Director

GoldArc Resources Limited

info@goldarcres.com.au

Investor Relations

Madeline Howson

Investor Relations

Discover Investor Relations

madeline@discover.com.au

Forward-Looking Statements Disclaimer

This announcement contains certain "forward-looking statements" and comments about future matters. Forward-looking statements can generally be identified by the use of forward-looking words such as, "expect", "anticipate", "likely", "intend", "should", "estimate", "target", "outlook", and other similar expressions and include, but are not limited to, indications of, and guidance or outlook on, future events, growth opportunities, exploration activities or the financial position or performance of the Company. You are cautioned not to place undue reliance on forward-looking statements. Any such statements, opinions and estimates in this release speak only as of the date hereof, are preliminary views and are based on assumptions and contingencies subject to change without notice. Forward-looking statements are provided as a general guide only. There can be no assurance that actual outcomes will not differ materially from these forward-looking statements. Any such forward-looking statement also inherently involves known and unknown risks, uncertainties and other factors and may involve significant elements of subjective judgement and assumptions that may cause actual results, performance and achievements to differ. Except as required by law the Company undertakes no obligation to finalise, check, supplement, revise or update forward-looking statements in the future, regardless of whether new information, future events or results or other factors affect the information contained in this announcement.

Competent Persons Statements

The information in this announcement as it relates to exploration results and geology is based on, and fairly represents, information and supporting documentation that was compiled by Mr. Ziggy Lubieniecki, who is a director, employee and shareholder of the Company. Mr. Lubieniecki has sufficient experience which is relevant to the styles of mineralisation and types of deposit under consideration and to the activities which he is undertaking to qualify as a Competent Person as defined in the 2012

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208



Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr. Lubieniecki consents to the inclusion in the report of the matters based on the information in the form and context in which it appears.

The information in this announcement that relates to the Orion-Sapphire Mineral Resources is contained in the ASX announcement released on 28 May 2024. The information in this announcement that relates to the gold Mineral Resources for the Mt Stirling Project is contained in the ASX announcements released on 25 February 2019, 29 January 2020 and 5 September 2022. The Company confirms that it is not aware of any new information or data that materially affects the information in the relevant market announcements, and that all material assumptions and technical parameters underpinning the estimates in the relevant announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original announcements.

ASX:GA8

GoldArc Resources

goldarcres.com.au


104 Colin Street
West Perth WA 6005

+618 9420 8208



About GoldArc Resources

GoldArc Resources Limited (ASX:GA8) is a Western Australian focused mineral exploration company with a portfolio of highly prospective gold projects located in the world-class Leonora and Kookynie districts of the Eastern Goldfields. GoldArc's strategy is focused on growing its existing 200,000oz JORC resource base and making new, large-scale discoveries through a disciplined and systematic approach to exploration.



GoldArc Resources Total JORC Mineral Resources

GoldArc Gold Projects	Category	Tonnes	Gold Grade (g/t Au)	Gold Ounces
Leonora North - Mt Stirling	Indicated	391,000	2.1	26,000
	Inferred	2,158,000	1.6	111,000
Leonora North - Mt Stirling Well	Inferred	198,000	2.3	15,000
Leonora South - Orion	Inferred	370,000	2.2	26,409
Leonora South - Sapphire	Inferred	320,000	2.1	21,605
Total		3,437,000	1.82	200,014

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208





ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208



Appendix 1 – RC Drillhole Information Collar Information *Coordinates provided in GDA94_Zone 51S*

Hole ID	GDA_E	GDA_N	RL	Depth	Dip	Azimuth	Deposit
26BSWRC816	311,238	6,834,354	427	15	-87	270	Mt Stirling Well
26BSWRC817	311,251	6,834,354	427	12	-87	270	Mt Stirling Well
26BSWRC818	311,262	6,834,354	426	12	-87	270	Mt Stirling Well
26BSWRC819	311,275	6,834,354	426	13	-87	270	Mt Stirling Well
26BSWRC820	311,287	6,834,354	426	16	-87	270	Mt Stirling Well
26BSWRC821	311,299	6,834,354	426	19	-87	270	Mt Stirling Well
26BSWRC822	311,311	6,834,354	425	20	-87	270	Mt Stirling Well
26BSWRC823	311,317	6,834,354	425	21	-87	270	Mt Stirling Well
26BSWRC824	311,322	6,834,354	425	22	-87	270	Mt Stirling Well
26BSWRC825	311,329	6,834,354	425	23	-87	270	Mt Stirling Well
26BSWRC826	311,334	6,834,354	425	23	-87	270	Mt Stirling Well
26BSWRC827	311,341	6,834,354	425	24	-87	270	Mt Stirling Well
26BSWRC828	311,346	6,834,354	425	25	-87	270	Mt Stirling Well
26BSWRC829	311,353	6,834,354	424	26	-87	270	Mt Stirling Well
26BSWRC830	311,230	6,834,348	427	16	-87	270	Mt Stirling Well
26BSWRC831	311,242	6,834,348	426	16	-87	270	Mt Stirling Well
26BSWRC832	311,253	6,834,346	428	16	-87	270	Mt Stirling Well
26BSWRC833	311,266	6,834,346	428	16	-87	270	Mt Stirling Well
26BSWRC834	311,277	6,834,346	427	16	-87	270	Mt Stirling Well
26BSWRC835	311,290	6,834,345	427	18	-87	270	Mt Stirling Well
26BSWRC836	311,301	6,834,346	427	19	-87	270	Mt Stirling Well
26BSWRC837	311,308	6,834,346	427	20	-87	270	Mt Stirling Well
26BSWRC838	311,314	6,834,345	426	21	-87	270	Mt Stirling Well
26BSWRC839	311,319	6,834,346	426	22	-87	270	Mt Stirling Well
26BSWRC840	311,325	6,834,346	426	23	-87	270	Mt Stirling Well
26BSWRC841	311,332	6,834,346	426	25	-87	270	Mt Stirling Well
26BSWRC842	311,338	6,834,346	426	25	-87	270	Mt Stirling Well
26BSWRC843	311,343	6,834,345	425	26	-87	270	Mt Stirling Well
26BSWRC844	311,349	6,834,346	425	27	-87	270	Mt Stirling Well
26BSWRC845	311,356	6,834,346	425	28	-87	270	Mt Stirling Well
26BSWRC846	311,361	6,834,346	425	29	-87	270	Mt Stirling Well
26BSWRC847	311,227	6,834,338	428	15	-87	270	Mt Stirling Well
26BSWRC848	311,233	6,834,338	428	16	-87	270	Mt Stirling Well
26BSWRC849	311,238	6,834,338	428	17	-87	270	Mt Stirling Well
26BSWRC850	311,244	6,834,338	428	16	-87	270	Mt Stirling Well
26BSWRC851	311,256	6,834,338	427	17	-87	270	Mt Stirling Well
26BSWRC852	311,269	6,834,338	428	17	-87	270	Mt Stirling Well
26BSWRC853	311,280	6,834,338	427	19	-87	270	Mt Stirling Well
26BSWRC854	311,292	6,834,338	427	22	-87	270	Mt Stirling Well
26BSWRC855	311,299	6,834,338	427	21	-87	270	Mt Stirling Well
26BSWRC856	311,304	6,834,338	426	22	-87	270	Mt Stirling Well
26BSWRC857	311,311	6,834,338	426	22	-87	270	Mt Stirling Well
26BSWRC858	311,317	6,834,338	426	23	-87	270	Mt Stirling Well
26BSWRC859	311,322	6,834,338	425	24	-87	270	Mt Stirling Well
26BSWRC860	311,328	6,834,338	425	25	-87	270	Mt Stirling Well
26BSWRC861	311,334	6,834,338	425	27	-87	270	Mt Stirling Well
26BSWRC1084	311,335	6,834,226	427	27	-87	270	Mt Stirling Well
26BSWRC1085	311,341	6,834,226	427	26	-87	270	Mt Stirling Well
26BSWRC1086	311,332	6,834,218	427	26	-87	270	Mt Stirling Well
26BSWRC1087	311,338	6,834,218	427	26	-87	270	Mt Stirling Well
26BSWRC1088	311,344	6,834,219	428	37	-87	270	Mt Stirling Well
26BSWRC1089	311,232	6,834,210	430	10	-87	270	Mt Stirling Well
26BSWRC1090	311,239	6,834,210	430	7	-87	270	Mt Stirling Well
26BSWRC1091	311,244	6,834,209	430	7	-87	270	Mt Stirling Well
26BSWRC1092	311,250	6,834,209	430	7	-87	270	Mt Stirling Well
26BSWRC1093	311,256	6,834,209	429	7	-87	270	Mt Stirling Well
26BSWRC1094	311,210	6,834,204	431	25	-87	270	Mt Stirling Well
26BSWRC1095	311,216	6,834,204	431	25	-87	270	Mt Stirling Well
26BSWRC1096	311,222	6,834,204	431	25	-87	270	Mt Stirling Well
26BSWRC1097	311,228	6,834,204	430	12	-87	270	Mt Stirling Well
26BSWRC1098	311,206	6,834,196	431	22	-87	270	Mt Stirling Well
26BSWRC1099	311,218	6,834,196	431	13	-87	270	Mt Stirling Well
26BSWRC1100	311,210	6,834,188	431	25	-87	270	Mt Stirling Well
26BSWRC1101	311,215	6,834,188	432	28	-87	270	Mt Stirling Well
26BSWRC1102	311,222	6,834,189	430	31	-87	270	Mt Stirling Well
26BSWRC1111	311,198	6,834,201	432	22	-87	270	Mt Stirling Well



For personal use only



ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208



Hole ID	GDA_E	GDA_N	RL	Depth	Dip	Azimuth	Deposit
BMLRC739	311,565	6,835,053	419	11	-87	270	Mt Stirling
BMLRC740	311,571	6,835,053	419	12	-87	270	Mt Stirling
BMLRC741	311,577	6,835,053	419	12	-87	270	Mt Stirling
BMLRC742	311,583	6,835,053	419	15	-87	270	Mt Stirling
BMLRC743	311,589	6,835,053	420	17	-87	270	Mt Stirling
BMLRC744	311,595	6,835,053	420	17	-87	270	Mt Stirling
BMLRC745	311,571	6,835,037	419	13	-87	270	Mt Stirling
BMLRC746	311,577	6,835,037	419	13	-87	270	Mt Stirling
BMLRC747	311,583	6,835,037	419	13	-87	270	Mt Stirling
BMLRC748	311,589	6,835,037	420	14	-87	270	Mt Stirling
BMLRC749	311,595	6,835,037	420	15	-87	270	Mt Stirling
BMLRC750	311,601	6,835,037	420	15	-87	270	Mt Stirling
BMLRC751	311,583	6,835,021	420	14	-87	270	Mt Stirling
BMLRC752	311,589	6,835,021	420	14	-87	270	Mt Stirling
BMLRC753	311,595	6,835,020	420	14	-87	270	Mt Stirling
BMLRC754	311,601	6,835,020	420	14	-87	270	Mt Stirling
BMLRC788	311,668	6,834,842	420	70	-60	240	Mt Stirling

Significant Intercepts with nominal lower cut-off of 0.5 g/t Au was applied with maximum 1m of internal dilution

Intercepts	Depth From	Including	Hole ID	Deposit
2m @ 2.11g/t Au	11		26BSWRC822	Mt Stirling Well
1m @ 1.56g/t Au	14		26BSWRC823	Mt Stirling Well
1m @ 1.15g/t Au	11		26BSWRC825	Mt Stirling Well
1m @ 3.26g/t Au	16		26BSWRC826	Mt Stirling Well
2m @ 13.46g/t Au	7	1m @ 21.4g/t Au from 7m	26BSWRC833	Mt Stirling Well
1m @ 1.29g/t Au	13		26BSWRC834	Mt Stirling Well
1m @ 2.27g/t Au	12		26BSWRC835	Mt Stirling Well
1m @ 1.41g/t Au	14		26BSWRC836	Mt Stirling Well
1m @ 31.0g/t Au	15		26BSWRC838	Mt Stirling Well
1m @ 1.62g/t Au	16		26BSWRC839	Mt Stirling Well
1m @ 8.08g/t Au	18		26BSWRC840	Mt Stirling Well
2m @ 6.31g/t Au	19	1m @ 11.0g/t Au from 20m	26BSWRC842	Mt Stirling Well
1m @ 1.05g/t Au	22		26BSWRC845	Mt Stirling Well
1m @ 2.36g/t Au	23		26BSWRC846	Mt Stirling Well
1m @ 2.83g/t Au	8		26BSWRC850	Mt Stirling Well
1m @ 2.71g/t Au	0		26BSWRC852	Mt Stirling Well
2m @ 9.43g/t Au	14	1m @ 16.5g/t Au from 14m	26BSWRC854	Mt Stirling Well
1m @ 14.7g/t Au	15		26BSWRC855	Mt Stirling Well
1m @ 2.75g/t Au	16		26BSWRC857	Mt Stirling Well
2m @ 2.18g/t Au	18		26BSWRC859	Mt Stirling Well
1m @ 2.55g/t Au	20		26BSWRC861	Mt Stirling Well
1m @ 1.01g/t Au	7		26BSWRC1094	Mt Stirling Well
1m @ 1.5g/t Au	13		26BSWRC1094	Mt Stirling Well
1m @ 0.97g/t Au	25		26BSWRC1102	Mt Stirling Well
2m @ 1.41g/t Au	6		BMLRC742	Mt Stirling
3m @ 1.19g/t Au	7		BMLRC743	Mt Stirling
1m @ 1.43g/t Au	8		BMLRC744	Mt Stirling
1m @ 1.94g/t Au	1		BMLRC748	Mt Stirling
3m @ 1.56g/t Au	8		BMLRC753	Mt Stirling

Appendix 2 – JORC Code, 2012 Edition – Table 1

Section 1 – Sampling Techniques and Data

Criteria	Commentary
Sampling techniques	- Samples were collected from Reverse Circulation drilling. Drillholes were generally drilled at a dip of approximately -60 degrees, unless otherwise stated in Appendix 1. RC samples were collected 1m-4m downhole using a cyclone splitter. Samples were collected using industry standard methods - All samples were crushed at the independent international accredited laboratory, 40g Fire Assay RC samples an established Industry-standard method for gold mineralisation - The sampling techniques used are deemed appropriate for the style of mineralisation and exploration undertaken - BML Ventures ensured all sample preparation was completed by independent international accredited laboratories
Drilling techniques	RC drilling was undertaken by Datum Drilling; Industry drilling methods and equipment were utilised to maximise sample integrity and recovery
Drill sample recovery	- All care was taken by Datum Drilling to maximise the drill sample recovery - Sample recovery and condition data are noted in geological comments as part of the logging process for RC drilling
Logging	- All drill holes have been geologically logged to an appropriate level of detail to support a mineral resource estimation - Logging is qualitative in nature based on the observational skills and experience of Geologist - All drilling was logged from start of hole to end of hole and all holes were logged. - Logging was captured digitally
Sub-sampling techniques and sample preparation	- Samples were prepared and analysed at Bureau Veritas in Kalgoorlie - Samples were crushed so that each sample had a nominal 85% passing 2mm - Sample preparation was by Bureau Veritas, and the samples were pulverised to less than 75um - All samples were analysed for gold via 40g fire assay with an AAS finish - The QAQC procedure included assaying of Oreas Standards, sand blanks and quartz washes between certain samples - Industry standard sampling methods employed, and size of samples is appropriate for material sampled
Quality of assay data and laboratory tests	- Routine 'standard' (mineralised pulp) Certified Reference Material (CRM) was inserted by BML Ventures at a nominal rate of 1 in 20 samples - Routine 'blank' material (unmineralised sand) was inserted at a nominal rate of 1 in 20 samples - No significant issues have been noted. The techniques are considered quantitative in nature - The analytical laboratories provided their own routine quality controls within their own practices as per international ISO standards
Verification of sampling and assaying	- Independent verification of significant intersections was carried out by additional company personnel, reviewing the original laboratory files and the assay database. Additional company personnel were present from the point of logging the geology to submission of the samples - This drilling forms part of the grade control program and is intended to provide closer-spaced data to support geological interpretation and mine planning studies. - There has been no adjustment to the assay data.
Location of data points	- Drill hole collars were surveyed in GDA 94_51 coordinates using both handheld GPS - Down hole surveys were taken at the end of the drilling using the Axis Gyro tool
Data spacing and distribution	Drill spacing is appropriate for the reporting of exploration results
Orientation of data in relation to geological structure	- The drilling is approximately perpendicular to the strike and dip of mineralisation and therefore the sampling is considered representative of the mineralised zones - The deposits are aligned with well-defined structural orientations, and drilling is oriented to generally intersect at a high angle to the mineralisation and the holes have been angled at -60
Sample security	Samples are packed into bags, sealed and transported to Bureau Veritas in Kalgoorlie by BMLV/contractor personnel under documented chain-of-custody procedures.
Audits or reviews	All assay data has been reviewed by two company personnel. No external audits have been conducted.

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208



Section 2 – Reporting of Exploration Results

Criteria	Commentary
Mineral tenement and land tenure status	- Areas discussed herein are located on - M37/1306 and M37/1305 - An agreement between GoldArc and Ross Crew has been signed whereby Ross Crew retains a royalty on any production. - The Mt Stirling Gold Project in the Leonora Gold District of Western Australia comprises sixty-nine leases – 6 Mining leases, 1 Exploration lease and 62 Prospecting leases. The combined area of the project is approximately 17,876 ha. - There is a 2% royalty to a third party for minerals on these licenses. - There are no known impediments to obtaining a licence to operate.
Exploration done by other parties	- Mt Stirling Gold Tenements have undergone multiple drill programs over a protracted period focusing on areas around the historical prospects of Diorite King and Mt Stirling Well. Numerous significant intercepts occur outside of mined areas. - In 2014, A&C completed Aircore and RC drilling. - Hill Minerals 1984 Diorite King shaft sampling and RAB drilling - Eso Minerals 1986 mapping, RAB drilling - Mt Edon Mines 1988 mapping, rock chip sampling, RAB drilling, RC drilling during 1997-1998. - Tarmoola Australia 2000-2001 mapping and RC drilling on the Ursus Fault. - Jupiter Mines 2006-2010 geological reconnaissance, data acquisition, mapping and research on Kurrajong Project. 2006 AC around Diorite King, Golden king and Rose of Diorite. 93 holes for 1767m. - Bligh Resources and BMGS in 2010 to compile data for Diorite King. Mapping by Jon Standing, Southern Geoscience Consultants for geophysical interpretation in 2012. - Torian Resources (predecessor to Asra) engaged SGC to interpret the whole Mt Stirling Project. RC, diamond and vacuum drilling at Mt Stirling and Yttria REE deposit.
Geology	- The Mt Stirling Gold Project is located in the central part of the Norseman-Wiluna belt of the Eastern Goldfields terrane. - The project area is in the hinge zone of the gently north-plunging Tarmoola anticline. The greenstone sequence is thought to overlie a major detachment fault separating a granite gneiss complex (Leonora Batholith) from the overlying greenstones. The detachment fault hosts the Sons of Gwalia deposit at Leonora. The project area is an area of extensive gabbro-dolerite-basalt outcrop and subcrop. The mafic rocks dip about the Tarmoola Anticline variably at 30 to 60 degrees and can be divided into predominantly massive basalts in the west and pillowed, variolitic basalts in the east. The Mt Stirling syenogranite/monzogranite has intruded the massive basalts (Evans, 1998). - Project stratigraphy consists of a succession of variolitic, pillowed high Mg basalts containing differentiated dolerite/gabbro sills. The two basalt lithotypes are divided by a central shear zone which trends 340° in the south and 315° in the north. The shear zone consists of chlorite±tremolite/actinolite schist with narrow quartz veins. Widely spaced sinistral shear bands trending 300-320° overprint the main foliation. Some quartz veins are compatible with the sinistral movement indicated by the shear bands. The main well-developed steeply (65-80 degrees) east-dipping fabric locally contains a well-developed sub-horizontal mineral lineation which appears to be doubly plunging. No alteration is observed within the shear zone at surface. The main shear zone and shear bands are interpreted to be D2 /- D3 structures. - The Mt Stirling syenogranite/monzogranite outcrops to the north of the Diorite CRG leases. Extensive millimetre to centimetre scale quartz veining is present with sericite/muscovite-epidote-pyrite alteration selvages adjacent to many veins. Alteration is not pervasive and is primarily associated with veining. Multiple quartz vein sets are present, producing local stockwork arrays. Numerous felsic dykes and plugs observed throughout the area possibly representing apophyses of the monzogranite pluton. - All significant results for completed AC and RC drilling have been tabulated. - The extent of drilling is shown with diagrams included in this announcement.
Drill hole Information	The extent of drilling is shown with diagrams and tables included in this announcement
Data aggregation methods	- All reported assay intervals have been length weighted. No top cuts were applied. - A nominal lower cut-off of 0.5 g/t Au was applied with maximum 1m of internal dilution allowed - Reported intervals relate to significant assay results from the current grade control program and have been calculated using the stated cut-off and internal dilution parameters.

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+61 8 9420 8208





For personal use only
GoldArc

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208



Criteria	Commentary
	High grade mineralised intervals internal to broader zones of lower grade mineralisation are reported as included intervals
Relationship between mineralisation widths and intercept lengths	- The drill holes are interpreted to be approximately perpendicular to the strike and dip of mineralisation. - All results were reported as down holes
Diagrams	Suitable figures have been included in the body of the announcement.
Balanced reporting	Key results and conclusions have been included in the body of the announcement.
Other substantive exploration data	Compilation of all historical exploration data at the project is underway and will be stored digitally.
Further work	Follow up field work is planned.